City of Cocoa

65 Stone Street
Cocoa, FL 32922

Meeting Agenda - Final

Tuesday, December 14, 2021

6:00 PM

Cocoa City Council Chambers

City Council

CALL TO ORDER

INVOCATION

PLEDGE OF ALLEGIANCE

ROLL CALL

II. APPROVAL OF AGENDA AND MINUTES:

AGENDA:

II.1 21-770 Approve the Agenda for the Regular meeting of December 14, 2021, as presented or with amendments.

Attachments: 12-14-2021 Short Agenda ADA.pdf

MINUTES:

II.2(a) 21-766 Approve the Minutes for the Regular Meeting of October 12, 2021, as written or with amendments.

Attachments: 10-12-2021 Minutes ADA.pdf
Exhibit A- CPD Strategic PlanPresentation.pdf
Exhibit B- Presentation by K. Lorti.pdf
Exhibit C- Stradley Park Presentation.pdf
Exhibit D- Handout from K. Rezanka.pdf
Exhibit E- Statement read by L. Koss from Peter and Donna Olavarria.pdf
Exhibit F- Statement provided by M. Weiss for Item VII.6.pdf

II.2(b) 21-767 Approve the Minutes for the District 4 Town Hall Meeting of October 19, 2021, as written or with amendments.

Attachments: 10-19-2021 Minutes ADA.pdf

II.2(c) 21-769 Approve the Minutes of the Regular meeting of November 9, 2021, as written or with amendments.

Attachments: 11-09-2021 Minutes ADA.pdf

III. AWARDS AND PRESENTATIONS:

III.1 21-771

Attachments: Hot Cocoa Holidays Proclamation.pdf

III.2 21-804

Attachments: Certificates of Recognition.pdf

IV. DELEGATIONS:

In accordance with the City Council's rules and procedures, residents or tax-payers of the City (upon any subject of general or public interest), City employees (regarding his/her employment), and water and sewer customers (on matters related to the City's water and/or sewer system), may address the City Council under Delegations on items not on the printed agenda by filling out a speaker card.

Speaker cards are located outside the Council meeting room and should be provided to the City Clerk. Please observe the time limit of three (3) minutes while speaking under Delegations. Delegations shall be limited to thirty (30) minutes unless extended by Council.

V. CONSENT AGENDA:

V.1 21-732 Approve a Resolution Amending the FY22 Budget, BAF#22-022-A, increasing the Capital Machinery and Equipment account by $12,547 to reflect a confiscated vehicle being added to Fleet.

Attachments: Budget Resolution FY 2022- ADA Compliant.docx
BAF 22-022-A-PD-FMV of Seized Vehicle (12-14-21) Agenda 21-732.pdf

V.2 21-734 Approve a Resolution Amending the FY22 Budget, BAF# 22-029-A in the amount of $25,000, transferring from Police Department Budget to Information Technology Budget to Run Fiber Optic Cable for a Police Sub Station

Attachments: Budget Resolution FY 2022- ADA Compliant.docx
BAF 22-029-T-PD-Varr St Fiber (12-14-21) Agenda 21-734.pdf

V.3 21-740 To Approve Participation in a Cooperative Purchase Agreement with Stewarts Motor Works, Inc., Orlando, Florida, for Repairs and Maintenance of High Service Pump #1 for the EM Clutch and Synchronous Motor at the Dyal Water Treatment Plant (WTP) Utilizing the City of West Palm Beach Contract # 21128.025, Effective April 4, 2018 through April 2, 2023

Attachments: SEMW JOB QUOTE 669 HIGH SEVICE PUMP # 1 DATE 11-03-2021 with high
UT-Dyal-20-PGB-STEWARTS-00-01.pdf
21128.025 Amd1 Renewal.pdf
FULLY EXECUTED UT-Dyal-20-PGB-STEWARTS-00-01.pdf
Master Service Contract # 21128 Electric Motor and Pump Repair - executed 4-
Stewarts COI exp. 6.1.2022.pdf

V.4 21-743 To Approve Participation in a Cooperative Purchase Agreement with Tech Systems, Inc, Melbourne, Florida, for a Roof Replacement on the Chemical Building at the Dyal Water Treatment Plant utilizing Brevard County Contract # RFP-4-18-12, Effective July 12, 2021 through July 11, 2022 in the amount of $245,542.96; To Approve a Resolution Authorizing the City Manager to Approve Change Orders in an Amount Not to Exceed $24,554 (approximately 10%) for a Project Total of $270,096.96; To Approve a Resolution Amending the FY2022 Budget to Reallocate Funds for a Roof Replacement from Tech Systems, Inc, BAF # 22-023-A

Attachments:
- 1st Amendment_Tech Systems Inc (RFP-4-18-12).pdf
- Tech - Renewal #3.pdf
- Dyal WWTP Roof Replacement updated 9302021.pdf
- PW-20-PBG-TECH_SYS-001-00.pdf
- Brevard County Roofing Renewal Tech Systems Exp 7.11.21.pdf
- Resolution - Project Contingency .doc
- Budget Resolution FY 2022- ADA Compliant.docx
- BAF 22-023-A-UT-Chemical Building Roof Repair (12-14-21) Agenda 21-743 (0

V.5 21-746 To Approve a Resolution Waiving the Competitive Bidding Process for the Purpose of Making a Sole Source Purchase of an HMS (RH) Single Turner Valve Maintenance Skid and Associated Equipment from E.H. Wachs, Lincolnshire, Illinois, for the Dyal Water Treatment Plant

Attachments:
- Resolution - Sole Source - E.H. Wachs.doc
- Quote HC163070.pdf
- Exempt Vendor Listing FY21.pdf

V.6 21-773 Approve Resolution Amending the FY22 Budget BAF#22-026-A, through the use of Assigned Fund Balance to the Economic Development Account, to fund expenses related to the Annual Economic Development Update Breakfast event.

Attachments:
- Budget Resolution FY 2022- ADA Compliant.docx
- BAF 22-026-A-ED-Econ Dev Annual Breakfast (12-14-21) Agenda 21-773.pdf

V.7 21-776 Approval of a Resolution, Amending the FY22 Budget BAF# 22-027 for the amount of $660.00 for the Housing Department to provide a cell phone to conduct City Business after hours, record progress of projects with video and photos, respond to Citizens, attend virtual meetings when chrome books lack connectivity, and allow staff to respond by text.

Attachments:
- FY22 Resolution.docx
- BAF 22-027-T-CD-HPM Cell Phone (12-14-21) Agenda 21-776.pdf
- CDBG Indirect cost allocation .pdf

V.8 21-787 Approve the purchase of portable radios and equipment from Communications International in the amount of $89,720.24 via an Exemption to Competitive Purchase as standardization of the Fire Department radios.

Attachments: CFD QO0016735 XL185P LTE 17 111721.pdf
ECP-Fire-CI Radios-$89,721.pdf

V.9 21-788 Approval of the requested Pay Plan changes for Fiscal Year 2022.

Attachments: FY 2022 General Employees Pay Plan (Revised Effective 12-14-2021).pdf

V.10 21-810 Grant an easement to Riverside Apartments Limited, located at 650 Dixon Boulevard, to allow certain encroachments to remain on the City's property along Dixon Boulevard, and permit the City Attorney to negotiate any necessary amendments and insert applicable legal descriptions.

Attachments: 650 Dixon Easement - FINAL CLEAN.docx
SIGNED SURVEY.PDF
Indenture 650 Dixon.pdf

MULTI-YEAR CONTRACTS:

V.11 21-707 To Award RFP-21-23-COC, Lift Station #1 Replacement, Project No. GR2102, to Carr and Collier Inc., Leesburg, Florida, in the Amount of $653,307; To Authorize the City Manager to Negotiate the Contract; To Approve a Resolution Authorizing the City Manager to Approve and Execute Change Orders in an Amount Not to Exceed $65,331 (10% of the Contract Amount) for a Total Project Cost of $718,639; To Approve as a Multi-Year Contract from FY2022 through FY2023. Approve a Resolution Amending the FY22 Budget, BAF# 22-020-A, Accepting the Grant Revenue and Re-budgeting the City's portion through the use of Reserves.

Attachments: 4337-232-R - Executed Contract (08-26-2020).pdf
Scoring Tabulation Spreadsheet RFP-21-23-COC Lift Station #1 Replacement F
Notification of Intent to Award.pdf
Bid Summary.pdf
Res Proj Contingency - LS #1 Replacement.doc
Budget Resolution FY 2022- ADA Compliant.docx
BAF 22-020-A-UT-Lift Station 1 Grant (11-9-21)-Agenda 21-707.pdf
21-707 Award RFP 21-23-COC.docx

V.12 21-722

To Approve a Multi-Year Piggyback Cooperative Purchase Agreement with East Coast Fence and Guardrail of Brevard, LLC., Utilizing the Brevard County Contract B#21-452-B-JW for On-Demand Fencing and Guardrail Services. To Authorize the City Manager to Sign the Contracts and renewals for each Subsequent Fiscal Year.

Attachments:
- Dyal - PARTICIALLY EXECUTED Piggyback Contract No ITB 21-452-B-JW Fer
- ITB 21-452-B-JW Fencing Contracting Services (Maintenance).pdf
- School Board of Brevard County Contract No ITB 21-452-B-JW Fencing.pdf
- SIGNED E-Verify Affidavit.pdf
- East Coast Fence COI exp. 4.11.22.pdf

V.13 21-739

To Approve Bid No. 21-25-COC, Dyal Water Treatment Plant - Electrical Contractor Services to CE Power Solutions, Tampa, Florida, and Archis, Inc. dba Archis Technologies, Winter Garden, Florida, for Continuous Electrical Services and On-Call Electrical Services; To Approve a Three-Year Contract from FY22 through FY25, with Two (2), One (1) Year Renewals; To Authorize the City Manager to Execute the Contract and Future Renewals, Purchase Orders, Change Orders and Amendments to the Contract; Pending Approval of Subsequent Fiscal Years' Budgets

Attachments:
- Revised Scoring Tab Sheet Q 21-25-COC Electrical Contr. Srvc.pdf
- SIGNED Notification of Intent to Award - Archis.pdf
- Archis-FULL SUBMISSION.pdf
- E-Verify.pdf
- Archis COI Cocoa 2021-2022.pdf
- SIGNED Notification of Intent to Award - CE Power.pdf
- CE Power Bid Submittal.pdf
- CE Power - E-Verify.pdf
- CE Power Solutions COI exp. 5.31.2022.pdf

V.14 21-782 Approve the City Manager to execute the multi-year continuing service agreement(s) for an initial 5-year term (including two one-year renewal options) for ITB B-21-30-COC Concrete Sidewalk Curb and Gutter Construction Services. Authorize the City Manager to negotiate and execute the final agreement(s). Authorize the City Manager to sign the contract(s), renewal(s) and Purchase Orders for each subsequent fiscal year pending the approval of that year's budget.

Attachments: MASTER TABULATION SHEET - PRICING v2 Nov16-2021.pdf
JMD E-Verify.pdf
JMD Notification of Intent to Award.pdf
Goodson COI.pdf
Goodson E-Verify.pdf
Goodson Notification of Intent to Award_signed.pdf
Garcia E-Verify.pdf
Garcia Notification of Intent to Award_unsigned.pdf

V.15 21-792 Council approval to enter into a "Piggyback" contract with Communication International using the Board of County Commissioners of Brevard County Public Safety Radio System Maintenance Contract number B 7-21-81 as a multi-year contract.

Attachments: PARTIALLY EXECUTED Standard Form for Piggyback Contract No. B 7-21-81_
SIGNED E-Verify Contractor Affidavit CPD 11.30.21.pdf
CI CONTRACT 2021-2026_.pdf
AO-29_CI CONTRACT_.pdf
NOA 08-13-2021.pdf

VI. PUBLIC HEARINGS:

VI.1 21-747 Approval of Ordinance No. 12-2021/second and final reading: Amending Chapter 2, Administration, Article VIII, Firefighters' Retirement Plan of the Code by amending: Section 2-271, Definitions, adding definition of death in the line of duty; Section 2-324, Disability, amending the benefit for a service incurred disability; Section 2-325, Preretirement Death, amending to create a new pre-retirement death benefit for members killed in the line-of-duty.

Attachments: 12-2021 Cocoa Firefighters Pension Ordinance (Final Reading).pdf
12-2021 Actuarial Impact Statement.pdf
Ad Confirmation: Ordinance 12-2021.pdf

VI.2 21-755 Consideration of Second Reading and Public Hearing (Ordinance 14-2021) of The City of Cocoa, Brevard County, Florida; relating to backyard chickens; amending Chapter 5 - Animals and Fowl of the city code to allow the keeping of chickens and chicken coops within certain residential zoning districts subject to certain enumerated conditions; creating definitions; establishing a permitting process; providing for the repeal of prior inconsistent ordinances and resolutions, severability, incorporation into the code, and an effective date.

Attachments: Ordinance 14-2021 Backyard Chickens.docx
Chicken Ad 14-2021.docx

VI.3 21-801 Consideration of First Reading (Ordinance 15-2021) of the City of Cocoa, Brevard County, Florida; consistent with Florida Statute, Section 163.3177, adopting a Private Property Rights Element as a new section into the City of Cocoa's Comprehensive Plan.

Attachments: Ordinance 15-2021 Cocoa Comp Plan Property Rights Element.pdf
Legal Ad private property rights.pdf
Notice of Public Hearing - Ordinance No. 15-2021.pdf

VI.4 21-802 Consideration of the First Reading (Ordinance 11-2021) of The City of the City of Cocoa, Brevard County, Florida; amending Appendix A, Zoning, Article VIII, Section 17, Home Occupations.

Attachments: Ordinance 11-2021 Home Based Businesses.pdf
Legal Ad (Display Ad) - Home Based Businesses.pdf
Notice of Zoning Text Change - Ordinance No. 11-2021.pdf

VII. COUNCIL BUSINESS:

VII.1 21-676 City Council discussion and direction related to the funding of a $2,600 appraisal and purchase (not to exceed the lesser of the appraisal or $20,000 owner asking price) for the proposed easement area.

Attachments: Final Letter Sent 7-14-21.pdf
Trail Easement.pdf
Easement Quotations - CCA.pdf

VII.2 21-735 Accept the City of Cocoa Urban Forest Management Plan and authorize the City to proceed with the plan recommendations.

Attachments: Brochure.pdf
City of Cocoa 2021 Tree Management Plan_092921_Final_Complete.pdf
111720 - COCOA_TREE_INVENTORY_FINAL_Sorted Very Poor to Excellent.p

VII.3 21-737 Approve the requested 2022 street closures in association with the proposed Special Events.

VII.4 21-756 City Council Liaison Appointments and Appointment of the Space Coast League of Cities & Florida League of Cities Voting Delegates & Alternates for 2022.

Attachments: Journal 12-08-2020.pdf

2022 Appointment of League Voting Delegate Director Form.pdf

VII.5 21-762 Consider Mayor Blake's request to reappoint Mr. Clinton Warner III and Mr. Joe Robinson as members of the Cocoa Housing Authority through December, 2025.

Attachments: Housing Authority Roster.pdf

VII.6 21-763 Consider the appointment of 1st Alternate member Aleck Greenwood or (1) one of the following applicants as a Regular member to the Planning and Zoning Board: Renee Cooper, Craig Curtis, or Veronica Lopez-Velez.

Attachments: Planning Roster.pdf

Renee Cooper Application.pdf

Craig Curtis Application.pdf

Veronica Lopez-Velez Application.pdf

VII.7 21-764 Council direction on the current Outdoor Dining Resolution 2021-13, that is set to expire on December 31,2021.

Attachments: Resolution 2021-13.docx

VII.8 21-781 Approve the current Code Enforcement Lien for the property located at 215 Riverside Dr. be reduced to $2,227.39

Attachments: 215 Riverside Dr Application.pdf

Staff Report for Lien Reduction 215 rivertdocx.docx

Cost Affidavit Form -215 Riverside Dr.xlsx

VII.9 21-783 Council approval for a Resolution to join with the State of Florida and other Local Governmental Units as a Participant in the Florida Memorandum of Understanding and Formal Agreements Implementing a Unified Plan for the Allocation and Use of Prospective Settlement Dollars from Opioid Related Litigation.

Attachments: Resolution No 2021-XX authorizing city join MOU and agreements for opioid set

Exhibit A to Reso 2021-XX MOU re opioid settlement funds.pdf

18 Year Payout- City_County & Abatement Funds (1).pdf

VII.10 21-805 Staff is seeking direction regarding the finalization of the Operations and Maintenance Lease and Agreement between the City of Cocoa and the Brevard Museum and Sciences Center, Inc as a result of the ongoing negotiations related to this agreement.

VIII. CITY BUSINESS:

VIII.1 21-738 Approve a Resolution Amending the Utility Handbook's Policies and Procedures.

Attachments: Resolution 2021-XXX.docx
1000.5 - City of Cocoa Utilities Handbook ADA draft.docx
1001B.FY22.2 - Schedule B - Miscellaneous Rates, Fees & Charges - Copy.doc
1001B.FY23.2 - Schedule B - Miscellaneous Rates, Fees, & Charges - Copy.do
1001B.FY24.2 - Schedule B - Miscellaneous Rates, Fees, & Charges - Copy.do
1001B.FY25.2 - Schedule B - Miscellaneous Rates, Fees, & Charges - Copy.do

VIII.2 21-791 Approve a Resolution Amending the FY22 Budget, BAF# 22-031-A, Budget Roll from FY21 to FY22 for the American Rescue Plan Fund.

Attachments: Budget Resolution FY 2022- ADA Compliant.docx
BAF 22-031-A-FN-ARPA Budget (12-14-21)-FY22 Agenda 21-791.pdf

IX. INFORMATIONAL AGENDA:

IX.1 21-750 In accordance with City Code, Section 2-74, at the beginning of each month during the fiscal year, the City Manager shall submit to City Council data showing the relation between the estimated and actual income and expenses to date.

Attachments: Budget By Classification Report October 2021.pdf

IX.2 21-751 In accordance with the Financial Operations Manual (FOM) the City Manager shall submit to City Council in the form of an agenda item any approved change orders to construction contracts that the City Council has authorized the City Manager, by resolution, to approve in excess of the City Manager's spending authority.

Attachments: Change Order Authorizations 10-31-2021.pdf

IX.3 21-786 Informational Item: Report the results of the five (5) Year Consolidated Plan surveys received and calculated. Results will be used for the development of priorities to address the needs and goals within the City of Cocoa, for the FY 2022-2027 5 Year Consolidated Plan.

Attachments: Survey Results for 5 Year Consolidated Plan.csv
Public Comment- 24 CFR Part 91.105.csv

X. REPORTS:

XI. ADJOURNMENT

XII. NOTICE TO THE PUBLIC:

This is a public meeting. All interested parties may attend in person. The facility wherein this public meeting will be held is accessible to the physically handicapped. In accordance with the Americans With Disabilities Act, persons needing assistance to participate in any of these proceedings should contact the City Clerk of the City of Cocoa, listed below, at least 48 hours prior to the meeting: Carie Shealy, City Clerk, 65 Stone Street, Cocoa, by telephone at (321) 433-8484 or via email at cshealy@cocoafl.org.

Additionally, interested persons may view or listen to the meeting electronically at the following internet sites:
(1) https://tinyurl.com/s5e875r or
(2) https://cocoa.legistar.com/DepartmentDetail.aspx?ID=26365&GUID=FF9D3369-D354-4FAB-800A-57D0AEE30153&Mode=MainBody

However, the City is not responsible for technical difficulties that may occur while attempting to view or listen to the meeting on the internet.

Interested persons may submit their written comments or questions regarding the meeting prior to the meeting through Email at meetings@cocoafl.org, or via E-comments through the online agenda. Any electronic comments submitted will be made part of the meeting record. Written comments or questions not relevant to the Council meeting agenda will not be made part of the meeting record but will be maintained as public record.

Pursuant to Section 286.0105, Florida Statutes, the City hereby advises the public that: if a person decides to appeal any decision made by the City Council with respect to any matter considered at its meeting or hearing, that person will need a record of the proceedings and for such purpose, affected persons may need to assure that a verbatim record of the proceedings is made, and such record shall include the testimony and evidence upon which the appeal is to be based. This notice does not constitute consent by the City for the introduction or admission into evidence of otherwise inadmissible or irrelevant evidence, nor does it authorize challenges or appeals otherwise not allowed by law.

Although members of the public are entitled to be heard by the City Council on certain items on the meeting agenda pursuant to the City Council Rules of Procedure, members of the public are not entitled to an immediate response by either administrative staff members or Council; however, the City Council or administrative staff may provide a response at their discretion. When presenting before the City Council, all comments or questions should be directed to the Mayor or the chair of the meeting. Comments or questions should not be made directly to administrative staff without permission from the Mayor or chair.
Public debate by individual speakers from the audience on public hearing items shall be limited to three (3) minutes. Applicants or representatives of recognized groups with special interests in a matter shall be limited to ten (10) minutes; and total debate on a single issue shall be limited to thirty (30) minutes. Only one presentation per person per item shall be allowed.

A Council member may add an item to the agenda during the meeting only at the time the agenda is approved. If the item requires action by the Council, then it may be added to the agenda by an affirmative vote of the Council, and written documentation must be submitted at the time the item is added to the agenda. Matters may also be raised by the Council, City Manager or City Attorney under reports and acted upon by the City Council.

This agenda is posted on the Municipal Bulletin Board and at the Central Brevard Library and Reference Center in Cocoa for public review.

Legislation Details (With Text)

File #:	21-770	**Version:**	1	**Name:**	
Type:	Agenda			**Status:**	Agenda Ready
File created:	11/17/2021			**In control:**	City Council
On agenda:	12/14/2021			**Final action:**	
Title:	Approve the Agenda for the Regular meeting of December 14, 2021, as presented or with amendments.				
Sponsors:					
Indexes:					
Code sections:					
Attachments:	12-14-2021 Short Agenda ADA.pdf				

Date	Ver.	Action By	Action	Result

CITY COUNCIL AGENDA ITEM

Memo Date: November 17, 2021
Agenda Date: December 14, 2021
Prepared By: Carie Shealy, City Clerk
Through:
Requested Action:
Approve the Agenda for the Regular meeting of December 14, 2021, as presented or with amendments.

BACKGROUND:

The City Council approves the agenda for all its regular meetings at the beginning of such meetings.

STRATEGIC PLAN CONNECTION:

N/A

BUDGETARY IMPACT:

N/A

PREVIOUS ACTION:

The City Council has approved its agenda for all regular meetings at the beginning of such meetings.

RECOMMENDED MOTION:

Approve the Agenda for the Regular meeting of December 14, 2021, as presented or with amendments.

powered by Legistar™

Agenda[1]
City of Cocoa
Regular Meeting of The City Council

Date: December 14, 2021
Time: 6:00 pm
Location: 65 Stone Street Cocoa, FL 32922

I. Opening Matters:

1. Call to Order
2. Invocation
3. Pledge of Allegiance
4. Roll Call

II. Approval of Agenda and Minutes:

1. Agenda: Regular Meeting of December 14 2021. (21-770)

2. Minutes: (a) Regular Meeting of October 12, 2021 (21-766)

(b) District 4 Town Hall Meeting of October 19, 2021 (21-767)

(c) Regular meeting of November 9, 2021 (21-769)

III. Awards and Presentations:

1. Proclamation: Proclaiming November 19, 2021 through December 22, 2021 as "Hot Cocoa Holidays". (21-771). (Mayor Blake)

2. Recognition of Police Officer Collins & Officer Leitch. (21-804). (Councilmember Goins)

IV. Delegations:

In accordance with the City Council's rules and procedures, residents or tax-payers of the City (upon any subject of general or public interest), City employees

[1] **THIS AGENDA MAY BE AMENDED PRIOR TO OR AT THE MEETING**

(regarding his/her employment), water and sewer customers (on matters related to the City's water and/or sewer system), and any person on any item on the agenda (except *Emergency items, Ministerial items, Quasi-judicial items, and Public Hearing items),* may address the City Council under Delegations by filling out a speaker card.

Speaker cards are located in the Council Chamber lobby and should be provided to the City Clerk. Please observe the time limit of three (3) minutes while speaking under Delegations. Delegations shall be limited to thirty (30) minutes unless extended by Council.

V. Consent Agenda:

(A) General Consent Items:

1. Approve a Resolution Amending the FY22 Budget, BAF#22-022-A, increasing the Capital Machinery and Equipment account by $12,547 to reflect a confiscated vehicle being added to Fleet. (21-732). (Chief of Police)

2. Approve a Resolution Amending the FY22 Budget, BAF# 22-029-A in the amount of $25,000, transferring from Police Department Budget to Information Technology Budget to Run Fiber Optic Cable for a Police Sub Station. (21-734). (Chief of Police)

3. Approve Participation in a Cooperative Purchase Agreement with Stewarts Motor Works, Inc., Orlando, Florida, for Repairs and Maintenance of High Service Pump #1 for the EM Clutch and Synchronous Motor at the Dyal Water Treatment Plant (WTP) Utilizing the City of West Palm Beach Contract # 21128.025, Effective April 4, 2018 through April 2, 2023. (21-740). (Utilities Director)

4. Approve Participation in a Cooperative Purchase Agreement with Tech Systems, Inc, Melbourne, Florida, for a Roof Replacement on the Chemical Building at the Dyal Water Treatment Plant utilizing Brevard County Contract # RFP-4-18-12, Effective July 12, 2021 through July 11, 2022 in the amount of $245,542.96; To Approve a Resolution Authorizing the City Manager to Approve Change Orders in an Amount Not to Exceed $24,554 (approximately 10%) for a Project Total of $270,096.96; To Approve a Resolution Amending the FY2022 Budget to Reallocate Funds for a Roof Replacement from Tech Systems, Inc, BAF # 22-023-A. (21-743). (Utilities Director)

5. Approve a Resolution Waiving the Competitive Bidding Process for the Purpose of Making a Sole Source Purchase of an HMS (RH) Single Turner Valve Maintenance Skid and Associated Equipment from E.H. Wachs, Lincolnshire, Illinois, for the Dyal Water Treatment Plant. (21-746). (Utilities Director)

6. Approve Resolution Amending the FY22 Budget BAF#22-026-A, through the use of Assigned Fund Balance to the Economic Development Account, to fund expenses related to the Annual Economic Development Update Breakfast event. (21-773). (Economic Development Manager)

7. Approval of a Resolution, Amending the FY22 Budget BAF# 22-027 for the amount of $660.00 for the Housing Department to provide a cell phone to conduct City Business after hours, record progress of projects with video and photos, respond to Citizens, attend virtual meetings when chrome books lack connectivity, and allow staff to respond by text. (21-776). (Interim Community Services Director)

8. Approve the purchase of portable radios and equipment from Communications International in the amount of $89,720.24 via an Exemption to Competitive Purchase as standardization of the Fire Department radios. (21-787). (Fire Chief)

9. Approval of the requested Pay Plan changes for Fiscal Year 2022. (21-788). (Administrative Services Director)

10. Grant an easement to Riverside Apartments Limited, located at 650 Dixon Boulevard, to allow certain encroachments to remain on the City's property along Dixon Boulevard, and permit the City Attorney to negotiate any necessary amendments and insert applicable legal descriptions. (21-810). (City Attorney)

(B) Multi-Year Contracts:

11. Award RFP-21-23-COC, Lift Station #1 Replacement, Project No. GR2102, to Carr and Collier Inc., Leesburg, Florida, in the Amount of $653,307; To Authorize the City Manager to Negotiate the Contract; To Approve a Resolution Authorizing the City Manager to Approve and Execute Change Orders in an Amount Not to Exceed $65,331 (10% of the Contract Amount) for a Total Project Cost of $718,639; To Approve as a Multi-Year Contract from FY2022 through FY2023. Approve a Resolution Amending the FY22 Budget, BAF# 22-020-A, Accepting the Grant Revenue and Re-budgeting the City's portion through the use of Reserves. (21-707). (Utilities Director)

12. Approve a Multi-Year Piggyback Cooperative Purchase Agreement with East Coast Fence and Guardrail of Brevard, LLC., Utilizing the Brevard County Contract B#21-452-B-JW for On-Demand Fencing and Guardrail Services. To Authorize the City Manager to Sign the Contracts and renewals for each Subsequent Fiscal Year. (21-722). (Utilities Director)

13. Approve Bid No. 21-25-COC, Dyal Water Treatment Plant - Electrical Contractor Services to CE Power Solutions, Tampa, Florida, and Archis, Inc. dba Archis Technologies, Winter Garden, Florida, for Continuous Electrical Services and On-Call Electrical Services; To Approve a Three-Year Contract from FY22 through FY25, with Two (2), One (1) Year Renewals; To Authorize the City Manager to Execute the Contract and Future Renewals, Purchase Orders, Change Orders and Amendments to the Contract; Pending Approval of Subsequent Fiscal Years' Budgets. (21-739). (Utilities Director)

14. Approve the City Manager to execute the multi-year continuing service agreement(s) for an initial 5-year term (including two one-year renewal options) for ITB B-21-30-COC Concrete Sidewalk Curb and Gutter Construction Services. Authorize the City Manager to negotiate and execute the final agreement(s). Authorize the City Manager to sign the contract(s), renewal(s) and Purchase Orders for each subsequent fiscal year pending the approval of that year's budget. (21-782). (Public Works Director)

15. Approval to enter into a "Piggyback" contract with Communication International using the Board of County Commissioners of Brevard County Public Safety Radio System Maintenance Contract number B 7-21-81 as a multi-year contract. (21-792). (Chief of Police)

VI. Public Hearings:

1. Approval of Ordinance No. 12-2021/second and final reading: Amending Chapter 2, Administration, Article VIII, Firefighters' Retirement Plan of the Code by amending: Section 2-271, Definitions, adding definition of death in the line of duty; Section 2-324, Disability, amending the benefit for a service incurred disability; Section 2-325, Preretirement Death, amending to create a new pre-retirement death benefit for members killed in the line-of-duty. (21-747). (Administrative Services Director)

2. Consideration of Second Reading and Public Hearing (Ordinance 14-2021) of The City of Cocoa, Brevard County, Florida; relating to backyard chickens; amending Chapter 5 - Animals and Fowl of the city code to allow the keeping of chickens and

chicken coops within certain residential zoning districts subject to certain enumerated conditions; creating definitions; establishing a permitting process; providing for the repeal of prior inconsistent ordinances and resolutions, severability, incorporation into the code, and an effective date. (21-755). (Interim Community Services Director)

3. Consideration of First Reading (Ordinance 15-2021) of the City of Cocoa, Brevard County, Florida; consistent with Florida Statute, Section 163.3177, adopting a Private Property Rights Element as a new section into the City of Cocoa's Comprehensive Plan. (21-801). (Interim Community Services Director)

4. Consideration of the First Reading (Ordinance 11-2021) of The City of the City of Cocoa, Brevard County, Florida; amending Appendix A, Zoning, Article VIII, Section 17, Home Occupations. (21-802). (Interim Community Services Director)

VII. Council Business:

1. City Council discussion and direction related to the funding of a $2,600 appraisal and purchase (not to exceed the lesser of the appraisal or $20,000 owner asking price) for the proposed easement area. (21-676). (Public Works Director)

2. Accept the City of Cocoa Urban Forest Management Plan and authorize the City to proceed with the plan recommendations. (21-735). (Public Works Director)

3. Approve the requested 2022 street closures in association with the proposed Special Events. (21-737). (Asst. to the CM/PIO)

4. City Council Liaison Appointments and Appointment of the Space Coast League of Cities & Florida League of Cities Voting Delegates & Alternates for 2022. (21-756). (Administrative Services Director)

5. Consider Mayor Blake's request to reappoint Mr. Clinton Warner III and Mr. Joe Robinson as members of the Cocoa Housing Authority through December, 2025. (21-762). (Administrative Services Director)

6. Consider the appointment of 1st Alternate member Aleck Greenwood or (1) one of the following applicants as a Regular member to the Planning and Zoning Board: Renee Cooper, Craig Curtis, or Veronica Lopez-Velez. (21-763). (Administrative Services Director)

7. Council direction on the current Outdoor Dining Resolution 2021-13, that is set to expire on December 31,2021. (21-764). (Interim Community Services Director)

8. Approve the current Code Enforcement Lien for the property located at 215 Riverside Dr. be reduced to $2,227.39. (21-781). (Chief of Police)

9. Council approval for a Resolution to join with the State of Florida and other Local Governmental Units as a Participant in the Florida Memorandum of Understanding and Formal Agreements Implementing a Unified Plan for the Allocation and Use of Prospective Settlement Dollars from Opioid Related Litigation (21-783). (Chief of Police)

10. Staff is seeking direction regarding the finalization of the Operations and Maintenance Lease and Agreement between the City of Cocoa and the Brevard Museum and Sciences Center, Inc as a result of the ongoing negotiations related to this agreement. (21-805). (Public Works Director)

VIII. City Business:

1. Approve a Resolution Amending the Utility Handbook's Policies and Procedures. (21-738). (Finance Director)

2. Approve a Resolution Amending the FY22 Budget, BAF# 22-031-A, Budget Roll from FY21 to FY22 for the American Rescue Plan Fund. (21-791). (Finance Director)

Multi-Year Contracts:

None.

IX. Informational Agenda:

1. Data showing the relation between the estimated and actual income and expenses to date. (21-750). (Finance Director)

2. Approved change orders to construction contracts that the City Council has authorized the City Manager, by resolution, to approve in excess of the City Manager's spending authority. (21-751). (Finance Director)

3. Informational Item: Report the results of the five (5) Year Consolidated Plan surveys received and calculated. Results will be used for the development of priorities to address the needs and goals within the City of Cocoa, for the FY 2022-2027 5 Year Consolidated Plan. (21-786). (Interim Community Services Director)

X. Reports:

- Advisory Boards and Committees
- City Manager & Administration
- City Attorney
- City Council

XI. Adjournment:

XII. Notice To The Public:

This is a public meeting. All interested parties may attend in person. The facility wherein this public meeting will be held is accessible to the physically handicapped. In accordance with the Americans With Disabilities Act, persons needing assistance to participate in any of these proceedings should contact the City Clerk of the City of Cocoa, listed below, at least 48 hours prior to the meeting: Carie Shealy, City Clerk, 65 Stone Street, Cocoa, by telephone at (321) 433-8484 or via email at cshealy@cocoafl.org. Additionally, interested persons may view or listen to the meeting electronically at the following internet sites:

(1) https://tinyurl.com/s5e875r or

(2) https://cocoa.legistar.com/DepartmentDetail.aspx?ID=26365&GUID=FF9D3369-D354-4FAB-800A-57D0AEE30153&Mode=MainBody

However, the City is not responsible for technical difficulties that may occur while attempting to view or listen to the meeting on the internet.

Interested persons may submit their written comments or questions regarding the meeting prior to the meeting through Email at meetings@cocoafl.org, or via E-comments through the online agenda. Any electronic comments submitted will be made part of the meeting record. Written comments or questions not relevant to the Council meeting agenda will not be made part of the meeting record but will be maintained as public record.

Pursuant to Section 286.0105, Florida Statutes, the City hereby advises the public that: if a person decides to appeal any decision made by the City Council with respect to any matter considered at its meeting or hearing, that person will need a record of the proceedings and for such purpose, affected persons may need to assure that a verbatim record of the proceedings is made, and such record shall include the testimony and evidence upon which the appeal is to be based. This notice does not constitute consent by the City for the introduction or admission into evidence of otherwise inadmissible or irrelevant evidence, nor does it authorize challenges or appeals otherwise not allowed by law.

Although members of the public are entitled to be heard by the City Council on certain items on the meeting agenda pursuant to the City Council Rules of Procedure, members of the public are not entitled to an immediate response by either administrative staff members or Council; however, the City Council or administrative staff may provide a response at their discretion. When presenting before the City Council, all comments or questions should be directed to the Mayor or the chair of the meeting. Comments or questions should not be made directly to administrative staff without permission from the Mayor or chair.

Public debate by individual speakers from the audience on public hearing items shall be limited to three (3) minutes. Applicants or representatives of recognized groups with special interests in a matter shall be limited to ten (10) minutes; and total debate on a single issue shall be limited to thirty (30) minutes. Only one presentation per person per item shall be allowed.

A Council member may add an item to the agenda during the meeting only at the time the agenda is approved. If the item requires action by the Council, then it may be added to the agenda by an affirmative vote of the Council, and written documentation must be submitted at the time the item is added to the agenda. Matters may also be raised by the Council, City Manager or City Attorney under reports and acted upon by the City Council.

This agenda is posted on the Municipal Bulletin Board and at the Central Brevard Library and Reference Center in Cocoa for public review.

Legislation Details (With Text)

File #:	21-766	**Version:**	1	**Name:**	
Type:	Minutes			**Status:**	Minutes
File created:	11/17/2021			**In control:**	City Council
On agenda:	12/14/2021			**Final action:**	
Title:	Approve the Minutes for the Regular Meeting of October 12, 2021, as written or with amendments.				
Sponsors:					
Indexes:					
Code sections:					
Attachments:	10-12-2021 Minutes ADA.pdf Exhibit A- CPD Strategic PlanPresentation.pdf Exhibit B- Presentation by K. Lorti.pdf Exhibit C- Stradley Park Presentation.pdf Exhibit D- Handout from K. Rezanka.pdf Exhibit E- Statement read by L. Koss from Peter and Donna Olavarria.pdf Exhibit F- Statement provided by M. Weiss for Item VII.6.pdf				

Date	Ver.	Action By	Action	Result

CITY COUNCIL AGENDA ITEM

Memo Date: November 17, 2021
Agenda Date: December 14, 2021
Prepared By: Carie Shealy, City Clerk
Through:
Requested Action:
Approve the Minutes for the Regular Meeting of October 12, 2021, as written or with amendments.

BACKGROUND:

N/A

STRATEGIC PLAN CONNECTION:

N/A

BUDGETARY IMPACT:

N/A

PREVIOUS ACTION:

The City Council approves the minutes of all its meetings following transcription.

RECOMMENDED MOTION:

Approve the Minutes for the Regular Meeting of October 12, 2021, as written or with amendments.

MINUTES
City of Cocoa
Regular Meeting of The City Council

October 12, 2021

A Regular City Council Meeting was held on Tuesday, October 12, 2021, in Cocoa City Hall, in City Council Chambers, located at 65 Stone Street, in Cocoa, Florida, 32922, as publicly noticed.

I. Opening Matters:

Mayor Blake called the meeting to order at 6:00 p.m.

Deputy Mayor Goins provided the invocation and Councilmember Dyal led the assembly in the Pledge of Allegiance to the Flag of the United States of America.

The City Clerk took the roll.

PRESENT:	Michael C. Blake	Mayor
	James Goins	Deputy Mayor
	Rip Dyal	Councilmember
	Lavander Hearn	Councilmember
	Lorraine Koss	Councilmember
	Anthony Garganese	City Attorney
	Stockton Whitten	City Manager
	Carie Shealy	City Clerk

OTHER STAFF MEMBERS PRESENT:

Tammy Gemmati, Administrative Services Director; Jack Walsh, Utilities Director; Evander Collier, Chief of Police; Jonathan Lamm, Fire Chief; Bryant Smith, Public Works Director; Rebecca Bowman, Finance Director; Samantha Senger, Assistant to the City Manager/PIO; Charlene Neuterman, Interim Community Services Director; John Haight, Intern; Dennis Bunt, Code Manager; and Ben Wenrich, Helpdesk Support Tech.

II. Approval of Agenda and Minutes:

1. Agenda: Regular Meeting of October 12, 2021. (21-659)

2. Minutes: Regular Meeting of September 14, 2021 (21-660)

* **MOTION by Deputy Mayor Goins; Seconded by Councilmember Dyal, to approve the Agenda for the Regular meeting of October 12, 2021 and the Minutes of the Regular meeting of September 14, 2021.**

Councilmember Koss advised that there is an item being walked on and she did not want to approve the item. She advised this was in regards to the community garden and there are many who have volunteered for many hours in the garden and she did not feel it was fair for them to not be able to participate in this.

Mayor Blake discussed the motion on the floor and it was advised that they need to do this as two separate motions.

* **MOTION was Amended by Deputy Mayor Goins; Seconded by Councilmember Dyal, to approve the Agenda with the addition of Item VII.6.**

AYES: Blake, Goins, Dyal, Hearn

NAYS: Koss

THE MOTION CARRIED (4-1)

* **MOTION by Councilmember Koss; Seconded by Deputy Mayor Goins, to approve the Minutes with the following amendments: on page 17, first paragraph, 4th sentence, *"She has learned some important lessons this budget year…Strike the rest of the line and paragraph and add…Koss noted politics is about compromises. We represent our own constituents, but all of us take a vow to represent the overall best interest of the city. Politics isn't dirty in and of itself, it's how you play the game. She stated that she prefers to play it clean and that she's looking forward to a new year and process."***

AYES: Goins, Dyal, Hearn, Koss

NAYS: Blake

THE MOTION CARRIED (4-1)

III. Awards and Presentations:

1. Presentation on the Cocoa Police Department's Strategic Plan. (21-658). (Chief Collier & Consultants)

Chief Collier introduced David Mitchell and Jeffrey Goltz, who were the consultants for this plan. He advised that they would be providing a presentation on the Cocoa Police Department's Strategic Plan[1].

Mr. Mitchell thanked Council and provided a timeline to date of this process. He spoke about the stakeholders who were involved: Internally, Institutionally, and in the Community and explained how they received feedback and developed the information being presented. Mr. Mitchell thanked the City Manager and Chief Collier as well as the members of the UCF team who also gave their time.

Mr. Mitchell provided both the current and proposed Mission, Values, and Vision Statements.

The SWOT Analysis was discussed and Mr. Mitchell spoke about each of the Strategic Issues in detail, which were:

- How can CPD proactively respond to shifting crime trends and emerging social problems?
- How can CPD continue to build strong community relations throughout the diverse population of Cocoa?
- How can CPD best attract and retain a skilled, community-oriented, and diverse sworn and civilian workforce?

He thanked all with Cocoa and his team as this is a good product and hoped all goes well with it.

Mayor Blake thanked Mr. Mitchell for the presentation and for the detailed and concise information. He appreciated that they took the input from citizens as well.

Councilmember Koss felt that this was fabulous and was glad to see us with a vision that everyone has wanted and that can be worked towards. She believed the plan was easy to digest and was excited to implement it.

She asked if they looked at reasons why potential employees may or may not want to live in Cocoa. In response, Mr. Mitchell explained that they did speak with officers and senior officers on this issue. Some of it was the ability to purchase a home in Cocoa as opposed to other areas and for some it was the commute. For others it was the overall recruitment and retention that officers are facing with

[1] EXHIBIT A: Cocoa Police Department Strategic Plan Presentation

things such as competitive salaries. Chief Collier agreed and felt that as Cocoa grows you will see more officers moving towards the City.

Further discussion was held on the pay and salaries and Chief Collier pointed out that when this plan was being developed the recent raises were not being considered at the time.

She thanked them again for the excellent report.

Mayor Blake advised that the millage rate was addressed at the last meeting and this will help maintain and recruit new people. He mentioned at the Space Coast League of Cities Dinner Sheriff Ivey spoke about recruitment and the only way to do it was to build in the City.

Chief Collier thanked Council and believes that this was an excellent footprint for the future of the police department. He asked for a motion to accept the draft of the plan.

* **MOTION by Councilmember Hearn; Seconded by Councilmember Dyal, to adopt the Draft of the Cocoa Police Department Strategic Plan.**

AYES: Blake, Goins, Dyal, Hearn, Koss

THE MOTION CARRIED UNANMIOUSLY (5-0)

IV. Delegations:

Paul Kamus, 116 Olive Street, Cocoa, thanked Public Works for the work done on the ditch on the south side of Olive Street, as you can now see the road. He further mentioned the north side of Olive Street and Grimes St. with tall grass and litter. He asked that it be mowed. Lastly, he advised that they received a statement in the mail for a payment of his wife's medical insurance. No one knows why they are being received and felt that a ACH debit would be more helpful. Ms. Gemmati stated they were in the process of setting that up.

Mayor Blake pointed out that they officially started Delegations at 6:37 p.m. and they would need to extend at 7:07 p.m. if they go beyond that point.

Marisol Lanza, 436 Satsuma Street, Cocoa, spoke about an issue that she has brought up in the past regarding Mr. Purvis at 434 Satsuma St. She explained the issues in detail and stated that she felt threatened. She stated the police officer who responded did not do a report or anything and she wants this to go to court so that she can prosecute.

Gregg Stoll, 2203 Salem Drive, Cocoa, stated that the City owns the trails between Tiger Den and Brevard Museum.

Emma Kirkpatrick, HCVMS, reminded all that the Annual Fall Craft Fair is this weekend from 10 a.m. until 4 p.m. each day. She invited all to come out.

Mayor Blake recognized the new participants of Citizens Academy who were in attendance.

Sharon Spikes, 3682 Catalina Drive, spoke on behalf of Dorothy Hall of 1040 Peachtree Street. She wanted to thank Council for considering the two lots as it has been a big cleanup and they have put work into those lots on Peachtree Street. She further thanked Officer Roman and Officer Landis at the Cocoa Police Dept. for placing signs. It made them feel good and thanked them again for the consideration of the property.

Keno Diefenderfer, 506 Donley Street, stated he has been to multiple meetings and has lived in Cocoa for about ten years. He believes a master plan would be good as it would provide the proper steps in achieving the plan. He also believes a skatepark would be good in Riverfront Park. He felt the community should be involved in the plan so they have more input.

Dennis Childs, 2100 N. Indian River Drive, Cocoa, was represented by Kristin Lorti. He would like Council to explain why they spent $60,000 on a park plan and then disrupted the studies. They are pending money on a park that is not in the plan. He proposed that Council freeze all spending on parks as Cocoa citizens deserve more.

Kristin Lorti, 5524 Brilliance Circle, Cocoa, thanked Mr. Whitten for inviting her to attend the Citizens Academy. She provided a presentation[2] which included how to move from the Draft Master Plan to the City of Cocoa Parks System. She provided her background and explained why she was interested in the planning of this. She further shared information of where this information can be located on Facebook.

Alicia Phillips & Rashad Williams with Cocoa Youth Athletics spoke in reference to the Parks Master Plan. She spoke in detail about the issues they have at Stradley Park, including drainage, bathrooms, etc. She believed the county needed to do a

[2] EXHIBIT B: Presentation by K. Lorti

better job at fixing things that are provided. About a month ago they paved the park but not where they play football and when it was brought to the county's attention they said it was the city's fault.

Mayor Blake noted he drives by there daily and agreed that it needs to be addressed. He knows the impact the organization has on children.

City Manager Whitten apologized as he had their presentation[3] and did not send it to IT.

Councilmember Koss thanked her and asked if she would be willing to go with her to Commissioner Lober's office. She felt Ms. Phillips' presence would be valuable.

Deputy Mayor Goins saw the parking lot and immediately shared his concerns with Mr. Smith. He felt it was ridiculous and he assured Ms. Phillips that the city would come up with the funds to make sure this was taken care of. There are deficiencies and he hoped that people in the community can voice those problems in order to help get things done. There will be some overages from the other park projects and they hope to use some of those at Stradley Park.

Mayor Blake asked City Manager Whitten to elaborate on the Parks Master Plan. In response, City Manager Whitten explained that with the Police Department's Strategic Plan, when it was noticed there was a change in leadership, the consultants allowed the Chief and City Manager to tweak and review things. There is a DRAFT Parks Master Plan that has not been presented and Mr. Smith was not even included in the process. The process has to be allowed to come to a conclusion which includes the City Manager, Departmental input, citizen input, and what the plan states in regards to Stradley Park. As staff, we would like an opportunity to review the plan and make adjustments, as the process was put into place right before his arrival.

This was staffed through Community Services and in his eyes is not the correct department for this to go through. We need to engage with the County and talk about better utilization of their resources. He requested that anyone presenting this out in the public as a plan to please remove it until staff can review it and bring to Council for approval.

Councilmember Hearn commended Ms. Phillips and Mr. Williams for what they do for so many youth in the community and agreed that some of these common sense

[3] EXHIBIT C: Stradley Park Presentation

issues needed to be addressed. He asked council members to go sit at the parks to see what was going on.

* **MOTION by Mayor Blake; Seconded by Deputy Mayor Goins, to extend Delegations for fifteen minutes.**

AYES: Blake, Goins, Dyal, Hearn, Koss

THE MOTION CARRIED UNANMIOUSLY (5-0)

Terrance Thomas, 704 Rosa L. Jones, Cocoa, attended the county commission meeting and felt that the Sheriff was out of control in regards to what he said about the death of a young man, saying that he got what he deserved. He felt that the Sheriff owed them an apology and that they were told to go somewhere else. There are four young black mothers who have lost their sons to gun violence. He asked where they have to go to get answers.

Mayor Blake advised they should speak to the county commission. He noted the Sheriff's budget was predicated from the county and in conjunction with the City too. Chairwoman Pritchett is the first place to start. Chief Collier concurred and pointed out that the Sheriff is elected by the tax payers and the only one who can sanction a sheriff is the governor.

Sharika Bell, 1267 Amherst Court, Cocoa, addressed the same issue as Mr. Thomas. She stated that Commissioner Pritchett spoke and agreed with what the Sheriff stated and stated all they do is write a check. It is not their job to tell him how to do his job, as they do not want him doing that to them. This issue is about a young lady whose kid got shot and the way the Sheriff is handling black people in the community. They were shut down so where do you go to get justice. They want this situation addressed. The Mayor reiterated that they need to go through Commissioner Pritchett, the Governor and State Legislators.

Ms. Mary Flowers, 909 Carolina Avenue, Cocoa, advised that two years ago on October 20th her son was murdered in Cocoa. The Cocoa Police Dept. wanted her daughter to do the investigation for them and she refused. Nothing has been done and they have reached out but still have not received any answers. She has spoken with the new Chief about the report and is angry. The first location of her son's memorial had to be taken down because of the owner, and the grass at the new location needs to be mowed because the City will not mow it. She has been mowing it but is not doing it anymore. She stressed that she is tired and she spoke about other family members she has lost. The Chief agreed to speak with her.

Cynthia Green, 1925 Exeter Drive, Cocoa, voiced concerns about her fence where the substation is at. It is overgrown and the growth has broken her fence down and she wants it replaced. Both Councilmember Hearn and Mr. Larry Koss came out and helped clean it up but she would like it replaced. She stated that Mr. Smith has been notified and she wanted it done.

Mayor Blake noted that he along with Mr. Bunt from Code Enforcement were planning to come to her house this week.

Dr. Synthia Doaks, the Community Partnership Schools Director at Endeavor Elementary introduced the new principal, Catherine Murphy. Ms. Doaks explained the purpose of the Community Partnership and expressed their gratitude of the City's partnership and involvement with them.

City Manager Whitten noted that he had met with Dr. Doaks and Ms. Murphy and helped five kids get glasses. There are about 100 more in need so if nineteen others do what he did they would all have glasses.

Councilmember Koss pointed out how sustainability initiatives could apply to this area.

Councilmember Hearn stated that they were having a Fall Festival at Endeavor on November 13th from noon until 3 p.m.

Gregg Stoll, 2203 Salem Drive, Cocoa, spoke about Item V.1 and was enthused that Cocoa was awarded this grant. He asked if the City would be conducting the research and documentation of if it would be contracted out. In response, City Manager Whitten explained that they would have to select a consultant so it would be an RFP.

V. Consent Agenda:

(A) General Consent Items:

1. Council acceptance of U.S. Department of the Interior-National Parks Service African American Civil Rights Grant Award # P21AP11733-00 in the amount of $30,000 for the purposes of conducting historical research and documentation on the Civil Rights Case Gilbert v. Board of Public Instruction of Brevard County, Florida. Approve a Resolution amending the Fiscal Year 2022 Budget, BAF # 22-

007-A in the amount of $30,000 for the grant award (Project GR2111). (21-661). (Interim Community Services Director)

2. Approve the Interlocal Agreement between Brevard County Board of County Commissioners and the City of Cocoa regarding Automatic Aid for Fire Protection and Rescue Services and the lease of Old Fire Station #2(BCFR Station #46). Request Council grant the City Manager authorization to approve annual renewals and or modifications as necessary. (21-670). (Fire Chief)

(B) Multi-Year Contracts:

3. Approve the renewal of the co-operative purchasing agreement with Granite Inliner (formally Layne In-Liner LLC) in the amount of $146,070, plus a contingency of $3,930 for a total of $150,000 for FY22, using Polk County Bid 20-577 approved June 30, 2020 through May 31, 2023 to reline various sized pipes and Authorize the City Manager to sign the contract(s), renewal(s) and Purchase Orders for each subsequent fiscal year pending the approval of that year's budget. (21-651). (Public Works Director).

4. Approve entering into a multi-year piggyback agreement for an initial 3-year term with two 1-year renewals, with Frontline Fire Protection Systems, LLC dba ATP Fire, utilizing Brevard County Contract B# 7-21-86 for on-demand fire extinguisher services. Authorize the City Manager to sign the contract(s) and renewal(s) for each subsequent fiscal year. (21-656). (Public Works Director)

5. Approval of a Multi-Year Piggyback Agreement with Gabriel, Roeder, Smith (GRS) using Pinellas County contract #07-2017 to Perform Other Post-Employment Benefits Actuarial Services for the Calculation of FY21 and FY22 OPEB Liability. (21-678). (Finance Director)

Mayor Blake stated that he had a conversation with Chief Lamm in regards to Item V.2 and he asked Chief Lamm to elaborate on this item. Chief Lamm advised thtat there was not a plan at this time for the county to have any of their equipment in any of the fire stations. There is an agreement with the County for the Fiske Blvd. Station to have a piece of their equipment stored there in order to serve people in that area.

He further explained that in Section 4 there is wording that allowed the county to store apparatus or trucks in the event of a hurricane or there have been times in which the City was forced to borrow from the County such as an apparatus. Chief Lamm also stated that another point he wanted to make was that sometimes all of

the trucks are in use due to fires so they may ask the county to bring a truck into the City. This agreement allows them the ability to borrow equipment if they are in dire need.

Mayor Blake further asked about the costs absorbed on both sides. Chief Lamm explained that to cover the gap to meet ISO requirements they are allowed to have an auto aid agreement between two municipalities to bring in what is needed to finish out transport of our people off of the scene in the event someone gets hurt, and it allows everyone to meet the standard. In turn, they do the same for the county. Additionally, there is an EMS Exchange Program which he explained in furtherance and that last budget year they saved about $30,000 because of this program.

Councilmember Hearn advised that these agreements are standard throughout the county and the state.

* **MOTION by Councilmember Dyal; Seconded by Councilmember Hearn, to approve the Consent agenda.**

AYES: Blake, Goins, Dyal, Hearn, Koss

THE MOTION CARRIED UNANMIOUSLY (5-0)

VI. Public Hearings:

None.

VII. Council Business:

1. Request approval of the Council appointments for the City Districting Commission. (21-620). (Interim Community Services Director)

Ms. Neuterman spoke on behalf of the item and explained that the following recommendations had been made by Council members in regards to the upcoming Districting Commission.

- Mayor Blake: Tracy Moore
- Deputy Mayor Goins: Ed Green
- Councilmember Dyal: Don Boisvert
- Councilmember Hearn: Alton Edmond
- Councilmember Koss: Jennifer Riggs

*** MOTION by Mayor Blake; Seconded by Councilmember Koss, to approve the item.**

AYES: Blake, Goins, Dyal, Hearn, Koss

THE MOTION CARRIED UNANMIOUSLY (5-0)

2. As recommended by the Code Enforcement Board and Staff, affirm the current amount of the current Code Enforcement Lien of $37,030.00 for the property located at 2607 N. Indian River Dr., and provide no reduction of the lien amount as city costs are greater than the lien amount of $37,030.00. (21-641). (Chief of Police)

   Mayor Blake advised the Code Enforcement Board, at their regular meeting of September 16, 2021, recommended this lien not be reduced and the fine be $37,030.00.

   Mr. Bunt spoke on behalf of the case and pointed out that the actual costs to the City well exceed the amount of $37,030.00.

   Attorney Kim Rezanka, representing the applicant for this case, provided a handout[4] to Council. She provided a brief background of the case and that this was denied over the City Attorney fees. She felt that this has a chilling effect on the right for a citizen to appeal. She explained that her client could not repay the lien and felt that the costs were too much. He has moved out and was challenging the order, not ignoring it. At the time he was receiving the violations, he was living at the property. On September 16, 2021, the Code Board did not have factual information in front of them and he did not receive a notice of that meeting until that morning.

   She further mentioned that the lien is 14% of the value of the property and he cannot refinance. The City is improperly seeking to recover attorney's fees. His costs were far less than that. The City Attorney's bills were not given to the Code Board and they were told they could not have them. Her client is willing to pay the $2,962.52 and can pay that within thirty days.

   Attorney Rezanka urged Council to look at the Code Lien Amnesty Program and pointed that he along with the other owner are first responders. The other owner is in the military as well, on border control and cannot buy a house as he cannot get his name off of this property. They asked that this be reduced to $2,962.52.

[4] EXHIBIT D: Handout provided by Attorney Rezanka

Mr. Bunt clarified that the City was not asking for City Attorney fees they were asking that a reduction of the code fine not be reduced, as the costs exceeds what this fine originally was and they were trying to recoup staff and city costs. He further clarified that the entire application packet was at the meeting.

Attorney Gargaense wanted to be abundantly clear for the record that this item was not seeking reimbursement for attorney's fees. The $37,030 was based on code liens and it is not an attorney fee and the City was not seeking to recoup any attorney fees. If they were it would be in excess of $100,000 and additionally, the City had a special prosecutor that we were paying due to the gravity of this situation. There were significant policy issues relating to this and the case went on for an excess of two years. Staff reports on their costs is just a centile for the time spent on this case. The lien runs in favor of the governing body. It is a discretionary decision on whether or not Council wants to afford relief, but it is their discretion as to what they want to do.

Deputy Mayor Goins spoke in regards to the Lien Amnesty Program in place and asked if it could be considered for this item. Attorney Rezanka added that it was not a repeat and the only way he does not qualify for the program is that he does not live there, but he would move back in.

Mr. Bunt added it was up to Council.

Councilmember Koss had received the following comment[5] from the owner's neighbors:

"We request they not be released from their lien. They had plenty of funds to hire an attorney to fight the city code and we had to live with it for years. The city paid a lot of money to the city attorney to enforce the city code. They still rent their property as an Airbnb so should have the funds to pay their lien. Not a hardship case. Owner could have moved the tiny house once it was coded. It was his choice to leave it there and accrue a lien during the lengthy litigation. Why should the City of Cocoa suffer the financial consequences of bad choices? Why did the neighborhood have to endure its presence so long?"

* **MOTION by Councilmember Koss; Seconded by Mayor Blake, to approve staff's recommendation.**

AYES: Blake, Dyal, Hearn, Koss

[5] EXHIBIT E: Statement read by L. Koss from Peter & Donna Olavarria

NAYES: Goins

THE MOTION CARRIED (4-1)

3. Approve a Resolution recognizing October 18-24, 2021 as " Florida City Government Week". (21-657). (City Manager)

* **MOTION by Mayor Blake; Seconded by Councilmember Dyal, to approve the item.**

AYES: Blake, Goins, Dyal, Hearn, Koss

THE MOTION CARRIED UNANMIOUSLY (5-0)

4. Consider the reappointment of Ms. Marilyn Green as a member of the Planning and Zoning Board through November 30, 2024. (21-663). (Administrative Services Director)

Mayor Blake recognized Ms. Marilyn Green who was in attendance.

* **MOTION by Councilmember Dyal; Seconded by Deputy Mayor Goins, to approve the item.**

AYES: Blake, Goins, Dyal, Hearn, Koss

THE MOTION CARRIED UNANMIOUSLY (5-0)

5. City Council discussion and direction related to the construction of a new access point to the Cocoa Conservation Area for a future cross-country course. (21-676). (Public Works Director)

Mayor Blake asked if this property has been appraised. In response, Mr. Smith stated no they just had the standard Brevard County appraisal and there is no funding for the easement.

Mr. Smith further noted that in June Council provided direction for the aluminum bridge across the Range Road ditch, controlled access fencing, educational signage and markers. This plan required an easement from a private property owner and the owner is seeking $20,000 for the easement. They were looking for direction and the recommendation would be to have this property appraised and to include in a motion to “not to exceed $20,000”.

Councilmember Koss was struck that this item did not have a connection to the Strategic Plan. The Plan has a lot of good fundamentals and principals and she notated a few of those points. This project specifically addresses our plan and she

asked about the FPL easement. In response, Mr. Smith advised that was through Cocoa Bay.

Councilmember Koss felt that with the connection to the Strategic Plan as well as creating a county-side asset, the school events that can be held there as well as access to the community, there were many good reasons to consider this.

Mayor Blake requested that this item be tabled in order to get the assessed value.

Councilmember Hearn asked for clarification of the location of the easement. Mr. Smith explained where it would be and pointed out that the easement would run with the land so the only way to get rid of it in the future would be to come back to Council.

Deputy Mayor Goins asked about the access from SR 524. Mr. Smith explained the history of that access and noted the access easement is still intact and the City has the right-of-way on SR 524.

* **MOTION by Mayor Blake; Seconded by Councilmember Dyal, to Table this item until it can be brought back with an assessed value.**

AYES: Blake, Goins, Dyal, Hearn

Nayes: Koss

THE MOTION CARRIED (4-1)

Mr. Smith confirmed that this item would be brought back with an assessment of the property.

6. Preliminary approval to propose adding 1112 Peachtree Street to the City's Surplus Lands list of City owned real property throughout the City of Cocoa available for sale with proceeds going towards affordable housing efforts and/or donations of lots to nonprofits for the development of affordable housing. If approved, Staff will prepare a Public Hearing Notice for the Council's future consideration of adopting a Resolution amending the City's aforementioned list of surplus property available for affordable housing. (21-683) (Interim Community Services Director)

Ms. Neuterman provided a history on the item and advised that at the request of Deputy Mayor Goins, this property be added to the list of vacant, city owned parcels for the purpose of selling it for the development of affordable housing. She pointed out if approved, this item would be brought back as a public hearing for council's consideration of adopting a Resolution amending the City's list of surplus property available for affordable housing.

* **MOTION by Deputy Mayor Goins; Seconded by Councilmember Dyal, to approve the item. The motion was opened for discussion.**

Councilmember Koss requested that this item not be addressed tonight as this has been a community garden and several volunteers have spent time and money to keep it going. She stated that Marlene Weiss has spoken with Deputy Mayor Goins and he mentioned moving the garden to Fern and Prospect Park. That suggested park has had all of the picnic tables removed and she believed that people who have invested in this garden would like to have an opportunity to address this item one way or another. Councilmember Koss felt that this item being walked on at the last minute was not right when they have all seen and heard Ms. Weiss advocate for the garden.

Deputy Mayor Goins asked Ms. Neuterman when the Diamond Square CRA gave this property back to the City. In response, Ms. Neuterman stated it was in September, 2020. Deputy Mayor Goins further advised that he has spoken with Ms. Weiss on several occasions. He met with her at Fern and Prospect Park and stated the picnic tables are gone because they are putting in new tables and playground equipment.

He mentioned that this was not being rushed as this was done in September, 2020 and he gave Ms. Weiss the respect to let her know what was happening. He thought it had already been done until he called the City Manager and found out it was not on the list.

Deputy Mayor Goins advised that Ms. Weiss did not want to move due to all of the time she has put into the garden, however, the vision of the Diamond Square CRA was different and that was why he was bringing this to Council.

Councilmember Dyal understood that the community garden was done years ago and the public and residents wanted it relocated. He believed the Larry Gilmore Park would be a perfect place for this and would make more sense.

Councilmember Hearn was in agreement with both councilmembers and felt that the new park would be the perfect spot. He does not support the Peachtree location as it is not accessible to children.

Councilmember Koss agreed with their remarks and pointed out that the location is not an issue it was that Ms. Weiss has put a lot of hours into this and no one is going to help her relocate everything to the new location.

A statement was included for the record from Ms. Marlene Weiss[6].

AYES: Blake, Goins, Dyal, Hearn

NAYES: Koss

THE MOTION CARRIED (4-1)

VIII. City Business:

None.

Multi-Year Contracts:

None.

IX. Informational Agenda:

1. Calls for service provided by the Cocoa Fire Rescue Department for the month of September 2021. (21-669). (Fire Chief)

2. Informational agenda item to show an overview of the history of Grants for the City over the past 6 years.. (21-680). (Finance Director)

X. Reports:

Gregg Stoll, 2203 Salem Drive, Cocoa, provided a report from the recent SCTPO/TAC Committee of which he serves as a member representing the City. He tried Star FHP yesterday and identified 11 tractor trailers on the south side of SR 524 between Flying J and Walmart. He spoke about the Vision Zero report for January through August 2021 fatalities. They had a concentrated emphasis on location and he provided further statistics regarding fatalities and crashes. He further noted a report on the State of the System report.

City Manager Whitten introduced Mr. John Haight who is an EFSC College Student and an intern in the City Manager's office for the next three months.

City Manager Whitten announced that a Truth in Millage Certification letter was received stating the compliance of the millage and budget.

Ms. Senger noted the City was kicking off its annual Food Drive and were partnering with Erdman Automotive. The kick off event will be on November 6th

[6] EXHIBIT F: Statement provided by M. Weiss

from 8 a.m. until 5 p.m. They were going to try to fill two pickup trucks and invited Council to the event.

She further reminded all that the railroad crossing at Michigan remained closed for Brightline.

Lastly, Ms. Senger advised that the City of Cocoa's Fall Festival would be Saturday, October 30, 2021 from 3:00 p.m. until 7:00 p.m. at Riverfront Park.

Chief Lamm provided an update on Covid-19 and pointed out that they are seeing a decrease in Brevard County cases and an increase in vaccinations.

Mr. Smith reminded Council that on Thursday, October 14th there would be a public meeting for the SR 520 improvements held at the Cocoa Civic Center from 5:30 p.m. until 7:30 p.m.

Mayor Blake spoke in regards to the December Space Coast League of Cities Meeting and that there are only three employees in the City Clerk's office. If any of them get sick the whole office will be shut down. He just wanted others to be mindful of this.

Mayor Blake asked the boy scout in the audience to the podium. He and his dad spoke and noted he was in attendance to earn a badge. He is in Troop 701. Mayor Blake acknowledged him and told him he was proud of him for attending and enduring the meeting.

Councilmember Hearn concurred and stated he was also a boy scout and loved the derby races.

Councilmember Koss was happy to be an elected representative and felt it was an honor to be here. She has a lot of nay votes tonight but overall felt positive after this meeting because of the emphasis she sees on the vision and strategic planning and felt that was introduced by the Police Department's Strategic Plan, which is a real model. She wants to be in a city with a plan and a vision. She wants to be in a city that drives the budget and actions of staff and that they are inspired by that. She was also glad to hear that they would be revising the Parks Master Plan because it has been a draft for quite a while with a lot of inefficiencies. It was a big flaw not having the Public Works Director as a part or input from the community. These plans give us the opportunity to get input from the citizens and the more input and engagement from citizens the better city we are. Respecting

each other, having a code of civility, and working together towards something is going to be well worth it.

Councilmember Koss spoke in regards to a note received from one of her constituents, and stated she brought this up because it would be very minimal effort to make the Johnny Johnson Trails available, it would add to the quality and experience of life in Cocoa. She agreed we need economic development, but felt if we did not get living experiences here as well it would be for nothing.

We have all of the seeds for a City that many would want to live in so let's keep our vision, keep our strategy and plan so we have a pathway to judge ourselves and to move forward, and make Cocoa the best it can be.

Councilmember Hearn mentioned that he spoke with a citizen in District 2 and that they asked that some of the stop lines be improved in some of the areas as the striping is fading away.

Councilmember Hearn sent condolences to the Parrish family for their recent loss.

Deputy Mayor Goins stated that he and Councilmember Hearn fed the Cocoa High football team and they are the number one team in Class 4A. The kids were very appreciative.

He further thanked Chief Collier and the Code department for adding the new process of including photos to code violations.

Lastly, he thanked everyone for their comments and emails in regards to being for or against items they are deciding on.

Councilmember Dyal gave kudos to the Chef's Kitchen. He spoke about their ribbon cutting and the food was phenomenal. He also attended the ribbon cutting for Keep It Local Brevard Wine Bar.

He advised that this Sunday, October 17th at 4 p.m. was the 3rd Annual K9 Competition at the Space Coast Stadium. It is a free event and asked all to come out to watch.

Mayor Blake reminded all to dress in suits as we approach fall and winter months. He also congratulated all of the new attendees in the Citizen's Academy.

Councilmember Koss added that Tuesday, October 19th at 6 p.m. was the District 4 Town Hall Meeting at Cocoa High School in the Auditorium.

Mayor Blake mentioned his attendance at a men's brunch at First Assembly of Cocoa and noted it was very informative.

He thanked all for attending and would like a consensus of staff and council regarding the Sustainability Advisory Board. He would like staff to bring back an item to discuss the appointments and duties of that board. He spoke about Endeavor Elementary and their Community School participation and felt that the board should be indicative and mirror the demographics of the City.

XI. Adjournment:

*** MOTION by Councilmember Dyal; Seconded by Deputy Mayor Goins, to adjourn the Regular meeting of October 12, 2021.**

AYES: Blake, Goins, Dyal, Hearn, Koss

THE MOTION CARRIED UNANIMOUSLY (5-0)

The meeting adjourned at 8:51 p.m.

_____

Michael C. Blake, Mayor

ATTEST:

_____

Carie Shealy, MMC, City Clerk

Cocoa Police Department Strategic Plan

City Council Presentation

Presented by the
UCF School of Public Administration

October 12, 2021

EXHIBIT A: Cocoa Police Department
Strategic Plan Presentation

Timeline to Date


November 2019 to January 2020
Interviews with the community

February to May 2020
Strategic foundations and issue development

June to July 2020
Strategic content development

August 2020 to July 2021
Leadership transition and final review

Stakeholders



INTERNAL
Chief, Sworn Officers, Civilian Staff

INSTITUTIONAL
City Council, City Manager, Police Benevolent Association, Outside Law Enforcement

COMMUNITY
Police Advisory Board, Community Organizations, Citizens

Mission Statement

Current

"Cocoa Police Department will respond to community needs through a combined strategy of preventive, proactive and reactive policing programs. Utilizing the concept of a total and integrated team commitment by all employees, the whole of which will be supported by a progressive, participatory management environment. We are dedicated to providing the highest level of police service possible, with compassion and professionalism."

Proposed

"The Cocoa Police Department serves its community by protecting lives and property, collaborating to solve problems while building trust."

Or, simply… "Serve. Protect. Connect."

Values Statement

Current

- Professionalism
- Integrity
- Compassion
- Loyalty
- Commitment
- Unity

Proposed

- Professionalism
- Integrity
- Diversity
- Mutual Respect
- Teamwork
- Innovation

Vision Statement

Current

"The members of the Cocoa Police Department envision a community where families grow and businesses prosper in a safe, drug free environment and where all people are treated with dignity and respect."

Proposed

"CPD is the premier law enforcement agency in Brevard County; a diverse team of skilled, dedicated, and innovative professionals who proactively respond to shifting crime trends and emerging social problems by building strong community relations throughout Cocoa."

SWOT Analysis

Strengths

- Community engagement
- Public relations
- Compassion for victims or those in need
- Responsive to calls for service

Weaknesses

- Recruiting and retention
- Salaries and benefits
- Equipment
- Addressing hotspots
- Limited training options
- Interdepartmental communication

Opportunities

- LE partnerships for training
- Collaborate locally to leverage resources
- New city manager and chief
- Coordinate with City on support services
- Partner locally to engage with afflicted populations
- Engage with high school students seeking LE careers

Threats

- Varied community perspectives about police, including equity of treatment & service
- Ineffective coordination with city support services
- Increased prevalence of social problems
- Inadequate budgetary resources
- Regional LE salaries and benefits

Strategic Issues

How can CPD proactively respond to shifting crime trends and emerging social problems?

How can CPD continue to build strong community relations throughout the diverse population of Cocoa?

How can CPD best attract and retain a skilled, community-oriented, and diverse sworn and civilian workforce?

How can CPD proactively respond to shifting crime trends and emerging social problems?

How can CPD proactively respond to shifting crime trends and emerging social problems?


Focus crime prevention efforts toward most susceptible areas and populations

Improve **crime analysis technology** and enhance the utilization of department-wide **data** to identify and monitor hotspots and career criminals

Deploy a **community response team** to each hotspot to coordinate law enforcement, code enforcement, and social service activities

Establish a system to implement, institute, evaluate, and revise ongoing **operational plans** for each hotspot

Institute a **crime-free multi-housing program** in partnership with property managers and owners



25%


By 2026

Criminal offenses in hotspots

How can CPD proactively respond to shifting crime trends and emerging social problems?

Focus crime prevention efforts toward most susceptible areas and populations

Create a **juvenile unit** focused on crime prevention and positive law enforcement interactions



25%

By 2026

Juvenile offenses and citations in hotspots

How can CPD proactively respond to shifting crime trends and emerging social problems?

Focus crime prevention efforts toward most susceptible areas and populations

Launch a **juvenile offender re-entry program** focused on reintegration into family, school, and community

25%

By 2026

Juvenile recidivism in hotspots

How can CPD continue to build strong community relations throughout the diverse population of Cocoa?

How can CPD continue to build strong community relations throughout the diverse population of Cocoa?

Establish a departmental culture of community engagement anchored in fostering community trust

Incorporate a **community-engagement requirement** as part of individual employee evaluations

Establish a **guardian-oriented policing** in-service training program focused on fair and impartial policing, implicit bias recognition, and de-escalation

Institute a **master police officer program** to incentivize community engagement and other desired employee behaviors

Support efforts to recruit and retain sworn and civilian personnel who **reside or have resided in Cocoa**

100%

By 2022

Employees participating in community engagement and completing guardian-oriented policing training

How can CPD continue to build strong community relations throughout the diverse population of Cocoa?

Establish a departmental culture of community engagement anchored in fostering community trust


Administer independent evaluation to **assess and improve current outreach programming**, including social media

Establish a **citizen academy** to better inform citizens about CPD programs and services

Assign **neighborhood police liaisons** to develop relationships

Institute additional opportunities to **interact with sworn personnel more informally**, such as community walks or meet-and-greets

Promote departmental efforts to improve officer diversity, incorporate new generation policing practices



100%

By 2024

Non-enforcement, positive interactions between CPD and the community

How can CPD continue to build strong community relations throughout the diverse population of Cocoa?

Develop additional community partnerships to increase engagement and trust

Establish a **regular forum for CPD and community representatives** to discuss police-community issues and relations

Enhance relationships with Cocoa faith-based leaders, including designation of a clergy liaison and police chaplains' program

Create a system that identifies and schedules **meetings with all community citizen groups** on a regular basis

Sponsor additional community service projects

Support efforts **to recruit and retain Cocoa high school and college students** into law enforcement professions (see Issue 3)

New partnerships with schools, clergy, community service, neighborhoods

By 2023

How can CPD best attract and retain a skilled, community-oriented, and diverse sworn and civilian workforce?

How can CPD best attract and retain a skilled, community-oriented, and diverse sworn and civilian workforce?

Offer employee compensation, benefits, and opportunities that are competitive with those typically offered by Central Florida law enforcement agencies

Revise compensation structure to increase salary and benefits

Reform equipment administration by prioritizing equipment, creating reserves, and installing an effective equipment issuance and replacement system.

Work with administration to **evaluate health insurance alternatives** beyond standard city plans while educating CPD employees regarding their options

Re-institute **internship program for specialized units**

Support efforts to establish a **master police officer program** (see previous issue)

75+%

By 2023

Brevard Co. LE agencies exceeded by CPD when comparing compensation and benefits

How can CPD best attract and retain a skilled, community-oriented, and diverse sworn and civilian workforce?

Offer employee compensation, benefits, and opportunities that are competitive with those typically offered by Central Florida law enforcement agencies

Revise compensation structure to increase salary and benefits

Reform equipment administration by prioritizing equipment, creating reserves, and installing an effective equipment issuance and replacement system.

Work with administration to **evaluate health insurance alternatives** beyond standard city plans while educating CPD employees regarding their options

Re-institute **internship program for specialized units**

Support efforts to establish a **master police officer program** (see previous issue)

80+%

By 2023

Employee satisfaction with salary, benefits, and equipment

How can CPD best attract and retain a skilled, community-oriented, and diverse sworn and civilian workforce?

Employ more personnel who take pride in and represent the diverse Cocoa community

Offer additional trainee scholarships for Cocoa residents to attend police academy training

Offer **financial and non-financial incentives to employees who demonstrate proficiency in foreign languages** commonly spoken in Cocoa

Seek **grant assistance** to fund specialized units

Recruit a diverse set of military veterans ready to transition into law enforcement

Offer down-payment or rent assistance for officers seeking a home in Cocoa

Support efforts to establish a **master police officer program** (see Issue 2)

Support efforts to **promote departmental efforts** to improve officer diversity, incorporate new generation policing practices (see Issue 2)

30+%

By 2022

New hires who reside or have resided in Cocoa

How can CPD best attract and retain a skilled, community-oriented, and diverse sworn and civilian workforce?

Employ more personnel who take pride in and represent the diverse Cocoa community

Offer additional trainee scholarships for Cocoa residents to attend police academy training

Offer **financial and non-financial incentives to employees who demonstrate proficiency in foreign languages** commonly spoken in Cocoa

Seek **grant assistance** to fund specialized units

Recruit a diverse set of military veterans ready to transition into law enforcement

Offer down-payment or rent assistance for officers seeking a home in Cocoa

Support efforts to establish a **master police officer program** (see Issue 2)

Support efforts to **promote departmental efforts** to improve officer diversity, incorporate new generation policing practices (see Issue 2)

25+%

By 2026

Employees who reside or have resided in Cocoa

How can CPD best attract and retain a skilled, community-oriented, and diverse sworn and civilian workforce?

Employ more personnel who take pride in and represent the diverse Cocoa community

Offer additional trainee scholarships for Cocoa residents to attend police academy training

Offer **financial and non-financial incentives to employees who demonstrate proficiency in foreign languages** commonly spoken in Cocoa

Seek **grant assistance** to fund specialized units

Recruit a diverse set of military veterans ready to transition into law enforcement

Offer down-payment or rent assistance for officers seeking a home in Cocoa

Support efforts to establish a **master police officer program** (see Issue 2)

Support efforts to **promote departmental efforts** to improve officer diversity, incorporate new generation policing practices (see Issue 2)

A workforce that is representative of the Cocoa community (ethnicity, gender, income, language)

By 2026

How can CPD best attract and retain a skilled, community-oriented, and diverse sworn and civilian workforce?

Enhance administrative capacity to improve departmental operations and employee satisfaction

Develop and implement a comprehensive departmental **performance measurement system** with effective reporting that informs the public, updates city officials, and drives the agenda for monthly departmental meetings

Evaluate communication structure within department to ensure that timely, accurate information is efficiently transmitted among personnel

Evaluate the deployment of patrol resources to ensure they are properly aligned with the service expectations of the community

Develop and implement a **comprehensive multi-year departmental technology plan**, leveraging planned improvements in performance measurement and equipment administration

Develop and implement a **comprehensive departmental training plan**, with particular focus on in-service training for specialized units/career paths

90+%

By 2023

Employee satisfaction with internal departmental operations, policies, and procedures

CITIZEN PROPOSAL TO CITY OF COCOA

CITY OF COCOA PARKS AND RECREATION DRAFT MASTER PLAN

MOVING FROM DRAFT MASTER PLAN TO A CITY OF COCOA PARKS SYSTEM

WHAT'S THE PLAN?

BY KRISTIN LORTIE, COCOA RESIDENT

OCTOBER 12, 2021

From the City of Cocoa Strategic Plan:
*We envision Cocoa as a community where **All residents have the opportunity to participate in community decisions**.*


City of Cocoa Core Value - Leadership:
***Encouraging community participation, inclusivity and awareness** and exhibiting actions that serve as persuasive examples for others to follow.*

PROBLEM → **PROPOSAL** → **PRIDE**

EXHIBIT B: Presentation by K. Lorti

WHY DO I CARE ABOUT CITY PLANNING & SPENDING?

- **BACKGROUND IN MASTER PLANNING ASSISTANCE FOR STATE GOVT.**
  - UNDERSTAND THE BENEFITS OF SOLID PLANNING EFFORTS
- **COMPREHENSIVE PLANNING EFFORTS LEAD TO SUPPORTABLE GRANT APPLICATIONS**
  - THERE ARE 14 GRANT FUNDING OPPORTUNITIES LISTED IN THE MASTER PLAN
- **COMMUNITY PARTICIPATION LEADS TO COMMUNITY RESULTS**
  - *"Cocoa envisions a community where all residents have the opportunity to participate in community decisions."*



COLORADO
Department of Education

Division of Capital Construction

PUBLIC SCHOOL FACILITIES MASTER PLAN GUIDELINES
BEST DIVISION OF PUBLIC SCHOOL CAPITAL CONSTRUCTION

A master plan is produced through a team effort involving school administration, staff, students, community members, and professional consultants with disciplines in education, planning, programming, architecture, engineering, construction, facility management, and facility operations, and technology. The master plan research process should utilize information and resources available locally, nationally, and internationally. The following is a minimum outline of a facility master plan.

STEP #1: WHAT'S THE PROBLEM?

- **CURRENT DRAFT PARKS MASTER PLAN STATUS IS UNKNOWN**

- **LESS THAN 1% COMMUNITY PARTICIPATION IN THE 2020 SURVEY:**
  - ONLY 152 SURVEY RESPONDENTS (18,639 POPULATION OF COCOA)
  - ALL RESIDENTS WERE NOT NOTIFIED ABOUT PARKS SURVEY
  - NO PUBLIC ENGAGEMENT WORKSHOP (53 COMMENTS ON SOCIAL PINPOINT/ALTERNATIVE ONLINE OPTION)

- **NO PARKS PRESENTATION TO THE CITY COUNCIL HAS BEEN GIVEN**
  - KOSS' MOTION FOR COUNCIL PRESENTATION WAS NOT SECONDED AT MAY 11th, 2021 COUNCIL MEETING

- **LUXURY ITEM PARKS SPENDING - $2.33M ALLOCATED FOR PARKS IN 2021**
  - $710K JUNNY RIOS PARK SPENDING WAS APPROVED FOR ITEMS NOT IN MASTER PLAN
  - JUNNY RIOS PRIORITY ITEMS IN MASTER PLAN LEFT UNADDRESSED
  - MASTER PLAN RECOMMENDATION FOR JUNNY RIOS MARTINEZ
    CITY HAS RECEIVED CITIZEN PUSHBACK ON 2021 LUXURY ITEM SPENDING DECISIONS



DISREGARD FOR PLANNING EFFORTS MAKES THE CITY OF COCOA
A LESS ATTRACTIVE CANDIDATE FOR FUTURE GRANT FUNDING

STEP #2 : WHAT IS THE SOLUTION?
DRAFT PROPOSAL FOR COUNCIL CONSIDERATION

Dear Cocoa Resident,

The City of Cocoa began a Parks planning process in 2020 that we are writing to notify you about and to request your input and participation. Our vision at the City of Cocoa is a community where all residents have the opportunity to participate in community decisions.

You can help the City of Cocoa create the future of Cocoa parks!

We have reviewed our initial 2020 public survey responses, and determined that an expanded outreach is beneficial in order for the city to ensure we have received representative input and participation for our current and future parks priorities.

The following are opportunities for residents to engage with us on the planning effort for our parks:

- **Go to www.cocoafl.gov to fill out our online Parks Survey – available until December 10, 2021;**
- **Send in your completed survey form no later than December 10, 2021;**
- **Go to www.cocoafl.gov to review our current DRAFT Master Plan;**
- **Go to www.cocoafl.gov to provide input on our current DRAFT Master Plan – available until available until December 10, 2021;**
- **Please plan to attend our Public Participation Workshop at 10:00 a.m. on December 4, 2021 at Cocoa High School Gymnasium.**

With the additional survey information and the public participation workshop, the planning team will create our final DRAFT master plan, which will be presented to the city council in January 2022.

Please plan to participate in the above opportunities, and to attend this informative presentation of the team's findings.

Join the City of Cocoa in creating the future of Cocoa Parks and Recreation!

STEP #2 SOLUTION: PROPOSED ACTION ITEMS: REQUESTED ACTIONS

1) SCHEDULE THE 2020 PLANNED PUBLIC WORKSHOP
   A. 2020 PUBLIC WORKSHOP WAS DISRUPTED BY COVID (SOCIAL MEDIA ALTERNATE INEFFECTIVE)
   B. ENSURE THE WORKSHOP IS WIDELY POSTED & PUBLICIZED
2) SEND THE 2020 PARKS SURVEY TO ALL RESIDENTS TO REQUEST PARTICIPATION
3) POST THE CURRENT DRAFT MASTER PLAN ONLINE & REQUEST RESIDENT FEEDBACK
4) HOST A PUBLIC PRESENTATION TO COUNCIL MEMBERS TO REVIEW THE REVISED PLAN

COCOA FLORIDA

The City of Cocoa envisions a city where:

- *All residents have the opportunity to participate in community decisions.*
- *A healthy ecological environment is promoted.*
- *A safe community is maintained.*

WHAT ARE THE BENEFITS TO THE CITY OF ADOPTING THIS PROPOSAL?

- ✓ THE CITY WILL BE IN A BETTER POSITION TO QUALIFY FOR FUTURE GRANT FUNDING
- ✓ PRIORITY: CITY NEEDS A COMPREHENSIVE PARKS PROGRAM
  - UNDERSTANDING WHERE WE ARE AT & WHAT IS NEEDED IS THE BEGINNING OF SOMETHING GREAT
  - WE'VE SPENT SIGNIFICANT FUNDS, LET'S REALIZE THE VALUE FROM OUR TAX DOLLARS
- ✓ SHARED VISION RESULTS IN COMMUNITY BUY-IN FOR SELECTED PROJECTS
  - GREATER COMMUNITY CARE FOR MAINTAINING THE IMPROVEMENTS
  - GETS CITY AND RESIDENTS ON THE SAME PAGE WITH PARK PRIORITIES AND VISION
  - GETS RESIDENTS INVOLVED IN A CONSTRUCTIVE WAY LEADING TO EVERYONE'S BENEFIT

RESIDENTS SEE THAT OUR OPINIONS AND EXPERIENCE MATTER IN OUR CITY!

LEADERSHIP ALIGNING WITH MISSION

Mission Statement

The mission of Cocoa's government is "To enrich the quality of life for our unique and diverse community by delivering Professional, Responsive, Innovative, Dedicated and Exceptional public services!"

We envision Cocoa as a community where ***all residents have the opportunity to participate in community decisions*****.**

Encouraging community participation, inclusivity and awareness *and* ***exhibiting actions that serve as persuasive examples for others to follow.***

PROBLEM → **PROPOSAL** → **PRIDE**

Let's work together to create a state of the art City of Cocoa Parks Program that all residents can be proud of!

STRADLEY PARK REPAIR NEEDS

Presented by Cocoa Youth Athletics Corp.



EXHIBIT C: Stradley Park Presentation


Building conditions:

- Built over 40 yrs ago
- Football concessions same building – cosmetic repairs done in 2020
- New A/C unit – same issues “No ventilation”
- Outdated restrooms - two stalls for over 400 ppl on any game day
- Outdated concession stand – cosmetic repairs done in 2020










Build Issues cont'd:

Equipment Room :







Over $70k in new equipment damaged in a few months

Building Issues cont'd:

- CYAC Board and Coaches cleaning brand new equipment!
- Helmets and shoulder pads covered in mold









Field Safety Concerns & Needs:

1. Field flooding and lack of drainage









2. Gate & Emergency Access & Safety issues









Field Safety Concerns & Needs cont'd:

1. Building needs a complete renovation or a totally new building. All other sports complexes have updated buildings

2. Two football fields – make the adjacent softball field a football field due to lack of usage.

3. Upgrade the drainage on both fields – current field retains up to 3 or 4 inches of water after it rains which can cause our children to become ill.

4. Replace the goal posts, they are over 40 yrs old.









WE ARE COCOA! WE ARE FAMILY!






COCOA TIGERS





THANK YOU FOR YOUR ATTENTION TO
THESE ISSUES
COCOA YOUTH ATHLETICS CORP. BOARD
OF DIRECTORS & LEAGUE

#TIGERPRIDE

Rashad Williams, President

LACEY · LYONS
REZANKA
ATTORNEYS AT LAW

Stephen J. Lacey
Attorney, Managing Member

Aaron D. Lyons
Attorney, Managing Member

Kimberly B. Rezanka
Partner

Robyn W. Hattaway
Partner

Ethan B. Babb
Associate Attorney

Audrey Wanich
Associate Attorney

COCOA CITY COUNCIL
October 12, 2021
Item VII.2

I. Application – incomplete in Agenda

Criteria in application: Factual Basis; Reasons Compliance was not obtained; Circumstances Financial Investment in Property.

II. Code Board Hearing on Lien Reduction 9.16.21 – did not review factual basis

Insufficient Notice – p. 4

Chairman told Applicant that he should consider suing his attorneys

Sec. 6-707

III. First Amendment **right to petition the Government** for a redress of grievances

City is seeking to recover attorneys' fees when there is no statutory right

Sec. 6-706

IV. Costs for petitioning the Government, Costs to Correct and Improvements p.5

Legal costs for 3 proceedings $39,713; Other costs $32,328

V. City's attorneys' fees for two appeals and five (5) lawyer $74,334 – p.6

Just received yesterday; never given to Code Enforcement Board

If this is an attorneys' fee hearing, right to have reasonableness determined

VI. Affidavit for Cost Reimbursement p.7 – willing to pay

VII. Lien Amnesty Program p.8 – perfect for helping First Responder

Sec. 6-707. - Satisfaction or release of code enforcement lien.

(a) Where a certified copy of an order imposing a penalty or fine, as described above in section 6-705, has been recorded in the public records and has become a lien against the land and/or property of the violator, such violator may apply for a satisfaction or release of such lien as follows:

(1) *Lien satisfaction.* Upon full payment by the violator of the fine or penalty imposed in accordance with this chapter, the city manager is hereby authorized to execute and record a satisfaction of lien.

(2) *Lien reduction or forgiveness.* Upon request for a reduction or forgiveness of a fine or penalty imposed in accordance with this chapter, the violator shall submit a written application to the community development director as follows.

(b) *Application.* The application shall be executed under oath and sworn to in the presence of a notary public and shall include, but may not be limited to the following:

(1) The code enforcement case number;

(2) The date upon which the violator brought the subject property into compliance with the City Code;

(3) The factual basis upon which the violator believes the application for reduction or forgiveness of the lien should be granted;

(4) The terms upon which a satisfaction or release of lien should be granted;

(5) The reasons, if any, compliance was not obtained prior to the order of penalty or fine being recorded;

(6) The reduction in penalty or fine sought by the violator; and

(7) Any other information which the violator deems pertinent to the request, including but not limited to the circumstances that exist which would warrant the reduction or forgiveness of the penalty or fine.

(c) *Reimbursement to city for recording costs at time of application.* The violator shall submit, at the time of application, payment to the city in the amount necessary to reimburse the city for its costs associated with recording the order imposing a penalty or fine and the requested satisfaction or release of lien. These costs are non-refundable, without regard for the final disposition of the application for satisfaction or release of lien.

(d) *Processing of application by community development director.* Upon receipt of the application for satisfaction or release of lien and payment provided above, the community development director shall confirm through the code enforcement department that the violation which resulted in the order imposing penalty or fine has been brought into compliance. If the violation has been brought into compliance and there is no current code violation upon the property in question, the community development director shall place the application upon the agenda of the next meeting of the code enforcement board.

(e) *Code enforcement board hearing.* At the hearing before the code enforcement board, the board shall review and consider the application for satisfaction or release of lien, provide the violator with an opportunity to address the board regarding the application for satisfaction or release of lien, and to take the testimony of other interested parties, including but not limited to city staff.

Review and recommendation. Upon review of the application and any testimony presented, the code enforcement board shall recommend to the city council approval, approval with conditions, or denial of the application for satisfaction or release of lien.

The code enforcement board, in determining its recommendation, shall consider the following factors:

(1) The gravity of the violation;

(2) The time in which it took the violator to come into compliance;

(3) The accrued amount of the code enforcement fine or lien;

(4) Any previous or subsequent code violations;

(5) Any financial hardship; and

(6) Any other mitigating circumstance which may warrant the reduction or satisfaction of the penalty or fine.

(f) *Presentation to city council.* After a recommendation has been rendered by the code enforcement board, the community development director shall place the application for satisfaction or release of lien upon the agenda of the next regularly scheduled city council meeting. The city council may take action solely based upon the sworn application and recommendation of the code enforcement board; or it may, in its discretion, provide the violator with an opportunity to address the council in regard to the application for satisfaction or release of lien.

City council action. The city council may approve, approve with conditions, or deny the application to satisfy or release of lien. If the city council approves the application to satisfy or release the lien and the approval is conditioned upon the violator paying a reduced penalty, fine, or any other condition, the satisfaction or release of lien shall not be prepared or recorded until the condition(s) placed by the council have been satisfied.

(g) *Compliance with city council conditions.* The violator shall have thirty (30) days in which to comply with the conditions imposed by the city council. Failure of the violator to comply will result in the automatic denial of the application for satisfaction or release of lien.

(h) *Effect of denial on application for subsequent lien reduction or forgiveness.* If the application is denied or if the application is automatically denied due to the failure of the violator to comply with the conditions imposed by the city council, the violator shall thereafter be barred from applying for a subsequent reduction or forgiveness of the lien for a period of one (1) year from the date of denial. During the one-year period, the lien may only be satisfied and released upon full payment of the fine or penalty imposed in accordance with this chapter.

(Ord. No. 16-06, § 2, 5-9-06)

Sec. 6-706. - Appeal of final administrative order.

An aggrieved party, including the city council, may appeal a final administrative order of the enforcement board to the circuit court as provided by the general law of the state applicable to code enforcement boards.

(Ord. No. 16-06, § 2, 5-9-06)

Kim Rezanka

From: Xaysana Inthanam <inthanam@icloud.com>
Sent: Thursday, September 23, 2021 10:11 AM
To: Kim Rezanka
Subject: Fwd: Code Board Meeting

Sent from my iPhone

Begin forwarded message:

> **From:** Darla Crowl <dcrowl@cocoafl.org>
> **Date:** September 16, 2021 at 11:39:10 AM EDT
> **To:** inthanam@icloud.com
> **Cc:** Mr.Mascone@yahoo.com
> **Subject: Code Board Meeting**
>
> Good morning,
>
> I am just sending this reminder per our conversation when you dropped off your application for a lien reduction that you will be on the Code Board Agenda tonight September 16, 2021 at City Hall, 65 Stone St. @ 6:00.
>
> Have a great day.

DARLA CROWL
Code Enforcement Coordinator
Cocoa Police Department
1226 W. King Street., Cocoa, FL
32922
Phone: (321) 433-8508
dcrowl@cocoafl.org



Stay Connected: www.CocoaPolice.com

PLEASE NOTE: Florida has a very broad public records law. Most written communications (including contents of emails and email addresses) to or from City of Cocoa officials and employees regarding public business are public records available to the public and media upon request. Your written and e-mail communications may be subject to public disclosure. If you do not want your written and email communications released in response to a public records request, do not send written or email communications to City of Cocoa officials and employees. Instead, contact this office by phone.

TOTAL COSTS - 2607 North Indian River Drive

Costs of Attorneys, Code Enforcement hearings & Appeal Costs		
Maureen Monaghan Matheson 559 Coconut Street Satellite Beach, FL 32937 Phone: 321-773-3979 mmm@mathesonapp.com	Attorney Fees	$8,000.00
Kimberly Bonder Rezanka Cantwell and Goldman, P.A. 96 Willard Street, Suite 302 Cocoa, FL 32922 Tel. (321) 639-1320, Ext. 123 Kim@cfglawoffice.com	Attorney Fees	Atty Fees $28,016.50 Costs $742.14 Total $28,758.64
Ryan Reporting 1670 South Fiske Blvd Rockledge, FL 32955 Tel. (321) 636-4450	Court Reporter Fees 6/5/18 67801 $337.50 6/5/18 67984 $685.00 7/19/18 68108 $75.00 7/19/18 68197 $98.20	Total $1,954.70
NOAH - National Organization of Alternative Housing 522 Hunt Club Blvd., Suite 206 Apopka, Florida 32703 United States (508) 603-6624	Expert Witness & Certification	$1,000.00
Total Attorney Fees, Costs for Code Enforcement & Appeals Costs		**$39,713.34**
Costs of Improvements & Removal of Tiny Home		
Tile & Title Install	4/15/19	$1,000.00
New Appliances	4/15/19	$3,553.52
Tree Trimming Service	8/28/17	$700.00
New relay pump	8/25/17	$1,300.00
Bale Brothers Crane (to place tiny home)	9/1/17	$1,375.00
New Fence	10/23/17	$5,000.00
New Roof	12/31/18	$15,050.0
Arlo Security System		$727.59
Breezeway Design	10/28/19	$1,375.00
Sims Crane (Removal of Tiny Home)	6/14/19	$2,247.00
Total **Costs of Improvements & Removal of Tiny Home**		**$32,328.11**
TOTAL COSTS		**$72,041.45**

	deadline for Inthanam to move to file a motion for written opinion.			
Dec-10-19	Attention to file to determine whether Inthanam filed any post-decision motion.	0.20	37.40	EJO
Dec-17-19	Prepare update to J. Titkanich advising that Inthanam did not file a motion for written opinion or rehearing; receive and review response from J. Titkanich regarding same.	0.30	56.10	EJO
Dec-27-19	Receive and review court's mandate; attention to file regarding same.	0.20	37.40	EJO
	Totals	398.00	$73,225.80	

SUMMARY

	HOURS	RATE	TOTAL FEES
ANTHONY A GARGANESE	23.80	$189.00	$4,400.40
DEBRA S. BABB-NUTCHER	53.80	$189.00	$9,818.60
KRISTIN N. EICK	92.70	$189.00	$17,119.50
ERIN J. O'LEARY	227.40	$187.00	$41,858.20
CHARLOTTE MEEKS	0.30	$97.00	$29.10

DISBURSEMENTS

	Photocopies	322.25
Aug-31-18	Online Computer Research Cost	340.86
Oct-31-18	Online Computer Research Cost	267.72
Nov-30-18	Online Computer Research Cost	94.31
Jun-30-19	Online Computer Research Cost	31.24
Aug-29-19	Online Computer Research Cost	52.17
	Totals	$1,108.55

Total Fee & Disbursements for all charges on this matter **$74,334.35**

TAX ID Number 59-3372519

Cocoa Police Department
Code Enforcement Division
Affidavit for Cost Reimbursement of Code Enforcement Case

Case#: CE-17-907 **Date: 08/4/21**

Xaysana Inthanam & Joseph Mascone

Site Address: 2607 N Indian River Dr.

Cocoa Code Enforcement has incurred actual costs, as defined in F.S.S 162.09 for cost by the City in Prosecuting this case.

A. Salaries of Code Enforcement staff. (Hourly rate: Officer-$25.16, Coordinator-$26.16, Manager-$38.64, Chief-$59.81 & City Attorney-$150.00)

	Officer/Manager	# of Inspections	Hours	Rate	Total
1	Code Officer	38	0.5	$25.16	$478.04
2	Code Manager	7	0.5	$38.64	$135.24
3					
				Total A1	$613.28

	Officer/Manager	Office Duties	Hours	Rate	Total
1	Code Officer	22	0.5	25.16	$553.52
2	Code Manager	9	0.5	38.64	$347.76
3					
				Total A2	$901.28

	Supporting Staff	Duty	Hours	Rate	Total
1	Code Coordinator	Case Duties	12	$26.16	$313.92
2	City Attorney	Case Duties	4	$150.00	$600.00
3	Chief	Board Hearings	4	$59.81	$239.24
4					
5					
				Total A3	$1,153.16

B. Expenditures - Actual expenses incurred during the process of the Code Case.

	Item	Quantity	Amount	Total
1	Documents per Sheet	472	$0.35	$165.20
2	Large Envelope	40	$0.64	$25.60
3	Standard Envelope	12	$0.10	$1.20
4	Color Photo Prints	75	$0.45	$33.75
5	Standard Mail	5	$0.55	$2.75
6	Certified Mail	5	$5.26	$26.30
7	Recording Fees	4	$10.00	$40.00
8				
9				
			Total B	$294.80

C. Total Amount of Cost (A1+A2+A3+B): **$2,962.52**

Sec. 6-707.5. - City lien amnesty program.

(a) *Creation of lien amnesty program.* In addition to the procedures established in section 6-707above, related to satisfaction or release of code enforcement liens, the city council intends to create a City of Cocoa Lien Amnesty Program, which shall operate as a supplementary method for certain eligible property owners with code enforcement liens affecting their property to come into compliance with the City Code, to obtain a quick reduction of their unpaid liens, and to obtain a release of lien from the city.

(b) *Eligible liens for reduction and release.* Where a certified copy of an order imposing a penalty or fine, as described above in section 6-705, has been recorded in the public records and has become a lien against the land and/or property, an eligible property owner may apply for participation in the lien amnesty program to reduce and release the lien, except as otherwise provided in this section. The lien amnesty program is designed solely for reduction and release of code enforcement liens, except that nuisance abatement liens, special assessment liens, and other city costs for reasonable repairs and abatement actions shall not be reduced and must be paid in full upon submittal of an application for participation in the lien amnesty program. Utility liens are not eligible for reduction and release under the lien amnesty program.

(c) *Program duration.* The lien amnesty program shall operate on a limited-duration basis, from January 1, 2021 to June 30, 2022, and as either extended or renewed at times designated by resolution adopted by the city council.

(d) *Eligibility of property owners.* Property owners seeking to participate in the lien amnesty program shall meet the following criteria:

(1) The property owner must have brought the property for which an application is submitted into compliance with all City Codes and ordinances for which a violation was found by the code enforcement board, as determined by an inspection of the property by code enforcement staff, and have no pending code enforcement or nuisance cases affecting such property.

(2) The property owner may not be the respondent in a pending foreclosure action instituted by the city.

(3) The property for which an application is submitted must be used as either a single-family residence, townhome or individually-owned condominium, except that owners of such properties are not eligible if the property is currently the subject of a rental agreement. Vacant, multi-family residential, and homeowner's association or condominium association commonly-owned properties are not eligible for participation in the lien amnesty program.

(4) Where the code enforcement board has found a repeat violation after two (2) of the same previous violations, the property owner shall not be eligible for participation in the lien amnesty program. A "repeat violation" shall be defined as provided in F.S. § 162.04, as adopted or hereafter amended.

(5) The property owner must be current on their property taxes.

(e) *Procedure for participation in lien amnesty program.*

(1) The property owner must submit an application for participation in the lien amnesty program to the city police department, code enforcement division. The application shall be accompanied by an administrative fee established by the city manager, which shall offset the city's costs associated with releasing an eligible lien and other city administrative costs for the lien amnesty program. The application shall also be accompanied by a cashier's check or money order made payable to the city for all of the city's liens for repair and abatement costs that remain outstanding. This amount may be obtained by consulting with the city's code enforcement staff prior to submitting an application. For properties with multiple liens, a single application and administrative fee may be submitted, but the reduced lien amount to be paid shall be separately calculated for each lien in accordance with the formula established in subsection (f) below. Application forms may be obtained from the city police department, code enforcement division. The application shall contain the following information:

a. Code enforcement case number;

b. Property address or Tax Parcel ID number associated with the lien and owner address and contact information; and

c. Whether the city code enforcement staff has inspected the property and determined

Sec. 6-706. - Appeal of final administrative order.

An aggrieved party, including the city council, may appeal a final administrative order of the enforcement board to the circuit court as provided by the general law of the state applicable to code enforcement boards.

(Ord. No. 16-06, § 2, 5-9-06)

Kim Rezanka

From: Xaysana Inthanam <inthanam@icloud.com>
Sent: Thursday, September 23, 2021 10:11 AM
To: Kim Rezanka
Subject: Fwd: Code Board Meeting

Sent from my iPhone

Begin forwarded message:

From: Darla Crowl <dcrowl@cocoafl.org>
Date: September 16, 2021 at 11:39:10 AM EDT
To: inthanam@icloud.com
Cc: Mr.Mascone@yahoo.com
Subject: Code Board Meeting

Good morning,

I am just sending this reminder per our conversation when you dropped off your application for a lien reduction that you will be on the Code Board Agenda tonight September 16, 2021 at City Hall, 65 Stone St. @ 6:00.

Have a great day.

DARLA CROWL
Code Enforcement Coordinator
Cocoa Police Department
1226 W. King Street., Cocoa, FL
32922
Phone: (321) 433-8508
dcrowl@cocoafl.org



Stay Connected: www.CocoaPolice.com

PLEASE NOTE: Florida has a very broad public records law. Most written communications (including contents of emails and email addresses) to or from City of Cocoa officials and employees regarding public business are public records available to the public and media upon request. Your written and e-mail communications may be subject to public disclosure. If you do not want your written and email communications released in response to a public records request, do not send written or email communications to City of Cocoa officials and employees. Instead, contact this office by phone.

TOTAL COSTS - 2607 North Indian River Drive

Costs of Attorneys, Code Enforcement hearings & Appeal Costs		
Maureen Monaghan Matheson 559 Coconut Street Satellite Beach, FL 32937 Phone: 321-773-3979 mmm@mathesonapp.com	Attorney Fees	$8,000.00
Kimberly Bonder Rezanka Cantwell and Goldman, P.A. 96 Willard Street, Suite 302 Cocoa, FL 32922 Tel. (321) 639-1320, Ext. 123 Kim@cfglawoffice.com	Attorney Fees	Atty Fees $28,016.50 Costs $742.14 Total $28,758.64
Ryan Reporting 1670 South Fiske Blvd Rockledge, FL 32955 Tel. (321) 636-4450	Court Reporter Fees 6/5/18 67801 $337.50 6/5/18 67984 $685.00 7/19/18 68108 $75.00 7/19/18 68197 $98.20	Total $1,954.70
NOAH - National Organization of Alternative Housing 522 Hunt Club Blvd., Suite 206 Apopka, Florida 32703 United States (508) 603-6624	Expert Witness & Certification	$1,000.00
Total Attorney Fees, Costs for Code Enforcement & Appeals Costs		**$39,713.34**
Costs of Improvements & Removal of Tiny Home		
Tile & Title Install	4/15/19	$1,000.00
New Appliances	4/15/19	$3,553.52
Tree Trimming Service	8/28/17	$700.00
New relay pump	8/25/17	$1,300.00
Bale Brothers Crane (to place tiny home)	9/1/17	$1,375.00
New Fence	10/23/17	$5,000.00
New Roof	12/31/18	$15,050.0
Arlo Security System		$727.59
Breezeway Design	10/28/19	$1,375.00
Sims Crane (Removal of Tiny Home)	6/14/19	$2,247.00
Total **Costs of Improvements & Removal of Tiny Home**		**$32,328.11**
TOTAL COSTS		**$72,041.45**

	deadline for Inthanam to move to file a motion for written opinion.			
Dec-10-19	Attention to file to determine whether Inthanam filed any post-decision motion.	0.20	37.40	EJO
Dec-17-19	Prepare update to J. Titkanich advising that Inthanam did not file a motion for written opinion or rehearing; receive and review response from J. Titkanich regarding same.	0.30	56.10	EJO
Dec-27-19	Receive and review court's mandate; attention to file regarding same.	0.20	37.40	EJO
	Totals	398.00	$73,225.80	

SUMMARY

	HOURS	RATE	TOTAL FEES
ANTHONY A GARGANESE	23.80	$189.00	$4,400.40
DEBRA S. BABB-NUTCHER	53.80	$189.00	$9,818.60
KRISTIN N. EICK	92.70	$189.00	$17,119.50
ERIN J. O'LEARY	227.40	$187.00	$41,858.20
CHARLOTTE MEEKS	0.30	$97.00	$29.10

DISBURSEMENTS

	Photocopies	322.25
Aug-31-18	Online Computer Research Cost	340.86
Oct-31-18	Online Computer Research Cost	267.72
Nov-30-18	Online Computer Research Cost	94.31
Jun-30-19	Online Computer Research Cost	31.24
Aug-29-19	Online Computer Research Cost	52.17
	Totals	$1,108.55

Total Fee & Disbursements for all charges on this matter **$74,334.35**

TAX ID Number 59-3372519

Cocoa Police Department
Code Enforcement Division
Affidavit for Cost Reimbursement of Code Enforcement Case

Case#: CE-17-907 **Date: 08/4/21**

Xaysana Inthanam & Joseph Mascone

Site Address: 2607 N Indian River Dr.

Cocoa Code Enforcement has incurred actual costs, as defined in F.S.S 162.09 for cost by the City in Prosecuting this case.

A. Salaries of Code Enforcement staff. (Hourly rate: Officer-$25.16, Coordinator-$26.16, Manager-$38.64, Chief-$59.81 & City Attorney-$150.00)

	Officer/Manager	# of Inspections	Hours	Rate	Total
1	Code Officer	38	0.5	$25.16	$478.04
2	Code Manager	7	0.5	$38.64	$135.24
3					
				Total A1	$613.28

	Officer/Manager	Office Duties	Hours	Rate	Total
1	Code Officer	22	0.5	25.16	$553.52
2	Code Manager	9	0.5	38.64	$347.76
3					
				Total A2	$901.28

	Supporting Staff	Duty	Hours	Rate	Total
1	Code Coordinator	Case Duties	12	$26.16	$313.92
2	City Attorney	Case Duties	4	$150.00	$600.00
3	Chief	Board Hearings	4	$59.81	$239.24
4					
5					
				Total A3	$1,153.16

B. Expenditures - Actual expenses incurred during the process of the Code Case.

	Item	Quantity	Amount	Total
1	Documents per Sheet	472	$0.35	$165.20
2	Large Envelope	40	$0.64	$25.60
3	Standard Envelope	12	$0.10	$1.20
4	Color Photo Prints	75	$0.45	$33.75
5	Standard Mail	5	$0.55	$2.75
6	Certified Mail	5	$5.26	$26.30
7	Recording Fees	4	$10.00	$40.00
8				
9				
			Total B	$294.80

C. Total Amount of Cost (A1+A2+A3+B): **$2,962.52**

Sec. 6-707.5. - City lien amnesty program.

(a) *Creation of lien amnesty program.* In addition to the procedures established in section 6-707above, related to satisfaction or release of code enforcement liens, the city council intends to create a City of Cocoa Lien Amnesty Program, which shall operate as a supplementary method for certain eligible property owners with code enforcement liens affecting their property to come into compliance with the City Code, to obtain a quick reduction of their unpaid liens, and to obtain a release of lien from the city.

(b) *Eligible liens for reduction and release.* Where a certified copy of an order imposing a penalty or fine, as described above in section 6-705, has been recorded in the public records and has become a lien against the land and/or property, an eligible property owner may apply for participation in the lien amnesty program to reduce and release the lien, except as otherwise provided in this section. The lien amnesty program is designed solely for reduction and release of code enforcement liens, except that nuisance abatement liens, special assessment liens, and other city costs for reasonable repairs and abatement actions shall not be reduced and must be paid in full upon submittal of an application for participation in the lien amnesty program. Utility liens are not eligible for reduction and release under the lien amnesty program.

(c) *Program duration.* The lien amnesty program shall operate on a limited-duration basis, from January 1, 2021 to June 30, 2022, and as either extended or renewed at times designated by resolution adopted by the city council.

(d) *Eligibility of property owners.* Property owners seeking to participate in the lien amnesty program shall meet the following criteria:

(1) The property owner must have brought the property for which an application is submitted into compliance with all City Codes and ordinances for which a violation was found by the code enforcement board, as determined by an inspection of the property by code enforcement staff, and have no pending code enforcement or nuisance cases affecting such property.

(2) The property owner may not be the respondent in a pending foreclosure action instituted by the city.

(3) The property for which an application is submitted must be used as either a single-family residence, townhome or individually-owned condominium, except that owners of such properties are not eligible if the property is currently the subject of a rental agreement. Vacant, multi-family residential, and homeowner's association or condominium association commonly-owned properties are not eligible for participation in the lien amnesty program.

(4) Where the code enforcement board has found a repeat violation after two (2) of the same previous violations, the property owner shall not be eligible for participation in the lien amnesty program. A "repeat violation" shall be defined as provided in F.S. § 162.04, as adopted or hereafter amended.

(5) The property owner must be current on their property taxes.

(e) *Procedure for participation in lien amnesty program.*

(1) The property owner must submit an application for participation in the lien amnesty program to the city police department, code enforcement division. The application shall be accompanied by an administrative fee established by the city manager, which shall offset the city's costs associated with releasing an eligible lien and other city administrative costs for the lien amnesty program. The application shall also be accompanied by a cashier's check or money order made payable to the city for all of the city's liens for repair and abatement costs that remain outstanding. This amount may be obtained by consulting with the city's code enforcement staff prior to submitting an application. For properties with multiple liens, a single application and administrative fee may be submitted, but the reduced lien amount to be paid shall be separately calculated for each lien in accordance with the formula established in subsection (f) below. Application forms may be obtained from the city police department, code enforcement division. The application shall contain the following information:

a. Code enforcement case number;

b. Property address or Tax Parcel ID number associated with the lien and owner address and contact information; and

c. Whether the city code enforcement staff has inspected the property and determined

EXHIBIT E: Statement read by L. Koss from Peter and Donna Olavarria

From: Lorraine Koss
To: Carie Shealy
Subject: Re: statement from Pete and Donna Olavarria
Date: Wednesday, October 20, 2021 7:35:01 PM

I didn't read the items in parentheses

Get Outlook for iOS

From: Lorraine Koss
Sent: Wednesday, October 20, 2021 5:55:16 PM
To: Carie Shealy <cshealy@cocoafl.org>
Subject: statement from Pete and Donna Olavarria

We request they not be released from their lien. They had plenty of funds to hire an attorney to fight the city code and we had to live with it for years. The city paid a lot of money to the city attorney to enforce the city code. They still rent their property as an Airbnb so should have the funds to pay their lien. (The owner drives a high end BMW and now owns an airstream camper. He has money.) Not a hardship case.

Owner could have moved the tiny house once it was coded. It was his choice to leave it there and accrue a lien during the lengthy litigation. Why should the City of Cocoa suffer the financial consequences of bad choices? Why did the neighborhood have to endure its presence so long?

(Thank you councilwoman Koss for helping out city through this. You are appreciated.)

Peter & Donna Olavarria
2515 MacFarland Drive
Cocoa, FL

For the city to take action at 1112 Peachtree without publicly addressing the impact is unacceptable. Wiping out the Cocoa Community Garden denies the benefit of a community garden for residents young and old and ignores the significant investment that has been made on the property to date by the donation of the property, caretakers, the Sustainability Committee, The Eagle Scout Troop, local church members, and the Rotary Club. It may violate the following values that the City of Cocoa has on the website and strategic plan which state that:

- All residents have the opportunity to participate in community decisions.
- A healthy ecological environment is promoted.
- Quality education is promoted.
- A safe community is maintained.
- Values: Citizens, Staff and City Council taking ownership and responsibility to promote public trust.
- Respect: Treating the public and one another with dignity, consideration and compassion.
- Environment: Plan growth, which is sensitive to the environment and recognizes significant community resources.

I want my contributions and the contributions of my fellow citizens to be respected. I will be following up to make an appointment with the City Manager so he can explain how the proposed action respects citizen contributions to the health of the city.

My efforts over the years to keep the quality of life in Cocoa are worthy of respect and consideration, and I will be following up on this promptly.

Legislation Details (With Text)

File #:	21-767	**Version:**	1	**Name:**	
Type:	Minutes			**Status:**	Minutes
File created:	11/17/2021			**In control:**	City Council
On agenda:	12/14/2021			**Final action:**	
Title:	Approve the Minutes for the District 4 Town Hall Meeting of October 19, 2021, as written or with amendments.				
Sponsors:					
Indexes:					
Code sections:					
Attachments:	10-19-2021 Minutes ADA.pdf				

Date	Ver.	Action By	Action	Result

CITY COUNCIL AGENDA ITEM

Memo Date: November 17, 2021
Agenda Date: December 14, 2021
Prepared By: Carie Shealy, City Clerk
Through:
Requested Action:
Approve the Minutes for the District 4 Town Hall Meeting of October 19, 2021, as written or with amendments.

BACKGROUND:

N/A

STRATEGIC PLAN CONNECTION:

N/A

BUDGETARY IMPACT:

N/A

PREVIOUS ACTION:

The City Council approves the minutes of all its meetings following transcription.

RECOMMENDED MOTION:

Approve the Minutes for the District 4 Town Hall Meeting of October 19, 2021, as written or with amendments.

MINUTES
City of Cocoa
District 4 Town Hall Meeting

October 19, 2021

A District 4 Town Hall Meeting was held on Tuesday, October 19, 2021, at Cocoa High School in the Auditorium, located at 2000 Tiger Trail, in Cocoa, Florida, 32926, as publicly noticed.

I. Opening Matters:

Councilmember Koss called the meeting to order at 6:03 p.m. She welcomed and thanked everyone for attending, pointing out that the more public participation and engagement we receive the better off we become.

Mayor Blake acknowledged Principal Wilson and Councilmembers in attendance.

Mayor Blake provided the invocation and Councilmember Koss led the assembly in the Pledge of Allegiance to the Flag of the United States of America.

City Manager Whitten introduced staff in attendance.

PRESENT:	Michael C. Blake	Mayor
	James Goins	Deputy Mayor
	Rip Dyal	Councilmember
	Lavander Hearn	Councilmember
	Lorraine Koss	Councilmember
	Stockton Whitten	City Manager
	Carie Shealy	City Clerk

OTHER STAFF MEMBERS PRESENT:

Jack Walsh, Utilities Director; Evander Collier, Chief of Police; Samuel Byrd, Deputy Fire Chief; Bryant Smith, Public Works Director; Samantha Senger, Assistant to the City Manager/PIO; Charlene Neuterman, Interim Community Services Director; and Angela Essing, Economic Development Director. Officers from the Community Involvement Division were in attendance as well.

II. Department Presentations/Discussion:

Principal Wilson provided updates on Cocoa High School and advised that he became principal in January, 2017. They have accomplished quite a bit during this time. He spoke in regards to the Chorus, noted they have the highest dual enrollment graduates of all schools in Brevard County, the highest number of CTE graduates, and the most honor grads, all while he has been principal. The school is not perfect but encourages good academics. They are still recovering from the pandemic and they continue to strive for excellence.

Councilmember Koss mentioned that she had prepared a power point but due to technical difficulties was not able to show it. She spoke about planning and development and advised that redistricting would be happening soon due to the census being complete. She provided a brief explanation about the redistricting process.

Councilmember Koss noted that there was a lot of economic growth happening such as Integra, Amazon, and the shopping center across from Publix.

Ms. Neuterman, Interim Community Services Director, provided an overview of current and upcoming development in the City. She stated the majority was along the SR 524 corridor, and further mentioned the Cocoa Grand apartments, Cirrus apartments (old Winn Dixie plaza), and apartments next to the fire station on S.R. 524.

Discussion was held on how many of these incoming developments would be affordable housing and the new housing project at the end of Friday Road.

Mr. Smith provided an update on the S.R. 524 updates and where that project stands.

Councilmember Koss advised that she is a member of the Space Coast TPO and will be urging them to push up the SR 524 project.

She spoke about the City's Strategic Plan and wants a city with a vision and outcomes she hoped for to come from the Plan. Sustainability and Resiliency was discussed as well and it was pointed out by Ms. Neuterman that in regards to new development, those items are encouraged but not mandated.

Councilmember Koss mentioned the tax base and the amount of monies being spent on parks in the City.

It was voiced that Stradley Park was in dire need of repairs and improvements. In response, Councilmember Koss pointed out some of the updates coming to

parks such as bathrooms at Gilmore and Anderson Parks, a splashpad and pavilion at Junny Rios Martinez Park, etc.

Further discussion was held on the issues of Stradley Park.

Councilmember Koss requested that the park issues be placed on the list and announced that she would be holding a community meeting at the pavilion at the Brevard Museum on Saturday, November 13th at 1 p.m.

Councilmember Koss added that the parks are maintained in conjunction with Brevard Parks & Recreation and Travis Park was recently downgraded, which is in District 4. Additionally, the Cocoa YMCA did not receive funding so they have no pool. Discussion was also held in regards to the EFSC Cocoa campus.

Bob McClure with Brevard County spoke about Mud Lake and the Conservation area and provided a history of that. He spoke about flooding and that a grant was received from FEMA to help restructure the Mud Lake area.

Ms. Phyllis Moscoso provided a detailed update on the status of the Brevard Museum. She pointed out that they were working with the City to get a lease in place. There will be a re-grand opening when it was all finalized and she stated that information would be available on the museum's website.

Mr. Walsh provided an update on the Septic-to-Sewer project and explained in detail the design process. He noted that process would be closed in December and advised more information will be available in the future on the City's website. He further provided ways that one could get a credit if their address is not included. He will try to get a listing of the addresses that are included.

He answered questions from citizens in regards to residents of Indian River Drive being proactive in regards to the project and reiterated how people can be included in this project. In regards to a question about the water plant and how long it can handle the new development, Mr. Walsh assured everyone that they are fine.

Ms. Moscoso added that on September 28th the City Council approved $70,000 for the Museum.

Councilmember Koss announced that the City has a new Police Chief and since he has come in crime is down in the community and we are heading in the right direction for crime decreasing in the whole city. She introduced Chief Collier.

Chief Collier provided a brief history of himself and stated that you have to have community involvement and he has been out walking neighborhoods. He has

created the Community Involvement Department and acknowledged some of those officers who were in attendance. He further explained his plans for the police department and spoke of the need for more officers and competitive wages.

A question was posed about officers' training and if they are trained to help people with mental and substance abuse disorders. In response, the Chief stated yes and explained different methods of training they receive.

In response to another question in regards to if the City was adequately covered by law enforcement, Chief Collier stated they are still reviewing numbers in regards to that.

He spoke in furtherance of parks in the City, specifically Provost Park, and also explained the police department's de-escalation process and training officers receive. Lastly, he spoke about the Police Advisory Board and that they meet quarterly.

Lastly, a citizen requested more lights on Clearlake Road.

In closing, Councilmember Koss mentioned the Citizens Academy and recognized all of those attendees, along with Board members in attendance.

XI. Adjournment:

The District 4 Town Hall meeting adjourned at 7:48 p.m.

_____

Michael C. Blake, Mayor

ATTEST:

_____

Carie Shealy, MMC, City Clerk

Legislation Details (With Text)

File #:	21-769	**Version:**	1	**Name:**	
Type:	Minutes			**Status:**	Minutes
File created:	11/17/2021			**In control:**	City Council
On agenda:	12/14/2021			**Final action:**	
Title:	Approve the Minutes of the Regular meeting of November 9, 2021, as written or with amendments.				
Sponsors:					
Indexes:					
Code sections:					
Attachments:	11-09-2021 Minutes ADA.pdf				

Date	Ver.	Action By	Action	Result

CITY COUNCIL AGENDA ITEM

Memo Date: November 17, 2021
Agenda Date: December 14, 2021
Prepared By: Carie Shealy, City Clerk
Through:
Requested Action:
Approve the Minutes of the Regular meeting of November 9, 2021, as written or with amendments.

BACKGROUND:

N/A

STRATEGIC PLAN CONNECTION:

N/A

BUDGETARY IMPACT:

N/A

PREVIOUS ACTION:

The City Council approves the Minutes of all its meetings following transcription.

RECOMMENDED MOTION:

Approve the Minutes of the Regular meeting of November 9, 2021, as written or with amendments.

Minutes
City of Cocoa
Regular Meeting of The City Council

November 9, 2021

A Regular City Council Meeting was held on Tuesday, November 9, 2021, in Cocoa City Hall, in City Council Chambers, located at 65 Stone Street, in Cocoa, Florida, 32922, as publicly noticed.

I. Opening Matters:

Mayor Blake called the meeting to order at 6:00 p.m.

Rabbi Sanford Olshansky provided the invocation and all of the Veterans in attendance came forward and led the assembly in the Pledge of Allegiance to the Flag of the United States of America.

The City Clerk took the roll.

PRESENT:	Michael C. Blake	Mayor
	James Goins	Deputy Mayor
	Rip Dyal	Councilmember
	Lavander Hearn	Councilmember
	Lorraine Koss	Councilmember
	Kristin Eick	Assistant City Attorney
	Stockton Whitten	City Manager
	Carie Shealy	City Clerk

OTHER STAFF MEMBERS PRESENT:

Tammy Gemmati, Administrative Services Director; Katie Ennis, Acting Utilities Director; Charlene Neuterman, Interim Community Services Director; Evander Collier, Chief of Police; Jonathan Lamm, Fire Chief; Bryant Smith, Public Works Director; Rebecca Bowman, Finance Director; Samantha Senger, Assistant to the City Manager/PIO; Mitch Lawyer, Acting Chief Technology Officer; and Ben Wenrich, Helpdesk Support Tech.

II. Approval of Agenda and Minutes:

1. Agenda: Regular Meeting of November 9, 2021. (21-728)

2. Minutes: (a) Regular meeting of September 28, 2021 (21-731)

* **MOTION by Mayor Blake; Seconded by Councilmember Dyal, to approve the Agenda for the Regular meeting of November 9, 2021 with the following amendments: Add Item V.10(b) under Consent Multi-Year and to Add Item VII.2 under Council Business (regarding changing of the time of the Special meeting of November 30, 2021).**

AYES: Blake, Goins, Dyal, Hearn, Koss

THE MOTION CARRIED UANANIMOUSLY (5-0)

*** MOTION by Councilmember Koss; Seconded by Deputy Mayor Goins, to approve the Minutes of the Regular meeting of September 28, 2021 with the following amendments: pg. 17 it says $562. It should be $562,000, and on Pg. 21, paragraph 7, "Councilmember Koss asked if they don't come to an agreement with the 501c3 would an analysis be done on what it costs to disseminate the contents of the museum. Those costs would be in addition to being left with an empty building in a neighborhood that is already spiraling downward".**

AYES: Blake, Goins, Dyal, Hearn, Koss

THE MOTION CARRIED UANANIMOUSLY (5-0)

III. Awards and Presentations:

None.

IV. Delegations:

Rabbi Sanford Olshanski, 3810 Murrell Road, Suite 129, Rockledge, is with the Sister City and was in attendance to invite Council and other City officials to the Hannukah Program at Riverfront Park on Tuesday, November 30, 2021. The event is from 6:30-8 pm. He noted that Mayor Blake is scheduled to speak as well as their President Randy Alonso. He provided a brief overview of what the ceremony will include and also provided a brief overview of Beit Shemesh, Israel.

Mayor Blake shared that he had the opportunity to go to Beit Shemesh years ago and had a wonderful time. He thanked Rabbi Olshanski.

Bob Krieger, 100 Riverside Drive, Apt. #804, Cocoa, advised that he and his wife had moved here about four years ago, right before the hurricane hit. He was pleased when they first put in the docks around the waterfront and then he found out how the docks would be managed. He was told there would be a dock master and a dock master station. His condo faces the waterfront and he sees nothing but boats coming and going for multiple nights at a time. He pays good money to keep his boat there and asked if this was how Cocoa was going to operate. He further voiced concerns about the health of the Indian River Lagoon and asked where all of the boats' waste were going. There is never a pump out boat out there. He further voiced concerns about the derelict boats and feels that if there is another hurricane they will hit the seawall.

Mayor Blake asked Ms. Neuterman and Chief Collier to get with Mr. Krieger in order to address this issue. Mayor Blake assured him they are being proactive about the situation.

V. Consent Agenda:

(A) General Consent Items:

1. Approval Resolution Amending the FY2022 Budget, #BAF 22-015-A, Accepting the Bureau of Justice Assistance FY2021 Bulletproof Vest Partnership Grant in the amount of $12,705 and Transfer the Match Budget to the new account number. (21-700). (Chief of Police)

2. Approve FY-2022 Vehicle and Equipment Purchases through Alan Jay Fleet Sale utilizing Sourcewell Contract #120716-NAF, 060920-NAF via Standard Piggyback Form authorized on November 10, 2020, through January 17, 2022. (21-714). (Public Works Director)

3. Approve Change Order No.1 to P.O. 78017 with CST Industries, Inc. in the Amount of $12,311, as the Original Purchase Order Exceeds the City Manager's Signing Authority. (21-716). (Utilities Director)

4. Approve a change order to Tech Systems, Inc. related to the roof replacement at the new Police Department Substation in Provost Park. Approve A Resolution Amending the FY22 Budget, BAF #22-021-T. (21-729). (Public Works Director)

5. Approve Change Order #1 for P.O. 78584 in the Amount of $70,000 as the Original Purchase Order Exceeds the City Manager's Signing Authority (21-730). (Utilities Director)

(B) Multi-Year Contracts:

6. Approve a Resolution waiving the competitive bidding process by reason of sole source vendor for a four (4) year multi-year contract between the City of Cocoa and Tyler Technologies, Inc. providing a services agreement supporting the Socrata software subscription amendment. Approve Budget Adjustment form 22-011-T and authorize the City Manager to approve and sign the amendment between The City of Cocoa and Tyler Technologies. (21-696). (Chief of Police)

7. Amending Original Agenda Item #21-523 to Include Approval as a Multi-Year Contract with Ace Flow Control, Longwood, Florida for a Total of Three (3) Years with Four (4) One-Year Renewals; Approval of Amendment #1 to the Service Level Agreement with Ace Flow Control Dated 9-14-21 with an Annual Cost not to Exceed the Bid Amount of $983,640 Per Year and Approval for the City Manager to Execute Any Renewals under the Original Contract Not to Exceed a Total of Seven (7) Years. (21-706). (Public Works Director)

8. To Approve Task Order 2022-23 with Carollo Engineers, Inc. for Engineering Services During Construction (SDC) for the Lift Station Replacement, Project No. WS21LS, in the amount of $54,360; To Approve as a Multi-Year Contract from FY2022 through FY2023. Approve a Resolution Amending the FY22 Budget, BAF#22-019-A. (21-708). (Utilities Director)

9. Approve a multi-year agreement (36 Months) with Microsoft through CDW-G, Inc. for Microsoft Software, Licenses and Maintenance under the terms and conditions of the Florida NVP Software 43230000-NASPO-16-ACS-SVAR (ADSPO16-130652) government cooperative agreement, authorize the City Manager to finalize the terms of and sign the agreements, and authorize the City Manager to approve potential future additional licenses to be added to the Enterprise Agreement through the annual True-Up program up to $25,000 per year. (21-709). (Chief Technology Officer)

10. Approve Bid No. ITB B-21-31-COC, Soda Ash, to Genesis Alkali, Inc., 1735 Market Street, Philadelphia PA for the Purchase of Soda Ash; To Approve as a Multi-Year Contract from FY2021 Through FY2023 with Two (2) Additional One (1) Year Extensions; To Authorize the City Manager to Execute the Contract and Future Renewals, Purchase Orders, Change Orders up to the Total annual Budgeted Amount for Chemicals between the Various Chemical Providers, and Amendments to the Contract; Pending Approval of the FY22 Budget. (21-618). (Utilities Director)

*** MOTION by Councilmember Hearn; Seconded by Councilmember Dyal, to approve the Consent agenda.**

AYES: Blake, Goins, Dyal, Hearn, Koss

THE MOTION CARRIED UANANIMOUSLY (5-0)

VI. Public Hearings:

1. Consideration of First Reading (Ordinance 14-2021) of The City of Cocoa, Brevard County, Florida; relating to backyard chickens; amending Chapter 5 - Animals and Fowl of the city code to allow the keeping of chickens and chicken coops within certain residential zoning districts subject to certain enumerated conditions; creating definitions; establishing a permitting process; providing for the repeal of prior inconsistent ordinances and resolutions, severability, incorporation into the code, and an effective date. (21-702). (Interim Community Services Director)

Ordinance No. 14-2021 was read into the record, by title only, as follows:

ORDINANCE NO. 14-2021

AN ORDINANCE OF THE CITY COUNCIL OF THE CITY OF COCOA, BREVARD COUNTY, FLORIDA; RELATING TO BACKYARD CHICKENS; AMENDING CHAPTER 5 – ANIMALS AND FOWL OF THE CITY CODE TO ALLOW THE KEEPING OF CHICKENS AND CHICKEN COOPS WITHIN CERTAIN RESIDENTIAL ZONING DISTRICTS SUBJECT TO CERTAIN ENUMERATED CONDITIONS; CREATING DEFINITIONS; ESTABLISHING A PERMITTING PROCESS; PROVIDING FOR THE REPEAL OF PRIOR INCONSISTENT ORDINANCES AND RESOLUTIONS, SEVERABILITY, INCORPORATION INTO THE CODE, AND AN EFFECTIVE DATE.

Ms. Neuterman provided a background of this item and noted that at the October Planning and Zoning Board meeting the ordinance was approved. She pointed out that only four hens would be allowed, roosters will not be allowed, and a permit would have to be obtained by Community Services. Residents must also provide proof of a care course and upon approval of the second reading of the ordinance staff will put out information on this.

Deputy Mayor Goins asked if the size of the coops was stated. In response, Ms. Neuterman advised that the size is limited and it cannot exceed a maximum of 150 square feet.

* **MOTION by Councilmember Dyal; Seconded by Mayor Blake, to approve Ordinance No. 14-2021 on First Reading.**

Mayor Blake closed this portion of the hearing to Council and opened it to the public.

Anita Gibson, 451 Stone Street, asked if this approval would lead to more types of animals being allowed. In response, Mayor Blake stated that they would have to follow procedures.

Ms. Marilyn Smith, 1056 Park Drive, Cocoa, asked why roosters were excluded. Staff responded that it was due to the noise.

Jennifer Thompson, 93 Delannoy Avenue, Cocoa, advised that she had been an Orange County Commissioner for several years and they had the same ordinance. She spoke about issues that they encountered and offered her help in the event they need any advice on this.

Deputy Mayor Goins knows that there are a lot of people who will disrespect this ordinance and asked the Chief who would handle this.

Chief Collier advised that it would be based on complaints and Code Enforcement would be handling those. Deputy Mayor Goins reiterated that he believed it would be an issue but knows that Code can handle it.

Mayor Blake closed the hearing to the public.

AYES: Blake, Goins, Dyal, Hearn, Koss

THE MOTION CARRIED UANANIMOUSLY (5-0)

VII. Council Business:

1. Annual Appointment of the Deputy Mayor. (21-717). (Administrative Services Director)

* **MOTION by Councilmember Dyal to nominate Councilmember Hearn as Deputy Mayor.**

THE MOTION WAS SECONDED BY COUNCILMEMBER KOSS.

AYES: Blake, Goins, Dyal, Hearn, Koss

THE MOTION CARRIED UANANIMOUSLY (5-0)

2. Change of Special City Council Meeting of November 30, 2021 meeting time.

Mayor Blake requested that this meeting begin earlier so that all of Council can attend the Sister City Event that night.

* **MOTION by Mayor Blake; Seconded by Councilmember Dyal, to start the Special City Council Meeting of November 30, 2021 at 4:30 p.m.**

AYES: Blake, Hearn, Dyal, Goins, Koss

THE MOTION CARRIED UANANIMOUSLY (5-0)

VIII. City Business:

1. Approval of Ordinance No. 12-2021/first reading: Amending Chapter 2, Administration, Article VIII, Firefighters' Retirement Plan of the Code by amending: Section 2-271, Definitions, adding definition of death in the line of duty; Section 2-324, Disability, amending the benefit for a service incurred disability; Section 2-325, Preretirement Death, amending to create a new pre-retirement death benefit for members killed in the line-of-duty. (21-614). (Administrative Services Director)

Ordinance No. 12-2021 was read into the record, by title only as follows:

ORDINANCE NO. 12-2021

AN ORDINANCE OF THE CITY COUNCIL OF THE CITY OF COCOA, BREVARD COUNTY, FLORIDA, AMENDING CHAPTER 2, ADMINISTRATION, ARTICLE VIII, FIREFIGHTERS' RETIREMENT PLAN, OF THE CODE OF ORDINANCES OF THE CITY OF COCOA BY AMENDING SECTION 2-271, DEFINITIONS; AMENDING SECTION 2-324, DISABILITY; AMENDING SECTION 2-325, PRERETIREMENT DEATH; PROVIDING FOR CODIFICATION; PROVIDING FOR SEVERABILITY OF PROVISIONS; REPEALING ALL ORDINANCES IN CONFLICT HEREWITH AND PROVIDING AN EFFECTIVE DATE.

Ms. Gemmati mentioned that this was brought forward as a result of union negotiations. She explained the reasonings in detail as to why the ordinance was being updated.

* **MOTION by Deputy Mayor Hearn; Seconded by Councilmember Goins, to approve Ordinance No. 12-2021 on First Reading.**

AYES: Blake, Hearn, Dyal, Goins, Koss

THE MOTION CARRIED UANANIMOUSLY (5-0)

Multi-Year Contracts:

None.

IX. Informational Agenda:

1. Calls for service provided by the Cocoa Fire Rescue Department for the month of October 2021. (21-733). (Fire Chief)

X. Reports:

City Manager Whitten announced that each year we budget a donation in City Council's budget for Magnolia Blossoms Thanksgiving dinner. This year it is Christmas Dinner so it will be held in December.

He announced that Katie Ennis was sitting in for Mr. Walsh tonight and Mr. Mitch Lawyer was sitting in for Mr. Beach.

Ms. Senger thanked Mike Erdman for stepping up for the Food Drive. They collected 1,400 pounds of food this week that went to the Sharing Center on Saturday. She noted that they held a competition amongst themselves between the Nissan and Toyota dealerships. It was a great way to start the food drive.

Chief Lamm provided an update on Covid-19 and noted that there have been 8,892 positive cases in Brevard County and 914 deaths and 60.67% of Brevard County is fully vaccinated. He pointed out that although they are seeing less positive cases, the numbers will go up during the holidays. He asked that everyone still continue to follow the CDC guidelines.

He further mentioned that the site in Merritt Island is still open for multiple types of testing and will be open through December.

Lastly, Chief Lamm announced that Brevard County Chief Shollmeyer has submitted his intent to retire on March 1st. He stated that it has been a pleasure to work with him and he thanked him for his assistance to the City of Cocoa and for all that he has done.

City Manager Whitten thanked Chief Collier and some of the officers at the Police Department who have made donations to Endeavor Elementary for eyeglasses for some of the children. He mentioned that he had donated as well and challenged

others who were listening to do the same. Additionally, he mentioned that the United Way Campaign had begun, as well as the Food Drive and he thanked staff for that. He hoped these good things would be noticed.

Councilmember Dyal thanked former Deputy Mayor Goins for doing a great job the last two years and he congratulated Deputy Mayor Hearn.

He spoke of his attendance at two events on October 30th at the City's Fall Festival. Those events were the costume contests for animals and for children. The festival was a huge success. He wished everyone a happy holiday and thanked staff and all of those who came to the meeting.

City Manager Whitten added that sign-ups for the Toy Drive have begun and people can sign up in the City Clerk's office and there was also a Turkey Drive that has started at Fire Station #1 as well. There is a digital sign up for the Turkey Drive this week through next week.

Councilmember Goins congratulated Deputy Mayor Hearn and stated it was a blessing to be under two Mayor's who helped him navigate the waters.

He announced that Emma Jewel's 8th grade girls track team won the county championship and it was only their second year being involved so that was great. He thanked the coaches and staff at the Academy as well as the athletes for doing their best.

Councilmember Goins spoke of his attendance at the Florida League of Cities Legislative Conference last week and that it was good to hear what other cities were going through.

He spoke about the renovations on parks and that they had voted tonight on the building at Provost Park. He would like a meeting to be held so that they could get an update on Provost Park and where those renovations stand.

Councilmember Goins announced that Holiday in the Park would be on Saturday, December 4th from 11 a.m. until 1 p.m.at Provost Park. Mayor Blake will be Santa and there will be a lot of activities for the kids.

Lastly, he mentioned that this weekend Cocoa Youth Football League had several teams that won and they will be going to the Superbowl. The Rockledge league also has teams going to the Superbowl as well. He noted that there are a lot of

good things happening and these athletics bring attention to our City. He shared that Cocoa High School was the Cocoa/Rockledge game.

Councilmember Koss provided a shout out to Cocoa Rotary who held a Keep Brevard Beautiful litter pick up at Provost Park. She agreed with Councilmember Goins and welcomed more information on the plans for the parks. She would also like to see a conclusion of the parks plan.

She apologized for not being at the food collection event and Ms. Senger advised that there would be another event on Monday, November 22nd at the Cocoa Walmart.

Councilmember Koss spoke of her attendance at the Blue & Gold Gala hosted by Emma Jewel Charter Academy. It was a great event and there are a lot of people to be proud of for what they are doing with the students and the school.

She pointed out that Cocoa was mentioned on the Central Florida Road Show on PBS. They spoke about the Playhouse as well as Richard Stone. She learned a fact about him that he was the inventor of the directional traffic signal, however, he did not get the credit for it. She felt that it brought positive attention to Cocoa.

Councilmember Koss felt that it was an honor to be an elected official and she spoke of her participation in the FLC Legislative Conference. She sits on one of their five committees and they set legislative priorities to speak about during the session in Tallahassee. She sits on the Utilities and Natural Resources Committee and they develop one priority from each committee. Their priority is in regards to tree protection and to close the loopholes, a lot of which were created in last years legislation. She further mentioned a session on Carbon Neutrality and mentioned the relation of the consent item that was approved on tonight's agenda and hoped this is just the beginning of that transition.

She mentioned that in the paper this morning there was an article about crowding concerns and she felt that the strategic planning that we were about to go into will make it better and more low impact development could be incorporated. It would also include equity shifting through resilience infrastructure grants. The City needs to be on top of this and a grant program was mentioned at the FLC conference. Grant writing assistance will be provided and she hoped that the City would be proactive in going after these funds.

Councilmember Koss reflected on the last Council meeting and the dissolving and restructuring of the Sustainability Advisory Board. She mentioned that everyone received a letter from Jennifer Riggs today.

Mayor Blake pointed out that he was left out of emails twice.

She stated that she tried to step back and while it can seem personal, it is usually a reflection of what is happening in the bigger picture. Cocoa is experiencing big growth and sustainability is all about its future and what we want the experience and living in Cocoa to be about. It is not personal and we are at a crossroads and she feels the Sustainability Advisory Board is important and how we proceed going forward. She wished that she had accepted the first offer made, however, she was caught up in the moment and did not, which was a mistake, but would like to be thoughtful on how they form this committee. She felt that going back on this item was important because participating on this board was pathway in our government and something people felt passionate about and who were interested in their city.

In order to be nominated for the board someone would have had to know them and she did not know any of them prior. She hates to take away that pathway, as she may never had been selected if it was not a volunteer board, even with her background. She mentioned possible options for the board and stated that since she voted against this she could not bring it back. She pointed out that one option was to have a nomination from each council member and two from the City Manager. She felt that this would set a precedent that does not exist in advisory boards now or in any advisory boards in the county. She hoped this would be reconsidered.

Councilman Goins clarified what she was asking Council to do, and she advised that she was asking that it be brought back as an agenda item at the next meeting or it be discussed when it is brought forward. She was not sure why it was not on this meeting but evidently it was too soon.

Lastly, she stated that she is proud to live on the Space Coast and her husband would be going on a zero-g flight next week where he would be testing his prototype for harvesting greens in space.

Deputy Mayor Hearn showed photos of the football players of Cocoa Youth Football. He gave a shout out to all of the players who worked hard all season. He believed this was a highlight for the city of Cocoa.

He further gave kudos to all of the head coaches who have been out every day coaching and thanked them for doing a great job as well as the administrators of the Cocoa Youth Football League.

Deputy Mayor Hearn spoke about his and Councilmember Koss's attendance at the FRA Conference where he saw a lot of innovation that CRA's are doing in their communities. He showed photos of office spaces and stated they were called "Collaboratory's". These are spaces that small businesses can meet and office space is provided for Zoom meetings, office meetings, etc. They are intended to help small businesses thrive.

He further mentioned his attendance at the Space Coast League of Cities Dinner last night and spoke about the presentation from the Economic Development Commission. There is a lot of development coming to Brevard County.

Lastly, he advised that there was an area on School Street that is unincorporated; however, there are still a lot of pedestrians that travel the road. There is no lighting or markings on the roadways. He knows a young person that was killed on that street and asked if these safety concerns could be relayed to the County.

He introduced his father who is an Army veteran and who was in attendance and thanked Council for appointing him as Deputy Mayor. He will represent the Council in great fashion.

Mayor Blake thanked Deputy Mayor Hearn. He spoke of his and the City Manager's attendance at the St. Francis Reflections Tree Lighting Ceremony at Rosa L. Jones traffic circle. It was a great and moving event.

He further mentioned his attendance at the homegoing celebration for Kendall Moore's father.

Mayor Blake spoke about the Space Coast League of Cities Dinner and the following bills moving through. They are SB 280 relating to business damages and eminent domain; HB 515 relating to water and the rates in which we charge; HB 531, under Randy Fine declaring local officials as partisan. He just wanted to ensure that collaboration was kept for when they go to Tallahassee.

He wished all a Happy Thanksgiving and reminded everyone to keep it local, buy local and stay local.

XI. Adjournment:

*** MOTION by Councilmember Dyal; Seconded by Councilmember Goins, to adjourn the Regular meeting of November 9, 2021.**

AYES: Blake, Hearn, Dyal, Goins, Koss

THE MOTION CARRIED UANANIMOUSLY (5-0)

The meeting adjourned at 7:15 p.m.

_____

Michael C. Blake, Mayor

ATTEST:

_____

Carie Shealy, MMC, City Clerk

Legislation Details (With Text)

File #:	21-771	**Version:**	1	**Name:**	
Type:	Awards/Presentations			**Status:**	Agenda Ready
File created:	11/17/2021			**In control:**	City Council
On agenda:	12/14/2021			**Final action:**	
Title:	Proclamation: Proclaiming November 19, 2021 through December 22, 2021 as "Hot Cocoa Holidays". (Mayor Blake)				
Sponsors:					
Indexes:					
Code sections:					
Attachments:	Hot Cocoa Holidays Proclamation.pdf				

Date	Ver.	Action By	Action	Result

powered by Legistar™

PROCLAMATION

WHEREAS, December 13th is National Cocoa Day; and

WHEREAS, Hot Cocoa Holidays was conceived to highlight all the great events and activities that occur in and around Cocoa Village during the holiday season; and

WHEREAS, Hot Cocoa Holidays is a calendar of eighteen events presented by the City of Cocoa, Historic Cocoa Village Main Street, The Historic Cocoa Village Playhouse, and other community partners including the City of Rockledge and Brevard County Parks and Recreation.

NOW, THEREFORE, I, Mayor Michael C. Blake, on behalf of the City Council of the City of Cocoa, do hereby proclaim November 19, 2021 through December 22, 2021 as:

"Hot Cocoa Holidays"

and encourage all citizens to take part in this month long heartwarming celebratory event.

CITY OF COCOA CORPORATE SEAL FLORIDA

WHEREFORE, I have hereunto set my hand and caused the seal of the City of Cocoa to be affixed this 14th day of December, 2021.

Michael C. Blake

Mayor

ATTEST:

Carie Mealy

City Clerk

Legislation Details (With Text)

File #:	21-804	**Version:**	1	**Name:**	
Type:	Awards/Presentations			**Status:**	Agenda Ready
File created:	12/6/2021			**In control:**	City Council
On agenda:	12/14/2021			**Final action:**	
Title:	Recognition of Police Officer Collins & Officer Leitch. (Councilmember Goins)				
Sponsors:					
Indexes:					
Code sections:					
Attachments:	Certificates of Recognition.pdf				

Date	Ver.	Action By	Action	Result

powered by Legistar™

CERTIFICATE OF RECOGNITION

PRESENTED TO

Officer Leitch

In recognition of your outstanding efforts as a Cocoa Police Officer while attending to a vehicle accident at N. Fiske Blvd. & Japonica Lane on November 26, 2021

Thank you for your Commitment and Dedication as a Police Officer & to the City of Cocoa

Presented this 14th day of December, 2021
by the Mayor and City Council of the City of Cocoa

Michael C. Blake, Mayor

CERTIFICATE OF RECOGNITION

PRESENTED TO

Officer Collins

In recognition of your outstanding efforts as a Cocoa Police Officer while attending to a vehicle accident at N. Fiske Blvd. & Japonica Lane on November 26, 2021

Thank you for your Commitment and Dedication as a Police Officer & to the City of Cocoa

Presented this 14th day of December, 2021
by the Mayor and City Council of the City of Cocoa

Michael C. Blake, Mayor

Legislation Details (With Text)

File #:	21-732	**Version:**	1	**Name:**	
Type:	Resolution			**Status:**	Consent Agenda
File created:	11/3/2021			**In control:**	City Council
On agenda:	12/14/2021			**Final action:**	
Title:	Approve a Resolution Amending the FY22 Budget, BAF#22-022-A, increasing the Capital Machinery and Equipment account by $12,547 to reflect a confiscated vehicle being added to Fleet. (Chief of Police)				
Sponsors:					
Indexes:					
Code sections:					
Attachments:	Budget Resolution FY 2022- ADA Compliant.pdf BAF 22-022-A-PD-FMV of Seized Vehicle (12-14-21) Agenda 21-732.pdf				

Date	Ver.	Action By	Action	Result

CITY COUNCIL AGENDA ITEM

Memo Date: November 3, 2021
Agenda Date: December 14, 2021
Prepared By: Susan L. Lambert, CAP, OM
Through: Evander Collier IV, Chief of Police
Requested Action:
Approve a Resolution Amending the FY22 Budget, BAF#22-022-A, increasing the Capital Machinery and Equipment account by $12,547 to reflect a confiscated vehicle being added to Fleet.

BACKGROUND:

The Police Department seized a vehicle on January 11, 2019 and is requesting to amend the FY2022 budget by $12,547 to include the vehicle in the City's fleet.

This action is certified, approved and consistent within the provisions under Florida State Statute 932.7055 (1)(a), Dispositions of Liens and Forfeited property, as personal property retained for agency use.

STRATEGIC PLAN CONNECTION:

Operational

BUDGETARY IMPACT:

Budgeted No

If not budgeted, is amendment/transfer attached? Yes

BAF # 22-022-A

Amount Requested $12,547
Account Number _141-2100-521.64-00 (CA2201)
Account Name _Machinery and Equipment

Source of Funds: _X___ Transfer Acct #:_141-0000-358.20-00 Property Sale-Seized

PREVIOUS ACTION:

None

RECOMMENDED MOTION:
Approve a Resolution Amending the FY22 Budget, BAF#22-022-A, increasing the Capital Machinery and Equipment account by $12,547 to reflect a confiscated vehicle being added to Fleet.

RESOLUTION NO. 2021-116

A RESOLUTION OF THE CITY COUNCIL OF THE CITY OF COCOA, FLORIDA, AMENDING THE CITY OF COCOA BUDGET FOR FISCAL YEAR 2022; PROVIDING FOR THE REPEAL OF PRIOR INCONSISTENT RESOLUTIONS; AND PROVIDING AN EFFECTIVE DATE.

WHEREAS, the City Council of the City of Cocoa adopted the final budget for the fiscal year commencing on October 1, 2021, and ending on September 30, 2022, at a Regular meeting held on September 28, 2021; and

WHEREAS, in accordance with Article XII, Section 5 of the City of Cocoa Charter, whereby the Council may, at any time by resolution, transfer any unused and unencumbered appropriation or portion thereof from one office or department to another; and

WHEREAS, the City Council deems it to be in the best interest of the City of Cocoa to amend its budget as provided in this resolution.

NOW, THEREFORE, BE IT RESOLVED BY THE CITY COUNCIL OF THE CITY OF COCOA, as follows:

SECTION 1. The 2021-2022 fiscal year budget shall be amended as detailed in the attached sheets.

SECTION 2. All prior resolutions or prior resolutions inconsistent with this resolution are hereby repealed to the extent of the conflict.

SECTION 3. This resolution shall become effective immediately upon its adoption by the City Council of the City of Cocoa, Florida.

ADOPTED by the City Council of the City of Cocoa, Florida, in a Regular meeting assembled on the 14th day of December, 2021.

_____
Michael C. Blake, Mayor

ATTEST:

_____
Carie Shealy, MMC, City Clerk

City of Cocoa Budget Adjustment Form FY 2022 - 22-022-A

SELECT ADJUSTMENT TYPE: BUDGET AMENDMENT | REQUESTING DEPARTMENT #: 2100 | DATE PREPARED: 11/03/21

'REVENUE' ACCOUNT(S)

ADJUSTMENT AMOUNT	ACCOUNT NUMBER	PROJECT NUMBER	ACCOUNT NAME	ORIGINAL BUDGET	AMENDED BUDGET	ADJUSTED BUDGET	UNENCUMBERED BALANCE
$ 12,547	141-0000-358.20-00		Property Sale/Seized	$ 0	$ 0	$ 12,547	$ 0
$ 0				$ 0	$ 0	$ 0	$ 0
$ 0				$ 0	$ 0	$ 0	$ 0
$ 0				$ 0	$ 0	$ 0	$ 0
$ 0				$ 0	$ 0	$ 0	$ 0
$ 0				$ 0	$ 0	$ 0	$ 0
$ 12,547	TOTAL						

'EXPENSE' ACCOUNT(S)

ADJUSTMENT AMOUNT	ACCOUNT NUMBER	PROJECT NUMBER	ACCOUNT NAME	ORIGINAL BUDGET	AMENDED BUDGET	ADJUSTED BUDGET	UNENCUMBERED BALANCE
$ 12,547	141-2100-521.64-00	CA2201	Machinery and Equipment	$ 0	$ 0	$ 12,547	$ 0
$ 0				$ 0	$ 0	$ 0	$ 0
$ 0				$ 0	$ 0	$ 0	$ 0
$ 0				$ 0	$ 0	$ 0	$ 0
$ 0				$ 0	$ 0	$ 0	$ 0
$ 0				$ 0	$ 0	$ 0	$ 0
$ 12,547	TOTAL						

REASON/JUSTIFICATION FOR ADJUSTMENT:

BAF is necessary in order to amend FY2022 budget to reflect Fair Market Value of seized vehicle. Agenda 21-732.

Council/Board APPROVAL REQUIRED? *YES* (●) ***NO*** ( ) ***DATE APPROVED:*** 12/14/21 ***RESOLUTION #:***

City Council approval is needed for all transfers greater than $50,000 and transfers between Departments / Funds. All CRA adjustments are required to go their respective boards.

12/14/21	Susan L. Lambert (Digitally signed by Susan L. Lambert Date: 2021.11.03 12:29:52 -04'00')	11/4/21	Colleen Campbell (Digitally signed by Colleen Campbell Date: 2021.11.04 08:37:58 -04'00')		
Date	Requestor's Signature	Date	Finance Approval Signature	Date	Finance Director's Signature
	Evander Collier IV (Digitally signed by Evander Collier IV Date: 2021.11.03 16:22:30 -04'00')	11/24/21	Lora Howell (Digitally signed by Lora Howell Date: 2021.11.24 13:40:43 -05'00')		
Date	Department Director's Signature	Date	Deputy Fin. Director's Signature	Date	City Manager's Signature

FINANCE USE ONLY:

Date Entered: _____ Entered By: _____ Group #: _____

Legislation Details (With Text)

File #:	21-734	**Version:**	1	**Name:**	
Type:	Resolution			**Status:**	Consent Agenda
File created:	11/3/2021			**In control:**	City Council
On agenda:	12/14/2021			**Final action:**	
Title:	Approve a Resolution Amending the FY22 Budget, BAF# 22-029-A in the amount of $25,000, transferring from Police Department Budget to Information Technology Budget to Run Fiber Optic Cable for a Police Sub Station. (Chief of Police)				
Sponsors:					
Indexes:					
Code sections:					
Attachments:	Budget Resolution FY 2022- ADA Compliant.pdf BAF 22-029-T-PD-Varr St Fiber (12-14-21) Agenda 21-734.pdf				

Date	Ver.	Action By	Action	Result

CITY COUNCIL AGENDA ITEM

Memo Date: November 3, 2021
Agenda Date: December 14, 2021
Prepared By: Susan L. Lambert, CAP, OM, Administrative Assistant
Through: Evander Collier IV, Chief of Police
Requested Action:
Approve a Resolution Amending the FY22 Budget, BAF# 22-029-A in the amount of $25,000, transferring from Police Department Budget to Information Technology Budget to Run Fiber Optic Cable for a Police Sub Station

BACKGROUND:

The Police Department is looking to deter crime in the Varr Street area and in doing so, placing a Police Substation at that location. Our Community Engagement unit will be housed in this location along with other offices which will need the use of fiber optic cabling. Per the FOM, transfers between Departments require City Council Approval. The cost of the project is being transferred to the Information Technology Department Infrastructure Account.

STRATEGIC PLAN CONNECTION:

Operational

BUDGETARY IMPACT:

Budgeted No
If not budgeted, is amendment/transfer attached? Yes

BAF# 22-029-A

Amount Requested $25,000
Account Number _001-1203-516.63-00 (PWFBPP)
Account Name _Information Technology - Infrastructure

Source of Funds: __X__ Transfer Acct #:
$11,293 PD14AM 001-2100-521.52-00 Law Enforcement/Operating Expenses
$1,359 PD14TE 001-2100-521.52-00 Law Enforcement/Operating Expenses
$4,858 PD14SW 001-2100-521.52-00 Law Enforcement/Operating Expenses
$3,658 PD14PB 001-2100-521.52-00 Law Enforcement/Operating Expenses
$3,832 PD14MC 001-2100-521.52-00 Law Enforcement/Operating Expenses

Grand Total: $25,000.

PREVIOUS ACTION:

None

RECOMMENDED MOTION:
Approve a Resolution Amending the FY22 Budget, BAF# 22-029-A in the amount of $25,000, transferring from Police Department Budget to Information Technology Budget to Run Fiber Optic Cable for a Police Sub Station

RESOLUTION NO. 2021-117

A RESOLUTION OF THE CITY COUNCIL OF THE CITY OF COCOA, FLORIDA, AMENDING THE CITY OF COCOA BUDGET FOR FISCAL YEAR 2022; PROVIDING FOR THE REPEAL OF PRIOR INCONSISTENT RESOLUTIONS; AND PROVIDING AN EFFECTIVE DATE.

WHEREAS, the City Council of the City of Cocoa adopted the final budget for the fiscal year commencing on October 1, 2021, and ending on September 30, 2022, at a Regular meeting held on September 28, 2021; and

WHEREAS, in accordance with Article XII, Section 5 of the City of Cocoa Charter, whereby the Council may, at any time by resolution, transfer any unused and unencumbered appropriation or portion thereof from one office or department to another; and

WHEREAS, the City Council deems it to be in the best interest of the City of Cocoa to amend its budget as provided in this resolution.

NOW, THEREFORE, BE IT RESOLVED BY THE CITY COUNCIL OF THE CITY OF COCOA, as follows:

SECTION 1. The 2021-2022 fiscal year budget shall be amended as detailed in the attached sheets.

SECTION 2. All prior resolutions or prior resolutions inconsistent with this resolution are hereby repealed to the extent of the conflict.

SECTION 3. This resolution shall become effective immediately upon its adoption by the City Council of the City of Cocoa, Florida.

ADOPTED by the City Council of the City of Cocoa, Florida, in a Regular meeting assembled on the 14th day of December, 2021.

_____
Michael C. Blake, Mayor

ATTEST:

_____
Carie Shealy, MMC, City Clerk

City of Cocoa Budget Adjustment Form FY 2022 - 22-029-T

SELECT ADJUSTMENT TYPE: BUDGET TRANSFER | REQUESTING DEPARTMENT #: 2100 | DATE PREPARED: 11/03/21

'FROM' ACCOUNT(S)

ADJUSTMENT AMOUNT	ACCOUNT NUMBER	PROJECT NUMBER	ACCOUNT NAME	ORIGINAL BUDGET	AMENDED BUDGET	ADJUSTED BUDGET	UNENCUMBERED BALANCE
($ 11,293)	001-2100-521.52-00	PD14AM	Law Enforcement/Operating Supplies	$ 158,335	$ 158,335	$ 147,042	$ 111,026
($ 1,359)	001-2100-521.52-00	PD14TE	Law Enforcement/Operating Supplies	$ 147,042	$ 147,042	$ 145,683	$ 111,026
($ 4,858)	001-2100-521.52-00	PD14SW	Law Enforcement/Operating Supplies	$ 145,683	$ 145,683	$ 140,825	$ 111,026
($ 3,658)	001-2100-521.52-00	PD14PB	Law Enforcement/Operating Supplies	$ 140,825	$ 140,825	$ 137,167	$ 111,026
($ 3,832)	001-2100-521.52-00	PD14MC	Law Enforcement/Operating Supplies	$ 137,167	$ 137,167	$ 133,335	$ 111,026
$ 0				$ 0	$ 0	$ 0	$ 0
($ 25,000)	TOTAL						

'TO' ACCOUNT(S)

ADJUSTMENT AMOUNT	ACCOUNT NUMBER	PROJECT NUMBER	ACCOUNT NAME	ORIGINAL BUDGET	AMENDED BUDGET	ADJUSTED BUDGET	UNENCUMBERED BALANCE
$ 25,000	001-1203-516.63-00	PWFBPP	Infrastructure	$ 0	$ 0	$ 25,000	$ 25,000
$ 0				$ 0	$ 0	$ 0	$ 0
$ 0				$ 0	$ 0	$ 0	$ 0
$ 0				$ 0	$ 0	$ 0	$ 0
$ 0				$ 0	$ 0	$ 0	$ 0
$ 0				$ 0	$ 0	$ 0	$ 0
$ 25,000	TOTAL						

REASON/JUSTIFICATION FOR ADJUSTMENT:

Funds needed for Varr Street Sub Station fiber. Per the FOM, transfers between Departments require City Council Approval. Agenda 21-734.

Council/Board APPROVAL REQUIRED? *YES* (●) *NO* ( ) *DATE APPROVED:* 12/14/21 *RESOLUTION #:*

City Council approval is needed for all transfers greater than $50,000 and transfers between Departments / Funds. All CRA adjustments are required to go their respective boards.

11/3/21	Susan L. Lambert Digitally signed by Susan L. Lambert Date: 2021.11.03 10:08:10 -04'00'	11/24/21	Colleen Campbell Digitally signed by Colleen Campbell Date: 2021.11.24 08:22:13 -05'00'		
Date	Requestor's Signature	Date	Finance Approval Signature	Date	Finance Director's Signature
	Evander Collier IV Digitally signed by Evander Collier IV Date: 2021.11.03 12:00:21 -04'00'	11/24/21	Lora Howell Digitally signed by Lora Howell Date: 2021.11.24 14:00:52 -05'00'		
Date	Department Director's Signature	Date	Deputy Fin. Director's Signature	Date	City Manager's Signature

FINANCE USE ONLY:

Date Entered: _____ Entered By: _____ Group #: _____

Legislation Details (With Text)

File #:	21-740	**Version:**	1	**Name:**	
Type:	Contract			**Status:**	Consent Agenda
File created:	11/4/2021			**In control:**	City Council
On agenda:	12/14/2021			**Final action:**	
Title:	Approve Participation in a Cooperative Purchase Agreement with Stewarts Motor Works, Inc., Orlando, Florida, for Repairs and Maintenance of High Service Pump #1 for the EM Clutch and Synchronous Motor at the Dyal Water Treatment Plant (WTP) Utilizing the City of West Palm Beach Contract # 21128.025, Effective April 4, 2018 through April 2, 2023. (Utilities Director)				
Sponsors:					
Indexes:					
Code sections:					
Attachments:	SEMW JOB QUOTE 669 HIGH SEVICE PUMP # 1 DATE 11-03-2021 with highlights .pdf UT-Dyal-20-PGB-STEWARTS-00-01.pdf 21128.025 Amd1 Renewal.pdf FULLY EXECUTED UT-Dyal-20-PGB-STEWARTS-00-01.pdf Master Service Contract # 21128 Electric Motor and Pump Repair - executed 4-4-18 (2).pdf Stewarts COI exp. 6.1.2022.pdf				

Date	Ver.	Action By	Action	Result

CITY COUNCIL AGENDA ITEM

Memo Date: November 4, 2021
Agenda Date: December 14, 2021
Prepared By: Sean B. McFarland, Water Treatment Manager
Through: John A. Walsh, P.E., Utilities Director
Requested Action:
To Approve Participation in a Cooperative Purchase Agreement with Stewarts Motor Works, Inc., Orlando, Florida, for Repairs and Maintenance of High Service Pump #1 for the EM Clutch and Synchronous Motor at the Dyal Water Treatment Plant (WTP) Utilizing the City of West Palm Beach Contract # 21128.025, Effective April 4, 2018 through April 2, 2023

BACKGROUND:

The Dyal WTP owns and operates four large High Service Pumps (HSPs) that pump finished water to the distribution system, which in turn supplies potable water to the water utility customers. Maintaining the pumps the City owns in optimal running condition is critical for the Dyal WTP.

Staff is requesting the approval to participate in a Cooperative Purchase Agreement with Stewarts Electric Motor Works, Inc. of Orlando, Florida, utilizing the City of West Palm Beach Contract #21128.025, effective April 4, 2018 through April 2, 2023 per amendment #1, for repair/rebuild of HSP #1 for the EM clutch and synchronous motor at the Dyal Water Treatment Plant (WTP). Total cost for

the necessary repair/rebuild is quoted at $176,794.50.

Staff recommends approval of the necessary repair/rebuild for HSP #1, by Stewarts Electric Motor Works, utilizing the Cooperative Purchase Agreement with the City of West Palm Beach which is budgeted in FY22 Account No. 421-4020-536.46-00.

Staff is also requesting the City Manager be given authority to authorize/sign for any change orders if additional repairs are required.

STRATEGIC PLAN CONNECTION:

N/A

BUDGETARY IMPACT:

Budgeted	Yes
If not budgeted, is amendment/transfer attached?	N/A
Amount Requested	$176,794.50
Account Number	421-4020-536.46-00
Account Name	Repairs & Maintenance
Source of Funds:	Operating Revenue

PREVIOUS ACTION:

On October 9, 2019, City Council approved Participation in a Cooperative Purchase Agreement with Stewarts Electric Motor Works, Inc. of Orlando, Florida, utilizing the City of West Palm Beach Contract #21128.025, effective April 4, 2018 through April 3, 2021 (two-year extension per amendment #1 to extend contract to April 2, 2023 is included with this agenda).

RECOMMENDED MOTION:

To Approve Participation in a Cooperative Purchase Agreement with Stewarts Motor Works, Inc., Orlando, Florida, for Repairs and Maintenance of High Service Pump #1 for the EM Clutch and Synchronous Motor at the Dyal Water Treatment Plant (WTP) Utilizing the City of West Palm Beach Contract # 21128.025, Effective April 4, 2018 through April 2, 2023.

powered by Legistar™

Stewart's
ELECTRIC MOTOR WORKS, INC.
8951 Trussway Blvd, Orlando, FL 32824
Phone: 407-859-1837 / Fax: 407-859-2584

Job Quote

Job Quote No.:	000669
Quote Date:	09/29/21
Page:	1

Sold To:	Customer Number: CI0030 **CITY OF COCOA** ACCOUNTING DIVISION 65 STONE STREET COCOA, FL 32922	**Ship To:**	Ship To Number: 000001 **CITY OF COCOA** DYAL WATER TREAT PLANT 28400 STATE ROAD 520 CHRISTMAS, FL 32709

Order	Item # / Description / Notes	Unit Price	Extension
THIS OFFER IS VALID THROUGH 12/31/2021	Nameplate Data:		
	KW/HP:1000, FRAME:MD537, RPM:0-720,		
	MFG:EM, VOLTS:190, SERIAL #:169160013,		
	TYPE:CLUTCH, ATTACHMENT:PUMP & MOTOR,		
	AMPS:23		
	Special Instructions:		
	WORSE CASE SCENARIO PRICE		
	TO REBUILD EM CLUTCH		
	ELECTRO MACHINERY EDDY CURRENT		
	CLUTCH. PRICE BASED ON UNIT		
	RUNNING AT TIME OF DISCONNECT		
	PICK UP CLUTCH AND TRANSPORT TO SEMW		
	FACILITY (NO CHARGE)		
	DISMANTLE EDDY CURRENT CLUTCH		
	MEASURE MECHANICAL FITS		
	PERFORM ELECTRICAL TEST		
	STEAM CLEAN & BAKE WINDINGS		
	RESIN TREAT ROTOR WINDINGS		
	REMOVE EXCESS RESIN		
	TURN SLIP RINGS		
	CLEAN ALL PARTS		
	DYNAMIC BALANCE ROTOR		
	INSTALL BRUSHES		
	ASSEMBLE		
	PAINT		
	TRANSPORT CLUTCH BACK TO W.T.P		
	FROM SEMW FACILITY (NO CHARGE)		
	BRG-22224		
	SPHERICAL ROLLER BEARING		
	BRG-NU226		
	ROLLER BEARING		

Continued...

(Customer Copy)

Stewart's
ELECTRIC MOTOR WORKS, INC.
8951 Trussway Blvd, Orlando, FL 32824
Phone: 407-859-1837 / Fax: 407-859-2584

Job Quote

Job Quote No.:	000669
Quote Date:	09/29/21
Page:	2

Sold To:	Customer Number: CI0030 **CITY OF COCOA** ACCOUNTING DIVISION 65 STONE STREET COCOA, FL 32922	**Ship To:**	Ship To Number: 000001 **CITY OF COCOA** DYAL WATER TREAT PLANT 28400 STATE ROAD 520 CHRISTMAS, FL 32709

Order	Item # / Description / Notes	Unit Price	Extension
	386094		
	FURNISH NEW BRUSHES		
	MISC. MATERIAL		
	MISC. MATERIAL		
	MISC. MACHINE		
	MISC. MACHINE MATERIAL		
	LABOR HRS 520 @$25 = $13,000.00		
	MATERIAL COST $6,526.19 @5% = $6,852.50		
	TOTAL RECONDITION PRICE $ 19,852.50		
	ADDITIONAL WORK AND MATERIALS TO PROVIDE		
	A WORSE CASE SCENARIO QUOTE.		
	FABRICATE SPECIAL PART POLARITY BOX		
	WITH SWITCH MOUNTED ON CLUTCH ENCLOSURE		
	FABRICATE SPECIAL PART QUICK AXCESS PORT		
	TO BRUSH RIGGING & BRUSHES		
	LABOR - MACHINE SHOP REMOVE SLIP RINGS		
	PRESS OFF RINGS & TOOTH GEAR		
	LABOR - MACHINE SHOP REMOVE ROTOR POLES		
	PRESS OFF POLES PIECES FROM ROTOR SPIDER		
	LOADING UNLOADING POLE PIECES INTO CLEAN		
	OVENS TO REMOVE VARNISH		
	RECORD REWIND DATA AS RECEIVED FOR EACH		
	STRIP OUT POLE COIL WINDINGS		
	CLEAN PARTS POLE PIECES WITH STEAM		
	FABRICATE SPECIAL PART TO MOUNT POLES		
	PIECES INTO WINDING MACHINE		
	REWIND CLUTCH POLE PIECE (10 TOTAL)		
	RESIN TREAT EACH POLE WINDINGS		
	LABOR - MACHINE SHOP RE-INSTALL POLE		
	PIECES ONTO ROTOR SPIDER, PRESS ON		

Continued...

(Customer Copy)

Stewart's
ELECTRIC MOTOR WORKS, INC.
8951 Trussway Blvd, Orlando, FL 32824
Phone: 407-859-1837 / Fax: 407-859-2584

Job Quote

Job Quote No.:	000669
Quote Date:	09/29/21
Page:	3

Sold To:	Customer Number: CI0030 **CITY OF COCOA** ACCOUNTING DIVISION 65 STONE STREET COCOA, FL 32922	**Ship To:**	Ship To Number: 000001 **CITY OF COCOA** DYAL WATER TREAT PLANT 28400 STATE ROAD 520 CHRISTMAS, FL 32709

Order	Item # / Description / Notes	Unit Price	Extension
	CONNECT POLE PIECES AND INSTALL LEADS		
	LABOR - MACHINE SHOP INSTALL SLIP RINGS		
	& TOOTH GEAR PRESS ONTO SHAFT		
	CONNECT ROTOR POLES TO BRUSH RIGGINGS		
	NEW SLIP RINGS		
	PROVIDE NEW SS RINGS		
	WIND		
	WINDING MATERIALS TO REWIND POLE PIECES		
	MISC. MATERIAL		
	MISC. MATERIAL USED AND DISPOSABLES		
	FOR ADDITIONAL WORK SCOPE		
	MISC. MACHINE		
	MISC. MATERIAL USED IN MACHIN SHOP		
	FOR ADDITIONAL WORK SCOPE		
	SHIPPING		
	SHIPPING FOR PARTS		
	ADDITIONAL WORK & LABOR		
	LABOR 950 HRS @ $25 = $23,750.00		
	MATERIAL COST $19846.54@5%=20,838.86		
	TOTAL ADDITIONAL $44,588.86		
	TOTAL FOR WORSE CASE SCENARIO PRICE		
	COMBINE LABOR AND MATERIALS ABOVE:		
	LABOR 1,470.0 HRS@$25.00 = $36,750.00		
	MATERIAL COST$26,372.73@5% = $27,691.36		
	TOTAL $ 64,441.36		

Continued...

(Customer Copy)

Stewart's
ELECTRIC MOTOR WORKS, INC.
8951 Trussway Blvd, Orlando, FL 32824
Phone: 407-859-1837 / Fax: 407-859-2584

Job Quote

Job Quote No.:	000669
Quote Date:	09/29/21
Page:	4

Sold To:	Customer Number: CI0030 **CITY OF COCOA** ACCOUNTING DIVISION 65 STONE STREET COCOA, FL 32922	**Ship To:**	Ship To Number: 000001 **CITY OF COCOA** DYAL WATER TREAT PLANT 28400 STATE ROAD 520 CHRISTMAS, FL 32709

Order	Item # / Description / Notes	Unit Price	Extension
	Nameplate Data:		
	HP:1000, FRAME:4500, RPM:900,		
	MFG:ELECTRIC MACHINERY, VOLTS:4000,		
	SERIAL #:369160011, TYPE:SYNC MOTOR,		
	ENCL:AIR BOX VE, AMPS:113, SVC		
	FACTOR:1.15		
	Special Instructions:		
	SYNCHRO-PAC		
	BRUSHLESS SYNCHRONOUS MOTOR		
	PROVIDE WORSE CASE SCENARIO		
	PRICING FOR REBUILDING MOTOR		
	PRICE IS BASED ON UNIT RUNNING		
	AT TIME OF DISCONNECT		
	PICK UP MOTOR FROM PLANT: (NO CHARGE)		
	PERFORM INCOMING ELECTRICAL TEST		
	AND RECORD DATA		
	INSPECT AND TAKE INCOMING PICTURES		
	DISMANTLE NO CHARGE		
	ANALYZE UNIT		
	STEAM CLEAN STATOR		
	BAKE DRY STATOR WINDINGS		
	STEAM CLEAN & BAKE EXCITER COMPONENTS		
	BAKE DRY EXCITER COMPONENTS		
	PERFORM ELECTRICAL TEST ALL WINDINGS		
	MEASURE ALL MECHANICAL FITS & RECORD		
	RESIN TREAT STATOR WINDINGS		
	RESIN TREAT ROTOR WINDINGS		
	RESIN TREAT ALL ELECTRICAL WINDINGS		
	USING CLASS H EPOXY RESIN		
	REMOVE EXCESS RESIN		

Continued...

(Customer Copy)

Stewart's
ELECTRIC MOTOR WORKS, INC.
8951 Trussway Blvd, Orlando, FL 32824
Phone: 407-859-1837 / Fax: 407-859-2584

Job Quote

Job Quote No.:	000669
Quote Date:	09/29/21
Page:	5

Sold To:	Customer Number: CI0030 **CITY OF COCOA** ACCOUNTING DIVISION 65 STONE STREET COCOA, FL 32922	**Ship To:**	Ship To Number: 000001 **CITY OF COCOA** DYAL WATER TREAT PLANT 28400 STATE ROAD 520 CHRISTMAS, FL 32709

Order	Item # / Description / Notes	Unit Price	Extension
	DYNAMIC BALANCE ROTOR		
	FURNISH & INSTALL STANDARD BEARINGS		
	ASSEMBLE SYNCRONOUS MOTOR		
	TEST RUN MOTOR		
	PERFORM VIBRATION ANALYSIS		
	PAINT PER CUSTOMER SPECIFICATIONS		
	DELIVERY UNIT BACK TO PLANT (NO CHARGE)		
	PROVIDE FINAL REPORT WITH DELIVERY AS		
	AS A DIGITAL COPY TO ALL PARTIES		
	BEARING		
	STANDARD BEARING		
	BEARING		
	STANDARD BEARING		
	MISC. MATERIAL		
	MISC. MATERIAL		
	LABOR HRS 550 AT $25.00/HR = $13,750.00		
	MATERIALS COST $7,730.78 @5%=$8,117.32		
	TOTAL RECONDITION PRICE: $21,867.32		
	ALL WORK PERFORMED WITH		
	PEV (PROVEN EFFICIENCY VERIFICATION)		
	PROCESSES AND PROCEDURES.		
	ADDTIONAL PRICE FOR STATOR REWIND:		
	PERFORM CORE LOSS TEST		
	HEAT CLEAN STATOR		
	USING A TEMPERATURE CONTROLLED OVEN		
	WITH CALIBRATED CHART RECORDER		
	STRIP OUT WINDINGS		
	PERFORM CORE LOSS TEST		
	REWIND STATOR		
	PERFORM ELECTRICAL VERIFICATION TEST		

Continued...

(Customer Copy)

Stewart's
ELECTRIC MOTOR WORKS, INC.
8951 Trussway Blvd, Orlando, FL 32824
Phone: 407-859-1837 / Fax: 407-859-2584

Job Quote

Job Quote No.:	000669
Quote Date:	09/29/21
Page:	6

Sold To:	Customer Number: CI0030 **CITY OF COCOA** ACCOUNTING DIVISION 65 STONE STREET COCOA, FL 32922	**Ship To:**	Ship To Number: 000001 **CITY OF COCOA** DYAL WATER TREAT PLANT 28400 STATE ROAD 520 CHRISTMAS, FL 32709

Order	Item # / Description / Notes	Unit Price	Extension
	VPI STATOR WINDINGS USING CLASS H EPOXY		
	BAKE CURE STATOR WINDINGS		
	REMOVE EXCESS RESIN		
	FORM COILS		
	PROVIDE FORM COILS AS PER SPECIFICATION		
	WIND		
	WINDING MATERIAL		
	LABOR HRS 880@$25.00 = $ 22,000.00		
	MATERIAL COST $17,208.10 @ 5%=$18,068.50		
	STATOR REWIND PRICE: $40,068.50		
	ADDITIONAL PRICE FOR ROTOR REWIND		
	HEAT CLEAN ROTOR POLES		
	USING A TEPERATURE CONTROLLED OVEN		
	WITH CALIBRATED CHART RECORDER		
	STRIP OUT ROTOR POLES		
	REWIND ROTOR		
	VPI ROTOR USING CLASS H EPOXY RESIN		
	BAKE CURE ROTOR		
	REMOVE EXCESS RESIN		
	COILS		
	PROVIDE COILS AS PER SPECIFICATION		
	WIND		
	WINDING MATERIAL		
	LABOR HRS 1,250 @$25.00 = $31,250.00		
	MATERAL COST $18,254.59 @5%=$19,167.32		
	ROTOR REWIND PRICE: $50,417.32		
	TOTAL FOR WORSE CASE SCENARIO PRICE		
	COMBINED LABOR AND MATERIALS ABOVE:		
	LABOR 2,680 HRS @$25.00 = $67,000.00		

Continued...

(Customer Copy)

Stewart's
ELECTRIC MOTOR WORKS, INC.
8951 Trussway Blvd, Orlando, FL 32824
Phone: 407-859-1837 / Fax: 407-859-2584

Job Quote

Job Quote No.:	000669
Quote Date:	09/29/21
Page:	7

Sold To:	Customer Number: CI0030 **CITY OF COCOA** ACCOUNTING DIVISION 65 STONE STREET COCOA, FL 32922	**Ship To:**	Ship To Number: 000001 **CITY OF COCOA** DYAL WATER TREAT PLANT 28400 STATE ROAD 520 CHRISTMAS, FL 32709

Order	Item # / Description / Notes	Unit Price	Extension
	MATERIAL COST $43,193.47 @5% $45,353.14		
	TOTAL PRICE $112,353.14		
	PLEASE NOTE THAT ALL SPECIFICATIONS		
	ARE TO THE IEEE95 AND IEEE112		
	AS WELL AS OUR PROPRIETARY PROCESS		
	TO PROLONG THE LIFE ON YOUR UNIT.		
	ALSO NOTE THAT OUR RESIN IS TESTED		
	ON A MONTHLY BASIS TO CHECK FOR		
	CORRECT VESCOSITY AND PERFORMANCE.		
THIS OFFER IS VALID THROUGH 12/31/2021			

Total	176,794.50

Quotation valid for 30 calendar days
from the above date.
Total is plus sales tax if applicable.
Based Upon Our Standard Terms And Conditions.

Received By: _____ **Date:** _____

(Customer Copy)

STANDARD FORM FOR NEW PIGGYBACK CONTRACTS

The **City of Cocoa,** a Florida Municipal Corporation ("City") enters this "Piggyback" Contract with **Stewart's Electric Motor Works Inc.***(insert identity of the vendor)* (hereinafter referred to as the "Vendor "), under the terms and conditions hereinafter provided. The City and the Vendor agree as follows:

1. The Financial Operations Manual (FOM) for the City of Cocoa allows for "piggybacking " contracts. Pursuant to this procedure, the City is allowed to piggyback an existing government contract, and there is no need to obtain formal or informal quotations, proposals or bids. The parties agree that the Vendor has entered a contract with **West Palm Beach***(identify the government entity)*, said contract being identified as: **Contract No. 21128; ITB No. 17-18-118; Electric Motor and Pump Repair***(identify the original contract being piggybacked)* (said original contract being referred to as the "original government contract").

2. The original government contract is incorporated herein by reference and is attached as **Exhibit "A"** to this Contract. All of the terms and conditions set out in the original government contract (Exhibit "A") are fully binding on the parties and said terms and conditions are incorporated herein.

3. Notwithstanding the requirement that the original government contract is fully binding on the parties, the parties have agreed to modify certain technical provisions of the original government contract as applied to this Contract between the Vendor and the City of Cocoa, as follows:

a) Time Period ("Term") of the Agreement: *(state NIA if this is not applicable)*

Effective 4/4/18, for three (3) years from date of execution of MSA. Two (2) additional terms of one (1) year each; provided a written amendment to MSA is executed.

b) Insurance Requirements: *(state NIA if this is not applicable)*

COMMERCIAL GENERAL LIABILITY INSURANCE MINIMUM REQUIREMENTS FOR CONTRACTS VALUED AT LESS THAN $15,000:

It is required that individuals and firms contracting with the City of Cocoa, where the total contract or job value is LESS than $15,000, maintain Commercial General Liability insurance with a minimum per occurrence limit of not less than $200,000 per person and $300,000 each occurrence, and property damage insurance of at least $200,000 each occurrence and with a deductible amount not greater than $1,000. It is further required that the City of Cocoa, be named as an additional insured to the contractor's CGL policy, and that proof of same in the form of a certificate of insurance be submitted before work is begun.

COMMERCIAL GENERAL LIABILITY INSURANCE MINIMUM REQUIREMENTS FOR CONTRACTS VALUED AT $15,000 OR MORE:

It is required that individuals and firms contracting with the City of Cocoa, where the total contract or job value is $15,000 or MORE, maintain Commercial General Liability insurance with a minimum per occurrence limit of not less than $2,000,000 as the combined single limit for each occurrence and with a deductible not greater than $5,000 or as otherwise approved in writing by the City Manager. It is further required that the City of Cocoa be named as an additional insured to the Contractor's CGL policy, and that proof of same in the form of a certificate of insurance be submitted before work is begun.

AUTOMOBILE LIABILITY INSURANCE MINIMUM REQUIREMENTS FOR ALL CONTRACTS:

The Contractor shall maintain comprehensive automobile liability insurance in the minimum amount of $1,000,000 combined single limit bodily injury and minimum $1,000,000 property damage as the combined single limit for each occurrence to protect the Contractor from claims for damages for bodily injury, including wrongful death, as well as from claims from property damage, which may arise from the ownership, use, or maintenance of owned and non-owned automobiles, including rented automobiles whether such operations be by the Contractor or by anyone directly or indirectly employed by the Contractor.

PROFESSIONAL LIABILITY INSURANCE MINIMUM REQUIREMENTS FOR ALL PROFESSIONALS AS DEFINED BY FLORIDA STATUTE:

Professionals and professional corporations, associations, and firms who contract with the City of Cocoa to provide professional services are required to maintain Professional Liability Insurance and submit proof of same in the form of a certificate of insurance before work is begun.

ENVIRONMENTAL IMPAIRMENT INSURANCE MINIMUM REQUIREMENTS:

Individuals or firms who contract with the City of Cocoa to provide excavation or construction type services and who will be locating portable fuel or lubricant storage tanks at the job site or who will be storing or using hazardous chemicals on the job site are required to maintain Environmental Impairment Insurance of "Pollution Insurance" with a limit of not less than $1,000,000 per occurrence and submit proof of same in the form of a certificate of insurance or an endorsement to their General Liability policy showing a pollution exclusion exception for each specific work product or storage container before work is begun. Contracts with such firms shall include a provision that they work in compliance with the OSHA Hazardous Communication Standard and Florida Department of Environmental Protection guidelines and supply all information about hazardous chemical being brought onto City property as required by the City's Safety and Loss Control Program.

WORKERS' COMPENSATION INSURANCE MINIMUM REQUIREMENTS:

It is required that firms employing four or more people who contract with the City of Cocoa maintain Workers' Compensation Insurance at the statutory limits and employer liability insurance and submit proof of same in the form of a certificate of insurance before work is begun.
It is required that firms employing less than four people who contract with the City of Cocoa comply with the exemption and notice provisions of F.S. 440 and maintain employer liability insurance and submit proof of same in the form of a certificate of insurance before work is begun.
However, if you are a corporate officer of a corporation that is actively engaged in the construction industry, or a sole proprietor or partner who is actively engaged in the construction industry, then the exemption will not apply to any work performed at a commercial building project valued at $250,000 or greater and you must secure workers' compensation coverage in accordance with F.S. 440.38 and these general conditions and submit proof of same in the form of a certificate of insurance before work is begun.

COMPREHENSIVE BUILDER RISK INSURANCE:

The Contractor shall maintain comprehensive builder risk insurance, which shall cover Contractor's labor, and any materials and equipment to be used for completion of the Work performed under this Agreement, against all risks of direct physical loss, excluding earthquake and flood, for a minimum amount of $2,000,000. Contractor shall maintain the builder risk insurance required by this subsection until the date a certificate of occupancy is issued issuance of a certificate of occupancy for the Work.

DURATION OF CONTRACTS-NAMED INSUREDS-LIABILITY INSURANCE:

For contracts exceeding time periods of 30 days, it is required that the contractor name the City of Cocoa as an additional insured on their Liability Insurance policies and submit proof of same in the form of a certificate of insurance before work is begun. A copy of a current Certificate of Insurance shall be provided to the City by Contractor upon the Effective Date of this Agreement which satisfied the insurance requirements of this Article. Renewal certificates shall be sent to the City 30 days prior to any expiration date. The certificates and policies shall provide that in the event of any material change in or cancellation of the policies reflecting the required coverage, thirty days advance notice shall be given to the City and the State of Florida, Department of Transportation, or as provided in accordance with Florida law.

c) Any other provisions that will be modified:

N/A

_____ *(state*

NIA if this is not applicable)

d) Address change for the City of Cocoa: Notwithstanding the address and contact information for the government entity as set out in Exhibit "A," the Vendor agrees that he/she/it will send notices, invoices and will conduct all business with the City of Cocoa, attention of Accounts Payable at 65 Stone Street, Cocoa Florida 32922, telephone number (321) 433-8633 , facsimile number (321) 433-8608 and email accontspayable@cocoafl.org

e) Notwithstanding anything in Exhibit "A" to the contrary, the venue of any dispute will be in Brevard County, Florida. Litigation between the parties arising out of this contract must be in Brevard County, Florida in the Court of appropriate jurisdiction. The law of Florida will control any dispute between the parties arising out of or related to this Piggyback Contract, the performance thereof or any products or services delivered pursuant to such contract.

f) Notwithstanding any other provision in Exhibit "A" to the contrary, there shall be no arbitration with respect to any dispute between the parties arising out of this Contract. Dispute resolution shall be through voluntary and non-binding mediation, negotiation or litigation in the Court of appropriate jurisdiction in Brevard County, Florida, with the parties bearing the costs of their own legal fees and related costs with respect to any dispute resolution, including litigation.

g) All other provisions in the original government contract (Exhibit "A") are fully binding on the parties and will represent the agreement between the City of Cocoa and the Vendor.

4. This contract is not a requirements agreement nor is it an exclusive agreement. Accordingly, the City of Cocoa reserves the right to purchase the goods or services that are the subject hereof from any alternative vendor during the contract term, regardless of contrary language in the underlying contract that is being piggybacked.

Entered this 10 day of August 2020

Stewart's Electric Motor Works

VENDOR

By: [signature]

Title: Sales & Service

Date: 8/10/2020

Attested by: [signature]

Name: Stacy E. Stewart

CITY OF COCOA

By: [signature], City Manager

(For purchases up to the limit of the City Manager ' s purchase order authority, this signature alone as attested will be sufficient)

By:_____, Mayor

(For purchases in excess of the City Manage r' s purchase order authority)

Attested By: City Clerk

MEMO

WEST PALM BEACH
City Attorney

RECEIVED
CITY OF WEST PALM BEACH
MAYOR'S OFFICE
DEC 10 2020
401 CLEMATIS STREET
WEST PALM BEACH FL 33401

To: **Keith A. James, Mayor**

From: Anthony Stella, Asst. City Attorney II

Date: December 9, 2020

Matter No: **21128.025**

Dept. 971 Public Utilities

Re: **Stewart's Electric; Amd #1; Motors & Pumps Repairs; Renewal; MP 4-2-23**

Transmitted herewith are original documents which have been reviewed and approved for legal sufficiency. Kindly forward the documents, along with this memo, to the City Clerk's Office.

RECEIVED
DEC 11 2020
CITY OF WEST PALM BEACH
OFFICE OF THE CITY CLERK

The Mayor is authorized to execute the document in accordance with:

- [X] Procurement Code.
- [ ] Commission Approval. Resolution No. _____
- [ ] City Charter Sec. _____
- [ ] _____

If authorized by the Procurement Code, the procurement method is:

☐ Small Purchase	☐ Quotes	☐ Single Source
☐ Competitive Solicitation	☐ Cooperative	☐ Sole Source
☐ Emergency Procurement	☐ Piggyback	☑ Amendment

Procurement No. _____N/A_____, if applicable.

Contract/ CO/ WO Amount: $_____N/A_____ Est. Expiration Date: Aprile 2, 2023

To: **Office of the City Clerk**

Please: Attest to the execution by the Mayor and insert the date.

Estimated Record Retention Review: May 2028 (Non-construction: 5 years from expiration)
(Construction related: 10 years from est. final payment)

Please **retain one original** as a public record and **forward the other original with a copy of this memo** to:

Sandra Feliciano, Public Utilities

To: **Department**

Please forward the fully-signed original contract to the vendor/contractor. Request W-9 if not provided.

For a construction contract: Request a copy of the recorded Public Construction Bond and provide the copy to Procurement. Bond must be provided prior to approval of the first payment application.
fdo

1 – City original; 2- Department; 3- EEO Office

CITY OF WEST PALM BEACH

AMENDMENT NO. 1
[Term Extension]

Agreement / Contract Name: **Annual Contract for Electric Motor and Pumps Repair Services**

Agreement / Contract Date: **April 4, 2018**

Contract No. **21128.** 025

THIS AMENDMENT No. **1** ("Amendment") is entered into by and between the **CITY OF WEST PALM BEACH** ("City") and **Stewart's Electric Motor Works, Inc.** ("Contractor/Consultant/Provider/Supplier" referred to as "Contractor "for convenience).

WHEREAS, the parties desire to extend the Agreement / Contract, and in consideration of good and valuable consideration, the receipt and sufficiency of which are hereby acknowledged, the City and Contractor hereby agree as follows:

1. **Term.** The term of the Agreement/Contract is hereby extended for an additional **2** year period expiring **April 2, 2023**. Extension terms, conditions and rates shall be the same as the original Agreement / Contract.

2. **Effect of Amendment**. Except to the extent the Agreement / Contract expiration date is modified by this Amendment, the terms and provisions of the Agreement / Contract, as may be previously amended, shall remain unmodified and in full force and effect. In the event of a conflict between the terms of the Agreement / Contract, as may be previously amended and the terms of this Amendment, the terms of this Amendment shall govern and prevail.

Contractor:
Stewart's Electric Motor Works, Inc.

By: Paul E. Stewart

Print Name: Paul E. Stewart

Title: Vice President

CITY OF WEST PALM BEACH

By: _____
Keith A. James, Mayor

Attest: _____
City Clerk

Dated: 12/11, 2020

CITY ATTORNEY'S OFFICE
Approved as to form and legal sufficiency
By: Anthony M. Stella

STANDARD FORM FOR NEW PIGGYBACK CONTRACTS

The **City of Cocoa,** a Florida Municipal Corporation ("City") enters this "Piggyback" Contract with **Stewart's Electric Motor Works Inc.**, (hereinafter referred to as the "Vendor "), under the terms and conditions hereinafter provided. The City and the Vendor agree as follows:

1. The Financial Operations Manual (FOM) for the City of Cocoa allows for "piggybacking " contracts. Pursuant to this procedure, the City is allowed to piggyback an existing government contract, and there is no need to obtain formal or informal quotations, proposals or bids. The parties agree that the Vendor has entered a contract with **West Palm Beach**,, said contract being identified as: **Contract No. 21128; ITB No. 17-18-118; Electric Motor and Pump Repair** (said original contract being referred to as the "original government contract").

2. The original government contract is incorporated herein by reference and is attached as **Exhibit "A"** to this Contract. All of the terms and conditions set out in the original government contract (Exhibit "A") are fully binding on the parties and said terms and conditions are incorporated herein.

3. Notwithstanding the requirement that the original government contract is fully binding on the parties, the parties have agreed to modify certain technical provisions of the original government contract as applied to this Contract between the Vendor and the City of Cocoa, as follows:

a) Time Period ("Term") of the Agreement:

Effective 4/4/18, for three (3) years from date of execution of MSA. Two (2) additional terms of one (1) year each; provided a written amendment to MSA is executed.

b) Insurance Requirements: *(state NIA if this is not applicable)*

COMMERCIAL GENERAL LIABILITY INSURANCE MINIMUM REQUIREMENTS FOR CONTRACTS VALUED AT LESS THAN $15,000:

It is required that individuals and firms contracting with the City of Cocoa, where the total contract or job value is LESS than $15,000, maintain Commercial General Liability insurance with a minimum per occurrence limit of not less than $200,000 per person and $300,000 each occurrence, and property damage insurance of at least $200,000 each occurrence and with a deductible amount not greater than $1,000. It is further required that the City of Cocoa, be named as an additional insured to the contractor's CGL policy, and that proof of same in the form of a certificate of insurance be submitted before work is begun.

COMMERCIAL GENERAL LIABILITY INSURANCE MINIMUM REQUIREMENTS FOR CONTRACTS VALUED AT $15,000 OR MORE:

It is required that individuals and firms contracting with the City of Cocoa, where the total contract or job value is $15,000 or MORE, maintain Commercial General Liability insurance with a minimum per occurrence limit of not less than $2,000,000 as the combined single limit for each occurrence and with a deductible not greater than $5,000 or as otherwise approved in writing by the City Manager. It is further required that the City of Cocoa be named as an additional insured to the Contractor's CGL policy, and that proof of same in the form of a certificate of insurance be submitted before work is begun.

AUTOMOBILE LIABILITY INSURANCE MINIMUM REQUIREMENTS FOR ALL CONTRACTS:

The Contractor shall maintain comprehensive automobile liability insurance in the minimum amount of $1,000,000 combined single limit bodily injury and minimum $1,000,000 property damage as the combined single limit for each occurrence to protect the Contractor from claims for damages for bodily injury, including wrongful death, as well as from claims from property damage, which may arise from the ownership, use, or maintenance of owned and non-owned automobiles, including rented automobiles whether such operations be by the Contractor or by anyone directly or indirectly employed by the Contractor.

PROFESSIONAL LIABILITY INSURANCE MINIMUM REQUIREMENTS FOR ALL PROFESSIONALS AS DEFINED BY FLORIDA STATUTE:

Professionals and professional corporations, associations, and firms who contract with the City of Cocoa to provide professional services are required to maintain Professional Liability Insurance and submit proof of same in the form of a certificate of insurance before work is begun.

ENVIRONMENTAL IMPAIRMENT INSURANCE MINIMUM REQUIREMENTS:

Individuals or firms who contract with the City of Cocoa to provide excavation or construction type services and who will be locating portable fuel or lubricant storage tanks at the job site or who will be storing or using hazardous chemicals on the job site are required to maintain Environmental Impairment Insurance of "Pollution Insurance" with a limit of not less than $1,000,000 per occurrence and submit proof of same in the form of a certificate of insurance or an endorsement to their General Liability policy showing a pollution exclusion exception for each specific work product or storage container before work is begun. Contracts with such firms shall include a provision that they work in compliance with the OSHA Hazardous Communication Standard and Florida Department of Environmental Protection guidelines and supply all information about hazardous chemical being brought onto City property as required by the City's Safety and Loss Control Program.

WORKERS' COMPENSATION INSURANCE MINIMUM REQUIREMENTS:

It is required that firms employing four or more people who contract with the City of Cocoa maintain Workers' Compensation Insurance at the statutory limits and employer liability insurance and submit proof of same in the form of a certificate of insurance before work is begun.
It is required that firms employing less than four people who contract with the City of Cocoa comply with the exemption and notice provisions of F.S. 440 and maintain employer liability insurance and submit proof of same in the form of a certificate of insurance before work is begun.
However, if you are a corporate officer of a corporation that is actively engaged in the construction industry, or a sole proprietor or partner who is actively engaged in the construction industry, then the exemption will not apply to any work performed at a commercial building project valued at $250,000 or greater and you must secure workers' compensation coverage in accordance with F.S. 440.38 and these general conditions and submit proof of same in the form of a certificate of insurance before work is begun.

COMPREHENSIVE BUILDER RISK INSURANCE:

The Contractor shall maintain comprehensive builder risk insurance, which shall cover Contractor's labor, and any materials and equipment to be used for completion of the Work performed under this Agreement, against all risks of direct physical loss, excluding earthquake and flood, for a minimum amount of $2,000,000. Contractor shall maintain the builder risk insurance required by this subsection until the date a certificate of occupancy is issued issuance of a certificate of occupancy for the Work.

DURATION OF CONTRACTS-NAMED INSUREDS-LIABILITY INSURANCE:

For contracts exceeding time periods of 30 days, it is required that the contractor name the City of Cocoa as an additional insured on their Liability Insurance policies and submit proof of same in the form of a certificate of insurance before work is begun. A copy of a current Certificate of Insurance shall be provided to the City by Contractor upon the Effective Date of this Agreement which satisfied the insurance requirements of this Article. Renewal certificates shall be sent to the City 30 days prior to any expiration date. The certificates and policies shall provide that in the event of any material change in or cancellation of the policies reflecting the required coverage, thirty days advance notice shall be given to the City and the State of Florida, Department of Transportation, or as provided in accordance with Florida law.

c) Any other provisions that will be modified:

N/A

_____ *(state*

NIA if this is not applicable)

d) Address change for the City of Cocoa: Notwithstanding the address and contact information for the government entity as set out in Exhibit "A," the Vendor agrees that he/she/it will send notices, invoices and will conduct all business with the City of Cocoa, attention of Accounts Payable at 65 Stone Street, Cocoa Florida 32922, telephone number (321) 433-8633 , facsimile number (321) 433-8608 and email accontspayable@cocoafl.org

e) Notwithstanding anything in Exhibit "A" to the contrary, the venue of any dispute will be in Brevard County, Florida. Litigation between the parties arising out of this contract must be in Brevard County, Florida in the Court of appropriate jurisdiction. The law of Florida will control any dispute between the parties arising out of or related to this Piggyback Contract, the performance thereof or any products or services delivered pursuant to such contract.

f) Notwithstanding any other provision in Exhibit "A" to the contrary, there shall be no arbitration with respect to any dispute between the parties arising out of this Contract. Dispute resolution shall be through voluntary and non-binding mediation, negotiation or litigation in the Court of appropriate jurisdiction in Brevard County, Florida, with the parties bearing the costs of their own legal fees and related costs with respect to any dispute resolution, including litigation.

g) All other provisions in the original government contract (Exhibit "A") are fully binding on the parties and will represent the agreement between the City of Cocoa and the Vendor.

4. This contract is not a requirements agreement nor is it an exclusive agreement. Accordingly, the City of Cocoa reserves the right to purchase the goods or services that are the subject hereof from any alternative vendor during the contract term, regardless of contrary language in the underlying contract that is being piggybacked.

Entered this 10 day of August 2020

Stewart's Electric Motor Works

VENDOR

By: [signature]

Title: Sales & Service

Date: 8/10/2020

Attested by: [signature]

Name: Stacy E. Stewart

CITY OF COCOA

By: [signature], City Manager

(For purchases up to the limit of the City Manager ' s purchase order authority, this signature alone as attested will be sufficient)

By:_____, Mayor

(For purchases in excess of the City Manage r' s purchase order authority)

Attested By: City Clerk

Consultant/Contractor Original

WEST PALM BEACH

MASTER SERVICES AGREEMENT
ELECTRIC MOTOR AND PUMP REPAIR

Contract No. 21128
ITB No. 17-18-118

THIS CONTRACT is made and entered into by and between the **CITY OF WEST PALM BEACH**, a municipal corporation of the State of Florida, whose address is 401 Clematis Street, West Palm Beach, Florida 33401 (the "City") and **STEWART'S ELECTRONIC MOTOR WORKS, INC.,** a corporation of the State of Florida, whose address is 8951 Trussway Blvd., Orlando, FL 32824 (the "Contractor").

WITNESSETH:

WHEREAS, the City issued its Invitation to Bid No. 17-18-118 (the "ITB") pursuant to state and local law to solicit proposals to provide Electric Motor and Pump Repair; and

WHEREAS, Contractor is a professional qualified to render said services and has responded to the ITB by submitting its Bid dated January 24, 2018 (the "Bid"); and

WHEREAS, the City desires to engage Contractor to provide such services according to the terms and subject to the conditions set forth herein.

NOW THEREFORE, in consideration of the promises and mutual covenants and obligations herein contained, and subject to the terms and conditions herein stated, the parties hereto understand and agree as follows:

THIS AGREEMENT ("Agreement") is made by and between the **CONTRACTOR** identified above and the **City of West Palm Beach** ("City"), 401 Clematis Street, West Palm Beach, FL 33401,

In consideration of the covenants and conditions set forth in this Agreement, the Contractor and City agree as follows:

1. Services/Method of Ordering Work.

1.1 Scope. The Contractor hereby agrees to provide all labor, supervision, material, equipment and outside services necessary to repair or refurbish electric motors and pumps on an "as-needed" basis (the "Scope of Work") subject to and in accordance with the terms, conditions and provisions of this Contract and the Contract Documents described below. All repair and refurbishment shall be performed in accordance with 'Electrical Apparatus Service Association's (EASA) Recommended Practice, 1998 Revision and the National Electrical Manufacturers Association (NEMA) Standards for service and repair of electrical apparatus. The work shall be provided at the City's Water Treatment Plant or other City locations the "Repair Sites", as requested by the City. Contractor agrees to furnish all the parts, equipment and labor necessary for performance of the Work in a good, firm, substantial and workmanlike manner, in accordance with all applicable plans and specifications.

1.2. The Contractor shall keep an ample inventory of parts to ensure parts availability and shall provide a parts list on CD with pricing and the percentage of discount off of the list price for all parts. All parts and equipment must be new, carry standard warranties and must meet the specifications of this Contract.

1.3 Pickup and Delivery. The Contractor shall provide free pickup and delivery of all equipment to be repaired at the Contractor's facility. If the equipment is unable to be transported to the Contractor's facility, repairs shall be performed at the specified City facility.

1.3.1 Pickup Time. The Contractor shall pickup equipment for repair within twenty-four (24) hours of receipt of verbal notification by the City, including after normal business hours, weekends and holidays.

1.3.2 Removal and Replacement. The City will be responsible for the removal and replacement of equipment when feasible for the initial repair and for a second time if rework is required due to faulty repair by the Contractor. All costs incurred by the City for the third and subsequent rework cycles will be charged to the Contractor.

1.4 This Contract is on a non-exclusive basis and the City reserves the right to award other contracts for services falling within the scope of this Contract.

1.5 Emergency. If, in the sole opinion of the City, an emergency exists, the Contractor shall provide emergency repair service either in the field or at the Contractor's facility within two (2) hours of notification on a twenty-four (24) hours a day, seven (7) days a week basis, including holidays. Contractor shall have a qualified technical service representative residing in the State of Florida throughout the term of the Contract or otherwise guarantee in writing two (2) hour on-site emergency assistance.

1.6 Method of Ordering Work.

1.6.1 Direct Orders. Emergency type work related to the repair of electric pumps and motors and other emergency-type work, or work which in the City's determination requires immediate Services may be ordered by the City under this Contract as needed, without the issuance of a Work Order. All such work shall be performed and invoiced pursuant to the terms of this Contract. Upon completion of each work task, the Contractor will submit an individual invoice of said task indicating the date work was performed, the description of the person performing the work, the hourly rates charged, equipment provided, rate charged for equipment, materials or supplies in accordance with the Contract.

1.6.2 Work Orders. Services will be requested by City via work order. Work orders will be issued by City on an as-needed basis. Each work order will detail the specific scope of work, schedule for completion and compensation based on the unit prices contained in this Agreement. No work is authorized until a work order is fully executed by the City. Any amendment to a work order is not effective and not authorized until such amendment is fully executed by the City. All terms and conditions of this Agreement will be applicable to each Work Order. Upon completion of Work Order task, the Contractor will submit an individual invoice, a copy of the Work Order and the appropriate completed Small Business participation form. No minimum quantity of work orders nor minimum amount of compensation is guaranteed under this Agreement. No Work Order may be issued for Services to be completed after the expiration of this Agreement. The form of City's work order is attached to this Agreement as **Exhibit A**. Time is of the essence with respect to each Work Order, and Work Orders shall be completed within the time indicated for each Work Order.

1.6.2.1 Contractor's Understanding. Upon receipt of a Work Order it is understood and agreed that the Contractor will, by careful examination, satisfy himself as to the nature and location of the work, the site conditions, the character, quality and quantity of the materials to be encountered, the character of the equipment and facilities needed preliminary to and during the prosecution of the work, and the general and local conditions. Execution of this Contract by the Contractor is a representation that the Contractor will visit the site, review any design criteria furnished by City, become generally familiar with local conditions under which the Work is to be performed and correlated personal observations with requirements of the Contract Documents. Contractor deems both his inspection of the site and review of information furnished by City to be an adequate investigation. By execution of the Work Order Contractor represents that the plans and specifications are consistent, practical, feasible and that the work can be completed within the scheduled time. Contractor affirmatively covenants that if during construction any discrepancies, defects, etc., are discovered by or made known to Contractor, Contractor shall immediately communicate same to the City.

1.6.2.2 Subcontractors and Suppliers. Unless otherwise required to be specified in Contractor's Bid, within three (3) days after the date of the City's issuance of a Work Order, the Contractor shall furnish to the City in writing the names of the persons or entities (including those who are to furnish parts, materials or equipment fabricated to a special design) whom the Contractor will engage as sub-contractors or suppliers for the Project. The Contractor shall not change such sub-contractors or suppliers without written

notice to City, and shall not contract with a proposed person or entity to whom the City has made reasonable and timely objection in writing, after such notice. The Contractor understands and agrees that the Contractor alone is responsible to the City for all of the work under the Contract and that any review of subcontractors, sub-subcontractors or suppliers by the City will not in any way make the City responsible to any subcontractor or sub-subcontractor or suppliers. By appropriate written agreement, the Contractor shall require each Subcontractor, to the extent of the work to be performed by the subcontractor, to be bound to the Contractor by terms of this Contract and Contract Documents, including but not limited to the insurance requirements for workers' compensation and general liability coverage. The City shall be named as an intended Third Party Beneficiary in all subcontractor agreements provided such naming shall not create privity of contract between City and subcontractor.

All subcontracts shall provide the following exact language: *"Sub-contractor "expressly waives any claims for damages which it may suffer by reason of delay caused by events beyond its' control, including delays claimed to be caused by the City or its Engineer and agrees that its exclusive remedy shall be an extension of its contract time."*

1.6.5 Acceptance of Work. Acceptance of Equipment provided or Services performed shall be by the City after the City's Representative has inspected the equipment or services and determined that provisions of each work order was completed consistent with the Contract Documents and applicable specifications.

2. **F.O.B. Point / Delivery Requirements**.

2.1 F.O.B. The F.O.B. point shall be destination the "Repair Sites", City of West Palm Beach, West Palm Beach, FL 33401. The prices quoted for each purchase shall include all costs of packaging, transporting, delivery and unloading at the City's Repair Site. The City reserves the option to deliver to and pickup from the Contractor, pumps, parts and repaired pumps or related items.

2.2 Delivery Time. Delivery time for Equipment or the time for completion of Repairs is of the essence to this Contract. Delivery times for Equipment shall be as follows: (a) Equipment that is in stock locally shall be delivered within one (1) day of order placement; (b) Equipment that is not in stock locally, but, within the U.S. shall be delivered within 10 days of order placement; and (c) Equipment that is not in stock within the U.S. is to be delivered within seven (7) weeks of order placement.

2.3 Schedule for Repairs. The Contractor shall commence repairs on equipment within ten (10) hours from pickup by the Contractor or delivery to the Contractor's facility by the City. This time frame applies to all equipment other than those specified as emergency repairs, which shall commence immediately upon receipt.

- Routine repairs, as designated by the City, to electric motors shall be completed within five (5) working days from pickup by the Contractor or delivery to the Contractor's facility by the City. All other repairs shall be completed within forty eight (48) hours.
- Emergency repairs, as designated by the City to: (1) electric motors less than 100 HP shall be completed within twenty-four (24) hours from pickup by the Contractor or delivery to the Contractor's facility by the City, and (2) electric motors greater than 100 HP shall be completed within forty-eight (48) hours from pickup by the Contractor or arrival to the specified City facility.
- This agreement is subject to immediate termination if repairs are not completed with the times specified. The Director of the Department requesting the repair may waive the termination provision specified herein, in writing, on a case-by case basis.

3. Rates.

3.1 Rates. The rates for Services, equipment and materials shall be established in accordance with the Schedule of Bid Items attached hereto as **Exhibit B** and incorporated into this Agreement by reference. Upon receipt of a Work Order, Contractor shall inspect and evaluate each piece of equipment after disassembly to determine if the unit can be economically repaired. If the total cost of repairs exceeds 50% of the replacement

cost of the equipment, the Contractor shall notify the City by phone with a written memorandum to follow as confirmation within ten (10) hours from: (1) pickup by the Contractor, (2) delivery to the Contractor's facility by the City or (3) review at the City's facility by the Contractor. All cost overruns from the original repair estimate given by the Contractor to the City shall be absorbed by the Contractor unless waived by the City. The Rates constitute full compensation for all equipment, vehicles, tools, labor, supervision, expertise, permits, licenses, fuel, insurance, taxes, fees, plant, transportation, suspensions, delays and incidentals necessary to complete the Work described in this Contract. The Fee established in each duly executed Work Order shall be the only basis for payment to Contractor by the City.

3.1.1 Labor Time. For on-site repairs, labor time shall commence upon site arrival, terminate upon departure, and total by ¼ hour increments. Labor Cost shall be computed by multiplying the applicable hourly rate by labor time. Contractor shall be responsible for all travel to and from job site. For repairs at Contractors facility labor time shall commence upon starting actual repairs, terminate upon completion of repairs, and be recorded in ¼ hour increments. Labor Cost shall be computed by multiplying the applicable hourly rate by labor time. **Standard labor rate** shall be for work requested and completed during the hours 8:00 A.M. to 5:00 P.M., Monday through Friday. **Premium labor rate** shall be for work requested and completed during the hours 5:01 P.M. to 7:59 A.M., Monday thru Friday, and (weekends) from 5:01 P.M. Friday to 7:59 A.M. Monday, and shall include all federal holidays.

4. Invoices and Payment.

4.1 Invoices. Invoices must identify the PO number and shall be submitted to:
West Palm Beach Finance Department
Attn: Accounts Payable
P.O. Box 3366
West Palm Beach, FL 33402-3366.

Invoices shall show the nature of the service and dates(s) of service. Invoices based on hourly rates shall show the actual hours worked, person performing services, nature of the service, hourly rate, and dates(s) of service. All material costs hall be listed separately on invoice(s) and state a concise description and cost of material. Invoices may be submitted no more frequently than monthly. However, all services rendered prior to September 30th of any given year are required to be invoiced by September 30th of that year. **Contractor shall provide W-9 to City with first invoice.**

4.2 Payment. Payment will be made within 45 days of receipt of a proper invoice in accordance with the Local Government Prompt Payment Act, Section 218.70, et al., Florida Statutes. No payment made under this Agreement shall be conclusive evidence of the performance of this Agreement by Contractor, either wholly or in part, and no payment shall be construed to be an acceptance of or to relieve Contractor of liability for the defective, faulty or incomplete rendition of the Services.

4.3 Withholding Payments. The City may withhold or, on account of subsequently discovered evidence, nullify the whole or part of any certificate of payment to such extent as may be necessary to protect itself from loss on account of:

a. Defective work not remedied.
b. Claims filed or reasonable evidence indicating public filing of claims by other parties against the Contractor.
c. Failure of the Contractor to make payments properly to subcontractors or for material or labor.
d. Damage to another Contractor.
e. Failure of the Contractor to complete work as directed by the City Engineer.

When the above grounds are removed or the Contractor provides a Surety or Performance Bond satisfactory to the City, which will protect the City in the amount withheld, payment shall be made for amounts withheld because of them.

5. Term. This Agreement shall remain in effect for three (3) years from the date of execution of this Agreement by the City. The City shall execute this Agreement last. This Agreement may be extended for two (2) additional terms of one (1) year each; provided a written Amendment to this Agreement is executed by the

parties. The term extension is optional for the parties and nothing in this Agreement gives Contractor a right to any term extension.

6. **Representations, Warranties and Covenants of Contractor**.

6.1 **Authority**. Contractor hereby represents and warrants to the City that it has full power and authority to enter into and fully perform its obligations under this Agreement without the need for any further corporate or governmental consents or approvals, and that the persons executing this Agreement are authorized to execute and deliver it.

6.2 **Duly Licensed**. Contractor represents that it is duly licensed to perform the Services under this Agreement and that it will continue to maintain all licenses and approvals required to conduct its business.

6.3 **No Contingency**. Contractor warrants that it has not employed or retained any company or person, other than a bona fide employee working solely for Contractor, to solicit or secure this Agreement and that it has not paid or agreed to pay any person, company, corporation, individual, or firm, other than a bona fide employee working solely for Contractor, any fee, commission, percentage, gift, or any other consideration contingent upon or resulting from the award or making of this Agreement. In the event of a breach or violation of this provision by Contractor, the City shall have the right to terminate the Agreement without liability and, at its discretion, to deduct from the contract fee, or otherwise recover, the full amount of such fee, commission, percentage, gift, or consideration.

7. Standard of Care. The standard of care for all Services performed or furnished by Contractor under this Agreement will be superior to the care and skill ordinarily used by members of Contractor's profession practicing under similar circumstances or at the same time and in the same locality.

8. Compliance with Laws. In the conduct of the Services under this Agreement, Contractor shall comply in all material respects with all applicable federal and state laws and regulations and all applicable county and City ordinances and regulations, including ethics and procurement requirements.

9. Independent Contractor. It is specifically understood that Contractor is an independent contractor. *If Contractor is an individual:* (i) Contractor is not an employee of the City: (ii) this Agreement is not a contract of employment and that no relationship of employer/employee or principal/agent is or shall be created nor shall exist by reason of the performance of the Services under this Agreement; (iii) Contractor will not be eligible to participate in any employee benefit maintained by the City; (iv) Contractor will not be covered by the City's workers' compensation insurance; (v) Contractor will be solely and exclusively responsible for payment of all taxes due in respect of all compensation and/or other consideration received by Contractor under this Agreement. *If Contractor is a business firm:* (i) Contractor acknowledges that its employees will not be covered by the City's workers' compensation insurance; (ii) Contractor shall be responsible for social security, unemployment and disability taxes and all other payroll taxes due with respect to Contractor's employees who provide Services under this Agreement; (iii) Contractor shall have no authority to bind City to any contractual or other obligation whatsoever; (iv) Contractor shall be responsible to the City for all work or services performed by Contractor, its employees, agents, or subcontractors under this Agreement.

10. **Right to Audit.** Contractor shall maintain adequate records for the Services performed under this Agreement for five (5) years following completion of the Services, or conclusion of any litigation regarding this Agreement. The City shall have the right to audit Contractor's books and records, at the City's expense, upon prior notice, with regard to the Services provided to the City under this Agreement. Contractor shall allow the City or its representative to interview all current or former employees to discuss matters pertinent to this Agreement. If an audit inspection in accordance with this section discloses overpricing or overcharges (of any nature) by Contractor to the City in excess of one-half of one percent (.5%) of the total contract billings, (1) the reasonable costs of the City's Internal Audit department shall be reimbursed to the City by the Contractor and (2) a 15% penalty of the overpricing or overcharges shall be assessed. Any adjustments and/or payments which must be made as a result of the audit inspection, including any interest, audit costs and penalties shall be made by the Contractor within 45 days from presentation of City's findings to Contractor. Failure by Contractor to permit such audit shall be grounds for termination of this Agreement by the City.

11. Compliance with Occupational Safety and Health, Damage and Clean Up.

11.1 Compliance. Contractor herby certifies that all materials, equipment, parts, supplies and related items to be supplied under this Contract shall meet OSHA requirements. Contractor further certifies that if any such material, equipment, etc. delivered is found to deficient in any OSHA requirements in effect on the date of delivery, all costs necessary to bring the material or equipment, etc. into compliance with OSHA requirements shall be borne by the Contractor.

11.2 Equipment must meet all State and Federal safety regulations.

11.3 Damage. The Contractor shall at all time guard against damage or loss to the property of the City and shall be responsible for replacing or repairing any such loss or damage. The City may withhold payment or make such deductions as deemed necessary to insure reimbursement or replacement for loss or damage to property through the negligence of the Contractor or its agents or employees.

11.4 Clean Up. The Contractor shall, as directed by the City, remove at its own expense from the City's property and from all public and private property all temporary structures, rubbish, and waste materials resulting from its operations. This requirement shall not apply to property used for permanent disposal of rubbish or waste material in accordance with permission of such disposal granted to the Contractor by the City thereof.

12. Insurance. Contractor shall purchase from and maintain during the term of the Services, and all applicable statutes of limitation periods, the following insurance:

(a) **Comprehensive General Liability** insurance in an amount not less than $1,000,000.00 Combined Single Limit per occurrence and $2,000,000 aggregate, which may not be subject to a self-insured retention or deductible exceeding $25,000.

(b) **Worker's Compensation and Employer's Liability Insurance** with limits of Employer's Liability Insurance not less than $500,000 "each accident," $500,000 "disease policy limit," and $500,000 "disease each employee" unless an opt out letter in conformance with Florida Statutes, Chapter 440, has been provided to the City.

❑ Contractor is the sole owner and/or employer with less than four non-construction employees and opts out of workers' compensation coverage under Florida Chapter 440. Contractor understands that Contractor must comply with Sec. 440.055, F.S., and other applicable regulations. Contractor is an independent contractor.

_____
Contractor Signature

(c) **Automobile Liability**: Not less than $1,000,000.00 Combined Single Limit, per occurrence for bodily injury and property damage; may not be subject to a self-insured retention or deductible exceeding $10,000.

Self-insurance shall not be acceptable. All insurance policies shall be issued by companies that (a) are authorized to transact business in the State of Florida, (b) have agents upon whom service of process may be made in Palm Beach County, Florida, and (c) have a best's rating of A- VI or better.

Additional Insured: All liability insurance policies shall name and endorse the following as additional insured(s): the City of West Palm Beach and its commissioners, officers, employees and agents.

Certificate of Insurance: Contractor shall provide the City Risk Manager with a copy of the Certificate of Insurance and endorsements evidencing the types of Insurance and coverage required prior to the commencement of Services. It is the Contractor's responsibility to ensure that the City's Risk Manager and the Department both have a current Insurance Certificate and endorsements at all times.

If Contractor's insurance policy is a claims made policy, Contractor shall maintain such insurance coverage for a period of five (5) years after the expiration or termination of this Agreement. Applicable coverage may be met by keeping the policies in force, or by obtaining an extension of coverage commonly known as a reporting endorsement of tail coverage.

The provisions of this section shall survive beyond the expiration or termination of this Agreement.

13. Indemnity. Contractor agrees to indemnify, defend, save and hold harmless the City, its commissioners, officers, agents and employees, from any claim, demand, suit, loss, cost or expense for any damages that may be asserted, claimed or recovered against or from City, its commissioners, officials, employees or agents arising out of or incidental to or in any way connected with Contractor's performance of the Services or caused by or arising out of (a) any act, omission, default or negligence of Contractor in the provision of the Services under this Agreement; (b) property damage or personal injury, which damage, injury or death arises out of or is incidental to or in any way connected with Contractor's execution of Services under this Agreement; or (c) the violation of federal, state, county or municipal laws, ordinances or regulations by Contractor. This indemnification includes, but is not limited to, the performance of this Agreement by Contractor or any act or omission of Contractor, its agents, servants, contractors, patrons, guests or invitees and includes any costs, attorneys' fees, expenses and liabilities incurred in the defense of any such claims or the investigation thereof. Contractor agrees to pay all claims and losses and shall defend all suits, in the name of the City, its employees, and officers, including but not limited to appellate proceedings, and shall pay all costs, judgments and attorneys' fees which may issue thereon. City reserves the right to select its own legal counsel to conduct any defense in any such proceeding and all costs and fees associated therewith shall be the responsibility of Contractor under this indemnification provision. To the extent considered necessary by the City, any sums due Contractor under this Agreement may be retained by City until all of City's claims for indemnification have been resolved, and any amount withheld shall not be subject to the payment of interest by City. This indemnification agreement is separate and apart from, and in no way limited by, any insurance provided pursuant to this Agreement or otherwise. This paragraph shall not be construed to require Contractor to indemnify the City for City's own negligence, or intentional acts of the City, its agents or employees. Nothing in this Agreement shall be deemed to affect the rights, privileges and sovereign immunities of the City as set forth in Section 768.28, Florida Statutes. This clause shall survive the expiration or termination of this Agreement.

14. Rejection, Suspension and/or Termination.

14.1 Rejection. If any Equipment or repair is proven to be below the quality required by the specifications or requirements of the Work Order, the City reserves the right to reject that Equipment or Repair. Except as provided in Section 1.3.2 above, the Contractor, at the Contractor's own expense, shall (1) remove the rejected Equipment and immediately replace the rejected Equipment with satisfactory Equipment, or (2) correct the Repair or (3) credit the City with the full price of the rejected Equipment or reimburse the City for any funds paid for the cost of the Repair. If the Contractor is found to repeatedly require rework of previously repaired equipment, this Agreement may be termination by the City.

14.2 Suspension. The City may, at any time, without cause, order the Contractor in writing to suspend, delay or interrupt the Work in whole or in part for such period of time as the City may determine, or to terminate the Contract for the City's convenience. If the City orders a suspension, the Contract price and time for performance shall be adjusted for increases in the cost and time caused by suspension, delay or interruption. No adjustment shall be made to the extent that performance is, was or would have been so suspended, delayed or interrupted by another cause for which the Contractor is responsible; or that an equitable adjustment is made or denied under another provision of this Contract.

14.3 Deficiencies. If the Contractor should neglect to prosecute the Work properly or fail to perform any provisions of this Contract, the City, after three calendar days written notice and opportunity to cure to the Contractor, may, without prejudice to any other remedy City may have, terminate this contract, make good these deficiencies and may deduct the cost thereof from the payment then or thereafter due the Contractor.

14.4 Termination. The City shall have the right to terminate any Work Order and/or this Agreement, in whole or in part, with or without cause, and for its convenience, upon five (5) calendar days written notice to

Contractor. In the event of termination, the City shall compensate the Contractor for all authorized Services satisfactorily performed through the termination date under the payment terms contained in this Agreement.

14.4.1 Contractor shall immediately deliver all documents, written information, electronic data and other materials concerning City projects in its possession to the City and shall cooperate in transition of its consulting duties to appropriate parties at the direction of the City.

14.4.2 Upon termination, this Agreement shall have no further force or effect and the parties shall be relieved of all further liability hereunder, except that the provisions of this Section and the provisions regarding the right to audit, property rights, insurance, indemnification, governing law and litigation shall survive termination of this Agreement and remain in full force and effect.

15. Warranty/Manuals. Contractor shall warrant that all materials and equipment included in the Services are new except where indicated otherwise in Contract Documents, and that such Services will be of good quality, free from improper workmanship and defective materials and in conformance with the specifications. Contractor shall provide a comprehensive warranty for all equipment, parts, and labor furnished hereunder against defect in materials and/or workmanship for a period of five (5) years after delivery and acceptance by the City; and Contractor shall fully warranty all repairs against defect in material and or workmanship for a period of 1 year from delivery and acceptance ("Warranty Period"). The Contractor shall conduct, jointly with the City, a warranty inspection nine (9) months after the date of City acceptance of all Services. Should any defect in material or workmanship, except ordinary wear and tear, appear during the above stated warranty period, the Contractor shall repair or replace same at no cost to the City, immediately upon written notice from the City. Contractor shall deliver 1 copy of the Operation and Maintenance Manual for each new piece of equipment delivered and shall collect and deliver to the City any specific written warranties given by others.

16. Notices. Notices required hereunder shall be given by written notice sent by registered U.S. mail, return receipt requested, or by electronic transmission producing a written record, if to the City, to P.O. Box 3366, West Palm Beach, FL 33402, attention: City Administrator, and if to Contractor, to the address set forth above.

17. Taxes. Contractor understands that in performing the Services for the City, Contractor is not exempt from paying sales tax to Contractor's suppliers for materials required for Contractor to perform under this Agreement. Contractor shall not be authorized to use City's tax exemption number for purchasing supplies or materials.

18. Availability of Funds. This Agreement is expressly conditioned upon the availability of funds lawfully appropriated and available for the purposes set out herein as determined in the sole discretion of the City. If funding for this Agreement is in multiple fiscal years, funds must be appropriated each year prior to costs being incurred. Nothing in this paragraph shall prevent the making of contracts with a term of more than one year, but any contract so made shall be executory only for the value of the services to be rendered or paid for in succeeding fiscal years. In the event funds to finance this Agreement become unavailable, the City may terminate this Agreement upon no less than twenty-four (24) hours notice to Contractor. The City shall be the sole and final authority as to the availability of funds.

19. Lobbying Certification. Contractor certifies to the best of its knowledge and belief that no funds or other resources received from the State in connection with this Agreement will be used directly or indirectly to influence legislation or any other official action by the Florida Legislature or any state agency.

20. Non Discrimination. Contractor shall not discriminate against any person because of race, color, religion, sex, gender identity or expression, genetic information, national origin, age, disability, familial status, marital status or sexual orientation.

21. Assignment. This Agreement requires the skills and experience of Contractor and may not be assigned by Contractor. This Agreement shall be binding upon and inure to the benefit of the parties hereto, their successors and permitted assigns.

22. **Force Majeure**. Any deadline provided for in this Agreement may be extended, as provided in this paragraph, if the deadline is not met because of one of the following conditions occurring with respect to that particular project or parcel: fire, strike, explosion, power blackout, earthquake, volcanic action, flood, war, civil

disturbances, terrorist acts, hurricanes and acts of God. When one of the foregoing conditions interferes with contract performance, then the party affected may be excused from performance on a day-for-day basis to the extent such party's obligations relate to the performance so interfered with; provided, the party so affected shall use reasonable efforts to remedy or remove such causes of non-performance. The party so affected shall not be entitled to any additional compensation by reason of any day-for-day extension hereunder.

23. Ethics; Conflict of Interest.

23.1 Contractor represents that it has not given or accepted a kickback in relation to this Agreement and has not solicited this Agreement by payment or acceptance of a gratuity or offer of employment.

23.2 Contractor represents that it has not solicited this contract by payment of a gift or gratuity or offer of employment to any official, employee of the City or any City agency or selection committee.

23.3 Contractor represents that it does not and will not employ, directly or indirectly, the mayor, members of the city commission or any official, department director, head of any City agency, member of any board, committee or agency of the City, or any other City employee without prior approval.

23.4 Contractor represents that it does not employ, directly or indirectly, any official of the City. Contractor represents that it does not employ, directly or indirectly, any employee or member of any board, committee or agency of the City who, alone or together with his household members, own at least five percent (5%) of the total assets and/or common stock of Contractor.

23.5 Contractor represents that it has not knowingly given, directly or indirectly, any gift with a value greater than $100 in the aggregate in any calendar year to the mayor, members of the city commission, any department director or head of any City agency, any employee of the City or any City agency, or any member of a board that provides regulation, oversight, management or policy-setting recommendations regarding Contractor or its business.

23.6 Contractor represents that it presently has no interest and shall acquire no interest, either direct or indirect, which would conflict in any manner with its performance under this Agreement. Contractor further represents that no person having any interest shall be employed or engaged by it for said Services.

23.7 Contractor, its officers, personnel, subsidiaries and subcontractors shall not have or hold any continuing or frequently recurring employment, contractual relationship, business association or other circumstance which may influence or appear to influence Contractor's exercise of judgment or quality of the Services being provided under this Agreement. Contractor, its officers, personnel, subsidiaries and subcontractors shall not perform consulting work for any third party that would in any way be in conflict with the Services to be provided to the City under this Agreement.

23.8 In the event Contractor is permitted to utilize subcontractors to perform any services required by this Agreement, Contractor agrees to prohibit such subcontractors, by written contract, from having any conflicts as within the meaning of this section.

24. Public Entity Crimes Act. Contractor represents that the execution of this Agreement will not violate the Public Entity Crimes Act (Section 287.133, Florida Statutes), and certifies that Contractor and its subcontractors under this Agreement have not been placed on the convicted vendor list maintained by the State of Florida Department of Management Services within 36 months from the date of submitting a proposal for this Agreement or entering into this Agreement. Violation of this section may result in termination of this Agreement and recovery of all monies paid hereto, and may result in debarment from City's competitive procurement activities.

25. Unauthorized Aliens. The knowing employment by Contractor or its sub-contractors of any alien not authorized to work by the immigration laws or the Attorney General of the United States is prohibited and shall be a default of this Agreement which results in unilateral termination. Contractor further represents that it is not in violation of any laws relating to terrorism or money laundering, including Executive Order No. 13224 on Terrorist Financing.

26. Small Business Requirements. Contractor shall comply with the City's Small Business Ordinance set forth in Chapter 66 of the Code of Ordinances of the City of West Palm Beach, which is incorporated herein by this reference. Contractor shall comply with the small business commitment contained in Contractor's Proposal. Contractor shall maintain all relevant records and information necessary to document compliance with the Small Business Ordinance and shall allow the City to inspect and audit such records.

27. Public Records Law. Contractor shall comply with Chapter 119, Florida Statutes, regarding public records. Contractor shall keep and maintain all documents, records, correspondence, computer files, emails, and/or reports prepared in order to perform the work under this Agreement. A request to inspect or copy public records relating to this Agreement must be made directly to the City. If the City does not possess the requested records, the City shall immediately notify the Contractor of the request, and the Contractor shall provide the records to the City or allow the records to be inspected or copied within a reasonable time at the cost that would not exceed the cost allowed by law. All records stored electronically must be provided to the City, upon request, in a format that is compatible with the information technology systems of the City. Upon completion of the Agreement, Contractor shall transfer, at no cost, to the City all public records in possession of Contractor or Contractor shall keep and maintain all public records. If Contractor keeps and maintains public records upon completion of the Agreement, the Contractor shall meet all applicable requirements for retaining public records. If Contractor transfers all public records to the City upon completion of the Agreement, the Contractor shall destroy any duplicate public records that are exempt or confidential and exempt from public records disclosure requirements. Contractor shall ensure that public records that are exempt or confidential and exempt from public records disclosure are not disclosed. Records that are exempt or confidential and exempt from public records disclosure requirements may include plans, drawings and records related to the physical security of City buildings or security systems and shall not be disclosed by Contractor, except as authorized by law and specifically authorized by City. If Contractor does not transfer the records to the public agency upon completion of the Agreement, Contractor shall ensure that exempt and confidential records are not disclosed. Failure of the Contractor to provide public records to the City within a reasonable time or allowable cost may be subject to penalties under Sec. 119.10, Fla. Stat., and may be cause for termination of the Agreement by the City, in addition to any other remedies available under the Agreement or by law.

IF THE CONTRACTOR HAS QUESTIONS REGARDING THE APPLICATION OF CHAPTER 119, FLORIDA STATUTES, TO THE CONTRACTOR'S DUTY TO PROVIDE PUBLIC RECORDS RELATING TO THIS AGREEMENT, CONTACT THE CITY CLERK, WHO IS THE CITY'S CUSTODIAN OF PUBLIC RECORDS, AT:

Office of the City Clerk
City of West Palm Beach
401 Clematis Street
West Palm Beach, FL 33401
561-822-1210
CityClerk@wpb.org.

28. Governing Law. This Agreement shall be construed and interpreted, and the rights of the parties hereto determined, in accordance with Florida law without regard to conflicts of law provisions. The City and Contractor submit to the jurisdiction of Florida courts and federal courts located in Florida. The parties agree that proper venue for any suit concerning this Agreement shall be Palm Beach County, Florida, or the Federal Southern District of Florida. Contractor agrees to waive all defenses to any suit filed in Florida based upon improper venue or *forum nonconveniens*. TO ENCOURAGE PROMPT AND EQUITABLE RESOLUTION OF ANY LITIGATION, EACH PARTY HEREBY WAIVES ITS RIGHTS TO A TRIAL BY JURY IN ANY LITIGATION RELATED TO THIS AGREEMENT.

29. Severability. In the event that any term or provision of this shall to any extent be held invalid or unenforceable, it is agreed that the remainder of this Agreement, or the application of such terms or provision to persons or circumstances other than those as to which it is held invalid or unenforceable, shall not be affected and every other term and provision of this Agreement shall be deemed valid and enforceable to the maximum extent permitted by law.

30. Waiver. Any waiver by either party hereto of any one or more of the covenants, conditions, or provisions of this Agreement, shall not be construed to be a waiver of any subsequent or other breach of the same or any covenant, condition or provision of this Agreement.

31. Headings. The headings contained in this Agreement are provided for convenience only and shall not be considered in construing, interpreting or enforcing this Agreement.

32. Inspector General. Contractor is aware that the Inspector General of Palm Beach County has the authority to investigate and audit matters relating to the negotiation and performance of this contract, and may demand and obtain records and testimony from Contractor and its subcontractors and lower tier subcontractors. Contractor understands and agrees that in addition to all other remedies and consequences provided by law, the failure of Contractor or its subcontractor or lower tier subcontractors to fully cooperate with the Inspector General when requested may be deemed by the City to be a material breach of this Agreement justifying its termination.

33. Entire Agreement; Exhibits; Amendment. Any Exhibits attached to this Agreement are incorporated into the terms and conditions of this Agreement. In the event of any conflict between this Agreement and any Exhibits, this Agreement governs. This Agreement embodies the entire agreement and understanding of the parties with respect to the subject matter of this Agreement and supersedes all prior and contemporaneous agreements and understandings, oral or written, relating to the subject matter. This Agreement may only be modified by written amendment executed by the City and Contractor.

34. Controlling Provisions. Except as otherwise specifically provided herein, in the event of any conflict between the specific provisions of this Agreement and the requirements or provisions of the Procurement Solicitation and/or Proposal, the provisions shall be given precedence in the following order: (1) this Agreement, (2) the Procurement Solicitation; and (3) the Proposal. Wherever possible, the provisions of the documents shall be construed in such manner as to avoid conflicts between provisions of the various documents.

35. Contract Documents. The Contractor agrees to complete all Services in accordance with the following documents, which are incorporated herein and made a part hereof.

Exhibit A	Form of Work Order
Exhibit B	Schedule of Bid Items
Exhibit C	ITB 17-18-118 (Incorporated by Reference)

IN WITNESS WHEREOF, the parties hereto have made and executed this Agreement as of the day and year last executed below.

CONTRACTOR
STEWART'S ELECTRONIC MOTOR WORKS, INC.

By: Paul E. Stewart

Print Name: Paul E. Stewart

Title: Vice President

CITY OF WEST PALM BEACH

By: Geraldine Muoio
Geraldine Muoio, Mayor

Attest: Shaw Fl Cross
City Clerk

Date: 4/4, 2018

CITY ATTORNEY'S OFFICE
Approved as to form and legality
By:

WEST PALM BEACH

CITY OF WEST PALM BEACH
Master Services Work Order
Work Order No. _____

Contract No. 21128.____

Services Type: _____

Contractor: **Stewart's Electronic Motor Works, Inc.**

1. **Services/ Task / Project:** A detailed scope of work to be performed under this Work Order is attached as **Exhibit A**.

2. **Schedule:** The Contractor shall commence services under this Work Order on the date indicated in the Notice to Proceed and fully complete said Work in accordance with **Exhibit ____**.

3. **Compensation:** The total amount to be paid to the Contractor by the City under this Work Order, based upon the unit prices/ rates set forth in the Contract, shall not exceed the sum of _____ ($_____) . A detailed schedule of values is attached as **Exhibit ___.**

4. **Small Business:** The small business commitment for this Work Order is _____%.

5. **Insurance:** Contractor hereby confirms that it maintains the insurance coverages required under the Contract and that certificates of insurance evidencing current policies are on file with the City as of the date of this Work Order.

6. **Contract Reference:** This Work Order shall be performed under the terms and conditions described within the master contract/agreement titled Electric Motor and Pump Repair, dated _____ by and between the City of West Palm Beach and the Contractor named above.

CONTRACTOR:
STEWART'S ELECTRONIC MOTOR WORKS, INC.

By:_____

Print Name: _____

CITY OF WEST PALM BEACH

_____
Geraldine Muoio, Mayor

Date: _____. 20_____

ATTEST: _____
City Clerk

CITY ATTORNEY'S OFFICE
Approval as to form and legality
By:_____

City of West Palm Beach

(B3)

SCHEDULE OF BID VALUES

ITB 17-18-118

Continuing Contract for Electric Motor and Pump Repair

BID ITEM NO.	DESCRIPTION	UNIT	UNIT PRICE
	Labor Rates - Shop		
1	**Straight Time Hours** Straight time is defined as being between the hours of 8:00 a.m. through 5:00 p.m. Monday through Friday.	HR	**$25.00**
2	**Overtime Hours** Overtime is defined as being between the hours of 5:01 p.m. through 7:59 a.m. Monday through Friday and any time Saturday, Sunday or Holidays.	HR	**$25.50**
	Labor Rates - Field		
3	**Straight Time Hours** Straight time is defined as being between the hours of 8:00 a.m. through 5:00 p.m. Monday through Friday.	HR	**$105.00**
4	**Overtime Hours** Overtime is defined as being between the hours of 5:01 p.m. through 7:59 a.m. Monday through Friday and any time Saturday, Sunday or Holidays.	HR	**$105.50**
	Inspection/Diagnosis Charges - Shop		
5	The fixed price to inspect an electric motor or pump to develop a cost estimate for its repair.	EA	**$0.00**
	Parts & Materials		
6	Parts furnished by the Contractor shall be at Contractor's actual cost plus a maximum percentage markup of 5%. Evidence of actual costs shall be required through submittal of actual invoices.	Actual Cost Plus % Markup	**1x5%**

Bidder Company Name; Stewart's Electric Motor Works, Inc.

Signature of Official Authorized to Bind Bidder Paul E. Stewart

Print Name: Paul E. Stewart

Title: Vice President

Date: 01-24-2018

Failure to fully complete and sign this Bid Form may result in rejection of the Bid.

END SCHEDULE OF BID ITEMS

BIDDERS: THE CITY HAS PROVIDED AN ELECTRONIC SPREADSHEET FOR BID ITEM TABULATION. IT IS MANDATORY THAT ALL BIDDERS PROVIDE BOTH A SIGNED PAPER BID TABULATION AND ELECTRONIC BID TABULATION. THE ELECTRONIC BID TABULATION SHALL BE SUBMITTED WITH THE PAPER BID TABULATION BY MEANS OF COMPACT DISK, FLASK DRIVE, OR OTHER DIGITAL DATA STORAGE DEVICE. PAPER BID TABULATION AND ELECTRONIC BID TABULATION SHALL BE MATERIALLY CONSISTENT AND CONTAIN THE SAME INFORMATION. IN CASE OF DISCREPANCY, THE SIGNED PAPER BID TABULATION SHALL PREVAIL. FAILURE TO SUBMIT AN ELECTRONIC COPY/VERSION OF THE PROVIDED BID TABULATION SHALL BE CAUSE FOR REJECTION OF THE BID.

WEST PALM BEACH

Purchasing Department

Addendum 1
ITB 17-18-118
January 19, 2018

Electric Motor and Pump Repair

Each recipient of this Addendum acknowledges all of the provisions set forth in the Invitation to Bid (ITB) and agrees to be bound by the terms thereof.

This addendum shall modify, clarify, change or add information and become part of the above referenced ITB.

This Addendum shall provide the following information:

- ITB Revisions

The following documents are included with this addendum:

- Addendum 1 ITB 17-18-118
- Revised Contractor's Experience and Knowledge – Form (A1)

Revisions

Revision 1: Item #19 – "Be available to respond to the City's facilities for emergencies with four (4) hours of notification" has been removed from Form (A1) – Contractor's Experience and Knowledge. A revised Form (A1) has been included in this addendum.

Revision 2: Section 1 – Scope of Work 2nd Paragraph: Please delete "Contractor shall hold a Proven Efficiency Verification (PEV) certification."

Revision 3: Please add the following language to Section 1 – Scope of Work, Special Conditions:

5. Direct Orders. Work related to the repair of electric motors and pumps and other emergency-type work or work which, in the City's determination, requires immediate Services, may be ordered by City under the Contract, as needed, without the issuance of a Work Order. All such work shall be performed and invoiced pursuant to the terms of the Contract. Upon completion of each work task, the Contractor will submit an individual invoice of said task indicating the date work was performed, the description of the work, the person performing the work, the hourly rates charged, equipment provided, rate charged for equipment, materials or supplies, in accordance with the Contract.

401 CLEMATIS STREET
P.O. BOX 3366
WEST PALM BEACH, FL 33401
561.822.2100

All of the other information remains the same.

Proposers must acknowledge receipt of this Addendum 1 in the space provided below. This Addendum forms an integral part of the ITB documents and therefore must be executed. *Failure to return this addendum with your **bid submittal** may be cause for disqualification.*

Issued By: City of West Palm Beach
Procurement Division
January 19, 2018

Signed By: _____
Nathaniel P. Rubel
Procurement Supervisor

PROPOSER: Stewart's Electric Motor Works, Inc.

Signed By: _____

Print Name: Paul E. Stewart

Title: Vice President

Date: January 24, 2018

End of Addendum 1

WEST PALM BEACH

City of West Palm Beach **(A1)**

ITB 17-18-118
Contractor's Experience and Knowledge

Contractor Name: Stewrat's Electric Motor Works, Inc.

Contractors Experience and Knowledge:

Bidders shall circle their response to the questions below and submit with their bid. Bidders shall attach documentation requested and are encouraged to attach additional information if applicable. If answering "No" to any of the questions below, please provide justification for consideration.

1. Documented Quality control procedures (Yes) or No (Circle Your Answer)
2. Must have an active annual calibration program for all equipment, meters, hand held tools and any other testing devices used in repairs. This program will be administered by a third party and all calibrations to be traceable to NIST standards. (Yes) or No
3. Have a minimum six (6) foot VPI System capable of holding a vacuum of one (1) Torre for a minimum of five (5) hours and the capability of pressurizing the vessel to 95 pounds per square inch (psi) for a period of eight (8) hours minimum. VPI system to use epoxy resin Class "F" or higher Insulation (Polyester varnish not acceptable) only for medium and low voltage repairs. (Yes) or No
4. Have a minimum 5 foot "Dip Tank" with epoxy resin Class "F" OR HIGHER Insulation (Polyester varnish not acceptable). (Yes) or No
5. Have Dynamic Balancing Machine for balancing rotors, fans, impellers, etc. Balancing machine must be capable of generating a balance report that shows unbalance before and balance after correction, in both planes. Generated report to indicate corrective weight with (in-pounds) units. (Yes) or No
6. Have calibrated vibration equipment for in shop and Field Service vibration analysis. (Yes) or No
7. Have balancing equipment and field service technician for use in Field Service. (Yes) or No
8. Have a trained certified employee with a minimum vibration certification level 1 (copy of certification must be attached). (Yes) or No
9. Have an in house motor test bed used to bolted down motors for testing, must be able to provide test bed mass. (Yes) or No
10. Have the capabilities of running all motors at full rated voltage for extended period of time. (Yes) or No
11. Have voltage capability 0 to 7200 Volts. (Yes) or No
12. Have Core Loss Tester with computer generated reports. (Yes) or No
13. Have Motor Surge Tester and High Pot with computer generated reports. (Yes) or No
14. Have temperature controlled water paralysis burn out oven with chart recorded to record temperature. (Yes) or No
15. Have crane (lifting) capacity to lift any of our equipment. (Yes) or No

16. Have Laser Alignment equipment and technician for Field Service. Yes or No

17. Have full in house machine shop. Yes or No

18. Be available 24/7/365 for emergencies and field service. Yes or No

19. Must be authorized by Underwriters Laboratories (UL) to repair "explosion proof motors" maintaining their UL Certification. Yes or No

WEST PALM BEACH

City of West Palm Beach

(B1)

BID PACKAGE COVER SHEET

ITB 17-18-118 Project Title: Continuing Contract for Electric Motor and Pump Repair

Bidder Company Name: STEWART'S ELECTRIC MOTOR WORKS, INC.

Enclose the following documents:

X	1.	Contractor Experience and Knowledge. (A1)
X	2.	Bid Package Cover Sheet. (B1)
X	3.	Bid (B2) **Must be signed**
X	4.	Schedule of Bid Items (B3) **Must be signed**
N/A	5.	Substitution Sheet (B4). If none, mark "None".
X	6.	Schedule of Subcontractors (B5). If none, mark "None".
N/A	7.	Contractor Verification (B6). Check the license and insurance requirements to ensure that you will comply and attach copies of current licenses.
X	8.	Reference List (B7)
X	9.	Affidavit of Prime Bidder re Noncollusion (B8). Be sure to sign and notarize the signature.
X	10.	Drug Free Certification (B9)
N/A	11.	Trench Safety Compliance Form (B10)
X	12.	Small Business - Listing of all Small Business Bids (B11)
X	13.	Statement of Small Business Participation (B12) Attach small business certifications.
X	14.	Small Business - Letter of Intent (B13)
X	15.	Small Business - Good Faith Effort (B14) (only if required)
X	16.	Contractor's Material Suppliers (B15)
N/A	17.	Contractor's Existing and Proposed Workload (B16)
N/A	18.	Bid bond or deposit (if required)
X	19.	Equal Benefits Certification (B17)
X	20.	Copies of licenses, certifications and registrations
N/A	21.	Sample of Daily Report

Clearly mark the outside lower left corner of the Envelope with the firm name, Invitation to Bid number and title, and the date and time for the bid closing deadline.

THIS PAGE AND THE FOLLOWING COLOR PAGES ARE TO BE RETURNED WITH YOUR BID.

Submit one (1) original, one (1) electronic version and three (3) photocopies of your Bid package.

AVOID BID REJECTION:
All bids must be submitted on the provided Bid forms (A1 – B17).
Forms B2 and B3 must be signed in ink by an officer authorized to bind the Bidder.
All Forms must be fully completed.

WEST PALM BEACH

City of West Palm Beach

(B2)

BID

ITB 17-18-118

Proposal of: Stewart's Electric Motor Works, Inc.
(Bidder Company Name)

Bid Amount: $_____N/A_____

See Bid Items 1 – 6 on Schedule of Bid Items B3
(Write Dollar Figure Here)

Bidder agrees to furnish, unless otherwise provided, all implements, machinery, equipment, transportation, tools, materials, supplies, labor and other things necessary for the performance and completion of the work for the amount indicated above.

The undersigned Bidder hereby declares that:

1. No Lobbying. Proposer acknowledges that contact by a Proposer, or anyone representing a Proposer, regarding this ITB with the Mayor, any City Commissioner, officer, City employee, other than an employee of the West Palm Beach Procurement Division, is grounds for disqualification.

2. This bid is made in good faith, without collusion or fraud and is fair and competitive in all respects.

3. The Bidder has carefully and to his full satisfaction examined the attached Scope of Work, Special Terms, General Conditions, technical specifications, and form of bonds, if applicable, together with the accompanying plans, and Bidder has read all issued addenda issued.

4. Bidder has made a full examination of the site and is familiar with the site conditions that may impact its performance.

5. There is enclosed a bid guarantee consisting of five percent (5%) of bid price in the amount of $___N/A_____.

6. Upon receipt of a Notice of Intent to Award the contract the Bidder shall: 1) commence obtaining a Performance Bond, Labor and Material Bond, and Certificate(s) of Insurance immediately after receiving a Notice of Intent to Award, and 2) immediately obtain a Certificate of Registration for engaging in business from the City, as such documents will be required prior to execution of a Contract.

7. Bidder understands that the contract time starts on the date of Notice to Proceed.

8. Bidder furthermore agrees that, in case of failure on his part to execute a Contract and provide all required documents within ten (10) calendar days of receipt of the Contract for execution, the City may withdraw the offer and contract with another bidder and the check, bond, or other security accompanying his bid and the money payable thereon, shall become the property of the City, by forfeit as agreed and liquidated damages.

9. The Bidder states that this bid is the only bid for this project in which Bidder is interested; and Bidder shall not be a subcontractor or subcontractor on this project.

10. Substantial completion shall be within TBD calendar days. Final completion shall be in TBD calendar days. – To be determined per Work Order

11. Liquidated damages for delay are agreed to be $ 0.00 per calendar day.

12. Small Business participation for this project is 0%.

13. Bidder shall be responsible for all permitting fees and utility service connection fees. For construction of a building, the City shall be responsible for plan and permit review fees through its Construction Services Department.

14. All debris is to be legally disposed of at a licensed disposal site in accordance with city, state, and federal standards.

15. The City reserves the right to select and include one or more alternates in the Project and work.

16. The following officer, director or agent of the Bidder is also an employee of the City of West Palm Beach:

Name	*Address*
NONE	

17. The following employee(s) of the City of West Palm Beach hold, either directly or indirectly, an interest of 10% or more of Bidder or its affiliates or subsidiaries:

Name	*Address*
NONE	

18. Bidder and all affiliates, suppliers, subcontractor or consultants who will perform the Work have not been placed on the Public Entity Crimes convicted vendor list maintained by the State of Florida within the 36 months immediately preceding the date of this Bid.

19. Bidder acknowledges that ADDENDA NO(S). 1 have been RECEIVED and are ATTACHED HERETO and are signed by a duly authorized officer of Bidder.

20. By signing and submitting this Bid, Bidder represents that all Bid Forms are fully complete and accurate.

21. Bidder acknowledges that the Bid may be rejected if all Bid Forms are not fully complete, not accurate or if forms are not signed by properly authorized signatures where required.

Bidder Company Name: Stewart's Electric Motor Works, Inc.

Business Address: (Street, City, State, Zip Code) 8951 Trussway Blvd. Orlando, Florida 32824

State of Incorporated: Florida Telephone: 407-859-1837 Fax: 407-859-2584

BIDDER:

Paul E. Stewart

Signature of Official authorized to bind Bidder.

Print Name: Paul E. Stewart

Title: Vice President

Date: January 11,2018

Failure to fully complete and sign this Bid Form may result in rejection of the Bid.

City of West Palm Beach **(B3)**

SCHEDULE OF BID ITEMS

ITB 17-18-118

PROJECT TITLE: Continuing Contract for Electric Motor and Pump Repair

PLEASE SEE EXCEL WORKSHEET ATTACHED.

City of West Palm Beach

(B3)

SCHEDULE OF BID VALUES

ITB 17-18-118

Continuing Contract for Electric Motor and Pump Repair

BID ITEM NO.	DESCRIPTION	UNIT	UNIT PRICE
	Labor Rates - Shop		
1	**Straight Time Hours** Straight time is defined as being between the hours of 8:00 a.m. through 5:00 p.m. Monday through Friday.	HR	**$25.00**
2	**Overtime Hours** Overtime is defined as being between the hours of 5:01 p.m. through 7:59 a.m. Monday through Friday and any time Saturday, Sunday or Holidays.	HR	**$25.50**
	Labor Rates - Field		
3	**Straight Time Hours** Straight time is defined as being between the hours of 8:00 a.m. through 5:00 p.m. Monday through Friday.	HR	**$105.00**
4	**Overtime Hours** Overtime is defined as being between the hours of 5:01 p.m. through 7:59 a.m. Monday through Friday and any time Saturday, Sunday or Holidays.	HR	**$105.50**
	Inspection/Diagnosis Charges - Shop		
5	The fixed price to inspect an electric motor or pump to develop a cost estimate for its repair.	EA	**$0.00**
	Parts & Materials		
6	Parts furnished by the Contractor shall be at Contractor's actual cost plus a maximum percentage markup of 5%. Evidence of actual costs shall be required through submittal of actual invoices.	Actual Cost Plus % Markup	**1x5%**

Bidder Company Name; Stewart's Electric Motor Works, Inc.

Signature of Official Authorized to Bind Bidder Paul E. Stewart

Print Name: Paul E. Stewart

Title: Vice President

Date: 01-24-2018

Failure to fully complete and sign this Bid Form may result in rejection of the Bid.

END SCHEDULE OF BID ITEMS

BIDDERS: THE CITY HAS PROVIDED AN ELECTRONIC SPREADSHEET FOR BID ITEM TABULATION. IT IS MANDATORY THAT ALL BIDDERS PROVIDE BOTH A SIGNED PAPER BID TABULATION AND ELECTRONIC BID TABULATION. THE ELECTRONIC BID TABULATION SHALL BE SUBMITTED WITH THE PAPER BID TABULATION BY MEANS OF COMPACT DISK, FLASK DRIVE, OR OTHER DIGITAL DATA STORAGE DEVICE. PAPER BID TABULATION AND ELECTRONIC BID TABULATION SHALL BE MATERIALLY CONSISTENT AND CONTAIN THE SAME INFORMATION. IN CASE OF DISCREPANCY, THE SIGNED PAPER BID TABULATION SHALL PREVAIL. FAILURE TO SUBMIT AN ELECTRONIC COPY/VERSION OF THE PROVIDED BID TABULATION SHALL BE CAUSE FOR REJECTION OF THE BID.

WEST PALM BEACH

City of West Palm Beach

(B5)

ITB 17-18-118

SCHEDULE OF SUBCONTRACTORS

Failure to fully complete form may result in bid rejection.
The following is a complete list of all subcontractors utilized for this project:

			Dollar amount of subcontract work $
1.	Murry Logan Construction (company name)	Some on site work if needed (type of work)	Unknow at this time
	313 65th Trail North (address)	561-686-3948 (tel. #)	
	West Palm Beach Fl. 33413 (zip code)	59-1208353 (federal I.D. #)	
2.	Sims Crane Service (company name)	Crane duties (type of work)	Unknow at this time
	596 Thorpe Road (Many locations in Fl.) (address)	407-851-2930 (tel. #)	
	Orlando, Fl. 32824 (zip code)	59-2635880 (federal I.D. #)	
3.	Miami Transfer Co & Fl. Rigging (company name)	On site work if needed (type of work)	Unknow at this time
	9966 Sidney Hayes Rd (Many locations in Fl.) (address)	305-835-8300 (tel. #)	
	Orlando, Fl. 32824 (zip code)	59-1058759 (federal I.D. #)	
4.	Intergrated Vibration Services (company name)	Backup Vibration and alignment (type of work)	Unknow at this time
	2935 West Socrum Loop Rd (address)	813-781-9038 (tel. #)	
	Lakeland, Fl.33810 (zip code)	45-0472854 (federal I.D. #)	
5.	N/A (company name)	(type of work)	$ N/A
	(address)	(tel. #)	
	(zip code)	(federal I.D. #)	

SCHEDULE OF SUBCONTRACTORS (continued if necessary)

6. N/A (company name) _____ (type of work) $ N/A this contract

_____ (address) _____ (tel. #)

_____ (zip code) _____ (federal I.D. #)

7. N/A (company name) _____ (type of work) $ N/A this contract

_____ (address) _____ (tel. #)

_____ (zip code) _____ (federal I.D. #)

8. N/A (company name) _____ (type of work) $ N/A this contract

_____ (address) _____ (tel. #)

_____ (zip code) _____ (federal I.D. #)

9. N/A (company name) _____ (type of work) $ N/A this contract

_____ (address) _____ (tel. #)

_____ (zip code) _____ (federal I.D. #)

Authorized Signature: Paul E Hurst

Note: The above schedule of subcontractors will become a part of the Contract documents. Changes made to the above schedule of subcontractors after the contract has been executed must be submitted in writing to the Engineering and Public Works Department for approval prior to that subcontractor performing any work.

WEST PALM BEACH

City of West Palm Beach

(B7)

ITB 17-18-118

LIST OF REFERENCES

1. Owner's Name & Address: City of Cocoa

Dyal Water Treatment Plant 351 Shearer Blvd. Cocoa, Florida 32922

Project: Motor and Pump repair at Dyal Plant

Contact Person Mr. David Fisher, Superintendent

Telephone: ( ) 321-635-7773 Fax: ( ) _____ E-Mail: dfisher@cocoafl.org

2. Owner's Name & Address: City of West Palm Beach

Public Utilities Department WTR Water Treatment 1009 Banyan Blvd. Wet Palm Beach, Fl. 33401

Project: Motor and Pump repairs

Contact Person Mr. Richard K. Smith Maintenance Supervisor

Telephone: ( ) 561-822-2200 ext.2268 Fax: ( ) 561-822-2286 E-Mail: rksmith@wpb.org

3. Owner's Name & Address: City of Daytona Beach

The City of Daytona Beach Water Treatment Plant 3651 LPGA Blvd. Datona Beach, Fl. 32124

Project: Motor and Pump repair

Contact Person Mr. Mike Burns Maintenance Supervisor III

Telephone: ( ) 386-671-8841 Fax: ( ) _____ E-Mail: burnsmike@codb.us

4. Owner's Name & Address: Orlando Utilities Commission (OUC)

Water Production Division 6113 Pershing Avenue, Orlando Florida 32827

Project: Pump repairs

Contact Person Mr. Eric Jones Supervisor - Water Production

Telephone: ( ) 407-690-5611 Fax: ( ) _____ E-Mail: Ejones@ouc.com

WEST PALM BEACH

(B8)

AFFIDAVIT OF PRIME BIDDER
Re Non-collusion and Public Entity Crime

State of **Florida** }
County of **Orange** }

Paul E. Stewart, being first duly sworn, disposes and says that:
(Name)

1. I am the **Vice President** (Title) of **Stewart's Electric Motor Works, Inc** (Name of Company) the Bidder that has submitted the attached bid;

2. I am fully informed respecting the preparation and contents of the attached bid and of all pertinent circumstances respecting such Bid;

3. Such Bid is genuine and is not a collusive or sham Bid;

4. Neither the Bidder nor any of its officers, partners, owners, agents, representatives, employees or parties in interest, including this affiant, has in any way colluded, conspired, connived or agreed, directly or indirectly with any other bidder, firm or person to submit a collusive or sham Bid in connection with the contract for which the attached bid has been submitted or to refrain from bidding in connection with such Contract or has in any manner, directly or indirectly, sought by agreement or collusion or communication or conference with any other Bidder, firm or person to fix the price or prices in the attached Bid or of any other Bidder, or to secure through any collusion, conspiracy, connivance or unlawful agreement any advantage against the City of West Palm Beach or any person interested in the proposed Contract; and

5. The following Officer, director or agent of Bidder is also an employee of the City of West Palm Beach: **None** (if none, write "None").

6. The following employees of the City of West Palm Beach own, directly or indirectly, an interest of 10% or more in Bidder firm or any of its affiliates or subsidiaries: **None** (if none, write "None").

7. The price or prices quoted in the attached Bid are fair and proper and are not tainted by any collusion, conspiracy, connivance or unlawful agreement on the part of the Bidder or any of its agents, representatives, owners, employees, or parties in interest, including this affiant.

8. Neither the Bidder nor any officer, director, partner, shareholder, employee, member or agent, who is active in the management of Bidder, or any affiliate or subsidiary of Bidder has been convicted of a public entity crime or action regarding antitrust, fraud, theft, bribery, collusion, racketeering, conspiracy or material misrepresentation with respect to any bid or contract for goods or services to be provided to any public entity, or has been listed on the state Convicted Vendor List, within thirty-six months prior to the date of Bidder's Bid.

(Signed) Paul E. Stewart

(Print Name) **Paul E. Stewart**

(Title) **Vice President**

The foregoing Affidavit of Bidder regarding Non-Collusion and Public Entity Crime was acknowledged before me this **January ,18,2018** *(Date)*

by: **Paul E. Stewart**

XX who is personally known to me or

_____who has produced _____ as identification

and who did /(did not) take an oath.

_____
Notary Public (print & sign name)

Commission No. _____

Notary Public State of Florida
Bobbie J Stern
My Commission FF 943253
Expires 12/14/2019

WEST PALM BEACH

City of West Palm Beach **(B9)**

DRUG FREE WORKPLACE CERTIFICATION

The undersigned Bidder, in accordance with Florida Statute 287.087 hereby certifies that

Stewart's Electric Motor Works, Inc. does:
(Name of Business)

1. Publish a statement notifying employees that the unlawful manufacture, distribution, dispensing, possession, or use of a controlled substance is prohibited in the workplace and specifying the actions that will be taken against employees for violation of such prohibition.

2. Inform employees about the dangers of drug abuse in the workplace, the business' policy of maintaining a drug-free workplace, any available drug counseling, rehabilitation, and employee assistance programs, and the penalties that may be imposed upon employees for drug abuse violations.

3. Give each employee engaged in providing the commodities or contractual services that are under this bid a copy of the statement specified in subsection (1).

4. In the statement specified in subsection (1), notify the employees that, as a condition of working on the commodities, or contractual services that are under bid, the employee will abide by the terms of the statement, and will notify the employer of any conviction of, or plea of guilty, or *nolo contendre* to any violation of Chapter 1893, or of any controlled substance law of the United States, or any State, for a violation occurring in the workplace no later than five (5) days after such conviction.

5. Impose a sanction on, or require the satisfactory participation in a drug abuse assistance, or rehabilitation program, if such is available in the employee's community, by any employee who is so convicted.

6. Make a good faith effort to continue to maintain a drug-free workplace through implementation of this section.

As the person authorized to sign the statement, I certify that this firm complies fully with the above requirements.

Paul E. Stewart
Authorized Signature

Paul E. Stewart
Print Name

January 11,2018
Date

WEST PALM BEACH

Procurement Division/Small Business Program
401 Clematis Street, 3rd Floor
West Palm Beach, Florida 33401-4702
Tel: 561-822-2100
Fax: 561-822-1564
Website: http://wpb.org/Departments/Procurement/Small-Business/Certification

(B11)
Form SB02

Subcontractors Listing

Bidder/Proposer's Name: Stwart's Electric Motor Works, Inc Telephone No. 800-729-0271 /407-859-1837

ITB or RFP Title: Continuing Contract for Electric Motor and Pump Repair ITB or RFP No.: 17-18-118

NOTE: List **all subcontractors** you invited to bid on this project, whether they were selected or not, including those identified on the Schedule of Subcontractors. **Submit this form with your bid.** Use additional sheets if necessary.

	Company Name	Work To Be Performed	Contact Person	Telephone Number
1.	Murray Logan Construction, Inc.	Some difficult on site work only	Edward O'Leary	561-686-3948
2.	Sim's Crane Service	Crane duties if needed	Mr. Schepman	407-851-2930
3.	Intergrated Vibration Services	Back up to vibtation and alignment service	Craig Lightsey	813-781-9038
4.	Miami Transfer Co. Inc & Fl. Rigging	Altenate to Murry Logan	Bill Bruce	305-835-8300
5.				
6.				
7.				
8.				
9.				
10.				

Print Preparer's Name: Paul E. Stewart Title: Vice President

Signature: Paul E. Stewart Date: January 17, 2018

Procurement Division/Small Business Program
401 Clematis Street, 3rd Floor
West Palm Beach, Florida 33401-4702
Tel: 561-822-2100
Fax: 561-822-1564
Website: http://wpb.org/Departments/Procurement/Small-Business/Certification

(B12)
Form SB01

Statement of Small Business Participation

Instructions: List all Small Businesses that will participate on this project/contract. **Only City certified small businesses and Palm Beach County Office of Small Business Assistance (PBC-OSBA) certified Small Businesses can be used to meet the goal** established for this project/contract. **Submit this form with your bid/proposal.**

SECTION I. General Information

Bidder or Proposer's Name: **Stewart's Electric Motor Works, Inc.**

Preparer's Name: **Paul E. Stewart** Title **Vice President**

ITB or RFP Title: **Continuing Contract for Electric Motor and Pump Repair** Project Number: **N/A**

ITB or RFP Number: 17-18-118 SB Goal (if established): **0%**

Total Base Project/Contract Amount: **$ Not applicable**

SECTION II. Small Business Participation

The firm(s) listed below have agreed to participate in this project or contract.

	Subcontractor Name	Item Description or Work/Service to be performed	Dollar Value	Percent of Dollar Value/Base Bid	Percent of Dollar Value Total Bid
1.	N/A		$	%	%
2.	N/A		$	%	%
3.	N/A		$	%	%
4.	N/A		$	%	%
5.	N/A		$	%	%
6.	N/A		$	%	%
TOTAL			$	%	%

Preparer's Signature: Paul E. Stewart Date: **January 11, 2018**

WEST PALM BEACH

Procurement Division/Small Business Program
401 Clematis Street, 3rd Floor
West Palm Beach, FL 33401-4702
Tel. (561) 822-2100
Fax (561) 822-1564
Website: http://wpb.org/Departments/Procurement/Small-Business/Certification

(B13)
Form SB03

Letter of Intent

Instructions: The Bidder/Proposer will complete Section I. The Small Business subcontractor will complete Sections II and III. It is the responsibility of the bidder/Proposer to verify that the undersigned is a City Certified Small Business. **Only City of West Palm Beach or Palm Beach County Office of Small Business Assistance (PBC-OSBA)** certified Small Businesses can be used **to meet the goal** established for this project/contract. This completed form will be required before contract award. **Please note: This form is required for each certified Small Business selected.**

SECTION I. General Information

Proposer's Name: **Stewart's Electric Motor Works, Inc.**

ITB or RFP Title: **Continuing Contract for Electric Motor and Pump Repair**

ITB or RFP Number: 17-18-118

SECTION II. Small Business Participation

The undersigned intends to perform the following work pertaining to the above project:

Item No.	Item Description or Work to be Performed	Contract Amount
		$ TBD
		$ TBD
		$ TBD
		$ TBD

SECTION III. Information on the Small Business

Small Business Name: _____

Preparer's Name: _____ Title: _____

Signature: _____ Date: _____

CONTRACTOR'S MATERIAL SUPPLIERS

List all material suppliers that Bidder intends to use on this project. Include additional pages as required. **Failure to fully and accurately complete this form may result in the disqualification of the Bid.**

Name of Suppliers	Types of Material to be Provided	Total Contract Amount including Sales Tax	Total Sales Tax
Bartlett Bearings	Bearing, sealsm gasket, etc	Unknown	Unknown
EIS	Winding materials	Unknown	Unknown
Essex Brownell	Winding materials	Unknown	Unknown
Alrose Metal	Steel	Unknown	Unknown
Seal Distributor	Pump seals, gaskets	Unknown	Unknown
Augamin LLC	All types of parts electrical and mechanical,	Unknown	Unknown

WEST PALM BEACH

City of West Palm Beach **(B17)**

Equal Benefits Certification

This form must be completed and submitted with your firm's submittal /proposal /bid.

Equal Benefits Ordinance. Section 66-9 of the City's Code of Ordinances provides that, with limited exceptions, when contracting for goods, services or construction in an amount of $50,000 or more, with persons or businesses with five or more employees that also provide benefits to employees' spouses and dependents, the city shall contract only with those persons or businesses that provide equal benefits to employees' domestic partners.

Check only one box below:

☒ **1.** The firm certifies and represents that it will comply during the entire term of the contract with Sec. 66-9 of the City's Code of Ordinances by providing benefits to employees' domestic partners equal to those benefits provided to employees' spouses and dependents; or

☐ **2.** The firm does not need to comply with Sec. 66-9 of the City's Code of Ordinances because of an allowable exemption: (Check exemptions that apply):

____ The firm's price for the contract term awarded is $50,000 or less.
____ The firm employs less than five (5) employees.
____ The firm does not provide benefits to employees' spouses nor employees' dependents.
____ The firm is a government entity.
____ The contract is for the sale or lease of property.
____ Compliance would violate grant requirements or regulations of federal / state law.
____ The contract is an emergency procurement or necessary to respond to an emergency situation.

☐ **3.** The firm does not comply with Sec. 66-9 of the City's Code of Ordinances and does not have an allowable exemption.

I, Paul E. Stewart (Print Name of Authorized Officer), Vice President (Title)

of Stewart's Electric Motor Works, Inc. (Name of Firm)

hereby attest that I have the authority to sign this certification on behalf of the firm and certify that the above information is true, complete and correct.

Signature: Paul E. Stewart

STATE OF Florida

COUNTY OF Orange

Sworn to and subscribed before me this _____ day of _____, 20_____, by

Paul E. Stewart, as an act of Stewart's Electric Motor Works, Inc. (*firm*), who is

personally known to me or produced the following identification: _____.

Notary Signature: Bobbie J Stern

Print Notary Name: Bobbie J. Stern

Commission No. _____

Notary Public State of Florida
Bobbie J Stern
My Commission FF 943253
Expires 12/14/2019

04853 10/19/13

FLORIDA
DEPARTMENT OF REVENUE

Certificate of Registration

DR-11
R. 10/13

Issued Pursuant to Chapter 212, Florida Statutes

58-8012168732-1	06/11/82
Certificate Number	Registration Effective Date

This certifies that

STEWART'S ELECTRIC MOTOR WORKS INC
8951 TRUSSWAY BLVD
ORLANDO FL 32824-7812

has met the sales and use tax registration requirements for the business location stated above and is authorized to collect and remit tax as required by Florida law. This certificate is non-transferable.

POST THIS CERTIFICATE IN A CONSPICUOUS PLACE

Scott Randolph, Tax Collector — Local Business Tax Receipt — Orange County, Florida

This local business tax receipt is in addition to and not in lieu of any other tax required by law or municipal ordinance. Businesses are subject to regulation of zoning, health and other lawful authorities. This receipt is valid from October 1 through September 30 of receipt year. **Delinquent penalty is added October 1.**

2017 **EXPIRES 9/30/2018**

3100	SVC-MOTOR REPAIR	$40.00	20	EMPLOYEE	3200	RETAIL SALES	3100-0022945	$30.00	1	EMPLOYEE

SCOTT RANDOLPH, TAX COLLECTOR • ORANGE COUNTY, FLORIDA

TOTAL TAX	$70.00
REGULATED WASTE	$50.00
PREVIOUSLY PAID	$120.00
TOTAL DUE	$0.00

STEWARTS ELECTRIC MT WKS INC

STEWARTS ELECTRIC MT WKS INC
8951 TRUSSWAY BLVD
ORLANDO FL 32824-7812

8951 TRUSSWAY BV
U - ORLANDO, 32824

PAID: $120.00 0099-00794538 8/10/2017

This receipt is official when validated by the Tax Collector.



AN ADVANCED ENERGY
MOTOR RENEWAL PROGRAM

CERTIFICATE OF PROVEN EFFICIENCY VERIFICATION

Stewart's Electric Motor Works, Inc.

Orlando, Florida

Certification Code: 1207-AO-17

This Facility has demonstrated, through inspection and testing, that it has met Advanced Energy's Proven Efficiency Verification criteria. These criteria were established to distinguish motor repair facilities that have demonstrated the capability to perform repair work of the highest quality.

July 31, 2017

Effective through

Robert K Koger

President and Executive Director, Advanced Energy

EASA ACCREDITED

This Certifies that

Stewart's Electric Motor Works, Inc.

of Orlando, Florida

Has successfully demonstrated via third-party, independent audit that it follows the prescribed good practices to consistently deliver quality electromechanical repairs that maintain or improve AC electric motor efficiency and reliability

This Certificate Expires January 17, 2018

MEMBER 3396
EASA®
The Electro•Mechanical Authority

President & CEO

EASA ACCREDITED MEMBER
COMPLIES WITH
EASA AR100

Technical Associates

TABofC

Board of Certification

Certifies That

Bret McCormick

has successfully completed the requirements for


VIBRATION ANALYST: ISO CATEGORY II

TABofC Certification Program for Vibration Analysts complies with the International Organization for Standardization, ISO 18436-2 Standard, Condition Monitoring and Diagnostics of Machines.

May 26, 2017	17/05/26 7800-926 -06	May 26, 202
Date of Examination	*Certificate Number*	*Expiration D*

Technical Associates Board of Certification
1230 West Morehead Street, Suite 400
Charlotte, NC 28208
Tel: (704) 333-9011 Fax: (704) 333-1728

James E. Berry, P.E., Certification M



Alignment Supplies, Inc.

presents

Certificate of Completion

to

Sam Sanchez

For

Easy-Laser

Level 1

Shaft Alignment Training Course

Greg Knitz, President

August 26, 2008

CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY): 7/14/2021

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER Insurance by Ken Brown, Inc. 707 Pennsylvania Ave Ste 1300 Altamonte Springs FL 32701	**CONTACT NAME:** ken Brown **PHONE (A/C, No, Ext):** 321-397-3870 **FAX (A/C, No):** 321-397-3888 **E-MAIL ADDRESS:** certificates@insbykenbrown.com
INSURED STEWA-4 Stewart's Electric Motor Works Inc. 8951 Trussway Blvd Orlando FL 32824	**INSURER(S) AFFORDING COVERAGE** / **NAIC #** **INSURER A :** Amerisure Insurance Company — 19488 **INSURER B :** Amerisure Mutual Insurance Company — 23396 **INSURER C :** Technology Insurance Company Inc. — 42376 **INSURER D :** **INSURER E :** **INSURER F :**

COVERAGES **CERTIFICATE NUMBER:** 684305072 **REVISION NUMBER:**

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS	
B	X **COMMERCIAL GENERAL LIABILITY** [ ] CLAIMS-MADE [X] OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: [ ] POLICY [X] PRO-JECT [ ] LOC OTHER:	Y		CPP20711641102	6/30/2021	6/30/2022	EACH OCCURRENCE DAMAGE TO RENTED PREMISES (Ea occurrence) MED EXP (Any one person) PERSONAL & ADV INJURY GENERAL AGGREGATE PRODUCTS - COMP/OP AGG	$ 1,000,000 $ 100,000 $ 5,000 $ 1,000,000 $ 2,000,000 $ 2,000,000
A	**AUTOMOBILE LIABILITY** X ANY AUTO [ ] OWNED AUTOS ONLY [ ] SCHEDULED AUTOS X HIRED AUTOS ONLY X NON-OWNED AUTOS ONLY			CA20710551101	6/30/2021	6/30/2022	COMBINED SINGLE LIMIT (Ea accident) BODILY INJURY (Per person) BODILY INJURY (Per accident) PROPERTY DAMAGE (Per accident)	$ 1,000,000 $ $ $
B	X **UMBRELLA LIAB** X OCCUR **EXCESS LIAB** [ ] CLAIMS-MADE DED X RETENTION $ 0			CU20711781201	6/30/2021	6/30/2022	EACH OCCURRENCE AGGREGATE	$ 5,000,000 $ 5,000,000
C	**WORKERS COMPENSATION AND EMPLOYERS' LIABILITY** Y / N ANYPROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? [ ] **(Mandatory in NH)** If yes, describe under DESCRIPTION OF OPERATIONS below	N / A		TWC3980863	6/30/2021	6/30/2022	PER STATUTE [ ] OTH-ER E.L. EACH ACCIDENT E.L. DISEASE - EA EMPLOYEE E.L. DISEASE - POLICY LIMIT	$ 1,000,000 $ 1,000,000 $ 1,000,000
A	Pollution Liability			G28275547001	10/20/2020	10/20/2021	Each Condition Aggregate	2,000,000 2,000,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

City of Cocoa is an additional insured with regards to General Liability, as required by written contract, subject to all policy terms, conditions, limitations and exclusions.


CERTIFICATE HOLDER

City of Cocoa
375 N. Cocoa Blvd.
Cocoa FL 32922

CANCELLATION

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE



© 1988-2015 ACORD CORPORATION. All rights reserved.

THIS ENDORSEMENT CHANGES THE POLICY. PLEASE READ IT CAREFULLY.

CONTRACTOR'S BLANKET ADDITIONAL INSURED ENDORSEMENT – FORM A

This endorsement modifies insurance provided under the following:

COMMERCIAL GENERAL LIABILITY COVERAGE PART

Policy Number CPP20711641102	**Agency Number**	**Policy Effective Date** 06/30/2021
Policy Expiration Date 06/30/2022	**Date** 06/16/2021	**Account Number** 20019709
Named Insured Stewart's Electric Motor Works Inc.	**Agency** Insurance By Ken Brown Inc.	**Issuing Company** Amerisure Mutual Insurance Company

1. **a.** **SECTION II - WHO IS AN INSURED** is amended to add as an additional insured any person or organization:

(1) Whom you are required to add as an additional insured on this policy under a written contract or written agreement relating to your business; or

(2) Who is named as an additional insured under this policy on a certificate of insurance.

b. The written contract, written agreement, or certificate of insurance must:

(1) Require additional insured status for a time period during the term of this policy; and

(2) Be executed prior to the "bodily injury", "property damage", or "personal and advertising injury" leading to a claim under this policy.

c. If, however:

(1) "Your work" began under a letter of intent or work order; and

(2) The letter of intent or work order led to a written contract or written agreement within 30 days of beginning such work; and

(3) Your customer's customary contracts require persons or organizations to be named as additional insureds;

we will provide additional insured status as specified in this endorsement.

2. The insurance provided under this endorsement is limited as follows:

a. That person or organization is an additional insured only with respect to liability caused, in whole or in part, by:

(1) Premises you:

(a) Own;

(b) Rent;

(c) Lease; or

(d) Occupy;

(2) Ongoing operations performed by you or on your behalf. Ongoing operations does not apply to "bodily injury" or "property damage" occurring after:

Includes copyrighted material of Insurance Services Office, Inc.

(a) All work to be performed by you or on your behalf for the additional insured(s) at the site of the covered operations is complete, including related materials, parts or equipment (other than service, maintenance or repairs); or

(b) That portion of "your work" out of which the injury or damage arises is put to its intended use by any person or organization other than another contractor working for a principal as a part of the same project.

(3) Completed operations coverage, but only if:

(a) The written contract, written agreement, or certificate of insurance requires completed operations coverage or "your work" coverage; and

(b) This coverage part provides coverage for "bodily injury" or "property damage" included within the "products-completed operations hazard".

However, the insurance afforded to such additional insured only applies to the extent permitted by law.

b. If the written contract, written agreement, or certificate of insurance:

(1) Requires "arising out of" language; or

(2) Requires you to provide additional insured coverage to that person or organization by the use of either or both of the following:

(a) Additional Insured – Owners, Lessees or Contractors – Scheduled Person Or Organization endorsement CG 20 10 10 01; or

(b) Additional Insured – Owners, Lessees or Contractors – Completed Operations endorsement CG 20 37 10 01;

then the phrase "caused, in whole or in part, by" in paragraph **2.a.** above is replaced by "arising out of".

c. If the written contract, written agreement, or certificate of insurance requires you to provide additional insured coverage to that person or organization by the use of:

(1) Additional Insured – Owners, Lessees or Contractors – Scheduled Person Or Organization endorsement CG 20 10 07 04 or CG 20 10 04 13; or

(2) Additional Insured – Owners, Lessees or Contractors – Completed Operations endorsement CG 20 37 07 04 or CG 20 37 04 13; or

(3) Both those endorsements with either of those edition dates; or

(4) Either or both of the following:

(a) Additional Insured – Owners, Lessees or Contractors – Scheduled Person Or Organization endorsement CG 20 10 without an edition date specified; or

(b) Additional Insured – Owners, Lessees or Contractors – Completed Operations endorsement CG 20 37 without an edition date specified;

then paragraph **2.a.** above applies.

d. Premises, as respects paragraph **2.a.(1)** above, include common or public areas about such premises if so required in the written contract or written agreement.

e. Additional insured status provided under paragraphs **2.a.(1)(b)** or **2.a.(1)(c)** above does not extend beyond the end of a premises lease or rental agreement.

f. The limits of insurance that apply to the additional insured are the least of those specified in the:

(1) Written contract;

(2) Written agreement;

(3) Certificate of insurance; or

(4) Declarations of this policy.

The limits of insurance are inclusive of and not in addition to the limits of insurance shown in the Declarations.

Includes copyrighted material of Insurance Services Office, Inc.

g. The insurance provided to the additional insured does not apply to "bodily injury", "property damage", or "personal and advertising injury" arising out of an architect's, engineer's, or surveyor's rendering of, or failure to render, any professional services, including but not limited to:

(1) The preparing, approving, or failing to prepare or approve:

(a) Maps;

(b) Drawings;

(c) Opinions;

(d) Reports;

(e) Surveys;

(f) Change orders;

(g) Design specifications; and

(2) Supervisory, inspection, or engineering services.

h. **SECTION IV – COMMERCIAL GENERAL LIABILITY CONDITIONS**, paragraph **4. Other Insurance** is deleted and replaced with the following:

4. Other Insurance.

Coverage provided by this endorsement is excess over any other valid and collectible insurance available to the additional insured whether:

a. Primary;

b. Excess;

c. Contingent; or

d. On any other basis;

but if the written contract, written agreement, or certificate of insurance requires primary and non-contributory coverage, this insurance will be primary and non-contributory relative to other insurance available to the additional insured which covers that person or organization as a Named Insured, and we will not share with that other insurance.

i. If the written contract, written agreement, or certificate of insurance as outlined above requires additional insured status by use of CG 20 10 11 85, then the coverage provided under this CG 70 48 endorsement does not apply except for paragraph **2.h. Other Insurance.** Additional insured status is limited to that provided by CG 20 10 11 85 shown below and paragraph **2.h. Other Insurance** shown above.

ADDITIONAL INSURED - OWNERS, LESSEES OR CONTRACTORS (FORM B)

This endorsement modifies insurance provided under the following:

COMMERCIAL GENERAL LIABILITY COVERAGE PART.

SCHEDULE

Name of Person or Organization: Blanket Where Required by Written Contract, Agreement, or Certificate of Insurance that the terms of CG 20 10 11 85 apply

(If no entry appears above, information required to complete this endorsement will be shown in the Declarations as applicable to this endorsement.)

WHO IS AN INSURED (Section II) is amended to include as an insured the person or organization shown in the Schedule, but only with respect to liability arising out of "your work" for that insured by or for you.

CG 20 10 11 85 Copyright, Insurance Services Office, Inc., 1984

Includes copyrighted material of Insurance Services Office, Inc.

j. The insurance provided by this endorsement does not apply to any premises or work for which the person or organization is specifically listed as an additional insured on another endorsement attached to this policy.

Includes copyrighted material of Insurance Services Office, Inc.

Legislation Details (With Text)

File #:	21-743	**Version:**	1	**Name:**	
Type:	Resolution			**Status:**	Consent Agenda
File created:	11/8/2021			**In control:**	City Council
On agenda:	12/14/2021			**Final action:**	

Title: Approve Participation in a Cooperative Purchase Agreement with Tech Systems, Inc, Melbourne, Florida, for a Roof Replacement on the Chemical Building at the Dyal Water Treatment Plant utilizing Brevard County Contract # RFP-4-18-12, Effective July 12, 2021 through July 11, 2022 in the amount of $245,542.96; To Approve a Resolution Authorizing the City Manager to Approve Change Orders in an Amount Not to Exceed $24,554 (approximately 10%) for a Project Total of $270,096.96; To Approve a Resolution Amending the FY2022 Budget to Reallocate Funds for a Roof Replacement from Tech Systems, Inc, BAF # 22-023-A. (Utilities Director)

Sponsors:

Indexes:

Code sections:

Attachments:
1st Amendment_Tech Systems Inc (RFP-4-18-12).pdf
Tech - Renewal #3.pdf
Dyal WWTP Roof Replacement updated 9302021.pdf
PW-20-PBG-TECH_SYS-001-00.pdf
Brevard County Roofing Renewal Tech Systems Exp 7.11.21.pdf
Resolution - Project Contingency .pdf
Budget Resolution FY 2022- ADA Compliant.pdf
BAF 22-023-A-UT-Chemical Building Roof Repair (12-14-21) Agenda 21-743 (002).pdf

Date	Ver.	Action By	Action	Result

CITY COUNCIL AGENDA ITEM

Memo Date: November 8, 2021
Agenda Date: December 14, 2021
Prepared By: Sean B. McFarland, Water Treatment Manager
Through: John A. Walsh, P.E., Utilities Director
Requested Action:
To Approve Participation in a Cooperative Purchase Agreement with Tech Systems, Inc, Melbourne, Florida, for a Roof Replacement on the Chemical Building at the Dyal Water Treatment Plant utilizing Brevard County Contract # RFP-4-18-12, Effective July 12, 2021 through July 11, 2022 in the amount of $245,542.96; To Approve a Resolution Authorizing the City Manager to Approve Change Orders in an Amount Not to Exceed $24,554 (approximately 10%) for a Project Total of $270,096.96; To Approve a Resolution Amending the FY2022 Budget to Reallocate Funds for a Roof Replacement from Tech Systems, Inc, BAF # 22-023-A

BACKGROUND:

The Dyal WTP maintains a large chemical building that houses the lime and soda ash silos. Lime and

soda ash chemicals are used to soften raw water during the treatment process.

The existing roof for the chemical building is approximately twenty years old and has reached the end of its useful life. There are multiple leaks in the roof which are negatively impacting daily water treatment operations and are damaging equipment within the building leading to increased repair and maintenance costs (material and labor). Replacing the roof is necessary to protect the chemical/equipment contents located within the building and to extend the useful life of the structure.

Staff requests City Council approval of the roof replacement cost in the amount of $245,542.96. City staff is also requesting that City Council approve an additional $24,554 as a contingency for the project. The additional amount is requested to cover any additional time and materials that may be required in excess of the original proposal. Although City staff does not anticipate any change orders, there is a possibility that unforeseen events would require changes to the project scope. If a change order is required, the additional amount will allow the project to continue moving forward.

The additional $24,554 will not be added to the initial purchase order and each change order will be reviewed by staff before it is sent to the City Manager for approval.

STRATEGIC PLAN CONNECTION:

N/A

BUDGETARY IMPACT:

Budgeted	No
If not budgeted, is amendment/transfer attached?	Yes, BAF # 22-023-A
Amount Requested	$270,096.96
Account Number	421-4020-536.46-02
Account Name	Repair/Maint Buildings
Source of Funds:	$220,096.96 424-4020-536.64-15(WS18DW) $ 50,000.00 421-4020-536.46-02

PREVIOUS ACTION:

N/A

RECOMMENDED MOTION:

To Approve Participation in a Cooperative Purchase Agreement with Tech Systems, Inc, Melbourne, Florida, for a Roof Replacement on the Chemical Building at Dyal Water Treatment Plant utilizing Brevard County Contract # RFP-4-18-12, Effective July 12, 2021 through July 11, 2022 in the amount of $245,542.96; To Approve a Resolution Authorizing the City Manager to Approve Change Orders in an Amount Not to Exceed $24,554 (approximately 10%) for a Project Total of $270,096.96; To Approve a Resolution Amending the FY2022 Budget to Reallocate Funds for a Roof Replacement from Tech Systems, Inc, BAF # 22-023-A.

Finance Department
Purchasing Division
65 Stone Street I Cocoa, FL 32922
Phone: (321) 433-8775 I Fax: (321) 433-8860

City of Cocoa
AMENDMENT TO PURCHASE AGREEMENT
1st AMENDMENT
Tech Systems Inc.
Service Level Agreement No. 4-18-12

This First Amendment is to confirm receipt and acknowledgement of the agreed upon 3rd Annual Renewal made effective March 4, 2021, by and between Brevard County and Tech Systems Inc. This Amendment also confirms receipt and acknowledgment the CONTRACTOR shall continue to provide Continuing Roofing Contracting Services as agreed upon under Piggyback Agreement RFP-4-18-12, made effective August 3, 2020, by and between the City of Cocoa and Tech Systems Inc.

All other terms, conditions, provisions, and scope of services remain unchanged. By signing below, each party indicates its approval of this Renewal Notice for Contract.

Tech Systems, Inc.	**CITY OF COCOA**
By: Jennifer C. Hillhouse	**By:** Stockton Whitten
(Print Name)	(Print Name)
Vice President	City Manager
(Title)	(Title)
Jennifer Hillhouse 6/1/2021	6/8/2021
Signature / Date	Signature / Date

CC: Carie Shealy, City Clerk
Heath Hancher, Purchasing / Contracts Division Manager
Bryant Smith, Director – Public Works

BOARD OF COUNTY COMMISSIONERS

Public Works Department
2725 Judge Fran Jamieson Way
Building A, Room 201
Viera, Florida 32940

Inter-Office Memo

TO: Commissioner Rita Pritchett, Chair

THRU: Frank Abbate, County Manager

THRU: John P. Denninghoff, Assistant County Manager

THRU: Marc Bernath, Public Works Director Bernath, Marc Digitally signed by Bernath, Marc DN: cn=Bernath, Marc, email=Marc.Bernath@brevardfl.gov Date: 2021.03.04 12:31:33 -05'00'

THRU: Leo Da Silva, Facilities Building & Operations Manager DaSilva, Leonardo Digitally signed by DaSilva, Leonardo Date: 2021.03.04 09:59:16 -05'00'

FROM: Mary Bowers, Facilities Support Services Manager Bowers, Mary Digitally signed by Bowers, Mary Date: 2021.03.04 09:03:05 -05'00'

RE: **RFP-4-18-12 Continuing Roofing Contracting Services Annual Renewal #3**

DATE: March 4, 2021

The Board of County Commissioners, in regular session on August 14, 2018, approved issuance of an RFP for Continuing Roofing Contracting Services. The Contract was awarded to Tech Systems, Inc. on July 12, 2018.

The term of the Agreement with Tech Systems, Inc. is one (1) year with a provision for three (3) renewals of one (1) year each.

The term for this 3rd annual renewal will be July 12, 2021 through July 11, 2022 under the same terms and conditions as the original contract.

Please route approval memo and Contract Renewal for signatures and return a fully executed copy to Facilities.

Feel free to contact our office if you have any questions.

Encl: 3rd Extension of Existing Contract
Original Contract w/previous Extensions

BREVARD County
BOARD OF COUNTY COMMISSIONERS

FLORIDA'S SPACE COAST

Tammy Rowe, Clerk to the Board, 400 South Street • P.O. Box 999, Titusville, Florida 32781-0999

Telephone: (321) 637-2001
Fax: (321) 264-6972
Tammy.Rowe@brevardclerk.us

August 15, 2018

MEMORANDUM

TO: Leslie Rothering, Interim Central Services Director

RE: Item F.15., Permission to Issue Annual Supply Bids, Proposals, and Requests for Qualifications (RFQ) (FY 2018/2019) and/or Negotiate Competitive Agreements

The Board of County Commissioners, in regular session on August 14, 2018, granted Purchasing Services approval to perform the following actions regarding the attached list of commodities and services for Fiscal Year 2018/2019:

- Solicit competitive bids, quotes, and/or negotiate competitive agreements and award to lowest, responsive, and most qualified supplier
- Solicit competitive proposals and requests for qualifications, establish selection/negotiation committees approved by the County Manager, or his designee, and award contracts and/or open purchase orders with the best-ranked proposer
- Exercise renewal options upon evaluation of supplier performance, and recommendation from user departments/offices, which establishes that continuance of the contract is favorable prior to extension of the agreement
- Authorized the Chair to execute contracts and contract renewals over $100,000 in annual value, subject to approval by the County Attorney's Office and Risk Management

Enclosed is the list.

Your continued cooperation is always appreciated.

Sincerely,

BOARD OF COUNTY COMMISSIONERS
SCOTT ELLIS, CLERK
Tammy Rowe
Tammy Rowe, Deputy Clerk

Encl. (1)

cc: Purchasing Services Manager
County Manager
Finance
Budget

RECEIVED
AUG 20 2018
BREVARD COUNTY
PURCHASING SERVICES

WRITTEN NOTIFICATION OF CONTRACT RENEWAL

Notice is hereby given to **TECH SYSTEMS, INC.** by the **BOARD OF COUNTY COMMISSIONERS OF BREVARD COUNTY, FLORIDA**, this 3RD day of March, 2021, that the Agreement previously entered into by and between TECH SYSTEMS, INC. and the Board of County Commissioners dated July 12, 2018 shall be renewed pursuant to the notification provisions set forth therein, for an additional one (1) year period**, beginning July 12, 2021 through July 11, 2022** under the same terms and conditions otherwise expressed herein.

EXECUTED ON BEHALF OF THE BOARD OF COUNTY COMMISSIONERS, BREVARD COUNTY, FLORIDA

Commissioner Rita Pritchett, Chair

As approved by the Board: August 14, 2018

RACHEL M. SADOFF, CLERK OF COURT

Florida's Space Coast

Facilities Department
2725 Judge Fran Jamieson Way, Suite A207
Viera, FL 32940-6605

(321) 633-2050
FAX: (321) 633-2051

March 3, 2021

Tech Systems, Inc.
Mr. Tom Camp
1801 N. Wickham Road, Suite 3
Melbourne, Florida 32935

RE: RFP-4-18-12 Continuing Roofing Contracting Services
Annual Renewal

Dear Mr. Camp:

This letter is to notify you of the intent to renew RFP-4-18-12 Continuing Roofing Contracting Services. The effective dates of this renewal will be **07/12/2021** to **07/11/2022**.

If Tech Systems, Inc. **is interested** in continuing this contract for an additional one (1) year under the same terms, prices and conditions, please respond by signing to the understanding of renewal.

I Thomas Camp *of* Tech Systems Inc. *agree to renew subject contract through 07/11/2022 under the same terms, prices and conditions.*

If Tech Systems, Inc. **is not interested** in renewing this contract, please complete and sign the following statement.

I _____ *of* _____ *do not agree to renew subject contract.*

_____ 3/3/2021
Authorized Vendor Signature Date

We look forward to continuing this relationship with your Company. As always, should you have any questions please do not hesitate to contact our office at (321) 633-2050.

Sincerely,

Mary Bowers

Mary Bowers
Support Services Manager

WRITTEN NOTIFICATION OF CONTRACT RENEWAL

Notice is hereby given to TECH SYSTEMS, INC. by the BOARD OF COUNTY COMMISSIONERS OF BREVARD COUNTY, FLORIDA, this 18th day of February, 2020, the Agreement previously entered into by and between Tech Systems, Inc. and the Board of County Commissioners dated July 12, 2018. Agreement shall be renewed pursuant to the notification provisions sets forth therein, for an additional one (1) year period, **beginning July 12, 2020 through July 11, 2021** under the same terms and conditions otherwise expressed herein.

EXECUTED ON BEHALF OF THE BOARD OF
COUNTY COMMISSIONERS, BREVARD COUNTY, FL

Bryan Lober, Chair

As approved by the Board: 08/14/2018

Florida's Space Coast

Facilities Department
2725 Judge Fran Jamieson Way, Suite A207
Viera, FL 32940-6605

(321) 633-2050
FAX: (321) 633-2051

January 28, 2020

Tech Systems, Inc.
Mr. Tom Camp
1801 N. Wickham Road, Suite 3
Melbourne, Florida 32935

RE: RFP-4-18-12 Continuing Roofing Contracting Services
Annual Renewal

Dear Mr. Camp:

This letter is to notify you of the intent to renew RFP-4-18-12 Continuing Roofing Contracting Services. The effective dates of this renewal will be **07/12/2020** to **07/11/2021**.

If Tech Systems, Inc. **is interested** in continuing this contract for an additional one (1) year under the same terms, prices and conditions, please respond by signing to the understanding of renewal.

I Thomas Camp *of* Tech Systems Inc. *agree to renew subject contract through 07/11/2021 under the same terms, prices and conditions.*

If Tech Systems, Inc. **is not interested** in renewing this contract, please complete and sign the following statement.

I _____ *of* _____ *do not agree to renew subject contract.*

_____ 1/31/2020
Authorized Vendor Signature Date

We look forward to continuing this relationship with your Company. As always, should you have any questions please do not hesitate to contact our office at (321) 633-2050.

Sincerely,

Mary Bowers

Mary Bowers
Support Services Manager

WRITTEN NOTIFICATION OF CONTRACT RENEWAL

Notice is hereby given to TECH SYSTEMS, INC. by the BOARD OF COUNTY COMMISSIONERS OF BREVARD COUNTY, FLORIDA, this 6th day of June, 2019, the Agreement previously entered into by and between Tech Systems, Inc. and the Board of County Commissioners dated July 12, 2018, shall be renewed pursuant to the notification provisions set forth therein, for an additional one (1) year period, **beginning July 12, 2019 through July 11, 2020** under the same terms and conditions otherwise expressed herein.

EXECUTED ON BEHALF OF THE BOARD OF COUNTY COMMISSIONERS, BREVARD COUNTY, FLORIDA

Kristine Isnardi, Chair

As approved by the Board: August 14, 2018

Florida's Space Coast

Facilities Department
2725 Judge Fran Jamieson Way, Suite A207
Viera, FL 32940-6605

(321) 633-2050
FAX: (321) 633-2051

May 10, 2019

Tech Systems, Inc.
Mr. Tom Camp
1801 N. Wickham Road, Suite 3
Melbourne, Florida 32935

RE: RFP-4-18-12 Continuing Roofing Contracting Services
Annual Renewal

Dear Mr. Camp:

This letter is to notify you of the intent to renew RFP-4-18-12 Continuing Roofing Contracting Services. The effective dates of this renewal will be **07/12/2019** to **07/11/2020**.

If Tech Systems, Inc. **is interested** in continuing this contract for an additional one (1) year under the same terms, prices and conditions, please respond by signing to the understanding of renewal.

I Thomas Camp *of* Tech Systems Inc. *agree to renew subject contract through 07/11/2020 under the same terms, prices and conditions.*

If Tech Systems, Inc. **is not interested** in renewing this contract, please complete and sign the following statement.

I _____ *of* _____ *do not agree to renew subject contract.*

_____ 5/10/2019
Authorized Vendor Signature Date

We look forward to continuing this relationship with your Company. As always, should you have any questions please do not hesitate to contact our office at (321) 633-2050.

Sincerely,

Mary Bowers

Mary Bowers
Support Services Manager

CONTINUING ROOFING CONTRACTING
SERVICES AGREEMENT

This is an Agreement entered into this 12th day July of 2018, by and between **BREVARD COUNTY BOARD OF COUNTY COMMISSIONERS**, a political subdivision of the State of Florida, hereinafter referred to as COUNTY and **Tech Systems, Inc.**, a corporation under the laws of the State of Florida, hereinafter referred to as CONTRACTOR, whose address is 1801 N. Wickham Road, Suite 3, Melbourne, Florida 32935.

WHEREAS, the County has a need for the services of a contractor to provide continuing roofing contracting services under a continuing contract;

WHEREAS, the County issued a Request for Proposals #RFP-4-18-12 for such services and has selected the CONTRACTOR to provide said services;

WHEREAS, this is an Agreement for construction services for projects in which the construction costs do not exceed $2 million or for projects that may be funded or submitted for reimbursement by/through the Federal Emergency Management Agency, as outlined herein.

For and in consideration of the mutual agreement hereinafter contained, the COUNTY hereby retains the CONTRACTOR and the CONTRACTOR hereby covenants to provide continuing roofing contracting services as prescribed herein.

SECTION 1 - GENERAL IDENTIFICATION OF SERVICES

All continuing contracting services provided by the CONTRACTOR for the COUNTY shall be identified in Proposal format. Proposals shall include a detailed description of the roofing services to be performed including square footage, proposed schedule for compensation based on negotiated hourly rates, the proposed number of man hours for each category of labor, the number of workers in each category of labor to be dedicated to the particular work/project from **Attachment "B"** Pricing Sheet to be assigned to the Work, a projected schedule for completion of the Work, and any other terms or conditions specific to the Work to be performed by the CONTRACTOR, including terms that may be specific to projects that may be funded or submitted for reimbursement by/through the Federal Emergency Management Agency. A Proposal submitted to the COUNTY shall not give rise to any contractual rights until approved by the COUNTY in the form of a written Notice to Proceed signed by an authorized representative of the Brevard County Board of County Commissioners, and where approved by Board action, if applicable. The written Notice to Proceed and specific Proposal, as approved by the COUNTY, shall together constitute an addendum to this Agreement.

The Federal Emergency Management Agency (FEMA) Clauses and Certifications included herein, or attached hereto, control over any conflicting clauses contained within the separate Agreements, covering the work for each Project, between the COUNTY and the CONSULTANT, when the Work involved will be submitted by/through FEMA for reimbursement to the COUNTY. The FEMA Clauses and Certifications are attached hereto, and incorporated by this reference, as **Attachment "A."**

Preventative Maintenance will be performed at each facility, based on pricing in **Attachment "B"** Pricing Sheet, upon notification from the COUNTY.

SECTION II – COUNTY/CONTRACTOR OBLIGATIONS - RECORDS

The COUNTY shall furnish to the CONTRACTOR, upon request, any plans/drawings/data available in the COUNTY'S files pertaining to the work to be performed under this Agreement. However, pursuant to the Florida Statute 119.07 provides that building plans, blueprints, schematic drawings and diagrams, include draft, preliminary and final formats, which depict the internal layout and structural elements of a building, arena, stadium, water treatment facility, or other structure owned or operated by the County are exempt from Public Records. These documents, while exempt from public records, are provided to the CONTRACTOR as a receiving entity in order to perform its duties and responsibilities under this Agreement; however, the CONTRACTOR understands it is required to treat the above records as exempt from public records.

SECTION III - CONTINUING ROOFING CONTRACTING SERVICES

Upon receipt of Notice to Proceed, CONTRACTOR agrees to perform all services associated with the requested Work in accordance with the negotiated terms of the applicable approved Proposal, and in accordance with accepted professional standards and practices. No Notice to Proceed will be issued for Preventative Maintenance Services.

In connection with continuing roofing contracting services to be rendered pursuant to this Agreement, the CONTRACTOR further agrees to:

A. Maintain an adequate staff of qualified personnel.

B. Comply with federal, state and local laws applicable to the work.

C. Cooperate fully with the COUNTY in the scheduling and coordination of all phases of the work.

D. Cooperate and coordinate with other COUNTY contractors, as directed by the COUNTY.

E. Report the status of the work to the COUNTY upon request and hold pertinent data, calculations, field notes, records, sketches and other projects open to the inspection of the COUNTY or its authorized agent at any time.

Submit to COUNTY field observations, reports, and other data representative of the work's progress. Submit for COUNTY approval the final work product upon incorporation of any modifications requested by the COUNTY during any previous review.

G. Certify to the COUNTY that all materials supplied to the Brevard County Board of County Commissioners is 100% asbestos-free.

SECTION IV - TIME OF COMPLETION

The services to be rendered by the CONTRACTOR for each section of the Work shall

commence upon receipt of a written Notice to Proceed from the COUNTY subsequent to the execution of the Agreement, and shall be completed within the time stated in the approved Proposal. Preventative Maintenance Services shall be completed upon request from the COUNTY. Preventative Maintenance Report and invoice for services shall be submitted within ten (10) days of completion of the work to facilities.accounts@brevardfl.gov

SECTION V - COMPENSATION

The COUNTY agrees to pay and the CONTRACTOR agrees to accept, for services rendered pursuant to this Agreement, fees and other compensation computed in accordance with the methods outlined in **Attachment "B"** – "Pricing Sheet", and as specified in an approved Proposal:

A. Hourly Rate - the CONTRACTOR shall be compensated per the attached Pricing Sheet (**Attachment "B"**) the negotiated hourly rate for each hour of time engaged directly in the work. The CONTRACTOR will provide a detailed breakdown for hours spent on each individual project.

B. Reimbursable Expenses - The CONTRACTOR shall be compensated for certain work-related expenditures not covered by fees for contracting services, provided such expenditures are previously authorized, in writing, by the COUNTY in an approved Proposal. Miscellaneous expenses such as fax, telephone, copies and tolls will not be included as reimbursable expenses. Upon receipt of satisfactory back up materials, the CONTRACTOR will be compensated for such pre-approved reimbursable expenses on a direct cost basis.

C. At least thirty (30) days prior to each anniversary date of this Agreement either party may request an adjustment to the rates provided for herein to apply in the forthcoming year. Failure of the parties to agree on a new rate schedule shall constitute a basis for issuing a Notice of Termination by the COUNTY. Any proposed change in rates by the CONTRACTOR shall be subject to the prior approval of the COUNTY.

D. In the event CONTRACTOR experiences any delay resulting from circumstances beyond its control, or a change in the scope of work which will result in an increase or decrease in a Proposal's price or time, CONTRACTOR shall provide immediate notice to the COUNTY for consideration of additional compensation or time. Additional compensation shall be limited to direct costs resulting from the delay or change in work as provided in Section V of this Agreement.

SECTION VI - PAYMENT AND PARTIAL PAYMENTS

Subject to the COUNTY'S right to withhold any amounts reasonably necessary to complete or correct defective or substandard work, the COUNTY shall make monthly payments or partial payments to the CONTRACTOR for all authorized work in accordance with the "Florida Prompt Payment Act."

A. The CONTRACTOR shall submit two (2) original, signed Applications for

Payment to the COUNTY. Invoices may be submitted for Preventative Maintenance services.

B. The amount of each Payment Application submitted shall be the amount due for all services performed to date in connection with authorized Work, as certified by the CONTRACTOR. Each Payment Application shall include any authorized reimbursable expenses and must reference the particular Proposal/Project which authorized the services performed. The Payment Application shall be accompanied by copies of invoices for reimbursable expenses, including materials stored on site.

C. Payment Applications shall include a breakdown for each part of the Work billed for each item and personnel as identified on the Pricing Sheet (**Attachment "A"**).

D. The CONTRACTOR shall be responsible for submitting original Release of Liens to the COUNTY for all Notice to Owners on file with the COUNTY. Original, notarized releases must be received by the COUNTY before payments will be processed.

SECTION VII - SCHEDULE OF WORK

The COUNTY shall have the sole right to determine which units or sections of the work the CONTRACTOR shall proceed with first and in what order the work shall occur.

SECTION VIII - RIGHT OF DECISIONS

All services shall be performed by the CONTRACTOR to reasonable professional standards and practices and to the reasonable requirements of the COUNTY. The Facilities Building & Operations Manager, or designee, shall decide and dispose of all claims, questions and disputes arising under this Agreement. In the event the CONTRACTOR does not concur with the decision of the Facilities Building Operations Manager, or designee, the CONTRACTOR shall present any such objections in writing to the Central Services Department Director within ten (10) calendar days and request the issues be referred to a review board of three (3) members selected by the County Manager from Department Directors and Assistant County Managers for review and disposition at a hearing to be held within ten (10) calendar days after receipt of the request for review. This paragraph does not constitute a waiver of either party's right to proceed in a court of competent jurisdiction, provided that prior to filing any suit the CONTRACTOR goes through the review process established in this Agreement and provided further that the CONTRACTOR strictly abides by the ten (10) day time deadline set forth in this paragraph.

SECTION IX - OWNERSHIP OF DOCUMENTS

Possession of all reports, tracing, plans, specifications, maps, contract documents and/or other work products developed by the CONTRACTOR pursuant to this Agreement shall remain with the CONTRACTOR. The COUNTY retains the right of use of these documents at their own risk. When each individual section of work requested pursuant to this Agreement is

complete, all of the above work products shall be delivered to the COUNTY for its use. Notwithstanding the above paragraph, the CONTRACTOR understands its obligations and responsibilities under Section II of this Agreement.

SECTION X - NOTICES

Any notices from the CONTRACTOR to the COUNTY shall be considered delivered when posted by certified mail or delivered in person to Brevard County Facilities at the following address:

Brevard County Board of County Commissioners
Facilities
2725 Judge Fran Jamieson Way, Building A
Viera, Florida 32940

Any notices from the COUNTY to the CONTRACTOR shall be considered delivered when posted by certified mail to the CONTRACTOR at the last address left on file with the COUNTY or delivered in person to said CONTRACTOR.

SECTION XII - AUDIT RIGHTS

The COUNTY or any of its duly authorized representatives reserves the right to audit the records of the CONTRACTOR related to this Agreement at any time during the prosecution of the work included herein and for a period of three (3) years after final payment is made.

Both parties understand that Brevard County is subject to the Florida Public Records Law, Chapter 119, Florida Statutes. "Public Records" are defined "all documents, papers, letters, maps, books, tapes, photographs, films, sound recordings, data processing software, or other material, regardless of the physical form, characteristics, or means of transmission, made or received pursuant to law or ordinance or in connection with the transaction of official business by any agency" Fla. Stat. 119.011(12).

Pursuant to Florida Statute Chapter 119, generally, and 119.0701 specifically, if records created by the COUNTY or the CONTRACTOR related to the performance of the services under this Agreement do not fall under a specific exemption under Florida or federal law, the records - whether created or maintained by the CONTRACTOR or the COUNTY- must be provided to anyone making a public records request. It will be the CONSULTANT'S duty to identify any information in records created by the CONTRACTOR which it deems is exempt under Florida or federal law and identify the statute number which requires the information be held exempt.

A request to inspect or copy public records relating to this Agreement must be made directly to the COUNTY. If the COUNTY does not possess the requested records, the COUNTY shall immediately notify the CONTRACTOR of the request, and the CONTRACTOR must provide the COUNTY with a copy of the requested records or allow the records to be inspected or copied within a reasonable time at a cost that does not exceed the cost provided pursuant to Florida Statute Chapter 119 and Brevard County Board Policy.

Should any person or entity make a public records request of the COUNTY which requires or would require the COUNTY to allow inspection or provide copies of records which the CONTRACTOR maintains are exempt under the Public Records Law or otherwise confidential, it shall be the CONTRACTOR'S obligation to provide the County within a reasonable time of notification by the COUNTY to the CONTRACTOR of the records request, of the specific exemption or confidentiality provision to allow the COUNTY to comply with the requirements of Florida Statute 119.07(1)(e) and (f). Should the COUNTY face any kind of legal action to require or enforce inspection or production of any records provided by the CONTRACTOR to the COUNTY which the CONTRACTOR maintains are exempt or confidential from such inspection/production as a public record, the CONTRACTOR shall hire and compensate attorney(s) who shall represent the interests of the COUNTY as well as the CONTRACTOR in defending such action. The CONTRACTOR shall also pay any costs to defend such action and shall pay any costs and attorney's fees which may be awarded pursuant to Fla. Stat. 119.12.

Should the CONTRACTOR fail to provide the public records to the COUNTY within a reasonable time, the CONTRACTOR is subject to penalties under s.119.10.

The CONTRACTOR shall ensure that all public records that are exempt or confidential and exempt from public records disclosure requirements are not disclosed except as authorized by law for the duration of the Agreement term and following completion of the Agreement if the CONTRACTOR does not transfer the records to the COUNTY.

Upon completion of the Agreement, the CONTRACTOR shall transfer, at no cost, to the COUNTY all public records in possession of the CONTRACTOR or keep and maintain public records required by the COUNTY to perform the service. If the CONTRACTOR transfers all public records to the COUNTY upon completion of the Agreement, the CONTRACTOR shall destroy any duplicate public records that are exempt or confidential and exempt from public records disclosure requirements. If the CONTRACTOR keeps and maintains public records upon completion of the Agreement, the CONTRACTOR shall meet all applicable requirements for retaining public records. All records stored electronically must be provided to the COUNTY, upon request from the COUNTY's custodian of public records, in a format that is compatible with the information technology systems of the COUNTY.

IF THE CONTRACTOR HAS QUESTIONS REGARDING THE APPLICATION OF CHAPTER 119, FLORIDA STATUTES, TO THE CONTRACTOR'S DUTY TO PROVIDE PUBLIC RECORDS RELATING TO THIS CONTRACT, CONTACT THE CUSTODIAN OF PUBLIC RECORDS AT (321) 633-2050.

SECTION XIII - SUBCONTRACTING

The CONTRACTOR shall not subcontract, assign, or transfer any work under this Agreement without the prior written approval of the COUNTY. When applicable, the CONTRACTOR shall include/disclose the names of any subcontracted firms responsible for

major portions (or separate specialty) of the work to be included in any applicable proposal for Work identifying the Work or service to be provided by the subcontracted firm.

SECTION XIV - CONTINGENT FEES

The CONTRACTOR represents that no person or company was employed or retained to solicit or secure this Agreement upon an agreement or understanding for a commission, percentage, brokerage or contingent fee, excepting bona fide employee, any fee commission, contribution, donation, gift or any other consideration, contingent upon, or resulting from award of this Agreement. For any breach violation of this provision, the COUNTY shall have the right to terminate this Agreement, without liability, and, at its discretion, to deduct from the contract price or otherwise recover, the full amount of such fee, commission, percentage, gift or consideration and any damages and shall be responsible for reporting the details of such breach or violation to the proper legal authorities where and when appropriate.

SECTION XV - TERMINATION/MODIFICATION OF AGREEMENT

A. The COUNTY or the CONTRACTOR may terminate this Agreement upon thirty (30) days written notice, provided that any outstanding approved Project, upon which a Notice to Proceed has been issued, is completed by the CONTRACTOR.

B. In the event of termination by either party, the COUNTY'S sole obligation to the CONTRACTOR shall be payment for those portions of satisfactorily, completely performed work previously authorized by approved Proposal. Such payment shall be determined on the basis of hours of work performed by the CONTRACTOR and agreed upon by the COUNTY up to the time of termination. In the event of such termination, the COUNTY may, without penalty or other obligation to the CONTRACTOR, elect to employ other persons to perform the same or similar services.

C. The terms of this Agreement may be modified upon the mutual agreement of the CONTRACTOR and the COUNTY as confirmed in writing.

D. In the event that the CONTRACTOR changes his name, merges with another company, becomes a subsidiary or makes other substantial change in structure or in principals, the COUNTY reserves the right to terminate this Agreement subject to the terms prescribed above.

SECTION XVI - DURATION OF AGREEMENT

This Agreement shall remain in full force and effect for a period of one (1) year after its date of execution; however, the Contractor shall complete any work for which a Notice to Proceed has been issued within the one year period and, and shall be compensated pursuant to Attachment "A". The performance of specially and properly authorized projects may extend beyond the Agreement's one-year effective term and shall be compensated in accordance with Section V hereof. In addition, subject to the COUNTY'S sole discretion this Agreement may be extended in one (1) year increments for up to three (3) years beyond the initial one (1) year period of the Agreement only if no change in price is proposed by the CONTRACTOR.

Modifications and/or changes to this Agreement, including Attachment "A" Pricing Sheet, will require approval by the Brevard County Board of County Commissioners.

SECTION XVII - DEFAULT

In the event the CONTRACTOR fails to comply with the provisions of this Agreement, the COUNTY may declare the CONTRACTOR in default by written notification. In the event partial payment has been made for services not completed, the CONTRACTOR shall return any sums due to the COUNTY as a result of CONTRACTOR'S default within ten (10) days after notice and demand that said sums are due. The CONTRACTOR shall not be compensated for any deficient services which have been performed at the time the COUNTY declares a default. The COUNTY shall pay for only that portion, if any, of the satisfactorily performed work which is used or useful by any other consultant retained by the COUNTY to finish the work to the extent that the COUNTY does not incur additional costs over those set forth in the CONTRACTOR'S canceled Task Order.

Any default by the COUNTY for cause which is later determined to be invalid shall be considered a termination by the COUNTY for convenience and compensated as provided in Section XV.

SECTION XVIII - INDEMNIFICATION AND INSURANCE

The CONTRACTOR shall provide insurance policies with insurers acceptable to the COUNTY. The CONTRACTOR shall provide and maintain at all times during the terms of the Agreement, without cost or expense to the COUNTY, policies of insurance which shall cover the CONTRACTOR for any and all claims, demands, and expenses whatsoever, including defense and causes for action for general damages, bodily injury and property damage arising out of or to the extent caused by negligent acts, errors or omissions of the CONTRACTOR. Said policies shall provide limits in the amount not less than $1,000,000.00 per occurrence to cover any and all claims arising in connection with any particular accident or occurrence. The COUNTY shall be named an additional insured under this policy for Work that is performed pursuant to this Agreement.

The CONTRACTOR shall provide and maintain Workers' Compensation insurance (for statutory limits) for all workers to provide services under the scope of this Agreement.

The CONTRACTOR shall provide the COUNTY with Certificates of Insurance on all policies of insurance within ten (10) days of execution of this Agreement, and any renewals thereof within ten (10) days of renewal. The COUNTY shall be entitled to thirty (30) days written notice of any changes or cancellations of said policies. These insurance requirements shall not relieve or limit the liability of the CONTRACTOR. The COUNTY does not in any way represent that these types or amounts of insurance are sufficient or adequate to protect the CONTRACTOR'S interests or liabilities, but are merely minimums.

The CONTRACTOR agrees to indemnify, defend and hold the COUNTY harmless against any and all claims, causes of action or liability for bodily injury, sickness, disease, death or personal injury or damage to property or loss of use resulting therefrom to the extent caused by negligent acts, errors or omissions of the CONTRACTOR. The CONTRACTOR agrees to

indemnify and pay on behalf of the COUNTY the cost of the COUNTY'S legal defense of all claims described herein. Such payment on behalf of the COUNTY shall be in addition to any and all other legal remedies available to the COUNTY and shall not be considered to be the COUNTY'S exclusive remedy. It is agreed by the parties hereto that specific consideration has been paid under this Agreement for this hold harmless provision.

SECTION XIX - QUALITY CONTROL

The CONTRACTOR shall provide a high level of quality control and accuracy. The COUNTY may request additional data collection or re-analysis of data at no expense to the COUNTY. If the original data collected and/or the data analysis is found to be accurate and reasonable, the CONTRACTOR shall be compensated for the additional work in accordance with Section V of this Agreement.

The CONTRACTOR acknowledges that the COUNTY will periodically evaluate the CONTRACTOR'S performance and that the evaluation will be used by the COUNTY in determining the CONTRACTOR'S qualifications for future work under this Agreement with the COUNTY and for future contracts with the COUNTY.

SECTION XX - NON EXCLUSIVE AGREEMENT

The parties acknowledge that this Agreement is not an exclusive Agreement and the COUNTY may employ other contractors, engineers, professional or technical personnel to furnish services for the COUNTY, as the COUNTY, in its sole discretion, finds is in the public interest.

The COUNTY reserves the right to assign such work to the CONTRACTOR as it may approve in the sole discretion of the COUNTY.

SECTION XXI - TRUTH IN NEGOTIATIONS

In accordance with the provisions of Chapter 287.055, Florida Statutes, the CONTRACTOR agrees to execute a truth-in-negotiations certificate (Attachment "B") and agrees the original contract price and any additions may be adjusted to exclude any significant sums by which the contract price was increased due to inaccurate, incomplete or non-current wage rates and other factual unit costs.

SECTION XXII - INTEREST OF OFFICERS AND OTHERS

No officers, members or employees of the COUNTY, and no members of its governing body, and no other public official of the governing body of the locality or localities in which services for the facilities are situated or carried out, who exercised any functions or responsibilities in the review or approval of the undertaking or carrying out of this project, shall participate in any decision relating to this Agreement which affects their personal interest, or have any personal or pecuniary interest, direct or indirect, in this Agreement or the proceeds thereof.

SECTION XXIII - INTEREST OF CONTRACTOR

The CONTRACTOR covenants that it presently has no conflict of interest and shall not

acquire any interest, direct or indirect, which shall conflict in any manner or degree with the performance of services required to be performed under this Agreement. The CONTRACTOR further covenants that in the performance of this Agreement no person having any such interest shall be employed.

SECTION XXIV - ASSIGNMENT AND GOVERNING LAW

Neither the COUNTY nor the CONTRACTOR shall assign his interest in this Agreement without the written consent of the other except as to the assignment of proceeds. This Agreement shall be governed by the Laws of the State of Florida.

Venue: Venue for any legal action brought by any party to this Agreement to interpret, construe or enforce this Agreement shall be in a court of competent jurisdiction in and for Brevard County, Florida.

Severability: If any provision of this Agreement is held by a Court of competent jurisdiction to be invalid, void, or unenforceable, the remaining provisions shall nevertheless continue in full force without being impaired.

Attorney's Fees: In the event either party must undertake legal action to enforce any provision of this contract, each party shall bear their own attorney's fees and costs, and any trial shall be non-jury.

SECTION XXV - ENTIRETY OF AGREEMENT

This writing, together with the original Request for Proposal, Addenda, approved Proposals and signed Notice to Proceeds that may follow, embody the entire Agreement and understanding between the parties hereto, and there are no other agreements and understandings, oral or written, with reference to the subject matter hereof that are not merged herein.

No alteration, change or modification of the terms of this Agreement shall be valid unless made in writing, signed by both parties hereto as an addendum to this Agreement.

IN WITNESS WHEREOF, the parties have hereunto set their hands and seals on the day and year first above written.

ATTEST:

Scott Ellis, Clerk

BREVARD COUNTY BOARD OF COUNTY COMMISSIONERS:

Rita Pritchett, Chair
As Approved By the Board: _____

WITNESS:

By:

Tech Systems, Inc,

By:

STATE OF FLORIDA §
COUNTY OF _____§

I HEREBY CERTIFY that before me, an officer duly authorized to take acknowledgments, personally appeared _____ who is personally known to me or provided _____ as identification and who did (did not) take an oath, acknowledged before me that they executed the within instrument freely and voluntarily for the purposes therein expressed.

WITNESS my hand and official seal in the State and County last aforesaid this ___day of 201___.

_____
(SEAL) Signature

_____
Notary Name (typed or printed)

ATTACHMENT "A"

FEMA CLAUSES AND CERTIFCATIONS

During the performance of this Agreement, the CONSULTANT agrees as follows:

1. The CONTRACTOR will not discriminate against any employee or applicant for employment because of race, color, religion, sex, or national origin. The CONTRACTOR will take affirmative action to ensure that applicants are employed, and that employees are treated during employment, without regard to their race, color, religion, sex or national origin. Such action shall include, but not be limited to the following: employment, upgrading, demotion, or transfer; recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship. The CONTRACTOR agrees to post in conspicuous places, available to all employees and applicants for employment, notices to be provided setting forth the provisions of this non-discrimination clause.

2. The CONTRACTOR will, in all solicitations or advertisements for employees placed by or on behalf of the CONTRACTOR, state that all qualified applicants will receive consideration for employment without regard to race, color, religion, sex or national origin.

3. The CONTRACTOR will send to each labor union or representative of workers with which he has a collective bargaining agreement or other contract or understanding, a notice to be provided advising the said labor union or worker's representatives of the CONTRACTOR's commitments under this section, and shall post copies of the notice in conspicuous places available to employees and applicants for employment.

4. The CONTRACTOR will comply with all provisions of Executive Order 11246 of September 24, 1965, and the rules, regulations and relevant orders of the Secretary of Labor.

5. The CONTRACTOR will furnish all information and reports required by Executive Order 11246 of September 24, 1965, and by rules, regulations, and orders of the Secretary of Labor, or pursuant thereto, and will permit access to its books, records, and accounts by the administering agency and the Secretary of Labor for purposes of investigation to ascertain compliance with such rules, regulations and orders.

6 In the event of the CONTRACTOR's non-compliance with the non-discrimination clauses of this Agreement or with any of the said rules, regulations, or orders, this Agreement may be canceled, terminated, or suspended in whole or in part and the CONTRACTOR may be declared ineligible for further Government contracts or federally assisted construction contracts in accordance with procedures authorized in Executive Order 11246 of September 24, 1965, and such other sanctions as may be imposed and remedies invoked as provided in Executive Order of September 24, 1965, or by rule, regulation, or order of the Secretary of Labor, or as otherwise provided by law.

7. The CONTRACTOR will include the portion of the sentence immediately preceding paragraph (1) and the provisions of paragraphs (1) through (7) in every subcontract or purchase order unless exempted by rules, regulations, or orders of the Secretary of Labor issued pursuant to section 204 of Executive Order 11246 of September 24, 1965, so that such provisions will be binding upon each subcontractor or vendor. The CONTRACTOR will take such action with respect to any subcontract or purchase order as the administering agency may direct as a means of enforcing such provisions, including sanctions for noncompliance, provided, however, that in the event the CONTRACTOR becomes involved in, or is threatened with, litigation with a subcontractor or vendor as a result of such direction by the administering agency the CONTRACTOR may request the United States to enter into such litigation to protect the interests of the United States.

8. **Clean Air Act and the Federal Water Pollution Control Act**: (For all contracts in excess of $150,000)

   A. **Clean Air Act** –

      i. The CONTRACTOR agrees to comply with all applicable standards, orders or regulations issued pursuant to the Clean Air Act, as amended, 42 U.S.C. § 7401 et seq.

      ii. The CONTRACTOR agrees to report each violation to the COUNTY through its Facilities Department and understands that the Brevard County Facilities Department will, in turn, report each violation as required to assure notification to the Federal Emergency Management Agency, and the appropriate Environmental Protection Agency Regional Office.

      iii. The CONTRACTOR agrees to include these requirements in each subcontract exceeding $150,000 financed in whole or in part with Federal assistance provided by FEMA.

   B. **Federal Water Pollution Control Act** -

      i. The CONTRACTOR agrees to comply with all applicable standards, orders or regulations issued pursuant to the Federal Water Pollution Control Act, as amended, 33 U.S.C. 1251 et seq.

      ii. The CONTRACTOR agrees to report each violation to the COUNTY through its Facilities Department and understands and agrees that the Brevard County Facilities Department will, in turn, report each violation to assure notification to the Federal Emergency Management Agency, and the appropriate Environmental Protection Agency Regional Office.

      iii. The CONTRACTOR agrees to include these requirements in each subcontract exceeding $150,000 financed in whole or in part with Federal assistance provided by FEMA.

9. **Suspension and Debarment**:

   A. This Agreement is a covered transaction for purposes of 2 C.F.R. pt. 180 and 2 C.F.R. pt. 3000. As such the CONTRACTOR is required to verify that neither the CONTRACTOR, its principals (defined at 2 C.F.R. § 180.995), or its affiliates

(defined at 2 C.F.R. § 180.905) are excluded (defined at 2 C.F.R. § 180.940) or disqualified (defined at 2 C.F.R. § 180.935).

B. The CONTRACTOR must comply with 2 C.F.R. pt. 180, subpart C and 2 C.F.R. pt. 3000, subpart C and must include a requirement to comply with these regulations in any lower tier covered transaction it enters into.

C. This certification is a material representation of fact relied upon by the COUNTY. If it is later determined that the CONTRACTOR did not comply with 2 C.F.R. pt. 180, subpart C and 2 C.F.R. pt. 3000, subpart C, in addition to remedies available to the State of Florida (Division of Emergency Management) and the County, the Federal Government may pursue available remedies, including but not limited to suspension and/or debarment.

D. The CONTRACTOR agrees to comply with the requirements of 2 C.F.R. pt.180, subpart C and 2 C.F.R. pt. 3000, subpart C while this Agreement is valid. The CONTRACTOR agrees to include a provision requiring such compliance in its lower tier covered transactions.

10. **Byrd Anti-Lobbying Amendment, 31 U.S.C. . § 1352 (as amended):**

Contractors who apply or bid for an award of $100,000 or more shall file the required certification. Each tier certifies to the tier above that it will not and has not used Federal appropriated funds to pay any person or organization for influencing or attempting to influence an officer or employee of any agency, a member of Congress, officer or employee of Congress, or an employee or a member of Congress in connection with obtaining any Federal contract, grant, or any other award covered by 31 U.S.C. § 1352. Each tier shall also disclose any lobbying with non-Federal funds that takes place in connection with obtaining any Federal award. Such disclosures are forwarded from tier-to-tier up to the recipient.

11. **Procurement of Recovered Materials**:

In the performance of this Agreement, the CONTRACTOR shall make maximum use of products containing recovered materials that are EPA-designated items unless the product cannot be acquired:

A. Competitively within a timeframe providing for compliance with the Agreement performance schedule;

B. Meeting Agreement performance requirements; or

C. At a reasonable price.

Information about this requirement, along with the list of EPA-designate items, is available at EPA's Comprehensive Procurement Guidelines website at https://www.epa.gov/smm/comprehensive-procurement-guideline-cpg-program.

12. **Additional FEMA Requirements**:

A. **Access to Records**:

i. The CONTRACTOR agrees to provide the COUNTY, the FEMA Administrator, the Comptroller General of the United States, or any of their authorized representatives access to any books, documents, papers and records of the CONSULTANT which are directly pertinent to this Agreement for the purposes of making audits, examinations, excerpts and transcriptions.

ii. The CONTRACTOR agrees to permit any of the foregoing parties to reproduce by any means whatsoever or to copy excerpts and transcriptions as reasonably needed.

iii. The CONTRACTOR agrees to provide the FEMA Administrator or his authorized representative access to construction or other work sites pertaining to the work being completed under the Agreement.

B. **DHS (Department of Homeland Security) Seal, Logo and Flags**:

The CONTRACTOR shall not use DHS seal(s), logos, crests, or reproductions of flags or likenesses of DHS agency officials without specific FEMA pre-approval.

C. **Compliance with Federal Law, Regulations and Executive Orders**:

The CONTRACTOR acknowledges that FEMA financial assistance will be used to fund this Agreement and resulting Agreements only. The CONTRACTOR will comply with all applicable federal law, regulations, executive orders, FEMA policies, procedures and directives.

D. **No Obligation by Federal Government**:

The Federal Government is not a party to this Agreement and is not subject to any obligations or liabilities to the non-Federal entity, CONTRACTOR, or any other party pertaining to any matter resulting from the Agreement.

E. **Fraud and False or Fraudulent or Related Acts**:

The CONTRACTOR acknowledges that 31 U.S.C. Chap. 38 (Administrative Remedies for False Claims and Statements) applies to the CONSULTANT's actions pertaining to this Agreement.

ATTACHMENT "B"

RFP-4-18-12
PRICING SHEET
TECH SYSTEMS, INC.

HOURLY RATE FOR LABOR

DESCRIPTION	HOURLY RATE
FOREMAN	$24.50
ROOFER	$22.50
ROOFER APPRENTICE	$ 8.25
METAL INSTALLER	$22.00
METAL INSTALLER APPRENTICE	$ 8.25
LABORER	$ 8.25

PREVENTATIVE MAINTENANCE

ANNUAL PREVENTATIVE MAINTENANCE, PER PM SERVICE, PER FACILITY	$795.00

MATERIALS

All materials furnished by the Contractor if and when requested by Brevard County Facilities Department shall be the Contractor's actual cost plus **2%**

ATTACHMENT "C"

PUBLIC ENTITY CRIME AFFIDAVIT

A person or affiliate who has been placed on the convicted vendor list following a conviction for a public entity crime may not submit a bid/quote/proposal on a contract to provide goods or services to a public entity, may not submit a bid/quote/proposal on a contract with a public entity for the construction or repair of a public building or public work, may not submit bids/quotes/proposals on leases of rental property to a public entity, may not be awarded or perform work as a contractor, supplier, subcontractor, or consultant under a contract with any public entity, and may not transact business with any public entity in excess of the threshold amount provided in Section 287.017, for CATEGORY TWO for a period of 36 months from the date of being placed on the convicted vendor list.

September 30, 2021

CONTRACT AGREEMENT

THIS AGREEMENT, submitted between TECH SYSTEMS INC., hereinafter called the Contractor and CITY OF COCOA, hereinafter called the Owner:

WHEREAS, that the Contractor and the Owner for the consideration hereinafter named agree as follows:

The Contractor shall furnish all of the materials and perform all of the work in a workmanlike manner on the following property to wit:

Dyal Water Treatment Plant
28400 FL-520
Christmas, FL 32709



Tech Systems Inc.
1801 North Wickham Road, Suite #3
Melbourne, FL 32935
Phone: 321.259.2246 | Fax: 321.255.0291
www.techsystemsflorida.com

Scope of Work

1. Remove existing roof system down to the metal deck. Discard all debris.

2. Install new aluminum retrofit roof drains.

3. Install tapered polyiso insulation to promote positive water drainage to existing drain locations.

4. Install a twenty (20) year NDL warranted two-ply modified roof system consisting of a smooth base layer and a heavyweight granulated surface cap sheet per manufacturer's specifications.

5. Wall flashing surfaces to be flashed with modified bitumen membrane; roof penetrations and silos to be flashed with fluid applied flashing. All flashings to be done per manufacturer's specifications.

6. Install new mil-finish aluminum counter flashings, edge metal, gutters, and downspouts as needed.

Special Conditions

1. Owner to furnish electrical power, water, and ground storage area.

2. Contractor shall be responsible for all damage and theft of tools and materials stored on the site.

3. It is understood that Contractor shall not be held responsible for any damage to the interior of the building or its contents unless caused by Contractor's negligence. Contractor to take all necessary precautions for temporary weather protection of the building during the roof replacement to protect indoor mechanical equipment from the elements.

4. Owner and Contractor will agree on any changes of specifications before any additional work is done.

5. This contract can be modified only if Owner and Contractor sign a later agreement, which sets forth the changes agreed to. If there are any work modifications the resulting cost or credit to Owner will be included in that agreement.

6. Precautionary measures will be taken to protect the premises from damage, but please be aware that heavy loads on truck and cranes are necessary to deliver and remove material on your job. Concrete and most other driveway and sidewalk materials many times are not able to withstand this weight without cracking. Therefore, neither Tech Systems, Inc., nor

our material supplier, will assume responsibility for cracking or breaking of driveways, sidewalks, curbs, etc., which may occur.

7. Contractor shall not be held responsible for any damage as a result of movement in decking during re-roof projects. Contractor not responsible for any damage or punctures to A/C lines, electrical lines, cables, and/or plumbing items on the underneath side of the roof decking. Contractor not responsible for any damage to awnings, soffit, screen enclosures, stucco, drywall, landscaping, or pavers.

8. Any electrical, mechanical, or plumbing work, other than specified, to be completed by Owner, if needed.

9. Contract is contingent upon approval by the Building Department, pull tests, and the material manufacturer, if applicable.

10. Force Majeure Clause – any material cost increases incurred after Contract signing due to recent price increases by suppliers will be passed on to the Owner within reason with necessary back-up data.

11. Existing stainless-steel flashings to be re-used if possible.

12. Wood Replacement Costs

1x4s	$10.50 per lineal foot
2x4s	$11.25per lineal foot
2x6s	$12.75 per lineal foot
2x8s	$14.25 per lineal foot
1x2s	$7.75 per lineal foot
1x6s	$12.00 per lineal foot
1x8s	$12.75 per lineal foot
1x12 fascia	$14.25 per lineal foot
plywood	$5.25 per square foot

<u>Permits and Fees</u>

1. Owner to be responsible for preparing a Notice of Commencement for job and sending it to Tech Systems Inc. for permit processing.

2. Contractor shall provide all necessary permits for the execution of this contract and comply with any state or county licensing requirements. Contractor to pay notice of commencement and permit fees and provide submittals and copies of permits to Owner as requested.

Insurance

1. Provisions shall be made to protect all property from damage and the public against hazard or injury. All property damaged as a result of this work shall be restored or repaired by Contractor at his expense.

2. Contractor shall submit statement of insurance coverage and comply with Owner's requirement and agrees to keep said insurance in force for the duration of this contract.

3. Contractor shall hold Owner harmless for any accidents occurring to his employees.

Warranty

1. Provide to Owner a twenty (20) year NDL (no dollar limit) labor and material system warranty.

Labor	Rate	Hours	
Foreman	$ 24.50	560	$ 13,720.00
Roofer	$ 22.50	2800	$ 63,000.00
Total Labor			*$ 76,720.00*
Material			
Cost of Material			$ 165,512.70
2% mark-up			$ 3,310.25
			$ 168,822.96
Contract Price			**$ 245,542.96**

All work and pricing to be done in accordance with Brevard County Continuing Roofing Contracting Services: P-4-18-12.

Tech Systems Inc.
1801 North Wickham Road, Suite #3
Melbourne, FL 32935
Phone: 321.259.2246 | Fax: 321.255.0291
www.techsystemsflorida.com

Payment Schedule

1. Periodic progress payments to be made for materials stored on site and work in progress.

2. The total contract price is effective as of the above date and shall remain so for a period of sixty (60) days, after such time the price is subject to change without notice.

IN WITNESS WHEREOF, we have executed this Agreement this _____day of _____ _____, 2021.

TECH SYSTEMS INC.	OWNER'S AGENT
_____	_____
_____	_____

Tech Systems Inc.
1801 North Wickham Road, Suite #3
Melbourne, FL 32935
Phone: 321.259.2246 | Fax: 321.255.0291
www.techsystemsflorida.com

STANDARD FORM FOR NEW PIGGYBACK CONTRACTS

The **City of Cocoa,** a Florida Municipal Corporation "City" enters this "Piggyback" Contract with **Tech Systems Inc.** hereinafter referred to as the "Vendor ", under the terms and conditions hereinafter provided. The City and the Vendor agree as follows:

1. The Financial Operations Manual (FOM) for the City of Cocoa allows for "piggybacking " contracts. Pursuant to this procedure, the City is allowed to piggyback an existing government contract, and there is no need to obtain formal or informal quotations, proposals or bids. The parties agree that the Vendor has entered a contract with **Brevard County – Facilities Department**, said contract being identified as: **RFP-4-18-12 Continuing Roofing Contracting Services** (said original contract being referred to as the "original government contract").

2. The original government contract is incorporated herein by reference and is attached as **Exhibit "A"** to this Contract. All of the terms and conditions set out in the original government contract (Exhibit "A") are fully binding on the parties and said terms and conditions are incorporated herein.

3. Notwithstanding the requirement that the original government contract is fully binding on the parties, the parties have agreed to modify certain technical provisions of the original government contract as applied to this Contract between the Vendor and the City of Cocoa, as follows:

a) Time Period ("Term") of the Agreement:

Exp. 7/11/21 ; renewal option ONE (1) yr. under orginal terms & conditions.

b) Insurance Requirements:

COMMERCIAL GENERAL LIABILITY INSURANCE MINIMUM REQUIREMENTS FOR CONTRACTS VALUED AT LESS THAN $15,000:

It is required that individuals and firms contracting with the City of Cocoa, where the total contract or job value is LESS than $15,000, maintain Commercial General Liability insurance with a minimum per occurrence limit of not less than $200,000 per person and $300,000 each occurrence, and property damage insurance of at least $200,000 each occurrence and with a deductible amount not greater than $1,000. It is further required that the City of Cocoa, be named as an additional insured to the contractor's CGL policy, and that proof of same in the form of a certificate of insurance be submitted before work is begun.

COMMERCIAL GENERAL LIABILITY INSURANCE MINIMUM REQUIREMENTS FOR CONTRACTS VALUED AT $15,000 OR MORE:

It is required that individuals and firms contracting with the City of Cocoa, where the total contract or job value is $15,000 or MORE, maintain Commercial General Liability insurance with a minimum per occurrence limit of not less than $2,000,000 as the combined single limit for each occurrence and with a deductible not greater than $5,000 or as otherwise approved in writing by the City Manager. It is further required that the City of Cocoa be named as an additional insured to the Contractor's CGL policy, and that proof of same in the form of a certificate of insurance be submitted before work is begun.

AUTOMOBILE LIABILITY INSURANCE MINIMUM REQUIREMENTS FOR ALL CONTRACTS:

The Contractor shall maintain comprehensive automobile liability insurance in the minimum amount of $1,000,000 combined single limit bodily injury and minimum $1,000,000 property damage as the combined single limit for each occurrence to protect the Contractor from claims for damages for bodily injury, including wrongful death, as well as from claims from property damage, which may arise from the ownership, use, or maintenance of owned and non-owned automobiles, including rented automobiles whether such operations be by the Contractor or by anyone directly or indirectly employed by the Contractor.

PROFESSIONAL LIABILITY INSURANCE MINIMUM REQUIREMENTS FOR ALL PROFESSIONALS AS DEFINED BY FLORIDA STATUTE:

Professionals and professional corporations, associations, and firms who contract with the City of Cocoa to provide professional services are required to maintain Professional Liability Insurance and submit proof of same in the form of a certificate of insurance before work is begun.

ENVIRONMENTAL IMPAIRMENT INSURANCE MINIMUM REQUIREMENTS:

Individuals or firms who contract with the City of Cocoa to provide excavation or construction type services and who will be locating portable fuel or lubricant storage tanks at the job site or who will be storing or using hazardous chemicals on the job site are required to maintain Environmental Impairment Insurance of "Pollution Insurance" with a limit of not less than $1,000,000 per occurrence and submit proof of same in the form of a certificate of insurance or an endorsement to their General Liability policy showing a pollution exclusion exception for each specific work product or storage container before work is begun. Contracts with such firms shall include a provision that they work in compliance with the OSHA Hazardous Communication Standard and Florida Department of Environmental Protection guidelines and supply all information about hazardous chemical being brought onto City property as required by the City's Safety and Loss Control Program.

WORKERS' COMPENSATION INSURANCE MINIMUM REQUIREMENTS:

It is required that firms employing four or more people who contract with the City of Cocoa maintain Workers' Compensation Insurance at the statutory limits and employer liability insurance and submit proof of same in the form of a certificate of insurance before work is begun.

It is required that firms employing less than four people who contract with the City of Cocoa comply with the exemption and notice provisions of F.S. 440 and maintain employer liability insurance and submit proof of same in

the form of a certificate of insurance before work is begun.
However, if you are a corporate officer of a corporation that is actively engaged in the construction industry, or a sole proprietor or partner who is actively engaged in the construction industry, then the exemption will not apply to any work performed at a commercial building project valued at $250,000 or greater and you must secure workers' compensation coverage in accordance with F.S. 440.38 and these general conditions and submit proof of same in the form of a certificate of insurance before work is begun.

COMPREHENSIVE BUILDER RISK INSURANCE:

The Contractor shall maintain comprehensive builder risk insurance, which shall cover Contractor's labor, and any materials and equipment to be used for completion of the Work performed under this Agreement, against all risks of direct physical loss, excluding earthquake and flood, for a minimum amount of $2,000,000. Contractor shall maintain the builder risk insurance required by this subsection until the date a certificate of occupancy is issued issuance of a certificate of occupancy for the Work.

DURATION OF CONTRACTS-NAMED INSUREDS-LIABILITY INSURANCE:

For contracts exceeding time periods of 30 days, it is required that the contractor name the City of Cocoa as an additional insured on their Liability Insurance policies and submit proof of same in the form of a certificate of insurance before work is begun. A copy of a current Certificate of Insurance shall be provided to the City by Contractor upon the Effective Date of this Agreement which satisfied the insurance requirements of this Article. Renewal certificates shall be sent to the City 30 days prior to any expiration date. The certificates and policies shall provide that in the event of any material change in or cancellation of the policies reflecting the required coverage, thirty days advance notice shall be given to the City and the State of Florida, Department of Transportation, or as provided in accordance with Florida law.

c) Any other provisions that will be modified:

N/A

d) Address change for the City of Cocoa: Notwithstanding the address and contact information for the government entity as set out in Exhibit "A," the Vendor agrees that he/she/it will send notices, invoices and will conduct all business with the City of Cocoa, attention of Accounts Payable at 65 Stone Street, Cocoa Florida 32922, telephone number (321) 433-8633 , facsimile number (321) 433-8608 and email accontspayable@cocoafl.org

e) Notwithstanding anything in Exhibit "A" to the contrary, the venue of any dispute will be in Brevard County, Florida. Litigation between the parties arising out of this contract must be in Brevard County,

Florida in the Court of appropriate jurisdiction. The law of Florida will control any dispute between the parties arising out of or related to this Piggyback Contract, the performance thereof or any products or services delivered pursuant to such contract.

f) Notwithstanding any other provision in Exhibit "A" to the contrary, there shall be no arbitration with respect to any dispute between the parties arising out of this Contract. Dispute resolution shall be through voluntary and non-binding mediation, negotiation or litigation in the Court of appropriate jurisdiction in Brevard County, Florida, with the parties bearing the costs of their own legal fees and related costs with respect to any dispute resolution, including litigation.

g) All other provisions in the original government contract (Exhibit "A") are fully binding on the parties and will represent the agreement between the City of Cocoa and the Vendor.

4. This contract is not a requirements agreement nor is it an exclusive agreement. Accordingly, the City of Cocoa reserves the right to purchase the goods or services that are the subject hereof from any alternative vendor during the contract term, regardless of contrary language in the underlying contract that is being piggybacked.

Entered this 3rd day of August 2020

VENDOR
By: Thomas Camp
Title: President
Date: 8/3/2020

Attested by:
Name: Jennifer C. Hillhouse, VP

CITY OF COCOA

By: _____, City Manager
(For purchases up to the limit of the City Manager ' s purchase order authority, this signature alone as attested will be sufficient)

By: _____, Mayor
(For purchases in excess of the City Manage r' s purchase order authority)

Attested By: City Clerk

WRITTEN NOTIFICATION OF CONTRACT RENEWAL

Notice is hereby given to TECH SYSTEMS, INC. by the BOARD OF COUNTY COMMISSIONERS OF BREVARD COUNTY, FLORIDA, this 18th day of February, 2020, the Agreement previously entered into by and between Tech Systems, Inc. and the Board of County Commissioners dated July 12, 2018. Agreement shall be renewed pursuant to the notification provisions sets forth therein, for an additional one (1) year period, **beginning July 12, 2020 through July 11, 2021** under the same terms and conditions otherwise expressed herein.

EXECUTED ON BEHALF OF THE BOARD OF
COUNTY COMMISSIONERS, BREVARD COUNTY, FL

Bryan Lober, Chair

As approved by the Board: 08/14/2018

Florida's Space Coast

Facilities Department
2725 Judge Fran Jamieson Way, Suite A207
Viera, FL 32940-6605

(321) 633-2050
FAX: (321) 633-2051

January 28, 2020

Tech Systems, Inc.
Mr. Tom Camp
1801 N. Wickham Road, Suite 3
Melbourne, Florida 32935

RE: RFP-4-18-12 Continuing Roofing Contracting Services
Annual Renewal

Dear Mr. Camp:

This letter is to notify you of the intent to renew RFP-4-18-12 Continuing Roofing Contracting Services. The effective dates of this renewal will be **07/12/2020** to **07/11/2021**.

If Tech Systems, Inc. **is interested** in continuing this contract for an additional one (1) year under the same terms, prices and conditions, please respond by signing to the understanding of renewal.

I Thomas Camp *of* Tech Systems Inc. *agree to renew subject contract through 07/11/2021 under the same terms, prices and conditions.*

If Tech Systems, Inc. **is not interested** in renewing this contract, please complete and sign the following statement.

I _____ *of* _____ *do not agree to renew subject contract.*

_____ 1/31/2020
Authorized Vendor Signature Date

We look forward to continuing this relationship with your Company. As always, should you have any questions please do not hesitate to contact our office at (321) 633-2050.

Sincerely,

Mary Bowers

Mary Bowers
Support Services Manager

WRITTEN NOTIFICATION OF CONTRACT RENEWAL

Notice is hereby given to TECH SYSTEMS, INC. by the BOARD OF COUNTY COMMISSIONERS OF BREVARD COUNTY, FLORIDA, this 6th day of June, 2019, the Agreement previously entered into by and between Tech Systems, Inc. and the Board of County Commissioners dated July 12, 2018, shall be renewed pursuant to the notification provisions set forth therein, for an additional one (1) year period, **beginning July 12, 2019 through July 11, 2020** under the same terms and conditions otherwise expressed herein.

EXECUTED ON BEHALF OF THE BOARD OF COUNTY COMMISSIONERS, BREVARD COUNTY, FLORIDA

Kristine Isnardi, Chair

As approved by the Board: August 14, 2018

Florida's Space Coast

Facilities Department
2725 Judge Fran Jamieson Way, Suite A207
Viera, FL 32940-6605

(321) 633-2050
FAX: (321) 633-2051

May 10, 2019

Tech Systems, Inc.
Mr. Tom Camp
1801 N. Wickham Road, Suite 3
Melbourne, Florida 32935

RE: RFP-4-18-12 Continuing Roofing Contracting Services
Annual Renewal

Dear Mr. Camp:

This letter is to notify you of the intent to renew RFP-4-18-12 Continuing Roofing Contracting Services. The effective dates of this renewal will be **07/12/2019** to **07/11/2020**.

If Tech Systems, Inc. **is interested** in continuing this contract for an additional one (1) year under the same terms, prices and conditions, please respond by signing to the understanding of renewal.

I Thomas Camp *of* Tech Systems Inc. *agree to renew subject contract through 07/11/2020 under the same terms, prices and conditions.*

If Tech Systems, Inc. **is not interested** in renewing this contract, please complete and sign the following statement.

I _____ *of* _____ *do not agree to renew subject contract.*

_____ 5/10/2019
Authorized Vendor Signature Date

We look forward to continuing this relationship with your Company. As always, should you have any questions please do not hesitate to contact our office at (321) 633-2050.

Sincerely,

Mary Bowers

Mary Bowers
Support Services Manager

CONTINUING ROOFING CONTRACTING SERVICES AGREEMENT

This is an Agreement entered into this 12th day July of 2018, by and between **BREVARD COUNTY BOARD OF COUNTY COMMISSIONERS**, a political subdivision of the State of Florida, hereinafter referred to as COUNTY and **Tech Systems, Inc.**, a corporation under the laws of the State of Florida, hereinafter referred to as CONTRACTOR, whose address is 1801 N. Wickham Road, Suite 3, Melbourne, Florida 32935.

WHEREAS, the County has a need for the services of a contractor to provide continuing roofing contracting services under a continuing contract;

WHEREAS, the County issued a Request for Proposals #RFP-4-18-12 for such services and has selected the CONTRACTOR to provide said services;

WHEREAS, this is an Agreement for construction services for projects in which the construction costs do not exceed $2 million or for projects that may be funded or submitted for reimbursement by/through the Federal Emergency Management Agency, as outlined herein.

For and in consideration of the mutual agreement hereinafter contained, the COUNTY hereby retains the CONTRACTOR and the CONTRACTOR hereby covenants to provide continuing roofing contracting services as prescribed herein.

SECTION 1 - GENERAL IDENTIFICATION OF SERVICES

All continuing contracting services provided by the CONTRACTOR for the COUNTY shall be identified in Proposal format. Proposals shall include a detailed description of the roofing services to be performed including square footage, proposed schedule for compensation based on negotiated hourly rates, the proposed number of man hours for each category of labor, the number of workers in each category of labor to be dedicated to the particular work/project from **Attachment "B"** Pricing Sheet to be assigned to the Work, a projected schedule for completion of the Work, and any other terms or conditions specific to the Work to be performed by the CONTRACTOR, including terms that may be specific to projects that may be funded or submitted for reimbursement by/through the Federal Emergency Management Agency. A Proposal submitted to the COUNTY shall not give rise to any contractual rights until approved by the COUNTY in the form of a written Notice to Proceed signed by an authorized representative of the Brevard County Board of County Commissioners, and where approved by Board action, if applicable. The written Notice to Proceed and specific Proposal, as approved by the COUNTY, shall together constitute an addendum to this Agreement.

The Federal Emergency Management Agency (FEMA) Clauses and Certifications included herein, or attached hereto, control over any conflicting clauses contained within the separate Agreements, covering the work for each Project, between the COUNTY and the CONSULTANT, when the Work involved will be submitted by/through FEMA for reimbursement to the COUNTY. The FEMA Clauses and Certifications are attached hereto, and incorporated by this reference, as **Attachment "A."**

Preventative Maintenance will be performed at each facility, based on pricing in **Attachment "B"** Pricing Sheet, upon notification from the COUNTY.

SECTION II – COUNTY/CONTRACTOR OBLIGATIONS - RECORDS

The COUNTY shall furnish to the CONTRACTOR, upon request, any plans/drawings/data available in the COUNTY'S files pertaining to the work to be performed under this Agreement. However, pursuant to the Florida Statute 119.07 provides that building plans, blueprints, schematic drawings and diagrams, include draft, preliminary and final formats, which depict the internal layout and structural elements of a building, arena, stadium, water treatment facility, or other structure owned or operated by the County are exempt from Public Records. These documents, while exempt from public records, are provided to the CONTRACTOR as a receiving entity in order to perform its duties and responsibilities under this Agreement; however, the CONTRACTOR understands it is required to treat the above records as exempt from public records.

SECTION III - CONTINUING ROOFING CONTRACTING SERVICES

Upon receipt of Notice to Proceed, CONTRACTOR agrees to perform all services associated with the requested Work in accordance with the negotiated terms of the applicable approved Proposal, and in accordance with accepted professional standards and practices. No Notice to Proceed will be issued for Preventative Maintenance Services.

In connection with continuing roofing contracting services to be rendered pursuant to this Agreement, the CONTRACTOR further agrees to:

A. Maintain an adequate staff of qualified personnel.

B. Comply with federal, state and local laws applicable to the work.

C. Cooperate fully with the COUNTY in the scheduling and coordination of all phases of the work.

D. Cooperate and coordinate with other COUNTY contractors, as directed by the COUNTY.

E. Report the status of the work to the COUNTY upon request and hold pertinent data, calculations, field notes, records, sketches and other projects open to the inspection of the COUNTY or its authorized agent at any time.

Submit to COUNTY field observations, reports, and other data representative of the work's progress. Submit for COUNTY approval the final work product upon incorporation of any modifications requested by the COUNTY during any previous review.

G. Certify to the COUNTY that all materials supplied to the Brevard County Board of County Commissioners is 100% asbestos-free.

SECTION IV - TIME OF COMPLETION

The services to be rendered by the CONTRACTOR for each section of the Work shall

commence upon receipt of a written Notice to Proceed from the COUNTY subsequent to the execution of the Agreement, and shall be completed within the time stated in the approved Proposal. Preventative Maintenance Services shall be completed upon request from the COUNTY. Preventative Maintenance Report and invoice for services shall be submitted within ten (10) days of completion of the work to facilities.accounts@brevardfl.gov

SECTION V - COMPENSATION

The COUNTY agrees to pay and the CONTRACTOR agrees to accept, for services rendered pursuant to this Agreement, fees and other compensation computed in accordance with the methods outlined in **Attachment "B"** – "Pricing Sheet", and as specified in an approved Proposal:

A. Hourly Rate - the CONTRACTOR shall be compensated per the attached Pricing Sheet (**Attachment "B"**) the negotiated hourly rate for each hour of time engaged directly in the work. The CONTRACTOR will provide a detailed breakdown for hours spent on each individual project.

B. Reimbursable Expenses - The CONTRACTOR shall be compensated for certain work-related expenditures not covered by fees for contracting services, provided such expenditures are previously authorized, in writing, by the COUNTY in an approved Proposal. Miscellaneous expenses such as fax, telephone, copies and tolls will not be included as reimbursable expenses. Upon receipt of satisfactory back up materials, the CONTRACTOR will be compensated for such pre-approved reimbursable expenses on a direct cost basis.

C. At least thirty (30) days prior to each anniversary date of this Agreement either party may request an adjustment to the rates provided for herein to apply in the forthcoming year. Failure of the parties to agree on a new rate schedule shall constitute a basis for issuing a Notice of Termination by the COUNTY. Any proposed change in rates by the CONTRACTOR shall be subject to the prior approval of the COUNTY.

D. In the event CONTRACTOR experiences any delay resulting from circumstances beyond its control, or a change in the scope of work which will result in an increase or decrease in a Proposal's price or time, CONTRACTOR shall provide immediate notice to the COUNTY for consideration of additional compensation or time. Additional compensation shall be limited to direct costs resulting from the delay or change in work as provided in Section V of this Agreement.

SECTION VI - PAYMENT AND PARTIAL PAYMENTS

Subject to the COUNTY'S right to withhold any amounts reasonably necessary to complete or correct defective or substandard work, the COUNTY shall make monthly payments or partial payments to the CONTRACTOR for all authorized work in accordance with the "Florida Prompt Payment Act."

A. The CONTRACTOR shall submit two (2) original, signed Applications for

Payment to the COUNTY. Invoices may be submitted for Preventative Maintenance services.

B. The amount of each Payment Application submitted shall be the amount due for all services performed to date in connection with authorized Work, as certified by the CONTRACTOR. Each Payment Application shall include any authorized reimbursable expenses and must reference the particular Proposal/Project which authorized the services performed. The Payment Application shall be accompanied by copies of invoices for reimbursable expenses, including materials stored on site.

C. Payment Applications shall include a breakdown for each part of the Work billed for each item and personnel as identified on the Pricing Sheet (**Attachment "A"**).

D. The CONTRACTOR shall be responsible for submitting original Release of Liens to the COUNTY for all Notice to Owners on file with the COUNTY. Original, notarized releases must be received by the COUNTY before payments will be processed.

SECTION VII - SCHEDULE OF WORK

The COUNTY shall have the sole right to determine which units or sections of the work the CONTRACTOR shall proceed with first and in what order the work shall occur.

SECTION VIII - RIGHT OF DECISIONS

All services shall be performed by the CONTRACTOR to reasonable professional standards and practices and to the reasonable requirements of the COUNTY. The Facilities Building & Operations Manager, or designee, shall decide and dispose of all claims, questions and disputes arising under this Agreement. In the event the CONTRACTOR does not concur with the decision of the Facilities Building Operations Manager, or designee, the CONTRACTOR shall present any such objections in writing to the Central Services Department Director within ten (10) calendar days and request the issues be referred to a review board of three (3) members selected by the County Manager from Department Directors and Assistant County Managers for review and disposition at a hearing to be held within ten (10) calendar days after receipt of the request for review. This paragraph does not constitute a waiver of either party's right to proceed in a court of competent jurisdiction, provided that prior to filing any suit the CONTRACTOR goes through the review process established in this Agreement and provided further that the CONTRACTOR strictly abides by the ten (10) day time deadline set forth in this paragraph.

SECTION IX - OWNERSHIP OF DOCUMENTS

Possession of all reports, tracing, plans, specifications, maps, contract documents and/or other work products developed by the CONTRACTOR pursuant to this Agreement shall remain with the CONTRACTOR. The COUNTY retains the right of use of these documents at their own risk. When each individual section of work requested pursuant to this Agreement is

complete, all of the above work products shall be delivered to the COUNTY for its use. Notwithstanding the above paragraph, the CONTRACTOR understands its obligations and responsibilities under Section II of this Agreement.

SECTION X - NOTICES

Any notices from the CONTRACTOR to the COUNTY shall be considered delivered when posted by certified mail or delivered in person to Brevard County Facilities at the following address:

Brevard County Board of County Commissioners
Facilities
2725 Judge Fran Jamieson Way, Building A
Viera, Florida 32940

Any notices from the COUNTY to the CONTRACTOR shall be considered delivered when posted by certified mail to the CONTRACTOR at the last address left on file with the COUNTY or delivered in person to said CONTRACTOR.

SECTION XII - AUDIT RIGHTS

The COUNTY or any of its duly authorized representatives reserves the right to audit the records of the CONTRACTOR related to this Agreement at any time during the prosecution of the work included herein and for a period of three (3) years after final payment is made.

Both parties understand that Brevard County is subject to the Florida Public Records Law, Chapter 119, Florida Statutes. "Public Records" are defined "all documents, papers, letters, maps, books, tapes, photographs, films, sound recordings, data processing software, or other material, regardless of the physical form, characteristics, or means of transmission, made or received pursuant to law or ordinance or in connection with the transaction of official business by any agency" Fla. Stat. 119.011(12).

Pursuant to Florida Statute Chapter 119, generally, and 119.0701 specifically, if records created by the COUNTY or the CONTRACTOR related to the performance of the services under this Agreement do not fall under a specific exemption under Florida or federal law, the records - whether created or maintained by the CONTRACTOR or the COUNTY- must be provided to anyone making a public records request. It will be the CONSULTANT'S duty to identify any information in records created by the CONTRACTOR which it deems is exempt under Florida or federal law and identify the statute number which requires the information be held exempt.

A request to inspect or copy public records relating to this Agreement must be made directly to the COUNTY. If the COUNTY does not possess the requested records, the COUNTY shall immediately notify the CONTRACTOR of the request, and the CONTRACTOR must provide the COUNTY with a copy of the requested records or allow the records to be inspected or copied within a reasonable time at a cost that does not exceed the cost provided pursuant to Florida Statute Chapter 119 and Brevard County Board Policy.

Should any person or entity make a public records request of the COUNTY which requires or would require the COUNTY to allow inspection or provide copies of records which the CONTRACTOR maintains are exempt under the Public Records Law or otherwise confidential, it shall be the CONTRACTOR'S obligation to provide the County within a reasonable time of notification by the COUNTY to the CONTRACTOR of the records request, of the specific exemption or confidentiality provision to allow the COUNTY to comply with the requirements of Florida Statute 119.07(1)(e) and (f). Should the COUNTY face any kind of legal action to require or enforce inspection or production of any records provided by the CONTRACTOR to the COUNTY which the CONTRACTOR maintains are exempt or confidential from such inspection/production as a public record, the CONTRACTOR shall hire and compensate attorney(s) who shall represent the interests of the COUNTY as well as the CONTRACTOR in defending such action. The CONTRACTOR shall also pay any costs to defend such action and shall pay any costs and attorney's fees which may be awarded pursuant to Fla. Stat. 119.12.

Should the CONTRACTOR fail to provide the public records to the COUNTY within a reasonable time, the CONTRACTOR is subject to penalties under s.119.10.

The CONTRACTOR shall ensure that all public records that are exempt or confidential and exempt from public records disclosure requirements are not disclosed except as authorized by law for the duration of the Agreement term and following completion of the Agreement if the CONTRACTOR does not transfer the records to the COUNTY.

Upon completion of the Agreement, the CONTRACTOR shall transfer, at no cost, to the COUNTY all public records in possession of the CONTRACTOR or keep and maintain public records required by the COUNTY to perform the service. If the CONTRACTOR transfers all public records to the COUNTY upon completion of the Agreement, the CONTRACTOR shall destroy any duplicate public records that are exempt or confidential and exempt from public records disclosure requirements. If the CONTRACTOR keeps and maintains public records upon completion of the Agreement, the CONTRACTOR shall meet all applicable requirements for retaining public records. All records stored electronically must be provided to the COUNTY, upon request from the COUNTY's custodian of public records, in a format that is compatible with the information technology systems of the COUNTY.

IF THE CONTRACTOR HAS QUESTIONS REGARDING THE APPLICATION OF CHAPTER 119, FLORIDA STATUTES, TO THE CONTRACTOR'S DUTY TO PROVIDE PUBLIC RECORDS RELATING TO THIS CONTRACT, CONTACT THE CUSTODIAN OF PUBLIC RECORDS AT (321) 633-2050.

SECTION XIII - SUBCONTRACTING

The CONTRACTOR shall not subcontract, assign, or transfer any work under this Agreement without the prior written approval of the COUNTY. When applicable, the CONTRACTOR shall include/disclose the names of any subcontracted firms responsible for

major portions (or separate specialty) of the work to be included in any applicable proposal for Work identifying the Work or service to be provided by the subcontracted firm.

SECTION XIV - CONTINGENT FEES

The CONTRACTOR represents that no person or company was employed or retained to solicit or secure this Agreement upon an agreement or understanding for a commission, percentage, brokerage or contingent fee, excepting bona fide employee, any fee commission, contribution, donation, gift or any other consideration, contingent upon, or resulting from award of this Agreement. For any breach violation of this provision, the COUNTY shall have the right to terminate this Agreement, without liability, and, at its discretion, to deduct from the contract price or otherwise recover, the full amount of such fee, commission, percentage, gift or consideration and any damages and shall be responsible for reporting the details of such breach or violation to the proper legal authorities where and when appropriate.

SECTION XV - TERMINATION/MODIFICATION OF AGREEMENT

A. The COUNTY or the CONTRACTOR may terminate this Agreement upon thirty (30) days written notice, provided that any outstanding approved Project, upon which a Notice to Proceed has been issued, is completed by the CONTRACTOR.

B. In the event of termination by either party, the COUNTY'S sole obligation to the CONTRACTOR shall be payment for those portions of satisfactorily, completely performed work previously authorized by approved Proposal. Such payment shall be determined on the basis of hours of work performed by the CONTRACTOR and agreed upon by the COUNTY up to the time of termination. In the event of such termination, the COUNTY may, without penalty or other obligation to the CONTRACTOR, elect to employ other persons to perform the same or similar services.

C. The terms of this Agreement may be modified upon the mutual agreement of the CONTRACTOR and the COUNTY as confirmed in writing.

D. In the event that the CONTRACTOR changes his name, merges with another company, becomes a subsidiary or makes other substantial change in structure or in principals, the COUNTY reserves the right to terminate this Agreement subject to the terms prescribed above.

SECTION XVI - DURATION OF AGREEMENT

This Agreement shall remain in full force and effect for a period of one (1) year after its date of execution; however, the Contractor shall complete any work for which a Notice to Proceed has been issued within the one year period and, and shall be compensated pursuant to Attachment "A". The performance of specially and properly authorized projects may extend beyond the Agreement's one-year effective term and shall be compensated in accordance with Section V hereof. In addition, subject to the COUNTY'S sole discretion this Agreement may be extended in one (1) year increments for up to three (3) years beyond the initial one (1) year period of the Agreement only if no change in price is proposed by the CONTRACTOR.

Modifications and/or changes to this Agreement, including Attachment "A" Pricing Sheet, will require approval by the Brevard County Board of County Commissioners.

SECTION XVII - DEFAULT

In the event the CONTRACTOR fails to comply with the provisions of this Agreement, the COUNTY may declare the CONTRACTOR in default by written notification. In the event partial payment has been made for services not completed, the CONTRACTOR shall return any sums due to the COUNTY as a result of CONTRACTOR'S default within ten (10) days after notice and demand that said sums are due. The CONTRACTOR shall not be compensated for any deficient services which have been performed at the time the COUNTY declares a default. The COUNTY shall pay for only that portion, if any, of the satisfactorily performed work which is used or useful by any other consultant retained by the COUNTY to finish the work to the extent that the COUNTY does not incur additional costs over those set forth in the CONTRACTOR'S canceled Task Order.

Any default by the COUNTY for cause which is later determined to be invalid shall be considered a termination by the COUNTY for convenience and compensated as provided in Section XV.

SECTION XVIII - INDEMNIFICATION AND INSURANCE

The CONTRACTOR shall provide insurance policies with insurers acceptable to the COUNTY. The CONTRACTOR shall provide and maintain at all times during the terms of the Agreement, without cost or expense to the COUNTY, policies of insurance which shall cover the CONTRACTOR for any and all claims, demands, and expenses whatsoever, including defense and causes for action for general damages, bodily injury and property damage arising out of or to the extent caused by negligent acts, errors or omissions of the CONTRACTOR. Said policies shall provide limits in the amount not less than $1,000,000.00 per occurrence to cover any and all claims arising in connection with any particular accident or occurrence. The COUNTY shall be named an additional insured under this policy for Work that is performed pursuant to this Agreement.

The CONTRACTOR shall provide and maintain Workers' Compensation insurance (for statutory limits) for all workers to provide services under the scope of this Agreement.

The CONTRACTOR shall provide the COUNTY with Certificates of Insurance on all policies of insurance within ten (10) days of execution of this Agreement, and any renewals thereof within ten (10) days of renewal. The COUNTY shall be entitled to thirty (30) days written notice of any changes or cancellations of said policies. These insurance requirements shall not relieve or limit the liability of the CONTRACTOR. The COUNTY does not in any way represent that these types or amounts of insurance are sufficient or adequate to protect the CONTRACTOR'S interests or liabilities, but are merely minimums.

The CONTRACTOR agrees to indemnify, defend and hold the COUNTY harmless against any and all claims, causes of action or liability for bodily injury, sickness, disease, death or personal injury or damage to property or loss of use resulting therefrom to the extent caused by negligent acts, errors or omissions of the CONTRACTOR. The CONTRACTOR agrees to

indemnify and pay on behalf of the COUNTY the cost of the COUNTY'S legal defense of all claims described herein. Such payment on behalf of the COUNTY shall be in addition to any and all other legal remedies available to the COUNTY and shall not be considered to be the COUNTY'S exclusive remedy. It is agreed by the parties hereto that specific consideration has been paid under this Agreement for this hold harmless provision.

SECTION XIX - QUALITY CONTROL

The CONTRACTOR shall provide a high level of quality control and accuracy. The COUNTY may request additional data collection or re-analysis of data at no expense to the COUNTY. If the original data collected and/or the data analysis is found to be accurate and reasonable, the CONTRACTOR shall be compensated for the additional work in accordance with Section V of this Agreement.

The CONTRACTOR acknowledges that the COUNTY will periodically evaluate the CONTRACTOR'S performance and that the evaluation will be used by the COUNTY in determining the CONTRACTOR'S qualifications for future work under this Agreement with the COUNTY and for future contracts with the COUNTY.

SECTION XX - NON EXCLUSIVE AGREEMENT

The parties acknowledge that this Agreement is not an exclusive Agreement and the COUNTY may employ other contractors, engineers, professional or technical personnel to furnish services for the COUNTY, as the COUNTY, in its sole discretion, finds is in the public interest.

The COUNTY reserves the right to assign such work to the CONTRACTOR as it may approve in the sole discretion of the COUNTY.

SECTION XXI - TRUTH IN NEGOTIATIONS

In accordance with the provisions of Chapter 287.055, Florida Statutes, the CONTRACTOR agrees to execute a truth-in-negotiations certificate (Attachment "B") and agrees the original contract price and any additions may be adjusted to exclude any significant sums by which the contract price was increased due to inaccurate, incomplete or non-current wage rates and other factual unit costs.

SECTION XXII - INTEREST OF OFFICERS AND OTHERS

No officers, members or employees of the COUNTY, and no members of its governing body, and no other public official of the governing body of the locality or localities in which services for the facilities are situated or carried out, who exercised any functions or responsibilities in the review or approval of the undertaking or carrying out of this project, shall participate in any decision relating to this Agreement which affects their personal interest, or have any personal or pecuniary interest, direct or indirect, in this Agreement or the proceeds thereof.

SECTION XXIII - INTEREST OF CONTRACTOR

The CONTRACTOR covenants that it presently has no conflict of interest and shall not

acquire any interest, direct or indirect, which shall conflict in any manner or degree with the performance of services required to be performed under this Agreement. The CONTRACTOR further covenants that in the performance of this Agreement no person having any such interest shall be employed.

SECTION XXIV - ASSIGNMENT AND GOVERNING LAW

Neither the COUNTY nor the CONTRACTOR shall assign his interest in this Agreement without the written consent of the other except as to the assignment of proceeds. This Agreement shall be governed by the Laws of the State of Florida.

Venue: Venue for any legal action brought by any party to this Agreement to interpret, construe or enforce this Agreement shall be in a court of competent jurisdiction in and for Brevard County, Florida.

Severability: If any provision of this Agreement is held by a Court of competent jurisdiction to be invalid, void, or unenforceable, the remaining provisions shall nevertheless continue in full force without being impaired.

Attorney's Fees: In the event either party must undertake legal action to enforce any provision of this contract, each party shall bear their own attorney's fees and costs, and any trial shall be non-jury.

SECTION XXV - ENTIRETY OF AGREEMENT

This writing, together with the original Request for Proposal, Addenda, approved Proposals and signed Notice to Proceeds that may follow, embody the entire Agreement and understanding between the parties hereto, and there are no other agreements and understandings, oral or written, with reference to the subject matter hereof that are not merged herein.

No alteration, change or modification of the terms of this Agreement shall be valid unless made in writing, signed by both parties hereto as an addendum to this Agreement.

IN WITNESS WHEREOF, the parties have hereunto set their hands and seals on the day and year first above written.

ATTEST:

Scott Ellis, Clerk

BREVARD COUNTY BOARD OF COUNTY COMMISSIONERS:

Rita Pritchett, Chair

As Approved By the Board: _____

WITNESS:

By:

Tech Systems, Inc,

By:

STATE OF FLORIDA §
COUNTY OF _____§

I HEREBY CERTIFY that before me, an officer duly authorized to take acknowledgments, personally appeared _____ who is personally known to me or provided _____ as identification and who did (did not) take an oath, acknowledged before me that they executed the within instrument freely and voluntarily for the purposes therein expressed.

WITNESS my hand and official seal in the State and County last aforesaid this ___day of 201___.

_____
(SEAL) Signature

_____
Notary Name (typed or printed)

ATTACHMENT "A"

FEMA CLAUSES AND CERTIFCATIONS

During the performance of this Agreement, the CONSULTANT agrees as follows:

1. The CONTRACTOR will not discriminate against any employee or applicant for employment because of race, color, religion, sex, or national origin. The CONTRACTOR will take affirmative action to ensure that applicants are employed, and that employees are treated during employment, without regard to their race, color, religion, sex or national origin. Such action shall include, but not be limited to the following: employment, upgrading, demotion, or transfer; recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship. The CONTRACTOR agrees to post in conspicuous places, available to all employees and applicants for employment, notices to be provided setting forth the provisions of this non-discrimination clause.

2. The CONTRACTOR will, in all solicitations or advertisements for employees placed by or on behalf of the CONTRACTOR, state that all qualified applicants will receive consideration for employment without regard to race, color, religion, sex or national origin.

3. The CONTRACTOR will send to each labor union or representative of workers with which he has a collective bargaining agreement or other contract or understanding, a notice to be provided advising the said labor union or worker's representatives of the CONTRACTOR's commitments under this section, and shall post copies of the notice in conspicuous places available to employees and applicants for employment.

4. The CONTRACTOR will comply with all provisions of Executive Order 11246 of September 24, 1965, and the rules, regulations and relevant orders of the Secretary of Labor.

5. The CONTRACTOR will furnish all information and reports required by Executive Order 11246 of September 24, 1965, and by rules, regulations, and orders of the Secretary of Labor, or pursuant thereto, and will permit access to its books, records, and accounts by the administering agency and the Secretary of Labor for purposes of investigation to ascertain compliance with such rules, regulations and orders.

6. In the event of the CONTRACTOR's non-compliance with the non-discrimination clauses of this Agreement or with any of the said rules, regulations, or orders, this Agreement may be canceled, terminated, or suspended in whole or in part and the CONTRACTOR may be declared ineligible for further Government contracts or federally assisted construction contracts in accordance with procedures authorized in Executive Order 11246 of September 24, 1965, and such other sanctions as may be imposed and remedies invoked as provided in Executive Order of September 24, 1965, or by rule, regulation, or order of the Secretary of Labor, or as otherwise provided by law.

7. The CONTRACTOR will include the portion of the sentence immediately preceding paragraph (1) and the provisions of paragraphs (1) through (7) in every subcontract or purchase order unless exempted by rules, regulations, or orders of the Secretary of Labor issued pursuant to section 204 of Executive Order 11246 of September 24, 1965, so that such provisions will be binding upon each subcontractor or vendor. The CONTRACTOR will take such action with respect to any subcontract or purchase order as the administering agency may direct as a means of enforcing such provisions, including sanctions for noncompliance, provided, however, that in the event the CONTRACTOR becomes involved in, or is threatened with, litigation with a subcontractor or vendor as a result of such direction by the administering agency the CONTRACTOR may request the United States to enter into such litigation to protect the interests of the United States.

8. **Clean Air Act and the Federal Water Pollution Control Act**: (For all contracts in excess of $150,000)

A. Clean Air Act –

i. The CONTRACTOR agrees to comply with all applicable standards, orders or regulations issued pursuant to the Clean Air Act, as amended, 42 U.S.C. § 7401 et seq.

ii. The CONTRACTOR agrees to report each violation to the COUNTY through its Facilities Department and understands that the Brevard County Facilities Department will, in turn, report each violation as required to assure notification to the Federal Emergency Management Agency, and the appropriate Environmental Protection Agency Regional Office.

iii. The CONTRACTOR agrees to include these requirements in each subcontract exceeding $150,000 financed in whole or in part with Federal assistance provided by FEMA.

B. Federal Water Pollution Control Act -

i. The CONTRACTOR agrees to comply with all applicable standards, orders or regulations issued pursuant to the Federal Water Pollution Control Act, as amended, 33 U.S.C. 1251 et seq.

ii. The CONTRACTOR agrees to report each violation to the COUNTY through its Facilities Department and understands and agrees that the Brevard County Facilities Department will, in turn, report each violation to assure notification to the Federal Emergency Management Agency, and the appropriate Environmental Protection Agency Regional Office.

iii. The CONTRACTOR agrees to include these requirements in each subcontract exceeding $150,000 financed in whole or in part with Federal assistance provided by FEMA.

9. **Suspension and Debarment**:

A. This Agreement is a covered transaction for purposes of 2 C.F.R. pt. 180 and 2 C.F.R. pt. 3000. As such the CONTRACTOR is required to verify that neither the CONTRACTOR, its principals (defined at 2 C.F.R. § 180.995), or its affiliates

(defined at 2 C.F.R. § 180.905) are excluded (defined at 2 C.F.R. § 180.940) or disqualified (defined at 2 C.F.R. § 180.935).

B. The CONTRACTOR must comply with 2 C.F.R. pt. 180, subpart C and 2 C.F.R. pt. 3000, subpart C and must include a requirement to comply with these regulations in any lower tier covered transaction it enters into.

C. This certification is a material representation of fact relied upon by the COUNTY. If it is later determined that the CONTRACTOR did not comply with 2 C.F.R. pt. 180, subpart C and 2 C.F.R. pt. 3000, subpart C, in addition to remedies available to the State of Florida (Division of Emergency Management) and the County, the Federal Government may pursue available remedies, including but not limited to suspension and/or debarment.

D. The CONTRACTOR agrees to comply with the requirements of 2 C.F.R. pt.180, subpart C and 2 C.F.R. pt. 3000, subpart C while this Agreement is valid. The CONTRACTOR agrees to include a provision requiring such compliance in its lower tier covered transactions.

10. **Byrd Anti-Lobbying Amendment, 31 U.S.C. . § 1352 (as amended):**

Contractors who apply or bid for an award of $100,000 or more shall file the required certification. Each tier certifies to the tier above that it will not and has not used Federal appropriated funds to pay any person or organization for influencing or attempting to influence an officer or employee of any agency, a member of Congress, officer or employee of Congress, or an employee or a member of Congress in connection with obtaining any Federal contract, grant, or any other award covered by 31 U.S.C. § 1352. Each tier shall also disclose any lobbying with non-Federal funds that takes place in connection with obtaining any Federal award. Such disclosures are forwarded from tier-to-tier up to the recipient.

11. **Procurement of Recovered Materials**:

In the performance of this Agreement, the CONTRACTOR shall make maximum use of products containing recovered materials that are EPA-designated items unless the product cannot be acquired:

A. Competitively within a timeframe providing for compliance with the Agreement performance schedule;

B. Meeting Agreement performance requirements; or

C. At a reasonable price.

Information about this requirement, along with the list of EPA-designate items, is available at EPA's Comprehensive Procurement Guidelines website at https://www.epa.gov/smm/comprehensive-procurement-guideline-cpg-program.

12. **Additional FEMA Requirements**:

A. **Access to Records**:

i. The CONTRACTOR agrees to provide the COUNTY, the FEMA Administrator, the Comptroller General of the United States, or any of their authorized representatives access to any books, documents, papers and records of the CONSULTANT which are directly pertinent to this Agreement for the purposes of making audits, examinations, excerpts and transcriptions.

ii. The CONTRACTOR agrees to permit any of the foregoing parties to reproduce by any means whatsoever or to copy excerpts and transcriptions as reasonably needed.

iii. The CONTRACTOR agrees to provide the FEMA Administrator or his authorized representative access to construction or other work sites pertaining to the work being completed under the Agreement.

B. **DHS (Department of Homeland Security) Seal, Logo and Flags**:

The CONTRACTOR shall not use DHS seal(s), logos, crests, or reproductions of flags or likenesses of DHS agency officials without specific FEMA pre-approval.

C. **Compliance with Federal Law, Regulations and Executive Orders**:

The CONTRACTOR acknowledges that FEMA financial assistance will be used to fund this Agreement and resulting Agreements only. The CONTRACTOR will comply with all applicable federal law, regulations, executive orders, FEMA policies, procedures and directives.

D. **No Obligation by Federal Government**:

The Federal Government is not a party to this Agreement and is not subject to any obligations or liabilities to the non-Federal entity, CONTRACTOR, or any other party pertaining to any matter resulting from the Agreement.

E. **Fraud and False or Fraudulent or Related Acts**:

The CONTRACTOR acknowledges that 31 U.S.C. Chap. 38 (Administrative Remedies for False Claims and Statements) applies to the CONSULTANT's actions pertaining to this Agreement.

ATTACHMENT "B"

RFP-4-18-12
PRICING SHEET
TECH SYSTEMS, INC.

HOURLY RATE FOR LABOR

DESCRIPTION	HOURLY RATE
FOREMAN	$24.50
ROOFER	$22.50
ROOFER APPRENTICE	$ 8.25
METAL INSTALLER	$22.00
METAL INSTALLER APPRENTICE	$ 8.25
LABORER	$ 8.25

PREVENTATIVE MAINTENANCE

ANNUAL PREVENTATIVE MAINTENANCE, PER PM SERVICE, PER FACILITY	$795.00

MATERIALS

All materials furnished by the Contractor if and when requested by Brevard County Facilities Department shall be the Contractor's actual cost plus **2%**

ATTACHMENT "C"

PUBLIC ENTITY CRIME AFFIDAVIT

A person or affiliate who has been placed on the convicted vendor list following a conviction for a public entity crime may not submit a bid/quote/proposal on a contract to provide goods or services to a public entity, may not submit a bid/quote/proposal on a contract with a public entity for the construction or repair of a public building or public work, may not submit bids/quotes/proposals on leases of rental property to a public entity, may not be awarded or perform work as a contractor, supplier, subcontractor, or consultant under a contract with any public entity, and may not transact business with any public entity in excess of the threshold amount provided in Section 287.017, for CATEGORY TWO for a period of 36 months from the date of being placed on the convicted vendor list.

RESOLUTION NO. 2021-118

A RESOLUTION OF THE CITY COUNCIL OF THE CITY OF COCOA, FLORIDA; AUTHORIZING THE CITY MANAGER TO APPROVE AND EXECUTE CHANGE ORDERS TO THE PRIMARY CONSTRUCTION CONTRACT AND ANY ADDITIONAL SERVICE CONTRACTS RELATED TO THE COMPLETION OF THE PROJECT REGARDING THE ROOF REPLACEMENT ON THE CHEMICAL BUILDING AT DYAL WTP IN AN AMOUNT NOT TO EXCEED THE TOTAL AMOUNT BUDGETED FOR THE PROJECT BY THE CITY COUNCIL INCLUSIVE OF THE 10% CONTINGENCY SET ASIDE FOR THE PROJECT; PROVIDING FOR THE REPEAL OF PRIOR INCONSISTENT RESOLUTIONS; AND PROVIDING AN EFFECTIVE DATE.

WHEREAS, Section 2-4 of the City Code provides that with respect to construction contracts approved by the City Council, the City Council may authorize by resolution the City Manager to approve change orders to the primary construction contract and any additional service contracts related to the completion of the construction project authorized by the City Council in excess of the spending authority limits under this section provided the amount is within the unexpended construction budget approved by the City Council for the project including any contingency funds approved by the City Council for said contract; and

WHEREAS, on December 14, 2021 the City Council authorized the City Manager to proceed with the Roof Replacement on the Chemical Building at Dyal WTP subject to certain terms and conditions and budget adjustments approved by the City Council; and

WHEREAS, in conjunction with this authorization, the City Council desires to streamline the approval of change orders and any additional service contracts to the extent necessary in order to expedite the construction of the project; and

WHEREAS, the City Council deems it to be in the best interest of the City of Cocoa to authorize the City Manager to approve the aforementioned change orders and any additional service contracts consistent with the terms of this Resolution and Section 2-4 of the City Code even if said amounts exceed the City Manager's general spending authority approved by the City Council.

NOW, THEREFORE, BE IT RESOLVED BY THE CITY COUNCIL OF THE CITY OF COCOA, as follows:

SECTION 1.

(A) Pursuant to Section 2-4 of the City Code, the City Manager is hereby authorized to approve any change orders to the primary construction contract and any additional service contracts related to the construction project regarding the Roof Replacement on the Chemical Building at Dyal WTP provided the total amount of approved change orders and any additional service contracts do not exceed the construction budget. The construction budget is $245,542.96.00 and allows for a 10% contingency in the amount of $24,554.00 set aside for possible change orders, for a total of $270,096.96 for the project. This grant of spending authority shall be interpreted and construed in accordance with the provisions of Section 2-4 of the City Code.

(B) Pursuant to Section 2-4 of the City Code, the City Manager shall also provide notice of any such approved change orders and any additional service contracts to the City Council in the form of an agenda item at the next scheduled City Council meeting or as soon as practicable thereafter.

SECTION 2. All prior resolutions or prior resolutions inconsistent with this resolution are hereby repealed to the extent of the conflict.

SECTION 3. This resolution shall become effective immediately upon its adoption by the City Council of the City of Cocoa, Florida.

ADOPTED by the City Council of the City of Cocoa, Florida, in a regular meeting assembled on December 14, 2021.

_____
Michael C. Blake, Mayor

ATTEST:

_____
Carie Shealy, MMC, City Clerk

RESOLUTION NO. 2021-119

A RESOLUTION OF THE CITY COUNCIL OF THE CITY OF COCOA, FLORIDA, AMENDING THE CITY OF COCOA BUDGET FOR FISCAL YEAR 2022; PROVIDING FOR THE REPEAL OF PRIOR INCONSISTENT RESOLUTIONS; AND PROVIDING AN EFFECTIVE DATE.

WHEREAS, the City Council of the City of Cocoa adopted the final budget for the fiscal year commencing on October 1, 2021, and ending on September 30, 2022, at a Regular meeting held on September 28, 2021; and

WHEREAS, in accordance with Article XII, Section 5 of the City of Cocoa Charter, whereby the Council may, at any time by resolution, transfer any unused and unencumbered appropriation or portion thereof from one office or department to another; and

WHEREAS, the City Council deems it to be in the best interest of the City of Cocoa to amend its budget as provided in this resolution.

NOW, THEREFORE, BE IT RESOLVED BY THE CITY COUNCIL OF THE CITY OF COCOA, as follows:

SECTION 1. The 2021-2022 fiscal year budget shall be amended as detailed in the attached sheets.

SECTION 2. All prior resolutions or prior resolutions inconsistent with this resolution are hereby repealed to the extent of the conflict.

SECTION 3. This resolution shall become effective immediately upon its adoption by the City Council of the City of Cocoa, Florida.

ADOPTED by the City Council of the City of Cocoa, Florida, in a Regular meeting assembled on the 14th day of December, 2021.

_____
Michael C. Blake, Mayor

ATTEST:

_____
Carie Shealy, MMC, City Clerk

City of Cocoa Budget Adjustment Form FY 2022 - 22-023-A

SELECT ADJUSTMENT TYPE: BUDGET AMENDMENT

REQUESTING DEPARTMENT #: 4020 UT_Dyal DATE PREPARED: 11/08/21

'REVENUE' ACCOUNT(S)

ADJUSTMENT AMOUNT	ACCOUNT NUMBER	PROJECT NUMBER	ACCOUNT NAME	ORIGINAL BUDGET	AMENDED BUDGET	ADJUSTED BUDGET	UNENCUMBERED BALANCE
$ 220,097	421-0000-381.91-24		Transfer From/ Renewal & Replace 424	$ 0	$ 0	$ 220,097	$ 0
$ 0				$ 0	$ 0	$ 0	$ 0
$ 0				$ 0	$ 0	$ 0	$ 0
$ 0				$ 0	$ 0	$ 0	$ 0
$ 0				$ 0	$ 0	$ 0	$ 0
$ 0				$ 0	$ 0	$ 0	$ 0
$ 220,097	TOTAL						

'EXPENSE' ACCOUNT(S)

ADJUSTMENT AMOUNT	ACCOUNT NUMBER	PROJECT NUMBER	ACCOUNT NAME	ORIGINAL BUDGET	AMENDED BUDGET	ADJUSTED BUDGET	UNENCUMBERED BALANCE
($ 220,097)	424-4020-536.64-15	WS18DW	Machinery & Equipment/IT Hardware	$ 250,000	$ 249,984	$ 29,887	$ 249,984
$ 220,097	424-4010-581.91-21		Transfer to Water Sewer Fund (421)	$ 0	$ 0	$ 220,097	$ 0
$ 220,097	421-4020-536.46-02		Repair/Maintenance Buildings	$ 0	$ 0	$ 220,097	$ 0
$ 0				$ 0	$ 0	$ 0	$ 0
$ 0				$ 0	$ 0	$ 0	$ 0
$ 0				$ 0	$ 0	$ 0	$ 0
$ 220,097	TOTAL						

REASON/JUSTIFICATION FOR ADJUSTMENT:

The current Ground Water Chemical Building roof is approximately 20 years old and has small leaks were the chemical silos penetrate the roof, which is causing treatment issues by clogging the chemical feed equipment when the soda ash comes in contact with water. Replacing the roof will eliminate the clogging issue the leaking roof is causing plus extend the useful life of the building. Unfortunately, money wasn't budgeted for this repair, but the Dyal Plant should be good condition transferring money from the 424-4020-536.64-15 account into the 421-4020-536.46-02 account to pay for the repairs. Agenda 21-743.

Council/Board APPROVAL REQUIRED? *YES* (●) ***NO*** ( ) ***DATE APPROVED:*** 12/14/21 ***RESOLUTION #:***

City Council approval is needed for all transfers greater than $50,000 and transfers between Departments / Funds. All CRA adjustments are required to go their respective boards.

11/8/21	Sean McFarland Digitally signed by Sean McFarland Date: 2021.11.08 09:18:17 -05'00'	11/15/21	Colleen Campbell Digitally signed by Colleen Campbell Date: 2021.11.15 11:19:33 -05'00'		
Date	Requestor's Signature	Date	Finance Approval Signature	Date	Finance Director's Signature
	John "Jack" Walsh Digitally signed by John "Jack" Walsh Date: 2021.11.08 10:49:40 -05'00'		Rebecca Bowman Digitally signed by Rebecca Bowman Date: 2021.11.15 15:36:41 -05'00'		
Date	Department Director's Signature	Date	Deputy Fin. Director's Signature	Date	City Manager's Signature

FINANCE USE ONLY:

Date Entered: _____ Entered By: _____ Group #: _____

Legislation Details (With Text)

File #:	21-746	**Version:**	1	**Name:**	
Type:	Resolution			**Status:**	Consent Agenda
File created:	11/9/2021			**In control:**	City Council
On agenda:	12/14/2021			**Final action:**	
Title:	Approve a Resolution Waiving the Competitive Bidding Process for the Purpose of Making a Sole Source Purchase of an HMS (RH) Single Turner Valve Maintenance Skid and Associated Equipment from E.H. Wachs, Lincolnshire, Illinois, for the Dyal Water Treatment Plant. (Utilities Director)				
Sponsors:					
Indexes:					
Code sections:					
Attachments:	Resolution - Sole Source - E.H. Wachs.pdf Quote HC163070.pdf Exempt Vendor Listing FY21.pdf				

Date	Ver.	Action By	Action	Result

CITY COUNCIL AGENDA ITEM

Memo Date: November 9, 2021
Agenda Date: December 14, 2021
Prepared By: Sean B. McFarland, Water Treatment Manager
Through: John A. Walsh, P.E., Utilities Director
Requested Action:
To Approve a Resolution Waiving the Competitive Bidding Process for the Purpose of Making a Sole Source Purchase of an HMS (RH) Single Turner Valve Maintenance Skid and Associated Equipment from E.H. Wachs, Lincolnshire, Illinois, for the Dyal Water Treatment Plant

BACKGROUND:

The Dyal WTP owns and operates a wellfield that provides raw water for the plant to convert to potable water. The system consists of 48 wells along with large piping that has various gate and butterfly valves throughout the system. The valves are an important part of the wellfield system and are used to isolate wells and piping in the event of maintenance and/or repairs required on the equipment.

For preventative maintenance reasons and due to the varying age, size, and functionality of each valve, this equipment is necessary as it possesses the ability to customize individual torque requirements depending on the needs of each valve. Deploying this type of equipment provides the maintenance crew with a wide range of capability and versatility, and provides the necessary torque required to safely and efficiently operate each valve.

Additionally, valve operating equipment stores and reports critical valve “health” data through the

InfraMap GIS software currently utilized by the Utilities GIS division as well as the Dyal WTP. The information obtained through the effective use of this equipment plays a critical role in determining which valve(s) need to be repaired and/or replaced.

Staff recommends the approval of an Exemption to the Competitive Bidding Process for the Purpose of Making a Sole Source Purchase of the HMS (RH) Single Turner Valve Maintenance Skid and Associated Equipment in the amount of $72,785.

STRATEGIC PLAN CONNECTION:

N/A

BUDGETARY IMPACT:

Budgeted	Yes
If not budgeted, is amendment/transfer attached?	N/A
Amount Requested	$72,785
Account Number	421-4020-536.64-00, CA2202
Account Name	Machinery & Equipment
Source of Funds:	Operating Revenue

PREVIOUS ACTION:

N/A

RECOMMENDED MOTION:

To Approve a Resolution Waiving the Competitive Bidding Process for the Purpose of Making a Sole Source Purchase of an HMS (RH) Single Turner Valve Maintenance Skid and Associated Equipment from E.H. Wachs, Lincolnshire, Illinois, for the Dyal Water Treatment Plant.

RESOLUTION NO. 2021-121

A RESOLUTION OF THE CITY COUNCIL OF THE CITY OF COCOA, FLORIDA, WAIVING THE COMPETITIVE BIDDING PROCESS AND SETTING FORTH THE BASIS OF THE CITY MANAGER'S RECOMMENDATION THEREOF BY EXHIBIT; PROVIDING FOR THE REPEAL OF PRIOR INCONSISTENT RESOLUTIONS; AND PROVIDING FOR AN EFFECTIVE DATE.

WHEREAS, Section 2 of Article XIII of the City Charter of the City of Cocoa and Section 2-4 of the City Code of the City of Cocoa provides that competitive bidding is required for all purchases unless certain requirements are met for exceptions to the bidding requirement; and

WHEREAS, the City Manager has recommended that the competitive bidding requirement be waived for the purchase or public improvement described in Exhibit "A" attached to this Resolution and by this reference incorporated herein; and

WHEREAS, the City Council has determined that competitive bidding for the purchase or public improvement described in Exhibit "A" would not be in the City's best interest.

NOW, THEREFORE, BE IT RESOLVED BY THE CITY COUNCIL OF THE CITY OF COCOA, FLORIDA, AS FOLLOWS:

SECTION 1. The purchase or public improvement described in Exhibit "A" is hereby approved and the competitive bidding requirement is hereby waived. The basis for the City Manager's recommendation that a competitive bidding procedure would not be in the City's best interest is attached to this Resolution and by this reference incorporated herein.

SECTION 2. All resolutions or parts of resolutions in conflict herewith are hereby repealed to the extent of the conflict.

SECTION 3. This resolution shall become effective immediately upon adoption by the Cocoa City Council.

ADOPTED by the City Council of the City of Cocoa, Florida, in a regular meeting assembled this December 14, 2021.

_____

ATTEST: MICHAEL C. BLAKE, MAYOR

_____

CARIE SHEALY, MMC, CITY CLERK

EXHIBIT “A”

To Resolution No. 2021-121

The City Manager recommends that the competitive bidding requirement be waived, by reason of sole source purchase, for the purpose of purchasing a HMS (RH) Single Turner Valve Maintenance Skid and Associated Equipment from E.H. Wachs, Lincolnshire, Illinois.

The Department Director provided supporting documentation toward justification of the waiver, based on sole source, as an exception to the sealed bidding process; and based on this documentation, I support approval of the Resolution.

_____

Stockton Whitten, City Manager

E.H. WACHS®
A Division of ITW
Superior Equipment. Complete Support.™

Water Utility Products
600 Knightsbridge Pkwy | Lincolnshire IL 60069
T +1 847 537 8800 | F +1 847 520 1147
ehwachs.com

Quotation

TO: **Sean McFarland**
Water Treatment Manager
City of Cocoa
28400 State Road 520
Dyal Water Plant
Cocoa, FL 32922

Date:	9/22/2021
Quotation Number:	HC163070
Payment Terms:	Net 30
Shipping Terms:	FOB Lincolnshire
Valid Through:	12/30/2021
Estimated Delivery:	6 Weeks ARO
Reference:	HC145226

E.H. Wachs is pleased to offer the following quotation.

	Item Number	Description	Qty	U/M	Unit Price (USD)	Line Total (USD)
1	77-000-55	Standard LX (Gas) – VMS (RH): Single turner valve maintenance skid; includes Wachs 750 Ft/lb (1020 Nm) Extended Reach Valve operator, telescoping valve key and Wachs ruggedized HC-100 with GPS controller/datalogger. A 27 HP (20 kW) gasoline powered Kohler overhead cam air cooled engine provides ample power for all contained functions, including an auxiliary HTMA Class II circuit; 10 gallon (38 L) reservoir, fan cooled heat exchanger, continuous duty rated for 8 GPM (30.3 LPM) @ 1,800 PSI (125 bar). A positive displacement blower provides 500 CFM (14.2 cmm)-11" (280mm) Hg vacuum, with spoils containment provided by a 250 (950 L) gallon tank with power hydraulic dump (rear discharge) and latching rear door. Also driven from the common power train is a 2.5 gpm (9.5 LPM) @ 3000 PSI (210 bar) pressure washer system with 3 gallon (11.4 L) anti-freeze tank and 95 gallon (360 L) water tank. Includes 2-1/2" (63.5mm), 1-1/4" (31.75mm) & 7/8" (22mm) suction wands and one each short and long wash-down guns. The LX package bundles the service light bar with arrow board, 50' (15 M) auxiliary hydraulic hose reel for operation of hydraulic power tools & Bluetooth tethering module (installed in ERV-750) for wireless communication between the exerciser and Controller/Data Logger. Available Options: TM-7 HD (up to 2,500 Ft/lb [3,390 Nm] of torque) with Hybrid control valve operator (17-405-00), Job Box if not outfitting with TM-7 (77-409-00), Hot Water Heater (77-414-02) or already GPS enabled, however adding Trimble R2 GNSS receiver (79-412-02) provides survey grade centimeter accuracy.	1	EA	70,000.00	70,000.00

Subtotal	**70,000.00**
Motor Freight	**2,785.00**
Total (USD)	**$72,785.00**

Sales of E.H. Wachs products and services are expressly limited to and made conditional on acceptance of its current Terms and Conditions of Sale , found at www.ehwachs.com (“Terms”). Any additional or different terms are hereby rejected. Commencement of work by E.H. Wachs or acceptance of delivery of products by you constitutes your acceptance of the Terms.

Approved By:
Purchasing Manager:
Finance Director
City Manager:



PURCHASING DIVISION
10/1/20

EXEMPT VENDOR LISTING FY21

Approved vendors are exempt from competitive bid, purchase or quote. Requisitions for vendors listed are coded 017.

Approved Vendor	Vendor Number	Department	Single Source	Sole Source	Standardized Source	Product/Service
Advanced Det. Security (ADS)	7942	PW	☐	☐	☒	AES Radio, Fire, Security, Sprinkler Monitoring, Annual T&I
ACOM	7486	IT	☒	☐	☐	Maint. & licensing for check printing system,
Aerzen USA Corp.	6522	UT-SELLERS	☒	☐	☐	Parts, Supplies & Service for Single Stage Blowers
Alfa Lava, Inc.	9896	UT-SELLERS	☒	☐	☐	Parts for Belt Filter presses
AWC Inc.	9206	UT	☒	☐	☐	ABB Instrumentation & (Dyal) SCADA system hardware, technical support, and software license renewal for Siemens SIEPRO
Barney's Pumps	544	UT	☒	☐	☐	Warranty & Non-Warranty Parts & Repairs for Aurora and Layne/Verti-Line Pumps
Blue Ally (Datrium)	10222	IT	☒	☐	☐	Datrium licensing and maint. Hyper-converge computing infrastructure.
BorderLan (KnowBe4)	10354	IT	☐	☒	☐	Cyber security training platform
Burnett Lime Company Inc.	8684	UT	☐	☒	☐	CAL-FLO chemical
Business Oriented Software Solutions, Inc (BOSS)	9803	IT	☒	☐	☐	IT Helpdesk & Asset Management
Canon Solution America Inc	9643	UT-ADMIN	☒	☐	☐	Service & support for full-size plotter
Carter & Ver Planck Inc.	882	UT-SELLERS	☒	☐	☐	Parts & Service of Flowserve Pumps
CivicPlus	8911	IT	☒	☐	☒	Design, hosting services, and a content management system for the City's website
Culligan Water Products	1668	UT	☐	☐	☒	Services & supplies for Culligan Deionized Water Systems
Cummins Power South	10276	UT-SELLERS	☐	☒	☐	Standby Generator Repair & Parts for Cummins Generator
Diversified Engineering Intl	8095	UT	☒	☐	☐	Risk management training, maintenance & documentation (Dyal)
DLT Solutions LLC	6248	UT	☒	☐	☐	AutoCAD software & licensing
DRV Tech (Spoolflex)	8353	IT	☒	☐	☐	Provides maintenance and licensing for the City's I-Series print spooler system (Spoolflex)
Dude Solutions Inc.	10225	PW	☒	☐	☒	(PW) Work Order System Yearly License
E.H. Wachs Company	5977	UT	☒	☐	☐	Repair & Equipment Guillotine Saw & Automated Valve truck/trailer
Environmental Express	9775	UT	☒	☐	☐	Bac T containers and TSS filters
ERA – A Waters Company	3444	UT	☒	☐	☐	Proficiency test & demonstration of capability annual certification
ESRI – Environmental Sys Research	4135	PW	☐	☐	☒	Small Government Term Enterprises License Agreement and Small Enterprise License Agreement Training Package for GIS Software
Express Badging Svc Inc	9901	HR	☒	☐	☒	Employee HID Cards
Faster Asset Solutions	7814	PW-FLEET	☒	☐	☒	Service provider for "faster" Fleet Management System

Exempt vendors must have supporting justification for use. Use of Single Source, provide OEM, Authorized Distributor, Dealer of Record or Re-Seller company letterhead memo stating authorization to provide product or services. Use of Sole Source, only one supplier capable of delivering service or product must have memo with company letterhead to justify. Use of Standardization Source must accompany justification of department impact statement to standardize with use of single or sole source if choosing to standardize product or services.

Approved By:
Purchasing Manager:
Finance Director
City Manager:



PURCHASING DIVISION
10/1/20

EXEMPT VENDOR LISTING FY21

Approved vendors are exempt from competitive bid, purchase or quote. Requisitions for vendors listed are coded 017.

Approved Vendor	Vendor Number	Department	Single Source	Sole Source	Standardized Source	Product/Service
Fisher	115	UT	☒	☐	☐	Instruments and chemicals
Florida High Speed Internet (FLHSI)	10134	IT	☐	☒	☐	Leased Circuits (PD/EOC), Fiber Optic Infrastructure, wireless communications, SIP Trunks.
Fort Bend Services Inc	7149	UT	☒	☐	☐	LT-27 Polymer
Gerber Pumps Intl.	1449	UT	☒	☐	☒	DISCFLO pumps
Granicus	9009	IT	☒	☐	☒	Provides maintenance and licensing for the City's agenda platform and video recording in Council Chambers
HACH Equipment Company	93	UT	☐	☐	☒	Supplies for Field and Lab analyzers & WIMS software (Dyal)
Idexx Laboratories Inc	2780	UT-ADMIN	☐	☐	☒	Idexx supplies for water testing
Industrial Chemicals Inc	8632	UT	☐	☐	☒	Superfloc Polymer
Insource Software Solutions Inc.	9591	UT	☒	☐	☐	Wonderware Human Machine Interface Software (Dyal) & ThinClient software licensing agreements
Iwater Inc.	9504	PW	☒	☐	☐	INFRAMAP Now Software training & updates/upgrades
Kronos Inc.	7769	IT	☒	☐	☒	ETK Configuring & Managing Pay Rules, training, updates/upgrades
Municipal Code Corporation (Municode)	1766	IT	☒	☐	☒	City of Cocoa Code Book Supplements
Orange County Utilities/ Water Quality	8827	UT	☐	☒	☐	Crypto/Guardia testing, LT2 & biannual wastewater testing
Pathsolutions.com	9587	IT	☒	☐	☐	Provides maintenance and licensing for the City's network path management system
Pro-Co Inc.	8446	UT	☒	☐	☐	Rexa Valve Actuators
S & L Materials Inc.	9189	PW	☒	☐	☐	Shell Rock Road Base Material
Solid Waste Management	5123	UT	☐	☒	☐	Landfill
Sonitrol of Florida East Coast	8214	UT-DYAL	☐	☒	☐	Electronic security doors, gates, monitoring, maintenance & equipment
South Florida Emergency Vehicles	9912	PW-FLEET	☒	☐	☐	Parts & Service for Sutphen Fire Apparatus
Stantec Consulting Service Inc.	10139	IT	☒	☐	☐	Rate models & financial data

Exempt vendors must have supporting justification for use. Use of Single Source, provide OEM, Authorized Distributor, Dealer of Record or Re-Seller company letterhead memo stating authorization to provide product or services. Use of Sole Source, only one supplier capable of delivering service or product must have memo with company letterhead to justify. Use of Standardization Source must accompany justification of department impact statement to standardize with use of single or sole source if choosing to standardize product or services.

Approved By:
Purchasing Manager:
Finance Director
City Manager:



PURCHASING DIVISION
10/1/20

EXEMPT VENDOR LISTING FY21

Approved vendors are exempt from competitive bid, purchase or quote. Requisitions for vendors listed are coded 017.

Approved Vendor	Vendor Number	Department	Single Source	Sole Source	Standardized Source	Product/Service
TEAM Industrial Services, Inc.	9615	UT	☒	☐	☐	InsertValve installation equipment, valves, & related training & installation services
Ten-8 Fire Equipment Inc.	503	PW-FLEET	☒	☐	☐	Parts & service for Pierce Fire Apparatuses
Tracer Electronics LLC	10023	UT	☒	☐	☐	Sensors & Software GPR locating units and related parts
Trane Maitland	9530	UT-DYAL	☒	☐	☒	Trane HVAC Equipment & Tracer Summit Building Automation System
Trane Orlando Company	6762	PW	☒	☐	☒	Trane HVAC Equipment & Tracer Summit Building Automation System
Vapex Environmental Technologies	10105	UT-SELLERS	☒	☐	☐	Vapex O-Mega odor control system warranty, quarterly equipment maintenance service and PLC unit remote monitoring
Vermont Systems	8919	IT	☒	☐	☐	Provides maintenance and licensing for the City's leisure services system
Water Treatment & Controls Co.	1345	UT	☒	☐	☐	Repair & Parts for Paste Lime Slaker by Integrity and Municipal Syst. & Siemens Deplox Chlorine monitor, Deplox Chlorine and Fluoride Analyzers
Xylem Water Solutions USA, Inc. PA	1240	UT	☒	☐	☐	Wedeco ozone generator systems hardware, software, programming, repair & maintenance
Xylem Water Solutions USA, Inc. FL	9534	UT	☒	☐	☐	Wedeco ozone generator systems hardware, software, programming, repair & maintenance

Exempt vendors must have supporting justification for use. Use of Single Source, provide OEM, Authorized Distributor, Dealer of Record or Re-Seller company letterhead memo stating authorization to provide product or services. Use of Sole Source, only one supplier capable of delivering service or product must have memo with company letterhead to justify. Use of Standardization Source must accompany justification of department impact statement to standardize with use of single or sole source if choosing to standardize product or services.

Legislation Details (With Text)

File #:	21-773	**Version:**	1	**Name:**	
Type:	Informational Item			**Status:**	Consent Agenda
File created:	11/17/2021			**In control:**	City Council
On agenda:	12/14/2021			**Final action:**	
Title:	Approve Resolution Amending the FY22 Budget BAF#22-026-A, through the use of Assigned Fund Balance to the Economic Development Account, to fund expenses related to the Annual Economic Development Update Breakfast event. (Economic Development Manager)				
Sponsors:					
Indexes:					
Code sections:					
Attachments:	Budget Resolution FY 2022- ADA Compliant.pdf BAF 22-026-A-ED-Econ Dev Annual Breakfast (12-14-21) Agenda 21-773.pdf				

Date	Ver.	Action By	Action	Result

CITY COUNCIL AGENDA ITEM

Memo Date: November 15, 2021
Agenda Date: December 14, 2021
Prepared By: Angela Essing, Economic Development Manager
Through: Stockton Whitten, City Manager
Requested Action:
Approve Resolution Amending the FY22 Budget BAF#22-026-A, through the use of Assigned Fund Balance to the Economic Development Account, to fund expenses related to the Annual Economic Development Update Breakfast event.

BACKGROUND:

Each year the City of Cocoa hosts an Annual Economic Development Update Breakfast to promote Economic Development updates to the community. This event has been taking place for the past 20 years and is a great way to promote and market the City as a driver for Economic Development in our region. It is used as a marketing tool for the Economic Development Department.

With the shift of Economic Development to the City Manager's office this year, not all funds were budgeted for this year's event and thus the request to transfer the funds from assigned fund balance for Economic Development.

STRATEGIC PLAN CONNECTION:

The Annual Economic Development Update Breakfast is a strategy used to market our community to attract business and industry.

BUDGETARY IMPACT:

BAF# 22-026-A

Budget amendment to transfer $10,000 from the assigned fund balance 001-0000-389.99-50 to 001-1105-559.48-00 Economic Development Promotional Account to cover expenses associated with the Annual Economic Development Update Breakfast.

PREVIOUS ACTION:

This is an annual event that occurs each year to market Economic Development activities in our community. No previous Council action has been taken on this.

RECOMMENDED MOTION:

Approve Resolution Amending the FY22 Budget BAF#22-026-A, through the use of assigned Fund Balance to the Economic Development Account, to fund expenses related to the Annual Economic Development Update Breakfast event.

powered by Legistar™

RESOLUTION NO. 2021-122

A RESOLUTION OF THE CITY COUNCIL OF THE CITY OF COCOA, FLORIDA, AMENDING THE CITY OF COCOA BUDGET FOR FISCAL YEAR 2022; PROVIDING FOR THE REPEAL OF PRIOR INCONSISTENT RESOLUTIONS; AND PROVIDING AN EFFECTIVE DATE.

WHEREAS, the City Council of the City of Cocoa adopted the final budget for the fiscal year commencing on October 1, 2021, and ending on September 30, 2022, at a Regular meeting held on September 28, 2021; and

WHEREAS, in accordance with Article XII, Section 5 of the City of Cocoa Charter, whereby the Council may, at any time by resolution, transfer any unused and unencumbered appropriation or portion thereof from one office or department to another; and

WHEREAS, the City Council deems it to be in the best interest of the City of Cocoa to amend its budget as provided in this resolution.

NOW, THEREFORE, BE IT RESOLVED BY THE CITY COUNCIL OF THE CITY OF COCOA, as follows:

SECTION 1. The 2021-2022 fiscal year budget shall be amended as detailed in the attached sheets.

SECTION 2. All prior resolutions or prior resolutions inconsistent with this resolution are hereby repealed to the extent of the conflict.

SECTION 3. This resolution shall become effective immediately upon its adoption by the City Council of the City of Cocoa, Florida.

ADOPTED by the City Council of the City of Cocoa, Florida, in a Regular meeting assembled on the 14th day of December, 2021.

_____
Michael C. Blake, Mayor

ATTEST:

_____
Carie Shealy, MMC, City Clerk

City of Cocoa Budget Adjustment Form FY 2022 - 22-026-A

SELECT ADJUSTMENT TYPE: BUDGET AMENDMENT | REQUESTING DEPARTMENT #: 1105-ED | DATE PREPARED: 11/17/21

'REVENUE' ACCOUNT(S)

ADJUSTMENT AMOUNT	ACCOUNT NUMBER	PROJECT NUMBER	ACCOUNT NAME	ORIGINAL BUDGET	AMENDED BUDGET	ADJUSTED BUDGET	UNENCUMBERED BALANCE
$ 10,000	001-0000-389.99-50		Balance Forward/Fund Bal-Approp. Reserve	$ 160,066	$ 1,369,566	$ 1,379,566	$ 1,369,566
$ 0				$ 0	$ 0	$ 0	$ 0
$ 0				$ 0	$ 0	$ 0	$ 0
$ 0				$ 0	$ 0	$ 0	$ 0
$ 0				$ 0	$ 0	$ 0	$ 0
$ 0				$ 0	$ 0	$ 0	$ 0
$ 10,000	TOTAL						

'EXPENSE' ACCOUNT(S)

ADJUSTMENT AMOUNT	ACCOUNT NUMBER	PROJECT NUMBER	ACCOUNT NAME	ORIGINAL BUDGET	AMENDED BUDGET	ADJUSTED BUDGET	UNENCUMBERED BALANCE
$ 10,000	001-1105-559.48-00		Promotional Activities	$ 5,500	$ 5,500	$ 15,500	$ 4,902
$ 0				$ 0	$ 0	$ 0	$ 0
$ 0				$ 0	$ 0	$ 0	$ 0
$ 0				$ 0	$ 0	$ 0	$ 0
$ 0				$ 0	$ 0	$ 0	$ 0
$ 0				$ 0	$ 0	$ 0	$ 0
$ 10,000	TOTAL						

REASON/JUSTIFICATION FOR ADJUSTMENT:

Economic Development is requesting a budget transfer in the amount of $10,000 to host an Annual Economic Development Update Breakfast and the Student Lunch. Due to a shift in departments this Fiscal Year the event was left not budgeted. Agenda 21-773.

Council/Board APPROVAL REQUIRED? *YES* (●) ***NO*** ( ) ***DATE APPROVED:*** 12/14/21 ***RESOLUTION #:***

City Council approval is needed for all transfers greater than $50,000 and transfers between Departments / Funds. All CRA adjustments are required to go their respective boards.

11/24/21	Angela Essing (Digitally signed by Angela Essing Date: 2021.11.24 08:19:18 -05'00')	11/24/21	Colleen Campbell (Digitally signed by Colleen Campbell Date: 2021.11.24 11:36:17 -05'00')		
Date	Requestor's Signature	Date	Finance Approval Signature	Date	Finance Director's Signature
	Stockton Whitten (Digitally signed by Stockton Whitten Date: 2021.11.24 10:45:19 -05'00')	11/24/21	Lora Howell (Digitally signed by Lora Howell Date: 2021.11.24 11:41:31 -05'00')		Stockton Whitten (Digitally signed by Stockton Whitten Date: 2021.11.24 10:45:49 -05'00')
Date	Department Director's Signature	Date	Deputy Fin. Director's Signature	Date	City Manager's Signature

FINANCE USE ONLY:

Date Entered: _____ Entered By: _____ Group #: _____

Legislation Details (With Text)

File #:	21-776	**Version:**	1	**Name:**	
Type:	Resolution			**Status:**	Consent Agenda
File created:	11/19/2021			**In control:**	City Council
On agenda:	12/14/2021			**Final action:**	
Title:	Approval of a Resolution, Amending the FY22 Budget BAF# 22-027 for the amount of $660.00 for the Housing Department to provide a cell phone to conduct City Business after hours, record progress of projects with video and photos, respond to Citizens, attend virtual meetings when chrome books lack connectivity, and allow staff to respond by text. (Interim Community Services Director)				
Sponsors:					
Indexes:					
Code sections:					
Attachments:	FY22 Resolution.pdf BAF 22-027-T-CD-HPM Cell Phone (12-14-21) Agenda 21-776.pdf CDBG Indirect cost allocation .pdf				

Date	Ver.	Action By	Action	Result

CITY COUNCIL AGENDA ITEM

Memo Date: November 19, 2021
Agenda Date: December 14, 2021
Prepared By: Ibis S. Berardi, Housing Program Manager
Through: Charlene Neuterman, Interim Community Services Director
Requested Action:
Approval of a Resolution, Amending the FY22 Budget BAF# 22-027 for the amount of $660.00 for the Housing Department to provide a cell phone to conduct City Business after hours, record progress of projects with video and photos, respond to Citizens, attend virtual meetings when chrome books lack connectivity, and allow staff to respond by text.

BACKGROUND:

Staff is requesting approval of a Resolution amending the FY2022 Budget through BAF#22-027 in the amount of $660 for a cell phone to conduct businesses associated with the Housing Division. The cell phone will allow staff to conduct business outside of the office which includes communicating with customers and staff, taking photos/videos of project areas for submissions of reports, and attend virtual meetings as necessary.

The expense is considered an indirect cost activity as it is not directly tied to a project within the CDBG program budget.

Staff requests approval of the Resolution amending the FY2022 Budget in the amount of $660.00.

STRATEGIC PLAN CONNECTION:

Not applicable.

BUDGETARY IMPACT:

Budgeted No
If not budgeted, is amendment/transfer attached? Yes
BAF 22-027

FROM:
Amount Requested ($660.00)
Account Number 103-3240-554-39-00
Account Name Contingency Account

TO:
Amount $660.00
Account Number 103-3240-554-41-00
Account Name Communications

PREVIOUS ACTION:

Not applicable.

RECOMMENDED MOTION:

Approval of a Resolution, Amending the FY22 Budget BAF# 22-027 for the amount of $660.00 for the Housing Department to have a cell phone to conduct City Business after hours, record progress of projects with video and photos, respond to Citizens, attend virtual meetings when chrome books lack connectivity, and allows staff to respond by text when email is down.

RESOLUTION NO. 2021-123

A RESOLUTION OF THE CITY COUNCIL OF THE CITY OF COCOA, FLORIDA, AMENDING THE CITY OF COCOA BUDGET FOR FISCAL YEAR 2022; PROVIDING FOR THE REPEAL OF PRIOR INCONSISTENT RESOLUTIONS; AND PROVIDING AN EFFECTIVE DATE.

WHEREAS, the City Council of the City of Cocoa adopted the final budget for the fiscal year commencing on October 1, 2021, and ending on September 30, 2022, at a Regular meeting held on September 28, 2021; and

WHEREAS, in accordance with Article XII, Section 5 of the City of Cocoa Charter, whereby the Council may, at any time by resolution, transfer any unused and unencumbered appropriation or portion thereof from one office or department to another; and

WHEREAS, the City Council deems it to be in the best interest of the City of Cocoa to amend its budget as provided in this resolution.

NOW, THEREFORE, BE IT RESOLVED BY THE CITY COUNCIL OF THE CITY OF COCOA, as follows:

SECTION 1. The 2021-2022 fiscal year budget shall be amended as detailed in the attached sheets.

SECTION 2. All prior resolutions or prior resolutions inconsistent with this resolution are hereby repealed to the extent of the conflict.

SECTION 3. This resolution shall become effective immediately upon its adoption by the City Council of the City of Cocoa, Florida.

ADOPTED by the City Council of the City of Cocoa, Florida, in a Regular meeting assembled on the 14th day of December, 2021.

_____
Michael C. Blake, Mayor

ATTEST:

_____
Carie Shealy, MMC, City Clerk

City of Cocoa Budget Adjustment Form FY 2022 - 22-027-T

SELECT ADJUSTMENT TYPE: BUDGET TRANSFER | REQUESTING DEPARTMENT #: 3200 | DATE PREPARED: 10/14/21

'FROM' ACCOUNT(S)

ADJUSTMENT AMOUNT	ACCOUNT NUMBER	PROJECT NUMBER	ACCOUNT NAME	ORIGINAL BUDGET	AMENDED BUDGET	ADJUSTED BUDGET	UNENCUMBERED BALANCE
($ 660)	103-3240-554.39-00		Contingency	$ 16,867	$ 16,867	$ 16,207	$ 16,867
$ 0				$ 0	$ 0	$ 0	$ 0
$ 0				$ 0	$ 0	$ 0	$ 0
$ 0				$ 0	$ 0	$ 0	$ 0
$ 0				$ 0	$ 0	$ 0	$ 0
$ 0				$ 0	$ 0	$ 0	$ 0
($ 660)	TOTAL						

'TO' ACCOUNT(S)

ADJUSTMENT AMOUNT	ACCOUNT NUMBER	PROJECT NUMBER	ACCOUNT NAME	ORIGINAL BUDGET	AMENDED BUDGET	ADJUSTED BUDGET	UNENCUMBERED BALANCE
$ 660	103-3240-554.41-00		Communications	$ 0	$ 0	$ 660	$ 0
$ 0				$ 0	$ 0	$ 0	$ 0
$ 0				$ 0	$ 0	$ 0	$ 0
$ 0				$ 0	$ 0	$ 0	$ 0
$ 0				$ 0	$ 0	$ 0	$ 0
$ 0				$ 0	$ 0	$ 0	$ 0
$ 660	TOTAL						

REASON/JUSTIFICATION FOR ADJUSTMENT:

Mobile communications line for Housing Program Manager to communicate with City Staff and Community Partners while out in the field. Also to transmit documents thru email, text with clients, contractors, and staff, take pictures of projects from development through completion, attend zoom, office teams, or other virtual meetings. Agenda 21-776

Council/Board APPROVAL REQUIRED? *YES* (●) *NO* ( ) | *DATE APPROVED:* 12/14/21 | *RESOLUTION #:*

City Council approval is needed for all transfers greater than $50,000 and transfers between Departments / Funds. All CRA adjustments are required to go their respective boards.

10/14/21	Ibis Berardi — Digitally signed by Ibis Berardi Date: 2021.10.14 15:28:55 -04'00'	11/29/21	Colleen Campbell — Digitally signed by Colleen Campbell Date: 2021.11.29 09:00:18 -05'00'		
Date	Requestor's Signature	Date	Finance Approval Signature	Date	Finance Director's Signature
11/9/21	Charlene Neuterman — Digitally signed by Charlene Neuterman Date: 2021.11.09 14:09:12 -05'00'	11/29/21	Lora Howell — Digitally signed by Lora Howell Date: 2021.11.29 08:25:14 -05'00'		
Date	Department Director's Signature	Date	Deputy Fin. Director's Signature	Date	City Manager's Signature

FINANCE USE ONLY:

Date Entered: _____ Entered By: _____ Group #: _____

Menu

4.2. Allocating Costs
4.3. Activity: Is This Cost Allocable?
4.4. Activity: Is This Cost Allocable? Part 1
4.5. Activity: Is This Cost Allocable? Part 2
4.6. Activity: Is This Cost Allocable? Part 3
4.7. Activity: Is This Cost Allocable? Part 4
4.8. Summary: Is This Cost Allocable?
4.9. Defining Direct and Indirect Costs
4.10. Allocating Direct and Indirect Costs
4.11. Determining Whether Staff Salaries are Direct or Indirect Costs
4.12. Activity: Is This Cost Direct or Indirect?

Search...

Defining Direct and Indirect Costs

All costs must be classified as direct or indirect so they can be distributed appropriately across a Federal grant budget.

An expense that can be traced directly to (or identified with) a specific cost center or cost object such as a grant, process, product, or project is a direct cost.

Indirect costs are costs that are not directly accountable to a cost object (such as a particular project, grant, function, or product). They include administration, personnel, and security costs. Indirect costs are often attributable by departmental functions such as transportation, human resources, and similar organization- or government-wide functions.

prev next

Legislation Details (With Text)

File #:	21-787	**Version:**	1	**Name:**	
Type:	Contract			**Status:**	Consent Agenda
File created:	11/24/2021			**In control:**	City Council
On agenda:	12/14/2021			**Final action:**	
Title:	Approve the purchase of portable radios and equipment from Communications International in the amount of $89,720.24 via an Exemption to Competitive Purchase as standardization of the Fire Department radios. (Fire Chief)				
Sponsors:					
Indexes:					
Code sections:					
Attachments:	CFD QO0016735 XL185P LTE 17 111721.pdf ECP-Fire-CI Radios-$89,721.pdf				

Date	Ver.	Action By	Action	Result

CITY COUNCIL AGENDA ITEM

Memo Date: November 24, 2021
Agenda Date: December 14, 2021
Prepared By: Jonathan Lamm, Fire Chief
Through: Jonathan Lamm, Fire Chief
Requested Action:
Approve the purchase of portable radios and equipment from Communications International in the amount of $89,720.24 via an Exemption to Competitive Purchase as standardization of the Fire Department radios.

BACKGROUND:

The standard for digital Land Mobile Radio (LMR) radio is known as "P25", "APCO Project 25" and as the Electronics Industry Association/Telecommunications Industry Association "EIA/TIA-102" standard.
Developed by the Association of Public-Safety Communications Officials-International (APCO), Project 25 (P25) is a suite of standards for North American digital radio communications for federal, state and local public safety organizations, first responders and utilities, allowing for interoperable multi-agency communications during emergency situations. When it comes to public safety radio communications, first responders from different departments and jurisdictions need to be able to talk to each other without fail. If not, lives can be lost.

The Project 25 (P25) radio standard was developed so that everyone using public safety radios could talk to each other in real-time regardless of which department (police, fire or EMS) and jurisdiction they belonged to and which vendor technology is used.

Department of the Interior (DOI) Radio Liaisons, DOI decided to adopt the P25 digital radio standard as the standard for all radio purchases. DOI has also mandated that all radios/radio systems that carry law enforcement or public safety traffic comply with the EIA/TIA-102 standard which include encryption capabilities/technologies.

Self-Contained Breathing Apparatus (SCBA) systems are frequently used by firefighters and other public service personnel who rely on speech radio communications to perform their work. The SCBA mask acoustically distorts speech and the breathing system produces noises that can detrimentally affect speech communications. Both speech intelligibility and speech quality are detrimentally affected by SCBA equipment use.

Our current radios having become antiquated and parts are no longer being made to repair or replace needed parts used to make the radio function. The purchase of this equipment will allow us to become compliant with Federal and State standards (EIA/TIA-102). The radios will also provide better communication and integrate with our current SCBA's to provide for clearer communications between responders during emergency situations and natural disasters. Purchase from Communications International through an Exemption to Competitive purchase as standardization of fire department radios is requested. Communications Internal is the requested vendor because the department's radios must be the same type of radio to maintain inter-operability within the department and with Brevard County Fire Rescue. This vendor has the programming information for the City's radios and can perform maintenance promptly due to the closeness of their location in Rockledge.

Communications with responders during this pandemic has been paramount in providing safe and efficient communication of vital information. If the purchase of this equipment is delayed it could result in responders not having the proper equipment to communicate essential information during emergency responses.

STRATEGIC PLAN CONNECTION:

Public Safety - Reducing and eliminating the City's exposure to hazard impacts through effective planning, targeted funding, and hazard mitigation helps to reduce the loss of life, human suffering, and property damage.

BUDGETARY IMPACT:

Budgeted	Yes
If not budgeted, is amendment/transfer attached?	Choose an item.

Amount Requested	$89,720.24
Account Number	001-2201-522.64-00 CA2201
Account Name	Machinery and equipment

$88,000 was budgeted for this project in FY22, however the quote came in slightly higher. The additional $1,720.24 is being transferred from an operating account to this project on the November Budget Cleanup.

PREVIOUS ACTION:

Approved during budget process

RECOMMENDED MOTION:

Approve the purchase of portable radios and equipment from Communications International in the amount of $89,720.24 via an Exemption to Competitive Purchase as standardization of the Fire Department radios.

Quotation

Communications International, Inc.
4450 US Highway 1
VERO BEACH, FL 32967

Page	1 of 2
Quotation ID	QO0016735
Date	11/17/2021
Expiration date	11/19/2021
Terms	N30
Salesperson	Steven Mimbs
Phone	(321) 636-9885
E-mail	smimbs@ask4ci.com

Bill to

Cocoa Fire Department
Attn: Joanne Soper
1740 Dixon
COCOA, FL 32922

Delivery address

Cocoa Fire Department
Attn: Joanne Soper
1740 Dixon
COCOA, FL 32922

Cocoa Fire Department
Quote for 17 XL185P LTE portable radio.

Item	Description	Quantity	Price	Line Discount	Net Price	Extended Price
XS-PPS1M-NA	PORTABLE,XL-185P,7/8,PKP,BLK,US,NA	17.00	3,180.00	28%	2,289.60	38,923.20
XS-PL5K	FEATURE,PROFILE OTAP OVER-THE-AIR PRGM	17.00	265.00	28%	190.80	3,243.60
XS-FW2X	OPERATION, LOAD NIFOG PERSONALITY	17.00	0.01	0%	0.01	0.17
XS-PL4F	Feature, P25 Phase 2 TDMA	17.00	250.00	28%	180.00	3,060.00
XS-PKG8F	FEATURE,256-AES,64-DES ENCRYPTION	17.00	695.00	28%	500.40	8,506.80
XS-P25ED	FEATURE PACKAGE, P25 AND EDACS TRUNKING	17.00	2,000.00	28%	1,440.00	24,480.00
XS-PL4L	FEATURE, SINGLE BAND 7/800	17.00	0.01	0%	0.01	0.17
XS-PA3V	BATTERY,LI-ION,3100 MAH	34.00	150.00	28%	108.00	3,672.00
XS-NC8F	ANTENNA,WHIP,1/4 WAVE,762-870MHZ	17.00	40.00	28%	28.80	489.60
XS-HC3L	BELT CLIP,METAL	6.00	30.00	28%	21.60	129.60
EC1M-HA3C	ENDURA IN-VEHICLE CHARGER FOR HARRIS XL-200P	4.00	96.80	20%	77.44	309.76
XS-CH5A	CHARGER, 6-BAY, XL-185P	3.00	895.00	28%	644.40	1,933.20
EC1-HA3	Endura Single Unit Charger w/Pod, XL-200	4.00	69.80	20%	55.84	223.36
AT42085A	Four Station XL200 Charger/Conditioner	3.00	734.66	20%	587.73	1,763.18
XS-AE2V	SPEAKER MIC, REVO NC2, C1D2	17.00	190.00	28%	136.80	2,325.60

COMMUNICATIONS INTERNATIONAL
An Employee Owned Company

Quotation

Quotation ID QO0016735
Date 11/17/2021
Expiration date 11/19/2021

Item	Description	Quantity	Price	Line Discount	Net Price	Extended Price
	Programming	17.00	34.00	0%	34.00	578.00
	Shipping	1.00	82.00	0%	82.00	82.00

Pre-tax Total **$89,720.24**

This quotation does not include tax
Applicable taxes will be calculated during invoicing

Not an Invoice – Do Not Pay

Order Acceptance - Please sign below

Signature _____

Printed name _____

Date _____

By signing this quotation and/or submitting a purchase order pursuant to this quotation you acknowledge that you have read and agree to be bound by Communications International, Inc.'s terms and conditions of sale, service, and technical support. Orders may be subject to shipping & handling charges. All warranties are manufacturer's warranties. Terms and Conditions: www.ask4ci.com/termsandconditions

Embedded Secure Document

The file *https://cocoa.legistar.com/View.ashx?M=F&ID=10345815&GUID=8267B138-5FDB-46B7-8B59-35E40E1FFC0C* is a secure document that has been embedded in this document. Double click the pushpin to view.



Legislation Details (With Text)

File #:	21-788	**Version:**	1	**Name:**	
Type:	Report			**Status:**	Consent Agenda
File created:	11/29/2021			**In control:**	City Council
On agenda:	12/14/2021			**Final action:**	
Title:	Approval of the requested Pay Plan changes for Fiscal Year 2022. (Administrative Services Director)				
Sponsors:	Department Director				
Indexes:					
Code sections:					
Attachments:	FY 2022 General Employees Pay Plan (Revised Effective 12-14-2021).pdf				

Date	Ver.	Action By	Action	Result

CITY COUNCIL AGENDA ITEM

Memo Date: December 3, 2021
Agenda Date: December 14, 2021
Prepared By: Tammy Gemmati, Administrative Services Director
Through: Stockton Whitten, City Manager
Requested Action:
Approval of the requested Pay Plan changes for Fiscal Year 2022.

BACKGROUND:

Per City of Cocoa's City Charter, Article IV, Section 3, the City Manager has the authority to fix the compensation of city employees within the pay schedules established by the city council and personnel policies. With the adoption of the annual budget for Fiscal Year 2022, a necessary amendment was overlooked for the City's Pay Plan.

Staff recommends the following changes to the pay plan for engineering positions to help the City remain competitive and provide internal progression based on years of experience and the attainment of a Professional Engineering license.

Position Title	Pay Grade	Requested Change
Utilities Associate Engineer III	GE15	New Position
Utilities Senior Engineer	GE16	New Position
Engineering Division Manager	GE17	Pay Grade Change
Deputy Utilities Director	GE18	Pay Grade Change

This request will not increase the City's headcount that was approved in the annual Fiscal Year 2022

Budget. Having this new structure in place will ensure current and filled vacancies are classified appropriately based on qualifications. Currently the City is planning to post the vacancy of Engineering Division Manager that has been vacant since 2019.

STRATEGIC PLAN CONNECTION:

Employees: Will help recruit and retain long-term tenure at the City of Cocoa.

BUDGETARY IMPACT:

Budgeted	Yes
If not budgeted, is amendment/transfer attached?	N/A

There is sufficient budget in the salary budget.

PREVIOUS ACTION:

N/A

RECOMMENDED MOTION:

Approval of the requested Pay Plan changes for Fiscal Year 2022.

powered by Legistar™

General - NonExempt "GH" (Hourly) - Open Range Plan

	Hourly		Annually		
Grade	Minimum	Maximum	Minimum	Maximum	Positions
1	$12.50	$20.00	$ 26,000.00	$ 41,600.00	School Crossing Guard (Part Time)
2	$13.50	$21.60	$ 28,080.00	$ 44,928.00	
3	$14.58	$23.33	$ 30,326.40	$ 48,526.40	Facilities Attendant
4	$15.75	$25.20	$ 32,760.00	$ 52,416.00	Administrative Assistant Community Services Technician Engineering Intern Human Resources Intern (Temporary PT) Office Assistant Police Records Clerk Receptionist Recording Secretary Records Technician
5	$17.01	$27.22	$ 35,380.80	$ 56,617.60	Accounts Payable Clerk Administrative Secretary Customer Service Technician Engineering Representative License/Permit Technician Utility Billing Clerk
6	$18.37	$29.40	$ 38,209.60	$ 61,152.00	Booking Officer-PT Contract Technician Senior Accounts Payable Clerk Victims Advocate
7	$19.84	$31.75	$ 41,267.20	$ 66,040.00	Code Enforcement Officer Environmental Control Coordinator Field Inspector Field Operations Technician Field Service Inventory Technician Help Desktop Support Technician Human Resources Technician Police Evidence Technician Police Officer Trainee Senior Customer Service Representative Senior Field Service Representative Senior Utilities Field Service Representative Utility Accounting Technician Water Plant Technician
8	$21.43	$34.29	$ 44,574.40	$ 71,323.20	Code Enforcement Coordinator Crime Scene Technician Field Inspector II
9	$23.14	$37.03	$ 48,131.20	$ 77,022.40	Asset Management Coordinator Assistant City Clerk Development Coordinator Executive Secretary Fire Inspector Junior Staff Accountant Jr. Buyer & Contract Specialist Utilities GIS/CAD Technician Leisure Services Coordinator Payroll Specialist

Revised Date
12/3/2021

General - NonExempt "GH" (Hourly) - Open Range Plan

	Hourly		Annually		
Grade	Minimum	Maximum	Minimum	Maximum	Positions
10	$24.99	$39.99	$ 51,979.20	$ 83,179.20	Grounds Maintenance Supervisor Park & Right of Way Supervisor Plans Examiner Supervisor II
11	$26.99	$43.19	$ 56,139.20	$ 89,835.20	Building Inspector SCADA Analyst I Supervisor III
12	$29.15	$46.65	$ 60,632.00	$ 97,032.00	Electrical Maintenance Supervisor SCADA Analyst II

** Annual rates are divisible by 2080

Revised Date
12/3/2021

General - Exempt "GE" (Salary) - Open Range Plan

	Hourly		Annually		
Level	Minimum	Maximum	Minimum	Maximum	Positions
9	$23.14	$37.03	$ 48,131.20	$ 77,022.40	Conservation & Public Relations Officer Criminal Intelligence Analyst Digital Communications Coordinator Redevelopment Coordinator Victim Advocate Coordinator
10	$24.99	$39.99	$ 51,979.20	$ 83,179.20	Fiscal Analyst - Budget Grants Administrator Jr. Systems Administrator Planner Systems Analyst Utilities GIS Coordinator
11	$26.99	$43.19	$ 56,139.20	$ 89,835.20	Customer Service Supervisor Economic Development Specialist Field Services Supervisor Inspection Supervisor Senior Buyer & Contracts Agent Staff Accountant Staff Accountant - Bank/Treasury Support Service Supervisor Systems Administrator Utility Billing Supervisor Human Resources Coordinator
12	$29.15	$46.65	$ 60,632.00	$ 97,032.00	Accounting Supervisor Assistant Sewer Field Operations Manager Assistant to the Building Official/Building Inspector Assistant Water Field Operations Manager Chief of Maintenance Chief Operator Chief Operator Wastewater GIS Administrator Housing Program Manager Public Information Officer Safety & Risk Program Manager Senior Budget Analyst Senior Planner Technical Services Supervisor
13	$31.48	$50.38	$ 65,478.40	$ 104,790.40	Code Enforcement Manager Engineering Supervisor Leisure Services Manager Parks, Project & ROW Manager Utilities Associate Engineer I Water Quality Laboratory Manager
14	$34.00	$54.41	$ 70,720.00	$ 113,172.80	Accounting Manager Assistant to the CM / Public Information Officer Economic Development Manager Facilities Manager Fleet Manager Human Resources Manager

Revised Date
12/3/2021

General - Exempt "GE" (Salary) - Open Range Plan

	Hourly		Annually		
Level	Minimum	Maximum	Minimum	Maximum	Positions
					Planning & Zoning Manager Police Lieutenant (IA) Purchasing/Contract Manager Senior Network & Security Administrator Streets/Stormwater Manager Utilities Associate Engineer II Utility Customer Service Manager Utility Support Service Manager
15	$36.72	$58.76	$ 76,377.60	$ 122,220.80	City Clerk Field Operations Manager Superintendent Utilities Associate Engineer III Water Treatment Manager
16	$39.66	$63.46	$ 82,492.80	$ 131,996.80	Assistant City Engineer Assistant Utilities Director Building Official Deputy Director Community Services Deputy Finance Director Deputy Fire Chief Utilities Senior Engineer Police Commander
17	$45.61	$72.98	$ 94,868.80	$ 151,798.40	Administrative Services Director Community Development Dir/Planning & Zoning Admin Chief Technology Officer Engineering Division Manager Finance Director Fire Chief Police Chief Public Works Director/City Engineer
18	$52.45	$83.93	$ 109,096.00	$ 174,574.40	Assistant City Manager Deputy Director Utilities
19	$60.32	$96.52	$ 125,465.60	$ 200,761.60	Utilities Director

** Annual rates are divisible by 2080

Revised Date
12/3/2021

Legislation Details (With Text)

File #:	21-810	**Version:**	1	**Name:**	
Type:	Informational Item			**Status:**	Agenda Ready
File created:	12/9/2021			**In control:**	City Council
On agenda:	12/14/2021			**Final action:**	
Title:	Grant an easement to Riverside Apartments Limited, located at 650 Dixon Boulevard, to allow certain encroachments to remain on the City's property along Dixon Boulevard, and permit the City Attorney to negotiate any necessary amendments and insert applicable legal descriptions.(City Attorney)				
Sponsors:					
Indexes:					
Code sections:					
Attachments:	650 Dixon Easement - FINAL CLEAN.docx SIGNED SURVEY.PDF Indenture 650 Dixon.pdf				

Date	Ver.	Action By	Action	Result

CITY COUNCIL AGENDA ITEM

Memo Date: December 9, 2021
Agenda Date: December 14, 2021
Prepared By: Kristin Eick, Assistant City Atttorney
Through: Anthony Garganese, City Attorney
Requested Action:
Grant an easement to Riverside Apartments Limited, located at 650 Dixon Boulevard, to allow certain encroachments to remain on the City's property along Dixon Boulevard, and permit the City Attorney to negotiate any necessary amendments and insert applicable legal descriptions.

BACKGROUND:

The City Attorney's Office was contacted by counsel for the Riverside Apartments Limited, located at 650 Dixon Boulevard. The City acquired the southerly 25 feet of the Riverside Apartments' property, adjacent to Dixon Boulevard, by that certain Indenture, dated September 25, 1962, recorded in the Official Records of Brevard County, Book 710, Page 904, subject to a reversion if the property was not used for street purposes. The City currently utilizes the acquired property for purposes of providing utilities. However, Riverside Apartments currently has several structures encroaching into the City's property, including staircases serving the apartment complex, parking spaces and parking lot surface, concrete and paver sidewalks, and planter boxes.
Riverside Apartments would like to sell its property and is requesting an easement from the City to allow the existing encroachments to remain. The City Attorney's Office has drafted an easement agreement for review and consideration by the City Council. The following are the most important aspects of the easement:

- Riverside Apartments will not be permitted to relocate the encroachments unless the City consents or the relocation will remove or reduce the encroachments.
- Except in case of emergency, Riverside Apartments will provide 30 days' notice to the City prior to performing any inspection, alteration, improvement, or repair which may either (1) involve heavy equipment or machinery; (2) disturbance or excavation of the surface of the Property; or (3) materially interfere with the City's use of its Property. Riverside Apartments must coordinate all such work with the City Manager's Office.
- The City will not be responsible for any damage to the encroachments caused by the City's work on the street or public infrastructure therein.
- The City may terminate the easement for convenience upon providing one year's written notice, provided the City will undertake diligent efforts to ensure no other alternative plans would allow for the continued maintenance of the encroachments.

STRATEGIC PLAN CONNECTION:

NA

BUDGETARY IMPACT:

NA

PREVIOUS ACTION:

NA

RECOMMENDED MOTION:

Grant an easement to Riverside Apartments Limited, located at 650 Dixon Boulevard, to allow certain encroachments to remain on the City's property along Dixon Boulevard, and permit the City Attorney to negotiate any necessary amendments and insert applicable legal descriptions.

powered by Legistar™

LEGEND OF ABBREVIATIONS :	PB DENOTES PLAT BOOK	AC DENOTES AIR CONDITIONER	NID DENOTES NAIL AND DISC	PC DENOTES POINT OF CURVATURE
UE DENOTES UTILITY EASEMENT	PG DENOTES PAGE	MH DENOTES MANHOLE	MND DENOTES MAG NAIL AND DISC	PRC DENOTES POINT OF REVERSE CURVATURE
UDE DENOTES UTILITY AND DRAINAGE EASEMENT	WM DENOTES WATER METER	(M) DENOTES MEASURED MEASUREMENT	IR DENOTES IRON ROD	PCC DENOTES POINT OF COMPOUND CURVATURE
PUDE DENOTES PUBLIC UTILITY AND DRAINAGE EASEMENT	EM DENOTES ELECTRIC METER	(C) DENOTES CALCULATED MEASUREMENT	IRC DENOTES IRON ROD AND CAP	PT DENOTES POINT OF TANGENCY
IE DENOTES INGRESS / EGRESS EASEMENT	CLP DENOTES CONCRETE LIGHT POLE	(D) DENOTES DEEDED MEASUREMENT	IP DENOTES IRON PIPE	PI DENOTES POINT OF INTERSECTION
ME DENOTES MAINTENANCE EASEMENT	ICV DENOTES IRRIGATION CONTROL VALVE	(P) DENOTES PLATTED MEASUREMENT	IPC DENOTES IRON PIPE AND CAP	COR DENOTES CORNER
AE DENOTES ACCESS EASEMENT	SE DENOTES SIDEWALK EASEMENT	DE DENOTES DRAINAGE EASEMENT	FND DENOTES FOUND	& DENOTES AND

1880'S ATLAS MAP OF FLORIDA: ORIGIN UNKNOWN



WWW.TITANPSM.COM

File #: 211012006



SURVEY OF:

650 Dixon Blvd, Cocoa, FL 32922

PREPARED ON BEHALF OF

TITAN SURVEYING AND MAPPING
PROUDLY SERVING FLORIDA SINCE 2018

ON BEHALF OF THE PROPERTY OWNER OR INDIVIDUAL CUSTOMER

WEB: WWW.TITANPSM.COM
OFFICE: (772) 281-1724
EMAIL:ORDERS@TITANPSM.COM

CERTIFIED TO:

DDB Capital LLC

©2020 TITAN SURVEYING AND MAPPING



SURVEY NOTES:

A - PARKING SPOTS ENCROACH PAST BOUNDARY INTO EASEMENT AS SHOWN

B - PAVERS ENCROACH PAST BOUNDARY INTO EASEMENT AS SHOWN

C - STAIRS ENCROACH PAST BOUNDARY INTO EASEMENT AS SHOWN

D - PLANTERS ENCROACH PAST BOUNDARY INTO EASEMENT AS SHOWN

E -WALL ENCROACHES PAST BOUNDARY INTO EASEMENT AS SHOWN

SCALE: 1" = 25'

NORTH

REVISION:
COMMENT:


DRAWN BY -ERIE
SURVEYED BY -WES

PAGE 1 OF 1 COUNTY: BREVARD COUNTY FILE #:211012006 ISSUED:10/26/2021 FLOOD ZONE: X | MAP#: 12009C0340H | EFF: 01/29/2021 ELEV: -

BOUNDARY SURVEY

OF 650 DIXON BLVD,COCOA, FL 32922

*THE ADDRESS WAS VERIFIED ON THE GROUND BY FIELDWORK CONDUCTED ON *2021-10-20*



UNLESS OTHERWISE NOTED ANGLES AND DISTANCES ARE BOTH RECORD AND MEASURED

DRAFTING ABBREVIATIONS

&	- AND	BOC	- BOW RIVD AND CAP
UB	- UTILITY BOX	BE	- BUFFER EASEMENT
UR	- UTILITY RISER	BSE	- ROAD / DRAINAGE EASEMENT
EOW	- EDGE OF WATER	ME	- MAINTENANCE EASEMENT
TOB	- TOP OF BANK	SE	- SIDEWALK EASEMENT
C / S	- COVERED & SCREENED	OE	- OVERHANG / ROOF EASEMENT
SCRN	- SCREENED	PB~	- DENOTES PERIMETER, EX.(PB~20)
COV	- COVERED	E	- INGRESS / EGRESS
FND	- FOUND	UE	- UTILITY EASEMENT
ND	- NAIL AND DISK	DE	- DRAINAGE EASEMENT
CM	- CONCRETE MONUMENT	UDE	-UTILITY & DRAINAGE EASEMENT
BR	- BOW RIVD	SRC	- SET 5/8" BROW RIVD & CAP "TITAN" LB8302
SND	- SET NAIL AND DISC "TITAN" LB8302		
VE	- VALLEY GUTTER		
FLC	- FLUSH CURB		
FC	- FENCE CORNER		
ON/+	- ON LINE +		
WCE	- WATER EQUIPMENT		
PEQ	- POOL EQUIPMENT		

CERTIFIED TO:

DDB CAPITAL LLC ;

Thomas W. Gritton (10/26/2021)

LICENSED FLORIDA SURVEYOR
PSM#7347
THOMAS W. GRITTON
PROFESSIONAL SURVEYOR AND MAPPER

ALTA, RESIDENTIAL, COMMERCIAL, AND OTHER SURVEY SERVICES

TITAN PSM

HOURS OF OPERATION M - F 9AM - 5PM EASTERN

CONTACT: (772) 281-1724
EMAIL:ORDERS@TITANPSM.COM
369 BAKER RD, STUART, FL
CERTIFICATION OF AUTHORIZATION: LB8302
WWW.TITANPSM.COM

LEGEND:

- HEAVY VEGETATION
- BUILDING SETBACK
- WALL
- GATE VALVE
- RECORDED INFORMATION
- MEASURED INFORMATION
- DEEDED INFORMATION
- CALCULATED INFORMATION
- PLATTED INFORMATION
- UTILITY RISER
- UTILITY BOX
- TRANSFORMER
- CONTROL POINT
- LIGHTPOLE
- OVERHEAD LINE (WIRE)
- SPOT ELEVATION
- TILE SURFACE
- ASPHALT SURFACE
- BRICK / PAVER SURFACE
- PROPERTY BOUNDARY
- PLATTED LOT LINE
- BUILDING
- EDGE OF WATER
- EASEMENT BOUNDARY
- FENCE
- NUMBER
- CENTERLINE
- CATCH BASIN / DRAINAGE GRATE
- FIRE HYDRANT
- UTILITY POLE
- MANHOLE
- VALVE / ANY TYPE
- WELL
- GRAVEL SURFACE
- CONCRETE SURFACE
- WOOD SURFACE

LEGAL DESCRIPTION: *(AS PROVIDED BY CLIENT)*

PARCEL ID(S) (IF AVAILABLE): '24-36-21-BM-*-4.01

A TRACT OF LAND IN GOVERNMENT LOT 1, SECTION 21, TOWNSHIP 24 SOUTH, RANGE 36 EAST, DESCRIBED AS FOLLOWS: COMMENCE AT THE POINT OF INTERSECTION OF THE EAST RIGHT OF WAY OF U.S. HIGHWAY NO. 1 AS PRESENTLY LOCATED WITH THE SOUTH LINE OF LOT 4 OF THE PLAT OF THE DIVISION OF THE LANDS OF ROBERT DIXON, AS PER PLAT THEREOF RECORDED IN PLAT BOOK 1, PAGE 24, PUBLIC RECORDS OF BREVARD COUNTY, FLORIDA; THENCE RUN NORTH 34 DEGREES, 15 MINUTES, 00 SECONDS EAST ALONG SOUTH LINE OF SAID LOT 4, 327.70 FT. TO A POINT; THENCE RUN NORTH 34 DEGREES, 20 MINUTES, 30 SECONDS EAST ALONG SOUTH 1INE OF SAID LOT 4, 243.72 FEET TO A POINT; THENCE RUN NORTH 27 DEGREES 7 MINUTES, 30 SECONDS WEST, 28.46 FEET TO THE POINT OF BEGINNING; FROM SAID POINT OF BEGINNING, CONTINUE NORTH 27 DEGREES, 7 MINUTES, 30 SECONDS WEST 343.41 FEET TO A POINT; THENCE RUN NORTH 62 DEGREES, 52 MINUTES, 30 SECONDS EAST, 215.94 FT. TO A POINT; THENCE RUN SOUTH 27 DEGREES, 7 MINUTES, 30 SECONDS EAST 224.01 FEET; THENCE RUN SOUTH 34 DEGREES, 20 MINUTES, 30 SECONDS WEST PARALLEL WITH THE SOUTH LINE OF SAID LOT 4, 245.78 FEET TO THE POINT OF BEGINNING; ALL LYING AND BEING WITHIN LOT 4 OF THE PLAT OF THE DIV-ISION OF THE LANDS OF ROBERT DIXON, AS RECORDED IN PLAT BOOK 1, PAGE 24, PUBLIC RECORDS OF BREVARD COUNTY, FLORIDA, SUBJECT TO ENCROACHMENT OF IMPROVEMENTS LOCATED UPON THE REAL PROPERTY DESCRIBED ABOVE ONTO THE RIGHT OF WAY FOR DIXON BOULEVARD AS DESCRIBED IN OFFICIAL RECORDS BOOK 710, AT PAGE 904, AND ALSO ONTO LOT 3 OF THE PLAT OF DIVISION OF THE LANDS OF ROBERT DIXON AS RECORDED IN PLAT BOOK 1, PAGE 24, ALL IN THE PUBLIC RECORDS OF BREVARD COUNTY, FLORIDA, AND OTHER SURVEY NOTES, ALL AS REFLECTED AND SHOWN ON SURVEY PREPARED BY ROBERT M, PACKARD OF FREDLUND AND PACKARD LAND SURVEYORS, INC., DATED OCTOBER 19, 1989.

PARKING SPACE COUNT:

TOTAL OF 51 REGULAR PARKING SPACES
TOTAL OF 0 HANDICAPPED PARKING SPACES

BEARING BASIS :
BEARINGS ARE BASED ON THE N LINE OF DESCRIBED PARCEL , WHICH BEARS S 62° 52' 30" E AND ALL OTHER BEARINGS SHOWN HEREON ARE RELATIVE THERETO.

GROSS LAND AREA: 1.41 ACRES

SURVEY EXCEPTIONS:
-NO SEARCH OF THE PUBLIC RECORDS HAS BEEN CONDUCTED BY THIS OFFICE.
- GRAPHIC REPRESENTATIONS MAY BE EXAGGERATED TO DEPICT FEATURES, DIMENSIONS PREVAIL OVER SCALE
-UNLESS SPECIFIED ALL FOUND CONTROL HAD NO IDENTIFICATION
-UNLESS SPECIFIED ALL MEASUREMENTS ARE IN US SURVEY DECIMAL FEET
- THIS BOUNDARY SURVEY HAS BEEN PREPARED FOR THE PURPOSE OF PROPERTY OWNER TO FULFILL A MORTGAGE TRANSACTION. IT IS VALID FOR ONLY THIS PURPOSE.
-ANY FENCES SHOWN HEREON ARE ILLUSTRATIVE OF THEIR GENERAL POSITION ONLY. FENCE TIES SHOWN ARE TO GENERAL CENTERLINE OF FENCE. TITAN SURVEYING AND MAPPING WILL NOT BE RESPONSIBLE FOR DAMAGE RESULTING FROM THEIR REMOVAL OF, OR CHANGES MADE TO ANY FENCE UNLESS WE HAVE THEIR PHYSICAL RELATIONSHIP SHOWN TO THE MONUMENTED BOUNDARY LINES.
-UNDERGROUND IMPROVEMENTS HAVE NOT BEEN LOCATED EXCEPT AS SPECIFICALLY SHOWN.
-ALL BOUNDARY AND CONTROL DIMENSIONS SHOWN ARE FIELD MEASURED AND CORRESPOND TO RECORD INFORMATION UNLESS SPECIFICALLY NOTED .
-ADDITIONS OR DELETIONS TO SURVEY MAPS OR REPORTS BY ANYONE OTHER THAN THE SIGNING PARTY IS PROHIBITED WITHOUT WRITTEN CONSENT.
-THIS SURVEY IS NOT VALID WITHOUT THE RAISED SEAL OR DIGITAL SIGNATURE OF THE SIGNING SURVEYOR

Form 84 Florida WARRANTY DEED, (To Corporation)

TUTHLANX REGISTERED U S PAT OFFICE
Tuttle Law Print, Publishers, Rutland, Vt

OFFI' RECS 710 PAGE 904

This Indenture,

Made this 25th day of September A. D. 19 62

Between MANNING J. DAVIS, individually and as executor of the will of MARGUERITE J. DAVIS, deceased,

of the County of Brevard and State of Florida party of the first part, and CITY OF COCOA, a municipal corporation existing under the laws of the State of Florida having its principal place of business in the County of Brevard and State of Florida party of the second part, whose post office address is Cocoa, Florida

Witnesseth, that the said party of the first part, for and in consideration of the sum of Ten Dollars and other valuable considerations ~~Dollars~~ to him in hand paid, the receipt whereof is hereby acknowledged, has granted, bargained, sold, aliened, remised, released, enfeoffed, conveyed and confirmed and by these presents do es grant, bargain, sell, alien, remise, release, enfeoff, convey and confirm unto the said party of the second part and its successors and assigns forever, all that certain parcel of land lying and being in the County of Brevard and State of Florida, more particularly described as follows:

The southerly twenty-five (25) feet of lot four (4) of the Robert Dixon lands according to plat of said subdivision recorded in Plat Book 1, page 24, public records of Brevard County, Florida, extending from a point three hundred twenty-seven and seventy hundredths (327.70) feet east of the east right of way line of new U.S. Highway No. 1 (State Road No. 5), and extending from said point easterly to the west line of Indian River Drive, excepting therefrom any of the lands on which the two story frame dwelling house of the first party is situated and including any lands within four (4) feet of said dwelling house.

This conveyance is made for street purposes and in the event the said property shall at any time cease to be used for street purposes, the same shall revert to the first party, his heirs and assigns.

As a part of the consideration for this conveyance, it is agreed that no assessment shall ever be made against the lands of the first party, his heirs or devisees adjoining the said right of way on the north for grading and paving said road.

Together with all the tenements, hereditaments and appurtenances, with every privilege, right, title, interest and estate, dower and right of dower, reversion, remainder and easement thereto belonging or in anywise appertaining:

To Have and to Hold the same in fee simple forever.

And the said party of the first part do es covenant with the said party of the second part that he is lawfully seized of the said premises, that they are free of all incumbrance, and that he has good right and lawful authority to sell the same; and that said party of the first part doth hereby fully warrant the title to said land, and will defend the same against the lawful claims of all persons whomsoever.

In Witness Whereof, the said party of the first part has hereunto set his hand and seal the day and year above written.

Signed, Sealed and Delivered in Our Presence:

Lloyd Campbell

Elvira R Bacon

Manning J. Davis (L.S.)
Manning J. Davis, individually and as executor of the will of Marguerite J. Davis, deceased.

BREVARD COUNTY STATE OF FLORIDA DOCUMENTARY STAMP TAX $.30

Order: 9856555
Doc: FLBREV:710-00904

Requested By: Jennifer.Nolan, Printed: 9/30/2021 10:03 AM

BOOK 710 PAGE 985

State of Florida,

County of BREVARD

I HEREBY CERTIFY, *That on this* 25th *day of* September *A. D. 19* 62, *before me personally appeared* MANNING J. DAVIS, individually and as executor of the will of MARGUERITE J. DAVIS, deceased,

to me known to be the person described in and who executed the foregoing conveyance to CITY OF COCOA, a municipal corporation,

and severally acknowledged the execution thereof to be his *free act and deed for the uses and purposes therein mentioned.*

WITNESS *my signature and official seal at* Cocoa *in the County of* Brevard *and State of Florida, the day and year last aforesaid.*

My Commission Expires Aug 20, 1966 *Notary Public*
State of Florida at Large

FILED AND RECORDED
BREVARD COUNTY, FLA.
VERIFIED

1964 JUN 29 AM 8 54

CLERK CIRCUIT COURT

Warranty Deed

TO CORPORATION

TO

Date

ABSTRACT OF DESCRIPTION

STATE OF FLORIDA,
County of

On this day of *A. D. 19* , at o'clock m., this *instrument was filed for record, and being duly acknowledged and proven, I have recorded the same on pages* in the *of Book public records of said County.*

In Witness Whereof, *I have hereunto set my hand and affixed the seal of the Circuit Court of the Judicial Circuit of said State, in and for said County.*

Clerk.

, D. C.

RECORDING $ 2.00
FLA. DOC. STAMPS 3.00
U.S. DOC. STAMPS
TOTAL $ 3.55

Return to
Mary Calhoun
City Clerk
Cocoa

RUSSELL SNOW
LLOYD CAMPBELL
ATTORNEYS AT LAW
COCOA, FLORIDA

Legislation Details (With Text)

File #:	21-707	**Version:**	1	**Name:**	
Type:	Resolution			**Status:**	Multi-Year Contract
File created:	10/20/2021			**In control:**	City Council
On agenda:	12/14/2021			**Final action:**	

Title: Award RFP-21-23-COC, Lift Station #1 Replacement, Project No. GR2102, to Carr and Collier Inc., Leesburg, Florida, in the Amount of $653,307; To Authorize the City Manager to Negotiate the Contract; To Approve a Resolution Authorizing the City Manager to Approve and Execute Change Orders in an Amount Not to Exceed $65,331 (10% of the Contract Amount) for a Total Project Cost of $718,639; To Approve as a Multi-Year Contract from FY2022 through FY2023. Approve a Resolution Amending the FY22 Budget, BAF# 22-020-A, Accepting the Grant Revenue and Re-budgeting the City's portion through the use of Reserves. (Utilities Director)

Sponsors:

Indexes:

Code sections:

Attachments:
- 4337-232-R - Executed Contract (08-26-2020).pdf
- Scoring Tabulation Spreadsheet RFP-21-23-COC Lift Station #1 Replacement Project.pdf
- Notification of Intent to Award.pdf
- Bid Summary.pdf
- Res Proj Contingency - LS #1 Replacement.pdf
- Budget Resolution FY 2022- ADA Compliant.pdf
- BAF 22-020-A-UT-Lift Station 1 Grant (11-9-21)-Agenda 21-707.pdf
- 21-707 Award RFP 21-23-COC.pdf

Date	Ver.	Action By	Action	Result

CITY COUNCIL AGENDA ITEM

Memo Date: October 20, 2021
Agenda Date: December 14, 2021
Prepared By: Katherine D. Ennis, PE, Deputy Utilities Director
Through: John A. Walsh, PE, Utilities Director
Requested Action:
To Award RFP-21-23-COC, Lift Station #1 Replacement, Project No. GR2102, to Carr and Collier Inc., Leesburg, Florida, in the Amount of $653,307; To Authorize the City Manager to Negotiate the Contract; To Approve a Resolution Authorizing the City Manager to Approve and Execute Change Orders in an Amount Not to Exceed $65,331 (10% of the Contract Amount) for a Total Project Cost of $718,639; To Approve as a Multi-Year Contract from FY2022 through FY2023. Approve a Resolution Amending the FY22 Budget, BAF# 22-020-A, Accepting the Grant Revenue and Re-budgeting the City's portion through the use of Reserves.

BACKGROUND:

Lift Station 1 is located just feet from the Indian River Lagoon with finished elevations well below the

lagoon and flood surface serving approximately 700 customers. During Hurricanes Matthew and Irma, influent flooded the dry well which housed electronics, pumps and associated equipment required for normal operations. This lift station does not have a generator and during relief efforts a portable generator has to be parked on the street to provide power. It will be demolished and replaced with a submersible pumping system incorporated in the wet well which will eliminate the need for confined space entry and improve worker safety as the pumps will be accessible via slide rail system. The scope also includes the addition of an emergency generator

In 2018 the City submitted applications for three projects under the FEMA Hazard Mitigation Grant Program with funding associated with Hurricane Irma. Out of the three projects submitted, the Lift Station #1 Replacement was selected for funding. On August 26, 2020, the FEMA Hazard Mitigation Grant Contract between the City of Cocoa and the Florida Division of Emergency Management (FDEM) for Replacement of Lift Station #1, Project # 4337-232-R, Contract # H0477 was executed.

On July 16, 2021, bids for this project were opened. The Purchasing Department sent out one thousand six hundred and forty-one (1,641) invitations and notifications to bid and received three (3) responses from fifty-eight (58) plan holders.

1. Carr and Collier, Inc. $653,307.00
2. Danus Utilities $749,725.00
3. Intercounty Engineering, Inc. $761,985.72

Staff reviewed the proposals and ranked them in the following order using scoring criteria based on qualification, experience and bid cost:

1. Danus Utilities
2. Carr and Collier, Inc.
3. Intercounty Engineering, Inc.

However, after review of the proposals by the FEMA Hazard Mitigation Grant Program, they recommended the award go to the lowest proposal to best implement the FEMA procurement regulations. The lowest proposal was submitted by Carr and Collier, Inc. Staff further reviewed their proposal and found it to be complete and adequate. Staff recommends awarding the contract to Carr and Collier Inc., Leesburg, Florida, in the amount of $653,307 as the most advantageous to the City.

Staff is also requesting that City Council approve an additional $65,331 as a contingency for the project. The additional amount is 10% of the contract amount and will be used for change orders with approval by the City Manager. If a change order is needed, the additional amount will allow the project to continue forward without delays.

The additional amount of $65,331 will not be added to the initial purchase order and staff will review each change order before it is sent to the City Manager for approval.

Staff recommends awarding the contract to Carr and Collier Inc., Leesburg, Florida, in the amount of $653,307.

STRATEGIC PLAN CONNECTION:

NA

BUDGETARY IMPACT:

Budgeted	Yes in FY21
If not budgeted, is amendment/transfer attached?	Yes

BAF# 22-020-A

Grant Revenue 75% of the project
Amount Requested $538,979
Account 424-0000-331.35-01, GR2102
Account Name LS#1 HM# 4337-232-R
Amount $538,979

Utilities Revenue Portion 25% of the project
Amount Requested $179,660
Account Number 424-0000-389.99-50, WS21LS
Account Name Fund Balance Reserves

Total Revenue $718,639

Grant Expense
Amount Requested $538,979
Account 424-4055-536.63-06, GR2102
Account Name Infrastructure FDEM H0477 LS#1
Amount $538,979

Utilities Expense
Amount Requested $179,660
Account Number 424-4055-536.63-00, WS21LS
Account Name Fund Balance Reserves

Total Expense $718,639

Source of Funds: Grant Source: 75% reimbursable up to $632,970

The remaining FY21 Budget for this project is transferring back to Fund 421 Contingency $855,980.

PREVIOUS ACTION:

On June 24, 2020, City Council approved a resolution for the Interim City Manager to Execute the FEMA Hazard Mitigation Grant Contract between the City of Cocoa and the Florida Division of Emergency Management (FDEM) for Replacement of Lift Station #1, Project # 4337-232-R, Contract # H0477.

On October 23, 2019, City Council approved a resolution authorizing the City Manager to Execute FEMA Hazard Mitigation Grant Applications through the Hazard Mitigation Grant Program - Hurricane

Irma FEMA 4337-DR-FL for Drainage Projects - Fiske Blvd. and Broadmoor Acres, and for Utilities Project - Reconstruct Lift Station #1.

RECOMMENDED MOTION:

To Award RFP-21-23-COC, Lift Station #1 Replacement, Project No. GR2102, to Carr and Collier Inc., Leesburg, Florida, in the Amount of $653,307; To Authorize the City Manager to Negotiate the Contract; To Approve a Resolution Authorizing the City Manager to Approve and Execute Change Orders in an Amount Not to Exceed $65,331 (10% of the Contract Amount) for a Total Project Cost of $718,639; To Approve as a Multi-Year Contract from FY2022 through FY2023. Approve a Resolution Amending the FY22 Budget, BAF# 22-020-A, Accepting the Grant Revenue and Re-budgeting the City's portion through the use of Reserves

powered by Legistar™

STATE OF FLORIDA

DIVISION OF EMERGENCY MANAGEMENT

Ron DeSantis
Governor

Jared Moskowitz
Director

August 21, 2020

Katherine Ennis, P.E.
Deputy Utilities Director
City of Cocoa
351 Shearer Boulevard
Cocoa, Florida 32922

Re: Project #: 4337-232-R, City of Cocoa, Cocoa Lift Station 1, Utility Mitigation

Dear Katherine Ennis:

Enclosed is the executed Hazard Mitigation Grant Program (HMGP) contract number H0477 between the City of Cocoa and the Division of Emergency Management.

Please email all Requests for Reimbursement (Attachment D) to the project manager at Renee.Singh@em.myflorida.com. The Project Manager for this contract is:

Renee Singh, Project Manager
Florida Division of Emergency Management
2702 Directors Row
Orlando, Florida 32809

If you have any specific questions regarding the contract or the Request for Reimbursement form, please contact Renee Singh at (850) 815-4578.

Respectfully,

Miles E. Anderson

Digitally signed by Miles E. Anderson
DN: cn=Miles E. Anderson, o=DEM, ou=Mitigation, email=Miles.anderson@em.myflorida.com, c=US
Date: 2020.08.21 15:24:33 -04'00'

Miles E. Anderson
Bureau Chief, Mitigation
State Hazard Mitigation Officer

Enclosure

Agreement Number: H0477

Project Number: 4337-232-R

FEDERALLY-FUNDED SUBAWARD AND GRANT AGREEMENT

2 C.F.R. §200.92 states that a "subaward may be provided through any form of legal agreement, including an agreement that the pass-through entity considers a contract."

As defined by 2 C.F.R. §200.74, "pass-through entity" means "a non-Federal entity that provides a subaward to a Sub-Recipient to carry out part of a Federal program."

As defined by 2 C.F.R. §200.93, "Sub-Recipient" means "a non-Federal entity that receives a subaward from a pass-through entity to carry out part of a Federal program."

As defined by 2 C.F.R. §200.38, "Federal award" means "Federal financial assistance that a non-Federal entity receives directly from a Federal awarding agency or indirectly from a pass-through entity."

As defined by 2 C.F.R. §200.92, "subaward" means "an award provided by a pass-through entity to a Sub-Recipient for the Sub-Recipient to carry out part of a Federal award received by the pass-through entity."

The following information is provided pursuant to 2 C.F.R. §200.331(a)(1):

Sub-Recipient's name:	City of Cocoa
Sub-Recipient's unique entity identifier:	596000292
Federal Award Identification Number (FAIN):	FEMA-DR-4337-FL
Federal Award Date:	February 25, 2020
Subaward Period of Performance Start and End Date:	Upon execution through May 31, 2022
Amount of Federal Funds Obligated by this Agreement:	$632,970.00
Total Amount of Federal Funds Obligated to the Sub-Recipient by the pass-through entity to include this Agreement:	$632,970.00
Total Amount of the Federal Award committed to the Sub-Recipient by the pass-through entity	$632,970.00
Federal award project description (see FFATA):	Utility Mitigation – Cocoa Lift Station 1
Name of Federal awarding agency:	Federal Emergency Management Agency
Name of pass-through entity:	FL Division of Emergency Management
Contact information for the pass-through entity:	Renee.Singh@em.myflorida.com
Catalog of Federal Domestic Assistance (CFDA) Number and Name:	97.039 Hazard Mitigation Grant Program
Whether the award is R&D:	N/A
Indirect cost rate for the Federal award:	N/A

THIS AGREEMENT is entered into by the State of Florida, Division of Emergency Management, with headquarters in Tallahassee, Florida (hereinafter referred to as the "Division"), and the **City of Cocoa**, (hereinafter referred to as the "Sub-Recipient").

For the purposes of this Agreement, the Division serves as the pass-through entity for a Federal award, and the Sub-Recipient serves as the recipient of a subaward.

THIS AGREEMENT IS ENTERED INTO BASED ON THE FOLLOWING REPRESENTATIONS:

A. The Sub-Recipient represents that it is fully qualified and eligible to receive these grant funds to provide the services identified herein;

B. The State of Florida received these grant funds from the Federal government, and the Division has the authority to subgrant these funds to the Sub-Recipient upon the terms and conditions outlined below; and,

C. The Division has statutory authority to disburse the funds under this Agreement.

THEREFORE, the Division and the Sub-Recipient agree to the following:

(1) APPLICATION OF STATE LAW TO THIS AGREEMENT

2 C.F.R. §200.302 provides: "Each state must expend and account for the Federal award in accordance with state laws and procedures for expending and accounting for the state's own funds." Therefore, section 215.971, Florida Statutes, entitled "Agreements funded with federal or state assistance", applies to this Agreement.

(2) LAWS, RULES, REGULATIONS AND POLICIES

a. The Sub-Recipient's performance under this Agreement is subject to 2 C.F.R. Part 200, entitled "Uniform Administrative Requirements, Cost Principles, and Audit Requirements for Federal Awards."

b. As required by Section 215.971(1), Florida Statutes, this Agreement includes:

i. A provision specifying a scope of work that clearly establishes the tasks that the Sub-Recipient is required to perform.

ii. A provision dividing the agreement into quantifiable units of deliverables that must be received and accepted in writing by the Division before payment. Each deliverable must be directly related to the scope of work and specify the required minimum level of service to be performed and the criteria for evaluating the successful completion of each deliverable.

iii. A provision specifying the financial consequences that apply if the Sub-Recipient fails to perform the minimum level of service required by the agreement.

iv. A provision specifying that the Sub-Recipient may expend funds only for allowable costs resulting from obligations incurred during the specified agreement period.

v. A provision specifying that any balance of unobligated funds which has been advanced or paid must be refunded to the Division.

vi. A provision specifying that any funds paid in excess of the amount to which the Sub-Recipient is entitled under the terms and conditions of the agreement must be refunded to the Division.

c. In addition to the foregoing, the Sub-Recipient and the Division shall be governed by all applicable State and Federal laws, rules and regulations, including those identified in Attachment B. Any express reference in this Agreement to a particular statute, rule, or regulation in no way implies that no other statute, rule, or regulation applies.

(3) CONTACT

a. In accordance with section 215.971(2), Florida Statutes, the Division's Grant Manager shall be responsible for enforcing performance of this Agreement's terms and conditions and shall serve as the Division's liaison with the Sub-Recipient. As part of his/her duties, the Grant Manager for the Division shall:

i. Monitor and document Sub-Recipient performance; and,

ii. Review and document all deliverables for which the Sub-Recipient requests payment.

b. The Division's Grant Manager for this Agreement is:

Renee Singh, FCCM
Project Manager
Bureau of Mitigation
Florida Division of Emergency Management
2702 Directors Row
Orlando, Florida 32809
Telephone: 850-815-4578
Email: Renee.Singh@em.myflorida.com

c. The name and address of the Representative of the Sub-Recipient responsible for the administration of this Agreement is:

Katherine Ennis, P.E.
Deputy Utilities Director
City of Cocoa
351 Shearer Boulevard
Cocoa, Florida 32922
Telephone: 321-433-8722
Email: kennis@cocoafl.org

d. In the event that different representatives or addresses are designated by either party after execution of this Agreement, notice of the name, title and address of the new representative will be provided to the other party.

(4) TERMS AND CONDITIONS

This Agreement contains all the terms and conditions agreed upon by the parties.

(5) EXECUTION

This Agreement may be executed in any number of counterparts, any one of which may be taken as an original.

(6) MODIFICATION

Either party may request modification of the provisions of this Agreement. Changes which are agreed upon shall be valid only when in writing, signed by each of the parties, and attached to the original of this Agreement.

(7) SCOPE OF WORK

The Sub-Recipient shall perform the work in accordance with the Budget and Scope of Work, Attachment A of this Agreement.

(8) PERIOD OF AGREEMENT

This Agreement shall begin upon execution by both parties and shall end on **May 31, 2022**, unless terminated earlier in accordance with the provisions of Paragraph (17) of this Agreement. Consistent with the definition of "period of performance" contained in 2 C.F.R. §200.77, the term "period of agreement" refers to the time during which the Sub-Recipient "may incur new obligations to carry out the work authorized under" this Agreement. In accordance with 2 C.F.R. §200.309, the Sub-Recipient may receive reimbursement under this Agreement only for "allowable costs incurred during the period of performance." In accordance with section 215.971(1)(d), Florida Statutes, the Sub-Recipient may expend funds authorized by this Agreement "only for allowable costs resulting from obligations incurred during" the period of agreement.

(9) FUNDING

a. This is a cost-reimbursement Agreement, subject to the availability of funds.

b. The State of Florida's performance and obligation to pay under this Agreement is contingent upon an annual appropriation by the Legislature, and subject to any modification in accordance with either Chapter 216, Florida Statutes, or the Florida Constitution.

c. The Division will reimburse the Sub-Recipient only for allowable costs incurred by the Sub-Recipient in the successful completion of each deliverable. The maximum reimbursement amount for each deliverable is outlined in Attachment A of this Agreement ("Budget and Scope of Work"). The maximum reimbursement amount for the entirety of this Agreement is **$632,970.00**.

d. As required by 2 C.F.R. §200.415(a), any request for payment under this Agreement must include a certification, signed by an official who is authorized to legally bind the Sub-Recipient, which reads as follows: "By signing this report, I certify to the best of my knowledge and belief that the report is true, complete, and accurate, and the expenditures, disbursements and cash receipts are for the purposes and objectives set forth in the terms and conditions of the Federal award. I am aware that any

false, fictitious, or fraudulent information, or the omission of any material fact, may subject me to criminal, civil or administrative penalties for fraud, false statements, false claims or otherwise. (U.S. Code Title 18, Section 1001 and Title 31, Sections 3729-3730 and 3801-3812)."

e. The Division will review any request for reimbursement by comparing the documentation provided by the Sub-Recipient against a performance measure, outlined in Attachment A, that clearly delineates:

i. The required minimum acceptable level of service to be performed; and,

ii. The criteria for evaluating the successful completion of each deliverable.

f. The performance measure required by section 215.971(1)(b), Florida Statutes, remains consistent with the requirement for a "performance goal", which is defined in 2 C.F.R. §200.76 as "a target level of performance expressed as a tangible, measurable objective, against which actual achievement can be compared." It also remains consistent with the requirement, contained in 2 C.F.R. §200.301, that the Division and the Sub-Recipient "relate financial data to performance accomplishments of the Federal award."

g. If authorized by the Federal Awarding Agency, then the Division will reimburse the Sub-Recipient for overtime expenses in accordance with 2 C.F.R. §200.430 ("Compensation—personal services") and 2 C.F.R. §200.431 ("Compensation—fringe benefits"). If the Sub-Recipient seeks reimbursement for overtime expenses for periods when no work is performed due to vacation, holiday, illness, failure of the employer to provide sufficient work, or other similar cause (*see* 29 U.S.C. §207(e)(2)), then the Division will treat the expense as a fringe benefit. 2 C.F.R. §200.431(a) defines fringe benefits as "allowances and services provided by employers to their employees as compensation in addition to regular salaries and wages." Fringe benefits are allowable under this Agreement as long as the benefits are reasonable and are required by law, Sub-Recipient-employee agreement, or an established policy of the Sub-Recipient. 2 C.F.R. §200.431(b) provides that the cost of fringe benefits in the form of regular compensation paid to employees during periods of authorized absences from the job, such as for annual leave, family-related leave, sick leave, holidays, court leave, military leave, administrative leave, and other similar benefits, are allowable if all of the following criteria are met:

i. They are provided under established written leave policies;

ii. The costs are equitably allocated to all related activities, including Federal awards; and,

iii. The accounting basis (cash or accrual) selected for costing each type of leave is consistently followed by the non-Federal entity or specified grouping of employees.

h. If authorized by the Federal Awarding Agency, then the Division will reimburse the Sub-Recipient for travel expenses in accordance with 2 C.F.R. §200.474. As required by the Reference Guide for State Expenditures, reimbursement for travel must be in accordance with section 112.061, Florida Statutes, which includes submission of the claim on the approved state travel voucher. If the Sub-Recipient seeks reimbursement for travel costs that exceed the amounts stated in section 112.061(6)(b),

Florida Statutes ($6 for breakfast, $11 for lunch, and $19 for dinner), then the Sub-Recipient must provide documentation that:

i. The costs are reasonable and do not exceed charges normally allowed by the Sub-Recipient in its regular operations as a result of the Sub-Recipient's written travel policy; and,

ii. Participation of the individual in the travel is necessary to the Federal award.

i. The Division's grant manager, as required by section 215.971(2)(c), Florida Statutes, shall reconcile and verify all funds received against all funds expended during the grant agreement period and produce a final reconciliation report. The final report must identify any funds paid in excess of the expenditures incurred by the Sub-Recipient.

j. As defined by 2 C.F.R. §200.53, the term "improper payment" means or includes:

i. Any payment that should not have been made or that was made in an incorrect amount (including overpayments and underpayments) under statutory, contractual, administrative, or other legally applicable requirements; and,

ii. Any payment to an ineligible party, any payment for an ineligible good or service, any duplicate payment, any payment for a good or service not received (except for such payments where authorized by law), any payment that does not account for credit for applicable discounts, and any payment where insufficient or lack of documentation prevents a reviewer from discerning whether a payment was proper.

(10) RECORDS

a. As required by 2 C.F.R. §200.336, the Federal awarding agency, Inspectors General, the Comptroller General of the United States, and the Division, or any of their authorized representatives, shall enjoy the right of access to any documents, papers, or other records of the Sub-Recipient which are pertinent to the Federal award, in order to make audits, examinations, excerpts, and transcripts. The right of access also includes timely and reasonable access to the Sub-Recipient's personnel for the purpose of interview and discussion related to such documents. Finally, the right of access is not limited to the required retention period but lasts as long as the records are retained.

b. As required by 2 C.F.R. §200.331(a)(5), the Division, the Chief Inspector General of the State of Florida, the Florida Auditor General, or any of their authorized representatives, shall enjoy the right of access to any documents, financial statements, papers, or other records of the Sub-Recipient which are pertinent to this Agreement, in order to make audits, examinations, excerpts, and transcripts. The right of access also includes timely and reasonable access to the Sub-Recipient's personnel for the purpose of interview and discussion related to such documents.

c. As required by Florida Department of State's record retention requirements (Chapter 119, Florida Statutes) and by 2 C.F.R. §200.333, the Sub-Recipient shall retain sufficient records to show its compliance with the terms of this Agreement, as well as the compliance of all subcontractors or consultants paid from funds under this Agreement, for a period of five (5) years from the date of

submission of the final expenditure report. The following are the only exceptions to the five (5) year requirement:

i. If any litigation, claim, or audit is started before the expiration of the 5-year period, then the records must be retained until all litigation, claims, or audit findings involving the records have been resolved and final action taken.

ii. When the Division or the Sub-Recipient is notified in writing by the Federal awarding agency, cognizant agency for audit, oversight agency for audit, cognizant agency for indirect costs, or pass-through entity to extend the retention period.

iii. Records for real property and equipment acquired with Federal funds must be retained for 5 years after final disposition.

iv. When records are transferred to or maintained by the Federal awarding agency or pass-through entity, the 5-year retention requirement is not applicable to the Sub-Recipient.

v. Records for program income transactions after the period of performance. In some cases recipients must report program income after the period of performance. Where there is such a requirement, the retention period for the records pertaining to the earning of the program income starts from the end of the non-Federal entity's fiscal year in which the program income is earned.

vi. Indirect cost rate proposals and cost allocations plans. This paragraph applies to the following types of documents and their supporting records: indirect cost rate computations or proposals, cost allocation plans, and any similar accounting computations of the rate at which a particular group of costs is chargeable (such as computer usage chargeback rates or composite fringe benefit rates).

d. In accordance with 2 C.F.R. §200.334, the Federal awarding agency must request transfer of certain records to its custody from the Division or the Sub-Recipient when it determines that the records possess long-term retention value.

e. In accordance with 2 C.F.R. §200.335, the Division must always provide or accept paper versions of Agreement information to and from the Sub-Recipient upon request. If paper copies are submitted, then the Division must not require more than an original and two copies. When original records are electronic and cannot be altered, there is no need to create and retain paper copies. When original records are paper, electronic versions may be substituted through the use of duplication or other forms of electronic media provided that they are subject to periodic quality control reviews, provide reasonable safeguards against alteration, and remain readable.

f. As required by 2 C.F.R. §200.303, the Sub-Recipient shall take reasonable measures to safeguard protected personally identifiable information and other information the Federal awarding agency or the Division designates as sensitive or the Sub-Recipient considers sensitive consistent with applicable Federal, state, local, and tribal laws regarding privacy and obligations of confidentiality.

g. Florida's Government in the Sunshine Law (Section 286.011, Florida Statutes) provides the citizens of Florida with a right of access to governmental proceedings and mandates three,

basic requirements: (1) meetings of public boards or commissions must be open to the public; (2) reasonable notice of such meetings must be given; and, (3) minutes of the meetings must be taken and promptly recorded. The mere receipt of public funds by a private entity, standing alone, is insufficient to bring that entity within the ambit of the open government requirements. However, the Government in the Sunshine Law applies to private entities that provide services to governmental agencies and that act on behalf of those agencies in the agencies' performance of their public duties. If a public agency delegates the performance of its public purpose to a private entity, then, to the extent that private entity is performing that public purpose, the Government in the Sunshine Law applies. For example, if a volunteer fire department provides firefighting services to a governmental entity and uses facilities and equipment purchased with public funds, then the Government in the Sunshine Law applies to board of directors for that volunteer fire department. Thus, to the extent that the Government in the Sunshine Law applies to the Sub-Recipient based upon the funds provided under this Agreement, the meetings of the Sub-Recipient's governing board or the meetings of any subcommittee making recommendations to the governing board may be subject to open government requirements. These meetings shall be publicly noticed, open to the public, and the minutes of all the meetings shall be public records, available to the public in accordance with Chapter 119, Florida Statutes.

h. Florida's Public Records Law provides a right of access to the records of the state and local governments as well as to private entities acting on their behalf. Unless specifically exempted from disclosure by the Legislature, all materials made or received by a governmental agency (or a private entity acting on behalf of such an agency) in conjunction with official business which are used to perpetuate, communicate, or formalize knowledge qualify as public records subject to public inspection. The mere receipt of public funds by a private entity, standing alone, is insufficient to bring that entity within the ambit of the public record requirements. However, when a public entity delegates a public function to a private entity, the records generated by the private entity's performance of that duty become public records. Thus, the nature and scope of the services provided by a private entity determine whether that entity is acting on behalf of a public agency and is therefore subject to the requirements of Florida's Public Records Law.

i. The Sub-Recipient shall maintain all records for the Sub-Recipient and for all subcontractors or consultants to be paid from funds provided under this Agreement, including documentation of all program costs, in a form sufficient to determine compliance with the requirements and objectives of the Budget and Scope of Work - Attachment A - and all other applicable laws and regulations.

IF THE CONTRACTOR HAS QUESTIONS REGARDING THE APPLICATION OF CHAPTER 119, FLORIDA STATUTES, TO THE CONTRACTOR'S DUTY TO PROVIDE PUBLIC RECORDS RELATING TO THIS CONTRACT, CONTACT THE CUSTODIAN OF PUBLIC

RECORDS AT: (850) 815-4156, Records@em.myflorida.com, or 2555 Shumard Oak Boulevard, Tallahassee, FL 32399.

(11) AUDITS

a. The Sub-Recipient shall comply with the audit requirements contained in 2 C.F.R. Part 200, Subpart F.

b. In accounting for the receipt and expenditure of funds under this Agreement, the Sub-Recipient shall follow Generally Accepted Accounting Principles ("GAAP"). As defined by 2 C.F.R. §200.49, GAAP "has the meaning specified in accounting standards issued by the Government Accounting Standards Board (GASB) and the Financial Accounting Standards Board (FASB)."

c. When conducting an audit of the Sub-Recipient's performance under this Agreement, the Division shall use Generally Accepted Government Auditing Standards ("GAGAS"). As defined by 2 C.F.R. §200.50, GAGAS, "also known as the Yellow Book, means generally accepted government auditing standards issued by the Comptroller General of the United States, which are applicable to financial audits."

d. If an audit shows that all or any portion of the funds disbursed were not spent in accordance with the conditions of this Agreement, the Sub-Recipient shall be held liable for reimbursement to the Division of all funds not spent in accordance with these applicable regulations and Agreement provisions within thirty (30) days after the Division has notified the Sub-Recipient of such non-compliance.

e. The Sub-Recipient shall have all audits completed by an independent auditor, which is defined in section 215.97(2)(i), Florida Statutes, as "an independent certified public accountant licensed under chapter 473." The independent auditor shall state that the audit complied with the applicable provisions noted above. The audit must be received by the Division no later than nine months from the end of the Sub-Recipient's fiscal year.

f. The Sub-Recipient shall send copies of reporting packages for audits conducted in accordance with 2 C.F.R. Part 200, by or on behalf of the Sub-Recipient, to the Division at the following address:

DEMSingle_Audit@em.myflorida.com

OR

Office of the Inspector General

2555 Shumard Oak Boulevard

Tallahassee, Florida 32399-2100

g. The Sub-Recipient shall send the Single Audit reporting package and Form SF-SAC to the Federal Audit Clearinghouse by submission online at:

http://harvester.census.gov/fac/collect/ddeindex.html

h. The Sub-Recipient shall send any management letter issued by the auditor to the Division at the following address:

DEMSingle_Audit@em.myflorida.com

OR

Office of the Inspector General

2555 Shumard Oak Boulevard

Tallahassee, Florida 32399-2100

(12) REPORTS

a. Consistent with 2 C.F.R. §200.328, the Sub-Recipient shall provide the Division with quarterly reports and a close-out report. These reports shall include the current status and progress by the Sub-Recipient and all subcontractors in completing the work described in the Scope of Work and the expenditure of funds under this Agreement, in addition to any other information requested by the Division.

b. Quarterly reports are due to the Division no later than fifteen (15) days after the end of each quarter of the program year and shall be sent each quarter until submission of the administrative close-out report. The ending dates for each quarter of the program year are March 31, June 30, September 30 and December 31.

c. The close-out report is due sixty (60) days after termination of this Agreement or sixty (60) days after completion of the activities contained in this Agreement, whichever first occurs.

d. If all required reports and copies are not sent to the Division or are not completed in a manner acceptable to the Division, then the Division may withhold further payments until they are completed or may take other action as stated in Paragraph (16) REMEDIES. "Acceptable to the Division" means that the work product was completed in accordance with the Budget and Scope of Work.

e. The Sub-Recipient shall provide additional program updates or information that may be required by the Division.

f. The Sub-Recipient shall provide additional reports and information identified in Attachment F.

(13) MONITORING

a. The Sub-Recipient shall monitor its performance under this Agreement, as well as that of its subcontractors and/or consultants who are paid from funds provided under this Agreement, to ensure that time schedules are being met, the Schedule of Deliverables and Scope of Work are being accomplished within the specified time periods, and other performance goals are being achieved. A review shall be done for each function or activity in Attachment A to this Agreement, and reported in the quarterly report.

b. In addition to reviews of audits, monitoring procedures may include, but not be limited to, on-site visits by Division staff, limited scope audits, and/or other procedures. The Sub-Recipient agrees to comply and cooperate with any monitoring procedures/processes deemed appropriate by the

Division. In the event that the Division determines that a limited scope audit of the Sub-Recipient is appropriate, the Sub-Recipient agrees to comply with any additional instructions provided by the Division to the Sub-Recipient regarding such audit. The Sub-Recipient further agrees to comply and cooperate with any inspections, reviews, investigations or audits deemed necessary by the Florida Chief Financial Officer or Auditor General. In addition, the Division will monitor the performance and financial management by the Sub-Recipient throughout the contract term to ensure timely completion of all tasks.

(14) LIABILITY

a. Unless Sub-Recipient is a State agency or subdivision, as defined in section 768.28(2), Florida Statutes, the Sub-Recipient is solely responsible to parties it deals with in carrying out the terms of this Agreement and, as authorized by section 768.28(19), Florida Statutes, Sub-Recipient shall hold the Division harmless against all claims of whatever nature by third parties arising from the work performance under this Agreement. For purposes of this Agreement, Sub-Recipient agrees that it is not an employee or agent of the Division, but is an independent contractor.

b. As required by section 768.28(19), Florida Statutes, any Sub-Recipient which is a state agency or subdivision, as defined in section 768.28(2), Florida Statutes, agrees to be fully responsible for its negligent or tortious acts or omissions which result in claims or suits against the Division, and agrees to be liable for any damages proximately caused by the acts or omissions to the extent set forth in Section 768.28, Florida Statutes. Nothing herein is intended to serve as a waiver of sovereign immunity by any Sub-Recipient to which sovereign immunity applies. Nothing herein shall be construed as consent by a state agency or subdivision of the State of Florida to be sued by third parties in any matter arising out of any contract.

(15) DEFAULT

If any of the following events occur ("Events of Default"), all obligations on the part of the Division to make further payment of funds shall terminate and the Division has the option to exercise any of its remedies set forth in Paragraph (16); however, the Division may make payments or partial payments after any Events of Default without waiving the right to exercise such remedies, and without becoming liable to make any further payment if:

a. Any warranty or representation made by the Sub-Recipient in this Agreement or any previous agreement with the Division is or becomes false or misleading in any respect, or if the Sub-Recipient fails to keep or perform any of the obligations, terms or covenants in this Agreement or any previous agreement with the Division and has not cured them in timely fashion, or is unable or unwilling to meet its obligations under this Agreement;

b. Material adverse changes occur in the financial condition of the Sub-Recipient at any time during the term of this Agreement, and the Sub-Recipient fails to cure this adverse change within thirty (30) days from the date written notice is sent by the Division;

c. Any reports required by this Agreement have not been submitted to the Division or have been submitted with incorrect, incomplete or insufficient information; or,

d. The Sub-Recipient has failed to perform and complete on time any of its obligations under this Agreement.

(16) REMEDIES

If an Event of Default occurs, then the Division shall, after thirty (30) calendar days written notice to the Sub-Recipient and upon the Sub-Recipient's failure to cure within those thirty (30) days, exercise any one or more of the following remedies, either concurrently or consecutively:

a. Terminate this Agreement, provided that the Sub-Recipient is given at least thirty (30) days prior written notice of the termination. The notice shall be effective when placed in the United States, first class mail, postage prepaid, by registered or certified mail-return receipt requested, to the address in paragraph (3) herein;

b. Begin an appropriate legal or equitable action to enforce performance of this Agreement;

c. Withhold or suspend payment of all or any part of a request for payment;

d. Require that the Sub-Recipient refund to the Division any monies used for ineligible purposes under the laws, rules and regulations governing the use of these funds.

e. Exercise any corrective or remedial actions, to include but not be limited to:

i. Request additional information from the Sub-Recipient to determine the reasons for or the extent of non-compliance or lack of performance,

ii. Issue a written warning to advise that more serious measures may be taken if the situation is not corrected,

iii. Advise the Sub-Recipient to suspend, discontinue or refrain from incurring costs for any activities in question or

iv. Require the Sub-Recipient to reimburse the Division for the amount of costs incurred for any items determined to be ineligible;

f. Exercise any other rights or remedies which may be available under law.

Pursuing any of the above remedies will not stop the Division from pursuing any other remedies in this Agreement or provided at law or in equity. If the Division waives any right or remedy in this Agreement or fails to insist on strict performance by the Sub-Recipient, it will not affect, extend or waive any other right or remedy of the Division, or affect the later exercise of the same right or remedy by the Division for any other default by the Sub-Recipient.

(17) TERMINATION

a. The Division may terminate this Agreement for cause after thirty (30) days written notice. Cause can include misuse of funds, fraud, lack of compliance with applicable rules, laws and regulations, failure to perform on time, and refusal by the Sub-Recipient to permit public access to any document, paper, letter, or other material subject to disclosure under Chapter 119, Florida Statutes, as amended.

b. The Division may terminate this Agreement for convenience or when it determines, in its sole discretion that continuing the Agreement would not produce beneficial results in line with the further expenditure of funds, by providing the Sub-Recipient with thirty (30) calendar day's prior written notice.

c. The parties may agree to terminate this Agreement for their mutual convenience through a written amendment of this Agreement. The amendment will state the effective date of the termination and the procedures for proper closeout of the Agreement.

d. In the event that this Agreement is terminated, the Sub-Recipient will not incur new obligations for the terminated portion of the Agreement after the Sub-Recipient has received the notification of termination. The Sub-Recipient will cancel as many outstanding obligations as possible. Costs incurred after receipt of the termination notice will be disallowed. The Sub-Recipient shall not be relieved of liability to the Division because of any breach of Agreement by the Sub-Recipient. The Division may, to the extent authorized by law, withhold payments to the Sub-Recipient for the purpose of set-off until the exact amount of damages due the Division from the Sub-Recipient is determined.

(18) PROCUREMENT

a. The Sub-Recipient shall ensure that any procurement involving funds authorized by the Agreement complies with all applicable federal and state laws and regulations, to include 2 C.F.R. §§200.318 through 200.326 as well as Appendix II to 2 C.F.R. Part 200 (entitled "Contract Provisions for Non-Federal Entity Contracts Under Federal Awards").

b. As required by 2 C.F.R. §200.318(i), the Sub-Recipient shall "maintain records sufficient to detail the history of procurement. These records will include, but are not necessarily limited to the following: rationale for the method of procurement, selection of contract type, contractor selection or rejection, and the basis for the contract price."

c. As required by 2 C.F.R. §200.318(b), the Sub-Recipient shall "maintain oversight to ensure that contractors perform in accordance with the terms, conditions, and specifications of their contracts or purchase orders." In order to demonstrate compliance with this requirement, the Sub-Recipient shall document, in its quarterly report to the Division, the progress of any and all subcontractors performing work under this Agreement.

d. Except for procurements by micro-purchases pursuant to 2 C.F.R. §200.320(a) or procurements by small purchase procedures pursuant to 2 C.F.R. §200.320(b), if the Sub-Recipient chooses to subcontract any of the work required under this Agreement, then the Sub-Recipient shall forward to the Division a copy of any solicitation (whether competitive or non-competitive) at least fifteen (15) days prior to the publication or communication of the solicitation. The Division shall review the solicitation and provide comments, if any, to the Sub-Recipient within three (3) business days. Consistent with 2 C.F.R. §200.324, the Division will review the solicitation for compliance with the procurement standards outlined in 2 C.F.R. §§200.318 through 200.326 as well as Appendix II to 2 C.F.R. Part 200. Consistent with 2 C.F.R. §200.318(k), the Division will not substitute its judgment for that of the Sub-

Recipient. While the Sub-Recipient does not need the approval of the Division in order to publish a competitive solicitation, this review may allow the Division to identify deficiencies in the vendor requirements or in the commodity or service specifications. The Division's review and comments shall not constitute an approval of the solicitation. Regardless of the Division's review, the Sub-Recipient remains bound by all applicable laws, regulations, and agreement terms. If during its review the Division identifies any deficiencies, then the Division shall communicate those deficiencies to the Sub-Recipient as quickly as possible within the three (3) business day window outlined above. If the Sub-Recipient publishes a competitive solicitation after receiving comments from the Division that the solicitation is deficient, then the Division may:

i. Terminate this Agreement in accordance with the provisions outlined in paragraph (17) above; and,

ii. Refuse to reimburse the Sub-Recipient for any costs associated with that solicitation.

e. Except for procurements by micro-purchases pursuant to 2 C.F.R. §200.320(a) or procurements by small purchase procedures pursuant to 2 C.F.R. §200.320(b), if the Sub-Recipient chooses to subcontract any of the work required under this Agreement, then the Sub-Recipient shall forward to the Division a copy of any contemplated contract prior to contract execution. The Division shall review the unexecuted contract and provide comments, if any, to the Sub-Recipient within three (3) business days. Consistent with 2 C.F.R. §200.324, the Division will review the unexecuted contract for compliance with the procurement standards outlined in 2 C.F.R. §§200.318 through 200.326 as well as Appendix II to 2 C.F.R. Part 200. Consistent with 2 C.F.R. §200.318(k), the Division will not substitute its judgment for that of the Sub-Recipient. While the Sub-Recipient does not need the approval of the Division in order to execute a subcontract, this review may allow the Division to identify deficiencies in the terms and conditions of the subcontract as well as deficiencies in the procurement process that led to the subcontract. The Division's review and comments shall not constitute an approval of the subcontract. Regardless of the Division's review, the Sub-Recipient remains bound by all applicable laws, regulations, and agreement terms. If during its review the Division identifies any deficiencies, then the Division shall communicate those deficiencies to the Sub-Recipient as quickly as possible within the three (3) business day window outlined above. If the Sub-Recipient executes a subcontract after receiving a communication from the Division that the subcontract is non-compliant, then the Division may:

i. Terminate this Agreement in accordance with the provisions outlined in paragraph (17) above; and,

ii. Refuse to reimburse the Sub-Recipient for any costs associated with that subcontract.

f. The Sub-Recipient agrees to include in the subcontract that (i) the subcontractor is bound by the terms of this Agreement, (ii) the subcontractor is bound by all applicable state and federal laws and regulations, and (iii) the subcontractor shall hold the Division and Sub-Recipient harmless

against all claims of whatever nature arising out of the subcontractor's performance of work under this Agreement, to the extent allowed and required by law.

g. As required by 2 C.F.R. §200.318(c)(1), the Sub-Recipient shall "maintain written standards of conduct covering conflicts of interest and governing the actions of its employees engaged in the selection, award and administration of contracts."

h. As required by 2 C.F.R. §200.319(a), the Sub-Recipient shall conduct any procurement under this agreement "in a manner providing full and open competition." Accordingly, the Sub-Recipient shall not:

i. Place unreasonable requirements on firms in order for them to qualify to do business;

ii. Require unnecessary experience or excessive bonding;

iii. Use noncompetitive pricing practices between firms or between affiliated companies;

iv. Execute noncompetitive contracts to consultants that are on retainer contracts;

v. Authorize, condone, or ignore organizational conflicts of interest;

vi. Specify only a brand name product without allowing vendors to offer an equivalent;

vii. Specify a brand name product instead of describing the performance, specifications, or other relevant requirements that pertain to the commodity or service solicited by the procurement;

viii. Engage in any arbitrary action during the procurement process; or,

ix. Allow a vendor to bid on a contract if that bidder was involved with developing or drafting the specifications, requirements, statement of work, invitation to bid, or request for proposals.

i. "[E]xcept in those cases where applicable Federal statutes expressly mandate or encourage" otherwise, the Sub-Recipient, as required by 2 C.F.R. §200.319(b), shall not use a geographic preference when procuring commodities or services under this Agreement.

j. The Sub-Recipient shall conduct any procurement involving invitations to bid (i.e. sealed bids) in accordance with 2 C.F.R. §200.320(c) as well as section 287.057(1)(a), Florida Statutes.

k. The Sub-Recipient shall conduct any procurement involving requests for proposals (i.e. competitive proposals) in accordance with 2 C.F.R. §200.320(d) as well as section 287.057(1)(b), Florida Statutes.

l. For each subcontract, the Sub-Recipient shall provide a written statement to the Division as to whether that subcontractor is a minority business enterprise, as defined in Section 288.703, Florida Statutes. Additionally, the Sub-Recipient shall comply with the requirements of 2 C.F.R. §200.321

("Contracting with small and minority businesses, women's business enterprises, and labor surplus area firms").

(19) ATTACHMENTS

a. All attachments to this Agreement are incorporated as if set out fully.

b. In the event of any inconsistencies or conflict between the language of this Agreement and the attachments, the language of the attachments shall control, but only to the extent of the conflict or inconsistency.

c. This Agreement has the following attachments:

i. Exhibit 1 - Funding Sources
ii. Attachment A – Budget and Scope of Work
iii. Attachment B – Program Statutes and Regulations
iv. Attachment C – Statement of Assurances
v. Attachment D – Request for Advance or Reimbursement
vi. Attachment E – Justification of Advance Payment
vii. Attachment F – Quarterly Report Form
viii. Attachment G – Warranties and Representations
ix. Attachment H – Certification Regarding Debarment
x. Attachment I – Federal Funding Accountability and Transparency Act
xi. Attachment J – Mandatory Contract Provisions

(20) PAYMENTS

a. Any advance payment under this Agreement is subject to 2 C.F.R. §200.305 and, as applicable, section 216.181(16), Florida Statutes. All advances are required to be held in an interest-bearing account. If an advance payment is requested, the budget data on which the request is based and a justification statement shall be included in this Agreement as Attachment E. Attachment E will specify the amount of advance payment needed and provide an explanation of the necessity for and proposed use of these funds. No advance shall be accepted for processing if a reimbursement has been paid prior to the submittal of a request for advanced payment. After the initial advance, if any, payment shall be made on a reimbursement basis as needed.

b. Invoices shall be submitted at least quarterly and shall include the supporting documentation for all costs of the project or services. The final invoice shall be submitted within sixty (60) days after the expiration date of the agreement. An explanation of any circumstances prohibiting the submittal of quarterly invoices shall be submitted to the Division grant manager as part of the Sub-Recipient's quarterly reporting as referenced in Paragraph (12) of this Agreement.

c. If the necessary funds are not available to fund this Agreement as a result of action by the United States Congress, the federal Office of Management and Budgeting, the State Chief Financial Officer or under subparagraph (9)b. of this Agreement, all obligations on the part of the Division

to make any further payment of funds shall terminate, and the Sub-Recipient shall submit its closeout report within thirty (30) days of receiving notice from the Division.

(21) REPAYMENTS

a. All refunds or repayments due to the Division under this Agreement are to be made payable to the order of "Division of Emergency Management", and mailed directly to the following address:

Division of Emergency Management
Cashier
2555 Shumard Oak Boulevard
Tallahassee FL 32399-2100

b. In accordance with Section 215.34(2), Florida Statutes, if a check or other draft is returned to the Division for collection, Sub-Recipient shall pay the Division a service fee of $15.00 or 5% of the face amount of the returned check or draft, whichever is greater.

(22) MANDATED CONDITIONS

a. The validity of this Agreement is subject to the truth and accuracy of all the information, representations, and materials submitted or provided by the Sub-Recipient in this Agreement, in any later submission or response to a Division request, or in any submission or response to fulfill the requirements of this Agreement. All of said information, representations, and materials are incorporated by reference. The inaccuracy of the submissions or any material changes shall, at the option of the Division and with thirty (30) days written notice to the Sub-Recipient, cause the termination of this Agreement and the release of the Division from all its obligations to the Sub-Recipient.

b. This Agreement shall be construed under the laws of the State of Florida, and venue for any actions arising out of this Agreement shall be in the Circuit Court of Leon County. If any provision of this Agreement is in conflict with any applicable statute or rule, or is unenforceable, then the provision shall be null and void to the extent of the conflict, and shall be severable, but shall not invalidate any other provision of this Agreement.

c. Any power of approval or disapproval granted to the Division under the terms of this Agreement shall survive the term of this Agreement.

d. The Sub-Recipient agrees to comply with the Americans With Disabilities Act (Public Law 101-336, 42 U.S.C. Section 12101 et seq.), which prohibits discrimination by public and private entities on the basis of disability in employment, public accommodations, transportation, State and local government services, and telecommunications.

e. Those who have been placed on the convicted vendor list following a conviction for a public entity crime or on the discriminatory vendor list may not submit a bid on a contract to provide any goods or services to a public entity, may not submit a bid on a contract with a public entity for the construction or repair of a public building or public work, may not submit bids on leases of real property to a public entity, may not be awarded or perform work as a contractor, supplier, subcontractor, or

consultant under a contract with a public entity, and may not transact business with any public entity in excess of $25,000.00 for a period of 36 months from the date of being placed on the convicted vendor list or on the discriminatory vendor list.

f. Any Sub-Recipient which is not a local government or state agency, and which receives funds under this Agreement from the federal government, certifies, to the best of its knowledge and belief, that it and its principals:

i. Are not presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from covered transactions by a federal department or agency;

ii. Have not, within a five-year period preceding this proposal been convicted of or had a civil judgment rendered against them for fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a public (federal, state or local) transaction or contract under public transaction; violation of federal or state antitrust statutes or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, or receiving stolen property;

iii. Are not presently indicted or otherwise criminally or civilly charged by a governmental entity (federal, state or local) with commission of any offenses enumerated in paragraph (22) f. ii. of this certification; and,

iv. Have not within a five-year period preceding this Agreement had one or more public transactions (federal, state or local) terminated for cause or default.

g. If the Sub-Recipient is unable to certify to any of the statements in this certification, then the Sub-Recipient shall attach an explanation to this Agreement.

h. **In addition, the Sub-Recipient shall send to the Division (by email or by facsimile transmission) the completed "Certification Regarding Debarment, Suspension, Ineligibility And Voluntary Exclusion" (Attachment H) for each intended subcontractor which Sub-Recipient plans to fund under this Agreement. The form must be received by the Division before the Sub-Recipient enters into a contract with any subcontractor.**

i. The Division reserves the right to unilaterally cancel this Agreement if the Sub-Recipient refuses to allow public access to all documents, papers, letters or other material subject to the provisions of Chapter 119, Florida Statutes, which the Sub-Recipient created or received under this Agreement.

j. If the Sub-Recipient is allowed to temporarily invest any advances of funds under this Agreement, any interest income shall either be returned to the Division or be applied against the Division's obligation to pay the contract amount.

k. The State of Florida will not intentionally award publicly-funded contracts to any contractor who knowingly employs unauthorized alien workers, constituting a violation of the employment provisions contained in 8 U.S.C. Section 1324a(e) [Section 274A(e) of the Immigration and Nationality Act ("INA")]. The Division shall consider the employment by any contractor of unauthorized aliens a violation of Section 274A(e) of the INA. Such violation by the Sub-Recipient of the employment provisions

contained in Section 274A(e) of the INA shall be grounds for unilateral cancellation of this Agreement by the Division.

l. Section 287.05805, Florida Statutes, requires that any state funds provided for the purchase of or improvements to real property are contingent upon the contractor or political subdivision granting to the state a security interest in the property at least to the amount of state funds provided for at least 5 years from the date of purchase or the completion of the improvements or as further required by law.

m. The Division may, at its option, terminate the Contract if the Contractor is found to have submitted a false certification as provided under section 287.135(5), F.S., or been placed on the Scrutinized Companies with Activities in Sudan List or the Scrutinized Companies with Activities in the Iran Petroleum Energy Sector List, or been engaged in business operations in Cuba or Syria, or to have been placed on the Scrutinized Companies that Boycott Israel List or is engaged in a boycott of Israel.

(23) LOBBYING PROHIBITION

a. 2 C.F.R. §200.450 prohibits reimbursement for costs associated with certain lobbying activities.

b. Section 216.347, Florida Statutes, prohibits "any disbursement of grants and aids appropriations pursuant to a contract or grant to any person or organization unless the terms of the grant or contract prohibit the expenditure of funds for the purpose of lobbying the Legislature, the judicial branch, or a state agency."

c. No funds or other resources received from the Division under this Agreement may be used directly or indirectly to influence legislation or any other official action by the Florida Legislature or any state agency.

d. The Sub-Recipient certifies, by its signature to this Agreement, that to the best of his or her knowledge and belief:

i. No Federal appropriated funds have been paid or will be paid, by or on behalf of the Sub-Recipient, to any person for influencing or attempting to influence an officer or employee of any agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with the awarding of any Federal contract, the making of any Federal grant, the making of any Federal loan, the entering into of any cooperative agreement, and the extension, continuation, renewal, amendment or modification of any Federal contract, grant, loan or cooperative agreement.

ii. If any funds other than Federal appropriated funds have been paid or will be paid to any person for influencing or attempting to influence an officer or employee of any agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with this Federal contract, grant, loan or cooperative agreement, the Sub-Recipient shall complete and submit Standard Form-LLL, "Disclosure of Lobbying Activities."

iii. The Sub-Recipient shall require that this certification be included in the award documents for all subawards (including subcontracts, subgrants, and contracts under grants, loans, and cooperative agreements) and that all Sub-Recipients shall certify and disclose.

iv. This certification is a material representation of fact upon which reliance was placed when this transaction was made or entered into. Submission of this certification is a prerequisite for making or entering into this transaction imposed by Section 1352, Title 31, U.S. Code. Any person who fails to file the required certification shall be subject to a civil penalty of not less than $10,000 and not more than $100,000 for each such failure.

(24) COPYRIGHT, PATENT AND TRADEMARK

EXCEPT AS PROVIDED BELOW, ANY AND ALL PATENT RIGHTS ACCRUING UNDER OR IN CONNECTION WITH THE PERFORMANCE OF THIS AGREEMENT ARE HEREBY RESERVED TO THE STATE OF FLORIDA; AND, ANY AND ALL COPYRIGHTS ACCRUING UNDER OR IN CONNECTION WITH THE PERFORMANCE OF THIS AGREEMENT ARE HEREBY TRANSFERRED BY THE SUB-RECIPIENT TO THE STATE OF FLORIDA.

a. If the Sub-Recipient has a pre-existing patent or copyright, the Sub-Recipient shall retain all rights and entitlements to that pre-existing patent or copyright unless the Agreement provides otherwise.

b. If any discovery or invention is developed in the course of or as a result of work or services performed under this Agreement, or in any way connected with it, the Sub-Recipient shall refer the discovery or invention to the Division for a determination whether the State of Florida will seek patent protection in its name. Any patent rights accruing under or in connection with the performance of this Agreement are reserved to the State of Florida. If any books, manuals, films, or other copyrightable material are produced, the Sub-Recipient shall notify the Division. Any copyrights accruing under or in connection with the performance under this Agreement are transferred by the Sub-Recipient to the State of Florida.

c. Within thirty (30) days of execution of this Agreement, the Sub-Recipient shall disclose all intellectual properties relating to the performance of this Agreement which he or she knows or should know could give rise to a patent or copyright. The Sub-Recipient shall retain all rights and entitlements to any pre-existing intellectual property which is disclosed. Failure to disclose will indicate that no such property exists. The Division shall then, under Paragraph (24) b., have the right to all patents and copyrights which accrue during performance of the Agreement.

d. If the Sub-Recipient qualifies as a state university under Florida law, then, pursuant to section 1004.23, Florida Statutes, any invention conceived exclusively by the employees of the Sub-Recipient shall become the sole property of the Sub-Recipient. In the case of joint inventions, that is inventions made jointly by one or more employees of both parties hereto, each party shall have an equal, undivided interest in and to such joint inventions. The Division shall retain a perpetual, irrevocable, fully-paid, nonexclusive license, for its use and the use of its contractors of any resulting patented, copyrighted

or trademarked work products, developed solely by the Sub-Recipient, under this Agreement, for Florida government purposes.

(25) LEGAL AUTHORIZATION

The Sub-Recipient certifies that it has the legal authority to receive the funds under this Agreement and that its governing body has authorized the execution and acceptance of this Agreement. The Sub-Recipient also certifies that the undersigned person has the authority to legally execute and bind Sub-Recipient to the terms of this Agreement.

(26) EQUAL OPPORTUNITY EMPLOYMENT

a. In accordance with 41 C.F.R. §60-1.4(b), the Sub-Recipient hereby agrees that it will incorporate or cause to be incorporated into any contract for construction work, or modification thereof, as defined in the regulations of the Secretary of Labor at 41 CFR Chapter 60, which is paid for in whole or in part with funds obtained from the Federal Government or borrowed on the credit of the Federal Government pursuant to a grant, contract, loan insurance, or guarantee, or undertaken pursuant to any Federal program involving such grant, contract, loan, insurance, or guarantee, the following equal opportunity clause:

> During the performance of this contract, the contractor agrees as follows:
>
> i. The contractor will not discriminate against any employee or applicant for employment because of race, color, religion, sex, sexual orientation, gender identity, or national origin. The contractor will take affirmative action to ensure that applicants are employed, and that employees are treated during employment without regard to their race, color, religion, sex, sexual orientation, gender identity, or national origin. Such action shall include, but not be limited to the following:
>
> Employment, upgrading, demotion, or transfer; recruitment or recruitment advertising; layoff or termination; rates of pay or other forms of compensation; and selection for training, including apprenticeship. The contractor agrees to post in conspicuous places, available to employees and applicants for employment, notices to be provided setting forth the provisions of this nondiscrimination clause.
>
> ii. The contractor will, in all solicitations or advertisements for employees placed by or on behalf of the contractor, state that all qualified applicants will receive considerations for employment without regard to race, color, religion, sex, sexual orientation, gender identity, or national origin.
>
> iii. The contractor will not discharge or in any other manner discriminate against any employee or applicant for employment because such employee or applicant has inquired about, discussed, or disclosed the compensation of the employee or applicant or another employee or applicant. This provision shall not apply to instances in which an employee who has access to the compensation information of other employees or applicants as a part of such employee's essential job functions discloses the compensation of such other employees or

applicants to individuals who do not otherwise have access to such information, unless such disclosure is in response to a formal complaint or charge, in furtherance of an investigation, proceeding, hearing, or action, including an investigation conducted by the employer, or is consistent with the contractor's legal duty to furnish information.

iv. The contractor will send to each labor union or representative of workers with which he has a collective bargaining agreement or other contract or understanding, a notice to be provided advising the said labor union or workers' representatives of the contractor's commitments under this section, and shall post copies of the notice in conspicuous places available to employees and applicants for employment.

v. The contractor will comply with all provisions of Executive Order 11246 of September 24, 1965, and of the rules, regulations, and relevant orders of the Secretary of Labor.

vi. The contractor will furnish all information and reports required by Executive Order 11246 of September 24, 1965, and by rules, regulations, and orders of the Secretary of Labor, or pursuant thereto, and will permit access to his books, records, and accounts by the administering agency and the Secretary of Labor for purposes of investigation to ascertain compliance with such rules, regulations, and orders.

vii. In the event of the contractor's noncompliance with the nondiscrimination clauses of this contract or with any of the said rules, regulations, or orders, this contract may be canceled, terminated, or suspended in whole or in part and the contractor may be declared ineligible for further Government contracts or federally assisted construction contracts in accordance with procedures authorized in Executive Order 11246 of September 24, 1965, and such other sanctions may be imposed and remedies invoked as provided in Executive Order 11246 of September 24, 1965, or by rule, regulation, or order of the Secretary of Labor, or as otherwise provided by law.

viii. The contractor will include the portion of the sentence immediately preceding paragraph (1) and the provisions of paragraphs (1) through (8) in every subcontract or purchase order unless exempted by rules, regulations, or orders of the Secretary of Labor issued pursuant to section 204 of Executive Order 11246 of September 24, 1965, so that such provisions will be binding upon each subcontractor or vendor. The contractor will take such action with respect to any subcontract or purchase order as the administering agency may direct as a means of enforcing such provisions, including sanctions for noncompliance:

Provided, however, that in the event a contractor becomes involved in, or is threatened with, litigation with a subcontractor or vendor as a result of such direction by the administering agency the contractor may request the United States to enter into such litigation to protect the interests of the United States.

b. The Sub-Recipient further agrees that it will be bound by the above equal opportunity clause with respect to its own employment practices when it participates in federally assisted construction

work: *Provided*, that if the applicant so participating is a State or local government, the above equal opportunity clause is not applicable to any agency, instrumentality or subdivision of such government which does not participate in work on or under the contract.

c. The Sub-Recipient agrees that it will assist and cooperate actively with the administering agency and the Secretary of Labor in obtaining the compliance of contractors and subcontractors with the equal opportunity clause and the rules, regulations, and relevant orders of the Secretary of Labor, that it will furnish the administering agency and the Secretary of Labor such information as they may require for the supervision of such compliance, and that it will otherwise assist the administering agency in the discharge of the agency's primary responsibility for securing compliance.

d. The Sub-Recipient further agrees that it will refrain from entering into any contract or contract modification subject to Executive Order 11246 of September 24, 1965, with a contractor debarred from, or who has not demonstrated eligibility for, Government contracts and federally assisted construction contracts pursuant to the Executive order and will carry out such sanctions and penalties for violation of the equal opportunity clause as may be imposed upon contractors and subcontractors by the administering agency or the Secretary of Labor pursuant to Part II, Subpart D of the Executive order. In addition, the Sub-Recipient agrees that if it fails or refuses to comply with these undertakings, the administering agency may take any or all of the following actions: cancel, terminate, or suspend in whole or in part this grant (contract, loan, insurance, guarantee); refrain from extending any further assistance to the Sub-Recipient under the program with respect to which the failure or refund occurred until satisfactory assurance of future compliance has been received from such Sub-Recipient; and refer the case to the Department of Justice for appropriate legal proceedings.

(27) COPELAND ANTI-KICKBACK ACT

The Sub-Recipient hereby agrees that, unless exempt under Federal law, it will incorporate or cause to be incorporated into any contract for construction work, or modification thereof, the following clause:

> i. Contractor. The contractor shall comply with 18 U.S.C. § 874, 40 U.S.C. § 3145, and the requirements of 29 C.F.R. pt. 3 as may be applicable, which are incorporated by reference into this contract.
>
> ii. Subcontracts. The contractor or subcontractor shall insert in any subcontracts the clause above and such other clauses as the FEMA may by appropriate instructions require, and also a clause requiring the subcontractors to include these clauses in any lower tier subcontracts. The prime contractor shall be responsible for the compliance by any subcontractor or lower tier subcontractor with all of these contract clauses.
>
> iii. Breach. A breach of the contract clauses above may be grounds for termination of the contract, and for debarment as a contractor and subcontractor as provided in 29 C.F.R. § 5.12.

(28) CONTRACT WORK HOURS AND SAFETY STANDARDS

If the Sub-Recipient, with the funds authorized by this Agreement, enters into a contract that exceeds $100,000 and involves the employment of mechanics or laborers, then any such contract must include a provision for compliance with 40 U.S.C. 3702 and 3704, as supplemented by Department of Labor regulations (29 CFR Part 5). Under 40 U.S.C. 3702 of the Act, each contractor must be required to compute the wages of every mechanic and laborer on the basis of a standard work week of 40 hours. Work in excess of the standard work week is permissible provided that the worker is compensated at a rate of not less than one and a half times the basic rate of pay for all hours worked in excess of 40 hours in the work week. The requirements of 40 U.S.C. 3704 are applicable to construction work and provide that no laborer or mechanic must be required to work in surroundings or under working conditions which are unsanitary, hazardous or dangerous. These requirements do not apply to the purchases of supplies or materials or articles ordinarily available on the open market, or contracts for transportation.

(29) CLEAN AIR ACT AND THE FEDERAL WATER POLLUTION CONTROL ACT

If the Sub-Recipient, with the funds authorized by this Agreement, enters into a contract that exceeds $150,000, then any such contract must include the following provision:

> Contractor agrees to comply with all applicable standards, orders or regulations issued pursuant to the Clean Air Act (42 U.S.C. 7401-7671q) and the Federal Water Pollution Control Act as amended (33 U.S.C. 1251-1387), and will report violations to FEMA and the Regional Office of the Environmental Protection Agency (EPA).

(30) SUSPENSION AND DEBARMENT

If the Sub-Recipient, with the funds authorized by this Agreement, enters into a contract, then any such contract must include the following provisions:

> i. This contract is a covered transaction for purposes of 2 C.F.R. pt. 180 and 2 C.F.R. pt. 3000. As such the contractor is required to verify that none of the contractor, its principals (defined at 2 C.F.R. § 180.995), or its affiliates (defined at 2 C.F.R. § 180.905) are excluded (defined at 2 C.F.R. § 180.940) or disqualified (defined at 2 C.F.R. § 180.935).
>
> ii. The contractor must comply with 2 C.F.R. pt. 180, subpart C and 2 C.F.R. pt. 3000, subpart C and must include a requirement to comply with these regulations in any lower tier covered transaction it enters into.
>
> iii. This certification is a material representation of fact relied upon by the Division. If it is later determined that the contractor did not comply with 2 C.F.R. pt. 180, subpart C and 2 C.F.R. pt. 3000, subpart C, in addition to remedies available to the Division, the Federal Government may pursue available remedies, including but not limited to suspension and/or debarment.
>
> iv. The bidder or proposer agrees to comply with the requirements of 2 C.F.R. pt. 180, subpart C and 2 C.F.R. pt. 3000, subpart C while this

offer is valid and throughout the period of any contract that may arise from this offer. The bidder or proposer further agrees to include a provision requiring such compliance in its lower tier covered transactions.

(31) BYRD ANTI-LOBBYING AMENDMENT

If the Sub-Recipient, with the funds authorized by this Agreement, enters into a contract, then any such contract must include the following clause:

> Byrd Anti-Lobbying Amendment, 31 U.S.C. § 1352 (as amended). Contractors who apply or bid for an award of $100,000 or more shall file the required certification. Each tier certifies to the tier above that it will not and has not used Federal appropriated funds to pay any person or organization for influencing or attempting to influence an officer or employee of any agency, a member of Congress, officer or employee of Congress, or an employee of a member of Congress in connection with obtaining any Federal contract, grant, or any other award covered by 31 U.S.C. § 1352. Each tier shall also disclose any lobbying with non-Federal funds that takes place in connection with obtaining any Federal award. Such disclosures are forwarded from tier to tier up to the recipient.

(32) CONTRACTING WITH SMALL AND MINORITY BUSINESSES, WOMEN'S BUSINESS ENTERPRISES, AND LABOR SURPLUS AREA FIRMS

a. If the Sub-Recipient, with the funds authorized by this Agreement, seeks to procure goods or services, then, in accordance with 2 C.F.R. §200.321, the Sub-Recipient shall take the following affirmative steps to assure that minority businesses, women's business enterprises, and labor surplus area firms are used whenever possible:

i. Placing qualified small and minority businesses and women's business enterprises on solicitation lists;

ii. Assuring that small and minority businesses, and women's business enterprises are solicited whenever they are potential sources;

iii. Dividing total requirements, when economically feasible, into smaller tasks or quantities to permit maximum participation by small and minority businesses, and women's business enterprises;

iv. Establishing delivery schedules, where the requirement permits, which encourage participation by small and minority businesses, and women's business enterprises;

v. Using the services and assistance, as appropriate, of such organizations as the Small Business Administration and the Minority Business Development Agency of the Department of Commerce; and

vi. Requiring the prime contractor, if subcontracts are to be let, to take the affirmative steps listed in paragraphs i. through v. of this subparagraph.

b. The requirement outlined in subparagraph a. above, sometimes referred to as "socioeconomic contracting," does not impose an obligation to set aside either the solicitation or award of

a contract to these types of firms. Rather, the requirement only imposes an obligation to carry out and document the six affirmative steps identified above.

c. The "socioeconomic contracting" requirement outlines the affirmative steps that the Sub-Recipient must take; the requirements do not preclude the Sub-Recipient from undertaking additional steps to involve small and minority businesses and women's business enterprises.

d. The requirement to divide total requirements, when economically feasible, into smaller tasks or quantities to permit maximum participation by small and minority businesses, and women's business enterprises, does not authorize the Sub-Recipient to break a single project down into smaller components in order to circumvent the micro-purchase or small purchase thresholds so as to utilize streamlined acquisition procedures (e.g. "project splitting").

(33) ASSURANCES

The Sub-Recipient shall comply with any Statement of Assurances incorporated as Attachment C.

IN WITNESS WHEREOF, the parties hereto have executed this Agreement.

SUB-RECIPIENT: City of Cocoa

By: _____

Name and title: Jake Williams, Mayor, City of Cocoa

Date: 7-17-2020

FID# 59-6000292

STATE OF FLORIDA

DIVISION OF EMERGENCY MANAGEMENT

Miles E. Anderson

Digitally signed by Miles E. Anderson
DN: cn=Miles E. Anderson, o=DEM, ou=Mitigation, email=Miles.anderson@em.myflorida.com, c=US
Date: 2020.08.21 15:25:14 -04'00'

By: _____

Name and Title: Jared Moskowitz, Director

Date: 08/21/2020

EXHIBIT – 1

THE FOLLOWING FEDERAL RESOURCES ARE AWARDED TO THE SUB-RECIPIENT UNDER THIS AGREEMENT:

Federal Program
Federal agency: Federal Emergency Management Agency: Hazard Mitigation Grant
Catalog of Federal Domestic Assistance title and number: 97.039
Award amount: **$ 632,970.00**

THE FOLLOWING COMPLIANCE REQUIREMENTS APPLY TO THE FEDERAL RESOURCES AWARDED UNDER THIS AGREEMENT:

- 2 CFR Part 200 Uniform Administrative Requirements, Cost Principles, and Audit Requirements for Federal Awards
- The Robert T. Stafford Disaster Relief and Emergency Assistance Act, Public Law 93-288, as amended, 42 U.S.C. 5121 et seq., and Related Authorities
- Sections 1361(A) of the National Flood Insurance Act of 1968, 42 U.S.C. 4104c, as amended by the National Flood Insurance Reform Act of 1994, Public Law 103-325 and the Bunning-Bereuter-Blumenauer Flood Insurance Reform Act of 2004, Public Law 108-264
- 31 CFR Part 205 Rules and Procedures for Funds Transfers

Federal Program:

1. Sub-Recipient is to use funding to perform the following eligible activities:
   - Generator for Critical Facilities
   - Utility Mitigation
2. Sub-Recipient is subject to all administrative and financial requirements as set forth in this Agreement, or will be in violation of the terms of the Agreement.

Attachment A

Budget and Scope of Work

STATEMENT OF PURPOSE:

The purpose of this Scope of Work is to provide protective measures to Lift Station #1 in Cocoa, Brevard County, Florida, funded through the Hazard Mitigation Grant Program (HMGP) **DR-4337-232-R**, as approved by the Florida Division of Emergency Management (Division) and the Federal Emergency Management Agency (FEMA).

The Sub-Recipient, City of Cocoa, agrees to administer and complete the project per scope of work as submitted by the Sub-Recipient and subsequently approved by the Division and FEMA. The Sub-Recipient shall complete the work in accordance with all applicable Federal, State and Local Laws, Regulations and Codes.

PROJECT OVERVIEW:

As a Hazard Mitigation Grant Program project, the Sub-Recipient proposes to provide protection to Lift Station #1 located in Cocoa, Florida 32922. Coordinates (28.349788, -80.722898).

The proposed scope of work shall include demolishing and replacing the existing lift station with a submersible pumping system incorporated in the wet well. This shall eliminate the need for confined space entry, improving worker safety. The proposal shall also include the purchase and installation of a 25 kW generator and transfer switch.

The generator and the pump station shall be protected against a 500-year flood event by implementing specific activities or by locating them outside the Special Flood Hazard Area (SFHA) and shall be protected against wind with a rated enclosure based on its location requirements. Activities shall be completed in strict compliance with Federal, State and Local Rules and Regulations.

TASKS & DELIVERABLES:

A) **Tasks:**

1) The Sub-Recipient shall procure the services of a qualified and licensed Florida contractor and execute a contract with the selected bidder to complete the scope of work as approved by the Division and FEMA. The Sub-Recipient shall select the qualified, licensed Florida contractor in accordance with the Sub-Recipient's procurement policy as well as all Federal and State Laws and Regulations. All procurement activities shall contain sufficient source documentation and be in accordance with all applicable regulations.

   The Sub-Recipient shall be responsible for furnishing or contracting all labor, materials, equipment, tools, transportation and supervision and for performing all work per sealed engineering designs and construction plans presented to the Division by the Sub-Recipient and subsequently approved by the Division and FEMA.

   The Sub-Recipient and contractor shall be responsible for maintaining a safe and secure worksite for the duration of the work. The contractor shall maintain all work staging areas in a neat and presentable condition.

   The Sub-Recipient shall ensure that no contractors or subcontractors are debarred or suspended from participating in federally funded projects.

   The selected contractor shall have a current and valid occupational license/business tax receipt issued for the type of services being performed.

The Sub-Recipient shall provide documentation demonstrating the results of the procurement process. This shall include a rationale for the method of procurement and selection of contract type, contractor selection and/or rejection and bid tabulation and listing, and the basis of contract price.

The Sub-Recipient shall provide an executed "Debarment, Suspension, Ineligibility, Voluntary Exclusion Form" for each contractor and/or subcontractor performing services under this agreement.

Executed contracts with contractors and/or subcontractors shall be provided to the Division by the Sub-Recipient.

The Sub-Recipient shall provide copies of professional licenses for contractors selected to perform services. The Sub-Recipient shall provide a copy of a current and valid occupational license or business tax receipt issued for the type of services to be performed by the selected contractor.

2) The Sub-Recipient shall monitor and manage the procurement and installation of all products in accordance with the HMGP application and associated documentation as presented to the Division by the Sub-Recipient and subsequently approved by the Division and FEMA. The Sub-Recipient shall ensure that all applicable State, Local and Federal Laws and Regulations are followed and documented, as appropriate.

   The project shall protect the structure from windblown debris resulting from high wind storms which shall allow the function of the structures to continue following a severe wind event.

   The Sub-Recipient shall fully perform the approved project, as described in the application, in accordance with the approved scope of work indicated herein, the estimate of costs indicated herein, the allocation of funds indicated herein, and all applicable terms and conditions. The Sub-Recipient shall not deviate from the approved project terms and conditions.

   Upon completion of the work, the Sub-Recipient shall schedule and participate in a final inspection of the completed project by the local municipal or county building department (official), or other approving official, as applicable. The official shall inspect and certify that all installation was in accordance with the manufacturer's specifications. Any deficiencies found during this final inspection shall be corrected by the Sub-Recipient prior to Sub-Recipient's submittal of the final inspection request to the Division.

   Upon completion of Task 2, the Sub-Recipient shall submit the following documents with sufficient supporting documentation and provide a summary of all contract scope of work and scope of work changes, if any. Additional documentation shall include:

   a) Copy of permit(s), notice of commencement.

   b) Local Building Official Inspection Report and Final Approval.

   c) Signed and Sealed As-built project plans (drawings) by the Professional of Record, two hard copies and an electronic version (via email or CD), as applicable.

   d) Letter of Completion:

      1. Affirming that the project was completed in conformance with the approved project drawings, specifications and scope; and

      2. Certifying Compliance with all applicable codes.

   e) All Product Specifications / Data Sheet(s) (technical standards) satisfying protection requirements on all products utilized.

   f) Proof of compliance with Project Conditions and Requirements contained herein.

3) During the course of this agreement, the Sub-Recipient shall submit requests for reimbursement. Adequate and complete source documentation shall be submitted to support all costs (federal share and local share) related to the project. In some cases, all project activities may not be fully complete prior to requesting reimbursement of costs incurred in completion of this scope of work; however, a partial reimbursement may be requested.

The Sub-Recipient shall submit an Affidavit signed by the Sub-Recipient's project personnel with each reimbursement request attesting to the completion of the work, that disbursements or payments were made in accordance with all agreement and regulatory conditions, and that reimbursement is due and has not been previously requested.

The Sub-Recipient shall maintain accurate time records. The Sub-Recipient shall ensure invoices are accurate and any contracted services were rendered within the terms and timelines of this agreement. All supporting documentation shall agree with the requested billing period. All costs submitted for reimbursement shall contain adequate source documentation which may include but not be limited to: cancelled checks, bank statements, Electronic Funds Transfer, paid bills and invoices, payrolls, time and attendance records, contract and subcontract award documents.

Construction Expense: The Sub-Recipient shall pre-audit bills, invoices, and/or charges submitted by the contractors and subcontractors and pay the contractors and subcontractors for approved bills, invoices, and/or charges. Sub-Recipient shall ensure that all contractor/subcontractor bills, invoices, and/or charges are legitimate and clearly identify the activities being performed and associated costs.

Project Management Expenses: The Sub-Recipient shall pre-audit source documentation such as payroll records, project time sheets, attendance logs, etc. Documentation shall be detailed information describing tasks performed, hours devoted to each task, and the hourly rate charged for each hour including enough information to calculate the hourly rates based on payroll records. Employee benefits shall be clearly shown.

The Division shall review all submitted requests for reimbursement for basic accuracy of information. Further, the Division shall ensure that no unauthorized work was completed prior to the approved project start date by verifying vendor and contractor invoices. The Division shall verify that reported costs were incurred in the performance of eligible work, that the approved work was completed, and that the mitigation measures are in compliance with the approved scope of work prior to processing any requests for reimbursement.

Review and approval of any third party in-kind services, if applicable, shall be conducted by the Division in coordination with the Sub-Recipient. Quarterly Reports shall be submitted by the Sub-Recipient and received by the Division at the times provided in this agreement prior to the processing of any reimbursement.

The Sub-Recipient shall submit to the Division requests for reimbursement of actual construction and managerial costs related to the project as identified in the project application, and plans. The requests for reimbursement shall include:

a) Contractor, subcontractor, and/or vendor invoices which clearly display dates of services performed, description of services performed, location of services performed, cost of services performed, name of service provider and any other pertinent information;

b) Proof of payment from the Sub-Recipient to the contractor, subcontractor, and/or vendor for invoiced services;

c) Clear identification of amount of costs being requested for reimbursement as well as costs being applied against the local match amount.

The Sub-Recipient's final request for reimbursement shall include the final construction project cost. Supporting documentation shall show that all contractors and subcontractors have been paid.

B) <u>Deliverables:</u>

Mitigation Activities consist of providing protection and implementing measures to improve Lift Station #1 located in Cocoa, Brevard County, Florida 32922.

The generator and the pump station shall be protected against a 500-year flood event by implementing specific activities or by locating them outside the Special Flood Hazard Area (SFHA) and shall be protected against wind with a rated enclosure based on its location requirements.

Activities shall be completed in strict compliance with Federal, State and Local Rules and Regulations. Provided the Sub-Recipient performs in accordance with the Scope of Work outlined in this Agreement, the Division shall reimburse the Sub-Recipient based on the percentage of overall project completion.

PROJECT CONDITIONS AND REQUIREMENTS:

C) Engineering:

1) The Sub-Recipient shall submit to the Division an official letter stating that the project is 100% complete and ready for the Division's Final Inspection of the project.

2) The Sub-Recipient shall provide a copy of the Notice of Commencement, and any local official Inspection Report and/or Final Approval, as applicable.

3) The Sub-Recipient shall submit a signed and sealed final copy of the completed project's As-built drawings and all necessary supporting documentation and provide a summary of all contract scope of work changes, if any.

4) The Sub-Recipient shall submit a certified letter of completion from Engineer of Record. The Sub-Recipient's Engineer of Record shall provide a formal certificate or letter affirming that the project has been completed in conformance with the approved project drawings, specifications, scope, and applicable codes.

5) The Sub-Recipient shall submit all Product Specifications / Data Sheet(s) (technical standards) satisfying protection requirements on all products utilized.

6) All installations shall be done in strict compliance with the Florida Building Code or Miami Dade Specifications. All materials shall be certified to meet or exceed the wind and impact standards of the current local codes.

7) Product Specifications documentation satisfying protection requirements for all products utilized shall be provided to the Division for closeout.

D) Environmental:

1) The Sub-Recipient shall follow all applicable state, local and federal laws, regulations and requirements, and obtain (before starting project work) and comply with all required permits and approvals. Failure to obtain all appropriate federal, state, and local environmental permits and clearances may jeopardize federal funding. If project is delayed for a year or more after the date of the categorical exclusion (CATEX), then coordination with and project review by regulatory agencies must be redone.

2) Any change, addition or supplement to the approved mitigation measure or scope of work that alters the project (including other work not funded by FEMA, but done substantially at the same time) shall require resubmission to the Division and FEMA for revaluation of compliance with the National Environmental Protection Act (NEPA) and Section 106 of the National Historic Preservation Act (NHPA) prior to initiation of any work. Non-compliance with these requirements may jeopardize FEMA's ability to fund this project. A change in the scope of work shall be approved by the Division and FEMA in advance regardless of the budget implications.

3) If any ground disturbance activities occur during construction, the Sub-Recipient shall monitor ground disturbance during construction, and if any potential archeological resources are discovered, shall immediately cease construction in that area and notify the Division and FEMA.

   If human remains or intact archaeological deposits are uncovered, work in the vicinity of the discovery will stop immediately and all reasonable measures to avoid or minimize harm to the finds will be taken. The applicant will ensure that archaeological discoveries are secured in place, that access to the sensitive area is restricted, and that all reasonable measures are taken to avoid further disturbance of the discoveries. The applicant's contractor will provide immediate notice of such discoveries to the applicant. The applicant shall contact the Florida Division of Historic Resources

and FEMA within 24 hours of the discovery. Work in the vicinity of the discovery may not resume until FEMA has completed consultation with SHPO, Tribes, and other consulting parties as necessary. In the event that unmarked human remains are encountered during permitted activities, all work shall stop immediately, and the proper authorities notified in accordance with Florida Statutes, Section 872.05. Any changes to the approved scope of work will require submission to, and evaluation and approval by, the State and FEMA, prior to initiation of any work, for compliance with Section 106.

4) The generator is supporting a critical action and must be protected to the 500-year (0.2% annual chance) flood elevation. Applicant must submit documentation to the State and FEMA documenting which protective option they have selected.

5) Construction vehicles and equipment used for this project shall be maintained in good working order to minimize pollutant emissions. Consultation with the Floodplain manager is required to ensure the project is in compliance with local floodplain ordinances/regulations.

6) Meet all required Environmental laws and policies, and all necessary Environmental compliance documents shall be obtained as applicable.

E) <u>Programmatic:</u>

1) A change in the scope of work *must* be approved by the Division and FEMA in advance regardless of the impact to the budget.

2) The Sub-Recipient must notify the Division as soon as significant developments become known, such as delays or adverse conditions that might raise costs or delay completion, or favorable conditions allowing lower costs or earlier completion.

3) The Sub-Recipient must "obtain prior written approval for any budget revision which would result in a need for additional funds" [44 CFR 13(c)], from the Division and FEMA.

4) A Public Notice shall be published to notify interested parties of the proposed activity. Notices shall be published in a manner that anyone that may be affected or interested in this project has access to the posting, using the Division template, as applicable.

5) Any extension of the Period of Performance shall be submitted to FEMA 60 days prior to the expiration date. Therefore, any request for a Period of Performance Extension shall be in writing and submitted, along with substantiation of new expiration date and a new schedule of work, to the Division a minimum of seventy (70) days prior to the expiration date, for Division processing.

6) A copy of the executed subcontract agreement must be forwarded to the Division within 10 days of execution.

7) Project approval is with the condition that the tasks, deliverables, and conditions be accomplished and submitted 30 days prior to the Period of Performance date, for review and approval by the Division, for submittal to FEMA for Closeout.

8) The Sub-Recipient must avoid duplication of benefits between the HMGP and any other form of assistance, as required by Section 312 of the Stafford Act, and further clarification in 44 CFR 206.191.

9) The generator is supporting a critical action and must be protected to the 500-year (0.2% annual chance) flood elevation. Applicant must submit documentation to the State and FEMA documenting which protective option they have selected.

   Source of condition: National Historic Preservation Act (NHPA) Monitoring Required: No

10) If human remains or intact archaeological deposits are uncovered, work in the vicinity of the discovery will stop immediately and all reasonable measures to avoid or minimize harm to the finds will be taken. The applicant will ensure that archaeological discoveries are secured in place, that access to the sensitive area is restricted, and that all reasonable measures are taken to avoid further disturbance of the discoveries. The applicant's contractor will provide immediate notice of such discoveries to the applicant. The applicant shall contact the Florida Division of Historic Resources

and FEMA within 24 hours of the discovery. Work in the vicinity of the discovery may not resume until FEMA has completed consultation with SHPO, Tribes, and other consulting parties as necessary. In the event that unmarked human remains are encountered during permitted activities, all work shall stop immediately, and the proper authorities notified in accordance with Florida Statutes, Section 872.05. Any changes to the approved scope of work will require submission to, and evaluation and approval by, the State and FEMA, prior to initiation of any work, for compliance with Section 106.

Source of condition: National Historic Preservation Act (NHPA) Monitoring Required: No

This is FEMA project number **4337-232-R**. It is funded under HMGP, FEMA-4337-DR-FL and must adhere to all program guidelines established for the HMGP in accordance with the PAS Operational Agreement for Disaster 4337.

FEMA awarded this project on February 25, 2020; this Agreement shall begin upon execution by both parties, and the Period of Performance for this project shall end on **May 31, 2022**.

F) FINANCIAL CONSEQUENCES:

If the Sub-Recipient fails to comply with any term of the award, the Division shall take one or more of the following actions, as appropriate in the circumstances:

1) Temporarily withhold cash payments pending correction of the deficiency by the Sub-Recipient;
2) Disallow all or part of the cost of the activity or action not in compliance;
3) Wholly or partly suspend or terminate the current award for the Sub-Recipient's program;
4) Withhold further awards for the program; or
5) Take other remedies that may be legally available.

Schedule of Work

State and Local Contracting:	3	Months
Design / Permitting:	3	Months
Bidding and Contracting:	3	Months
Construction / Installation:	12	Months
State/Local Inspections:	3	Months
Closeout:	3	Months
Total Period of Performance:	**27**	**Months**

BUDGET

Line Item Budget*

	Project Cost	Federal Share	Non-Federal Share
Materials:	$799,000.00	$599,250.00	$199,750.00
Labor:	$0.00	$0.00	$0.00
Fees:	$44,960.00	$33,720.00	$11,240.00
Initial Agreement Amount:	**$843,960.00**	**$632,970.00**	**$210,990.00**
***Contingency Funds:	$0.00	$0.00	$0.00
Project Total:	**$843,960.00**	**$632,970.00**	**$210,990.00**

**Any line item amount in this Budget may be increased or decreased 10% or less, with the Division's approval, without an amendment to this Agreement being required, so long as the overall amount of the funds obligated under this Agreement is not increased.*

**** **This project has an estimated $0.00 in contingency funds.** Per FEMA Hazard Mitigation Assistance Guidance Part VI, D.3.4 – Contingency funds are not automatically available for use. Prior to their release, contingency funds must be re-budgeted to another direct cost category and identified. Post-award changes to the budget require prior written approval from the Division (FDEM). The written request should demonstrate what unforeseen condition related to the project arose that required the use of contingency funds.*

Project Management costs are included for this project in the amount of $0.00

Funding Summary

Federal Share:	$632,970.00	(75.00%)
Non-Federal Share:	$210,990.00	(25.00%)
Total Project Cost:	**$843,960.00**	**(100.00%)**

Attachment B

Program Statutes and Regulations

The parties to this Agreement and the Hazard Mitigation Grant Program (HMGP) are generally governed by the following statutes and regulations:

(1) The Robert T. Stafford Disaster Relief and Emergency Assistance Act;

(2) 44 CFR Parts 7, 9, 10, 13, 14, 17, 18, 25, 206, 220, and 221, and any other applicable FEMA policy memoranda and guidance documents;

(3) State of Florida Administrative Plan for the Hazard Mitigation Grant Program;

(4) Hazard Mitigation Assistance Guidance- February 27, 2015 Update; and

(5) All applicable laws and regulations delineated in Attachment C of this Agreement.

In addition to the above statutes and regulations, the Sub-recipient must comply with the following:

The Sub-recipient shall fully perform the approved hazard mitigation project, as described in the Application and Attachment A (Budget and Scope of Work) attached to this Agreement, in accordance with approved scope of work indicated therein, the estimate of costs indicated therein, the allocation of funds indicated therein, and the terms and conditions of this Agreement. The Sub-recipient shall not deviate from the approved project and the terms and conditions of this Agreement. The Sub-recipient shall comply with any and all applicable codes and standards in performing work funded under this Agreement, and shall provide any appropriate maintenance and security for the project.

Any development permit issued by, or development activity undertaken by, the Sub-recipient and any land use permitted by or engaged in by the Sub-recipient, shall be consistent with the local comprehensive plan and land development regulations prepared and adopted pursuant to Chapter 163, Part II, Florida Statutes. Funds shall be expended for, and development activities and land uses authorized for, only those uses which are permitted under the comprehensive plan and land development regulations. The Sub-recipient shall be responsible for ensuring that any development permit issued and any development activity or land use undertaken is, where applicable, also authorized by the Water Management District, the Florida Department of Environmental Protection, the Florida Department of Health, the Florida Game and Fish Commission, and any Federal, State, or local environmental or land use permitting authority, where required. The Sub-recipient agrees that any repair or construction shall be in accordance with applicable standards of safety, decency, and sanitation, and in conformity with applicable codes, specifications and standards.

The Sub-recipient will provide and maintain competent and adequate engineering supervision at the construction site to ensure that the completed work conforms with the approved plans and specifications and will furnish progress reports and such other information to HMGP as may be required.

If the hazard mitigation project described in Attachment A includes an acquisition or relocation project, then the Sub-recipient shall ensure that, as a condition of funding under this Agreement, the owner of the affected real property shall record in the public records of the county where it is located the following covenants and restrictions, which shall run with and apply to any property acquired, accepted, or from which a structure will be removed pursuant to the project.

(1) The property will be dedicated and maintained in perpetuity for a use that is compatible with open space, recreational, or wetlands management practices;

(2) No new structure will be erected on property other than:
   a. a public facility that is open on all sides and functionally related to a designed open space;
   b. a restroom; or

(3) A structure that the Director of the Federal Emergency Management Agency approves in writing before the commencement of the construction of the structure;

(4) After the date of the acquisition or relocation no application for disaster assistance for any purpose will be made to any Federal entity and no disaster assistance will be provided for the property by any Federal source; and

(5) If any of these covenants and restrictions is violated by the owner or by some third party with the knowledge of the owner, fee simple title to the Property described herein shall be conveyed to the Board of Trustees of the Internal Improvement Trust Fund of the State of Florida without further notice to the owner, its successors and assigns, and the owner, its successors and assigns shall forfeit all right, title and interest in and to the property.

HMGP Contract Manager will evaluate requests for cost overruns and submit to the regional Director written determination of cost overrun eligibility. Cost overruns shall meet Federal regulations set forth in 44 CFR 206.438(b).

The National Environmental Policy Act (NEPA) stipulates that additions or amendments to a HMGP Sub-Recipient Scope of Work (SOW) shall be reviewed by all State and Federal agencies participating in the NEPA process.

As a reminder, the Sub-recipient must obtain prior approval from the State, before implementing changes to the approved project Scope of Work (SOW). Per the Uniform Administrative Requirements for Grants and Cooperative Agreements to State and Local Governments:

(1) For Construction projects, the grantee must "obtain prior written approval for any budget revision which result in a need for additional funds" (44 CFR 13(c));

(2) A change in the Scope of Work must be approved by FEMA in advance regardless of the budget implications; and

(3) The Sub-recipient must notify the State as soon as significant developments become known, such as delays or adverse conditions that might raise costs or delay completion, or favorable conditions allowing lower cost or earlier completion. Any extensions of the period of performance must be submitted to FEMA sixty (60) days prior to the project expiration date.

The Sub-recipient assures that it will comply with the following statutes and regulations to the extent applicable:

(1) 53 Federal Register 8034
(2) Federal Acquisition Regulations 31.2
(3) Section 1352, Title 31, US Code
(4) Chapter 473, Florida Statutes
(5) Chapter 215, Florida Statutes
(6) Section 768.28, Florida Statutes
(7) Chapter 119, Florida Statutes
(8) Section 216.181(6), Florida Statutes
(9) Cash Management Improvement Act of 1990
(10) American with Disabilities Act
(11) Section 112.061, Florida Statutes
(12) Immigration and Nationality Act
(13) Section 286.011, Florida Statutes

(14) 2 CFR, Part 200 – Uniform Administrative Requirements, Cost Principles, and Audit Requirements for Federal Awards
(15) Uniform Relocation Assistance and Real Property Acquisitions Act of 1970
(16) Title I of the Omnibus Crime Control and Safe Streets Act of 1968
(17) Juvenile Justice and Delinquency Prevention Act, or the Victims of Crime Act
(18) Omnibus Crime Control and Safe Streets Act of 1968, as amended
(19) Victims of Crime Act (as appropriate)
(20) Section 504 of the Rehabilitation Act of 1973, as amended
(21) Subtitle A, Title II of the Americans with Disabilities Act (ADA) (1990)
(22) Department of Justice regulations on disability discrimination, 28 CFR, Part 35 and Part 39
(23) 42 U.S.C. 5154a

Attachment C

Statement of Assurances

To the extent the following provisions apply to this Agreement, the Sub-recipient certifies that:

(a) It possesses legal authority to enter into this Agreement and to carry out the proposed program;

(b) Its governing body has duly adopted or passed as an official act of resolution, motion or similar action authorizing the execution of the hazard mitigation agreement with the Division of Emergency Management (DEM), including all understandings and assurances contained in it, and directing and authorizing the Sub-recipient's chief administrative officer or designee to act in connection with the application and to provide such additional information as may be required;

(c) No member of or delegate to the Congress of the United States, and no Resident Commissioner, shall receive any share or part of this Agreement or any benefit. No member, officer, or employee of the Sub-recipient or its designees or agents, no member of the governing body of the locality in which this program is situated, and no other public official of the locality or localities who exercises any functions or responsibilities with respect to the program during his tenure or for one year after, shall have any interest, direct or indirect, in any contract or subcontract, or the proceeds, for work be performed in connection with the program assisted under this Agreement. The Sub-recipient shall incorporate, in all contracts or subcontracts a provision prohibiting any interest pursuant to the purpose stated above;

(d) All Sub-recipient contracts for which the State Legislature is in any part a funding source, shall contain language to provide for termination with reasonable costs to be paid by the Sub-recipient for eligible contract work completed prior to the date the notice of suspension of funding was received by the Sub-recipient. Any cost incurred after a notice of suspension or termination is received by the Sub-recipient may not be funded with funds provided under this Agreement unless previously approved in writing by the Division. All Sub-recipient contracts shall contain provisions for termination for cause or convenience and shall provide for the method of payment in such event;

(e) It will comply with:

(1) Contract Work Hours and Safety Standards Act of 1962, 40 U.S.C. 327 et seq., requiring that mechanics and laborers (including watchmen and guards) employed on federally assisted contracts be paid wages of not less than one and one-half times their basic wage rates for all hours worked in excess of forty hours in a work week; and

(2) Federal Fair Labor Standards Act, 29 U.S.C. Section 201 et seq., requiring that covered employees be paid at least minimum prescribed wage, and also that they be paid one and one-half times their basic wage rates for all hours worked in excess of the prescribed work-week.

(f) It will comply with

(1) Title VI of the Civil Rights Act of 1964 (P.L. 88-352), and the regulations issued pursuant thereto, which provides that no person in the United States shall on the grounds of race, color, or national origin, be excluded from participation in, be denied the benefits of, or be otherwise subjected to discrimination under any program or activity for which the Sub-recipient received Federal financial assistance and will immediately take any measures necessary to effectuate this assurance. If any real property or structure thereon is provided or improved with the aid of Federal financial assistance extended to the Sub-recipient, this assurance shall obligate the Sub-recipient, or in the case of any transfer of such property, any transferee, for the period during which the real property or structure is

used for a purpose for which the Federal financial assistance is extended, or for another purpose involving the provision of similar services or benefits;

(2) Any prohibition against discrimination on the basis of age under the Age Discrimination Act of 1975, as amended (42 U.S.C. 6101-6107) which prohibits discrimination on the basis of age or with respect to otherwise qualifies handicapped individuals as provided in Section 504 of the Rehabilitation Act of 1973;

(3) Executive Order 11246, as amended by Executive Orders 11375 and 12086, and the regulations issued pursuant thereto, which provide that no person shall be discriminated against on the basis of race, color, religion, sex or national origin in all phases of employment during the performance of federal or federally assisted construction contracts; affirmative action to insure fair treatment in employment, upgrading, demotion, or transfer; recruitment or recruitment advertising; layoff/termination, rates of pay or other forms of compensation; and election for training and apprenticeship;

(g) It will establish safeguards to prohibit employees from using positions for a purpose that is or gives the appearance of being motivated by a desire for private gain for themselves or others, particularly those with whom they have family, business, or other ties pursuant to Section 112.313 and Section 112.3135, Florida Statutes;

(h) It will comply with the Anti-Kickback Act of 1986, 41 U.S.C. Section 51 which outlaws and prescribes penalties for "kickbacks" of wages in federally financed or assisted construction activities;

(i) It will comply with the provisions of 18 U.S.C. 594, 598, 600-605 (further known as the Hatch Act) which limits the political activities of employees;

(j) It will comply with the flood insurance purchase and other requirements of the Flood Disaster Protection Act of 1973, as amended, 42 U.S.C. 4002-4107, including requirements regarding the purchase of flood insurance in communities where such insurance is available as a condition for the receipt of any Federal financial assistance for construction or acquisition purposes for use in any area having special flood hazards. The phrase "Federal financial assistance" includes any form of loan, grant, guaranty, insurance payment, rebate, subsidy, disaster assistance loan or grant, or any other form of direct or indirect Federal assistance;

For sites located within Special Flood Hazard Areas (SFHA), the Sub-recipient must include a FEMA Model Acknowledgement of Conditions of Mitigation of Property in a Special Flood Hazard Area with FEMA Grant Funds executed by the title holder with the closeout request verifying that certain SFHA requirements were satisfied on each of the properties. The Model Acknowledgement can be found at www.fema.gov/governmenta/grant/sfha_conditions.shtm

(k) It will require every building or facility (other than a privately owned residential structure) designed, constructed, or altered with funds provided under this Agreement to comply with the "Uniform Federal Accessibility Standards," (AS) which is Appendix A to 41 CFR Section 101-19.6 for general type buildings and Appendix A to 24 CFR, Part 40 for residential structures. The Sub-recipient will be responsible for conducting inspections to ensure compliance with these specifications by the contractor;

(l) It will, in connection with its performance of environmental assessments under the National Environmental Policy Act of 1969, comply with Section 106 of the National Historic Preservation Act of 1966 (U.S.C. 470), Executive Order 11593, 24 CFR, Part 800, and the Preservation of Archaeological and Historical Data Act of 1966 (16 U.S.C. 469a-1, et seq.) by:

(1) Consulting with the State Historic Preservation Office to identify properties listed in or eligible for inclusion in the National Register of Historic Places that are subject to adverse effects (see 36 CFR, Section 800.8) by the proposed activity; and

(2) Complying with all requirements established by the State to avoid or mitigate adverse effects upon such properties.

(3) Abiding by the terms and conditions of the **"Programmatic Agreement Among the Federal Emergency Management Agency, the Florida State Historic Preservation Office, the Florida Division of Emergency Management and the Advisory Council on Historic Preservation, (PA)"** which addresses roles and responsibilities of Federal and State entities in implementing Section 106 of the National Historic Preservation Act (NHPA), 16 U.S.C. 470(f), and implementing regulations in 36 CFR, Part 800.

(4) When any of the Sub-recipient's projects funded under this Agreement may affect a historic property, as defined in 36 CFR, Part 800 (2)(e), the Federal Emergency Management Agency (FEMA) may require the Sub-recipient to review the eligible scope of work in consultation with the State Historic Preservation Office (SHPO) and suggest methods of repair or construction that will conform with the recommended approaches set out in the **Secretary of Interior's Standards for Rehabilitation and Guidelines for Rehabilitating Historic Buildings 1992 (Standards),** the **Secretary of the Interior's Guidelines for Archeological Documentation (Guidelines)** (48 Federal Register 44734-37), or any other applicable Secretary of Interior standards. If FEMA determines that the eligible scope of work will not conform with the **Standards**, the Sub-recipient agrees to participate in consultations to develop, and after execution by all parties, to abide by, a written agreement that establishes mitigation and recondition measures, including but not limited to, impacts to archeological sites, and the salvage, storage, and reuse of any significant architectural features that may otherwise be demolished.

(5) The Sub-recipient agrees to notify FEMA and the Division if any project funded under this Agreement will involve ground disturbing activities, including, but not limited to: subsurface disturbance; removal of trees; excavation of footings and foundations, and installation of utilities (such as water, sewer, storm drains, electrical, gas, leach lines and septic tanks) except where these activities are restricted solely to areas previously disturbed by the installation, replacement or maintenance of such utilities. FEMA will request the SHPO's opinion on the potential that archeological properties may be present and be affected by such activities. The SHPO will advise the Sub-recipient on any feasible steps to be accomplished to avoid any National Register eligible archeological property or will make recommendations for the development of a treatment plan for the recovery or archeological data from the property.

If the Sub-recipient is unable to avoid the archeological property, develop, in consultation with SHPO, a treatment plan consistent with the **Guidelines** and take into account the Advisory Council on Historic Preservation (Council) publication "Treatment of Archeological Properties". The Sub-recipient shall forward information regarding the treatment plan to FEMA, the SHPO and the Council for review. If the SHPO and the Council do not object within fifteen (15) calendar days of receipt of the treatment plan, FEMA may direct the Sub-recipient to implement the treatment plan. If either the Council or the SHPO object, Sub-recipient shall not proceed with the project until the objection is resolved.

(6) The Sub-recipient shall notify the Division and FEMA as soon as practicable: (a) of any changes in the approved scope of work for a National Register eligible or listed property; (b) of all changes to a project that may result in a supplemental DSR or modify a HMGP project for a National Register eligible or listed property; (c) if it appears that a project funded under this Agreement will affect a previously unidentified property that may be eligible for inclusion in the National Register or affect a known historic property in an unanticipated manner. The Sub-recipient acknowledges that FEMA may require the Sub-recipient to stop construction in the vicinity of the discovery of a previously unidentified property that may eligible for inclusion in the National Register or upon learning that construction may affect a known historic property in an unanticipated manner. The Sub-recipient further acknowledges that FEMA may require the Sub-recipient to take all

reasonable measures to avoid or minimize harm to such property until FEMA concludes consultation with the SHPO. The Sub-recipient also acknowledges that FEMA will require, and the Sub-recipient shall comply with, modifications to the project scope of work necessary to implement recommendations to address the project and the property.

(7) The Sub-recipient acknowledges that, unless FEMA specifically stipulates otherwise, it shall not receive funding for projects when, with intent to avoid the requirements of the PA or the NHPA, the Sub-recipient intentionally and significantly adversely affects a historic property, or having the legal power to prevent it, allowed such significant adverse effect to occur.

(m) It will comply with Title IX of the Education Amendments of 1972, as amended (20 U.S.C. 1681-1683 and 1685-1686) which prohibits discrimination on the basis of sex;

(n) It will comply with the Comprehensive Alcohol Abuse and Alcoholism Prevention, Treatment and Rehabilitation Act of 1970, (42 U.S.C. 4521-45-94) relating to nondiscrimination on the basis of alcohol abuse or alcoholism;

(o) It will comply with 523 and 527 of the Public Health Service Act of 1912 (42 U.S.C. 290 dd-3 and 290 ee-3), as amended, relating to confidentiality of alcohol and drug abuse patient records;

(p) It will comply with Lead-Based Paint Poison Prevention Act (42 U.S.C. 4821 et seq.) which prohibits the use of lead based paint in construction of rehabilitation or residential structures;

(q) It will comply with the Energy Policy and Conservation Act (P.L. 94-163; 42 U.S.C. 6201-6422), and the provisions of the State Energy Conservation Plan adopted pursuant thereto;

(r) It will comply with the Laboratory Animal Welfare Act of 1966, (7 U.S.C. 2131-2159), pertaining to the care, handling, and treatment of warm blooded animals held for research, teaching, or other activities supported by an award of assistance under this Agreement;

(s) It will comply with Title VIII of the Civil Rights Act of 1968, (42 U.S.C 2000c and 42 U.S.C. 3601-3619), as amended, relating to non-discrimination in the sale, rental, or financing of housing, and Title VI of the Civil Rights Act of 1964 (P.L. 88-352), which prohibits discrimination on the basis of race, color or national origin;

(t) It will comply with the Clean Air Act of 1955, as amended, 42 U.S.C. 7401-7642;

(u) It will comply with the Clean Water Act of 1977, as amended, 42 U.S.C. 7419-7626

(v) It will comply with the endangered Species Act of 1973, 16 U.S.C. 1531-1544;

(w) It will comply with the Intergovernmental Personnel Act of 1970, 42 U.S.C. 4728-4763;

(x) It will assist the awarding agency in assuring compliance with the National Historic Preservation Act of 1966, as amended, 16 U.S.C. 270;

(y) It will comply with environmental standards which may be prescribed pursuant to the National Environmental Policy Act of 1969, 42 U.S.C. 4321-4347;

(z) It will assist the awarding agency in assuring compliance with the Preservation of Archeological and Historical Preservation Act of 1966, 16 U.S.C. 469a, et seq.;

(aa) It will comply with the Rehabilitation Act of 1973, Section 504, 29 U.S.C. 794, regarding non-discrimination;

(bb) It will comply with the environmental standards which may be prescribed pursuant to the Safe Drinking Water Act of 1974, 42 U.S.C. 300f-300j, regarding the protection of underground water sources;

(cc) It will comply with the requirements of Titles II and III of the Uniform Relocation Assistance and Property Acquisition Policies Act of 1970, 42 U.S.C. 4621-4638, which provide for fair and equitable treatment of persons displaced or whose property is acquired as a result of Federal or Federally assisted programs;

(dd) It will comply with the Wild and Scenic Rivers Act of 1968, 16 U.S.C. 1271-1287, related to protecting components or potential components of the national wild and scenic rivers system;

(ee) It will comply with the following Executive Orders: EO 11514 (NEPA); EO 11738 (violating facilities); EO 11988 (Floodplain Management); EO 11990 (Wetlands); and EO 12898 (Environmental Justice);

(ff) It will comply with the Coastal Barrier Resources Act of 1977, 16 U.S.C. 3510;

(gg) It will assure project consistency with the approved State program developed under the Coastal Zone Management Act of 1972, 16 U.S.C. 1451-1464; and

(hh) It will comply with the Fish and Wildlife Coordination Act of 1958, 16 U.S.C. 661-666.

(ii) With respect to demolition activities, it will:

(1) Create and make available documentation sufficient to demonstrate that the Sub-recipient and its demolition contractor have sufficient manpower and equipment to comply with the obligations as outlined in this Agreement.

(2) Return the property to its natural state as though no improvements had ever been contained thereon.

(3) Furnish documentation of all qualified personnel, licenses and all equipment necessary to inspect buildings located in the Sub-recipient's jurisdiction to detect the presence of asbestos and lead in accordance with requirements of the U.S. Environmental Protection Agency, the Florida Department of Environmental Protection and the County Health Department.

(4) Provide documentation of the inspection results for each structure to indicate:
   a. Safety Hazard Present
   b. Health Hazards Present
   c. Hazardous Materials Present

(5) Provide supervision over contractors or employees employed by the Sub-recipient to remove asbestos and lead from demolished or otherwise applicable structures.

(6) Leave the demolished site clean, level and free of debris.

(7) Notify the Division promptly of any unusual existing condition which hampers the contractor's work.

(8) Obtain all required permits.

(9) Provide addresses and marked maps for each site where water wells and septic tanks are to be closed along with the number of wells and septic tanks located on each site. Provide documentation of closures.

(10) Comply with mandatory standards and policies relating to energy efficiency which are contained in the State Energy Conservation Plan issued in compliance with the Energy Policy and Conservation Act (Public Law 94-163).

(11) Comply with all applicable standards, orders, or requirements issued under Section 112 and 306 of the Clean Air Act (42 U.S.C. 1857h), Section 508 of the Clean Water Act (33 U.S.C. 1368), Executive Order 11738, and the U.S. Environmental Protection Agency regulations (40 CFR, Part 15 and 61). This clause shall be added to any subcontracts.

(12) Provide documentation of public notices for demolition activities.

Attachment D

DIVISION OF EMERGENCY MANAGEMENT

REQUEST FOR ADVANCE OR REIMBURSEMENT OF HAZARD MITIGATION ASSISTANCE PROGRAM FUNDS

SUB-RECIPIENT: City of Cocoa

REMIT ADDRESS: _____

CITY: Cocoa STATE: Florida ZIP CODE: 32922

PROJECT TYPE: Utility Mitigation PROJECT #: 4337-232-R

PROGRAM: Hazard Mitigation Grant Program CONTRACT #: H0477

APPROVED BUDGET: _____ FEDERAL SHARE: _____ MATCH: _____

ADVANCED RECEIVED: _____ N/A ____ AMOUNT: _____ SETTLED? _____

Invoice Period: _____ To _____ Payment #: _____

Eligible Amount 100% (Current Request)	Obligated Federal Amount 75%	Obligated Non-Federal 25%	Division Use Only	
			Approved	Comments

TOTAL CURRENT REQUEST: $ _____

By signing this report, I certify to the best of my knowledge and belief that the report is true, complete, and accurate, and the expenditures, disbursements and cash receipts are for the purposes and objectives set forth in the terms and conditions of the Federal award. I am aware that any false, fictitious, or fraudulent information, or the omission of any material fact, may subject me to criminal, civil or administrative penalties for fraud, false statements, false claims or otherwise. (U.S. Code Title 18, Section 1001 and Title 31, Sections 3729-3730 and 3801-3812.

SUB-RECIPIENT SIGNATURE: _____

NAME / TITLE: _____ DATE: _____

TO BE COMPLETED BY THE DIVISION

APPROVED PROJECT TOTAL $ _____

ADMINISTRATIVE COST $ _____

APPROVED FOR PAYMENT $ _____

_____
GOVERNOR'S AUTHORIZED REPRESENTATIVE

_____
DATE

SUMMARY OF DOCUMENTATION IN SUPPORT OF AMOUNT CLAIMED FOR ELIGIBLE DISASTER WORK UNDER THE HAZARD MTIGATION ASSISTANCE PROGRAM

SUB-RECIPIENT: City of Cocoa PAYMENT #:

PROJECT TYPE: Utility Mitigation PROJECT #: 4337-232-R

PROGRAM: Hazard Mitigation Grant Program CONTRACT #: H0477

	REF NO[2]	DATE[3]	DOCUMENTATION[4]	*(Check) AMOUNT*	ELIGIBLE COSTS (100%)
1					
2					
3					
4					
5					
6					
7					
8					
9					
This payment represents ___% completion of the project.				***TOTAL***	

[2] *Recipient's internal reference number (e.g., Invoice, Receipt, Warrant, Voucher, Claim Check, or Schedule #)*

[3] *Date of delivery of articles, completion of work or performance services. (per document)*

[4] *List Documentation (Recipient's payroll, material out of recipient's stock, recipient owned equipment and name of vendor or contractor) by category (Materials, Labor, Fees) and line item in the approved project line item budget. Provide a brief description of the articles or services. List service dates per each invoice.*

Attachment E
JUSTIFICATION OF ADVANCE PAYMENT

SUB-RECIPIENT: City of Cocoa

If you are requesting an advance, indicate same by checking the box below.

[ ] ADVANCE REQUESTED

Advance payment of $ _____ is requested. Balance of payments will be made on a reimbursement basis. These funds are needed to pay staff, award benefits to clients, duplicate forms and purchase start-up supplies and equipment. We would not be able to operate the program without this advance.

If you are requesting an advance, complete the following chart and line item justification below. PLEASE NOTE: Calculate your estimated expenses at 100% of your expected needs for ninety (90) days. Submit Attachment D with the cost share breakdown along with Attachment E and all supporting documentation.

ESTIMATED EXPENSES

BUDGET CATEGORY/LINE ITEMS (list applicable line items)	20___-20___ Anticipated Expenditures for First Three Months of Contract
For example ADMINISTRATIVE COSTS (Include Secondary Administration.)	
For example PROGRAM EXPENSES	
TOTAL EXPENSES	

LINE ITEM JUSTIFICATION (For each line item, provide a detailed justification explaining the need for the cash advance. The justification must include supporting documentation that clearly shows the advance will be expended within the first ninety (90) days of the contract term. Support documentation should include quotes for purchases, delivery timelines, salary and expense projections, etc. to provide the Division reasonable and necessary support that the advance will be expended within the first ninety (90) days of the contract term. Any advance funds not expended within the first ninety (90) days of the contract term as evidenced by copies of invoices and cancelled checks as required by the Budget and Scope of work showing 100% of expenditures for the 90 day period shall be returned to the Division Cashier, 2555 Shumard Oak Boulevard, Tallahassee, Florida 32399, within thirty (30) days of receipt, along with any interest earned on the advance.

Attachment F

DIVISION OF EMERGENCY MANAGEMENT
HAZARD MITIGATION GRANT PROGRAM
QUARTERLY REPORT FORM

Instructions: *Complete and submit this form to the appropriate Project Manager within fifteen (15) days of each quarter's end date.*

SUB-RECIPIENT: City of Cocoa **PROJECT #:** 4337-232-R

PROJECT TYPE: Utility Mitigation **CONTRACT #:** H0477

PROGRAM: Hazard Mitigation Grant Program **QUARTER ENDING:** _____

Advance Payment Information:

Advance Received ☐ N/A ☐ Amount: $ _____ Advance Settled? Yes ☐ No ☐

Provide reimbursement **Projections** for this project (*projections may change*):

Jul-Sep 20__ $ _____ **Oct-Dec 20__** $ _____ **Jan-Mar 20__** $ _____ **Apr-Jun 20__** $ _____

Target Dates:

Contract Initiation Date: _____ Contract Expiration Date: _____

Estimated Project Completion Date: _____

Project Proceeding on **Schedule**? ☐ Yes ☐ No *(If No, please describe under **Issues** below)*

Percentage of Work Completed (*may be confirmed by state inspectors*): ____%

Describe **Milestones** achieved during this quarter:

Provide a **Schedule** for the remainder of work to project completion: *(Milestones from Contract with estimated dates)*

Milestone	**Date**

Describe **Issues** or circumstances affecting completion date, milestones, scope of work, and/or cost:

Cost Status: ☐ Cost Unchanged ☐ Under Budget ☐ Over Budget

Additional **Comments**/Elaboration:

NOTE: Division of Emergency Management (DEM) staff may perform interim inspections and/or audits at any time. Events may occur between quarterly reports, which have significant impact upon your project(s), such as anticipated overruns, changes in scope of work, etc. Please contact the Division as soon as these conditions become known, otherwise you may be found non-compliant with your sub grant award.

Person Completing Form: Phone:

~ To be completed by Division staff ~

Date Reviewed: _____ *Reviewer:* _____

Actions:

Attachment G

Warranties and Representations

Financial Management

The Sub-Recipient's financial management system must comply with 2 C.F.R. §200.302.

Procurements

Any procurement undertaken with funds authorized by this Agreement must comply with the requirements of 2 C.F.R. §200, Part D—Post Federal Award Requirements—Procurement Standards (2 C.F.R. §§200.317 through 200.326).

Business Hours

The Sub-Recipient shall have its offices open for business, with the entrance door open to the public, and at least one employee on site, from: **8:00 AM - 5:00 PM, Monday Thru Friday, as applicable.**

Licensing and Permitting

All subcontractors or employees hired by the Sub-Recipient shall have all current licenses and permits required for all of the particular work for which they are hired by the Sub-Recipient.

Attachment H

Certification Regarding
Debarment, Suspension, Ineligibility
And Voluntary Exclusion

Subcontractor Covered Transactions

(1) The prospective subcontractor, _____, of the Sub-Recipient certifies, by submission of this document, that neither it nor its principals is presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from participation in this transaction by any Federal department or agency.

(2) Where the Sub-Recipient's subcontractor is unable to certify to the above statement, the prospective subcontractor shall attach an explanation to this form.

SUBCONTRACTOR

_____

By: _____
Signature

_____
Name and Title

_____
Street Address

_____
City, State, Zip

_____
Date

City of Cocoa
Sub-Recipient's Name

H0477
DEM Contract Number

4337-232-R
FEMA Project Number

Attachment I

Federal Funding Accountability and Transparency Act

Instructions and Worksheet

PURPOSE: The Federal Funding Accountability and Transparency Act (FFATA) was signed on September 26, 2006. The intent of this legislation is to empower every American with the ability to hold the government accountable for each spending decision. The FFATA legislation requires information on federal awards (federal assistance and expenditures) be made available to the public via a single, searchable website, which is http://www.usaspending.gov/.

The FFATA Sub-award Reporting System (FSRS) is the reporting tool the Florida Division of Emergency Management ("FDEM" or "Division") must use to capture and report sub-award and executive compensation data regarding first-tier sub-awards that obligate $25,000 or more in Federal funds (excluding Recovery funds as defined in section 1512(a) (2) of the American Recovery and Reinvestment Act of 2009, Pub. L. 111-5).

Note: This "Instructions and Worksheet" is meant to explain the requirements of the FFATA and give clarity to the FFATA Form distributed to sub-awardees for completion. All pertinent information below should be filled out, signed, and returned to the project manager.

ORGANIZATION AND PROJECT INFORMATION

The following information must be provided to the FDEM prior to the FDEM's issuance of a sub-award (Agreement) that obligates $25,000 or more in federal funds as described above. Please provide the following information and return the signed form to the Division as requested.

PROJECT #: 4337-232-R

FUNDING AGENCY: Federal Emergency Management Agency

AWARD AMOUNT: $ 632,970.00

OBLIGATION/ACTION DATE: February 25, 2020

SUBAWARD DATE (if applicable): _____

DUNS#: 079195608

DUNS# +4: _____

*If your company or organization does not have a DUNS number, you will need to obtain one from Dun & Bradstreet at 866-705-5711 or use the web form (http://fedgov.dnb.com/webform). The process to request a DUNS number takes about ten minutes and is free of charge.

BUSINESS NAME: City of Cocoa

DBA NAME (IF APPLICABLE):

PRINCIPAL PLACE OF BUSINESS ADDRESS: 65 Stone Street

ADDRESS LINE 1:

ADDRESS LINE 2:

ADDRESS LINE 3:

CITY Cocoa STATE FL ZIP CODE+4** 32922-7982

PARENT COMPANY DUNS# (if applicable):

CATALOG OF FEDERAL DOMESTIC ASSISTANCE (CFDA#): 97.039

DESCRIPTION OF PROJECT (Up to 4000 Characters)

As a Hazard Mitigation Grant Program project, the Sub-Recipient proposes to provide protection to Lift Station #1 located in Cocoa, Florida 32922. Coordinates (28.349788, -80.722898).

The proposed scope of work shall include demolishing and replacing the existing lift station with a submersible pumping system incorporated in the wet well. This shall eliminate the need for confined space entry, improving worker safety. The proposal shall also include the purchase and installation of a 25 kW generator and transfer switch.

The generator and the pump station shall be protected against a 500-year flood event by implementing specific activities or by locating them outside the Special Flood Hazard Area (SFHA) and shall be protected against wind with a rated enclosure based on its location requirements. Activities shall be completed in strict compliance with Federal, State and Local Rules and Regulations.

Verify the approved project description above, if there is any discrepancy, please contact the project manager.

PRINCIPAL PLACE OF PROJECT PERFORMANCE (IF DIFFERENT THAN PRINCIPAL PLACE OF BUSINESS): 201-217 Riverside Drive

ADDRESS LINE 1:

ADDRESS LINE 2:

ADDRESS LINE 3:

CITY Cocoa STATE FL ZIP CODE+4** 32922

CONGRESSIONAL DISTRICT FOR PRINCIPAL PLACE OF PROJECT PERFORMANCE:

**Providing the Zip+4 ensures that the correct Congressional District is reported.

EXECUTIVE COMPENSATION INFORMATION:

1. In your business or organization's previous fiscal year, did your business or organization (including parent organization, all branches, and all affiliates worldwide) receive (a) 80 percent or more of your annual gross revenues from Federal procurement contracts (and subcontracts) and Federal financial assistance (e.g. loans, grants, subgrants, and/or cooperative agreements, etc.) subject to the Transparency Act, as defined at 2 CFR 170.320; , (b) $25,000,000 or more in annual gross revenues from U.S. Federal procurement contracts (and subcontracts) and Federal financial assistance (e.g. loans, grants, subgrants, and/or cooperative agreements, etc.) subject to the Transparency Act?

   Yes ☐ No ☑

If the answer to Question 1 is "Yes," continue to Question 2. If the answer to Question 1 is "No", move to the signature block below to complete the certification and submittal process.

2. Does the public have access to information about the compensation of the executives in your business or organization (including parent organization, all branches, and all affiliates worldwide) through periodic reports filed under section 13(a) or 15(d) of the Securities Exchange Act of 1934 (15 U.S.C. 78m(a), 78o(d)) Section 6104 of the Internal Revenue Code of 1986?

   Yes ☐ No ☐

If the answer to Question 2 is "Yes," move to the signature block below to complete the certification and submittal process. [Note: Securities Exchange Commission information should be accessible at http//www.sec.gov/answers/execomp.htm. Requests for Internal Revenue Service (IRS) information should be directed to the local IRS for further assistance.]

If the answer to Question 2 is "No" FFATA reporting is required. Provide the information required in the "TOTAL COMPENSATION CHART FOR MOST RECENTLY COMPLETED FISCAL YEAR" appearing below to report the "Total Compensation" for the five (5) most highly compensated "Executives", in rank order, in your organization. For purposes of this request, the following terms apply as defined in 2 CFR Ch. 1 Part 170 Appendix A:

"Executive" is defined as "officers, managing partners, or other employees in management positions".

"Total Compensation" is defined as the cash and noncash dollar value earned by the executive during the most recently completed fiscal year and includes the following:

i. Salary and bonus.

ii. Awards of stock, stock options, and stock appreciation rights. Use the dollar amount recognized for financial statement reporting purposes with respect to the fiscal year in accordance with the Statement of Financial Accounting Standards No. 123 (Revised 2004) (FAS 123R), Shared Based Payments.

iii. Earnings for services under non-equity incentive plans. This does not include group life, health, hospitalization or medical reimbursement plans that do not discriminate in favor of executives, and are available generally to all salaried employees.

iv. Change in pension value. This is the change in present value of defined benefit and actuarial pension plans.

v. Above-market earnings on deferred compensation which is not tax-qualified.

vi. Other compensation, if the aggregate value of all such other compensation (e.g. severance, termination payments, value of life insurance paid on behalf of the employee, perquisites or property) for the executive exceeds $10,000.

TOTAL COMPENSATION CHART FOR MOST RECENTLY COMPLETED FISCAL YEAR

(Date of Fiscal Year Completion _____)

Rank (Highest to Lowest)	**Name (Last, First, MI)**	**Title**	**Total Compensation for Most Recently Completed Fiscal Year**
1			
2			
3			
4			
5			

THE UNDERSIGNED CERTIFIES THAT ON THE DATE WRITTEN BELOW, THE INFORMATION PROVIDED HEREIN IS ACCURATE.

SIGNATURE: Rebecca J Bowman

NAME AND TITLE: Rebecca J Bowman, MBA, CGFO, CGFM / Finance Director, City of Cocoa

DATE: 7/16/20

Attachment J
Mandatory Contract Provisions

Provisions:

Any contract or subcontract funded by this Agreement must contain the applicable provisions outlined in Appendix II to 2 C.F.R. Part 200. It is the responsibility of the sub-recipient to include the required provisions. The Division provides the following list of sample provisions that may be required:

(D) Davis-Bacon Act, as amended (40 U.S.C. 3141–3148). When required by Federal program legislation, all prime construction contracts in excess of $2,000 awarded by non-Federal entities must include a provision for compliance with the Davis-Bacon Act (40 U.S.C. 3141–3144, and 3146–3148) as supplemented by Department of Labor regulations (29 CFR Part 5, "Labor Standards Provisions Applicable to Contracts Covering Federally Financed and Assisted Construction"). In accordance with the statute, contractors must be required to pay wages to laborers and mechanics at a rate not less than the prevailing wages specified in a wage determination made by the Secretary of Labor. In addition, contractors must be required to pay wages not less than once a week. The non-Federal entity must place a copy of the current prevailing wage determination issued by the Department of Labor in each solicitation. The decision to award a contract or subcontract must be conditioned upon the acceptance of the wage determination. The non-Federal entity must report all suspected or reported violations to the Federal awarding agency. The contracts must also include a provision for compliance with the Copeland "Anti-Kickback" Act (40 U.S.C. 3145), as supplemented by Department of Labor regulations (29 CFR Part 3, "Contractors and Subcontractors on Public Building or Public Work Financed in Whole or in Part by Loans or Grants from the United States"). The Act provides that each contractor or subrecipient must be prohibited from inducing, by any means, any person employed in the construction, completion, or repair of public work, to give up any part of the compensation to which he or she is otherwise entitled. The non-Federal entity must report all suspected or reported violations to the Federal awarding agency.

(E) Contract Work Hours and Safety Standards Act (40 U.S.C. 3701–3708). Where applicable, all contracts awarded by the non-Federal entity in excess of $100,000 that involve the employment of mechanics or laborers must include a provision for compliance with 40 U.S.C. 3702 and 3704, as supplemented by Department of Labor regulations (29 CFR Part 5). Under 40 U.S.C. 3702 of the Act, each contractor must be required to compute the wages of every mechanic and laborer on the basis of a standard work week of 40 hours. Work in excess of the standard work week is permissible provided that the worker is compensated at a rate of not less than one and a half times the basic rate of pay for all hours worked in excess of 40 hours in the work week. The requirements of 40 U.S.C. 3704 are applicable to construction work and provide that no laborer or mechanic must be required to work in surroundings or under working conditions which are unsanitary, hazardous or dangerous. These requirements do not apply to the purchases of supplies or materials or articles ordinarily available on the open market, or contracts for transportation or transmission of intelligence.

(F) Rights to Inventions Made Under a Contract or Agreement. If the Federal award meets the definition of "funding agreement" under 37 CFR §401.2 (a) and the recipient or subrecipient wishes to enter into a contract with a small business firm or nonprofit organization regarding the substitution of parties, assignment or performance of experimental, developmental, or research work under that "funding agreement," the recipient or subrecipient must comply with the requirements of 37 CFR Part 401, "Rights to Inventions Made by Nonprofit Organizations and Small Business Firms Under Government Grants, Contracts and Cooperative Agreements," and any implementing regulations issued by the awarding agency.

(G) Clean Air Act (42 U.S.C. 7401–7671q.) and the Federal Water Pollution Control Act (33 U.S.C. 1251–1387), as amended—Contracts and subgrants of amounts in excess of $150,000 must contain a provision that requires the non-Federal award to agree to comply with all applicable standards, orders or regulations issued pursuant to the Clean Air Act (42 U.S.C. 7401–7671q) and the Federal Water Pollution Control Act as amended (33 U.S.C. 1251–1387). Violations must be reported to the Federal awarding agency and the Regional Office of the Environmental Protection Agency (EPA).

(H) Mandatory standards and policies relating to energy efficiency which are contained in the state energy conservation plan issued in compliance with the Energy Policy and Conservation Act (42 U.S.C. 6201).

(I) Debarment and Suspension (Executive Orders 12549 and 12689)—A contract award (see 2 CFR 180.220) must not be made to parties listed on the governmentwide Excluded Parties List System in the System for Award Management (SAM), in accordance with the OMB guidelines at 2 CFR 180 that implement Executive Orders 12549 (3 CFR Part 1986 Comp., p. 189) and 12689 (3 CFR Part 1989 Comp., p. 235), "Debarment and Suspension." The Excluded Parties List System in SAM contains the names of parties debarred, suspended, or otherwise excluded by agencies, as well as parties declared ineligible under statutory or regulatory authority other than Executive Order 12549.

(J) Byrd Anti-Lobbying Amendment (31 U.S.C. 1352)—Contractors that apply or bid for an award of $100,000 or more must file the required certification. Each tier certifies to the tier above that it will not and has not used Federal appropriated funds to pay any person or organization for influencing or attempting to influence an officer or employee of any agency, a member of Congress, officer or employee of Congress, or an employee of a member of Congress in connection with obtaining any Federal contract, grant or any

other award covered by 31 U.S.C. 1352. Each tier must also disclose any lobbying with non-Federal funds that takes place in connection with obtaining any Federal award. Such disclosures are forwarded from tier to tier up to the non-Federal award.

(K) See §200.322 Procurement of recovered materials.

APPENDIX III TO PART 200—INDIRECT (F&A) COSTS IDENTIFICATION AND ASSIGNMENT, AND RATE DETERMINATION FOR INSTITUTIONS OF HIGHER EDUCATION (IHES)

A. GENERAL

This appendix provides criteria for identifying and computing indirect (or indirect (F&A)) rates at IHEs (institutions). Indirect (F&A) costs are those that are incurred for common or joint objectives and therefore cannot be identified readily and specifically with a particular sponsored project, an instructional activity, or any other institutional activity. See subsection B.1. Definition of Facilities and Administration, for a discussion of the components of indirect (F&A) costs.

1. Major Functions of an Institution

Refers to instruction, organized research, other sponsored activities and other institutional activities as defined in this section:

a. *Instruction* means the teaching and training activities of an institution. Except for research training as provided in subsection b, this term includes all teaching and training activities, whether they are offered for credits toward a degree or certificate or on a non-credit basis, and whether they are offered through regular academic departments or separate divisions, such as a summer school division or an extension division. Also considered part of this major function are departmental research, and, where agreed to, university research.

(1) *Sponsored instruction and training* means specific instructional or training activity established by grant, contract, or cooperative agreement. For purposes of the cost principles, this activity may be considered a major function even though an institution's accounting treatment may include it in the instruction function.

(2) *Departmental research* means research, development and scholarly activities that are not organized research and, consequently, are not separately budgeted and accounted for. Departmental research, for purposes of this document, is not considered as a major function, but as a part of the instruction function of the institution.

b. *Organized research* means all research and development activities of an institution that are separately budgeted and accounted for. It includes:

(1) *Sponsored research* means all research and development activities that are sponsored by Federal and non-Federal agencies and organizations. This term includes activities involving the training of individuals in research techniques (commonly called research training) where such activities utilize the same facilities as other research and development activities and where such activities are not included in the instruction function.

(2) *University research* means all research and development activities that are separately budgeted and accounted for by the institution under an internal application of institutional funds. University research, for purposes of this document, must be combined with sponsored research under the function of organized research.

c. *Other sponsored activities* means programs and projects financed by Federal and non-Federal agencies and organizations which involve the performance of work other than instruction and organized research. Examples of such programs and projects are health service projects and community service programs. However, when any of these activities are undertaken by the institution without outside support, they may be classified as other institutional activities.

d. *Other institutional activities* means all activities of an institution except for instruction, departmental research, organized research, and other sponsored activities, as defined in this section; indirect (F&A) cost activities identified in this Appendix paragraph B, Identification and assignment of indirect (F&A) costs; and specialized services facilities described in §200.468 Specialized service facilities of this Part.

Examples of other institutional activities include operation of residence halls, dining halls, hospitals and clinics, student unions, intercollegiate athletics, bookstores, faculty housing, student apartments, guest houses, chapels, theaters, public museums, and other similar auxiliary enterprises. This definition also includes any other categories of activities, costs of which are "unallowable" to Federal awards, unless otherwise indicated in an award.

2. Criteria for Distribution

a. *Base period.* A base period for distribution of indirect (F&A) costs is the period during which the costs are incurred. The base period normally should coincide with the fiscal year established by the institution, but in any event the base period should be so selected as to avoid inequities in the distribution of costs.

b. *Need for cost groupings.* The overall objective of the indirect (F&A) cost allocation process is to distribute the indirect (F&A) costs described in Section B, Identification and assignment of indirect (F&A) costs, to

Scoring Tabulation Spreadsheet
RFP 21-23-COC Lift Station #1 Replacement Project
9/1/2021

	Carr & Collier			Danus Utilities			Intercounty Engineering		
	Katie E.	Chris C.	Peter D.	Katie E.	Chris C.	Peter D.	Katie E.	Chris C.	Peter D.
QUALIFICATIONS & EXPERIENCE - 25 points	22	25	25	24	25	25	20	20	25
REFERENCES - 15 points	14	9	15	15	15	15	10	9	15
SIMILAR PROJECTS - 35 points	30	21	35	32	35	35	28	21	35
RFP SOLICITATION RESPONSE - 0 points									
FEE SCHEDULE - 25 points	25	25	25	15	20	22	20	15	21
ADDITIONAL INFORMATION - 0 points									
TOTAL	**91**	**80**	**100**	**86**	**95**	**97**	**78**	**65**	**96**
	Grand Total:		**271**	**Grand Total:**		**278**	**Grand Total:**		**239**

RFP-21-23-COC
Lift Stataion #1 Replacement Project
Evaluation Form

Evaluation Committee Member
Peter Davis, EI

	Points	Carr & Collier	Danus Utilities	Intercounty Engineering
Qualifications and Experience	25	25	25	~~19~~ 25
References	15	15	15	15
Similar Projects	35	35	35	35
RFP Solicitation Response	0	0	0	0
Fee Schedule	25	25	22	21
Additional Information	0	0	0	0
Total Points		100	97	~~90~~ 96

RFP-21-23-COC
Lift Station #1 Replacement Project
Evaluation Form

Evaluation Committee Member
Katherine Ennis

	Points	Carr and Collier	Danus Utilities	Intercounty Engineering
Qualifications and Experience	25	22	24	20
References	15	14	15	10
Similar Projects	35	30	32	28
RFP Solicitation Response	0			
Fee Schedule	25	25	15	20
Additional Information	0			
Total Points		91	86	78

→ All responses were lacking in detail of similar projects

RFP-21-23-COC
Lift Stataion #1 Replacement Project
Evaluation Form

Evaluation Committee Member

	Points	Carr & Collier	Danus Utilities	Intercounty Engineering
Qualifications and Experience	25	25	25	20
References	15	9	15	9
Similar Projects	35	21	35	21
RFP Solicitation Response	0			
Fee Schedule	25	25	20	15
Additional Information	0			
Total Points		80 0	95 0	65 0

Finance Department
Purchasing &
Contracts Division
65 Stone Street I Cocoa, FL 32922
Phone: (321) 433-8833 Fax: (321) 433-8860

NOTIFICATION OF INTENT TO AWARD

Disclaimer: This Notice of Intent to Award is subject to a final award decision by the City Council or the City Manager (as applicable) and execution of a written contract with the City. This Notice does NOT constitute the formation of a contract between the City of Cocoa and the apparent successful vendor referenced in the Notice. The vendor shall not acquire any legal or equitable rights relative to the contract services until a contract containing terms and conditions acceptable to the City of Cocoa is executed. If the City Council or City Manager (as applicable) awards the contract to the apparent successful vendor, and the vendor fails to negotiate and execute a contract with the City of Cocoa, the City of Cocoa may revoke the award and award the contract to the next highest ranked vendor or withdraw the Bid. The City of Cocoa further reserves the right at its discretion to reject this Notice and award the contract to another vendor or reject all bids without penalty.

Department: Utilities	Division:
Bid / RFP / RFQ #: RFP # 21-23-COC Lift Station No. 1 Replacement Project	Project #
Awarded To: Carr & Collier Inc.	Scope of Work or Services: Lift Station 1 will be demolished and replaced with a submersible pumping system incorporated in the wet well which will eliminate the need for confined space entry, improve worker safety as the pumps will be accessible via slide rail system. The scope also includes the addition of an emergency generator.
Address / City / State / Zip: 1410 Emerson St., Leesburg, FL 34748	Phone / Fax #'s: PH: 352-314-3625/ FAX: 352-240-3439 Email: estimate@carrandcollier.com
Purchase / Contract Amount: $653,307.00	Date of Award Notification: October 11, 2021
Title / Position (Print)	Signature

Please complete the information required above.

Return the Notification of Intent to Award to Purchasing & Contracts Division when completed

Finance Department
Purchasing &
Contracts Division
65 Stone Street I Cocoa, FL 32922
Phone: (321) 433-8833 Fax: (321) 433-8860

BID SUMMARY

To: Utilities

From: Rebecca Bowman, MBA, CGFO

Date: July 20, 2021

Re: **RFP # 21-23-COC: Lift Station No. 1 Replacement Project**

Bids for the subject offering were opened on **July 16, 2021** at 3:00 p.m. Purchasing published **(1,641)** invitations and notifications to bid, **(00)** supplemental suppliers and received **(03)** responses from **(58)** plan holders for this bid.

THE RESPONDENTS FOR THIS RFP ARE AS FOLLOWS:

1. Carr & Collier, Inc.
2. Danus Utilities, Inc.
3. Intercounty Engineering, Inc.

I have enclosed copies of all bids for your review and recommendation. Any correspondence related to this subject, should be forwarded to my attention for retention in the purchasing files.

After reviewing the enclosed proposals, please follow the guidelines shown below to initiate the purchasing process:

- ➔ Review proposals and select recommendation for award.
- ➔ Verify Insurance Requirements can be met.
- ➔ Obtain copies of all necessary licenses.
- ➔ Execute Form of Agreement
- ➔ Prepare agenda item and prepare contract if necessary, for Council Approval.
- ➔ Prepare requisition and attach the following items:

  - Copy of Approved City Clerk's Journal and Agenda
  - Bid Tabulation Sheet
  - Form of agreement
  - All specifications for the awarded proposal
  - Copy of General Liability Insurance, with the City of Cocoa named as an additional insured on the policy.

Please complete the attached Notice of Award and return to Purchasing & Contracts Division

RESOLUTION NO. 2021-124

A RESOLUTION OF THE CITY COUNCIL OF THE CITY OF COCOA, FLORIDA; AUTHORIZING THE CITY MANAGER TO APPROVE AND EXECUTE CHANGE ORDERS TO THE PRIMARY CONSTRUCTION CONTRACT AND ANY ADDITIONAL SERVICE CONTRACTS RELATED TO THE COMPLETION OF THE PROJECT REGARDING THE LIFT STATION #1 REPLACEMENT, PROJECT NO. GR2102 IN AN AMOUNT NOT TO EXCEED THE TOTAL AMOUNT BUDGETED FOR THE PROJECT BY THE CITY COUNCIL INCLUSIVE OF THE 10% CONTINGENCY SET ASIDE FOR THE PROJECT; PROVIDING FOR THE REPEAL OF PRIOR INCONSISTENT RESOLUTIONS; AND PROVIDING AN EFFECTIVE DATE.

WHEREAS, Section 2-4 of the City Code provides that with respect to construction contracts approved by the City Council, the City Council may authorize by resolution the City Manager to approve change orders to the primary construction contract and any additional service contracts related to the completion of the construction project authorized by the City Council in excess of the spending authority limits under this section provided the amount is within the unexpended construction budget approved by the City Council for the project including any contingency funds approved by the City Council for said contract; and

WHEREAS, on November 9, 2021, the City Council authorized the City Manager to proceed with the Lift Station #1 Replacement, Project No. GR2102, subject to certain terms and conditions and budget adjustments approved by the City Council; and

WHEREAS, in conjunction with this authorization, the City Council desires to streamline the approval of change orders and any additional service contracts to the extent necessary in order to expedite the construction of the project; and

WHEREAS, the City Council deems it to be in the best interest of the City of Cocoa to authorize the City Manager to approve the aforementioned change orders and any additional service contracts consistent with the terms of this Resolution and Section 2-4 of the City Code even if said amounts exceed the City Manager's general spending authority approved by the City Council.

NOW, THEREFORE, BE IT RESOLVED BY THE CITY COUNCIL OF THE CITY OF COCOA, as follows:

SECTION 1.

(A) Pursuant to Section 2-4 of the City Code, the City Manager is hereby authorized to approve any change orders to the primary construction contract and any additional service contracts related to the construction project regarding the Lift Station #1 Replacement, Project No. GR2102, provided the total amount of approved change orders and any additional service contracts do not exceed the construction budget. The construction budget is $653,307 and allows for a 10% contingency in the amount of $65,331 set aside for possible change orders, for a total of $718,638 for the project. This grant of spending authority shall be interpreted and construed in accordance with the provisions of Section 2-4 of the City Code.

(B) Pursuant to Section 2-4 of the City Code, the City Manager shall also provide notice of any such approved change orders and any additional service contracts to the City Council in the form of an agenda item at the next scheduled City Council meeting or as soon as practicable thereafter.

SECTION 2. All prior resolutions or prior resolutions inconsistent with this resolution are hereby repealed to the extent of the conflict.

SECTION 3. This resolution shall become effective immediately upon its adoption by the City Council of the City of Cocoa, Florida.

ADOPTED by the City Council of the City of Cocoa, Florida, in a regular meeting assembled on December 14, 2021.

_____
Michael C. Blake, Mayor

ATTEST:

_____
Carie Shealy, MMC, City Clerk

RESOLUTION NO. 2021-125

A RESOLUTION OF THE CITY COUNCIL OF THE CITY OF COCOA, FLORIDA, AMENDING THE CITY OF COCOA BUDGET FOR FISCAL YEAR 2022; PROVIDING FOR THE REPEAL OF PRIOR INCONSISTENT RESOLUTIONS; AND PROVIDING AN EFFECTIVE DATE.

WHEREAS, the City Council of the City of Cocoa adopted the final budget for the fiscal year commencing on October 1, 2021, and ending on September 30, 2022, at a Regular meeting held on September 28, 2021; and

WHEREAS, in accordance with Article XII, Section 5 of the City of Cocoa Charter, whereby the Council may, at any time by resolution, transfer any unused and unencumbered appropriation or portion thereof from one office or department to another; and

WHEREAS, the City Council deems it to be in the best interest of the City of Cocoa to amend its budget as provided in this resolution.

NOW, THEREFORE, BE IT RESOLVED BY THE CITY COUNCIL OF THE CITY OF COCOA, as follows:

SECTION 1. The 2021-2022 fiscal year budget shall be amended as detailed in the attached sheets.

SECTION 2. All prior resolutions or prior resolutions inconsistent with this resolution are hereby repealed to the extent of the conflict.

SECTION 3. This resolution shall become effective immediately upon its adoption by the City Council of the City of Cocoa, Florida.

ADOPTED by the City Council of the City of Cocoa, Florida, in a Regular meeting assembled on the 14th day of December, 2021.

_____
Michael C. Blake, Mayor

ATTEST:

_____
Carie Shealy, MMC, City Clerk

City of Cocoa Budget Adjustment Form FY 2022 - 22-020-A

SELECT ADJUSTMENT TYPE: BUDGET AMENDMENT | REQUESTING DEPARTMENT #: 4055 | DATE PREPARED: 10/28/21

'REVENUE' ACCOUNT(S)

ADJUSTMENT AMOUNT	ACCOUNT NUMBER	PROJECT NUMBER	ACCOUNT NAME	ORIGINAL BUDGET	AMENDED BUDGET	ADJUSTED BUDGET	UNENCUMBERED BALANCE
$ 179,660	424-0000-389.99-50	WS21LS	Fund Balance	$ 0	$ 0	$ 179,660	$ 0
$ 538,979	424-0000-331.35-01	GR2102	LS#1 HM# 4337-232-R	$ 0	$ 0	$ 538,979	$ 0
$ 855,980	424-0000-389.99-50		Fund Balance	$ 0	$ 0	$ 855,980	$ 0
$ 855,980	421-0000-381.91-24		Transfer From 424	$ 0	$ 0	$ 855,980	$ 0
$ 0				$ 0	$ 0	$ 0	$ 0
$ 0				$ 0	$ 0	$ 0	$ 0
$ 2,430,599	TOTAL						

'EXPENSE' ACCOUNT(S)

ADJUSTMENT AMOUNT	ACCOUNT NUMBER	PROJECT NUMBER	ACCOUNT NAME	ORIGINAL BUDGET	AMENDED BUDGET	ADJUSTED BUDGET	UNENCUMBERED BALANCE
$ 179,660	424-4055-536.63-00	WS21LS	Infrastructure	$ 0	$ 0	$ 179,660	$ 0
$ 538,979	424-4055-536.63-06	GR2102	Infrastructure FDEM H0477 LS#1	$ 0	$ 0	$ 538,979	$ 0
$ 855,980	424-4010-581.91-21		Interfund Tansfer to 421	$ 0	$ 0	$ 855,980	$ 0
$ 855,980	421-4010-536.39-00		Contingency	$ 0	$ 0	$ 855,980	$ 0
$ 0				$ 0	$ 0	$ 0	$ 0
$ 0				$ 0	$ 0	$ 0	$ 0
$ 2,430,599	TOTAL						

REASON/JUSTIFICATION FOR ADJUSTMENT:

This Budget Amendment is for the Construction of Lift Station #1 as well as accepting the Grant Revenue in its own account. The Mitigation Grant # 4337-232-R is a 75/25 Match. The Balance of GR2102 Budget from FY21 is also being moved back to (421) in placed in the Contingency Account. Agenda 21-707

Council/Board APPROVAL REQUIRED? *YES* (●) ***NO*** ( ) ***DATE APPROVED:*** 11/09/21 ***RESOLUTION #:***

City Council approval is needed for all transfers greater than $50,000 and transfers between Departments / Funds. All CRA adjustments are required to go their respective boards.

11/1/21	Lora Howell Digitally signed by Lora Howell Date: 2021.11.01 09:29:17 -04'00'	11/1/21	Colleen Campbell Digitally signed by Colleen Campbell Date: 2021.11.01 14:03:26 -04'00'		
Date	Requestor's Signature	Date	Finance Approval Signature	Date	Finance Director's Signature
11/1/21	Katherine Ennis Digitally signed by Katherine Ennis Date: 2021.11.01 13:59:44 -04'00'	11/1/21	Lora Howell Digitally signed by Lora Howell Date: 2021.11.01 09:29:37 -04'00'		
Date	Department Director's Signature	Date	Deputy Fin. Director's Signature	Date	City Manager's Signature

FINANCE USE ONLY:

Date Entered: _____ Entered By: _____ Group #: _____

CITY COUNCIL AGENDA ITEM

Memo Date: October 20, 2021
Agenda Date: November 9, 2021
Prepared By: Katherine D. Ennis, PE, Deputy Utilities Director
Through: John A. Walsh, PE, Utilities Director
Requested Action:

To Award RFP-21-23-COC, Lift Station #1 Replacement, Project No. GR2102, to Carr and Collier Inc., Leesburg, Florida, in the Amount of $653,307; To Authorize the City Manager to Negotiate the Contract; To Approve a Resolution Authorizing the City Manager to Approve and Execute Change Orders in an Amount Not to Exceed $65,331 (10% of the Contract Amount) for a Total Project Cost of $718,639; To Approve as a Multi-Year Contract from FY2022 through FY2023. Approve a Resolution Amending the FY22 Budget, BAF# 22-020-A, Accepting the Grant Revenue and Re-budgeting the City's portion through the use of Reserves.

BACKGROUND:

Lift Station 1 is located just feet from the Indian River Lagoon with finished elevations well below the lagoon and flood surface serving approximately 700 customers. During Hurricanes Matthew and Irma, influent flooded the dry well which housed electronics, pumps and associated equipment required for normal operations. This lift station does not have a generator and during relief efforts a portable generator has to be parked on the street to provide power. It will be demolished and replaced with a submersible pumping system incorporated in the wet well which will eliminate the need for confined space entry and improve worker safety as the pumps will be accessible via slide rail system. The scope also includes the addition of an emergency generator

In 2018 the City submitted applications for three projects under the FEMA Hazard Mitigation Grant Program with funding associated with Hurricane Irma. Out of the three projects submitted, the Lift Station #1 Replacement was selected for funding. On August 26, 2020, the FEMA Hazard Mitigation Grant Contract between the City of Cocoa and the Florida Division of Emergency Management (FDEM) for Replacement of Lift Station #1, Project # 4337-232-R, Contract # H0477 was executed.

On July 16, 2021, bids for this project were opened. The Purchasing Department sent out one thousand six hundred and forty-one (1,641) invitations and notifications to bid and received three (3) responses from fifty-eight (58) plan holders.

1. Carr and Collier, Inc. $653,307.00
2. Danus Utilities $749,725.00
3. Intercounty Engineering, Inc. $761,985.72

Staff reviewed the proposals and ranked them in the following order using scoring criteria based on qualification, experience and bid cost:

1. Danus Utilities
2. Carr and Collier, Inc.
3. Intercounty Engineering, Inc.

However, after review of the proposals by the FEMA Hazard Mitigation Grant Program, they stated that the award would have to go to the lowest proposal to meet the requirements of the Grant Contract. The lowest proposal was submitted by Carr and Collier, Inc. Staff further reviewed their proposal and found it to be complete and adequate. Staff recommends awarding the contract to Carr and Collier Inc., Leesburg, Florida, in the amount of $653,307.

Staff is also requesting that City Council approve an additional $65,331 as a contingency for the project. The additional amount is 10% of the contract amount and will be used for change orders with approval by the City Manager. If a change order is needed, the additional amount will allow the project to continue forward without delays.

The additional amount of $65,331 will not be added to the initial purchase order and staff will review each change order before it is sent to the City Manager for approval.

Staff recommends awarding the contract to Carr and Collier Inc., Leesburg, Florida, in the amount of $653,307..

STRATEGIC PLAN CONNECTION:

NA

BUDGETARY IMPACT:

Budgeted	Yes in FY21
If not budgeted, is amendment/transfer attached?	Yes

BAF# 22-020-A

Grant Revenue 75% of the project
Amount Requested $538,979
Account 424-0000-331.35-01, GR2102
Account Name LS#1 HM# 4337-232-R
Amount $538,979

Utilities Revenue Portion 25% of the project
Amount Requested $179,660
Account Number 424-0000-389.99-50, WS21LS
Account Name Fund Balance Reserves

Total Revenue $718,639

Grant Expense
Amount Requested $538,979
Account 424-4055-536.63-06, GR2102
Account Name Infrastructure FDEM H0477 LS#1
Amount $538,979

Utilities Expense
Amount Requested $179,660
Account Number 424-4055-536.63-00, WS21LS
Account Name Fund Balance Reserves

Total Expense $718,639

Source of Funds: Grant Source: 75% reimbursable up to $632,970

The remaining FY21 Budget for this project is transferring back to Fund 421 Contingency $855,980.

PREVIOUS ACTION:

On June 24, 2020, City Council approved a resolution for the Interim City Manager to Execute the FEMA Hazard Mitigation Grant Contract between the City of Cocoa and the Florida Division of Emergency Management (FDEM) for Replacement of Lift Station #1, Project # 4337-232-R, Contract # H0477.

On October 23, 2019, City Council approved a resolution authorizing the City Manager to Execute FEMA Hazard Mitigation Grant Applications through the Hazard Mitigation Grant Program – Hurricane Irma FEMA 4337-DR-FL for Drainage Projects – Fiske Blvd. and Broadmoor Acres, and for Utilities Project – Reconstruct Lift Station #1.

RECOMMENDED MOTION:

To Award RFP-21-23-COC, Lift Station #1 Replacement, Project No. GR2102, to Carr and Collier Inc., Leesburg, Florida, in the Amount of $653,307; To Authorize the City Manager to Negotiate the Contract; To Approve a Resolution Authorizing the City Manager to Approve and Execute Change Orders in an Amount Not to Exceed $65,331 (10% of the Contract Amount) for a Total Project Cost of $718,639; To Approve as a Multi-Year Contract from FY2022 through FY2023. Approve a Resolution Amending the FY22 Budget, BAF# 22-020-A, Accepting the Grant Revenue and Re-budgeting the City's portion through the use of Reserves

Legislation Details (With Text)

File #:	21-722	**Version:**	1	**Name:**	
Type:	Contract			**Status:**	Multi-Year Contract
File created:	10/28/2021			**In control:**	City Council
On agenda:	12/14/2021			**Final action:**	
Title:	Approve a Multi-Year Piggyback Cooperative Purchase Agreement with East Coast Fence and Guardrail of Brevard, LLC., Utilizing the Brevard County Contract B#21-452-B-JW for On-Demand Fencing and Guardrail Services. To Authorize the City Manager to Sign the Contracts and renewals for each Subsequent Fiscal Year. (Utilities Director)				
Sponsors:					
Indexes:					
Code sections:					
Attachments:	Dyal - PARTICIALLY EXECUTED Piggyback Contract No ITB 21-452-B-JW Fencing.pdf ITB 21-452-B-JW Fencing Contracting Services (Maintenance).pdf School Board of Brevard County Contract No ITB 21-452-B-JW Fencing.pdf SIGNED E-Verify Affidavit.pdf East Coast Fence COI exp. 4.11.22.pdf				

Date	Ver.	Action By	Action	Result

CITY COUNCIL AGENDA ITEM

Memo Date: October 28, 2021
Agenda Date: December 14, 2021
Prepared By: Sean B. McFarland, Water Treatment Manager
Through: John A. Walsh, P.E., Utilities Director
Requested Action:
To Approve a Multi-Year Piggyback Cooperative Purchase Agreement with East Coast Fence and Guardrail of Brevard, LLC., Utilizing the Brevard County Contract B#21-452-B-JW for On-Demand Fencing and Guardrail Services. To Authorize the City Manager to Sign the Contracts and renewals for each Subsequent Fiscal Year.

BACKGROUND:

The Dyal Water Treatment Plant (WTP) owns and operates a combined surface water and ground water treatment plant which includes the following offsite facilities: Taylor Creek Reservoir grounds, 48 ground water well sites, Wewahootee WTP, elevated storage tank, remote sample sites, Industrial Park, Banana River, and Viera repump stations.

All of the properties listed above are protected by fence structures to properly secure the equipment and/or buildings located at each site. Occasionally, extensions, upgrades and/or repairs must be made to the existing fencing. If any project exceeds the capital threshold, an appropriate Budget Adjustment Form, utilizing the appropriate account numbers will be completed.

Staff is requesting City Council approval to piggyback on a multi-year agreement utilizing the Brevard County Contract B#21-452-B-JW for On-Demand Fencing and Guardrail Services. The City of Cocoa cooperative agreement term will commence the date of the executed agreement with East Coast Fence and Guardrail of Brevard, LLC through June 8, 2024, with the option to renew for an additional two-year period, which would be contingent upon the renewal of the master agreement with Brevard County. The Utilities Department estimates assigning work at a cost not to exceed $75,000.00 per fiscal year for each year this agreement remains active.

STRATEGIC PLAN CONNECTION:

N/A

BUDGETARY IMPACT:

Budgeted	Yes
If not budgeted, is amendment/transfer attached?	N/A

Through the use of Adopted Budgets within each respective Fiscal Year.

Source of Funds: Operating Revenue

PREVIOUS ACTION:

N/A

RECOMMENDED MOTION:

To Approve a Multi-Year Piggyback Cooperative Purchase Agreement with East Coast Fence and Guardrail of Brevard, LLC., Utilizing the Brevard County Contract B#21-452-B-JW for On-Demand Fencing and Guardrail Services. To Authorize the City Manager to Sign the Contracts and renewals for each Subsequent Fiscal Year.

powered by Legistar™

STANDARD FORM FOR NEW PIGGYBACK CONTRACT

The **City of Cocoa,** a Florida Municipal Corporation ("City") enters this "Piggyback" Contract with East Coast Fence and Guardrail of Brevard, LLC, 651 Pam Lem St., Cocoa, FL 32923 (hereinafter referred to as the "Vendor "), under the terms and conditions hereinafter provided. The City and the Vendor agree as follows:

The Financial Operations Manual (FOM) for the City of Cocoa allows for "piggybacking" contracts. Pursuant to this procedure, the City is allowed to piggyback an existing government contract, and there is no need to obtain formal or informal quotations, proposals or bids. The parties agree that the Vendor has entered a contract with School Board of Brevard County - Florida, said contract being identified as: Fencing Contracting Services, Contract No. ITB 21-452-B-JW. (referred to as the "original government contract").

Work assigned under this contract may include, but is not limited to, the following types of projects: Fencing Contract Services (see attachment "Exhibit A" – original contract).

1. The original government contract is incorporated herein by reference and is attached as **Exhibit A** to this Contract. All of the terms and conditions set out in the original government contract (Exhibit "A") are fully binding on the parties and said terms and conditions are incorporated herein.

2. Notwithstanding the requirement that the original government contract is fully binding on the parties, the parties have agreed to modify certain technical provisions of the original government contract as applied to this Contract between the Vendor and the City of Cocoa, as follows:

Time Period ("Term") of the Agreement:

The effective date of this agreement shall be the latest date mutual parties' sign by and between the City of Cocoa, FL and East Coast Fence and Guardrail of Brevard, LLC. The term of said agreement shall be for the period effective date of signature of the City Mayor through 06/08/2024 with one (1) optional two (2) year renewal period.

The City of Cocoa intends to utilize said agreement for FY2021 thru FY2024, any change orders must be approved by City Manager (not to exceed signing authority, 50k).

a. Insurance Requirements (As Applicable):

Liability Insurance

COMMERCIAL GENERAL LIABILITY INSURANCE MINIMUM REQUIREMENTS FOR CONTRACTS VALUED AT LESS THAN $15,000:

It is required that individuals and firms contracting with the City of Cocoa, where the total contract or job value is LESS than $15,000, maintain Commercial General Liability insurance with a minimum per occurrence limit of not less than $200,000 per person and $300,000 each occurrence, and property damage insurance of at least $200,000 each occurrence and with a deductible amount not greater than $1,000. It is further required that the City of Cocoa, be named as an additional insured to the contractor's CGL policy, and that proof of same in the form of a certificate of insurance be submitted before work is begun.

COMMERCIAL GENERAL LIABILITY INSURANCE MINIMUM REQUIREMENTS FOR CONTRACTS VALUED AT $15,000 OR MORE:

It is required that individuals and firms contracting with the City of Cocoa, where the total contract or job value is $15,000 or MORE, maintain Commercial General Liability insurance with a minimum per occurrence limit of not less than $2,000,000 as the combined single limit for each occurrence and with a deductible not greater than $5,000 or as otherwise approved in writing by the City Manager. It is further required that the City of Cocoa and FDOT, be named as an additional insured to the Contractor's CGL policy, and that proof of same in the form of a certificate of insurance be submitted before work is begun.

AUTOMOBILE LIABILITY INSURANCE MINIMUM REQUIREMENTS FOR ALL CONTRACTS:

The Contractor shall maintain comprehensive automobile liability insurance in the minimum amount of $1,000,000 combined single limit bodily injury and minimum $1,000,000 property damage as the combined single limit for each occurrence to protect the Contractor from claims for damages for bodily injury, including wrongful death, as well as from claims from property damage, which may arise from the ownership, use, or maintenance of owned and non-owned automobiles, including rented automobiles whether such operations be by the Contractor or by anyone directly or indirectly employed by the Contractor.

PROFESSIONAL LIABILITY INSURANCE MINIMUM REQUIREMENTS FOR ALL PROFESSIONALS AS DEFINED BY FLORIDA STATUTE:

Professionals and professional corporations, associations, and firms who contract with the City of Cocoa to provide professional services are required to maintain Professional Liability Insurance and submit proof of same in the form of a certificate of insurance before work is begun.

ENVIRONMENTAL IMPAIRMENT INSURANCE MINIMUM REQUIREMENTS:

Individuals or firms who contract with the City of Cocoa to provide excavation or construction type services and who will be locating portable fuel or lubricant storage tanks at the job site or who will be storing or using hazardous chemicals on the job site are required to maintain Environmental Impairment Insurance of "Pollution Insurance" with a limit of not less than $1,000,000 per occurrence and submit proof of same in the form of a certificate of insurance or an endorsement to their General Liability policy showing a pollution exclusion exception for each specific work product or storage container before work is begun. Contracts with such firms shall include a provision that they work in compliance with the OSHA Hazardous Communication Standard and Florida Department of Environmental Protection guidelines and supply all information about hazardous chemical being brought onto City property as required by the City's Safety and Loss Control Program.

WORKERS' COMPENSATION INSURANCE MINIMUM REQUIREMENTS:

It is required that firms employing four or more people who contract with the City of Cocoa maintain Workers' Compensation Insurance at the statutory limits and employer liability insurance and submit proof of same in the form of a certificate of insurance before work is begun.

It is required that firms employing less than four people who contract with the City of Cocoa comply with the exemption and notice provisions of F.S. 440 and maintain employer liability insurance and submit proof of same in the form of a certificate of insurance before work is begun.

However, if you are a corporate officer of a corporation that is actively engaged in the construction industry, or a sole proprietor or partner who is actively engaged in the construction industry, then your exemption will not apply to any work performed at a commercial building project valued at $250,000 or greater and you must secure workers' compensation coverage in accordance with F.S. 440.38 and these general conditions and submit proof of same in the form of a certificate of insurance before work is begun.

COMPREHENSIVE BUILDER RISK INSURANCE

The Contractor shall maintain comprehensive builder risk insurance, which shall cover Contractor's labor, and any materials and equipment to be used for completion of the Work performed under this Agreement, against all risks of direct physical loss, excluding earthquake and flood, for a minimum amount of $2,000,000. Contractor shall maintain the builder risk insurance required by this subsection until the date a certificate of occupancy is issued issuance of a certificate of occupancy for the Work.

DURATION OF CONTRACTS-NAMED INSUREDS-LIABILITY INSURANCE:

For contracts exceeding time periods of 30 days, it is required that the vendor name the City of Cocoa as an additional insured on their Liability Insurance policies and submit proof of same in the form of a certificate of insurance before work is begun. A copy of a current Certificate of Insurance shall be provided to the City by Contractor upon the Effective Date of this Agreement which satisfied the insurance requirements of this Article. Renewal certificates shall be sent to the City 30 days prior to any expiration date. The certificates and policies shall provide that in the event of any material change in or cancellation of the policies reflecting the required coverage, thirty days advance notice shall be given to the City and the State of Florida, Department of Transportation, or as provided in accordance with Florida law.

a. Any other provisions that will be modified:

The CONTRACTOR must provide proof of Employment Eligibility by completing the E-Verify Contractor Affidavit **(Exhibit B)** in accordance with Florida Statute § 448.95; via E-Verify (https://www.e-verify.gov), which is an internet-based system operated by the United States Department of Homeland Security that allows participating employers to electronically verify the employment eligibility of newly hired employees. This must be completed prior to the CITY issuing any Purchase Orders or requesting services.

b. Address change for the City of Cocoa:

Notwithstanding the address and contact information for the government entity as set out in Exhibit "A," the Vendor agrees that he/she/it will send notices, invoices and will conduct all business with the City of Cocoa, attention of Accounts Payable, at 65 Stone Street, Cocoa Florida 32922, telephone number (321) 433-8633, facsimile number: (321) 433-8608 and email accountspayable@cocoafl.org.

c. Notwithstanding anything in Exhibit "A" to the contrary, the venue of any dispute will be in Brevard County, Florida. Litigation between the parties arising out of this contract must be in Brevard County, Florida in the Court of appropriate jurisdiction. The law of Florida will control any dispute between the parties arising out of or related to this Piggyback Contract, the performance thereof or any products or services delivered pursuant to such contract.

d. Notwithstanding any other provision in Exhibit "A" to the contrary, there shall be no arbitration with respect to any dispute between the parties arising out of this Contract. Dispute resolution shall be through voluntary and non-binding mediation, negotiation or litigation in the Court of appropriate jurisdiction in Brevard County, Florida, with the parties bearing the costs of their own legal fees and related costs with respect to any dispute resolution, including litigation.

e. All other provisions in the original government contract (Exhibit "A") are fully binding on the parties and will represent the agreement between the City of Cocoa and the Vendor.

f. This contract is not a requirements agreement nor is it an exclusive agreement. Accordingly, the City of Cocoa reserves the right to purchase the goods or services that are the subject hereof from any alternative vendor during the contract term, regardless of contrary language in the underlying contract that is being piggybacked.

VENDOR:

East Coast Fence and Guardrail of Brevard, LLC
Attn: Don Miller
651 Pam Lem Street
Cocoa, FL 32923
Phone: (321) 504-3666
(321) 504-3777
Email: volsmiller@bellsouth.net

East Coast Fence and Guardrail of Brevard, LLC

Entered this 22 day of Oct, 2021 Beverly Catechis / President

(Print Name / Title)

Bev Catechis

(Signature)

10-22-21

(Date)

City Council Approval Required

X Yes (Approved by Mayor)

☐ No (Approved by City Manager)

CITY OF COCOA

By: N/A

Date: _____

(Stockton Whitten, City Manager)

City Manager (For purchases up to the limit of the City Manager's purchase order authority, this signature alone as attested will be sufficient).

By: _____

Date: _____

(Michael C. Blake, Mayor)

Mayor (For purchases exceeding City Manager's purchase order authority).

_____

Attested By: City Clerk



Brevard County · Canaveral Port Authority · Cape Canaveral · Cocoa ·
Cocoa Beach · Melbourne · Melbourne Beach · Palm Bay · Rockledge ·
School Board of Brevard County · Titusville · Satellite Beach

TO OUR PROSPECTIVE CONTRACTORS:

The attached Invitation for Bid or Request for Proposal represents a cooperative procurement for the Brevard County Public Entity Purchasing Cooperative.

Local Governmental entities within the Brevard County area, currently consisting of 12-members, have entered into an Interlocal Agreement to create a Cooperative Purchasing group within our geographical area. The Brevard County Public Purchasing Cooperative was formed in an effort to develop cooperative relationships among its participants for the purpose of seeking responses to solicitations which may result in lower costs to group participants on commonly used commodities, better quality of products and lower administrative costs.

The government entities participating in this particular procurement and their respective delivery locations are listed in the attached document.

Brevard County Public Entity Purchasing Cooperative Procurement Operational Procedures:

- All questions concerning this procurement should be addressed to the issuing agency, hereinafter referred to as the "Lead Entity". All responses are to be returned in accordance with the instructions contained in the attached document.
- The solicitation specifications, terms and conditions shall be the controlling document. Each participating governmental entity will be responsible for awarding the contract, issuing its own purchase orders, and for order placement. Each entity will require separate billings, be responsible for payment to the Contractor(s) awarded this contract and issue its own tax exemption certificates as required by the Contractor.
- Invoicing instructions and delivery locations will be in accordance with the respective entity requirements.
- Any reference in the documents to a single entity or location will, in fact, be understood as referring to all participating entities referenced in the documents and cover letter unless specifically noted otherwise.
- The Contractor(s) shall furnish the Lead Entity a detailed Summary of Sales semi-annually during the contract period. Sales Summary shall include Agency name, contract number(s), contractor's name, the total of each commodity sold during the reporting period and the total dollar amount of purchases by commodity.
- Municipalities and other governmental entities which are not members of the Brevard County Public Entity Purchasing Cooperative are strictly prohibited from utilizing any contract or purchase order resulting from this solicitation award. However, other Brevard County Public Entity Purchasing Cooperative members may participate in their contract for new usage, during the contract term, or in any contract extension term, if approved by the lead entity. New Brevard County Public Entity Purchasing Cooperative members may participate in any contract on acceptance and approval by the lead entity.
- None of the participating governmental entities shall be deemed or construed to be a party to any contract executed by and between any other governmental entity and the Contractor(s) as a result of this procurement action.

THE SCHOOL BOARD OF BREVARD COUNTY, FLORIDA

PROCUREMENT & DISTRIBUTION SERVICES
2700 Judge Fran Jamieson Way
Viera, FL 32940

INVITATION TO BID

SCOPE OF WORK AND SPECIAL TERMS & CONDITIONS

ITB 21-452-B-JW Fencing Contracting Services (Co-Op)

ALL BIDS DUE BY: May 11, 2021 by 2:00 P.M. ET

NOTE: BIDS RECEIVED AFTER THE DUE DATE AND TIME WILL NOT BE ACCEPTED.

PRE-BID MEETING: N/A

PROCUREMENT CONTACT: Jennifer Wells, Buyer I
Phone: 321-633-1000 ext. 11106 Email: wells.jennifer@brevardschools.org

Brevard Public Schools

PURPOSE

The purpose of this Invitation to Bid (ITB) is to solicit competitive sealed Bids to furnish **Fencing Contractor Services (Co-Op)** for the use of The School Board of Brevard County, Florida (School Board).

1.0 SCOPE

1.01 This Specification establishes the minimum requirements for this solicitation, listed and described in the body of these specifications, to be used as noted, by The School Board of Brevard County and Brevard County Public Entity Purchasing Cooperative.

The intent of this bid is to procure services for projects less than $300,000.00. It is also the intent to utilize the awarded firms from this Invitation to Bid as follows:

- Projects less than $5,000.00, District staff may choose any one of the awarded firms to perform the work.

- Projects greater than $5,000.00 and less than $300,000.00, District staff will send an email to all the awarded firms, the firms will submit a written quote to the District Staff and the District will award the project to the firm with the lowest responsive, responsible written quote.

Successful bidder(s) shall be required to comply with each agencies background screening requirements and any quote thresholds that differ from above.

1.02 AWARD TERM

The School Board's goal is to promote partnership relationships within the policies and procedures of public procurement. Pursuant toward that end, the successful Bidder(s) shall be awarded a contract for an initial three (3) year term with an optional one (1) two (2) year renewal period.

The award term recommendation will be that which is determined to be in the best interest of the School Board. The renewal option shall be exercised only if all original contract terms, conditions, and prices remain the same. All renewals will be contingent upon mutual written agreement and, when applicable, approval of School Board.

1.03 BIDDER'S QUALIFICATIONS

The Bidder(s) shall be properly licensed to perform fencing work in Brevard County. The licenses must be valid at the time of the bid opening. A copy must be provided with the bid response.

The Bidder must have successfully completed within the past three (3) years, a minimum of five (5) commercial/educational fencing projects where the contract amount was $5,000.00 or more.

If legal business has changed in the past three (3) years, please provide documentation showing previous business name and current business name showing the history of providing Fencing Contracting services consecutively for the past three (3) years.

1.04 BIDDER'S REQUIREMENTS

1.04.1 The awarded Bidder's shall furnish all labor, tools, equipment, transportation, utilities, materials, and locates for underground utilities to provide Fencing Contracting services at multiple facilities within Brevard County as required by the District. These services shall include, but not limited to, small to medium repair, replacement, and Construction renovation projects.

1.04.2 The awarded Bidder's shall supervise and direct the Work, using their best skill and attention. The firm shall be solely responsible for all Work assigned to them by the District, means, methods, techniques, sequences and procedures for coordinating all portions of the Work under the Contract.

1.04.3 The awarded Bidder's as requested by the District shall furnish materials and other undefined labor. The District reserves the right to furnish materials to the awarded Bidder. The district may opt to use Owner Direct Purchases to capture sales tax savings. Materials provided by the Bidder shall be billed to the District based on the actual prices paid by the Bidder for the materials used plus the percentage mark-up bid. Copies of the invoices for the materials received by the Bidder shall be submitted with each invoice submitted to the Owner. The District shall pay only fair market prices for materials. The Bidder shall be reimbursed at invoice cost including (1) sales and/or use taxes and (2) freight. A markup shall be paid on the invoice cost of the materials excluding all (1) sales and/or use taxes and (2) freight. The markup shall be based on the material markup percentage specified on the price sheet, **not to exceed 15%.**

1.04.4 Equipment Rentals will be billed to the district at cost plus markup percentage specified on the price sheet, **not to exceed 15%**. A copy of the rental receipt is to be provided to the district with the invoice at the completion of the project. Owned equipment is to be listed on the Vendor's proposal at the going rate and will be included on the purchase order and invoice as individual line items.

1.04.5 The "Cost Plus" percentage for Materials and Equipment Rental shall be handled as a decimal number: example: 10% is 0.1, 14.5% is 0.145.

1.04.6 Labor provided by the Bidder shall be billed to the District based on the hourly rates bid for labor. The hourly rate bid shall include full compensation for labor, equipment operator, travel time and any other costs (including overhead and profit) to the Bidder. The rate is straight time for all labor except as otherwise noted herein. At times, due to time constraints, overtime pay shall be permitted. In those cases where the Bidder's employee works in excess of forty hours and on official holiday, then the District will authorize payment of one and a half times the labor rates bid. Overtime rates shall be included in the Work Request Estimate. If the District requests labor that is not covered by labor categories on the bid price sheet, the District shall pay the Bidder for that labor based on the Bidder's actual cost paid to the individual plus the percentage bid. Copies of pay stub or invoices for this labor shall accompany the Bidder's completion form. No additional payment shall be permitted for work required and scheduled on weekends or evenings. The District shall pay only fair market pricing for labor.

1.04.7 The Bidder shall be qualified to perform and responsible for the entire project contracted for and does himself or by others – construct, repair, alter, remodel, add to, subtract from, or improve any building or structure. The School Board of Brevard County reserves the right to reject a bid or any bidder if the bid names a subcontractor who has previously failed to deliver on time contracts of similar nature, or who is not in a position to perform properly this award. The School Board of Brevard County reserves the right to inspect all facilities of any subcontractors in order to make a determination as to the foregoing. Subcontractors utilized by the Bidder shall be billed to the School Board on the actual prices paid plus the percentage markup bid on the price sheet, **not to exceed 15%.** Copies of invoices received by the Bidder for Subcontractors shall be submitted with each contractor's completion form. The District shall only pay fair market prices for labor.

1.04.8 The Bidder may subcontract any portion of a project for any reason. When subcontracting any portion of the work, the Bidder must state the name and address of the subcontractor and the name of the person to be contacted on the estimate. Subcontractors shall be approved by the School Board of Brevard County's authorized representative. When the work is under the $5,000.00 threshold the Bidder shall quote the work based on the subcontractors cost plus the Bidder's approved mark-up rate and provide all supporting documents with the invoice.

1.04.9 Bidder may purchase fencing parts and materials in bulk. When quoting work where bulk parts and materials are used, the Bidder shall submit parts and material quantities and a cost breakdown on company letterhead.

1.04.10 Bidder may be responsible for obtaining any necessary permits and providing a copy to the requesting agency for their records when requested by the Owner. Permits needed for a specific project should be clearly stated as a separate line item on all quotes and invoices; **the contractor shall not mark-up permit fees.** There will be times when the work is performed under the work site's Annual Maintenance Permit. When this occurs, an individual permit pulled by the Bidder will not be needed.

1.04.11 The Bidder shall be responsible to the Owner for the acts and omissions of his employees, subcontractors and their agents and employees, and other persons performing any of the work under a contract with the Bidder.

1.04.12 Unless otherwise provided in project documents, the Bidder shall provide and pay for all labor, materials, equipment, tools, construction equipment and machinery, water, heat, utilities, transportation and any other facilities and services necessary for the proper execution and completion of the project whether temporary or permanent and whether or not incorporated or to be incorporated in the project.

1.04.13 The Bidder warrants to the Owner that all materials and equipment furnished under this contract will be NEW unless otherwise specified, and that all Work will be of good quality, free from faults and defects and in conformance with the project specifications. All work not conforming to these requirements, including substitutions not properly approved and authorized, may be considered defective. If required by the District, the Bidder shall furnish satisfactory evidence as to the kind and quality of materials and equipment.

1.04.14 The Bidder at all times shall keep the premises free from the accumulation of waste materials or rubbish caused by his Work in progress. At the completion of the Work, the Bidder shall remove all of this material/rubbish from the District's property as well as all of his tools, equipment, machinery and surplus materials.

1.04.15 The Bidder shall be responsible for notifying the District, in writing, of any conditions detrimental to the proper and timely completion of the Work. The Bidder shall not proceed with any work until unsatisfactory conditions have been corrected in a manner acceptable to him, the Bidder.

1.05 REPRESENTATIVES OF THE CONTRACT MANAGER

Duly appointed representative of the School Board may be utilized to inspect equipment used under this contract, observe personnel employed and note the general performance of the Contract. The representative will not be authorized to revoke, enlarge, alter, or relax the conditions of these specifications. The representative of the School Board will have the authority to reject defective equipment, report on inept personnel, and to suspend any work that is being improperly done, subject to the final decision of the School Board of Brevard County Superintendent or designee.

1.06 SUPPLEMENTARY SPECIFICATIONS

The District reserves the right to add supplementary specifications for larger projects. These supplementary specifications shall be added to the Scope of work for specific projects to allow the Bidder to calculate any additional costs, which may be associated with their use and subsequent compliance.

1.07 CATALOG BID – N/A

1.08 DISCOUNT ADJUSTMENTS – N/A

1.09 NEW ITEMS AND/OR OPTIONS – N/A

1.10 ITEM DISCONTINUANCE – N/A

1.11 MODEL NUMBER CHANGES – N/A

1.12 DELIVERY TERMS – N/A

1.13 LABELING – N/A

1.14 DAMAGED ITEMS

In the event an item or items is received, and it is later determined there is concealed damage when the item or items is unpacked, the item or items must be replaced by the awarded Bidder at no cost to the School Board.

1.15 INSTALLATION

Where installation is required, the successful bidder shall deliver, set in place, install, make ready to run, and test (test to be accomplished in the presence of an authorized representative of the School Board of Brevard County, Florida). The bidder shall provide a qualified person, at no extra cost, to assure performance of the item and to make the initial start-up and achieve the successful testing. Upon completion of the successful testing of the item, the authorized **representative of the School Board shall accept it. All miscellaneous installation materials shall** be included in the Total Turnkey price. The miscellaneous installation materials include the following: conduit, wire, fiber, connectors, fittings, boxes, etc. All materials used in the installation shall be of good quality and shall be free of defects that would diminish the appearance of the product or render it structurally or operationally unsound. Installation includes the furnishing of any equipment, rigging, and materials required to install or replace the product in the proper location. Successful bidder shall protect the site from damage and shall repair damages or injury caused during the installation by the successful bidder or its employees or agents. If any alternation is required to the Building to achieve installation, the successful bidder shall promptly restore the structure or site to its original condition. Successful bidder shall perform installation work so as to cause the least inconvenience and interference with the School Board and with proper consideration of others on site. Upon completion of the installation, the location and surrounding area of work shall be left clean and in a neat and unobstructed condition, with everything in satisfactory repair and order.

1.16 QUANTITY – N/A

1.17 ADDITIONAL QUANTITIES

The School Board reserves the right to purchase any additional quantities of the bid item(s) from the awarded Bidder at this bid price for a period of one (1) year from the date of the award of the bid, provided the Bidder is in agreement at time of order.

1.18 QUANTITY CHANGES

The School Board reserves the right to increase or decrease the total quantities necessary.

1.19 GUARANTEED QUANTITIES (catalog) – N/A

1.20 METHOD OF ORDERING

Items shall be ordered via individual purchase orders or by Visa purchasing card on an "as needed" basis for the term of the contract. Invoices must be submitted against each individual purchase order.

1.21 ORDERS

Schools, departments and centers of the School Board will issue purchase orders or place order by Visa purchasing card directly to the awarded Bidder(s) for the purchase of **Fencing Contracting Services (Co-Op).** The awarded Bidder(s) will be expected to honor these orders according to the discount terms and conditions listed in this solicitation. Each purchase order will be emailed to the awarded Bidder(s). The order should be reviewed for correct prices, catalog numbers, extensions, etc.

1.22 EXEMPT FROM THIS BID

Purchases shall not include items available at lower prices on other School Board bid awards or on Florida State Contracts. Items shall be ordered via individual purchase orders or Visa purchasing card on an "as needed" basis for the term of the contract. Invoices must be submitted against each

individual purchase order or receipts must be submitted for each purchase on Visa purchasing card.

1.23 SUBSTITUTES

Unapproved substitutes will not be allowed. If items are not available, the school or department noted on the purchase order must be contacted prior to shipment to determine if a substitute is acceptable.

1.24 STANDARDIZATION OF ITEMS

Some items have been standardized by the School Board's Plant Operations & Maintenance Department; these items are indicated on the price sheet as "ONLY" along with the Manufacturer's name and part number, allowing no alternate bids. Where there is no Manufacturer, model or part number indicated, just the description, please supply us with the Manufacturer name, model and part number you are bidding along with descriptive literature if required.

1.25 LIQUIDATED DAMAGES

Time is of the essence of the completion of this project under the Contract Documents. The School Board and awarded Bidder agree that losses suffered by the School Board are not ascertainable at this time. The awarded Bidder acknowledges and agrees that, since time is of the essence, the School Board will suffer financial and other loses if the project is not completed within the contracted time. Should the awarded Bidder fail to achieve completion of the project within the contracted time, the School Board shall be entitled to assess, as liquidated damages, but not as a penalty, the sum of **$100.00** for each calendar day thereafter until completion is achieved. The awarded Bidder hereby expressly waives and relinquishes any right it may have to seek to characterize the above-noted liquidated damages as a penalty. The parties agree that the above-stated amount represents a fair and reasonable estimate of the School Board's actual damages at the time of contracting if awarded Bidder fails to achieve completion of this project within the contracted time.

1.26 NO DAMAGES FOR DELAY

Bidder is not entitled to any additional compensation or increase in the contract sum for direct, indirect, impact, or any other damages arising because of any hindrance or delays caused by the owner or any other cause whatsoever. Bidder's only remedy for delay, not caused or exacerbated by the Bidder, shall be an extension of time to complete the Bidder's scope of work. Any extension of time shall be granted at the sole discretion of the School Board, and if granted, shall be in the form of additional days added to the contract.

1.27 TIME FOR COMPLETION OR DELIVERY

It is hereby understood and mutually agreed by and between parties hereto that the time of delivery is an essential condition of this contract.

If said Bidder shall neglect or fail to furnish and deliver the equipment within time herein specified, then said Bidder does hereby agree, as part consideration for the awarding of this solicitation to pay to the School Board the sum extended by the School Board to contract for rental equipment approved by the Office of Procurement & Distribution Services for the period from the required schedule commencement date until delivery of the equipment covered on the Invitation to Bid is completed.

The Bidder shall, within seven (7) calendar days from the beginning of such delay, notify the School Board's duly appointed representative in writing of the cause(s) of the delay.

If the Bidder shall be delayed in the completion of his work of unforeseeable causes beyond his control and without fault or negligence, including, but not restricted to, acts of God or neglect of any other Bidder, the period herein above specified for the completion of delivery shall be extended by such time as shall be approved by the School Board's duly appointed representative.

Bidders unable to meet this time line must submit with their bid, their best time frame for project completion. The time for project completion will be a factor in the solicitation evaluation.

1.28 BARRICADES

The Bidder shall provide all barricades and take all necessary precautions to protect building and personnel. All work shall be complete in every respect and accomplished in a workmanlike manner and Bidder shall provide for removal of all debris from the School Board.

1.29 PALLETIZE – N/A

1.30 MEASUREMENTS – N/A

2.0 SPECIAL TERMS & CONDITIONS

2.01 CLOSING DATE

Submittals must be received by The School Board of Brevard County, Florida, Office of Procurement & Distribution Services through VendorLink at https://www.myvendorlink.com no later than **2:00 p.m., local time, on Tuesday, May 11, 2021.** Bids received after this time will not be considered.

2.02 TENTATIVE SCHEDULE

April 15,2021 ..... Invitation to Bid Available
N/A ..... Pre-Bid Conference
April 29, 2021 ..... Deadline for Questions
May 11, 2021 ..... Bid Closing Date
June 8, 2021 ..... Planned Award Date

2.03 ELECTRONIC BID SUBMITTAL

Bidder shall submit all documents listed in **Section 3.0 – Submittal Requirements** electronically through VendorLink at https://www.myvendorlink.com. Contact VendorLink technical support at support@evendorlink.com if technical difficulties arise during submission.

A. Upload files only in Excel (.xls or .xlsx), Adobe Portable Document Format (.pdf), or .ZIP file formats.

B. Enable printing on all files submitted.

C. All required documents must be fully filled out and signed by an official who is authorized to legally bind the Bidder on all solicitation specifications.

D. Clearly identify each part of the submission.

E. Terms and conditions submitted by Bidder which differ from those in this solicitation shall be cause for disqualification of the Bid Submittal.

2.04 PRE-BID CONFERENCE/WALK THROUGH – N/A

2.05 PUBLIC BID OPENING

A. The Bids will not be available for public records request until a notice of intended decision is issues or thirty (30) days after bid opening date, whichever is earlier. (Florida Statute 119.071 (1) (b)).

B. The Bidder List will be available at https://www.myvendorlink.com at time of Bid opening.

C. Individuals covered by the Americans with Disabilities Act of 1990 in need of accommodations to access the public Bidder List at https://www.myvendorlink.com should contact the Procurement Department at 321-633-1000 x11645 after the Bid opening date.

D. Individuals that would like to hear the names of Bidders read aloud during the official Bid opening may access the electronic meeting via Microsoft Teams for Business at the

following web address: Click here to join the meeting or by calling 321-300-0039 Phone Conference ID: 137 890 228#

2.06 QUESTIONS CONCERNING BID

A. Questions concerning any portion of this Solicitation shall be directed in writing or by e-mail to the Procurement Representative named below, who shall be the official point of contact for this Solicitation. Questions should be submitted by the question deadline date as listed above in Section 2.02, Tentative Schedule.

B. Submit questions to:
Jennifer Wells, Buyer I
E-mail: wells.jennifer@brevardschools.org

2.07 CLARIFICATION AND ADDENDA

A. It is incumbent upon each Bidder to carefully examine all specifications, terms, and conditions contained herein. Any inquiries, suggestions, or requests concerning interpretation, clarification or additional information shall be made in writing, (facsimile transmissions are acceptable, 321-877-0904) through the Procurement Representative named above. The School Board will not be responsible for any oral representation(s) given by any employee, representative or others. The issuance of a written addendum is the **only** official method by which interpretation, clarification or additional information can be given.

B. If it becomes necessary to revise or amend any part of this Solicitation, notice will be sent via VendorLink. **Each Bidder should ensure that all addenda and amendments to this Solicitation have been received and signed to be included with Bid submittal. Check https://www.myvendorlink.com/ for any addenda. The Procurement Department will not manually distribute any addenda.**

2.08 FLORIDA DEPARTMENT OF STATE, DIVISION OF CORPORATIONS REGISTRATION REQUIREMENTS

Bidders who are required to be registered with the Florida Department of State, Division of Corporations or who are incorporated within the State of Florida must furnish their Florida document number, and a screen shot of their "active" status. All registered Bidders must have an active status in order to be eligible to do business with the School Board. Bidders doing business under a fictitious name, on page 1, must submit their bid using the company's complete registered legal name; example: ABC, Inc. d/b/a XYZ Company. To register with the State of Florida, visit: www.Sunbiz.org.

2.09 AWARD

The School Board reserves the right to award the solicitation to the Bidder(s) that the School Board deems to offer the lowest responsive and responsible bid(s), as defined elsewhere in this solicitation. The School Board is therefore not bound to accept a bid on the basis of lowest price. In addition, the School Board has the sole discretion and reserves the right to cancel this solicitation, to reject any and all bids, to waive any and all informalities and/or irregularities, or to re-advertise with either the identical or revised specifications, if it is deemed to be in the best interest of the School Board to do so. The School Board also reserves the right to make multiple awards based on experience and qualifications or to award only a portion of the items and/or services specified, if it is deemed to be in the School Board's best interest.

2.10 DEFINITION OF RESPONSIVE AND RESPONSIBLE FOR THIS BID

Each bid submittal shall be evaluated for conformance as responsive and responsible using the following criteria:

A. Proper submittal of ALL documentation as required by this solicitation. (Responsive)

B. The greatest benefits to the School Board as it pertains to: (Responsible)
1. Total Cost.
2. Delivery.

3. Past Performance. In order to evaluate past performance, all Bidders are required to submit:
   a. A list of references with the bid and;
   b. A list of relevant projects completed within the last three (3) years that are the same or similar to the magnitude of this ITB.
4. All technical specifications associated with this solicitation.
5. Financial Stability: Demonstrated ability, capacity and/or resources to acquire and maintain required staffing.
6. **Proof of Bidder being properly licensed to perform Fencing work in Brevard County.**

Bidders are reminded that award may not necessarily be made to the lowest bid. Rather, award will be made to the lowest responsive, responsible, Bidder whose bid represents the best overall value to the School Board when considering all evaluation factors.

2.11 OTHER AGENCIES

A. In accordance with State Board Rule 6A-1.012 (6), all Bidders awarded contracts from this solicitation may, upon mutual agreement with the other agency, permit any school board, municipality or other governmental agency, to include Public Charter Schools, to participate in the contract under the same prices, terms and conditions, if agreed to by both parties.

B. Further, it is understood that each school board or agency will issue its own purchase order to the awarded Bidder(s).

2.12 CONTRACT

A. The contents of this solicitation and all provisions of the Bidder's Acknowledgement Form shall be considered a contract and become legally binding. A separate contract document, other than the purchase order(s), will not be issued.

B. The Director of Procurement & Distribution Services, Superintendent, and Board Chair are the sole Contracting Officers for the School Board, and only they or their designee are authorized to make changes to any contract.

C. The School Board shall be responsible for only those orders placed by the schools/departments on an authorized signed purchase order or Visa purchasing card. The School Board shall not be responsible for any order, change substitution or any other discrepancy on the purchase order or card charges. If there is any question about the authenticity of a purchase order, card charge or change order, the Bidder should promptly contact the Procurement Department.

D. The School Board hereby notifies interested parties that the purchasing agreements and state term contracts, available under s. 287.056, of the Department of Management Services will be reviewed for the subject of the award recommendation of this solicitation.

2.13 DISCLOSURE OF BID CONTENT

A. All material submitted becomes the property of the School Board and may be returned only at the School Board's option. The School Board has the right to use any or all ideas presented in any reply to this solicitation. Selection or rejection of any Bid Submittal does not affect this right.

B. The School Board is governed by the Public Record Laws, Chapter 119, Florida Statutes (F.S.). Only trade secrets as defined in Section 812.081(1)(c), F.S. or financial statements required by the School Board as defined in 119.071(1)(c), F.S. (hereinafter "Confidential Materials"), may be exempt from disclosure. If a Bidder submits Confidential Materials, the information **MUST BE** listed on Page 10 of the Standard Terms and Conditions and each pertinent page must be clearly labeled "confidential" or "trade secret." The School Board will not disclose such Confidential Materials, subject to the conditions detailed within the Confidential Materials Acknowledgement.

PLEASE READ THE SECTION IN THE BID DOCUMENT TO DETERMINE IF THIS APPLIES.

2.14 BIDDER'S RESPONSIBILITY

The Bidder, by submitting a Bid represents that:

A. The Bidder has read and understands the Solicitation in its entirety and that the solicitation is made in accordance therewith, and;

B. The Bidder possesses the capabilities, resources, and personnel necessary to provide efficient and successful service to the School Board, and;

C. Before submitting a Bid, each Bidder shall make all investigations and examinations necessary to ascertain site and/or local conditions and requirements affecting the full performance of the contract and to verify any representations made by the School Board, upon which the Bidder will rely. If the Bidder receives an award because of its Bid Submittal, failure to have made such investigations and examinations will in no way relieve the Bidder from its obligations to comply in every detail with all provisions and requirements of the contract, nor will a plea of ignorance of such conditions and requirements be accepted as a basis for any claim by the Bidder for additional compensation or relief.

D. The Bidder will be held responsible for any and all discrepancies, errors, etc., in discounts or rebates which are discovered during the contract term or up to and including five (5) fiscal years following the School Board's annual audit including five (5) years thereafter.

2.15 PAYMENT TERMS

A. **INVOICING**

The awarded Bidder will be required to submit invoices and reference purchase order numbers on all requests for payment. All statements must reference valid School Board purchase order numbers. Invoices shall be mailed directly to the "bill to" as listed on the purchase order. A separate invoice must be received for each purchase order number. Payment for partial shipments shall not be made unless specified in the terms of this solicitation or a School Board purchase order. Invoices, which do not reference valid School Board purchase order numbers or which are erroneous (incorrect contract prices, minimum order charges, etc.) shall be returned to the Bidder for resolution of the discrepancies. It is the sole responsibility of the Bidder to reconcile the purchase order and the Bidder's invoice and to notify the Procurement representative of any discrepancies prior to billing. The School Board will only pay the dollar amounts authorized on the purchase order.

B. The Bidder represents and agrees that information submitted in support of its requests for payment is the basis of payment and is true and accurate to the best knowledge of the responsible signatory. A violation of this provision shall subject the violator to the provisions of Section 68.082, Florida Statutes, pertaining to false claims against the State, and/or Section 837.06, Florida Statutes, pertaining to false official statements.

C. The School Board will remit full payment on all undisputed invoices within 45 (forty-five) days from receipt by the appropriate person(s) (to be designated at time of contract) of the invoice(s) or receipt of all products or services ordered.

D. Pursuant to Chapter 218, Florida Statutes, the School Board will pay interest, not to exceed one percent (1%) per month, on all undisputed invoices not paid within 45 (forty-five) days after receipt of the entire order of the commodity or service, AND a properly completed invoice, whichever is later.

E. The School Board has the capabilities of Electronic Fund Transfer (EFT). List any additional discounts for payment using Electronic Funds Transfer (EFT) and/or any additional discounts to be applied to such payments.

F. ***By submitting a Bid (offer) to the School Board, the Bidder expressly agrees that if awarded a contract, the School Board may withhold from any payment, monies owed by the Bidder to the School Board for any legal obligation between the Bidder and the School Board.***

G. **PARTIAL PAYMENT**
Partial payments in the full amount of the value of items received and accepted may be requested by the submission of a properly executed invoice with support documents if required.

H. **PAYMENT DISCOUNTS**
A bid price submitted indicating a discount if an invoice is paid within a certain number of days from the date of the invoice cannot be considered as a basis for the solicitation evaluation. All bid prices must be net and not contingent on terms.

2.16 LICENSES AND CERTIFICATES

A. The School Board reserves the right to require proof that the Bidder is an established business and is abiding by the ordinances, regulation, and the laws the State of Florida, such as but not limited to: Business Tax Receipts, business licenses, Florida sales tax registration, Federal Employers Identification Number, AND;

B. Each firm and personnel who will be performing services on behalf of the Bidder for the School Board are to be properly licensed to do business in its area of expertise in the State of Florida. Each Bidder shall submit with their Bid a copy of and maintain the appropriate licenses and certificates during the term of the contract and any extensions. Failure to maintain these requirements shall be cause for immediate termination of the contract.

2.17 INSURANCE REQUIREMENTS

The Bidder will provide before commencement of work, and attach to this agreement, a certificate(s) evidencing such insurance coverage to the extent listed in 2.17.1 to 2.17.5 below. The following applies to the insurance requirements below for products or services from contractors when all products, services, or work performed when totaled together will pay the contractor $50,000 or more during the fiscal year. The insurance requirements are as follows:

1. Insurance listed in 2.17.1 below is required of all contractors and Contractors: The School Board shall be named as an additional insured to the insurance policy. If the School Board is not named as an additional insured, then the School Board reserves the right terminate this agreement.

2. Insurance listed in 2.17.2 below: All contractors whose work for the School Board includes products or services, and the value of these products or services are in excess of $25,000 are required to carry this insurance to the limit listed below.

3. Insurance listed in 2.17.3 below: Any contractor transporting School Board employees, delivering or transporting School Board owned equipment or property, or providing services or equipment where a reasonable person would believe the School Board is responsible for the work of the contractor from portal to portal is required to carry this insurance to the limit listed below.

4. Insurance as listed in 2.17.4 below: All contractors that have one or more employees or subcontracts any portion of their work to another individual or company is required to have workers' compensation insurance to the limits listed below. For contracts of $50,000 or more, no State of Florida, Division of Workers' Compensation, Exemption forms will be accepted. All entities and individuals are required to purchase a commercial workers' compensation insurance policy.

5. Insurance as listed in 2.17.5 below: All contractors providing professional services such as architects, engineers, attorneys, auditors, accountants, etc. are required to have this insurance to the limits listed below.

All contractors will carry and maintain policies as described in numbers 1 to 5 above and as checked off in the box to the left of each section 2.17.1 to 2.17.5 below as specifically marked by representatives of the Office of Procurement Services. All required insurance required must be from insurance carriers that have a rating of "A" or better and a financial size category of "VII" or higher according to the A. M. Best Company. Such certificates must contain a provision for notification to the School Board thirty (30) days in advance of any material change in coverage or cancellation. This is applicable to the procurement and delivery of products, goods, or services furnished to the School Board.

☒ 2.17.1. Commercial General Liability Insurance:

Negligence including Bodily Injury and Property Damage	
Per Occurrence -	$1,000,000
General Aggregate -	$2,000,000

☐ 2.17.2. Product Liability and/or Completed Operations Insurance:

Negligence Including Bodily Injury and property damage -	$1,000,000
Products – Completed Operations Aggregate -	$2,000,000

☒ 2.17.3. Automobile Liability:

Negligence Including Bodily Injury and Property Damage:	
Per Claim -	$ 500,000
Combined Single Limit (each accident) -	$1,000,000

☒ 2.17.4. Workers' Compensation/Employer's Liability:

W.C. Limit Required* -	Statutory Limits
E.L. Each Accident -	$ 100,000
E.L. Disease – Each Employee	$ 100,000
E.L. Disease – Policy Limit	$ 500,000

☐ 2.17.5. Professional Liability Insurance (Errors and Omissions):

For services, goods or projects that will exceed $1,000,000 in values over a year.

Each Claim -	$1,000,000
Annual Aggregate -	$2,000,000

For services, goods or projects that will not exceed $1,000,000 in values over a year.

Each Claim -	$ 250,000
Annual Aggregate -	$ 500,000

Professional Liability coverage must be maintained for a two-year period following completion of the contract.

2.18 DAMAGES TO RENTAL EQUIPMENT

Rental Bidders agree to purchase such insurance, as they consider necessary to protect their equipment from damage or destruction during the term of this contract for rental of equipment. Rental Bidders also agree that the School Board shall have no obligation for payment of damages of any nature to equipment provided with or without an operator unless clear and convincing evidence demonstrates that gross negligence of either the School Board or its employees acting within the scope of their employment was the direct cause of such damage or destruction.

Rental Bidders further understand and agree that no employee of the School Board other than the Superintendent or School Board Chairman is authorized to sign any rental or other agreement that contains terms and conditions other than those contained in this solicitation, and that any signature of a School Board employee other than the Superintendent or School Board Chairman shall be interpreted as the School Board's acknowledgement of delivery only.

2.19 SAFETY

The Bidder shall take the necessary precautions and bear the sole responsibility for the safety of the methods employed in performing the work. The Bidder shall at all times comply with the regulations set forth by federal, state, and local laws, rules, and regulations concerning "OSHA" and all applicable state labor laws, regulations, and standards. Bidder shall take all necessary

precautions to ensure all materials provided do not include Asbestos. The Bidder shall indemnify and hold harmless the School Board from and against all liabilities, suits, damages, costs, and expenses (including attorney's fees and court costs) which may be imposed on the School Board because of the Bidder, sub-contractor, or supplier's failure to comply with the regulations.

2.20 WAGE PRICE REDETERMINATION – N/A

2.21 PRICE REDETERMINATION – FUEL – N/A

2.22 PRICE REDETERMINATION – N/A

2.23 DEVIATIONS

All Bid Submittals must clearly and with specific detail, note all deviations to the exact requirements imposed upon the Bidder by the specifications. Such deviations must be stated upon the Bid Submittal Form; otherwise the School Board will consider the subject Bid Submittal as being made in strict compliance with said specifications to Bidders, the Bidder being held therefore accountable and responsible. Bidders are hereby advised that School Board will only consider Bid Submittals that meet the exact requirements imposed by the specifications; except, however, said Bid Submittals may not be subject to such rejection where, **at the sole discretion of The School Board**, the stated deviation is considered to be equal or better than the imposed requirement and where said deviation does not destroy the competitive character of the solicitation process by affecting the amount of the Bid Submittal such that an advantage or benefit is gained to the detriment of the other Bidders.

2.24 MATERIAL SAFETY DATA SHEET

In accordance with Chapter 487 of the Florida Statutes, it is the Bidder's responsibility to identify and to provide to the Office of Procurement & Distribution Services and the Office of Environmental Health and Safety a Material Safety Data Sheet for any material, as may apply to this procurement.

2.25 WAIVER OF CLAIMS

Once this contract expires, or final payment has been requested and made, the awarded Bidder shall have no more than thirty (30) calendar days to present or file any claims against the School Board concerning this contract. After that period, the School Board will consider the Bidder to have waived any right to claims against the School Board concerning this agreement.

2.26 TERMINATION / CANCELLATION OF CONTRACT

The School Board reserves the right to cancel the contract without cause with a minimum thirty (30) days' written notice.

Termination or cancellation of the contract will not relieve the Bidder of any obligations for any deliverables entered into prior to the termination of the contract (i.e., reports, statements of accounts, etc., required and not received).

Termination or cancellation of the contract will not relieve the Bidder of any obligations or liabilities resulting from any acts committed by the Bidder prior to the termination of the contract.

The Bidder may cancel the resulting contract with **one hundred twenty (120) days' written** notice to the Director of Procurement & Distribution Services. Failure to provide proper notice may result in the Bidder being barred from future business with the School Board.

2.27 TERMINATION FOR SCHOOL BOARD'S CONVENIENCE

The performance of work under this contract may be terminated in accordance with this clause in whole, or from the time in part, whenever the School Board representative shall determine that such termination is in the best interest of the School Board. Any such termination shall be affected by the delivery to the Bidder of a Notice of Termination specifying the extent to which performance of work under the contract is terminated, and the date upon which such termination becomes effective. Upon such termination for convenience, Bidder shall be entitled to payment, in accordance with the payment provisions, for services rendered up to the termination date and the School Board shall have no other obligations to Bidder. Bidder shall be obligated to continue

performance of contract services, in accordance with this contract, until the termination date and shall have no further obligation to perform services after the termination date.

2.28 TERMINATION FOR DEFAULT

The School Board's representative shall notify, in writing, the Bidder of deficiencies or default in the performance of its duties under the Contract. Three (3) separate documented instances of deficiency or failure to perform in accordance with the specifications contained herein shall constitute cause for termination for default, unless specifically specified to the contrary elsewhere within this solicitation. It shall be at the School Board's discretion whether to exercise the right to terminate. Bidder shall not be found in default for events arising due to acts of God. **Termination for cause includes terminations under 287.135, F.S.**

2.29 BIDDER PERFORMANCE

BPS project personnel shall monitor Bidder's performance. A 'Report of Unsatisfactory Product or Service' form (attached) shall be utilized to document unsatisfactory performance during the term of this contract. The report may become an important part of the Bidder's history. The report and process will assist the Office of Procurement & Distribution Services to determine whether there is a continuing pattern of problems which may need to be addressed through termination of contract and/or suspension of Bidder from future bidding.

2.30 COLLUSION

The School Board of Brevard County reserves the right to disqualify bids upon evidence of collusion with intent to defraud, or other illegal practices to include circumventing or manipulating the solicitation process in a manner that conflicts with applicable law, upon the part of the Bidder(s), Bidder's employees or agents , the School Board's Professional Consultant(s), or Consultant's agents, or any School Board employee(s) who may, or may not, be involved in the development of bid specifications and/or firm bid schedules. Multiple bids from an individual, partnership, corporation, association (formal or informal) or firm under the same or different names shall not be considered. Reasonable grounds for believing that a Bidder has interest in multiple Bids for the same work shall be cause for rejection of all Bids in which such Bidder is believed to have an interest in. Any and/or all Bids shall be rejected if there is any reason to believe that collusion exists among one or more of the Bidders, the School Board's Professional Consultant(s) or School Board employees. Bidders involved in developing a solicitation specification or Bidders with knowledge of solicitation specifications prior to a solicitation advertisement shall be disqualified from participating in the applicable solicitation process.

2.31 INCURRED EXPENSES

This ITB does not commit the School Board to award a contract, nor shall the School Board be responsible for any cost or expense which may be incurred by the Bidder in preparing and submitting the bid called for in this ITB, or any cost or expense incurred by the Bidder prior to the execution of a contract agreement.

2.32 MINIMUM SPECIFICATIONS

The specifications listed herein are the minimum required specifications for this ITB. They are not intended to limit competition nor specify any particular Bidder, but to ensure that the School Board receives quality products and services.

2.33 COMPLIANCE WITH LAWS AND REGULATIONS

The Bidder shall be responsible to know and to apply all applicable federal and state laws, all local laws, ordinances, rules, regulations, and all orders and decrees of bodies or tribunals having jurisdiction or authority which in any manner affect the work, or which in any way affect the conduct of the work. Bidder shall always observe and comply with all such laws, ordinances, rules, regulations, orders, and decrees. The Bidder shall protect and indemnify School Board and all its officers, agents, servants, or employees against any claim or liability arising from or based on the violation of any such law, ordinance, rule, regulation, order, or decree caused or committed by Bidder, its representatives, sub-contractors, sub-consultants, professional associates, agents, servants, or employees. Additionally, Bidder shall obtain and maintain at its own expense all licenses and permits to conduct business pursuant to this contract from the federal government, State of Florida, Brevard County, or municipalities when legally required, and maintain same in full force and effect during the term of the contract.

2.34 BIDDER'S PUBLIC RECORDS

Public Records Act/Chapter 119 Bidder agrees to comply with the Florida Public Records Act (Chapter 119, Florida Statutes) to the fullest extent applicable, and shall, if this engagement is one for which services are provided, by doing the following:

A. Bidder and its subcontractors shall keep and maintain public records required by the SBBC to perform the service.

B. Effective July 1, 2016, Bidder and its subcontractors shall upon request from the SBBS's custodian of public records, provide the SBBC with a copy of the requested records or allow the records to be inspected or copied within a reasonable time at a cost that does not exceed that provided in chapter 119, Florida Statutes or as otherwise provided by law;

C. Bidder and its subcontractors shall ensure that public records that are exempt or that are confidential and exempt from the public records disclosure requirements are not disclosed except as authorized by law for the duration of the contract term and following completion of the contract if the Bidder does not transfer the records to the SBBC; and

D. Bidder and its subcontractors upon completion of e contract shall transfer to the SBBC, at no cost, all public records in possession of the Bidder and its subcontractors or keep and maintain the public records required by the SBBC to perform the service. If the Bidder and its subcontractors transfer all public records to the SBBC upon completion of the contract, the Bidder and its subcontractors shall destroy any duplicate public records that are exempt or that are confidential and exempt from the public records disclosure requirements. If the Bidder and its subcontractors keep and maintain public records, upon completion of the contract, the Bidder and its subcontractors shall meet all applicable requirements for retaining public records. All records stored electronically must be provided to the SBBC, upon request from the SBBC's custodian of public records, in a format that is compatible with the information technology systems of the SBBC.

E. The parties agree that if the Bidder and its subcontractors fail to comply with a public records request, then the SBBC must enforce the Agreement provisions in accordance with the Agreement and as required by Section 119.0701, Florida Statutes.

F. IF THE BIDDER HAS QUESTIONS REGARDING THE APPLICATION OF CHAPTER 119, FLORIDA STATUTES, TO THE BIDDER'S DUTY TO PROVIDE PUBLIC RECORDS RELATING TO THIS CONTRACT, CONTACT THE CUSTODIAN OF PUBLIC RECORDS AT 321-633-1000 EXT. 11453, recordsrequest@Brevardschools.org, THE SCHOOL BOARD OF BREVARD COUNTY, FLORIDA, 2700 JUDGE FRAN JAMIESON WAY, VIERA, FL 32940.

2.35 LOCAL BUSINESS TAX RECEIPTS

A. Any Bidder whose permanent business location is in Brevard County shall submit with the bid a copy of their Local Business Tax Receipt (formerly known as an "Occupational License") issued to them by the Brevard County Tax Collector.

B. Any Bidder whose permanent business location is in a Florida county other than Brevard County shall submit with their bid a copy of their Local Business Tax Receipt issued to them by the tax collector of the county of their permanent business location, unless that county does not collect Local Business Taxes or issue Local Business Tax Receipts.

2.36 RECORDS & RIGHT TO AUDIT

The Bidder shall maintain such financial records and other records as may be prescribed by the School Board or by applicable federal and state laws, rules, and regulations. The Bidder shall

retain these records for a period of five (5) years after final payment, or until the School Board audits them, whichever event occurs first. These records shall be made available during the term of the contract and the subsequent five (5) year period for examination, transcription, and audit by the School Board, its designees, or other entities authorized by law. At the expiration of such period, Bidder, if requested by the School Board, will turn over such records to the School Board to be kept for such time as the School Board may elect.

2.37 CHANGES IN SCOPE OF WORK/SERVICE

A. The School Board may order changes in the work/service consisting of additions, deletions, or other revisions within the general scope of the contract. No claims may be made by the Bidder that the scope of the project or of the Bidder's services has been changed, requiring changes to the amount of compensation to the Bidder or other adjustments to the contract, unless such changes or adjustments have been made by written amendment to the contract signed by the School Board Chair and the Bidder.

B. If the Bidder believes that any particular work/service is not within the scope of work/service of the contract, is a material change, or will otherwise require more compensation to the Bidder, the Bidder must immediately notify the School Board's Representative in writing of this belief. If the School Board's Representative believes that the particular work/service is within the scope of the contract as written, the Bidder will be ordered to and shall continue with the work/service as changed and at the cost stated for the work/service within the scope. The Bidder must assert its right to an adjustment under this clause within thirty (30) days from the date of receipt of the written order.

C. The School Board reserves the right to negotiate with the awarded Bidder(s) without completing the competitive bidding process for materials, products, and/or services similar in nature to those specified within this ITB for which requirements were not known when the ITB was released.

2.38 MODIFICATIONS DUE TO PUBLIC WELFARE OR CHANGE IN LAW

The School Board shall have the power to make changes in the contract as the result of changes in Florida law and/or rules of the School Board to impose new rules and regulations on the Bidder under the contract relative to the scope and methods of providing services as shall from time-to-time be necessary and desirable for the public welfare. The School Board shall give the Bidder notice of any proposed change and an opportunity to be heard concerning those matters. The scope and method of providing services as referenced herein shall also be liberally construed to include, but is not limited to, the manner, procedures, operations and obligations, financial or otherwise, of the Bidder. In the event any future change in Federal, State or County law or the rules of the School Board materially alters the obligations of the Bidder, or the benefits to the School Board, then the contract shall be amended consistent therewith. Should these amendments materially alter the obligations of the Bidder, then the Bidder or the School Board shall be entitled to an adjustment in the rates and charges established under the contract. Nothing contained in the contract shall require any party to perform any act or function contrary to law. The School Board and Bidder agree to enter into good faith negotiations regarding modifications to the contract, which may be required in order to implement changes in the interest of the public welfare or due to change in law. When such modifications are made to the contract, the School Board and the Bidder shall negotiate in good faith, a reasonable and appropriate adjustment for any changes in services or other obligations required of the Bidder directly and demonstrably due to any modification in the contract under this clause.

2.39 RIGHT TO REQUIRE PERFORMANCE

A. The failure of the School Board at any time to require performance by the Bidder of any provision hereof shall in no way affect the right of the School Board thereafter to enforce same, nor shall waiver by the School Board of any breach of any provision hereof be taken or held to be a waiver of any succeeding breach of such provision or as a waiver of any provision itself.

B. In the event of failure of the Bidder to deliver services in accordance with the contract terms and conditions, the School Board, after due written notice, may procure the services from

other sources and hold the Bidder responsible for any resulting additional purchase and administrative costs. This remedy shall be in addition to any other remedies that the School Board may have.

2.40 FORCE MAJEURE

The School Board and the Bidder will exercise every reasonable effort to meet their respective obligations as outlined in this ITB and the ensuing contract, but shall not be liable for delays resulting from force majeure or other causes beyond their reasonable control, including, but not limited to, compliance with any government law or regulation, acts of God, acts or omissions of the other party, government acts or omissions, fires, strikes, national disasters, wars, riots, transportation problems and/or any other cause whatsoever beyond the reasonable control of the parties. Any such cause will extend the performance of the delayed obligation to the extent of the delay so incurred. Force Majeure will include epidemics and quarantine restrictions as acts of God and governmental law and regulation.

2.41 BIDDER'S PERSONNEL

During the performance of the contract, the Bidder agrees to the following:

A. The Bidder shall not discriminate against any employee or applicant for employment because of race, religion, color, sex, age, handicap or national origin, except when such condition is a bona fide occupational qualification reasonably necessary for the normal operations of the Bidder. The Bidder agrees to post in conspicuous places, visible to employees and applicants for employment, notices setting forth the provisions of this nondiscrimination clause.

B. The Bidder, in all solicitations or advertisements for employees placed by or on behalf of the Bidder, shall state that such Bidder is an Equal Opportunity Employer.

C. Notices, advertisements, and solicitations placed in accordance with federal law, rule, or regulation shall be deemed sufficient for the purpose of meeting the requirements of this section.

D. The Bidder shall include the provisions of the foregoing paragraphs A, B, and C, above, in every subcontract or purchase order so that the provisions will be binding upon each Bidder.

E. The Bidder and any sub-contractor shall pay all employees working on this contract not less than minimum wage specified in the Fair Labor Standards Act (29 CFR 510-794) as amended.

F. Any information concerning the School Board, its products, services, personnel, policies or any other aspect of its business learned by the Bidder or personnel furnished by the Bidder in the course of providing services pursuant to the Agreement, shall be held in confidence and shall not be disclosed by the Bidder or any employee or agents of the Bidder or personnel furnished by the Bidder, without the prior written consent of the School Board.

G. All employees assigned by the Bidder to the performance of work under this contract shall be physically able to do their assigned work. It shall be the Bidder's responsibility to ensure that all employees meet the physical standards to perform the work assigned and are free from communicable diseases. This requirement also includes acceptable hygiene habits of Bidder's employees.

H. The personnel employed by the Bidder shall be capable employees, age 18 years or above, qualified in this type of work.

I. It is the Bidder's responsibility to ensure that all employees are legally allowed to work in the United States in accordance with Immigration Policies.

J. The Bidder's employees shall be required to dress neatly, commensurate with the tasks being performed.

K. All School Board facilities are tobacco free. The School Board prohibits the use of tobacco in school buildings. Such prohibition also applies on school grounds, on school buses, and/or at any school-related event. Refer to Board Policies, 7434 - use of tobacco on school premises.

L. It is the Bidders responsibility to see that every employee on the Bidder's work force is provided and wears an Identification Badge or company shirt/uniform in order to maintain security at the school's facility. It shall be Bidder's responsibility to inform the School Board Representative(s) of all new employees promptly at time of employment. All visitors, including volunteers and Bidders, are to check in and out with the front office using the applicable software and must wear a badge indicating their visitor status. Refer to Board Policies, 9150 – School Visitors.

M. The Bidder shall require employees to be dressed in their appropriate work attire when reporting for duty.

N. The Bidder shall prohibit their employees from disturbing papers on desks, opening desk drawers or cabinets, or using telephone or office equipment provided for official use.

O. The Bidder shall require their employees to comply with the instructions pertaining to conduct and building regulations, issued by duly appointed officials, such as the building managers, guards, inspectors, etc.

P. The School Board's Representative(s) will determine how the Bidder will receive access to the facility.

Q. If keys are provided and lost, the Bidder will be responsible for any and all costs associated with replacement keys and re-keying of the facility.

R. When requested, the Bidder shall cooperate with any ongoing SCHOOL BOARD investigation involving economic loss or damage to SCHOOL BOARD buildings, or SCHOOL BOARD or personal property therein. The SCHOOL BOARD reserves the right to require any employee of the Bidder to submit to a polygraph test if the SCHOOL BOARD has a reasonable suspicion that the employee is or was involved in the incident or activity under investigation. The Bidder shall obtain a waiver from the employee authorizing the release to the SCHOOL BOARD of information acquired by the Bidder from the polygraph test. The SCHOOL BOARD, at its discretion, may require that the Bidder immediately remove the employee under investigation from working within SCHOOL BOARD buildings for the following reasons: 1) The employee's refusal to submit to a polygraph test in the above circumstances, or 2) an employee's refusal to sign the waiver referenced above or 3) an analysis of the polygraph test indicates that the employee is or was involved in the incident under investigation. If the test results show involvement on the part of the Bidder's employee, the Bidder will be obligated to cover the cost of the examination. If the test results indicate that the Bidder's employee was not involved in the incident, when the SCHOOL BOARD will pay for the cost of the examination.

S. CONTROLLED SUBSTANCE OR ALCOHOL ABUSE ON SCHOOL BOARD PROPERTY: The Bidder(s) is hereby notified that the unlawful manufacture, distribution, dispensation, possession or use of a controlled substance or alcohol is prohibited on any School Board property, or at any school board activities. Violations may subject the Bidder and/or the Bidder's employee(s) to prosecution, fines, imprisonment and/or cancellation of this or any other contract(s) that this Bidder presently holds. The Bidder(s) are required by this School Board to take appropriate disciplinary action in such cases and/or require that the employee(s) satisfactory participation in a rehabilitation program.

T. Any Bidder's employee convicted of violating a criminal drug statute in the workplace must report the conviction to the employer within five (5) workdays. Bidders (Employers) are required to report such convictions to the School Board within ten (10) workdays of receiving this information.

U. The School Board is committed to the education and safety of its students and employees. To that end, any Bidder awarded a contract will be required to assure that the personnel assigned to the project, do not possess criminal records that would violate the School Board's standards for employment as set forth by the Florida Department of Education. Each Bidder must certify that the company and its employees are or will be in compliance with those standards for the project awarded.

V. The Bidder shall strictly prohibit interaction between their employees and the student(s).

W. Bidder's employees may not solicit, distribute or sell products while on School Board property.

X. Friends, visitors or family members of the Bidder's employees are not permitted in the work area.

Y. The Bidder shall adhere to all of the School Board's security standards.

2.42 COMPLIANCE WITH THE JESSICA LUNSFORD ACT

Florida Statutes require that all persons or entities entering into contracts with the School Boards/School Districts/Charter Schools who may have personnel who will be on school grounds when students may be present, or who will have contact with students shall comply with the level 2 screening requirements of the Statute and School Board Standards. The required level 2 screening includes fingerprinting that must be conducted by the School Board's District and School Security Office. Any individual who fails to meet the screening requirements shall not be allowed on school grounds. Failure to comply with the screening requirements will be considered a material default of this contract/agreement.

2.43 CLAIM NOTICE

The Bidder shall immediately report in writing to the School Board's designated representative or agent any incident that might reasonably be expected to result in any claim under any of the coverage mentioned herein. The Bidder agrees to cooperate with the School Board in promptly releasing reasonable information periodically as to the disposition of any claims, including a resume' of claims experience relating to all Bidder operations at the School Board project site.

2.44 BANKRUPTCY / INSOLVENCY

At the time of bid submittal, Bidder shall not be in the process of or engaged in any type of proceedings in insolvency or bankruptcy, either voluntary or involuntary, or receivership proceedings. If the Bidder is awarded a contract for six (6) months or longer, and files for bankruptcy, insolvency or receivership, the School Board may, at its option, terminate and cancel said contract, in which event all rights hereunder shall immediately cease and terminate.

2.45 CONTRACT/BIDDER RELATIONSHIP

The School Board reserves the right to award one or more contracts to provide the required services as deemed to be in the best interest of the School Board.

Any awarded Bidder shall provide the services required herein strictly under a contractual relationship with the School Board and is not, nor shall be, construed to be an agent or employee of the School Board. As an independent Bidder the awarded Bidder shall pay any and all applicable taxes required by law; shall comply with all pertinent Federal, State, and local statutes including, but not limited to, the Fair Labor Standards Act, The Americans with Disabilities Act, the Federal Civil Rights Act, and any and all relevant employment laws. The Bidder shall be responsible for all income tax, FICA, and any other withholdings from its employees' or sub-Bidder's wages or salaries. Benefits for same shall be the responsibility of the Bidder including, but not limited to, health and life insurance, mandatory Social Security, retirement, liability/risk coverage, and workers' and unemployment compensation.

The independent Bidder shall hire, compensate, supervise, and terminate members of its work force; shall direct and control the manner in which work is performed including conditions under

which individuals will be assigned duties, how individuals will report, and the hours' individuals will perform.

The independent Bidder shall not be exclusively bound to the School Board and may provide professional services to other private and public entities as long as it is not in direct conflict and does not provide a conflict of interest with the services to be performed for the School Board.

The independent Bidder shall not be provided special space, facilities, or equipment by the School Board to perform any of the duties required by the contract nor shall the School Board pay for any business, travel, or training expenses or any other contract performance expenses not specifically set forth in the specifications.

2.46 BID BOND – N/A

2.47 PERFORMANCE BOND and PAYMENT BOND – N/A

2.48 FIDELITY BOND (Security related) [for security related services] – N/A

2.49 NEW MATERIAL

Unless otherwise provided for in this specification, the Bidder represents and warrants that the goods, materials, supplies, or components offered to the School Board under this Bid solicitation are new, not used or reconditioned, and are not of such age or so deteriorated as to impair their usefulness or safety and that the goods, materials, supplies, or components offered are current production models of the respective manufacturer. If the Bidder believes that furnishing used or reconditioned goods, materials, supplies, or components will be in the School Board's interest, the Bidder shall so notify the School Board Buyer in writing no later than ten (10) working days prior to the date set for opening of Bids. The notice shall include the reasons for the request and any benefits that may accrue to the School Board if the Buyer authorizes the bidding of used or reconditioned goods, materials, supplies, or components.

2.50 DAMAGES

Due to the nature of the services to be provided and the potential impact to the School Board for loss of fencing, the Bidder cannot disclaim consequential or inconsequential damages related to the performance of this contract. The Bidder shall be responsible and accountable for any and all damages, directly or indirectly, caused by the actions or inaction of its employees, staff, or sub-consultants. There are no limitations to this liability.

2.51 CONFLICT OF INTEREST FORM

All Bidders shall complete and have notarized the attached disclosure form of any potential conflict of interest that the Bidder may have due to ownership, other clients, contracts, or interest associated with this project.

2.52 LITIGATION

Bidders shall submit details of all litigation, arbitration or other claims, whether pending or resolved in the last five years, with the exception of immaterial claims which are defined herein as claims with a possible value of less than $25,000.00 or which have been resolved for less than $25,000.00. Notwithstanding the foregoing, all litigation, arbitration or other claims, of any amount, asserted by or against a state, city, county, town, School Board, political subdivision of a state, special district or any other governmental entity shall be disclosed. Please indicate for each case the year, name of parties, cause of litigation, matter in dispute, disputed amount, and whether the award was for or against the Bidder.

2.53 BID PROTESTS

Solicitation or contract award protests shall be resolved under procedures set forth in School Board policy 6320 and in conformity with the requirements of F.S. 120.57(3) and the Uniform Rules at F.A.C. Chapters 28-106 and -110.

2.53.1 DEFINITIONS

A. "Decision or intended decision" means:
   i. the contents of a solicitation, including addenda;
   ii. a determination that a specified procurement can be made only from a single source;
   iii. rejection of a response or all responses to a solicitation; or
   iv. intention to award a contract as indicated by a posted solicitation tabulation or other written notice.

B. “Filed” means that a document has been physically received and time/date stamped by the Procurement and Distribution Services department within the time required by this policy.

C. “Person” means an individual and includes company, corporation, partnership, limited partnership, joint venture or any other legally recognized business entity.

2.53.2 NOTICE OF DECISION OR INTENDED DECISION

The Director of Procurement and Distribution Services or designee shall post notice of a decision or intended decision by electronic posting. All such notices shall contain the following statement: “Failure to file a protest within the time prescribed in section 120.57(3), Florida Statutes, or failure to post a bond or other security required by law within the time allowed for filing a bond shall constitute a waiver of proceedings under Chapter 120, Florida Statutes.”

2.53.3 NOTICE OF PROTEST

Any person who is adversely affected by the agency decision or intended decision and intends to protest the decision or intended decision, shall file a notice of protest in writing with the Director of Procurement and Distribution Services within seventy-two (72) hours after the posting of the notice of decision or intended decision. With respect to a protest of the terms, conditions, and specifications contained in a solicitation, including any provisions governing the methods for ranking bids, proposals, or replies, awarding agreements, reserving rights of further negotiation, or modifying or amending any contract, the notice of protest shall be filed in writing within seventy-two (72) hours after the posting of the solicitation.

A. A notice of protest should not be filed before the seventy-two (72) hour period begins. The seventy-two (72) hour period begins upon posting of the Decision or Intended Decision.

B. The notice of protest must be actually received by the District's Procurement and Distribution Services department before the seventy-two (72) hour period expires. The seventy-two (72) hour period excludes Saturdays, Sundays, and holidays when the District administrative office is closed. The seventy-two (72) hour period is not extended by service of the notice of protest by mail. Failure to timely file a notice of protest shall constitute a waiver of proceedings under this section and F.S. 120.57(3).

C. The notice of protest shall identify the procurement by number and title or any other language that will clearly enable the District to identify it; and the person that intends to protest the decision.

2.53.4 FORMAL WRITTEN PROTEST

In addition to filing a notice of protest, a protesting person must file a formal written protest.

The formal written protest must be filed with the Director of Procurement and Distribution Services within ten (10) days after the date the notice of protest is filed. Failure to timely file the formal written protest shall constitute a waiver of proceedings under this Policy and F.S. 120.57(3). The ten (10) day period for filing the petition is not extended by service of the petition by mail.

A. The formal written protest shall be a petition that:
   i. states with particularity the facts and law upon which the protest is based;
   ii. contains all the information specified in Rule 28-106.201(2), FAC and Rule 28-106.301(2), FAC;
   iii. is substantially in the form of petition set forth in Rule 28-110.004(2), FAC, naming "The School Board of Brevard County, Florida" as the Respondent; and
   iv. should include a request for a hearing involving disputed issues of material fact; or, if the relevant facts are not in dispute, the petition should so allege and request a hearing not involving disputed issues of material fact.

B. Pursuant to Rule 28-110.004(1), FAC, if the formal written protest is filed in proper form within the seventy-two (72) hour period for filing a notice of protest, the formal written protest will also constitute the notice of protest, and all time limits applicable to a notice of protest are waived and the time limits relative to formal written protests shall apply.

2.53.5 PROTEST BOND

Any person who files an action protesting a decision or intended decision pertaining to a solicitation or contract award shall post with the Director of Procurement and Distribution Services, at the time of filing the formal written protest, a bond secured by an acceptable surety company in Florida, payable to “The School Board of Brevard County, Florida” in an amount of $25,000.00 or two percent (2%) of the estimated contract amount, whichever is greater, for projects valued over $500,000.00; and five percent (5%) of the estimated contract amount for all other projects.

A. The Director of Procurement and Distribution Services shall provide the estimated contract amount to the protester within seventy-two (72) hours (excluding Saturdays, Sundays, and holidays when the District administrative offices are closed) after the filing of the notice of protest. The estimated contract amount is not subject to protest under this Policy or F.S. 120.57(3). This information may be provided as part of the decision or intended decision documents. In lieu of a bond, the Director of Procurement and Distribution Services may accept a cashier's check, official bank check, or money order in the amount of the bond.

B. The bond shall be conditioned upon the payment of all costs and charges which may be adjudged against the protestor in the administrative hearing in which the action is brought and in any subsequent appellate court proceeding.

C. If, after completion of the administrative hearing process and any appellate court proceedings, the Board prevails, it shall be entitled to recover all costs and charges which are included in the final order or judgment, excluding attorney's fees. Upon payment of such costs and charges by the person protesting the decision or intended decision or contract award, the bond, cashier's check, official bank check, or money order shall be returned to the protestor. If, after the completion of the administrative hearing process and any appellate court proceedings, the protestor prevails, the protestor may recover from the Board the costs and charges which are included in the final order or judgment, excluding attorney's fees.

2.53.6 INFORMAL RESOLUTION MEETING

The Director of Procurement and Distribution Services shall provide an opportunity to resolve the protest by mutual agreement between the parties within seven (7) business days (excluding Saturdays, Sundays, and holidays when the District administrative offices are closed) of receipt of the formal written protest. All affected parties shall be notified of the notice of protest.

A. Hearing.
If the protest is not resolved by mutual agreement within seven (7) business days (excluding Saturdays, Sundays, and holidays when the District administrative offices are closed) after receipt of the formal written protest; and

i. if there is no disputed issue of material fact, an informal proceeding shall be conducted pursuant to F.S. 120.57(2) and applicable Board Policies, and may be conducted before an impartial hearing officer who is a member in good standing of The Florida Bar; or

ii. if there is a disputed issue of material fact, in accordance with F.S. 120.569, the protest shall be referred within fifteen (15) days after the Director of Procurement and Distribution Services receives the formal written protest to the Division of Administrative Hearings for a formal hearing under F.S. 120.57(1).

B. As stated in F.S. 120.57(3)(f), the burden of proof shall rest with the party protesting the proposed agency action.

C. In any bid-protest proceeding contesting an intended agency action to reject all bids, proposals, or replies, the standard of review shall be whether the Board's intended action is illegal, arbitrary, dishonest, or fraudulent.

D. In competitive-procurement protests other than those contesting an intended agency action to reject all bids, proposals, or replies, the hearing officer or administrative law judge will conduct a de novo proceeding to determine whether the Board's proposed action is contrary to the governing statutes, the Board's Policies, or the solicitation documents. The standard of proof for such proceedings shall be whether the proposed agency action was clearly erroneous, contrary to competition, arbitrary, or capricious.

2.53.7 STOPPING THE PROCUREMENT PROCESS

Upon receipt of the formal written protest that has been timely filed, the solicitation or contract award process shall be stopped until the subject of the protest is resolved by final agency action, unless the Superintendent sets forth in writing particular facts and circumstances which require the continuance of the solicitation or contract award process without delay in order to avoid an immediate and serious danger to the public health, safety, or welfare.

2.54 PREFERENCE TO FLORIDA BUSINESSES (Where applicable)

Effective July 1, 2012, when a School Board is required to make purchases of personal property through competitive solicitation and the lowest responsible and responsive bid, proposal or reply is by a Bidder whose principal place of business is in a state or political subdivision which grants a preference by that state or political subdivision, then the School Board shall award an equal preference to the lowest responsible and responsive Bidder having a principal place of business within Florida. In a competitive solicitation in which the lowest bid is submitted by a Bidder whose principal place of business is located outside the state, and that state does not grant a preference in competitive solicitation to Bidders having a principal place of business in that state, the preference to the lowest responsible and responsive Bidder having a principal place of business in the State of Florida shall be 5 percent. F.S. 287.084(1)(a).

A Bidder whose principal place is outside this state must accompany any written bid, proposal or reply documents with a written opinion of an attorney at law licensed to practice law in that foreign state, as to the preferences, if any or none, granted by the law of that state to its own business entities whose principal places of business are in that foreign state in the letting of any or all public contracts. F.S. 287.084(2).
Please complete the form titled “Bidder’s Statement of Principal Place of Business” and include it with your submittal.

2.55 DEFINITIONS

As used in this Bid, the following terms shall have the meanings set forth below:

Bidder: That person or entity, including employees, servants, partners, principals, agents and assignees of the person or entity that has submitted a bid for the purpose of obtaining business with the School Board to provide the product and/or services set forth herein.

Contract Administrator: The School Board's Director of Procurement & Distribution Services or designee shall serve as Contract Administrator. The Contract Administrator shall be responsible for addressing any concerns within the scope of the contract. Any changes to the resulting contract shall be done in writing and authorized by the School Board Chair or authorized designee.

Contract: The document resulting from this solicitation between the School Board and the Bidder, including this solicitation, along with any written addenda and other written documents, which are expressly incorporated by reference.

Bidder's Project Manager: The Project Manager has responsibility for administering this contract for the awarded Bidder(s) and will be designated prior to the issue of the resulting Price Agreement or Purchase Order.

Day: The word "day" means each calendar day or accumulation of calendar days.

Director: The Director is the Director of Procurement & Distribution Services for the School Board.

Exceptions to Bid: An exception is defined as the Bidder's inability or unwillingness to meet a term, condition, specification, or requirement in the manner specified in the bid.

Person or Persons: An individual, firm, partnership, corporation, association, executor, administrator, trustee, or other legal entity, whether singular or plural, masculine or feminine, as the context may require.

School Board: The word School Board refers to the elected officials of the School Board of Brevard County, Florida, its duly authorized representatives, and any school, department, or unit within the School Board.

School Board's Project Manager(s): The Project Manager(s) have responsibility for the day-to-day administration of the resulting contract for the School Board and will be designated prior to award of the resulting purchase order.

Using Agency: The term "using agency" used herein refers to any school, department, committee, authority, or another unit in the School Board using supplies or procuring contractual services as provided for in the Procurement Department of the School Board.

3.0 <u>SUBMITTAL REQUIREMENTS</u>
(Submit in the following order)

A. Completed Bidder's Acknowledgement and agreement of the Standard Terms and Conditions.
- I. Drug Free Workplace Certification
- II. Instruction for Debarment Certification
- III. Certification Regarding Debarment
- IV. Emergency/Storm Related Catastrophe Acknowledgement
- V. Notification Regarding Public Entity Crime and Discriminatory Vendor Lists
- VI. Prohibition Against Contracting with Scrutinized Companies
- VII. Conflict of Interest
- VIII. Confidential Materials Acknowledgement

B. Any addenda issued subsequent to the release of this solicitation must be signed and returned with the firm's bid. **Failure to return signed addenda may be cause for the bid to be considered non-responsive.**

C. Completed Exhibit A: Price Sheet

D. List at least three (3) recent references where the proposed product has been used within the past year. Use of the attached form will aid in evaluation.

E. Certified Business Program Reciprocity Affidavit – If Applicable.

F. Bidder's Statement of Principal Place of Business – If Applicable

G. All Bidders, including predecessors or related Bidder or entity, shall identify any litigation in which they have been involved in, including arbitration and administrative proceedings, during the past five (5) years involving claims for excess of ten (10) percent of the contact value. Include a brief legal description of the dispute and its current status. Where the action or lawsuit involved a similar project as herein discussed, Bidder shall describe the particular circumstances giving rise to the dispute.

H. Local Business Tax Receipts

I. Current Request for Taxpayer Identification Number and Certification (Form W-9).

J. Attach evidence of required insurance coverage or proof of insurability in the amounts indicated. If available, a properly completed ACORD Form is preferable. Upon award, final forms must contain the correct solicitation and/or project number and School Board contact person.

K. The Bidder must submit with his bid the name, address, and phone number of the person(s) to be contacted for the placement of an order and the coordination of service. A contact for both regular workhours and after-hours, weekends, and holidays must be identified.

L. If a Bidder must subcontract any portion of a contract for any reason, he must state the name and address of the subcontractor and the name of the person to be contacted. The School Board also reserves the right to reject a bid or any Bidder if the bid names a subcontractor who has previously failed to deliver on time contracts of similar nature, or who is not in a position to perform properly this award. The School Board reserves the right to inspect all facilities of any subcontractors in order to make a determination as to the foregoing.

M. Proof of contractor being properly licensed to perform Fencing work in Brevard County.

BOARD APPROVED 6/8/2021

SCHOOL BOARD OF BREVARD COUNTY, FLORIDA
BOARD AGENDA ITEM – June 8, 2021

PROCUREMENT SOLICITATION **ITB 21-452-B-JW Fencing Contracting Services**

☒ **(ITB)** Invitation To Bid	☐ **(ITN)** Invitation To Negotiate	☐ **(PB)** Piggyback
☐ **(RFP)** Request For Proposal	☐ **(RFQ)** Request For Qualifications	☐ **(SC)** State Contract
☐ **(SS)** Sole Source		

REQUESTOR: Plant Operations and Maintenance **Legal Review Required:** ☐ **Yes** ☒ **No**
Standard Template Used with No Changes: ☒ **Yes** ☐ **No**
Standard Template Type: **Invitation to Bid**

VENDOR NAME	AMOUNT AWARDED	REQUIRED PRODUCTS/SERVICES
All-Rite Fence Services, Inc. CHAPCO FENCE, LLC East Coast Fence and Guardrail of Brevard, LLC Secure Fence and Rail, Inc.	Variable	Fencing Contracting Services
Total	Variable	

☐ **Contract Renewal**	**New Contract Amount**	**Variable**
☐ **Recurring Contract**	**Previous Contract Amount**	**$300,000.00**
☒ **New Contract**	**Variance**	**Variable**

PRICE INCREASE / DECREASE EXPLANATION: The amount of the contract is changed to variable because the District has significantly increased the amount of fencing that needs to be maintained.

DISCUSSION:
The Maintenance Department does not have the resources or specialized equipment to repair school security fencing. The use of a fencing specialty contractor is important to ensure that all school and ancillary sites are secure and safe.

The standard Invitation to Bid template has been used, which does not require legal review.

CONTRACT TERM:
The initial contract term shall commence June 9, 2021 and continue until June 8, 2024 with one (1) optional two (2) year renewal period.

RECOMMENDATION:
It is the recommendation of Susan Hann, P.E., Assistant Superintendent of Facilities Services and James Ross, Director of Plant Operations and Maintenance to approve the Fencing Contracting Services ITB to the above vendors in a variable amount.

AUTHORITY FOR ACTION:
Florida Administrative Code 6A-1.012 (9)

School Board of Brevard County
2700 Judge Fran Jamieson Way
Viera, FL 32940-6601
Mark W. Mullins, Ed.D., Superintendent

Brevard Public Schools

May 13, 2021

NOTICE OF INTENDED DECISION
ITB # 21-452-B-JW
Fencing Contracting Services

The Office of Procurement hereby notifies all firms of an intended decision regarding the award of the above-mentioned solicitation as outlined attached.

Failure to file a protest within the time prescribed in section 120.57(3), Florida Statutes, or failure to post the bond or other security required by law within the time allowed for filing a bond shall constitute a waiver of proceedings under chapter 120, Florida Statutes.

Please contact Jennifer Wells, Buyer I at 321-633-1000 ext. 11106 or by email at wells.jennifer@brevardschools.org if you should have any questions. Thank you for your continued interest in The School Board of Brevard County, Florida.

Sincerely,

Kristine Rodriguez, MBA, NIGP-CPP, CPPO, CPPB
Director of Procurement and Distribution Services

TABSHEET ITB # 21-452-B-JW Fencing Contracting Services May 11, 2021 at 2:00 PM Opened By: Jennifer Wells, Buyer I Witnessed By: This is the tabsheet showing award recommendation pending Board Approval June 8, 2021 Date Solicited: April 15, 2021 Date Opened: May 11, 2021 # Solicitated 820 # MWBE 1 # Planholders 16 # Submittals 4		All-Rite Fence Services, Inc. 5115 Old Winter Garden Rd. Orlando, FL 32811 David Glidewell 407-295-7093 407-292-8550 all-rite@allritefence.com	CHAPCO FENCE, LLC 4417 13th Street # 513 St. Cloud, FL 34769 Jason Junnila 407-892-6447 407-892-9765 chapcofence@aol.com	East Coast Fence and Guardrail of Brevard LLC 651 Pam Lem Street Cocoa, FL 32923 Don Miller 321-504-3666 321-504-3777 volsmiller@bellsouth.net	Secure Fence and Rail, Inc. 2300 Columbia Blvd. Titusville, FL 32780 Jay Smythe 321-614-1116 jays@securefenceandrail.com
Completed Bidder's Acknowledgement		Yes	Yes	Yes	Yes
FL Dept. of State Division of Corporations Number		P05000154913	L05000018513	P999000083099	L13000118712
Litigations/Bankruptcy		No	No	No	No
Confidential Materials Enclosed		N/A	N/A	N/A	N/A
Addenda (if applicable)		N/A	N/A	N/A	N/A
References Form		Yes	Yes	Yes	Yes
Local Business Tax Receipts		Yes	Yes	Yes	Yes
Current W-9		Yes	Yes	Yes	Yes
Proof of Insurance		Yes	Yes	Yes	Yes
Certified Business Program Reciprocity Affidavit (if applicable)		N/A	N/A	N/A	N/A
Bidder's Statement of Principal Place of Business (if applicable)		Orange County / Florida	Osceola County / Florida	Brevard County / Florida	Brevard County / Florida
Financials (if applicable)		N/A	N/A	N/A	N/A
Subcontractor Information (If applicable)		N/A	N/A	N/A	N/A
Licenses/Certifications (if applicable)		Yes	Yes	Yes	Yes
ITEM NO.	**DESCRIPTION**				
	Hourly Rates				
1.	Foreman	$50.00	$50.00	$45.00	$50.00
2.	Journeyman	$40.00	$35.00	$35.00	$40.00
3.	Helper	$35.00	$35.00	$35.00	$35.00
4.	Project Manager	$50.00	$50.00	$45.00	$50.00
5.	Estimator	$50.00	$50.00	$45.00	$50.00
6.	Labor Burden	40.00%	30.00%	24.00%	40.00%
	Billable Rates - Fully Burdened				
7.	Foreman	$70.00	$65.00	$55.80	$70.00
8.	Journeyman	$56.00	$45.50	$43.40	$56.00
9.	Helper	$49.00	$45.50	$43.40	$49.00
10.	Project Manager	$70.00	$65.00	$55.80	$70.00
11.	Estimator	$70.00	$65.00	$55.80	$70.00
	Not to Exceed 15%				
12	Material Markup	15.00%	15.00%	15.00%	15.00%
13	Subcontractor Markup	15.00%	15.00%	15.00%	15.00%
14	Equipment Rental Markup	15.00%	15.00%	15.00%	15.00%

Recommended Award Key: Columns highlighted in yellow identify the recommended award.
All other bidders did not meet the definition of responsive and responsible for this bid as outlined in Section 2.10

CONTRACTOR E-VERIFY AFFIDAVIT

I hereby certify that East Coast Fence [insert contractor company name] does not employ, contract with, or subcontract with an unauthorized alien, and is otherwise in full compliance with, section 448.095, Florida Statutes.

All employees hired on or after January 1, 2021 have had their work authorization status verified through the E-Verify system.

A true and correct copy of East Coast Fence [insert contractor company name] proof of registration in the E-Verify system is attached to this Affidavit.

Beverly Catechis

Print Name: Beverly Catechis

Date: 08-24-21

STATE OF FLORIDA

COUNTY OF Brevard

The foregoing instrument was acknowledged before me by means of ☑ physical presence or ☐ online notarization, this 8-24-21 (date) by Beverly Catechis (name of officer or agent, title of officer or agent) of East Coast Fence (name of corporation acknowledging), a Florida (state or place of incorporation) corporation, on behalf of the corporation. He/she is personally known to me or has produced _____ (type of identification) as identification.

Jim S. Valle

[Notary Seal] Notary Public

Jim S. Valle

Name typed, printed or stamped

Notary Public State of Florida
Jim S Valle
My Commission GG 214875
Expires 05/06/2022

My Commission Expires: 05-06-2022

CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY): 02/24/2021

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER	CONTACT NAME: CLIENT CONTACT CENTER	
FEDERATED MUTUAL INSURANCE COMPANY HOME OFFICE: P.O. BOX 328 OWATONNA, MN 55060	PHONE (A/C, No, Ext): 888-333-4949	FAX (A/C, No): 507-446-4664
	E-MAIL ADDRESS: CLIENTCONTACTCENTER@FEDINS.COM	

INSURER(S) AFFORDING COVERAGE	NAIC #
INSURER A: FEDERATED MUTUAL INSURANCE COMPANY	13935
INSURER B:	
INSURER C:	
INSURER D:	
INSURER E:	
INSURER F:	

INSURED 175-189-0
EAST COAST FENCE & GUARDRAIL OF BREVARD, INC.
PO BOX 573
COCOA, FL 32923-0573

COVERAGES **CERTIFICATE NUMBER: 213** **REVISION NUMBER: 0**

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSR	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS	
A	[X] COMMERCIAL GENERAL LIABILITY [ ] CLAIMS-MADE [X] OCCUR GEN'L AGGREGATE LIMIT APPLIES PER: [ ] POLICY [X] PRO-JECT [ ] LOC [ ] OTHER:	Y	Y	6097387	04/11/2021	04/11/2022	EACH OCCURRENCE DAMAGE TO RENTED PREMISES (Ea occurrence) MED EXP (Any one person) PERSONAL & ADV INJURY GENERAL AGGREGATE PRODUCTS - COMP/OP AGG	$1,000,000 $100,000 EXCLUDED $1,000,000 $2,000,000 $2,000,000
A	AUTOMOBILE LIABILITY [X] ANY AUTO [ ] OWNED AUTOS ONLY [ ] SCHEDULED AUTOS [ ] HIRED AUTOS ONLY [ ] NON-OWNED AUTOS ONLY	Y	N	6097387	04/11/2021	04/11/2022	COMBINED SINGLE LIMIT (Ea accident) BODILY INJURY (Per person) BODILY INJURY (Per accident) PROPERTY DAMAGE (Per accident)	$1,000,000
A	[X] UMBRELLA LIAB [X] OCCUR [ ] EXCESS LIAB [ ] CLAIMS-MADE [ ] DED [ ] RETENTION	Y	N	6097388	04/11/2021	04/11/2022	EACH OCCURRENCE AGGREGATE	$2,000,000 $2,000,000
	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY Y / N ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? [ ] N / A (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below						[ ] PER STATUTE [ ] OTH-ER E.L. EACH ACCIDENT E.L. DISEASE - EA EMPLOYEE E.L DISEASE - POLICY LIMIT	

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)
SEE ATTACHED PAGE

CERTIFICATE HOLDER

175-189-0 213 0
CITY OF COCOA
65 STONE ST
COCOA, FL 32922-7982

CANCELLATION

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE

Michael G Kerr

© 1988-2015 ACORD CORPORATION. All rights reserved.

AGENCY CUSTOMER ID: 175-189-0
LOC #:

ADDITIONAL REMARKS SCHEDULE

AGENCY FEDERATED MUTUAL INSURANCE COMPANY	NAMED INSURED EAST COAST FENCE & GUARDRAIL OF BREVARD, INC. PO BOX 573 COCOA, FL 32923-0573
POLICY NUMBER SEE CERTIFICATE # 213.0	
CARRIER SEE CERTIFICATE # 213.0 — NAIC CODE	EFFECTIVE DATE: SEE CERTIFICATE # 213.0

ADDITIONAL REMARKS

THIS ADDITIONAL REMARKS FORM IS A SCHEDULE TO ACORD FORM,

FORM NUMBER: 25 **FORM TITLE:** CERTIFICATE OF LIABILITY INSURANCE

THE CERTIFICATE HOLDER IS AN ADDITIONAL INSURED SUBJECT TO THE CONDITIONS OF THE ADDITIONAL INSURED - OWNERS, LESSEES OR CONTRACTORS - AUTOMATIC STATUS WHEN REQUIRED IN CONSTRUCTION AGREEMENT WITH YOU ENDORSEMENT FOR GENERAL LIABILITY.
GENERAL LIABILITY COVERAGE CONTAINS CG 25 03 DESIGNATED CONSTRUCTION GENERAL AGGREGATE LIMIT ENDORSEMENT APPLICABLE TO EACH CONSTRUCTION PROJECT AS REQUIRED BY WRITTEN CONTRACT OR WRITTEN AGREEMENT.
GENERAL LIABILITY CONTAINS A WAIVER OF SUBROGATION IN FAVOR OF THE CERTIFICATE HOLDER SUBJECT TO THE CONDITIONS OF THE BLANKET WAIVER OF TRANSFER OF RIGHTS OF RECOVERY ENDORSEMENT.
THE CERTIFICATE HOLDER IS AN ADDITIONAL INSURED SUBJECT TO THE CONDITIONS OF THE ADDITIONAL INSURED BY CONTRACT ENDORSEMENT FOR BUSINESS AUTO LIABILITY.
COMMERCIAL UMBRELLA FOLLOWS FORM ACCORDING TO THE TERMS, CONDITIONS, AND ENDORSEMENTS FOUND IN THE COMMERCIAL UMBRELLA POLICY.

© 2008 ACORD CORPORATION. All rights reserved.

The ACORD name and logo are registered marks of ACORD

THIS ENDORSEMENT CHANGES THE POLICY. PLEASE READ IT CAREFULLY.

ADDITIONAL INSURED BY CONTRACT ENDORSEMENT

This endorsement modifies insurance provided under the following:

BUSINESS AUTO COVERAGE PART

With respect to coverage provided by this endorsement, the provisions of the Coverage Form apply unless modified by the endorsement.

A. WHO IS AN INSURED for "bodily injury" and "property damage" liability is amended to include:
Any person or organization other than a joint venture, for which you have agreed by written contract to procure bodily injury or property damage "auto" liability insurance arising out of operation of a covered "auto" with your permission. However, this additional insurance does not apply to:
(1) The owner or anyone else from whom you hire or borrow a covered "auto". This exception does not apply if the covered "auto" is a "trailer" connected to a covered "auto" you own.
(2) Your "employee" if the covered "auto" is owned by that "employee" or a member of his or her household.
(3) Someone using a covered "auto" while he or she is working in a business of selling, servicing, repairing, parking or storing "autos" unless that business is yours.
(4) Anyone other than your "employees", partners (if you are a partnership), members (if you are a limited liability company), or a lessee or borrower or any of their "employees", while moving property to or from a covered "auto".
(5) A partner (if you are a partnership), or a member (if you are a limited liability company) for a covered "auto" owned by him or her or a member of his or her household.

B. The coverage extended to any additional insured by this endorsement is limited to, and subject to all terms, conditions, and exclusions of the Coverage Part to which this endorsement is attached.

In addition, coverage shall not exceed the terms and conditions that are required by the terms of the written agreement to add any insured, or to procure insurance.

C. The limits of insurance applicable to such insurance shall be the lesser of the limits required by the agreement between the parties, or the limits provided by this policy.

D. Additional exclusions. The insurance afforded to any person or organization as an insured under this endorsement does not apply:
1. To "loss" which occurs prior to the date of your contract with such person or organization;
2. To "loss" arising out of the sole negligence of any person or organization that would not be an insured except for this endorsement.
3. To "loss" for any leased or rented "auto" when the lessor or his or her agent takes possession of the leased or rented "auto" or the policy period ends, whichever occurs first.

Includes copyrighted material of Insurance Services Office, Inc. with its permission.

THIS ENDORSEMENT CHANGES THE POLICY. PLEASE READ IT CAREFULLY.

ADDITIONAL INSURED - OWNERS, LESSEES OR CONTRACTORS - AUTOMATIC STATUS WHEN REQUIRED IN CONSTRUCTION AGREEMENT WITH YOU

This endorsement modifies insurance provided under the following:

COMMERCIAL GENERAL LIABILITY COVERAGE PART

A. **Section II - Who Is An Insured** is amended to include as an additional insured any person or organization for whom you are performing operations when you and such person or organization have agreed in writing in a contract or agreement that such person or organization be added as an additional insured on your policy. Such person or organization is an additional insured only with respect to liability for "bodily injury", "property damage" or "personal and advertising injury" caused, in whole or in part, by:

1. Your acts or omissions; or

2. The acts or omissions of those acting on your behalf;

in the performance of your ongoing operations for the additional insured.

However, the insurance afforded to such additional insured:

1. Only applies to the extent permitted by law; and

2. Will not be broader than that which you are required by the contract or agreement to provide for such additional insured.

A person's or organization's status as an additional insured under this endorsement ends when your operations for that additional insured are completed.

B. With respect to the insurance afforded to these additional insureds, the following additional exclusions apply:

This insurance does not apply to:

1. "Bodily injury", "property damage" or "personal and advertising injury" arising out of the rendering of, or the failure to render, any professional architectural, engineering or surveying services, including:

a. The preparing, approving, or failing to prepare or approve, maps, shop drawings, opinions, reports, surveys, field orders, change orders or drawings and specifications; or

b. Supervisory, inspection, architectural or engineering activities.

This exclusion applies even if the claims against any insured allege negligence or other wrongdoing in the supervision, hiring, employment, training or monitoring of others by that insured, if the "occurrence" which caused the "bodily injury" or "property damage", or the offense which caused the "personal and advertising injury", involved the rendering of or the failure to render any professional architectural, engineering or surveying services.

© Insurance Services Office, Inc., 2012

2. ″Bodily injury″ or ″property damage″ occurring after:

a. All work, including materials, parts or equipment furnished in connection with such work, on the project (other than service, maintenance or repairs) to be performed by or on behalf of the additional insured(s) at the location of the covered operations has been completed; or

b. That portion of ″your work″ out of which the injury or damage arises has been put to its intended use by any person or organization other than another contractor or subcontractor engaged in performing operations for a principal as a part of the same project.

C. With respect to the insurance afforded to these additional insureds, the following is added to **Section III - Limits Of Insurance:**

The most we will pay on behalf of the additional insured is the amount of insurance:

1. Required by the contract or agreement you have entered into with the additional insured; or

2. Available under the applicable Limits of Insurance shown in the Declarations;

whichever is less.

This endorsement shall not increase the applicable Limits of Insurance shown in the Declarations.

© Insurance Services Office, Inc., 2012

THIS ENDORSEMENT CHANGES THE POLICY. PLEASE READ IT CAREFULLY.

DESIGNATED CONSTRUCTION PROJECT(S) GENERAL AGGREGATE LIMIT

This endorsement modifies insurance provided under the following:

COMMERCIAL GENERAL LIABILITY COVERAGE PART

SCHEDULE

Designated Construction Project(s):
Each construction project as required by written contract or written agreement.
Information required to complete this Schedule, if not shown above, will be shown in the Declarations.

A. For all sums which the insured becomes legally obligated to pay as damages caused by "occurrences" under Section **I** - Coverage **A,** and for all medical expenses caused by accidents under Section **I** - Coverage **C,** which can be attributed only to ongoing operations at a single designated construction project shown in the Schedule above:

1. A separate Designated Construction Project General Aggregate Limit applies to each designated construction project, and that limit is equal to the amount of the General Aggregate Limit shown in the Declarations.

2. The Designated Construction Project General Aggregate Limit is the most we will pay for the sum of all damages under Coverage **A,** except damages because of "bodily injury" or "property damage" included in the "products-completed operations hazard", and for medical expenses under Coverage **C** regardless of the number of:

a. Insureds;

b. Claims made or "suits" brought; or

c. Persons or organizations making claims or bringing "suits".

3. Any payments made under Coverage **A** for damages or under Coverage **C** for medical expenses shall reduce the Designated Construction Project General Aggregate Limit for that designated construction project. Such payments shall not reduce the General Aggregate Limit shown in the Declarations nor shall they reduce any other Designated Construction Project General Aggregate Limit for any other designated construction project shown in the Schedule above.

4. The limits shown in the Declarations for Each Occurrence, Damage To Premises Rented To You and Medical Expense continue to apply. However, instead of being subject to the General Aggregate Limit shown in the Declarations, such limits will be subject to the applicable Designated Construction Project General Aggregate Limit.

© Insurance Services Office, Inc., 2008

B. For all sums which the insured becomes legally obligated to pay as damages caused by "occurrences" under Section **I** - Coverage **A,** and for all medical expenses caused by accidents under Section **I** - Coverage **C,** which cannot be attributed only to ongoing operations at a single designated construction project shown in the Schedule above:

1. Any payments made under Coverage **A** for damages or under Coverage **C** for medical expenses shall reduce the amount available under the General Aggregate Limit or the Products-completed Operations Aggregate Limit, whichever is applicable; and

2. Such payments shall not reduce any Designated Construction Project General Aggregate Limit.

C. When coverage for liability arising out of the "products-completed operations hazard" is provided, any payments for damages because of "bodily injury" or "property damage" included in the "products-completed operations hazard" will reduce the Products-completed Operations Aggregate Limit, and not reduce the General Aggregate Limit nor the Designated Construction Project General Aggregate Limit.

D. If the applicable designated construction project has been abandoned, delayed, or abandoned and then restarted, or if the authorized contracting parties deviate from plans, blueprints, designs, specifications or timetables, the project will still be deemed to be the same construction project.

E. The provisions of Section **III** - Limits Of Insurance not otherwise modified by this endorsement shall continue to apply as stipulated.

© Insurance Services Office, Inc., 2008

FEDERATED INSURANCE COMPANIES

THIS ENDORSEMENT CHANGES THE POLICY. PLEASE READ IT CAREFULLY.

BLANKET WAIVER OF TRANSFER OF RIGHTS OF RECOVERY AGAINST OTHERS TO US

This endorsement modifies insurance provided under the following:

COMMERCIAL GENERAL LIABILITY COVERAGE PART
PRODUCTS/COMPLETED OPERATIONS LIABILITY COVERAGE PART

The following is added to Paragraph **8. Transfer Of Rights Of Recovery Against Others To Us** of **Section IV - Conditions:**

We waive any right of recovery we may have against any person or organization because of payments we make for injury or damage arising out of your ongoing operations or "your work" done under a contract with that person or organization and included in the "products-completed operations hazard", except when the payments result from the sole negligence of that person or organization. We waive this right only when you are required to do so by written contract or agreement with that person or organization, executed by you prior to the occurrence of any loss.

Includes copyrighted material of Insurance Services Office, Inc. with its permission.

Legislation Details (With Text)

File #:	21-739	**Version:**	1	**Name:**	
Type:	Contract			**Status:**	Multi-Year Contract
File created:	11/4/2021			**In control:**	City Council
On agenda:	12/14/2021			**Final action:**	

Title: Approve Bid No. 21-25-COC, Dyal Water Treatment Plant - Electrical Contractor Services to CE Power Solutions, Tampa, Florida, and Archis, Inc. dba Archis Technologies, Winter Garden, Florida, for Continuous Electrical Services and On-Call Electrical Services; To Approve a Three-Year Contract from FY22 through FY25, with Two (2), One (1) Year Renewals; To Authorize the City Manager to Execute the Contract and Future Renewals, Purchase Orders, Change Orders and Amendments to the Contract; Pending Approval of Subsequent Fiscal Years' Budgets. (Utilities Director)

Sponsors:

Indexes:

Code sections:

Attachments:
Revised Scoring Tab Sheet Q 21-25-COC Electrical Contr. Srvc.pdf
SIGNED Notification of Intent to Award - Archis.pdf
Archis-FULL SUBMISSION.pdf
E-Verify.pdf
Archis COI Cocoa 2021-2022.pdf
SIGNED Notification of Intent to Award - CE Power.pdf
CE Power Bid Submittal.pdf
CE Power - E-Verify.pdf
CE Power Solutions COI exp. 5.31.2022.pdf

Date	Ver.	Action By	Action	Result

CITY COUNCIL AGENDA ITEM

Memo Date: November 4, 2021
Agenda Date: December 14, 2021
Prepared By: Sean B. McFarland, Water Treatment Manager
Through: John A. Walsh, P.E., Utilities Director
Requested Action:
To Approve Bid No. 21-25-COC, Dyal Water Treatment Plant - Electrical Contractor Services to CE Power Solutions, Tampa, Florida, and Archis, Inc. dba Archis Technologies, Winter Garden, Florida, for Continuous Electrical Services and On-Call Electrical Services; To Approve a Three-Year Contract from FY22 through FY25, with Two (2), One (1) Year Renewals; To Authorize the City Manager to Execute the Contract and Future Renewals, Purchase Orders, Change Orders and Amendments to the Contract; Pending Approval of Subsequent Fiscal Years' Budgets

BACKGROUND:

The Dyal WTP staff operates and maintains the City of Cocoa's water utility treatment plants. The

Dyal plant operates and maintains large and small electric motors, switchgear, Variable Frequency Drives (VFDs), electrical wiring, and other electrical apparatuses that are integral to the potable water treatment processes. To streamline the purchasing process for electrical maintenance support that is beyond the capabilities of staff, i.e., high voltage and/or data cable installation, a Request for Qualifications (RFQ) was developed for the purpose of selecting contractors that are prequalified by City staff under a Continuing Services Agreement (CSA).

Bids for the subject offering were opened at 3:00 p.m. on July 30, 2021. Purchasing published 3,058 invitations and notifications to bid, zero supplemental suppliers and received four responses from 43 plan holders for this bid.

The respondents for this RFQ are as follows:

1. Sanford Electric Company II, Inc. - Not Chosen
2. Archis, Inc. - Chosen
3. CE Power Solutions - Chosen
4. Tri-Phase Development - Disqualified

Staff recommends the approval of a three (3) year contract with two (2), one (1) year renewals for the selected contractors, CE Power Solutions and Archis, Inc. The anticipated total annual budget for these services is $70,000 based on average annual expenses. This annual budget may be adjusted depending on identified need.

STRATEGIC PLAN CONNECTION:

N/A

BUDGETARY IMPACT:

Budgeted	Yes
If not budgeted, is amendment/transfer attached?	N/A
Amount Requested	$70,000
Account Number	421-4020-536.34-00
Account Name	Contract Services
Source of Funds:	Operating Revenue

PREVIOUS ACTION:

N/A

RECOMMENDED MOTION:

To Approve Bid No. 21-25-COC, Dyal Water Treatment Plant - Electrical Contractor Services to CE Power Solutions, Tampa, Florida, and Archis, Inc. dba Archis Technologies, Winter Garden, Florida, for Continuous Electrical Services and On-Call Electrical Services; To Approve a Three-Year Contract

from FY22 through FY25, with Two (2), One (1) Year Renewals; To Authorize the City Manager to Execute the Contract and Future Renewals, Purchase Orders, Change Orders and Amendments to the Contract; Pending Approval of Subsequent Fiscal Years' Budgets.

Scoring Tabulation Spreadsheet
RFQ 21-25 COC Revised Electrical Contractor Services
9/3/2021

	Archis Inc						CE Power						Sanford Electric					
	Frank P.	Weight %	Chris C.	Weight %	Joe G.	Weight %	Frank P.	Weight %	Chris C.	Weight %	Joe G.	Weight %	Frank P.	Weight %	Chris C.	Weight %	Joe G.	Weight %
QUALIFICATIONS & EXPERIENCE - 45 points (Weight 45%)	38	17.1	34	15.3	32	14.4	37	16.65	45	20.25	44	19.8	33	14.85	32	14.4	31	13.95
Service (0-10)																		
Vendor Reputation (0-5)																		
Relevant Experiences of this project size and scope (0-10)																		
Ability/Capacity to Produce Services in a timely manner (0-10)																		
TEAM EXPERIENCE - 15 points (Weight 15%)	13	1.95	9	1.35	12	1.8	14	2.1	15	2.25	14	2.1	13	1.95	9	1.35	11	1.65
QUALITY OF RESPONSES - 30 points (Weight 30%)	29	8.7	24	7.2	25	7.5	28	8.4	30	9	28	8.4	28	8.4	12	3.6	27	8.1
TECHNICAL RESPONSES - 10 points (Weight 10%)	9	0.9	8	0.8	6	0.6	8	0.8	10	1	9	0.9	9	0.9	5	0.5	6	0.6
Functionality and Featurs (0-5)																		
Delivery Performances (0-5)																		
Total	**89**	**28.65**	**75**	**24.65**	**75**	**24.3**	**87**	**27.95**	**100**	**32.5**	**95**	**31.2**	**83**	**26.1**	**58**	**19.85**	**75**	**24.3**

Grand Total of Weighted Points :	**77.6**

Grand Total of Weighted Points :	**91.65**

Grand Total of Weighted Points :	**70.25**

Finance Department
Purchasing &
Contracts Division
65 Stone Street I Cocoa, FL 32922
Phone: (321) 433-8833 Fax: (321) 433-8860

NOTIFICATION OF INTENT TO AWARD

Disclaimer: This Notice of Intent to Award is subject to a final award decision by the City Council or the City Manager (as applicable) and execution of a written contract with the City. This Notice does NOT constitute the formation of a contract between the City of Cocoa and the apparent successful vendor referenced in the Notice. The vendor shall not acquire any legal or equitable rights relative to the contract services until a contract containing terms and conditions acceptable to the City of Cocoa is executed. If the City Council or City Manager (as applicable) awards the contract to the apparent successful vendor, and the vendor fails to negotiate and execute a contract with the City of Cocoa, the City of Cocoa may revoke the award and award the contract to the next highest ranked vendor or withdraw the Bid. The City of Cocoa further reserves the right at its discretion to reject this Notice and award the contract to another vendor or reject all bids without penalty.


Department: Utilities	Division: Dyal Water Treatment Plant
Bid / RFP / RFQ #: RFQ # 21-25-COC Dyal Water Treatment Plant – Electrical Contractor Services	Project #
Awarded To: Archis, Inc. d/b/a/ Archis Technologies	Scope of Work or Services: To provide continuous electrical services for the Dyal Water Treatment Plant, to provide on-call services as needed.
Address / City / State / Zip: 350 E. Crown Point Rd., Suite 1100, Winter Garden FL 34787	Phone / Fax #'s: PH: 800-324-2557 / FAX: 888-324-4364
Purchase / Contract Amount: Services will be requested on an as-needed basis.	Date of Award Notification: October 7, 2021
Title / Position (Print) Lildharry Jiawan / President	Signature

Please complete the information required above.

Return the Notification of Intent to Award to Purchasing & Contracts Division when completed

REQUEST FOR QUALIFICATIONS

City of Cocoa
21-25-COC
Dyal Water Treatment Plant – Electrical Contractor Services
July 30, 2021 3:00 PM EST



ARCHIS

Submitted By:
Archis Inc. d/b/a Archis Technologies

Contact:
Jessica Serra McNamara
407.439.1594
350 E. Crown Point Rd, Suite 1100,
Winter Garden, FL 34787.
ops@archistech.com

Submitted To:
City of Cocoa Purchasing & Contracts Division 65 Stone Street, 3rd Floor Cocoa, Florida 32922.

"ONE SOURCE FOR YOUR TECHNOLOGY SOLUTIONS"

Table of Contents ..... **Page**

A. Firm Qualification and Experience **3**

- Letter of Transmittal 4 5
- Individuals and Qualifications 6-7
- Litigation Statement 8
- Financial Information 9

B. Similar Projects/References **10**

- References Form 11

C. Project Approach **12-14**

D. RFQ Solicitation Response Required Forms **15**

- Insurance Certificate 16-18
- Conflict of Interest 19-20
- Non-Collusion/Lobbying Certification 21
- Drug Free Workplace Certification 22-23
- Price Proposal and Acceptance of RFQ Terms and Conditions 24-25
- Addenda Acknowledgement 26
- Organizational Information 27
- Propose Schedule for Sub-Contractors Participation 28
- Scrutinized Companies Certification 29
- References 30
- Federal Non-Collusion/Lobbying Certification 31
- Certification Regarding Debarment, suspension, and other matters 32
- Grant Conditions and Federal Provisions acknowledgement of terms and conditions and grant clauses 33
- E- Verify Contractor Affidavit 34
- Checklist for Anticipated Services 35-37
- Local Business Tax Receipt 38-41
- Professional licenses 42-43
- Proof of Licenses/certification 44-45
- W-9 Form 46

F. Additional Information **47**

- Resumes 48-55
- Proof of Bonding 56

Firm Qualification and Experience

July 30, 2021

City of Cocoa
Finance Department
Purchasing and Contracts Division
65 Stone Street, Cocoa, FL 32922.

RE: RFQ-21-25-COC – Dyal Water Treatment Plant – Electrical Contractor Services

To whom it may concern

Archis Inc. d/b/a Archis Technologies respectfully submits this response to the above-referenced Request for Qualifications. Enclosed with this submission is the requested documentation as outlined in the RFQ solicitation.

Specializing in diversified technology services, Archis is a **Master Systems Integrator** that offers consulting, planning, design, installation, configuration, management, and maintenance of Technology Systems and Solutions. We focus on

- Information Technology
- Managed Services Provider (MSP)
- **Network Infrastructure / Low Voltage Cabling**
- **Wireless | Wi-Fi**
- **Security Solutions: Video Surveillance and Access Control**
- **Public Safety Solutions (EMR)**
- Cyber Security Solutions
- Distributed Antenna Systems
- **Business Phone Systems**
- Business Intelligence
- **Construction Management**
- **Program and Project Management**

As a Master Systems Integrator – FL General Contractor and FL Electrical / Specialty Electrical Contractor (CGC1525876, EC 13009453, ES12001447) – *we have **extensive experience with local government agencies ranging from construction and program management, low voltage and wireless systems including design and development, installation, and maintenance, equipment supply, and asset management.*** Archis has in-depth experience working within public and private sectors providing similar services highlighted above and awarded multiple contracts as a Prime contractor to agencies including *Greater Orlando Aviation Authority (GOAA), Orange County Public Schools (OCPS), School District of Osceola County (SDOC), Monroe County School District (MCSD),* and various private entities such as *Walt Disney World, Amway Center, Orlando's MLS Stadium, Daytona International Speedway, and American Airlines Arena.*

Archis (MBE/LDB/DBE) is *a certified Minority-owned firm headquartered in Orange County, Florida*. Our team brings a wealth of knowledge and experience focused on Information Technology, **Structured Cabling, and Construction Management** that will allow us to competently perform the work as outlined by the City of Cocoa in the scope of this solicitation and future service orders.

We are proposing to become an Electrical Contractor with the City of Cocoa.

The principals of this team commit to be responsive to The City of Cocoa's needs. We understand the terms and conditions of working with the district. We work diligently to maintain our core values of being **resourceful, reliable, knowledgeable,** and **punctual**. As a strategic technology and infrastructure partner, we will provide The City of Cocoa with the skills to meet deadlines, and the tools to demonstrate your due diligence and transparency in this contract. Thank you for the opportunity to provide our services to support The City of Cocoa's growth and endeavors.

Sincerely,

Archis Inc. d/b/a Archis Technologies



Lildharry (Navin) Jiawan
President

Proposed Team Members' Experience and Training

Name and Title: Navin Jiawan, Principal
Education: Bachelor of Science in Business Management, University of Phoenix ICC Elite Installer Master Technician FL Specialty Electrical Contractor, ES12001447
Experience: Navin started his career 25years ago as a Technician, developing a wealth of knowledge in the IT field throughout the years as a Network Analyst, Project Manager, and Founder of Archis Technologies where he is currently President and CEO. With a combination of formal education and professional ventures such as serving as Systems Review and Principal in Charge on numerous National projects, he gained skills in project management, asset management, construction management, budgeting and cost analysis, low voltage systems, infrastructure solutions, network administration, and software development. Navin focuses on the planning, design, implementation, security, and management of wired and wireless infrastructure, web-based applications, and cloud and IT solutions, and project and program management of new or existing technology systems.
Name and Title: Alex Haimraj, Project Manager
Training and Education: A.A. Information Technology, Valencia College, Orlando, FL[pursuing] AXIS Certified Professional PCTEL Certified in SeeHawk Touch: Public Safety Testing Methods
Experience: Alex's professional landscape has been formed by diverse experiences serving as a technician, ranging from support to low voltage and radio frequency to networks. He is a skilled and adaptable professional who offers vast technical knowledge in computers and networking. Alex has a thorough understanding of computer hardware and software, so his ability to support clients' requests is always efficient and effective. As a Project Manager, he is a problem-solver who is organized and communicative. He ensures clients remain on budget while managing his team to complete projects on time. Alex is currently pursuing his Associate degree in Information Technology to gain a more in-depth understanding of the field he has worked in for the past 5 years.
Name and Title: Christopher Brijbasu, Master Electrician
Training and Education:

Associate of Science in Network Administration, Florida Technical College
Experience: With over13 years of experience as a cabling technician, Chris is an extremely adept and adaptable Master Electrician. Not only is he well versed and knowledgeable on industry standards, practices, materials, and equipment, but he also possesses strong communication and management skills. This enables him to effectively and efficiently lead a successful team. Chris hold a Master Electrician license, #EC13009453.
Name and Title: Sean Haimraj, Electrician
Training and Education: Florida Electrical Apprentice Training (Pursuing Journeyman License), Mid Florida Tech, Orlando, FL Associate Degree (Pursuing General Studies), Valencia Community College, Orlando, FL
Experience: Sean is a young professional who has recently acquired his Journeyman License in the State of Florida. He is a quick learner, adaptable, and eager to succeed. Sean has excellent communication skills which make him a wonderful project manager. He is organized, concise, and experienced in time management. As an Electrician, Sean is meticulous and hardworking.
Name and Title: Randal Tapsy, Project Manager
Training and Education: Associates of Science Degree in Construction Management, Valencia College Associates of science Degree in Civil Surveying Engineering, Valencia Certificate Technical Certificate in Construction, Valencia College Technical Certificate in Business, Valencia College Associate of Arts Degree, Valencia Community College Microsoft Windows Certification, Westside Vocational Technical College
Experience: Randal's years of experience in the field has helped him to grow into a skilled and meticulous project manager. He has amazing communication, organizing, as well as interpersonal skills that helps him to easily create professional working relationships with clients. He works diligently to ensure that clients remain on budget while leading his team to timely project completion.

Archis Technologies has no litigation, claims, nor contract disputes filed against our corporation in the past five (5) years.

Archis Technologies has no license sanctions to proclaim.

CHASE

Loan Account Balance Summary

07/26/2021

Requestor information:

ARCHIS INC.
350 E Crown Point Rd Suite 1100
Winter Garden, FL 34787

CONFIDENTIAL

Summary of Loan Account			
Account Number	**Loan Date**	**Last Payment**	**Next Payment**
451745318006	12/13/2018	$743.75	N/A
Account Type	**Original Amount**	**Loan Balance**	**Interest Rate**
BUS CREDIT LINE	$150,000.00	$150,000.00	5.95%
Collateral	**Amount Delinquent**	**Monthly Installments**	**Number of Late Pays***
ALL BUSINESS ASSETS	$0.00	N/A	

Customer Information	
ARCHIS INC.	Primary Borrower
LILDHARRY P JIAWAN	Guarantor

*Number of Late Payments is for the life of the loan

Loan Account Balance Summary request completed by:

EVELIN MORALES
(407) 861-9140
Isleworth

PLEASE NOTE THAT THE INFORMATION PROVIDED IN THIS LETTER WILL BE THE ONLY INFORMATION RELEASED BY JPMorgan Chase, N.A.

This letter is written as a matter of business courtesy, without prejudice, and is intended for the confidential use of the addressee only. No consideration has been paid or received for the issuance of this letter. The sources and contents of this letter are not to be divulged and no responsibility is to attach to this bank or any of its officers, employees or agents by the issuance or contents of the letter which is provided in good faith and in reliance upon the assurances of confidentiality provided to this bank. Information and expressions of opinion of any type contained herein are obtained from the records of this bank or other sources deemed reliable, without independent investigation, but such information and expressions are subject to change without notice and no representation or warranty as to the accuracy of such information or the reliability of the sources is made or implied or vouched in any way. This letter is not to be reproduced, used in any advertisement or in any way whatsoever except as represented to this bank. This bank does not undertake to notify of any changes in the information contained in this letter. Any reliance is at the sole risk of the addressee.

Similar Projects/ References

	City of Cocoa | Finance Department | Purchasing & Contracts Division 65 Stone Street, Cocoa, FL 32922 Phone: 321-433-8486, or extension 8844 | Fax: 321-433-8690	Solicitation Number: RFQ-21-25-COC
	REQUEST FOR QUALIFICATIONS (RFQ)	Due Date: July 23, 2021 @ 3:00 PM

TITLE: Dyal Water Treatment Plant – Electrical Contractor Services

Attachment "K"
References

Proposer shall submit as a part of the Proposal package, a minimum of five (5) of the most significant projects which were performed within the last three (3) years. Additional references may be provided as set forth below.

Project #1:			
Project/Event Name: Lake County School			
Type of Project/Service: Electrical			
Address: 201 WEST BURLEIGH BLVD TAVARES, FL 32778			
Contracting Agency/Client:	Lake County Schools	Locality Population:	
Contact Name and Phone #: Alexander Hanke, 352-253-6679			
Contact Email Address and Fax #: HankeA@lake.k12.fl.us			
Contract Amount: $52,000.00	Date Work Performed: 2021 to ongoing		
Project #2:			
Project Name: OCPS ES Group 3B			
Type of Project/Service: Das/ Electrical			
Address: 750 Monroe Road, Sanford, FL 32771			
Contracting Agency/Client:	Wharton Smith Inc.	Locality Population:	
Contact Name and Phone #: Muhammad Ansari, (407) 751-0737			
Contact Email Address and Fax #: mansari@whartonsmith.com			
Contract Amount: $536,000.00	Date Work Performed: 2019 to 2020		
Project #3:			
Project Name: Lakeview Middle School Camera System			
Type of Project/Service: Electrical			
Address: 6501 Magic Way, Building 100B, Orlando, FL 32809			
Contracting Agency/Client:	Orange County Public Schools	Locality Population:	
Contact Name and Phone #: Rocco Williams, 321-217-4713			
Contact Email Address and Fax #: rocco.williams@ocps.net			
Contract Amount: $121,000.00	Date Work Performed: 2020		
Project #4:			
Project Name: Low Voltage Construction Services			
Type of Project/Service: Electrical			
Address: 11312 Terminal C Service Rd, Orlando, FL 32824			
Contracting Agency/Client:	Greater Orlando Aviation Authority	Locality Population:	
Contact Name and Phone #: Kathy Anderson, 407-825-3753			
Contact Email Address and Fax #: kanderson@goaa.org			
Contract Amount: $75,000.00	Date Work Performed: 2019 to ongoing		
Project #5:			
Project Name: OCPS ES Group 1B			
Type of Project/Service: DAS/Electrical			
Address: 750 Monroe Road, Sanford, FL 32771			
Contracting Agency/Client:	Wharton Smith Inc.	Locality Population:	
Contact Name and Phone #: Muhammad Ansari, (407) 751-0737			
Contact Email Address and Fax #: mansari@whartonsmith.com			
Contract Amount: $252,000.00	Date Work Performed: 2020 to ongoing		

PLEASE COMPLETE AND SUBMIT WITH YOUR RFQ RESPONSE


☞Failure to submit this form may be grounds for disqualification of your submittal☜

Project Approach

General Communication with Owner's Representative and Project Management Team

To ensure quality performance and successful contract/project management, Archis has multiple channels of communications for our clients. Service requests can be received via onsite visit, email, or phone call. A consultation is set up with our client to further develop a statement of work, or if a defined SOW is already determined, the project manager will create a workorder to procure equipment, acquire project documentation (i.e. certificates of insurance, permits, etc.), and schedule to dispatch a member(s) of our team. The staff member(s) with the requested skill set will be dispatched to the site with tools, materials and other items needed to complete the scope of work.

Archis will provide the City of Cocoa a dedicated Project Manager who can commit to be available Monday through Friday from 7:00 A.M. to 6:00 P.M., and after-hours as needed for emergency situations.



Project Manager Name: Randal Tapsy
Phone Number: (o) 312.273.5780 | (c) 407.247.2505 | Email: rt@archistech.com

Project Status Reporting

Field crews are required to complete a daily report at the end of every work session on site that documents daily progress with brief statements of work and photos. One of the lead field technicians is chosen at the beginning of each project to function as the liaison for creating and uploading these reports to the project management software Archis utilizes to track scheduling, budgets, and any project-related data. This software is Builder Trend, but our team is accustomed to learning new software or programs per client needs as requested.

The daily report generated by the designated field manager encourages quality control by keeping track of progress via photos of equipment, antenna, penetration, conduit, & j-hook location. Archis' President and the project PM review these reports regularly to ensure the photos align with the promise of excellence we guarantee our clients and to confirm the field crews are maintaining timely progress per the project schedule.

Project Administrative Services

Mr. Tapsy will be assigned as the main POC. He will keep in touch with the city to ensure tasks are done effectively and efficiently. Mr. Tapsy will be the point of contact for any project-related technical or management questions or concerns the city may have throughout the entirety of each project.

With regard to contract compliance, the Archis Operations team will communicate with the City to ensure all terms and conditions are being met, including but not limited to insurance requirements, bonds, billing, and JLA badging for all personnel involved with on-site work. The Operations team has a unified email that reaches multiple points of contact if the city has any questions or concerns regarding contract compliance or administrative needs.

Operations Email: ops@archistech.com

Mr. Tapsy may also request assistance from the Operations team for permitting applications, licensing, and procurement of equipment as needed.

Schedule Management

Archis develops schedules for new projects based on previous similar projects in order to accurately estimate time and material lead times. The PM reviews the schedule weekly or daily depending on the length of job and makes any changes as needed. These changes are communicated with the client immediately.

When it comes to schedule changes, we hope for smooth sailing. However, we understand that client needs may change, shipments may be delayed, and other outside factors may affect project timelines. We do our best to accurately schedule projects and work efficiently to stay ahead of schedule in case change orders or delays arise. When changes do arise, it is our first priority to resolve it quickly with the client and/or project owner to maintain a schedule as close as possible to the original timeline.

RFQ Solicitation response required forms

Attachment "B"
Insurance Requirements

A. Insurance. The successful Proposer/Contractor shall not commence any work in connection with an agreement until it has obtained all of the required types of insurance and has provided proof of same to the City, in the form of a certificate prior to the start of any work, nor shall the successful Proposer/Contractor allow any subcontractor to commence work on its subcontract until all similar insurance required of the subcontractor has been so obtained and approved. All insurance policies shall be with insurers qualified and doing business in Florida.

B. Limits. The successful Proposer/Contractor and/or subcontractor shall maintain the types of insurance, with at a minimum the respective limits as outlined herein:

1. AUTOMOBILE: $1,000,000.00 Combined Single Limit for Bodily Injury and Property Damage per accident;
2. GENERAL LIABILITY: $1,000,000.00 each occurrence;
3. GENERAL AGGREGATE: $2,000,000.00;
4. PROFESSIONAL LIABILITY COVERAGE: $1,000,000.00; and
5. Worker's Compensation: Employers' liability insurance which covers the statutory obligation for all persons engaged in the performance of the work required hereunder with limits not less than $1,000,000.00 per occurrence. Evidence of qualified self-insurance status will suffice for this subsection. The proposer understands and acknowledges that it shall be solely responsible for any and all medical and liability costs associated with an injury to itself and/or to its employees, sub-contractors, volunteers, and the like, including the costs to defend the City in the event of litigation against same.

C. City as Additional Insured. The successful Proposer/Contractor and/or subcontractor shall name the "City of Cocoa" as an Additional Insured, to the extent of the services to be provided hereunder, on all required insurance policies, and provide the City with proof of same.

D. Certificates of Insurance. The successful Proposer/Contractor and/or subcontractor shall provide the City's Human Resources/Risk Management Division with a Certificate of Insurance evidencing such coverage for the duration of this Agreement. Said Certificate of Insurance shall be dated and show:

1. The name of the insured Contractor,
2. The specified job by name and job number,
3. The name of the insurer,
4. The number of the policy,
5. The effective date,
6. The termination date,
7. A statement that the insurer will mail notice to the City at least thirty (30) days prior to any material changes in the provisions or cancellation of the policy, and;
8. The Certificate Holders Box must read as follows:

   City of Cocoa
   c/o Human Resources/Risk Management Division
   65 Stone Street
   Cocoa, Florida 32922

Any other wording in the Certificate Holders Box shall not be acceptable. Non-conforming certificates will be returned for correction.

	City of Cocoa | Finance Department | Purchasing & Contracts Division 65 Stone Street, Cocoa, FL 32922 Phone: 321-433-8486, or extension 8844 | Fax: 321-433-8690	Solicitation Number: RFQ-21-25-COC
	REQUEST FOR QUALIFICATIONS (RFQ)	Due Date: July 23, 2021 @ 3:00 PM

TITLE: Dyal Water Treatment Plant – Electrical Contractor Services

***NOTE – FOR CONTRACTING PURPOSES THE CERTIFICATE OF INSURANCE MUST BE DELIVERED TO CITY OF COCOA, PURCHASING & CONTRACTS DIVISION , 65 STONE STREET, COCOA, FLORIDA 32922.**

E. Waiver. Receipt of certificates or other documentation of insurance or policies or copies of policies by the City, or by any of its representatives, which indicates less coverage than is required, does not constitute a waiver of the successful Proposer's/Contractor's obligation to fulfill the insurance requirements specified herein.

F. Subcontractors. The successful Proposer/Contractor shall ensure that any sub-contractor(s), hired to perform any of the duties contained in the Scope of Services of an Agreement, maintain the same insurance requirements set forth herein. In addition, the successful Proposer/Contractor shall maintain proof of same on file and make readily available upon request by the City.

G. Loss Deductible Clause. The City shall be exempt from, and in no way liable for, any sums of money which may represent a deductible in any insurance policy. The payment of such deductible shall be the sole responsibility of the successful Proposer/Contractor and/or subcontractor providing such insurance.

H. Additional Requirements. All insurance carriers shall have AM Best Rating of at least A-, and a size VII or larger. The General Liability and Workers Compensation policies shall have a waiver of subrogation in favor of the City of Cocoa. The liability policies shall be Primary/Non-Contributory.

AUTHORIZED SIGNATORY	Lildharry Jiawan Typed Name of AUTHORIZED SIGNATORY
President Title	07/27/21 Date
Witness Signature	Jessica McNamara Typed Name of Witness

The City reserves the unilateral right to modify the insurance requirements set forth at any time during the process of solicitation or subsequent thereto.

PLEASE COMPLETE AND SUBMIT WITH YOUR RFQ RESPONSE

☞ Failure to submit this form may be grounds for disqualification of your submittal ☜

ARCHTEC-01 AFINLEY

CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY) 5/12/2021

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER	CONTACT NAME:	
SJD Insurance Services 508 Lost Acre Lane Great Falls, VA 22066	PHONE (A/C, No, Ext): (551) 804-9920	FAX (A/C, No): (855) 920-4478
	E-MAIL ADDRESS: sid@sjdins.com	
	INSURER(S) AFFORDING COVERAGE	NAIC #
	INSURER A : Continental Casualty Company	20443
INSURED	INSURER B :	
Archis Inc dba Archis Technologies 350 E Crown Point Rd #1100 Winter Garden, FL 34787	INSURER C :	
	INSURER D :	
	INSURER E :	
	INSURER F :	

COVERAGES **CERTIFICATE NUMBER:** **REVISION NUMBER:**

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS	
A	X COMMERCIAL GENERAL LIABILITY						EACH OCCURRENCE	$ 1,000,000
	CLAIMS-MADE X OCCUR			6074682522	9/17/2020	9/17/2021	DAMAGE TO RENTED PREMISES (Ea occurrence)	$ 1,000,000
							MED EXP (Any one person)	$ 10,000
							PERSONAL & ADV INJURY	$ 1,000,000
	GEN'L AGGREGATE LIMIT APPLIES PER:						GENERAL AGGREGATE	$ 2,000,000
	POLICY X PRO-JECT LOC						PRODUCTS - COMP/OP AGG	$ 2,000,000
	OTHER:							$
A	AUTOMOBILE LIABILITY						COMBINED SINGLE LIMIT (Ea accident)	$ 1,000,000
	X ANY AUTO			7011430651	9/17/2020	9/17/2021	BODILY INJURY (Per person)	$
	OWNED AUTOS ONLY / SCHEDULED AUTOS						BODILY INJURY (Per accident)	$
	HIRED AUTOS ONLY / NON-OWNED AUTOS ONLY						PROPERTY DAMAGE (Per accident)	$
								$
A	X UMBRELLA LIAB X OCCUR						EACH OCCURRENCE	$ 5,000,000
	EXCESS LIAB CLAIMS-MADE			6074682536	9/17/2020	9/17/2021	AGGREGATE	$ 5,000,000
	DED X RETENTION $ 10,000							$
A	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY Y / N						X PER STATUTE OTH-ER	
	ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? N (Mandatory in NH)	N / A		7011460037	9/17/2020	9/17/2021	E.L. EACH ACCIDENT	$ 1,000,000
	If yes, describe under DESCRIPTION OF OPERATIONS below						E.L. DISEASE - EA EMPLOYEE	$ 1,000,000
							E.L. DISEASE - POLICY LIMIT	$ 1,000,000
A	Cyber/Prof Liability			6074682522	9/17/2020	9/17/2021	Limit	2,000,000
A	Cyber/Prof Liability			6074682522	9/17/2020	9/17/2021	Aggregate	2,000,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)
Pollution Liability with Colony Insurance Company, Policy CSP4258046
Effective 4/27/2021 - 2022
Contracting Services Pollution Liability - $1,000,000 Aggregate limit: $2,000,000 Deductible $5,000


CERTIFICATE HOLDER

Proof of insurance

CANCELLATION

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE



© 1988-2015 ACORD CORPORATION. All rights reserved.
The ACORD name and logo are registered marks of ACORD

	City of Cocoa | Finance Department | Purchasing & Contracts Division 65 Stone Street, Cocoa, FL 32922 Phone: 321-433-8486, or extension 8844 | Fax: 321-433-8690	Solicitation Number: RFQ-21-25-COC
	REQUEST FOR QUALIFICATIONS (RFQ)	Due Date: July 23, 2021 @ 3:00 PM

TITLE: Dyal Water Treatment Plant – Electrical Contractor Services

Attachment "C"
Conflict of Interest Statement

This statement is submitted with Proposal, ITN, or Contract Number RFQ 21-25-COC, titled Dyal Water Treatment Plant - Electrical Contractor Services by

Archis Inc. dba Archis Technologies whose business address is 350 E Crown Point Rd, Suite 1100. Winter Garden.
[Name of entity submitting sworn statement]

Florida. 34787. and its Federal Employer Identification Number (FEIN) is 59-3721279.

My name is Lildharry Jiawan and my relationship to the above is President.
[Please print name of individual signing]

A. The Proposer has made diligent inquiry and provided the information in this statement based upon its full knowledge.
B. The Proposer states that only one (1) submittal for this solicitation has been submitted and tendered by the appropriate date and time and that said above stated entity has no financial interest in other entities submitting a proposal for the work contemplated hereby.
C. Neither the entity nor its affiliates, nor anyone associated with them, is presently suspended or otherwise prohibited from participation in this solicitation or any contract to follow thereafter by any government entity.
D. Neither the entity nor its affiliates, nor anyone associated with them, have any potential conflict of interest because of and due to any other clients, contracts, or property interests in this solicitation or the resulting project.
E. I hereby also certify that no member of the entity's ownership or management or staff has a vested interest in any City Department/Division/Office.
F. I certify that no member of the entity's ownership or management is presently applying, actively seeking, or has been selected for an elected position within City of Cocoa government.
G. In the event that a conflict of interest is identified in the provision of services, I, the undersigned will immediately notify the City in writing.
H. Section 112.313, Florida Statutes, as amended; places limitations on public officers (including advisory board members) and employees' ability to contract with the City either directly or indirectly. By my signature below, I hereby acknowledge the provisions as outlined in the hereto referenced statute and have provided any required and/or necessary information accordingly to date and shall commit to continue to do so in the future should I be a successful Proposer.

Please indicate if the following applies:

PART I.

☐ I am an employee, public officer, or advisory board member of the City.

_____ (List Position or Board)

☐ I am the spouse or child of an employee, public officer, or advisory board member of the City.

Name: _____

☐ An employee, public officer or advisory board member of the City, or their spouse or child, is an officer, partner, director, or proprietor of Respondent or has a material interest in Respondent. "Material interest" means direct or indirect ownership of

more than five percent (5%) of the total assets or capital stock of any business entity. For the purposes of [§112.313], indirect ownership does not include ownership by a spouse or minor child.

Name: _____

☐ Respondent employs or contracts with an employee, public officer, or advisory board member of the City

Name: _____

☒ None of The Above

PART II:

Are you going to request an advisory board member waiver?

☐ I will request an advisory board member waiver under §112.313(12)

☐ I will NOT request an advisory board member waiver under §112.313(12)

☒ N/A

The City will review any relationships which may be prohibited under the Florida Ethics Code and will disqualify any proposers, respondents, vendors, suppliers, contractors whose conflicts are not waived or exempt.

By the signature(s) below, I/we, the undersigned, as authorized signatory to commit the firm, certify that the information as provided in **Attachment "C", Conflict of Interest Statement**, is truthful and correct at the time of submission.

AUTHORIZED SIGNATORY	Lildharry Jiawan Typed Name of AUTHORIZED SIGNATORY
President Title	07/27/21 Date
Witness Signature	Jessica McNamara Typed Name of Witness

PLEASE COMPLETE AND SUBMIT WITH YOUR RFQ RESPONSE

☞ Failure to submit this form may be grounds for disqualification of your submittal ☜

	City of Cocoa | Finance Department | Purchasing & Contracts Division 65 Stone Street, Cocoa, FL 32922 Phone: 321-433-8486, or extension 8844 | Fax: 321-433-8690	Solicitation Number: RFQ-21-25-COC
	REQUEST FOR QUALIFICATIONS (RFQ)	Due Date: July 23, 2021 @ 3:00 PM

TITLE: Dyal Water Treatment Plant – Electrical Contractor Services

Attachment "D"
Non-Collusion/Lobbying Certification

This statement is submitted with Proposal, ITN, or Contract Number RFQ 21-25-COC, titled Dyal Water Treatment Plant - Electrical Contractor Services by

Archis Inc. dba Archis Technologies whose business address is 350 E Crown Point Rd, Suite 1100, Winter Garden.
[Name of entity submitting sworn statement]

Florida, 34787. and its Federal Employer Identification Number (FEIN) is 59-3721279.

My name is Lildharry Jiawan and my relationship to the above is President.
[Please print name of individual signing]

A. **NON-COLLUSION PROVISION CERTIFICATION.**
The undersigned hereby certifies, to the best of his or her knowledge and belief, that on behalf of the person, firm, association, or corporation submitting the bid certifying that such person, firm, association, or corporation has not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action, in restraint of free competitive bidding in connection with the submitted bid. Failure to submit the executed statement as part of the bidding documents will make the bid nonresponsive and not eligible for award consideration.

B. **LOBBYING CERTIFICATION.**
The undersigned hereby certifies, to the best of his or her knowledge and belief, that:

1. No City appropriated funds have been paid or will be paid, by or on behalf of the undersigned, to any person for influencing or attempting to influence either directly or indirectly an officer or employee of the City, City Council Member of Congress in connection with the awarding of any City Contract.

2. If any funds other than City appropriated funds have been paid or will be paid to any person for influencing or attempting to influence a member of City Council or an officer or employee of the City in connection with this contract, the undersigned shall complete and submit Standard Form-L "Disclosure Form to Report Lobbying", in accordance with its instructions.

By the signature(s) below, I/we, the undersigned, as authorized signatory to commit the firm, certify that the information as provided in **Attachment "D", Non-Collusion/Lobbying Certification**, is truthful and correct at the time of submission.

AUTHORIZED SIGNATORY	Lildharry Jiawan Typed Name of AUTHORIZED SIGNATORY
President Title	07/27/21 Date
Witness Signature	Jessica McNamara Typed Name of Witness

PLEASE COMPLETE AND SUBMIT WITH YOUR RFQ RESPONSE

☞ Failure to submit this form may be grounds for disqualification of your submittal ☜

	City of Cocoa | Finance Department | Purchasing & Contracts Division 65 Stone Street, Cocoa, FL 32922 Phone: 321-433-8486, or extension 8844 | Fax: 321-433-8690	Solicitation Number: RFQ-21-25-COC
	REQUEST FOR QUALIFICATIONS (RFQ)	Due Date: July 23, 2021 @ 3:00 PM

TITLE: Dyal Water Treatment Plant – Electrical Contractor Services

Attachment "E"
Drug-Free Workplace Certification

When applicable, the drug-free certification form below must be signed and returned with the RFQ response.

IDENTICAL TIE PROPOSALS: Preference may be given to businesses with drug-free workplace programs. Whenever two or more proposals that are equal with respect to price, quality, and service are received by the State or by any political subdivision for the procurement of commodities or contractual services, a proposal received from a business that certifies that it has implemented a drug-free workplace program shall be given preference in the award process. Established procedures for processing tie proposals will be followed if none of the tied Proposers have a drug-free workplace program.

In order to have a drug-free workplace program, a business shall:

A. Publish a statement notifying employees that the unlawful manufacture, distribution, dispensing, possession, or use of a controlled substance is prohibited in the workplace and specifying the actions that will be taken against employees for violations of such prohibition.

B. Inform employees about the dangers of drug abuse in the workplace, the business' policy of maintaining a drug-free workplace, any available drug counseling, rehabilitation, and employee assistance programs, and the penalties that may be imposed upon employees for drug abuse violations.

C. Give each employee engaged in providing the commodities or contractual services that are under bid a copy of the statement specified in the first paragraph.

D. In the statement specified in the first paragraph, notify the employees that, as a condition of working on the commodities or contractual services that are under bid, the employee will abide by the terms of the statement and will notify the employer of any conviction of, or plea of guilty or nolo contendere to, any violation of chapter 893, Florida Statutes, or of any controlled substance law of the United States or any state, for a violation occurring in the workplace no later than five (5) days after such conviction.

E. Impose a sanction on, or require the satisfactory participation in, a drug abuse assistance or rehabilitation program if such is available in the employee's community, by any employee who is so convicted.

F. Make a good faith effort to continue to maintain a drug-free workplace through implementation of the foregoing provisions.

By the signature(s) below, I/we, the undersigned, as authorized signatory to commit the firm, certify that the information as provided in **Attachment "E", Drug-Free Workplace Certification**, is truthful and correct at the time of submission.

AUTHORIZED SIGNATORY	Lildharry Jiawan Typed Name of AUTHORIZED SIGNATORY
President Title	07/27/21 Date
Witness Signature	Jessica McNamara Typed Name of Witness

PLEASE COMPLETE AND SUBMIT WITH YOUR RFQ RESPONSE – (if applicable)

	City of Cocoa | Finance Department | Purchasing & Contracts Division 65 Stone Street, Cocoa, FL 32922 Phone: 321-433-8486, or extension 8844 | Fax: 321-433-8690	**Solicitation Number: RFQ-21-25-COC**
	REQUEST FOR QUALIFICATIONS (RFQ)	**Due Date: July 23, 2021 @ 3:00 PM**

TITLE: Dyal Water Treatment Plant – Electrical Contractor Services

I/we, the undersigned, as authorized signatory to commit the firm, do hereby accept in total all the terms and conditions stipulated and referenced in this RFQ document and do hereby agree that if a contract is offered or negotiated it will abide by the terms and conditions presented in the RFQ document or as negotiated pursuant thereto. The undersigned, having familiarized him/herself with the terms of the RFQ documents, local conditions, and the cost of the work at the place(s) where the work is to be done, hereby proposes and agrees to perform within the time stipulated, all work required in accordance with the scope of services and other documents including Addenda, if any, on file at the City of Cocoa Purchasing & Contracts Division for the price set forth herein in **Attachment "F" Price Proposal and Acceptance of Proposal Terms and Conditions**. The signature(s) below are an acknowledgment of my/our full understanding and acceptance of all the terms and conditions set forth in this RFQ document or as otherwise agreed to between the parties in writing.

Proposer/Contractor Name: Archis Inc. dba Archis Technologies

Mailing Address: 350 E Crown Point Rd, Suite 1100, Winter Garden. Florida. 34787

Telephone Number: 1-888-324-2557 Fax Number: 888 324 4364 E-mail Address: ops@archistech.com

Authorized Signatory | Lildharry Jiawan (Printed Name) | FEIN: 59-3721279 | DUNS: 03-347-6347

President (Title) | 07/27/21 (Date) | CAGE Code: 81PE7 (As issued through www.sam.gov)

STATE OF Florida
COUNTY OF Orange

The foregoing instrument was executed before me this 27 day of July, 20 21 by Lildharry Jiawan as President of Archis Inc., who personally swore or affirmed that he/she is authorized to execute this document and thereby bind the Corporation, and who is personally known to me OR has produced _____ as identification.

(stamp)

Notary Public State of Florida
Jessica Serra McNamara
My Commission HH 141676
Expires 02/07/2023

NOTARY PUBLIC, State of FL

PLEASE COMPLETE AND SUBMIT WITH YOUR RFQ RESPONSE

☞ Failure to submit this form may be grounds for disqualification of your submittal ☜

	City of Cocoa | Finance Department | Purchasing & Contracts Division 65 Stone Street, Cocoa, FL 32922 Phone: 321-433-8486, or extension 8844 | Fax: 321-433-8690	Solicitation Number: RFQ-21-25-COC
	REQUEST FOR QUALIFICATIONS (RFQ)	Due Date: July 23, 2021 @ 3:00 PM

TITLE: Dyal Water Treatment Plant – Electrical Contractor Services

Attachment "F"

Price Proposal and Acceptance of Proposal Terms and Conditions

Labor Category	Indicate Level of Certification	U/P	Year 1	Year 2	Year 3	Opt 1	Opt 2
Master Electrician	Master Electrician	HR	85	85	85	90	90
Journeyman Electrician	Journeyman Electrician	HR	65	65	65	70	70
Other (Please specify)		HR					
Other (Please specify)		HR					
Other (Please specify)		HR					

NOTE #1: The estimated quantities are an approximate only and are not guaranteed. The City does not assume any responsibility that the actual quantities purchased shall remain in strict accordance with the estimated quantities, nor shall the Contractor cause misunderstanding or deception because of such estimate of quantities or of the character, locations of the work, or other conditions pertaining thereto. Any related positions not referenced above may be attached to the back of this page. A brief position description must also be included.

1. OPTIONAL PRICING

NA	

NOTE #2: The Proposer must include a task and fee (by position) schedule breakdown based on the proposed hourly rates. This document is to be inserted at the end of Attachment "F", Price Schedule and Acceptance of Terms and Conditions and identified as OPTIONAL PRICING SCHEDULE.

Fee Quotation Proposal

City of Cocoa RFQ #21-25-COC
Dyal Water Treatment Plant Electrical Contractor Services

As requested, the following is our information regarding overhead multipliers and personnel hourly rates for projects with City of Cocoa. These rates will be used throughout the duration of the contract:

Base Rate	100%
Overhead & Fringe Benefits	171%
Subtotal	271%
Profit	27%
Overall Multiplier	2.98

Individual classification for personnel hourly rates are as follows:

Classification	Basic Hourly Rate	Overall Multiplier	Billable
Master Electrician	$28.523	2.98	$85.00
Journeyman Electrician	$21.812	2.98	$65.00

	City of Cocoa | Finance Department | Purchasing & Contracts Division 65 Stone Street, Cocoa, FL 32922 Phone: 321-433-8486, or extension 8844 | Fax: 321-433-8690	Solicitation Number: RFQ-21-25-COC
	REQUEST FOR QUALIFICATIONS (RFQ)	Due Date: July 23, 2021 @ 3:00 PM

TITLE: Dyal Water Treatment Plant – Electrical Contractor Services

Attachment "G"
Addendum Receipt Acknowledgement Certification

The undersigned acknowledges receipt of the following addenda to the solicitation document(s) (Give number and date of each):

Addendum No. 1 Dated: 07/02/2021

Addendum No. 2 Dated: 07/12/2021

Addendum No. 3 Dated: 07/20/2021

Addendum No. _____ Dated: _____

Addendum No. _____ Dated: _____

By the signature(s) below, I/we, the undersigned, as authorized signatory to commit the firm, certify that the information as provided in **Attachment "G", Addendum Receipt Acknowledgement Certification**, is truthful and correct at the time of submission.

Proposer/Contractor Name: Archis Inc. dba Archis Technologies

Mailing Address: 350 E Crown Point Rd, Suite 1100, Winter Garden. Florida. 34787.

Telephone Number: 1-888-324-2557 Fax Number: 888 324 4364 E-mail Address: ops@archistech.com

_____ Lildharry Jiawan FEIN: 59-3721279 DUNS: 03-347-6347

Authorized Signatory Printed Name

President 07/27/21 CAGE Code: 81PE7

Title Date As issued through www.sam.gov

PLEASE COMPLETE AND SUBMIT WITH YOUR RFQ RESPONSE

☞ **Failure to submit this form may be grounds for disqualification of your submittal** ☜

	City of Cocoa | Finance Department | Purchasing & Contracts Division 65 Stone Street, Cocoa, FL 32922 Phone: 321-433-8486, or extension 8844 | Fax: 321-433-8690	Solicitation Number: RFQ-21-25-COC
	REQUEST FOR QUALIFICATIONS (RFQ)	Due Date: July 23, 2021 @ 3:00 PM

TITLE: Dyal Water Treatment Plant – Electrical Contractor Services

Attachment "H"
Organizational Information

The proposer must include a copy of their State Certificate of Good Standing/Articles of Incorporation, which lists the corporate officers. In addition to the aforementioned documents the Bidder/Proposer must include necessary information to verify the individual signing this proposal/bid and or any contract document has been authorized to bind the corporation. Examples include:

A. A copy of the Articles of Incorporation listing the approved signatories of the corporation.

B. A copy of a resolution listing the members of staff as authorized signatories for the company.

C. A letter from a corporate officer listing the members of staff that are authorized signatories for the company.

TYPE OF ORGANIZATION					
(Please place a check mark (✓) next to applicable type)					
X	Corporation		Partnership		Non-Profit
	Joint Venture		Sole Proprietorship		Other (Please specify)

State of Incorporation	Florida
Principal Place of Business (Enter Address)	350 E Crown Point Rd, Suite 1100, Winter Garden. Florida 34787
Federal I.D. or Social Security Number	59-3721279

By the signature(s) below, I/we, the undersigned, as authorized signatory to commit the firm, certify that the information as provided in **Attachment "H", Organizational Information**, is truthful and correct at the time of submission.

Proposer/Contractor Name: Archis Inc. dba Archis Technologies

Mailing Address: 350 E Crown Point Rd, Suite 1100. Winter Garden. Florida 34787

Telephone Number: 1-888-324-2557 Fax Number: 888 324 4364 E-mail Address: ops@archistech.com

Authorized Signatory — Lildharry Jiawan (Printed Name) — FEIN: 59-3721279 — DUNS: 03-347-6347

President (Title) — 07/27/21 (Date) — CAGE Code: 81PE7 As issued through www.sam.gov

PLEASE COMPLETE AND SUBMIT WITH YOUR RFQ RESPONSE

☞ Failure to submit this form may be grounds for disqualification of your submittal ☜

	City of Cocoa | Finance Department | Purchasing & Contracts Division 65 Stone Street, Cocoa, FL 32922 Phone: 321-433-8486, or extension 8844 | Fax: 321-433-8690	Solicitation Number: RFQ-21-25-COC
	REQUEST FOR QUALIFICATIONS (RFQ)	Due Date: July 23, 2021 @ 3:00 PM

TITLE: Dyal Water Treatment Plant – Electrical Contractor Services

Attachment "I"

Proposed Schedule of Subcontractor Participation

☒ No Subcontracting (of any kind) will be utilized on this project.		Solicitation Number: RFQ-21-25-COC	
Title: Dyal Water Treatment Plant - Electrical Contractor Services		Total Project Amount: $	
Subcontractor Minority Code (if applicable) Federal ID	Company Name Address Phone, Fax, Email	Trade, Services or Materials portion to be subcontracted	Percent (%) of Scope/Contract Dollar Value
PERCENTAGE TOTALS FOR SUBCONTRACTOR PARTICIPATION			
PERCENTAGE TOTALS FOR MINORITY SUBCONTRACTOR PARTICIPATION			

Minority Code	Code Description	Minority Code	Code Description
AA	African American	NA	Native American
A	Asian/Pacific Islander	W	Woman
H	Hispanic	SDVBE	Service-Disabled Veteran

When applicable, the Proposer, will enter into a formal agreement with the subcontractors identified herein for work listed in this schedule conditioned upon execution of a contract with the City. By the signature(s) below, I/we, the undersigned, as authorized signatory to commit the firm, certify that the information as provided in **Attachment "I", Proposed Schedule of Subcontractor Participation**, is truthful and correct at the time of submission.

Proposer/Contractor Name: Archis Inc. dba Archis Technologies

Mailing Address: 350 E Crown Point Rd, Suite 1100. Winter Garden. Florida 34787.

Telephone Number: 1-888-324-2557 Fax Number: 888 324 4364 E-mail Address: ops@archistech.com

Authorized Signatory — Lildharry Jiawan (Printed Name) — FEIN: 59-3721279 — DUNS: 03-347-6347

President (Title) — 07/27/21 (Date) — CAGE Code: 81PE7 As issued through www.sam.gov

PLEASE COMPLETE AND SUBMIT WITH YOUR RFQ RESPONSE

☞ Failure to submit this form may be grounds for disqualification of your submittal ☜

	City of Cocoa | Finance Department | Purchasing & Contracts Division 65 Stone Street, Cocoa, FL 32922 Phone: 321-433-8486, or extension 8844 | Fax: 321-433-8690	Solicitation Number: RFQ-21-25-COC
	REQUEST FOR QUALIFICATIONS (RFQ)	Due Date: July 23, 2021 @ 3:00 PM

TITLE: Dyal Water Treatment Plant – Electrical Contractor Services

Attachment "J"

Contractor Certification Regarding Scrutinized Companies
(Contracts of $1,000,000.00 or more)

Section 287.135, Florida Statutes, prohibits local governments from contracting with companies, for goods or services of One Million and 00/100 Dollars ($1,000,000.00) or more that are on the Scrutinized Companies with Activities in Sudan List, on the Scrutinized Companies with Activities in the Iran Petroleum Energy Sector List or is engaged in business operations in Cuba or Syria. Both lists are created pursuant to section 215.473, Florida Statutes. In addition, the CONTRACTOR shall not be listed on the Scrutinized Companies that Boycott Israel List, created pursuant to Section 215.4725, Florida Statutes, or is engaged in a boycott of Israel.

As the person authorized to sign on behalf of the CONTRACTOR, I hereby certify that the company identified below in the section entitled "Bidder/Contractor Name" is not listed on the Scrutinized Companies with Activities in Sudan List, is not listed on the Scrutinized Companies with Activities in the Iran Petroleum Energy Sector List or is engaged in business operations in Cuba or Syria. In addition, the CONTRACTOR is not listed on the Scrutinized Companies that Boycott Israel List, created pursuant to Section 215.4725, Florida Statutes, or is engaged in a boycott of Israel. I understand that pursuant to Section 287.135, Florida Statutes, the submission of a false certification may subject the CONTRACTOR to termination of the Agreement, civil penalties, attorney's fees, and/or costs.

By the signature(s) below, I/we, the undersigned, as authorized signatory to commit the firm, certify that the information as provided in **Attachment "J", Contractor Certification Regarding Scrutinized Companies**, is truthful and correct at the time of submission.

Proposer/Contractor Name: Archis Inc. dba Archis Technologies

Mailing Address: 350 E Crown Point Rd, Suite 1100, Winter Garden. Florida. 34787.

Telephone Number: 1-888-324-2557 Fax Number: 888 324 4364 E-mail Address: ops@archistech.com

Authorized Signatory | Lildharry Jiawan (Printed Name) | FEIN: 59-3721279 | DUNS: 03-347-6347

President (Title) | 07/27/21 (Date) | CAGE Code: 81PE7 As issued through www.sam.gov

PLEASE COMPLETE AND SUBMIT WITH YOUR RFQ RESPONSE (when applicable)

☞ Failure to submit this form may be grounds for disqualification of your submittal ☜

	City of Cocoa | Finance Department | Purchasing & Contracts Division 65 Stone Street, Cocoa, FL 32922 Phone: 321-433-8486, or extension 8844 | Fax: 321-433-8690	Solicitation Number: RFQ-21-25-COC
	REQUEST FOR QUALIFICATIONS (RFQ)	Due Date: July 23, 2021 @ 3:00 PM

TITLE: Dyal Water Treatment Plant – Electrical Contractor Services

Attachment "K"
References

Proposer shall submit as a part of the Proposal package, a minimum of five (5) of the most significant projects which were performed within the last three (3) years. Additional references may be provided as set forth below.

Project #1:			
Project/Event Name: Lake County School			
Type of Project/Service: Electrical			
Address: 201 WEST BURLEIGH BLVD TAVARES, FL 32778			
Contracting Agency/Client:	Lake County Schools	Locality Population:	
Contact Name and Phone #: Alexander Hanke, 352-253-6679			
Contact Email Address and Fax #: HankeA@lake.k12.fl.us			
Contract Amount: $52,000.00	Date Work Performed: 2021 to ongoing		
Project #2:			
Project Name: OCPS ES Group 3B			
Type of Project/Service: Das/ Electrical			
Address: 750 Monroe Road, Sanford, FL 32771			
Contracting Agency/Client:	Wharton Smith Inc.	Locality Population:	
Contact Name and Phone #: Muhammad Ansari, (407) 751-0737			
Contact Email Address and Fax #: mansari@whartonsmith.com			
Contract Amount: $536,000.00	Date Work Performed: 2019 to 2020		
Project #3:			
Project Name: Lakeview Middle School Camera System			
Type of Project/Service: Electrical			
Address: 6501 Magic Way, Building 100B, Orlando, FL 32809			
Contracting Agency/Client:	Orange County Public Schools	Locality Population:	
Contact Name and Phone #: Rocco Williams, 321-217-4713			
Contact Email Address and Fax #: rocco.williams@ocps.net			
Contract Amount: $121,000.00	Date Work Performed: 2020		
Project #4:			
Project Name: Low Voltage Construction Services			
Type of Project/Service: Electrical			
Address: 11312 Terminal C Service Rd, Orlando, FL 32824			
Contracting Agency/Client:	Greater Orlando Aviation Authority	Locality Population:	
Contact Name and Phone #: Kathy Anderson, 407-825-3753			
Contact Email Address and Fax #: kanderson@goaa.org			
Contract Amount: $75,000.00	Date Work Performed: 2019 to ongoing		
Project #5:			
Project Name: OCPS ES Group 1B			
Type of Project/Service: DAS/Electrical			
Address: 750 Monroe Road, Sanford, FL 32771			
Contracting Agency/Client:	Wharton Smith Inc.	Locality Population:	
Contact Name and Phone #: Muhammad Ansari, (407) 751-0737			
Contact Email Address and Fax #: mansari@whartonsmith.com			
Contract Amount: $252,000.00	Date Work Performed: 2020 to ongoing		

PLEASE COMPLETE AND SUBMIT WITH YOUR RFQ RESPONSE

☞Failure to submit this form may be grounds for disqualification of your submittal☜

	City of Cocoa | Finance Department | Purchasing & Contracts Division 65 Stone Street, Cocoa, FL 32922 Phone: 321-433-8486, or extension 8844 | Fax: 321-433-8690	Solicitation Number: RFQ-21-25-COC
	REQUEST FOR QUALIFICATIONS (RFQ)	Due Date: July 23, 2021 @ 3:00 PM

TITLE: Dyal Water Treatment Plant – Electrical Contractor Services

Attachment "L"
Federal Non-Collusion/Lobbying Certification

This statement is submitted with Proposal, ITN, or Contract Number RFQ 21-25-COC, titled Dyal Water Treatment Plant - Electrical Contractor Services by Archis Inc. dba Archis Technologies whose business address is 350 E Crown Point Rd. Suite 1100, Winter Garden. Florida 34787.
[Name of entity submitting sworn statement]
and its Federal Employer Identification Number (FEIN) is 59-3721279.

My name is Lildharry Jiawan and my relationship to the above is President.
[Please print name of individual signing]

A. **NON-COLLUSION PROVISION CERTIFICATION.**
The undersigned hereby certifies, to the best of his or her knowledge and belief, that on behalf of the person, firm, association, or corporation submitting the bid certifying that such person, firm, association, or corporation has not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action, in restraint of free competitive bidding in connection with the submitted bid. Failure to submit the executed statement as part of the bidding documents will make the bid nonresponsive and not eligible for award consideration.

B. **LOBBYING CERTIFICATION.**
The undersigned hereby certifies, to the best of his or her knowledge and belief, that:

1. No Federal appropriated funds have been paid or will be paid, by or on behalf of the undersigned, to any person for influencing or attempting to influence either directly or indirectly an officer or employee of any state or federal agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with the awarding of any Federal Contract, the making of any Federal grant, the making of any Federal loan, the entering into of any cooperative agreement, and the extension, continuation, renewal, amendment, or modification of any Federal contract, grant, loan, or cooperative agreement.
2. If any funds other than Federal appropriated funds have been paid or will be paid to any person for influencing or attempting to influence an officer or employee of any agency, a member of Congress, an officer or employee of Congress, or an employee of a member of Congress in connection with this Federal contract, grant loan, or cooperative agreement, the undersigned shall complete and submit Standard Form-L "Disclosure Form to Report Lobbying", in accordance with its instructions.
3. The undersigned shall require that the language of this certification be included in the award documents for all sub-awards at all tiers (including subcontracts, sub-grants, and contracts under grants, loans, and cooperative agreements) and that all sub-recipients shall certify and disclose accordingly. This certification is a material representation of fact upon which reliance was placed when this transaction was made or entered into. Submission of this certification is a prerequisite for making or entering into this transaction imposed by section 1352, title 31, US Code. Any persons who fail to file the required certification shall be subject to a civil penalty of not less than $10,000.00 and not more than $100,000.00 for each failure."

By the signature(s) below, I/we, the undersigned, as authorized signatory to commit the firm, certify that the information as provided in **Attachment "L", Federal Non-Collusion/Lobbying Certification**, is truthful and correct at the time of submission.

AUTHORIZED SIGNATORY	Lildharry Jiawan Typed Name of AUTHORIZED SIGNATORY
President Title	07/27/21 Date
Witness Signature	Jessica McNamara Typed Name of Witness

PLEASE COMPLETE AND SUBMIT WITH YOUR RFQ RESPONSE

☞ Failure to submit this form may be grounds for disqualification of your submittal ☜

	City of Cocoa | Finance Department | Purchasing & Contracts Division 65 Stone Street, Cocoa, FL 32922 Phone: 321-433-8486, or extension 8844 | Fax: 321-433-8690	Solicitation Number: RFQ-21-25-COC
	REQUEST FOR QUALIFICATIONS (RFQ)	Due Date: July 23, 2021 @ 3:00 PM

TITLE: Dyal Water Treatment Plant – Electrical Contractor Services

Attachment "M"

Certification Regarding Debarment, Suspension, and Other Responsibility Matters Primary Covered Transactions

This contract is a covered transaction for purposes of 2 C.F.R. pt. 180 and 2 C.F.R. pt. 3000.

The Proposer certifies that, neither the firm nor any person associated therewith in the capacity of owner, partner, director, officer, principal, investigator, project director, manager, auditor, and/or position involving the administration of federal funds:

A. Is presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from covered transactions, as defined in 49 CFR s29.110(a), by any federal department or agency;

B. Has within a three-year period preceding this certification been convicted of or had a civil judgment rendered against it for: commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a federal, state, or local government transaction or public contract; violation of federal or state antitrust statutes; or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, or receiving stolen property;

C. Is presently indicted for or otherwise criminally or civilly charged by a federal, state, or local governmental entity with commission of any of the offenses enumerated in paragraph (b) of this certification; and

D. Has within a three-year period preceding this certification had one or more federal, state, or local government public transactions terminated for cause or default.

The Proposer certifies that it shall not knowingly enter into any transaction with any subcontractor, material supplier, or vendor who is debarred, suspended, declared ineligible, or voluntarily excluded from participation in this project by any federal agency unless authorized by the City of Cocoa. The Proposer must comply with 2 C.F.R. pt. 180, subpart C and 2 C.F.R. pt. 3000, subpart C and must include a requirement to comply with these regulations in any lower tier covered transaction it enters into. This certification is a material representation of fact relied upon by the City of Cocoa. If it is later determined that the contractor did not comply with 2 C.F.R. pt. 180, subpart C and 2 C.F.R. pt. 3000, subpart C, in addition to remedies available to the City of Cocoa, the Federal Government may pursue available remedies, including but not limited to suspension and/or debarment. The Proposer agrees to comply with the requirements of 2 C.F.R. pt. 180, subpart C and 2 C.F.R. pt. 3000, subpart C while this offer is valid and throughout the period of any contract that may arise from this offer. The Proposer further agrees to include a provision requiring such compliance in its lower tier covered transactions.

By the signature(s) below, I/we, the undersigned, as authorized signatory to commit the firm, certify that the information as provided in **Attachment "M", Certification Regarding Debarment, Suspension, and Other Responsibility Matters**, is truthful and correct at the time of submission.

Proposer/Contractor Name: Archis Inc. dba Archis Technologies

Mailing Address: 350 E Crown Point Rd, Suite 1100. Winter Garden. Florida 34787.

Telephone Number: 1-888-324-2557 Fax Number: 888 324 4364 E-mail Address: ops@archistech.com

Authorized Signatory — Lildharry Jiawan (Printed Name) — FEIN: 59-3721279 — DUNS: 03-347-6347

President (Title) — 07/27/21 (Date) — CAGE Code: 81PE7 (As issued through www.sam.gov)

PLEASE COMPLETE AND SUBMIT WITH YOUR RFQ RESPONSE

☞ Failure to submit this form may be grounds for disqualification of your submittal ☜

	City of Cocoa | Finance Department | Purchasing & Contracts Division 65 Stone Street, Cocoa, FL 32922 Phone: 321-433-8486, or extension 8844 | Fax: 321-433-8690	Solicitation Number: RFQ-21-25-COC
	REQUEST FOR QUALIFICATIONS (RFQ)	Due Date: July 23, 2021 @ 3:00 PM

TITLE: Dyal Water Treatment Plant – Electrical Contractor Services

Attachment "N"

Grant Conditions and Federal Provisions Acknowledgement of Terms, Conditions and Grant Clauses

Flow down of Terms and Conditions from the Federal Regulations and/or Grant Agreement

Subcontracts: If the Bidder subcontracts any portion of the work under this Agreement, a copy of the signed subcontract must be available to the City of Cocoa for review and approval. The bidder agrees to include in the subcontract that:

A. The subcontractor is bound by the terms of this Agreement;

B. The subcontractor is bound by all applicable state and federal laws and regulations; and

C. The subcontractor shall hold the City of Cocoa, grant recipient and granting agency harmless against all claims of whatever nature arising out of the subcontractor's performance of work under this Agreement, to the extent allowed and required by law.

Grant Conditions and Federal Provisions

On behalf of the Bidder, I acknowledge, and agree to perform all of the specifications and grant requirements identified in this solicitation document(s).

By the signature(s) below, I/we, the undersigned, as authorized signatory to commit the firm, certify that the information as provided in **Attachment "N", Grant Conditions and Federal Provisions Acknowledgement of Terms, Conditions and Grant Clauses**, acknowledge, and agree to perform all of the specifications and grant requirements identified in this solicitation document(s) and subsequent awarded Agreement as a result of this solicitation process should I be the successful Proposer.

Proposer/Contractor Name: Archis Inc. dba Archis Technologies

Mailing Address: 350 E Crown Point Rd, Suite 1100, Winter Garden. Florida. 34787.

Telephone Number: 1-888-324-2557 Fax Number: 888 324 4364 E-mail Address: ops@archistech.com

Authorized Signatory | Lildharry Jiawan (Printed Name) | FEIN: 59-3721279 | DUNS: 03-347-6347

President (Title) | 07/27/21 (Date) | CAGE Code: 81PE7 As issued through www.sam.gov

PLEASE COMPLETE AND SUBMIT WITH YOUR RFQ RESPONSE

☞ Failure to submit this form may be grounds for disqualification of your submittal ☜

	City of Cocoa | Finance Department | Purchasing & Contracts Division 65 Stone Street, Cocoa, FL 32922 Phone: 321-433-8486, or extension 8844 | Fax: 321-433-8690	Solicitation Number: RFQ-21-25-COC
	REQUEST FOR QUALIFICATIONS (RFQ)	Due Date: July 23, 2021 @ 3:00 PM
TITLE: Dyal Water Treatment Plant – Electrical Contractor Services		

Attachment "P"

E-Verify Contractor Affidavit

I hereby certify that Archis Inc. dba Archis Technologies [insert contractor company name] does not employ, contract with, or subcontract with an unauthorized alien, and is otherwise in full compliance with, section 448.095, Florida Statutes.

All employees hired on or after January 1, 2021 have had their work authorization status verified through the E-Verify system.

A true and correct copy of Archis Inc. dba Archis Technologies [insert contractor company name] proof of registration in the E-Verify system is attached to this Affidavit.

Print Name: Lildharry Jiawan
Date: 07/27/21

STATE OF FLORIDA
COUNTY OF Orange

The foregoing instrument was acknowledged before me by means of ☒ physical presence or ☐ online notarization, this 7/27/21(date) by Lildharry Jiawan (name of officer or agent, title of officer or agent) of Archis Inc. (name of corporation acknowledging), a FL (state or place of incorporation) corporation, on behalf of the corporation. He/she is personally known to me or has produced _____ (type of identification) as identification.

[Notary Seal] Notary Public
Jessica Serra McNamara
Name typed, printed, or stamped
My Commission Expires: 02/07/23

Notary Public State of Florida
Jessica Serra McNamara
My Commission HH 141676
Expires 02/07/2023

PLEASE COMPLETE AND SUBMIT WITH YOUR RFQ RESPONSE

☞ **Failure to submit this form may be grounds for disqualification of your submittal** ☜

EXHIBIT A

Checklist of Anticipated Services

Exhibit 1. Checklist of Anticipated Services	Place an "X" for each service you are able to provide			
	Assessment and Testing	Maintenance	Repair	Replacement
Medium Voltage (MV) Equipment – 1000 Volts to 69,000 Volts				
Switches	x	x	x	x
Transformers	x	x	x	x
Motors	x	x	x	x
Generators	x	x	x	x
Breaker Panels	x	x	x	x
Service Feeds	x	x	x	x
Cable Testing and Terminating	x	x	x	x
Switchgear and Motor Control Centers	x	x	x	x
Circuit Breakers, Contactors and Drives	x	x	x	x
Breaker Refurbishment and Repair	x	x	x	x
Relays and Meters	x	x	x	x
Control Panels	x	x	x	x
Electrical Conductors	x	x	x	x
Emergency Callout Work	x	x	x	x

	City of Cocoa | Finance Department | Purchasing & Contracts Division 65 Stone Street, Cocoa, FL 32922 Phone: 321-433-8486, or extension 8844 | Fax: 321-433-8690	Solicitation Number: RFQ-21-25-COC
	REQUEST FOR QUALIFICATIONS (RFQ)	Due Date: July 23, 2021 @ 3:00 PM

TITLE: Dyal Water Treatment Plant – Electrical Contractor Services

Exhibit 1. Checklist of Anticipated Services	Place an "X" for each service you are able to provide			
	Assessment and Testing	Maintenance	Repair	Replacement
Low Voltage (LV) Equipment – 999 Volts and Less				
Switches	x	x	x	x
Transformers	x	x	x	x
Motors	x	x	x	x
Generators	x	x	x	x
Breaker Panels	x	x	x	x
Service Feeds	x	x	x	x
Cable Testing and Terminating	x	x	x	x
Switchgear, Switchboards, and Motor Control Centers	x	x	x	x
Circuit Breakers, Contactors, and Drives	x	x	x	x
Breaker Retrofit, Refurbishment and Repair	x	x	x	x
Grounding and Ground Grid Testing	x	x	x	x
Relays and Meters	x	x	x	x
Control Panels	x	x	x	x
Battery Banks and Chargers	x	x	x	x
Electrical Conductors	x	x	x	x
4 – 20 Milliamp Circuits	x	x	x	x
PLC Circuits	x	x	x	x

	City of Cocoa | Finance Department | Purchasing & Contracts Division 65 Stone Street, Cocoa, FL 32922 Phone: 321-433-8486, or extension 8844 | Fax: 321-433-8690	**Solicitation Number: RFQ-21-25-COC**
	REQUEST FOR QUALIFICATIONS (RFQ)	**Due Date: July 23, 2021 @ 3:00 PM**

TITLE: Dyal Water Treatment Plant – Electrical Contractor Services

Exhibit 1. Checklist of Anticipated Services	**Place an "X" for each service you are able to provide**			
	Assessment and Testing	**Maintenance**	**Repair**	**Replacement**
Emergency Callout Work	x	x	x	x
Life Extension (LES) Equipment - All voltage classes				
Switches	x	x	x	x
Breakers	x	x	x	x
Current Transformers, (CT)	x	x	x	x
Switchgear, Switchboards, and Motor Control Centers	x	x	x	x
Emergency Callout Work	x	x	x	x

CITY OF WINTER GARDEN
300 WEST PLANT STREET
WINTER GARDEN, FL 34787
P: 407.656.4111
WWW.WINTERGARDEN-FL.GOV

WINTER GARDEN • Where good things grow

LOCAL BUSINESS TAX RECEIPT FOR CITY OF WINTER GARDEN

Business Name:	ARCHIS INC.	**Location:**	**350 EAST CROWN POINT RD S1100**
Receipt No:	21-00009790	**Class:**	SERVICES: MISCELLANEOUS
Tax/Add'tl Tax:	**$ 86.00 $**	**Issue Date:**	August 24, 2020
Late Penalty:	$ 0.00	**Expires:**	**September 30, 2021**
Total Paid:	$0.00	**Restrictions:**	**MUST COMPLY WITH LOCAL BUSINESS TAX REQUIREMENTS**
		Comments:	**ADM OFFICE FOR MGT SERVICES & GEN. CONTRACTOR**

ARCHIS INC.
DBA ARCHIS TECHNOLOGIES
126 SANDPIPER RIDGE DR.
ORLANDO FL 32835

BUSINESS TAX RECEIPT MUST BE POSTED IN CONSPICUOUS PLACE AT ALL TIMES.

*****PLEASE NOTE THE TOP PORTION IS YOUR LOCAL BUSINESS TAX RECEIPT AND IS PAID THRU SEPTEMBER 30th OF NOTED YEAR ABOVE *****

1. Business Tax Year is from October 1st through September 30th. Tax fees are prorated after April 1st as a half-year fee.

2. All **new** commercial business tax **must** be inspected by the Fire Department to meet all applicable state and city code requirements. You will be contacted to make arrangements for your inspection by the City Fire Inspector.

3. An Orange County Business Tax must be registered and paid **AFTER YOU HAVE BEEN ISSUED THE WINTER GARDEN BUSINESS TAX RECEIPT**. They are located in the SunTrust Building at 200 S. Orange Ave, 16th Floor- Suite 1600, Orlando, FL 32801 and their office phone number is (407) 836-5650.

CITY OF WINTER GARDEN
300 WEST PLANT STREET
WINTER GARDEN, FL 34787
P: 407.656.4111
WWW.WINTERGARDEN-FL.GOV

WINTER GARDEN • Where good things grow

LOCAL BUSINESS TAX RECEIPT FOR CITY OF WINTER GARDEN

Business Name:	RODGRIGUEZ, JAIME	**Location:**	**350 EAST CROWN POINT RD S1100**
Receipt No:	21-00009791	**Class:**	GENERAL CONTRACTOR
Tax/Add'tl Tax:	**$ 86.00 $**	**Issue Date:**	August 24, 2020
Late Penalty:	$ 0.00	**Expires:**	**September 30, 2021**
Total Paid:	$0.00	**Restrictions:**	**MUST COMPLY WITH LOCAL BUSINESS TAX REQUIREMENTS**
		Comments:	**CGC 1525876**

RODGRIGUEZ, JAIME
ARCHIS INC.
126 SANDPIPER RIDGE DRIVE
ORLANDO FL 32835

BUSINESS TAX RECEIPT MUST BE POSTED IN CONSPICUOUS PLACE AT ALL TIMES.

*****PLEASE NOTE THE TOP PORTION IS YOUR LOCAL BUSINESS TAX RECEIPT AND IS PAID THRU SEPTEMBER 30th OF NOTED YEAR ABOVE *****

1. Business Tax Year is from October 1st through September 30th. Tax fees are prorated after April 1st as a half-year fee.

2. All **new** commercial business tax **must** be inspected by the Fire Department to meet all applicable state and city code requirements. You will be contacted to make arrangements for your inspection by the City Fire Inspector.

3. An Orange County Business Tax must be registered and paid **AFTER YOU HAVE BEEN ISSUED THE WINTER GARDEN BUSINESS TAX RECEIPT**. They are located in the SunTrust Building at 200 S. Orange Ave, 16th Floor- Suite 1600, Orlando, FL 32801 and their office phone number is (407) 836-5650.

Tax Collector Scott Randolph **Local Business Tax Receipt** **Orange County, Florida**

2020 **EXPIRES 9/30/2021** 3110-0515413

3110 COMPUTER NETWORK C $30.00 1 EMPLOYEE

TOTAL TAX	$30.00
PREVIOUSLY PAID	$30.00
TOTAL DUE	$0.00

JIAWAN LILDHARRY P PRESIDENT

ARCHIS INC
JIAWAN LILDHARRY P
126 SANDPIPER RIDGE DR
ORLANDO FL 32835

350 E CROWN POINT RD #1100
C - WINTER GARDEN, 34787

PAID: $30.00 0098-00940477 7/13/2020

Tax Collector Scott Randolph **Local Business Tax Receipt** **Orange County, Florida**

This local Business Tax Receipt is in addition to and not in lieu of any other tax required by law or municipal ordinance. Businesses are subject to regulation of zoning, health and other lawful authorities. This receipt is valid from October 1 through September 30 of receipt year. **Delinquent penalty is added October 1.**

2020 **EXPIRES 9/30/2021** 3110-0515413

3110 COMPUTER NETWORK C $30.00 1 EMPLOYEE

TOTAL TAX	$30.00
PREVIOUSLY PAID	$30.00
TOTAL DUE	$0.00

JIAWAN LILDHARRY P PRESIDENT

ARCHIS INC
JIAWAN LILDHARRY P
126 SANDPIPER RIDGE DR
ORLANDO FL 32835

350 E CROWN POINT RD #1100
C - WINTER GARDEN, 34787

PAID: $30.00 0098-00940477 7/13/2020

SCOTT RANDOLPH, TAX COLLECTOR • ORANGE COUNTY, FLORIDA •

This receipt is official when validated by the Tax Collector.

Orange County Code requires this local Business Tax Receipt to be displayed conspicuously at the place of business in public view. It is subject to inspection by all duly authorized officers of the County.

Tax Collector Scott Randolph **Local Business Tax Receipt** **Orange County, Florida**

2020 **EXPIRES 9/30/2021**

5000	BUSINESS OFFICE	$30.00	1 EMPLOYEE	1801	GENERAL CONTRACTOR	$30.00	5000-1198452 1 EMPLOYEE

TOTAL TAX	$60.00
PREVIOUSLY PAID	$60.00
TOTAL DUE	$0.00

JIAWAN LILDHARRY P- PRESIDENT
RODRIGUEZ JAIME-QUALIFIER

ARCHIS INC
JIAWAN LILDHARRY P- PRESIDENT
126 SANDPIPER RIDGE DR
ORLANDO FL 32835

350 E CROWN POINT RD #1100
C - WINTER GARDEN, 34787

PAID: $60.00 0098-00940480 7/13/2020

Tax Collector Scott Randolph **Local Business Tax Receipt** **Orange County, Florida**

This local Business Tax Receipt is in addition to and not in lieu of any other tax required by law or municipal ordinance. Businesses are subject to regulation of zoning, health and other lawful authorities. This receipt is valid from October 1 through September 30 of receipt year. **Delinquent penalty is added October 1.**

2020 **EXPIRES 9/30/2021**

5000	BUSINESS OFFICE	$30.00	1 EMPLOYEE	1801	GENERAL CONTRACTOR	$30.00	5000-1198452 1 EMPLOYEE

TOTAL TAX	$60.00
PREVIOUSLY PAID	$60.00
TOTAL DUE	$0.00

JIAWAN LILDHARRY P- PRESIDENT
RODRIGUEZ JAIME-QUALIFIER

ARCHIS INC
JIAWAN LILDHARRY P- PRESIDENT
126 SANDPIPER RIDGE DR
ORLANDO FL 32835

350 E CROWN POINT RD #1100
C - WINTER GARDEN, 34787

PAID: $60.00 0098-00940480 7/13/2020

SCOTT RANDOLPH, TAX COLLECTOR • ORANGE COUNTY, FLORIDA •

This receipt is official when validated by the Tax Collector.

Orange County Code requires this local Business Tax Receipt to be displayed conspicuously at the place of business in public view. It is subject to inspection by all duly authorized officers of the County.

octaxcol.com | octaxcol

Ron DeSantis, Governor

Halsey Beshears, Secretary

STATE OF FLORIDA
DEPARTMENT OF BUSINESS AND PROFESSIONAL REGULATION

ELECTRICAL CONTRACTORS LICENSING BOARD

THE ELECTRICAL CONTRACTOR HEREIN IS CERTIFIED UNDER THE
PROVISIONS OF CHAPTER 489, FLORIDA STATUTES
Additional Business Qualification

BRIJBASU, CHRISTOPHER

ARCHIS INC.
350 EAST CROWN POINT RD, STE 1100
WINTER GARDEN FL 34787

LICENSE NUMBER: EC13009453

EXPIRATION DATE: AUGUST 31, 2022

Always verify licenses online at MyFloridaLicense.com

Do not alter this document in any form.

This is your license. It is unlawful for anyone other than the licensee to use this document.

DIVISION OF BUILDING SAFETY
Shane Gerwig, Building Official
201 South Rosalind Avenue, 1st Floor
Orlando, Florida 32802

DATE: **11/10/2020**

Romesh Haimraj
8121 LAKE PARK ESTATES BLVD
Orlando, FL 32818

Below is your Journeyman **Electrical** Contractor Card and Certificate of Competency; the expiration for this card is **September 30, 2022**. A certificate holder who fails to renew within three (3) years of the date of expiration of their Certificate of Competency shall be required to retake the examination in order to reinstate their certificate, unless the proof of active competency from another municipality is provided.

The competency **card** shall be detached along the dotted line and in your possession while performing related construction in Orange County. The **certificate** of competency should be prominently displayed at your primary place of business.

If you have any questions, please do not hesitate to call our Contractor Licensing Department at (407)836-5522.

Contact Information Currently on File

Address: **8121 Lake Park Estates Blvd. Orlando, FL 32818**
Phone: **3212466785**
Email: **seanhaimraj@gmail.com**

NOTE: In order for us to adequately manage your account, please make sure that all of your contact information is kept current. Failure to do so may result in your inability to obtain permits and/or inspections in Orange County.

Orange County
Division of Building Safety
Competency Card
Other E- Journeyman Electrician
ELJ0004484 **09/30/2022**
Not a licensed contractor (expiration date)
Romesh Haimraj
8121 LAKE PARK ESTATES BLVD
Orlando, FL 32818

(Signature of Card Holder)
(Not valid unless signed)

Orange County
Division of Building Safety
Certificate of Competency

Issue date: **11/10/2020**
Expiration date: **09/30/2022**

State Registration Number: **ELJ0004484**

Contractor license trade: **Electrical**

Contractor license type: **Other E- Journeyman Electrician**
(Journeymen are not legal licensed contractors)

Romesh Haimraj
8121 LAKE PARK ESTATES BLVD
Orlando, FL 32818

23-198 Rev 5/2012

State of Florida
Department of State

I certify from the records of this office that ARCHIS INC. is a corporation organized under the laws of the State of Florida, filed on March 26, 2001.

The document number of this corporation is P01000032334.

I further certify that said corporation has paid all fees due this office through December 31, 2021, that its most recent annual report/uniform business report was filed on January 5, 2021, and that its status is active.

I further certify that said corporation has not filed Articles of Dissolution.

Given under my hand and the Great Seal of the State of Florida at Tallahassee, the Capital, this the Fifth day of January, 2021



Secretary of State

Tracking Number: 2503788172CC

To authenticate this certificate,visit the following site,enter this number, and then follow the instructions displayed.

https://services.sunbiz.org/Filings/CertificateOfStatus/CertificateAuthentication

2021 FLORIDA PROFIT CORPORATION ANNUAL REPORT

FILED
Jan 05, 2021
Secretary of State
2503788172CC

DOCUMENT# P01000032334

Entity Name: ARCHIS INC.

Current Principal Place of Business:

350 E CROWN POINT RD
SUITE 1100
WINTER GARDEN , FL 34787

Current Mailing Address:

350 E CROWN POINT RD
SUITE 1100
WINTER GARDEN , FL 34787 US

FEI Number: 59-3721279

Certificate of Status Desired: Yes

Name and Address of Current Registered Agent:

JIAWAN, LILDHARRY
126 SANDPIPER RIDGE DRIVE
ORLANDO, FL 32835 US

The above named entity submits this statement for the purpose of changing its registered office or registered agent, or both, in the State of Florida.

SIGNATURE:

Electronic Signature of Registered Agent — Date

Officer/Director Detail :

Title	PRESIDENT, CEO
Name	JIAWAN, LILDHARRY
Address	350 E CROWN POINT RD SUITE 1100
City-State-Zip:	WINTER GARDEN FL 34787

I hereby certify that the information indicated on this report or supplemental report is true and accurate and that my electronic signature shall have the same legal effect as if made under oath; that I am an officer or director of the corporation or the receiver or trustee empowered to execute this report as required by Chapter 607, Florida Statutes; and that my name appears above, or on an attachment with all other like empowered.

SIGNATURE: LILDHARRY JIAWAN PRESIDENT 01/05/2021

Electronic Signature of Signing Officer/Director Detail — Date

Form **W-9**
(Rev. October 2018)
Department of the Treasury
Internal Revenue Service

Request for Taxpayer Identification Number and Certification

► **Go to *www.irs.gov/FormW9* for instructions and the latest information.**

Give Form to the requester. Do not send to the IRS.

Print or type. See **Specific Instructions** on page 3.

1 Name (as shown on your income tax return). Name is required on this line; do not leave this line blank.

Archis Inc

2 Business name/disregarded entity name, if different from above

Archis Technologies

3 Check appropriate box for federal tax classification of the person whose name is entered on line 1. Check only **one** of the following seven boxes.

☐ Individual/sole proprietor or single-member LLC ☐ C Corporation ☑ S Corporation ☐ Partnership ☐ Trust/estate

☐ Limited liability company. Enter the tax classification (C=C corporation, S=S corporation, P=Partnership) ► _____

Note: Check the appropriate box in the line above for the tax classification of the single-member owner. Do not check LLC if the LLC is classified as a single-member LLC that is disregarded from the owner unless the owner of the LLC is another LLC that is **not** disregarded from the owner for U.S. federal tax purposes. Otherwise, a single-member LLC that is disregarded from the owner should check the appropriate box for the tax classification of its owner.

☐ Other (see instructions) ►

4 Exemptions (codes apply only to certain entities, not individuals; see instructions on page 3):

Exempt payee code (if any) _____

Exemption from FATCA reporting code (if any) _____

(Applies to accounts maintained outside the U.S.)

5 Address (number, street, and apt. or suite no.) See instructions.

350 E Crown Point Road, Suite 1100

Requester's name and address (optional)

6 City, state, and ZIP code

Winter Garden, FL 34787

7 List account number(s) here (optional)

Part I Taxpayer Identification Number (TIN)

Enter your TIN in the appropriate box. The TIN provided must match the name given on line 1 to avoid backup withholding. For individuals, this is generally your social security number (SSN). However, for a resident alien, sole proprietor, or disregarded entity, see the instructions for Part I, later. For other entities, it is your employer identification number (EIN). If you do not have a number, see *How to get a TIN*, later.

Note: If the account is in more than one name, see the instructions for line 1. Also see *What Name and Number To Give the Requester* for guidelines on whose number to enter.

Social security number

			–			–				

or

Employer identification number

5	9	–	3	7	2	1	2	7	9

Part II Certification

Under penalties of perjury, I certify that:

1. The number shown on this form is my correct taxpayer identification number (or I am waiting for a number to be issued to me); and
2. I am not subject to backup withholding because: (a) I am exempt from backup withholding, or (b) I have not been notified by the Internal Revenue Service (IRS) that I am subject to backup withholding as a result of a failure to report all interest or dividends, or (c) the IRS has notified me that I am no longer subject to backup withholding; and
3. I am a U.S. citizen or other U.S. person (defined below); and
4. The FATCA code(s) entered on this form (if any) indicating that I am exempt from FATCA reporting is correct.

Certification instructions. You must cross out item 2 above if you have been notified by the IRS that you are currently subject to backup withholding because you have failed to report all interest and dividends on your tax return. For real estate transactions, item 2 does not apply. For mortgage interest paid, acquisition or abandonment of secured property, cancellation of debt, contributions to an individual retirement arrangement (IRA), and generally, payments other than interest and dividends, you are not required to sign the certification, but you must provide your correct TIN. See the instructions for Part II, later.

Sign Here **Signature of U.S. person** ►  **Date** ► 1/6/2021

General Instructions

Section references are to the Internal Revenue Code unless otherwise noted.

Future developments. For the latest information about developments related to Form W-9 and its instructions, such as legislation enacted after they were published, go to *www.irs.gov/FormW9*.

Purpose of Form

An individual or entity (Form W-9 requester) who is required to file an information return with the IRS must obtain your correct taxpayer identification number (TIN) which may be your social security number (SSN), individual taxpayer identification number (ITIN), adoption taxpayer identification number (ATIN), or employer identification number (EIN), to report on an information return the amount paid to you, or other amount reportable on an information return. Examples of information returns include, but are not limited to, the following.

- Form 1099-INT (interest earned or paid)
- Form 1099-DIV (dividends, including those from stocks or mutual funds)
- Form 1099-MISC (various types of income, prizes, awards, or gross proceeds)
- Form 1099-B (stock or mutual fund sales and certain other transactions by brokers)
- Form 1099-S (proceeds from real estate transactions)
- Form 1099-K (merchant card and third party network transactions)
- Form 1098 (home mortgage interest), 1098-E (student loan interest), 1098-T (tuition)
- Form 1099-C (canceled debt)
- Form 1099-A (acquisition or abandonment of secured property)

Use Form W-9 only if you are a U.S. person (including a resident alien), to provide your correct TIN.

If you do not return Form W-9 to the requester with a TIN, you might be subject to backup withholding. See What is backup withholding, *later.*

Additional Information

Navin Jiawan, Principal in Charge
nj@archistech.com; 407-383-5628

Training & Education:

- Bachelor of Science in Business Management, University of Phoenix
- ICC Elite Installer Master Technician
- FL Specialty Electrical Contractor, ES12001447

Navin started his career 25 years ago as a Technician, developing a wealth of knowledge in the IT field throughout the years as a Network Analyst, Project Manager, and Founder of Archis Technologies where he is currently President and CEO. With a combination of formal education and professional ventures such as serving as Systems Review and Principal in Charge on numerous National projects, he gained skills in **project management**, asset management, **construction management**, **budgeting and cost analysis**, low voltage systems, infrastructure solutions, network administration, and software development. Navin focuses on the **planning, design, implementation, security, and management of wired and wireless infrastructure, web-based applications, and cloud and IT solutions, and project and program management of new or existing technology systems.**

Relevant Work Experience:

- **Manager/Founder, IFM360 (2018 to Current)**
  Developed and manages a Program Management Software. Perform market research, master planning, and consulting with clients looking for a similar solution. Troubleshoot the software and offer suggestions for improvements.

- **President, Archis Technologies (2001 to Current)**
  Archis Technologies started off as a small managed services firm where Navin provided on site, hands-on services to clients offering cyber security, network management, hardware as a service, software as a service, and computer systems design. Over the past 19 years Archis Technologies has grown into a complete systems integrator where Navin oversees all projects from small business managed services clients to government agencies and aviation authorities to manage network cabling and IT infrastructure. He is involved with every project from start to finish and has coached his team into the adept technicians they are. Archis Technologies resume is Navin's resume. He is the principal in charge for every contract and takes pride in developing a personal relationship with each and every one. Archis has over 25 clients ranging from Managed Services to General Construction Management. Navin has overseen hundreds of projects, both small and large. He aims to develop last relationships with his clients and be a guiding resource for the IT industry.
  - 15+ Small Business
    - **Managed IT Services (2001 to ongoing)**
  - Greater Orlando Aviation Authority
    - **IT Consulting Services (2018 to Ongoing)**
  - Crown Castle International
    - **RF Integrations and Support (2007 to ongoing)**
    - **Fiber Cabling (2019 to ongoing)**
  - TrueNet Communications
    - **Network Infrastructure/Fiber Cabling (2019 to ongoing)**
  - Orlando Utilities Commission
    - **Data Wiring Services (2019 to ongoing)**
  - Orange County Public Schools
    - **Program Management (2013 to ongoing)**
    - **Electronic Security Equipment and Services (2018 to ongoing)**
    - **Radio System Design and Installation (2018 to ongoing)**
    - **Public Safety Radio Testing (2018 to ongoing)**
  - Seminole County Public Schools
    - **Radio System Design and Installation (2020 to ongoing)**
  - Volusia County School Board
    - **Public Safety Radio Testing (2020 to ongoing)**

- School District of Osceola County
  - **Video Surveillance Services (2018 to ongoing)**
  - **Communication Cabling Services (2018 to ongoing)**
- Monroe County School District
  - **Radio System Design and Installation (2019 to ongoing)**
- Florida Department of Economic Opportunity
  - **Technology Wiring and Cabling (2020 to ongoing)**
- City of Clermont
  - **Internal/External Security Camera Design and Installation (2020 to ongoing)**
- Lake County Government
  - **Access Controls Systems Design and Installation (2020 to ongoing)**

- **Network Technician, Amicus Holdings Inc. (2000 to 2003)**
  Installation of LAN and WAN equipment. Troubleshooting, configuring and installation of Windows NT 4.0 Workstations, Lexmark Printers, Cisco Routers and Switches, and Uninterrupted Power Supplies. Troubleshooting Circuit and Connectivity Issues. Assisted senior Technicians and Engineers in resolving network issues. Tested, Documented and Handed over sites to Operations Center.

Proficiencies:

- Business Operations
- IT principles
- Microsoft Office and Systems
- Network Infrastructure
- Computer Systems Design and Engineering
- Low Voltage / Specialty Electrical Systems
- CCTV
- Access Control
- LAN/WAN
- VoIP
- Cyber Security and Disaster Recovery
- Wireless Design and Implementation
- Project Management
- Computer Hardware and Software
- Business Operations
- Fiber
- Small Cell Sites and Deployment
- Distributed Antenna Systems
- Public Safety Systems

Christopher Brijbasu, Master Electrician
cb@archistech.com; 407-453-5598

Training & Education:

- Associate of Science in Network Administration, Florida Technical College

With over 13 years of experience as a cabling technician, Chris is an extremely adept and adaptable Master Electrician. Not only is he well versed and knowledgeable on industry standards, practices, materials, and equipment, but he also possesses strong communication and management skills. This enables him to effectively and efficiently lead a successful team. Chris hold a Master Electrician license, #EC13009453.

Relevant Work Experience:

- **Master Technician, Archis Technologies (2019 to current)**
  Install and repair Single phase and 3 Phase wiring, electrical fixtures, power equipment, and components of machinery and equipment following electrical code, manuals, specifications, schematics, and blueprints. Install and repair control and distribution apparatus, including Single phase and 3 Phase motors, relays, switches, thermostats, circuit-breaker panels, etc. Install and connect power supply wiring, cables, conduit, and electrical apparatus for machines and equipment in new and existing facilities following diagrams, schematics, or blueprints. Diagnose and resolve problems in electrical circuits, systems, and equipment using testing instruments and equipment. Test continuity of circuits to ensure compatibility and safety of components using testing instruments. Measure, cut, bend, thread, assemble, and install electrical conduit using rulers, measuring devices, hand tools, pipe threader and conduit bender. Supervise and oversee apprentices. Receive and complete work orders. Select material and hardware and make time and materials estimates. Maintain accurate records on material and labor used. Maintain inventory of tools, equipment, and materials. Inspect jobs upon completion and ensure areas are clean. Work with building contractors to complete projects. Detect needed repairs on buildings, grounds, and equipment following established inspection procedures. Respond to emergency calls as needed.

- **President/ CEO. Advanced Integration Systems (2016 to Current)**
  Provided low-voltage solutions to customers in Residential, Commercial and 12Volt industries. - Offered Residential / Commercial services such as CCTV, Access control, Automation, Networking, TV mounting and Custom Audio. Offer 12Volt Solutions for customers and brand name dealerships such as: Alarm / Remote Start, Bluetooth integration, GPS / Fleet Installations, DOT Driver Log System, Mobile navigation systems, back-up and Dash cameras. - Customers include but not limited to: Nissan Motors, FORD, Westgate Resorts, Simply Self Storage, ABC Fine Wine and Spirts, TYCO. References upon request.

- **Fl Electrician/ Senior Low Voltage Technician, ABC Fine Wine and Spirits (2007- 2016)**
  Supervised and planned and managed installation timelines, projects and technicians. - Worked closely with project superintendents to communicate of installation deadlines, inspections, and difficulties on site Ordered and maintained all inventory for jobsites and vehicles. Assemble, install, test, and maintain electrical or electronic wiring, equipment, appliances, apparatus, and fixtures, using hand tools and power tools. - Connect wires to circuit breakers, transformers, or other components. - Construct and fabricate parts, using hand tools and specifications. - Diagnose malfunctioning systems, apparatus, and components, using test equipment and hand tools, to locate the cause of a breakdown and correct the problem. - Inspect electrical systems, equipment, and components to identify hazards, defects, and the need for adjustment or repair, and to ensure compliance with codes. Place conduit (pipes or tubing) inside designated partitions, walls, or other concealed areas, and pull Insulated wires or cables through the conduit to complete circuits between boxes. Plan layout and installation of electrical wiring, equipment and fixtures, based on job specifications and local codes. - Prepare sketches or follow blueprints to determine the location of wiring and equipment and to ensure conformance to building and safety codes.
  Assembled server racks and equipment to manufactures specifications to maintain proper airflow and prevent malfunctions due to overheating (included UPS, PDU, Switches, Routers, DVR, Patch Panel, Cabling Routing ETC.) - Plan fire alarm installations by surveying and evaluating location; identifying installation

requirements; laying-out equipment and wiring plan. - Install equipment; run and pull wiring; program and calibrate equipment; adhere to codes, regulations, and standards. Experience with (Bosch / Radionics non addressable systems) - Planned and executed Fire alarm / Burglar Alarm systems upgrades (Including POTS to IP/ Cellular) - Install CCTV cameras. (Experience with Axis, Verint, Samsung, Sony, Aimetis, Vivotek, Lorex, QSee) - Installed and Configured VMS Software (Verint, Axis, Digital Watchdog, Lorex, Qsee)

- **Fl System Administrator, ABC Fine Wine and Spirits. (2017 to 2016)**
  Build and manage servers. Design, implement and manage networks - Maintain PCI compliance - Build, repair and manage PCs.Trained employees in active directory, Windows server 2008, Windows server 2003, hardware installation, software installation, network set-up, CCTV (TCPIP-Analog), and IBM Info Print Series Printers, etc.

- **Third Key Holder, ACE Building Services (2006-2007)**
  Perform daily opening and closing procedures. Handle all customer service issues and daily cash intake. Create employee weekly schedule. Inventory control, including loss prevention and merchandise coun

Proficiencies:

- Complete Low Voltage experience (Fire, Burglary, CCTV, Networking, A/V)
- Electrical Experience (120, 240, 480V)
- Extensive Bosch Fire and Burglary experience - CCTV installation, troubleshooting, and service (Both IP / Analog)
- Structure Cabling - Access Control installation, service and troubleshooting (Paxton / PCSC)
- NFPA / NEC
- Computer literate (110 WPM, Microsoft Office, WordPerfect & Works, Windows, Mac, and Outlook.)
- Networking tools (Microsoft SQL, Windows server 2003 & 2008, Windows Active Directory)
- PC Utility Programs (VNC, Acronis True Image, ERD, Symantec Ghost, CISCO Unity, etc.)
- Troubleshoot and Support
- Extensive customer service experience
- Strong communication skills
- Sales motivated
- Management Skills

Sean Haimraj, Apprentice Electrician
sh@archistech.com; 321-246-6785

Training & Education:

- Florida Electrical Apprentice Training (Pursuing Journeyman License), Mid Florida Tech, Orlando, FL
- Associate Degree (Pursuing General Studies), Valencia Community College, Orlando, FL

Sean is a young professional who is actively pursuing his Journeyman License in the State of Florida. He is a quick learner, adaptable, and eager to succeed. Sean has excellent communication skills which make him a wonderful project manager. He is organized, concise, and experienced in time management. As an Apprentice Electrician, Sean is meticulous and hardworking.

Relevant Work Experience:

- **Apprentice Electrician, Archis Technologies (2019 to Current)**
  Manage projects related to Electrical Contracting services to include Low Voltage and Data Wiring – time management, project scheduling, and budgeting. Assist the Master Electrician and Journeyman with electrical projects to acquire the knowledge needed to become a journeyman. Troubleshoot, test, and repair electrical wires, components, and equipment. Prepare reports on safety measures and follow all safety guidelines. Responsible for learning all electrical procedures installing and maintaining systems and following/learning all local and federal regulations.

- **Apprentice Electrician, Main Line Electric (2019)**
  Pull orders and organize inventory. Assist Master Electricians with electrical projects. Troubleshoot, test, and repair electrical wires and components. Learn related equipment and procedures.

- **Apprentice Electrician / Warehouse Assistant Manager, A&B Electric (2014 to 2019)**
  Pull orders and organize inventory. Assist Master Electricians with electrical projects. Troubleshoot, test, and repair electrical wires and components. Learn related equipment and procedures. Maintain a clean and function warehouse. Responsible for following all warehouse and job site safety rules.

- **Help Desk Support / RF Technician, Archis Technologies (2012 to 2014)**
  Answer and direct all inbound calls. Make outbound calls to clients when necessary. Open and update client tickets. Support lead technicians with troubleshooting and repairing computer and network issues. Perform computer maintenance and repair unassisted. Complete software and hardware installation for new and existing clients. Deliver client follow-ups and feedback after support tickets are in place and/or completed.

Proficiencies:

- Microsoft Office 365
- Hand/Power Tools
- Low Voltage Cabling (Cat 5/6, Fiber, Copper, Coax)
- Verbal and Written Communication

Alex Haimraj, Project Manager
ah@archistech.com; 407-439-1593

Training & Education:

- A.A. Information Technology, Valencia College, Orlando, FL [pursuing]
- AXIS Certified Professional
- PCTEL Certified in SeeHawk Touch: Public Safety Testing Methods

Alex's professional landscape has been formed by diverse experiences serving as a technician, ranging from support to low voltage and radio frequency to networks. He is a skilled and adaptable professional who offers vast technical knowledge in computers and networking. Alex has a thorough understanding of computer hardware and software, so his ability to support clients' requests is always efficient and effective. As a Project Manager, he is a problem-solver who is organized and communicative. He ensures clients remain on budget while managing his team to complete projects on time. Alex is currently pursuing his Associate degree in Information Technology to gain a more in-depth understanding of the field he has worked in for the past 5 years.

Relevant Work Experience:

- **Archis Technologies, Winter Garden, FL, Project Manager (2019 to Current)**
  Project manager duties
  - **Pinar Elementary School DAS Upgrades, Orange County Public Schools (2020)**
  - **Boone High School DAS Upgrades, Orange County Public Schools (2020)**
  - **Dr. Phillip's High School DAS Upgrades, Orange County Public Schools (2020)**
  - **University High School DAS Upgrades, Orange County Public Schools (2020)**
  - **Oak Ridge High School DAS Upgrades, Orange County Public Schools (2019)**
  - Act as the project manager to oversee all timeline and budget constraints, project estimating, permitting, and other tasks for successful project completion. Upgrades for Distributed Antenna System (DAS) for public safety and UHF private radio system to include fiber, RF coax, and RF testing.
  - **Plantation Key School DAS Design-Build, Monroe County Schools (2019)**
  - **Gerald Adams Elementary School DAS Design-Build, Monroe County Schools (2019)**
  - **Windermere High School DAS Design-Build, Orange County Public Schools (2019)**
    Act as the project manager to oversee all timeline and budget constraints, project estimating, permitting, and other tasks for successful project completion. Design-build for Distributed Antenna System (DAS) for public safety and UHF private radio system to include fiber, RF coax, and RF testing.
  - **Low Voltage and Phone System Upgrades, Hosted Solutions, and Managed Technology Services, Rapid Building Solutions via Archis Technologies (2018 to Ongoing)**
    Act as a project manager and network technician to assist Archis Technologies with turnkey services for client. Oversees client satisfaction and project estimating, budget, and permitting.

- **Archis Technologies, Winter Garden, FL, Network Technician (2017 to 2019)**
  Monitor help desk and follow up on support tickets for existing clients. Manage client network projects such as hardware and software upgrades and repairs. Actively work to prevent any network issues, and quickly solve problems when they occur. Create invoices and resolve client requests. Document client IT assets including hardware and software. Conduct Continuous Wave (CW) testing. Participated in site walks. Performed system testing utilizing CW channel scanners, spectrum analyzers, power meters, and network optimization tools such as JDSU.

- **Archis Technologies, Winter Garden, FL, Low Voltage Technician (2015 to 2017)**

Ran low voltage cables (CAT 5/6 Network) for office buildouts. Terminated ends to patch panel and headers for use on networks.

- **Archis Technologies, Winter Garden, FL, Helpdesk Technician (2012 to 2017)**
  Answer help desk calls, open tickets, resolve networking issues, resolve workstation issues, and resolve notebook issues.

Proficiencies:

- Microsoft Office 2016
- Microsoft Power Business Intelligence
- Computer and Network Troubleshooting and Repair
- Network Cabling
- CW Testing
- Adobe Photoshop
- Adobe Illustrator
- WordPress Website Development
- ADRF Systems
- AXIS Camera Systems

Randal Tapsy, Project Manager
rt@archistech.com; 407.247.2505

Training & Education:

- Associates of Science Degree in Construction Management, Valencia College
- Associates of science Degree in Civil Surveying Engineering, Valencia Certificate
- Technical Certificate in Construction, Valencia College
- Technical Certificate in Business, Valencia College
- Associate of Arts Degree, Valencia Community College
- Microsoft Windows Certification, Westside Vocational Technical College

Randal's years of experience in the field has helped him to grow into a skilled and meticulous project manager. He has amazing communication, organizing, as well as interpersonal skills that helps him to easily create professional working relationships with clients. He works diligently to ensure that clients remain on budget while leading his team to timely project completion.

Relevant Work Experience:

- **Project Manager, Archis Technologies (2021 to Current)**
  Manage construction projects from the planning through the completion phases of the project. Ensure our finances for the projects are within budget. Ensure quality of the work being performed by the subs are up to Archis standards. Working with county and city government for permits and inspections. Verify Safety Plans for all new and ongoing projects are up to date. Process and/or track Change Orders ensuring the work is completed as scheduled. Process and track Submittals, RFI's and RFP's as necessary for the project. Work with sub-contractors to ensure all Pay Applications are submitted for the right amounts. Approve or Reject Application for Payments and Invoices for on going projects. Verify all Lien Releases are correct before releasing payments to sub-contractors. Verify all close out work is completed in a timely manner. Research equipment and products for best pricing and quality for various projects.

- **Construction Project Assistant, Walt Disney World (2017 - 2020)**
  Process and track submittals, RFI's and RFP's as requested by the project manager. Perform PMWeb & SAP tasks as needed by Project Manager to include receiving requisitions, meeting minutes & new vendor setup. Enter contractor and bid information, track RFP's, pull reports/forms as requested, scan and attach Sourcing & Procurement bid sheet. Process and /or track commitments initiate by a Project Manager including requisitions, contracts (internal and external) and Change orders. Generate Purchase Orders in SAP & PMWeb as needed by Project Manager. Confirm receipt of the Purchase Order by the vendor, track the delivery of equipment, and obtain invoice and complete the goods receipt.
  Solicit and process Application for Payments and Invoices and obtain lien releases and compare against the NTO log for accuracy. Work with Project Manager and Contractors to ensure all Pay Applications are submitted for the right amount for that months billing cycle. Research project issues to help the Project Manager clean up finances on projects also match cost to date of internal commitments when necessary. Take ownership of the close-out process, including Document Turnover deliverables and routing the Reconciliation Report upon completion by the Project Representative and archive files. Verify all Lien Releases are correct before releasing payments to General Contractors. Create Notice of Commencement process for the project before any work has begun. Verify Safety Plans are current for ongoing projects. Create Change Orders from Approved Directives and route via PMWeb for approval signatures. Research equipment and products for best pricing and quality for various projects.

- **Procurement representative, Walt Disney World (2016 to 2017)**
  Approved Purchase Orders for WDW (Z02) after verifying required approvals and documentations are in place. Approved Purchase Orders for Disney Cruise Lines (W41) after verifying required approvals and documentations are in place. Conducted customer service calls via phone and through global email with both internal and external clients. Made changes to purchase orders as requested by buyers. Ensured excellent customer service, internally and externally, through effective communication.

GUIGNARD
AN UNCOMMON BOND

July 27, 2021

City of Cocoa
Finance Department
Purchasing & Contracts Division
65 Stone Street
Cocoa, FL 32922

Re: Archis, Inc.
Bonding Reference Letter

To Whom It May Concern,

It has been a privilege for Guignard Company to be the agency handling the bonding requirements for Archis, Inc. since 2019. Bonds are placed with Platte River Insurance Company which has a Best's Key Rating of A, IX and a Treasury Listing of $5,346,000.00 as reported in the July 1, 2021 edition of the Federal Register, Circular 570.

Prudent surety underwriting requires our satisfaction of financial ability, experience, and personnel. Archis, Inc. has our complete confidence in all of these areas.

Although maximum limits have not been established, we would favorably consider single projects up to $1,000,000 with a $4,000,000 total work program. This is subject to our normal underwriting at the time any request is made. Should you award a contract to Archis, Inc. we would be willing to provide performance and payment bonds within seventy-two (72) hours of the issuance of a written 'Notice to Proceed' contingent upon prior approval of the contract, bond forms, and financing.

This letter is not an assumption of liability, nor is it a bid bond or performance bond. It is issued only as a bonding reference from us as requested by our client and is valid for one year. Any arrangement for surety credit is a matter between Archis, Inc. and Platte River Insurance Company. If you have further questions or require additional information, please call me at (407) 834-0022, or via email bryce@guignardcompany.com

Best regards,

Bryce N Guignard

President

Visit our Temporary Policies Related to COVID-19 page for E-Verify and Form I-9 changes due to COVID-19.

An official website of the United States government Here's how you know

Enroll | Login | Español

HOW TO FIND PARTICIPATING EMPLOYERS

Use the E-Verify search tool to find employers who are currently enrolled in E-Verify. Your search will display the following information:

- **Employer name** – The name the employer used when they enrolled in E-Verify. This can be the business' legal name, a trade name, or an abbreviation.
- **Doing Business As (DBA) name** – The name an employer uses publicly. The public may see the DBA, but the employer may have used another name when they enrolled in E-Verify.
- **Account Status** – Indicates whether the account is currently enrolled or terminated.
- **Enrollment date** – The date the E-Verify Memorandum of Understanding is signed.
- **Termination Date** – The E-Verify Memorandum of Understanding termination date.
- **Workforce size** – Appears as long as the employer reported they have at least five employees.
- **Number of hiring sites** – The locations where employers hire employees and where they complete Form I-9.
- **Hiring site locations (by state)** – The geographic location(s) of hiring sites, by state, reported by the employer.

Parameters:

- USCIS updates the search tool data every quarter. However, employer status may be updated as needed.
- Employers report their own data at the time they enroll in E-Verify. The accuracy and completeness of the data depend on what was submitted by employers at the time of enrollment and as reported throughout the employer's relationship with E-Verify.
- Review Employer Data Parameters

Search

Business Name

Archis

Primary Industry Type

Select Industry Type(s)

Hiring Site Locations (by state)

Florida ×

Account Status

Open

Items per page

10

SEARCH RESET

Employer	Doing Business As	Account Status	Date Enrolled	Date Terminated	Workforce Size	Number of Hiring Sites	Hiring Site Locations (by state)
Archis Inc.		Open	11/13/2019		20 to 99	3	AZ, FL

Showing 1 to 1 of 1 entries. CSV

ACORD

ARCHTEC-01 AFINLEY

CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY) 11/16/2021

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER	CONTACT NAME:	
SJD Insurance Services 508 Lost Acre Lane Great Falls, VA 22066	PHONE (A/C, No, Ext): (551) 804-9920	FAX (A/C, No): (855) 920-4478
	E-MAIL ADDRESS: sid@sjdins.com	
	INSURER(S) AFFORDING COVERAGE	NAIC #
	INSURER A : Continental Casualty Company	20443
INSURED	INSURER B :	
Archis Inc dba Archis Technologies 350 E Crown Point Rd #1100 Winter Garden, FL 34787	INSURER C :	
	INSURER D :	
	INSURER E :	
	INSURER F :	

COVERAGES **CERTIFICATE NUMBER:** **REVISION NUMBER:**

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS	
A	X COMMERCIAL GENERAL LIABILITY			6074682522	9/17/2021	9/17/2022	EACH OCCURRENCE	$ 1,000,000
	CLAIMS-MADE X OCCUR						DAMAGE TO RENTED PREMISES (Ea occurrence)	$ 1,000,000
							MED EXP (Any one person)	$ 10,000
							PERSONAL & ADV INJURY	$ 1,000,000
	GEN'L AGGREGATE LIMIT APPLIES PER:						GENERAL AGGREGATE	$ 2,000,000
	POLICY X PRO-JECT LOC						PRODUCTS - COMP/OP AGG	$ 2,000,000
	OTHER:							$
A	AUTOMOBILE LIABILITY			7011430651	9/17/2021	9/17/2022	COMBINED SINGLE LIMIT (Ea accident)	$ 1,000,000
	X ANY AUTO						BODILY INJURY (Per person)	$
	OWNED AUTOS ONLY / SCHEDULED AUTOS						BODILY INJURY (Per accident)	$
	HIRED AUTOS ONLY / NON-OWNED AUTOS ONLY						PROPERTY DAMAGE (Per accident)	$
								$
A	X UMBRELLA LIAB X OCCUR			6074682536	9/17/2021	9/17/2022	EACH OCCURRENCE	$ 5,000,000
	EXCESS LIAB CLAIMS-MADE						AGGREGATE	$ 5,000,000
	DED X RETENTION $ 10,000							$
A	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY Y / N	N / A		7011460037	9/17/2021	9/17/2022	X PER STATUTE OTH-ER	
	ANY PROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? N (Mandatory in NH)						E.L. EACH ACCIDENT	$ 1,000,000
	If yes, describe under DESCRIPTION OF OPERATIONS below						E.L. DISEASE - EA EMPLOYEE	$ 1,000,000
							E.L. DISEASE - POLICY LIMIT	$ 1,000,000
A	Cyber/Prof Liability			6074682522	9/17/2021	9/17/2022	Limit	2,000,000
A	Cyber/Prof Liability			6074682522	9/17/2021	9/17/2022	Aggregate	2,000,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

Pollution Liability with Colony Insurance Company, Policy CSP4258046
Effective 4/27/2021 - 2022
Contracting Services Pollution Liability - $1,000,000 Aggregate limit: $2,000,000 Deductible $5,000
Inland Marine Coverage Policy with Liberty Mutual Insurance: BMO61876031 Effective 10/30/2021 - 2022 Miscellaneous tools $386,990 Deductible $1,000

CERTIFICATE HOLDER

City of Cocoa
65 Stone Street
Cocoa, FL 32922

CANCELLATION

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE




© 1988-2015 ACORD CORPORATION. All rights reserved.

The ACORD name and logo are registered marks of ACORD

Finance Department
Purchasing &
Contracts Division
65 Stone Street I Cocoa, FL 32922
Phone: (321) 433-8833 Fax: (321) 433-8860

NOTIFICATION OF INTENT TO AWARD

Disclaimer: This Notice of Intent to Award is subject to a final award decision by the City Council or the City Manager (as applicable) and execution of a written contract with the City. This Notice does NOT constitute the formation of a contract between the City of Cocoa and the apparent successful vendor referenced in the Notice. The vendor shall not acquire any legal or equitable rights relative to the contract services until a contract containing terms and conditions acceptable to the City of Cocoa is executed. If the City Council or City Manager (as applicable) awards the contract to the apparent successful vendor, and the vendor fails to negotiate and execute a contract with the City of Cocoa, the City of Cocoa may revoke the award and award the contract to the next highest ranked vendor or withdraw the Bid. The City of Cocoa further reserves the right at its discretion to reject this Notice and award the contract to another vendor or reject all bids without penalty.

Department: Utilities	Division: Dyal Water Treatment Plant
Bid / RFP / RFQ #: RFQ # 21-25-COC Dyal Water Treatment Plant – Electrical Contractor Services	Project #
Awarded To: CE Power Solutions	Scope of Work or Services: To provide continuous electrical services for the Dyal Water Treatment Plant, to provide on-call services as needed.
Address / City / State / Zip: 3502 Riga Blvd., Suite C, Tampa FL 33619	Phone / Fax #'s: PH: 800-434-0415; FAX: 863-582-9988
Purchase / Contract Amount: Services will be requested on an as-needed basis.	Date of Award Notification: October 7, 2021
Title / Position (Print) SALES REPRESENTATIVE	Signature 

Please complete the information required above.

Return the Notification of Intent to Award to Purchasing & Contracts Division when completed

City of Cocoa

Dyal Water Treatment Plant

Electrical Contractor Services

Proposal

#842140

July 30, 2021 3:00PM

Submitted by:

Brian Spence
Sales Representative
3502 Riga Blvd. Suite C
Tampa FL33619
800-434-0415
Fax 863-582-9988
brian.spence@cepowersol.com
www.cepowersol.com

Table of Contents

The City of Cocoa

Dyal Water Treatment Plant – Electrical Contractor Services

TAB A - Firm Qualifications and Experience ..... **Page 1**

Letter of Transmittal ..... **Page 2**

CE Power Proposal # 842140 ..... **Page 7**

Company Profile ..... **Page 18**

Key Personnel Resumes & NETA Certificates ..... **Page 35**

Litigation ..... **Page 54**

Financial Information ..... **Page 55**

TAB B - Similar Projects ..... **Page 57**

Similar Projects ..... **Page 58**

Current Projects ..... **Page 59**

Significant Awards or Accomplishments ..... **Page 60**

Project Approach ..... **Page 61**

Project Approach A-E ..... **Page 62**

TAB D - Required Forms ..... **Page 67**

Attachment B – Insurance Certificates ..... **Page 68**

Attachment C – Conflict of Interest ..... **Page 85**

Attachment D – Non-Collusion / Lobbying Certification ..... **Page 88**

Attachment E – Drug Free Workplace Certification ..... **Page 90**

Attachment F – Price Proposal & Acceptance of Terms & Conditions ..... **Page 92**

Attachment G – Addenda Acknowledgement ..... **Page 95**

Attachment H – Corporate Standing & Authorized Signatories ..... **Page 97**

Attachment I - Subcontractors ..... **Page 99**

Attachment J – Scrutinized Companies Certifications ..... **Page 101**

Attachment K – References ..... **Page 103**

Attachment L – Federal Non-Collusion / Lobbying Certifications ..... **Page 105**

Attachment M – Certification Regarding Debarment Suspension & Other Responsibility Matters ..... **Page 107**

Attachment N – Grant Conditions & Federal Provisions Acknowledgement ..... **Page 109**

Attachment P – E-Verify Contractor Affidavit ..... **Page 111**

Proof of Licenses / Certifications ..... **Page 118**

W-9 ..... **Page 123**

Exhibit A – Checklist of Anticipated Services ..... **Page 125**

Exhibit B – Evaluation Metric (City of Cocoa Use Only) ..... **Page 129**

Fee Schedule (See Attachment F in Tab D) ..... **Page 132**

Additional Information ..... **Page 133**

City of Cocoa

Dyal Water Treatment Plant

Electrical Contractor Services

TAB A

FIRM QUALIFICATIONS
&
EXPERIENCE

City of Cocoa

Dyal Water Treatment Plant

Electrical Contractor Services

TAB A

LETTER OF TRANSMITTAL

July 28, 2021

The City of Cocoa Beach
Purchasing & Contract Division
65 Stone Street
Cocoa FL 32922

To Whom It May Concerm,

We are submitting herewith our proposal for The City of Cocoa Beach, Dyal Water Treatment Plant – Electrical Contractor Service.

Mr. Brian Spence is the responsible sales representative. Mr. Spence's contact information is:

Brian Spence
CE Power Solutions LLC
3502 Riga Blvd. Suite C
Tampa FL 33619
813-404-4567
jeff.mannis@cepowersol.com

Mr. Brent McAlister, President of CE Power Solutions is authorized to negotiate with the City of Cocoa Beach on behalf of CE Power Solutions. Mr. Wilson's contact information is:

Brent McAlister
CE Power Solutions LLC
3502 Riga Blvd.
Tampa FL 33619
800-434-0415
brent.mcalister@cepowersol.com

CE Power is an independent electrical engineering and testing contractor, specializing in the engineering / design, installation, testing, maintenance, and commissioning of all manufactures and types of power plant and substation electrical equipment. This equipment includes circuit breakers (LV, MV, HV, EHV), Transformers, Switchgear, Motor Control and Protection & Control Devices.

CE Power has been in business since 2001, with the management and engineering team being involved in the electrical power industry for over 30 years. CE Power employs former utility and

OEM personnel who have an average experience of over 20 years in the industry including power plant and substation construction, maintenance, testing and repair. Our technicians and engineers participate in annual training and certification programs, as well as on the job training programs to allow for increased breadth of experience and expertise. The CE Power family of companies has access to qualified power plant and substation resources throughout United States.

Qualifications and Experience

The engineers and technicians of CE Power have experience ranging from 3-30 years in the field performing testing equipment. Our Manager of Engineering holds a PE, EE and has over 20 years' experience in power generation and substation projects. Our Director of Engineering holds an EE, is a member of IEEE Standards Committee, IEEE Power Engineering Society and a member of US Technical Committee for IEC Standards and has over 30 years of experience in power generation switchgear projects. These individuals have performed extensive projects similar in nature for clients such as US Army Corps of Engineers, Louisville Gas & Electric, Dayton Power & Light, American Electric Power, Greater Cincinnati Water Works and Florida Power & Light Company. CE Power has performed projects as the Engineer of Record on major switchgear upgrade projects.

CE Power has developed internal training programs to train the next generation of engineers and technicians and provides constant and consistent oversight of the projects with close attention to safety and detail. The senior technicians who would be assigned to this project consist of NETA Level II and III technicians as well as degreed electrical engineers who work as field engineers. CE Power Senior Technicians have been supporting projects similar in nature for the past several years (minimum of 3) and work closely with the Engineering Manager to provide safe, successful completion and documentation.

CE Power has access to field technicians with experience levels ranging from 3-20 years in the field providing power plant switchgear testing, maintenance, installation and repair services. The CE Power team leverages the experience of seasoned professionals to provide support and knowledgebase for others in the field to provide maximum client support while also providing valuable experience to further advance the skillset of our technical resources moving forward.

Sincerely,

Brent McAlister
CE Power Solutions of Florida LLC

Per 1.06 Federal Registration Requirement, please see the following information

i Company legal business.
CE Power Solutions of Florida LLC
DUNS: 149346936
FEIN: 52-2377623

ii Trade style, doing business, or other name by which your entity is commonly recognized.
CE Power Solutions of Florida LLC

iii Company Physical Street Address, City, State, and ZIP Code.
3502 Riga Blvd.
Tampa FL 33619

iv Company Mailing Address, City, State and ZIP Code (if separate from physical).
3502 Riga Blvd.
Tampa FL 33619

v Company Telephone Number.
Local: 866-439-2992
Toll Free/Emergency: 800-434-0415

vi Date the company was started.
2002

vii Number of employees at your location.
Local office: 17
CE Power overall: 350

viii Chief executive officer/key manager.
Paul Cody CEO

ix Line of business (industry).
CE Power is an independent electrical engineering and testing contractor, specializing in the engineering / design, installation, testing, maintenance, and commissioning of all manufactures and types of power plant and substation electrical equipment. This equipment includes circuit breakers (LV, MV, HV, EHV), Transformers, Switchgear, Motor Control and Protection & Control Devices.

x Company Headquarters name and address (reporting relationship within your entity).
Qualus Power Services
4040 Rev Drive
Cincinnati Ohio 45232

City of Cocoa

Dyal Water Treatment Plant

Electrical Contractor Services

CE Power Proposal # 842140

CE POWER SOLUTIONS
A Qualus Power Services Company

Always Safe.
Always Honest.

Proposal # 842140 July 28, 2021

City of Cocoa
65 Stone Street
Cocoa, Florida 32922

Attention: Heath Hancher, PmP, CPPM – Purchasing / Contracts Manager
Subject: 842140 Electrical Services Agreement

Heath ,

CE Power Solutions appreciates this opportunity to be of service to City of Cocoa. You can be assured that our crews will work safely to provide you with a quality project. CE Power Solutions has been a proven leader in electrical testing, commissioning, construction and engineering services. Our qualifications include:

- 24/7 Emergency Service - 1-866-439-2992
- Highly skilled employees including NETA Certified technicians, Professional Engineers, Field Engineers, Project Managers, and Master and Journeymen Electricians
- Large local crews with access to a vast network of talent and resources to support large and turnkey projects with minimal downtime
- State-of-the-art specialized testing equipment
- Continuous training and professional development at all levels of the organization

We appreciate the opportunity to work with you on this project. If you have any questions or concerns, please contact me at 813.404.4567 or by email brian.spence@cepowersol.com

Sincerely,

Brian Spence

Project Summary:

CE Power Solutions proposes to setup a Electrical Services Agreement (ESA) with the City of Cocoa. Our ESA will cover all preventive maintenance, testing, repair/replacement, and emergency services for all low and medium voltage electrical distribution equipment. This proposal will establish the services to be provided and the rate for said services. We intend for this ESA to be valid over the next 3 years with the option for 5 years.

All work provided in this CSA will be performed by NETA Accredited and Certified technicians, Professional Engineers, Field Engineers, Project Managers, and Master and Journeymen Electricians. CE Power has on staff Technicians and Electricians that are NETA Certified from a level 1 to a level 4.

Scope of Services

CE Power Solutions will provide, but not limited to, the following services per this CSA:

A. State your firm's technical approach to the project and the interpretation of the scope of services required.
    a. The scope of services for this project will cover all preventive maintenance, testing, repair/replacement services, and emergency services for the electrical distribution equipment owned by City of Cocoa. All work provided in this ESA will be performed by NETA Accredited and Certified technicians, Professional Engineers, Engineers, and Project Managers.

B. Define the adequacy of resources, including personnel, labor, equipment and supply resources, and other requirements to provide the requested services. Please include a listing of currently owned/leased equipment your firm has readily available for deployment upon activation. The City wants to determine whether your firm has enough capability to service the City and not have constraints due to other commitments.
    a. Locally
        i. (19) Field Service Technicians
        ii. (1) Operations Manager with oversight of all projects, NETA Level IV
        iii. (1) Project Manager
        iv. (1) State of Florida Professional Engineer
    b. Across the country
        i. (288) Field Service Technicians
        ii. (5) Operations Manager with oversight of all projects
        iii. (9) Project Manager
        iv. (48) Professional Engineers
        v. (130) Engineers
        vi. (13) Coordinators
    c. See list of CEPS owned electrical equipment in the below Labor and equipment rate sheets.

C. Provide a clear statement of the specific services and tasks to be performed. Include information concerning each task and staff committed to accomplish each task.
    a. Field Service – SRV - Maintenance, Test and Repair/Replace
    Medium Voltage (MV) Equipment – 1000 Volts to 69,000 Volts
        1. Switches
        2. Transformers
        3. Cable testing and terminating
        4. Switchgear and Motor Control Centers

5. Circuit Breakers, Contactors and Drives
6. Breaker Refurbishment and Repair
7. Relays and Meters
8. Control Panels

Low Voltage (LV) Equipment – 999 Volts and Less

1. Switches
2. Transformers
3. Cable testing and terminating
4. Switchgear, Switchboards, and Motor Control Centers
5. Circuit Breakers, Contactors and Drives
6. Breaker Retrofit, Refurbishment and Repair
7. Grounding and Ground Grid Testing
8. Relays and Meters
9. Control Panels
10. Battery Banks and Chargers

***All test reports will be reviewed and signed by a Professional Engineer**
***See attached spreadsheet for a listing of all NETA Testing Scopes**

Engineering Services - PES

Engineering Services to include all voltage classes

1. Electrical Distribution Equipment Replacement
2. MV and LV Breaker Retrofills
3. Arc Flash Studies, New or Updates to existing
4. Arc Flash mitigation services
5. Load Studies and Power Monitoring with analysis
6. IR Scans with analysis

Engineering Services - PEG

Engineering Services to include all voltage classes

1. Developing and writing specifications
2. Engineer, Procure and Construct Projects
3. Engineer of Record Services
4. Project Management Services

Life Extension - LES

Life Extension Equipment to include all voltage classes

1. 200,000 Square foot Facility filled with Legacy Equipment
    a. Transformers
    b. Switches
    c. Breakers
    d. Current Transformers, (CT)
    e. Switchgear, Switchboards and MCC
2. Pearl Certified Legacy Equipment Provider
3. Pearl Network of Legacy Equipment Providers

D. Provide a typical response time and/or project implementation schedule for proposed services including any management and planning strategies
    a. Typical response time for project implementation is 1- 2 weeks. CEPS will work closely with City of Cocoa to implement and complete the projects within the parameters set with each project.
    b. Once a project is confirmed a project lead and manager will be assigned. These individuals will work hand in hand with City of Cocoa to set the schedule and give updates to how the work is going.
    c. Kickoff meetings will be set for each project between CEPS and City of Cocoa. Once the project is underway progress meetings will be set to discuss the project.
E. Provide information regarding any proposed innovative concepts that may enhance the value and quality of the services to be performed
    a. CEPS has provided innovative solutions across the country including:
        i. Low and Medium Voltage Breaker Retrofills.
            1. Here we remove the existing circuit breakers and bus in the compartment and upgrade to newest technology circuit breakers. All this without changing the footprint or pulling new cables.
            2. Upgrade from electromechanical relays to new microprocessor relays

INTENTIONALLY LEFT BLANK

Rate Sheet for each Labor Class

These are our 2021 Rates and would be good through December 31st, 2021 for this CSA. There will be a year over year increase of 5% starting January 1st, 2023 with option for 2024 and 2025. Rates and equipment shown below.

Labor Category	Indicat Level of Certification	U/P	Year 1	Year 2	Year 3	Option 1	Option 2
Professional Engineer	State of Florida PE State of Florida COA	HR	ST = $ 204 OT = $ 271 DT = $ 365	ST = $ 215 OT = $ 285 DT = $ 384	ST = $ 226 OT = $ 300 DT = $ 404	ST = $ 250 OT = $ 316 DT = $ 426	ST = $ 263 OT = $ 333 DT = $ 448
Senior Engineer		HR	ST = $ 164 OT = $ 220 DT = $ 292	ST = $ 172 OT = $ 231 DT = $ 307	ST = $ 181 OT = $ 244 DT = $ 323	ST = $ 191 OT = $ 257 DT = $ 340	ST = $ 201 OT = $ 270 DT = $ 358
Engineer Mechanical / Electrical		HR	ST = $ 126 OT = $ 170 DT = $ 226	ST = $ 132 OT = $ 178 DT = $ 238	ST = $ 139 OT = $ 188 DT = $ 250	ST = $ 147 OT = $ 198 DT = $ 264	ST = $ 155 OT = $ 209 DT = $ 277
Drafting / Designer		HR	ST = $ 84 OT = $ 113 DT = $ 151	ST = $ 88 OT = $ 119 DT = $ 159	ST = $ 93 OT = $ 125 DT = $ 167	ST = $ 98 OT = $ 131 DT = $ 176	ST = $ 103 OT = $ 139 DT = $ 185
Senior Service Technician NETA Level III and IV	NETA Certified	HR	ST = $ 142 OT = $ 192 DT = $ 254	ST = $ 149 OT = $ 202 DT = $ 267	ST = $ 157 OT = $ 212 DT = $ 281	ST = $ 165 OT = $ 223 DT = $ 296	ST = $ 174 OT = $ 236 DT = $ 312
Service Technician NETA Level I and II	NETA Certified	HR	ST = $ 113 OT = $ 153 DT = $ 202	ST = $ 118 OT = $ 161 DT = $ 212	ST = $ 123 OT = $ 169 DT = $ 224	ST = $ 128 OT = $ 178 DT = $ 236	ST = $ 133 OT = $ 188 DT = $ 248

Equipment	Daily	Monthly
AC Hipot 30kV	$121.00	$2,526.00
AC Hipot 60kV	$216.00	$4,295.00
AC Hipot 130kV	$137.00	$2,641.00
Power Factor Doble M4000	$457.00	$9,057.00
TTR Test Set - 2 Phase	$32.00	$536.00
TTR Test Set - 3 Phase	$74.00	$1,560.00
Sweep Frequency Test Set	$195.00	$3,812.00
Winding Resistance	$116.00	$2,284.00
Filter Press	$158.00	$3,150.00
Primary Injection Test Set	$788.00	$15,750.00
Secondary Injection Test Set	$121.00	$2,247.00
Current Supply (MS-2)	$42.00	$819.00
Coil Analyzer Power Supply	$69.00	$1,355.00
Vac Bottle Hipot (Vidar)	$63.00	$1,166.00
Vac Interrupt (MAC)	$347.00	$6,846.00
TimeMotion	$153.00	$3,035.00
CT Test Set Vanguart EZCT	$158.00	$3,072.00
1000A+ Ductor Test Set	$63.00	$1,539.00
VLF Tan Delta	$158.00	$3,072.00
Cable Fault Locator	$79.00	$1,539.00
TDR-1669	$79.00	$1,539.00
Thumper-HV	$179.00	$3,492.00
Ground Test Set AEMC 6474	$116.00	$2,284.00

Equipment	Daily	Monthly
Relay Test Set Doble 6150	$426.00	$8,505.00
Relay Set (GPS Clock)	$27.00	$504.00
kwh Standard	$116.00	$2,300.00
Power Quality Meter	$58.00	$1,087.00
Battery Test Set	$58.00	$1,071.00
Battery Load DV Power BLU360V	$258.00	$5,072.00
Dewpoint Analyzer DMA35	$48.00	$930.00
Confined Space RKI GX-2009 Gas Analyzer	$16.00	$231.00
SF6 Cart	$788.00	$15,750.00
SF6 Analyzer Dilo 3-027-R002	$6.00	$74.00
Ultrasonic Ultra Probe 1000	$147.00	$2,867.00
IR Camera T420	$142.00	$2,814.00
Phasing Sticks Bierer PD25	$27.00	$468.00
Generator <65kW	$121.00	$2,363.00
Generator >65kW	$583.00	$11,655.00
Boom Lift	$2,757.00	$55,125.00
Van	$95.00	$1,890.00
Box/Stake Truck	$158.00	$3,150.00
Bucket Truck	$594.00	$11,813.00
Winch/Digger Derrick	$515.00	$10,238.00
4/0 Leads-50'	$42.00	$788.00
500mil Leads	$48.00	$945.00

INTENTIONALLY LEFT BLANK

Notes and Clarifications:

1. CE Power Solutions is committed to a safe work environment for our personnel and in maintaining our industry leading safety record. In support of this effort, CE Power will "Move at the Speed of Safety". If site conditions are less than ideal, requiring additional time and effort to meet typical safety standards, CE Power reserves the right to pass on any delay costs to the customer.
2. This proposal includes labor, basic test equipment, and a written test report.
3. CE Power Solutions will apply appropriate state sales tax on all materials. If this project is tax exempt, please submit applicable tax-exempt certificate with purchase order or order acknowledgement upon award of the project.
4. Any equipment found defective during inspection or testing will be brought to your immediate attention. Any recommended repairs will require written authorization prior to being performed. This work will be charged per CE Power Solutions applicable rates.
5. If this proposal covers troubleshooting it does not guarantee that the equipment will be repaired. CE Power Solutions will attempt to repair the device to the best of its ability. Additional cost will be incurred if parts and/or labor beyond that which has been initially specified is required.
6. Testing and/or abatement of hazardous materials, including but not limited to asbestos and lead paint, are not included in this proposal unless explicitly stated otherwise.
7. Any delays experienced on site, not caused by CE Power Solutions, such as inclement weather, de-energizing/energizing equipment for the outage, equipment malfunction, coordination between trade(s), etc. may be subject to additional charges.
8. Notice of delays or change orders will be brought to your attention before costs are incurred. The customer must provide written authorization to proceed with any additional work.
9. Utility switching fees and/or wiring permit fees, if any, are not included in this proposal and will be additional to the base contract price.
10. A charge will apply if work is cancelled within 48 hours of the scheduled date.

Terms:

Standard CE Power Solutions Terms and Conditions apply
Terms: Net 30 days
Freight: Prepaid and Add
Delivery: TBD
This proposal is valid for 15 days

Proposal Acceptance Information

Upon acceptance of this proposal, please send contract/purchase order to:

CE Power Solutions
Attn: Brian Spence
3502 Riga Blvd Suite C
Tampa, FL 33619
brian.spence@cepowersol.com

This proposal is considered proprietary in nature, intended for the sole use of the entity addressed above, and as such is not intended for general public distribution.

Standard Terms and Conditions of Sale

Unless a separate agreement on terms and conditions exist between the Company and the Purchaser, the following terms and conditions shall apply to all sales by CE Power Holdings, Inc., its affiliates, including CE Power Solutions, LLC, Utilities Plus Electrical Services, Inc., CE Power Engineered Services, LLC (dba CE Power, 3C Electrical, PGTI, Hope Engineering, Reuter & Hanney, Inc.) (collectively, hereinafter the "Company")

1. **Terms of Payment** - Terms are net cash due 30 day from the date of invoice. If payment is not made within the 30 days of invoice date, a late payment charge of 1 $^1/_2$% per month will be imposed on the unpaid balance. With respect to goods purchased, pro rata payments shall become due as partial shipments are made. When shipments are delayed by the Purchaser, payment shall become due from the date the Company is prepared to make shipment. Goods which at Purchaser's request (i) are held for delayed shipment or (ii) are placed in off-site storage, will be invoiced as if shipped when originally scheduled and will be held and stored at the risk and expense of the Purchaser.

2. **Payment** - If, in the sole opinion of the Company, the financial condition of the Purchaser at the time the equipment is ready for shipment does not justify the terms of payment specified, then as a condition of shipment, Company may require (i) that the Purchaser provide adequate assurances of payment or (ii) payment terms satisfactory to the Company, in its sole discretion.
3. **Quotations** -
   a. Quotations are void unless accepted within thirty (30) days from the date thereof, unless otherwise stated and, in the meantime, are subject to change or withdrawal upon notice. Orders made thereon are not binding until and unless accepted by the Company. Shipping dates are approximate and based upon prompt receipt of all necessary information and approved drawings whenever required. Stenographic and clerical errors are subject to correction.
   b. "Unless otherwise specified in writing, all quotes are on a straight time basis, excluding work on Saturdays, Sundays and Holidays."
4. **Changes, Deletions and Extra Work:** Purchaser, without invalidating the Contract, may order extra work scope and make changes in altering, addition to or deducting from the work, the Contract sum being adjusted accordingly. All such work shall be executed under the conditions of this Contract except that any claim for extension of time caused thereby shall be adjusted at the time of ordering such change.
   The value of any such extra work or change shall be determined in one or more of the following ways:
   (a) by estimate and acceptance of lump sum.
   (b) by unit prices named in the Contract or subsequently agreed upon.
   (c) by cost and percentage of cost or by cost and a fixed fee.
5. **Minimum Billing Charge** - The minimum billing charge will be $100.00.
6. **Delivery -** Unless otherwise specified, all products are delivered f.o.b. point of shipment regardless of transportation costs being "allowed", "pre-paid", or "collect".
7. **Shipment Delays** - The Company shall not be liable for delays in starting work or in shipment or non-shipment due to causes beyond it's reasonable control or due to acts of God, acts of the Purchaser, fires, strikes, labor disturbances, floods, epidemics, quarantine restrictions, war, insurrections or riot, civil or military authority, compliance with priority orders or preference ratings issued by the Government, freight embargo's, car shortages, wrecks or delays in transportation, unusually severe weather, or inability to obtain necessary labor, materials or manufacturing facilities due to such causes or any of them. In the event of any such delay, the date of shipment will be extended, at the minimum, for a period equal to the period of the delay. The contract of sale will in no event be subject to cancellation by the Purchaser, whether due to delay in delivery or to any other cause, except by mutual agreement, nor shall the Company be liable under any circumstances for special or consequential damages on any account of delay.
8. **Suspension/Cancellation:** In the event Purchaser requests a suspension of work under this Contract, Purchaser shall, in writing, notify Company reasonably in advance of the suspension date; this notification will indicate the anticipated suspension period. Company shall advise Purchaser of the price adjustment resulting from the planned suspension of the work. The price adjustment will be based on Company's ability to reasonably relocate manpower, and any materials, and equipment during the suspension period. Remobilization costs will be priced on the same basis.
   Purchaser may cancel this contract upon written notice and upon payment to Company of reasonable and proper cancellation charges; including but not limited to charges for engineering, testing, repair, upgrade and installation work completed, and for materials on order / in manufacture / in storage and lost profits.
   If the financial condition of Purchaser at any time does not, in the judgment of Company, justify continuance of the work to be performed hereunder on the terms of payment agreed upon, Company may require full or partial payment in advance or shall be entitled to cancel the Contract and shall receive reimbursement for its reasonable and proper cancellation charges. In the event of bankruptcy or insolvency of Purchaser or in the event any proceeding is brought against the Purchaser, voluntarily or involuntarily, under the bankruptcy or any insolvency laws, Company shall be entitled to cancel the Contract at any time during the period allowed for filing claims against the estate and shall receive reimbursement for its reasonable and proper cancellation charges. Company's rights under this paragraph are in addition to all rights available to it at law or in equity.
9. **Limitation of Liability -** The Company will not accept any penalty or liquidated damage clauses of any kind, or any liability arising from such clauses, unless specifically approved in writing by a duly authorized representative of the Company. The Company will not be liable for any indirect, special, consequential, or punitive damages (including lost profits, loss of use, business interruption, lost productivity, loss of communications) arising out of or relating to this purchase (whether for breach of contract, breach of warranty, tort, negligence, or other form of action) and irrespective of whether Company has been advised of the possibility of any such damage. In no event will the Company's liability exceed the price the Purchaser paid to the Company for the specific Goods or Services provided by the Company giving rise to the claim or cause of action.
10. **Damage and Loss Claims**. The Company shall not be responsible for loss, shortage, or damage after receipt of "in good order" receipts from the transportation company. The Company's responsibility for loss, shortage, or damage ceases with the delivery to a common carrier, at which time title and risk of loss pass to the purchaser, and all claims for loss, shortage, damage, or delay must be made to the carrier by the Purchaser. Concealed damage claims must be reported to the carrier within 15 days from the date of delivery. The Company will reasonably assist the Purchaser in securing satisfactory adjustment of any claims.
11. **Warranty**
    a. The Company warrants that the (i) goods shall be as provided by the specifications provided by Purchaser and new (unless otherwise directed or permitted), and if new, without apparent damage or defect, (ii) services will be performed in accordance with the specifications provided by Purchaser and performed in a workmanlike manner. In the event Purchaser notifies Company of defective materials or workmanship within the lesser of eighteen (18) calendar months from shipment of materials or completion of the work, or twelve (12) calendar months from installation of the goods, the Company will, (i) at its option either repair or replace defective new materials, and correct the defective workmanship free of charge. Repairs or warranty work will be performed f.o.b. factory or at a Purchaser's site, at the Company's option.
    b. Whenever work is performed at Purchaser's site, it will be performed during a normal eight-hour straight-time day. If the Purchaser requests that product warranty work be performed during any other time period, Purchaser will be invoiced for the premium portion of the work; i.e. the difference between the applicable rate and the overtime rate for the services performed.
    c. This warranty does not apply to, nor is any expense or other damages or liability assumed for, any goods are used, which have been improperly stored, or installed, or from any accidental or intentional attempts to operate the goods in excess of their rating, or in any abnormal atmosphere or environments, or to which unauthorized repairs have been made whether or not such goods are defective or in accord with the specifications. Any such repairs or modifications must be authorized by the Company in writing.
    d. This warranty does not apply to, nor is any expense or other damages or liability assumed for work performed on serviced equipment that has been subsequently serviced by another firm without authorization by the Company in writing.
12. **Equipment and Materials of Others** - The Company's responsibility does not extend to equipment not manufactured by the Company. The Company will reasonably assist

Purchaser in making claims under any warranty provided by the supplier or manufacturer of such equipment.

a. The Company's responsibility does not extend to used equipment supplied in any other than "fully reconditioned" state.
b. THE FORGOING WARRANTY IS EXCLUSIVE AND EXPRESSLY IN LIEU OF ALL OTHER WARRANTIES (EXCEPT TITLE), WHETHER EXPRESS OR IMPLIED, INCLUDING THE IMPLIED WARRANTIES OF MERCHANTABILITY OR FITNESS FOR A PARTICULAR PURPOSE. THE FORGOING REMEDIES OF REPAIR OR REPLACEMENT SHALL CONSTITUTE THE SOLE REMEDY OF THE PURCHASER AND SOLE LIABILITY OF THE COMPANY FOR ANY BREACH OF WARRANTY.

13. **Nuclear Insurance – Indemnity -** For applications in nuclear projects, the Purchaser/Owner shall have a complete and proper insurance protection against liability and property damage resulting from a nuclear incident and shall indemnify the Company, its suppliers and subcontractors against all claims resulting from a nuclear incident.
14. **Returned Goods -** No goods shall be returned without the Purchaser having secured approval and terms of return from the Company. The return of all goods including returnable shipping materials such as cable reels, end plates or covers, oil drums, gas bottles, etc. will not be permitted under any condition without the Company's properly executed Returned Goods Authorization Form. Goods returned without complete identification in accordance with the Company's instructions or without charges prepaid will not be accepted. The Company reserves the right to refuse any goods returned for credit.
15. **Termination -** After acceptance by the Company, an order shall not be terminated, in whole or part by the Purchaser except by agreement in writing from the Company and such agreement will be contingent upon payment of reasonable charges based upon expenses already incurred and commitments made by the Company plus a charge of 10% of the contract price to compensate the Company for indirect costs resulting from the termination.
16. **Rescheduling -** Rescheduling of an order by the Purchaser shall require agreement in writing from the Company and renegotiation of the price and escalation terms to reasonable cover additional costs and commitments occasioned by the change. Delivery commitments made by the Company are based upon complete specifications and/or information supplied by the Purchaser with the order and upon prompt return of approval drawings (if required by the Purchaser) by the date requested by the Company. Rescheduling of any order by the Company as a result of the Purchaser's delay in returning approval drawings shall require renegotiation of price and escalation terms to reasonably cover additional costs and commitments occasioned by the delay.
17. **Drawing Approval and Changes** - If at drawing approval the Company has failed to design the product in accordance with the Purchaser's specification, the Company will, at its expense, make appropriate changes. Where Purchaser's specifications are not definitive, the Company reserves the right to design the product in line with, in the Company's judgment good engineering practice. If at drawing approval, the Purchaser makes changes outside the scope of the design as covered in Purchaser's specifications, the price and delivery terms shall be renegotiated to reasonably cover any additional cost and commitments occasioned by the change. Changes made to an order by the Purchaser after engineering is completed or entry of the order into manufacturing will result in substantially greater costs and delivery delays.
18. **Taxes -** Prices quoted are exclusive of any present or future federal or state taxes or local sales, use or excise taxes. If any such present or future sales, use or excise taxes apply, then they will be added to the invoice as a separate item unless Purchaser has furnished an acceptable tax exemption certificate from such tax prior to shipment.
19. **General** - Company shall not be responsible for the acts and workmanship of the employees, contractors, subcontractors or agents of the Purchaser. The Company reserves the right to subcontract any of the work to one or more subcontractors.

The delegation or assignment by Purchaser of any or all of its duties or rights hereunder without Company's prior written consent shall be void.

The rights and obligations of the parties under this Contract shall be interpreted and governed in all respects by the laws of the state of Ohio. If either party brings against the other party any proceeding arising out of this agreement, that party may bring that proceeding only in the United States District Court for the Southern District of Ohio or, only if there is no federal subject matter jurisdiction, in Hamilton County Court of Common Pleas, Cincinnati, Ohio.

Any information, suggestions or ideas transmitted by Purchaser to Company in connection with performance hereunder are not to be regarded as secret or submitted in confidence except as may be otherwise provided in a writing signed by a duly authorized representative of Purchaser.

Company shall comply with all state and federal safety and health laws, including but not limited to the Occupational Safety and Health Act of 1970 (OSHA) and all standards, rules, regulations and orders issued pursuant to such state and federal safety and health laws and laws related to non-segregated facilities and equal employment opportunity.

This Contract contains the complete agreement between the parties and no modification, amendment, revision, waiver or other change will be binding on Company unless assented to in writing by Company's authorized representative. Any oral or written representation, warranty, course of dealing or trade usage not contained or referenced herein will not be binding on Company.

Purchaser shall obtain and pay for all necessary permits for the work to be done and shall hold company harmless from any liability for work done without said permits.

INITIALS: COMPANY _____
PURCHASER _____

CL2:459754_v3
Revised February 6, 2018

City of Cocoa

Dyal Water Treatment Plant

Electrical Contractor Services

TAB A

Company Profile

CE Power Solutions is a leading independent provider of outsourced power system engineering, project management, testing, and maintenance services that enhance the functionality and reliability of the electric grid. CEPS provides services to electric utilities and industrial companies, and to certain commercial clients with critical power applications such as hospitals and data centers.

We employ experienced utility substation specialists, with a vast background in maintenance, construction, engineering, and project management. Our switchgear specialists are available for distribution metal-clad applications, such as custom electrical equipment manufacturing and upgrade, as well as on-site testing and maintenance services


Our operations are delivered with the core business values of honesty and safety for employees, customers, and suppliers. CE Power Solutions is a leading-edge service provider ensuring asset integrity for new and existing electrical power systems.

- Our corporate headquarters is located in Hebron, KY.

Davie, FL

Hebron, KY

Tampa, FL



SAFETY



Always Safe, Always Honest

At CE Power Solutions, we are committed to protecting the health and safety of our employees, customers, and the surrounding community. We have established “Always Safe, Always Honest” as a company core value. Whether at work or at home, safety remains a priority.

The Value of CE Power Solutions Safety

Employee safety is an indispensable element of productivity, quality, and cost control. To manage operational health and safety risks, we deliver a full range of field safety programs including:

- **Job Specific Health and Safety Plan** – Our safety team creates a job specific Health and Safety Plan (HASP) that covers all aspects of the job from a safety perspective and includes special hazards, operations or activities, as well as the corrective actions or steps that must be taken to eliminate the hazards.
- **Weekly Site Inspection Reports** – We verify general safety practices by inspecting against customer, state, OSHA Electrical Safety, and NFPA 70E guidelines. We provide weekly site safety inspections conducted by our safety and operation leadership team. Our commitment to safe working practices extends beyond our work areas and employees. All employees have the authority and responsibility to stop any unsafe acts or behaviors witnessed while working on any site.
- **Monthly Safety Reports** – Our monthly reports track any incidents including near misses, first aid events, recordables, operational events, and property damage while working on our clients’ sites. These reports assist customers with contractor reporting required by federal, state, and local regulatory agencies.
- **Trained Workforce** – We ensure that all employees have proper training in recognizing electrical equipment operation standards. All employees are required to complete the risk-based safety training. We train new and existing employees on expectations, procedures and tactics to deliver the highest safety results; including OSHA 10/30, Electrical Safety (NFPA 70E), CPR/AED and Defensive Driving.
- **Accomplishments** – Ameren Contractor Safety Leadership Award, ICW Group Safety Excellence Award, AEP Transmission Contractor Safety Recognition Award, One Million Man-Hours Worked with Zero Recordable Injuries, and Recognized for Safety Expertise by IEEE.

Supplier Qualification And Management System Affiliation

QUALUS
POWER SERVICES

LIFE SAVING RULES



Pre-job Briefings and Hazard Analysis

A daily pre-job briefing and task hazard analysis shall be completed before the commencement of all field service work. Job briefings are required at the following times: the start of the work activity or tasks, after extended breaks in task execution and when personnel, site conditions or equipment conditions change.



Electrical Safety

All electrical equipment is considered energized until verified as de-energized. Work shall be performed only after an electrically safe work condition has been established. This includes, reviewing system drawings, walking down the LOTO plan to verify the equipment is isolated, testing for the absence of voltage, grounding the equipment as necessary and barricading the work zone with the approved Human Performance tools.



Personal Protective Equipment

Wear appropriate personal protective equipment (PPE) to guard against the hazards identified in the task hazard analysis. Wear PPE and arc rated clothing as required when within minimum approach distances.



Suspended Loads

When overhead work is being performed, do not enter the drop zone without stopping overhead work activities. Consider the drop zone when setting up work tasks to ensure that objects that could fall or move suddenly due to stored energy do not cause injury to employees or the public.



Working at Heights

Fall arrest equipment is utilized when required for work in unprotected heights four feet or greater. Always inspect equipment before use and ensure fixed barriers are properly installed around all openings where there is the potential to fall.



Confined Space Entry

Only trained and authorized personnel may enter a confined space. Before entering, an attendant shall be designated and a comprehensive rescue plan developed. When required, use continuous air monitoring to ensure safe atmospheric conditions.



Driving Safety

While driving, always wear your seat belt, follow posted speed limits and comply with all other motor vehicle regulations, including no texting or emailing while in motion. Before moving a parked vehicle, circle the vehicle to ensure there are no obstacles around, above, or below. When parking, always position vehicles to minimize the need for backing. Pull through or back into parking spaces when possible and use a backing guide when necessary.

CE POWER SOLUTIONS
A Qualus Power Services Company

QUALITY



For CE Power Solutions, quality is the condition created when a product or service conforms to requirements such as specifications, relevant standards, and other client needs, as they are determined to be when planning the product or service. Quality is ensured when we plan the work and work the plan.

Quality Policy

To build a Culture of Quality and value across the Qualus Power Services (QPS) organization that is founded on our passion for people and process and embraces a commitment to:

- Value-add products and services delivered safely and on time to ensure “Client Once, Client Forever”
- Understand the why to drive human and organizational performance, continuous learning and improvement
- Right people, right seats, right process

Quality Objectives

- Develop, maintain, and continuously improve integrated, right-sized organizational processes, owned by those closest to the work, to assure the consistent delivery of quality products and services within budget
- Establish Key Performance Indicators (KPIs) to control and assess organizational process effectiveness
- Inspire all employees to own the quality of work produced through effective coaching, mentoring and training
- Reduce the probability of human error, leading to quality or safety incidents, with the integration of human and organizational performance concepts, tools and systems into daily operations
- Instill an Operational Excellence (OPEX) mindset through collaborative leader partnerships and use of lean thinking concepts and tools to enhance operational performance and realize gains in efficiency



On a quarterly basis, the information collected from the incident analysis process is compiled and used to identify company-wide and regional systemic issues and trends. This information is presented to a Human Performance Executive Steering Committee whose focus is on evaluating performance metrics.

HUMAN PERFORMANCE




CE Power Solutions promotes a culture where people are encouraged to do the right thing, share lessons learned when unexpected results occur, and thrive in an environment with opportunities for improvement. To assess the health and effectiveness of our human performance culture, we have established four core areas of focus, also known as pillars of our business. These pillars include leadership, management and accountability (LMA), employee training and qualifications, systems and tools, and core processes.

Human Performance Modes

Information processing operates in one or more of the three performance modes:

- **Skill-based** – Routine actions in a familiar situation without conscious attention or control
- **Rule-based** – Task performed by using existing rules from procedures, training or experience
- **Knowledge-based** – Unfamiliar situation exists requiring employees to apply analytical skills and judgment (i.e. trouble shooting or fault diagnosis)

These modes are based on the level of familiarity an individual has with a specific task and the level of attention a person applies to the activity. An increased understanding of the three performance modes allows an organization to directly resolve issues by specifically targeting leadership, management and accountability (LMA), employee training and qualifications, systems and tools, and core processes depending on the mode of execution during an event.



SERVICE LINES

Turnkey Project Management
We offer fit-for-purpose turnkey support for power generation and substation upgrades, meeting time and budget requirements. We have the ability to provide procurement, engineering, installation and commissioning of installed or upgraded equipment, coordinating with any OEM arrangement.

Workforce Solutions
We deliver comprehensive outsourcing solutions providing trained experts embedded within your workforce who know your equipment, policies and procedures. We invest in the future through our Graduate Apprenticeship Program (GAP), pairing apprentices with experienced engineers and field personnel for 12-18 months of intense training across all disciplines and equipment.

Commissioning Services
Our commissioning services ensure that your new power system operates as designed. Engineers and technicians are experienced in all aspects of substation equipment, and provide acceptance testing and customer test reports.

Testing and Maintenance
Full-scope testing and maintenance plans are provided to ensure long, safe, and reliable operation of your electrical assets. Our technicians and engineers are held to the highest testing standards, ensuring the most comprehensive testing programs in the industry.

Design Engineering
We offer full-service, customized electrical engineering capabilities for substations, protection and control, switchgear, and more.

SmartGrid Implementation
We are pleased to implement and integrate smart grid and other new technology trends into your power system, aligning your operation with all regulatory and efficiency guidelines.

Relay Upgrades
We can administer custom relay upgrades to help you avoid system failures and costly downtime. A legacy digital relay upgrade ensures breaker protection, improved employee safety, enhanced metering, and fault analysis.

NERC Compliance Services
We provide one-stop guidance for the technical requirements of NERC, partnering with you from start to finish. Analysis, planning, execution, and auditing services ensure that your bulk electric power system is in full compliance.

Arc Flash Services
We provide comprehensive arc flash risk assessments to properly identify hazards, help determine protection boundaries, approach distances, incident arc energy, and required PPE. In addition to assessments we provide cost-effective strategies including reducing fault-current level, fault duration, increasing working distance, or installing arc-resistant equipment.

Emergency Services
Rapid 24/7/365 emergency response support is available for equipment failure to natural disaster recovery. Our crews are accessible for on-site electrical equipment assessment, power restoration, and temporary power services. With large parts inventory and extensive OEM network, we can quickly and efficiently replace damaged equipment.

TURNKEY PROJECT MANAGEMENT



A Perfect Fit

Every project is unique. You may have your own design. You may need it modified, verified, or implemented. From A to B or A to Z, CE Power Solutions can provide you with the fit-for-purpose turnkey support you require for your power-generation and substation upgrades, meeting your time and budget requirements.

Our flexibility includes any custom-designed configurations. We can coordinate any OEM arrangements, but because we're not tied to any specific manufacturer, you're benefiting from the best solution—period.

SERVICES

- Power Generation and Substation Upgrade Project Management
- Engineering/Design Development
- Engineer of Record
- Procurement
- Installation of Equipment
- Commissioning of Equipment
- Modification of Equipment as Necessary
- Coordination with all OEMs as an Independent Engineering Resource
- Upgrade and Replacement of Substation Power Equipment
- Replacement of Power Switchgear
- Arc Flash Hazard Assessment and Remediation
- Final Testing
- IEEE, ANSI, CIGRE, NFPA 70E - Certified

WORKFORCE SOLUTIONS



Tap Into The Power Of Our People

Many of our customers need reinforcements for engineering or operational staff. And sometimes, robust capex budgets can quickly outstrip resources. Fortunately, CE Power Solutions understands the importance of a quality workforce. We can deliver comprehensive outsourcing solutions—trained experts who know your equipment, your policies and your procedures — with guaranteed contracts.

We are also committed to future workforce needs, investing substantially in our Graduate Apprentice Program (GAP). Here, apprentices are mentored by experienced engineers for 12-18 months of intense training across all disciplines and equipment.

SERVICES

- Employees Embedded within Client Workforce
- Extensive Training
- Familiarity with Client Equipment, Policies, and Procedures
- Succession Planning Strategy for Client Workforce
- GAP Training Investment in Future Needs
- Disciplined Documentation
- Site and Project Management Capabilities

COMMISSIONING SERVICES



Up and Running Reliability

CE Power Solutions can provide swift and accurate commissioning services to help you content with aging equipment, compliance requirements, upgrades or alternative-energy conversions. Our skilled technicians will confirm that your equipment has been properly installed and, once energized, will operate safely.

With deep engineering expertise, our technicians are experienced with all aspects of substation equipment and work with all major OEM's. We can provide accurate, custom test reports and, because speed is of the essence, are able to expedite turnaround time.

SERVICES

- Protection and Control Testing for New or Upgraded Substations and Power Plants
- Apparatus (High-Voltage Power Equipment) Testing for New or Upgraded Substations and Power Plants
- Acceptance Testing
- Component Integration Confirmation
- Project Management
- Field Engineering
- IEEE and ANSI Certified
- Protection and Control Testing for New or Upgraded Substations and Power Plants

TESTING & MAINTENANCE



Personnel, Equipment, and Materials For Superior Reliability


Combine aging equipment with a tightening regulatory environment, and it's easy to see cost control isn't getting any easier. We can help. Our technicians and engineers have an average 20 years of solid expertise and know how to quickly assess equipment and implement repairs and/or upgrades.

CE Power Solutions brings a rare process discipline to the table, delivering full-scope solutions that extend beyond immediate needs, to help with challenges now and down the road.

SERVICES

- **Evaluation of Circuit Breakers** – transformers, relays, and other electrical apparatuses
- **Electrical Testing** - independent, third party testing, acceptance, calibration, metering, and commissioning services for transformers, Pringle® switches, load-break switches, busway, and circuit breakers
- **Upgrades** – including testing and repairs for 480V to 765kV systems
- **Retrofit and Refurbishment** – circuit breakers
- **Switchgear Testing** – medium and low voltage
- **Switchgear Upgrade Services** – demolition, installation, and commissioning, with on-site capabilities; retrofill/retrofit; breaker and starter upgrades; arc flash mitigation; new, used, and obsolete parts procurement
- **Relay Upgrades** - electromechanical-to-soil state relay turnkey; custom automatic throw-over schemes; generator protection/ excitation upgrades; custom relay panels
- **Relay Testing and Commissioning** - upload and configure settings; wiring verification and end- to-end testing; all manufacturers supported; NERC/FERC compliance assistance
- **Repair and Reconditioning Services** - LV and MV breakers, MV starters; all major manufacturers supported; upgraded electronic trip devices; comprehensive testing and reporting upon completion of rebuild

DESIGN ENGINEERING



Upgrade To A Better Solution

If you have your hands full dealing with inefficiencies, aging equipment, regulations and forced upgrades of existing plants and substations, we can help. CE Power Solutions provides full-service electrical engineering capabilities, from design through commissioning delivered safely and efficiently.

With an average 20+ years of deep expertise, our engineers and senior technicians are familiar with the equipment and can leverage multiple solid OEM relationships on your behalf. That means we're not limited to a single manufacturer. Furthermore, we understand the importance of staying on schedule, delivering unmatched performance, and unquestionable value.

Do you have a unique challenge? We'll design to your parameters.

SERVICES

- Customized Engineering
- Substation Design
- Substation Retrofit and Upgrade
- Upgrades – including testing and repairs for 480V to 765kV systems
- Protection and Control Design
- Switchgear Upgrade and Retrofit Services
- Relay Upgrades
- Construction Management
- Forensic Assessment and Analysis
- Design Verification
- Online Project Updates and File Sharing
- ANSI, IEEE, and NFPA 70E - Certified

SMART GRID IMPLEMENTATION



Going Old School With New Technology

Technology changes rapidly. The same can be said for the compliance requirements that come with it. CE Power Solutions can help you implement and integrate smart grid initiatives and other new technology, aligning your operation with all regulatory or efficiency guidelines

With extensive design and engineering expertise, we can help you identify and address any issues that come up during the process. Our disciplined approach and experience set us apart. Solutions are implemented according to detailed schedules and timely communication with online status updates.

SERVICES

- End-to-End Testing
- Program Engineering
- Design
- Planning
- Program Management
- Installation
- Commissioning
- Implementation of Control and Communication Devices
- Post-Implementation Update of Documentation

RELAY UPGRADE SERVICE



Do Not Put Your System At Risk To Fail

Equipment damage and system failures are never a welcome part of the plan, but they happen. If your current power system operates on electromechanical (EM) or outdated relays, it is imperative to develop a comprehensive upgrade program as they reach the end of useful life.

CE Power Solutions can provide custom relay upgrades to help you avoid system failures and costly downtime. Since 2001, we have proudly offered full service electrical engineering capabilities and reliable field service to the utility, industrial and institutional markets.

A legacy digital relay upgrade could be the ideal solution to address many of your current challenges. Beyond breaker protection, advanced technology with the latest microprocessor based relays gives many added benefits including improved employee safety via arc flash reduction, enhanced metering, fault analysis capabilities, simplification of breaker automation, and automatic transfer schemes.

UPGRADE OFFERINGS

Replacement In Mind With Limited Functionality

- Use of existing inputs (CT's or VT's only), door and panel openings
- Transfer of characteristics (pickup/time delay/curve shape)

Replacement In Mind With Limited Functionality, Plus Advanced Features

- Add additional inputs (VT's, breaker status), metering
- Transfer of characteristic (pickup/time delay/curve shape)
- AutoCAD markups to existing drawings

Replacement with Advanced Features and Functionality

- Additional inputs (VT's, breaker status, IRIG-B time sync), metering, arc-flash detection, GOOSE messaging
- Replacement doors with prewired controls
- AutoCAD markup, update system one-line
- Automation/communications features: M-T-M auto throw over, fast bus protection and remote operation
- Add additional inputs (VT's, breaker status), metering

NERC COMPLIANCE SERVICES



North American Electric Reliability Corporation

NERC assures the reliability of the bulk-power system in North America. Overseen by the Federal Energy Regulatory Commission (FERC), it formulates planning guides and operating procedures necessary to prevent large scale outages.

CE Power Solutions is a provider of technical compliance solutions. We can help you with gap analysis, maintenance, testing, engineering, identification of failures or changes in protection and control schemes, and all documentation and maintenance requirements necessary to securing the integrity of your electrical infrastructure. Many companies that offer auditing, compliance support or training do not have the in-house technical capabilities required by some NERC standards. Our NERC expertise covers these technical requirements from start to finish. We are your partner, committed to your long-term security and success.

SERVICES

Analysis

- Gap analysis
- Required vs. recommended maintenance
- Coordination of protection systems
- Relay and protective device settings review
- Interconnect requirements review
- Design review
- Professional engineer services

Planning

- Budget planning
- Upgrade requirements
- Owner's engineer
- O&M requirements
- Maintenance programs
- Expansion/capacity verification


Execution

- Installation services up to 765kV
- System design/build solutions
- Communication programming/terminations
- Network design/programming
- Design and application engineering
- Testing and maintenance
- Commissioning/acceptance testing
- Drawings and project closeout

Auditing

- RSAW creation and analysis
- Mock audits
- Documentation control
- Historical archives
- Engineering interpretation
- Test report analysis

ARC FLASH SERVICES



Arc Flash Risk Assessment

An arc flash study is indispensable, not only for educating employees, but for evaluating and addressing the risks unique to your facility. It's also required whenever a major modification or renovation takes place. Studies must be reviewed periodically, at intervals not to exceed five years, to account for changes in the electrical distribution system that could affect the results of the arc flash risk assessment. It's important that the study includes any significant system modifications that have occurred.

Arc Flash Exposure Risks Include:

- Operating a switch or circuit breaker
- Inserting or removing a circuit breaker
- Opening an enclosure door
- Removing a cover (bolted or hinged)
- Testing for voltage
- Troubleshooting

CE Power Solutions can perform a comprehensive arc flash risk assessment to properly identify hazards, help determine flash protection boundaries, approach distances, incident arc energy, and required Personal Protective Equipment (PPE).

Elements of the Study Include:

- Gathering data on electrical distribution systems
- Compiling results of complex calculations
- Diagramming accurate system impedance
- Conducting a short-circuit study
- Coordinating protective-devices
- Determining incident energy
- Providing customized equipment labels
- Training employees

Mitigation Techniques

CE Power Solutions will review the study with you, guiding you through the hazard mitigation process communicating ways to protect your employees and equipment.

Our-cost-effective strategies include reducing fault-current levels or fault duration, increasing working distance, or installing arc-resistant equipment.

- Remote racking and operation
- Current limiting reactors and fuses
- Zone interlocking
- System coordination changes
- Upgrade to modern trip units
- Differential protection
- Arc-detection relays

EMERGENCY RESPONSE



Things Happen Fast. We Happen Faster.

Expecting the unexpected is the first step in planning for it. CE Power Solutions is here to provide rapid emergency response support, around the clock, to get your system back online.

We have comprehensive design, engineering expertise, an ample inventory of surplus equipment and parts, and close relationships with OEMs—all ready to leverage at a moment's notice. We can also help you implement a program to help you manage the known variables, like reduced maintenance budgets and deteriorating plant conditions. As always, our services are delivered with a disciplined approach that combines unmatched safety performance with fast and accurate execution.

SERVICES

- Large Parts Inventory to Replace Failed Components Immediately
- Extensive OEM Network to Expedite
- Depth of Resources and Technical Expertise
- Major Investments in Training and Safety
- Temporary Service for Failure
- Design and Procurement of Replacement Equipment
- Installation and Commissioning of Replacement Equipment
- Response within 24 Hours of Initial Call
- Engineering Input on All Emergency Service Calls
- Verification of New-Equipment Application
- Cost-Effective, Time-Effective Solutions
- Rapid Turnaround
- Disaster Recovery
- IEEE, ANSI, NFPA 70E - Certified

City of Cocoa

Dyal Water Treatment Plant

Electrical Contractor Services

TAB A

KEY PERSONNEL RESUMES

Philip Sargeant, NETA III
Senior ServiceTechnician

Qualification Summary & Introduction:
Philip has almost ten years of experience in the high voltage field. He is certified NETA III.

Experience:
Field Service Technician, Alston Grid
- Performed circuit breaker and transformer maintenance and overhaul
- Responsible for the completion of warranty covered repairs, preventative maintenance, upgrades, commissioning of new products, and other customer required repairs or testing

Technician, EC Source Services LLC
- Commissioning and maintenance technician responsible for testing of high voltage components and systems in power substations
- Duties in addition to testing included: writing reports, completion of field wiring, operating machinery, assembly and disassembly of components before and after testing, supervising young technicians and completing job hazard analysis

Technician, Power Engineering Services Inc.
- Installed and repaired parts and components in power generating systems under the direction of managing engineer

Store Manager, Sunoco Inc.
- Oversaw day to day operations including compiling daily sales reports, inventory control, employee schedules, payroll, facility maintenance and customer service

Salesperson, Boniface-Hiers Chrysler Jeep Dodge Ram
- Provided sales and leasing of new and used cars and trucks to walk-in clients
- Cultivated new clients through cold calling and references

Installer, Secure Shutters Inc.
- Installed and serviced hurricane shutters and wind mitigation products

Education:
- Bachelor of Science Engineering Technology, Daytona State College 2015
- Bachelor of Science Mechanical Engineering, University of Central Florida 2013
- Associate of Arts, Brevard Community College 2012

Professional Affiliations/Certifications:
- OSHA 30 Hour Construction
- OSHA 10 Hour General Industry
- TWIC
- CPR/First Aid/AED
- NETA III

Capabilities:
- Testing equipment manufactured by: Omicron, Doble, Raytech, AEMC, Vanguard, Megger, Fluke, High Voltage
- Computer proficiency in: Microsoft Office and Doble Products as well as PowerDB, Enoserv, Primary Test Manager, Matlab, Mathcad and Pro-E

NETA

NETA Certified Technician

This certificate is hereby awarded to

PHILIP SARGEANT

CE Power Solutions of Florida, LLC

for achieving status as a NETA

Level 3

Certified Technician

January 1, 2021 – January 31, 2022

AS RECOGNIZED BY

INTERNATIONAL ELECTRICAL TESTING ASSOCIATION

Ken Bassett

Ken Bassett
Membership Chair

INTERNATIONAL ELECTRICAL TESTING ASSOCIATION
3050 OLD CENTRE · SUITE 102 · PORTAGE, MI 49024 · WWW.NETAWORLD.ORG

Robert Bordas, NETA IV
Senior Electrical Engineer

Qualification Summary & Introduction:
Robert has over 15 years of experience in testing, installing, designing, maintaining and operating electrical power distribution systems. He is certified as NETA Level IV.

Experience:
Senior Electrical Field Engineer (2015 – Present)
- Perform start-up, commissioning, inspections and NETA acceptance testing on low and medium voltage power distribution equipment.
- Perform as "Lead" on mission critical datacenter projects. Interpreted test data, made recommendations for corrective actions and writing complete project summaries, startup and commissioning reports. Providing engineer support during all phases of the projects. Preparing submittals and procedures for QA/QC teams
- Perform coordination and arc flash studies using SKM software
- Prepare harmonic studies, wave form capturing reports
- Create as-built and mark-up drawings of electrical distribution equipment
- Evaluate and test various equipment such as protection relays, controls, low and medium voltage breakers, power transformers, MV cables, low and medium voltage switchgears
- Development of documentation and testing procedures for FAT testing on MV switchgears

Senior Electrical Engineer / Project Manager (2003 – 2009)
- Performed commissioning and acceptance testing of electrical power systems
- Medium and low voltage industrial power system design assignments including medium and low voltage switchgears, lighting, grounding, backup generators, UPS systems and security system design. Preparation of as built documentations
- Worked with VFD`s in industrial environmental
- Experienced in project management: Managed all electrical aspect of green field construction projects, including professional and financial areas from the first day until the handover of commissioning reports
- Coordinated maintenance work low and medium voltage power systems

Electrical Engineer / Designer (1999 – 2002)
- Designed new optical networks and optical network reconstructions

Education:
Bachelor of Science (*Power System Engineering*) 2000
Obuda University - Budapest, Hungary2000

Tivadar Puskas Specialized High School (*Electrical Technician*) 1995
Budapest, Hungary

Professional Affiliations/Certifications:
- NETA Level IV

Training:
- First Energy Substation Commissioning Training 2014
- SEL University PROT 401, Protecting Power System for Engineers 2013
- RTS Enoserv Relay Software Training 2012
- SKM Arc Flash and Coordination Study Software Training 2010

Computer Skills:

- SKM Coordination and Arc Flash software
- Experienced AutoCAD user
- Power DB database management software
- RTS Enoserv and Relay software's
- MS Project Professional experience

Major Mission Critical Data Center Acceptance Testing and Commissioning:

➢ LNR3A Google Datacenter	Lenoir, NC	2013-2014	"Lead"
➢ MNK3A and 4A Google Datacenter	Monks Comer, SC	2013-2014	
➢ Project Cardinal (AT&T) Datacenter	Kings Mountain, NC	2013	"Lead"
➢ Facebook Datacenter FRC3 A-B Bldg.	Forest City, NC	2012	"Lead"
➢ Facebook Datacenter FRC2 C-D Bldg.	Forest City, NC	2011	
➢ Facebook Datacenter FRC2 A-B Bldg.	Forest City, NC	2010	

Protection Relay Testing Experience:

- Expert user of the Omicron CMC 356 relay test set controlled by RTS ENOSERV fully automated testing software (working with databases, automated report generating)
- Experience with writing new custom routines in RTS
- Experience with Doble 6150 controlled by Protest
- SEL 300G, 351, 387, 487B, 501, 551, 587Z, 701, 751A, 787, SD S24
- GE 269, 369, 469,735, 745, 750, and older mechanical relays
- Basler E25, 27, 46N, 47N, 50/21, 59, 67, 81, 87T. 32R, BE1-11f, BE1-951

Test Procedure Knowledge:

- Power transformer testing (TTR, insulation resistance, PF/excitation, winding resistance, oil sampling test and evaluation of test results)
- Coordination and arc flash study (from field data collecting to completing the study)
- Medium voltage cable testing (AC/DC/VLF high potential test, Tan-Delta testing)
- Medium and low voltage switchgears complete start up, acceptance, commissioning and maintenance testing procedures
- MV vacuum bottle breaker (vacuum bottle integrity test, timing test, contact resistance and gap testing)
- Ground system tests (soil resistance, fall of potential, point-to-point test)
- Various types of low voltage circuit breaker primary and secondary injection test
- Differential ground fault protection system test (SD modified GF and Eaton GF protection)
- CT testing (ratio, polarity, insulation resistance, saturation, burden, primary injection testing)
- Low and medium voltage MCC testing (overload primary injection testing, contactor testing)
- Wide range of experience with thermographic (IR) surveys
- Solid State and Electro Mech. Watt-hours meter field calibration test.
- Low and MV MCC testing (overload primary injection testing, contactor testing)
- NFPA 99 isolation panel and LIM testing, impedance and leakage voltage testing
- Station battery bank test (discharge test with load bank, spec. gravity, charger testing)

NETA

NETA Certified Technician

This certificate is hereby awarded to

ROBERT BORDAS

CE Power Solutions of Florida, LLC

for achieving status as a NETA

Level 4

Certified Senior Technician

January 1, 2021 – January 31, 2022

AS RECOGNIZED BY

INTERNATIONAL ELECTRICAL TESTING ASSOCIATION

Ken Bassett

Ken Bassett
Membership Chair

INTERNATIONAL ELECTRICAL TESTING ASSOCIATION
3050 OLD CENTRE · SUITE 102 · PORTAGE, MI 49024 · WWW.NETAWORLD.ORG

Luis Vazquez
Power Engineer

Qualification Summary & Introduction:
Luis is a highly skilled and resourceful individual with a superb work ethic and technical background necessary for engineering innovative designs. He has a solid understanding of electrical engineering theory, industry-standard software design, and testing tools.

Experience:
Power Engineer (2016 – Present)
- Support senior engineers in the installation of electrical protection and control systems
- Perform maintenance and testing on power transformers, low, medium, and high voltage circuit breakers
- Diagnose malfunctioning systems, equipment, and electrical parts via on-site testing while utilizing Power DB software to input and update test results
- Plan and pace work efficiently to meet daily project goals

Electrical Assembler (2014 – 2016)
- Performed electrical acceptance testing of completed hardware, including continuity and insulation resistance testing
- Monitored the manufacture of electrical devices and operations to ensure compliance with safety protocols
- Confirmed correct wiring of components and completed set up
- Inspected each major pieces of equipment, including contactors, program logic control, X-Ray generator, computer and variable frequency driver for proper operation
- Made critical adjustments to component values and settings during testing

Industrial Electrician (2014)
- Installed, tested and modified circuit breakers, controls, fuses, lights and motors
- Interpreted drawings, wiring diagrams, flow charts, and written descriptions of project requirements
- Consulted with the supervisor electrician regarding the likely risks association with assigned job
- Demonstrated expertise in the use of cable reels, stripping tools, voltage detectors, crimping tools, and wire and cable cutters

Electrical Assembler (2012 – 2014)
- Responsible for assembling electrical equipment such as generators, transformers, control panels, and related parts
- Tested electrical controls and components on the line following all safety policies and procedures
- Executed entire assembly process by accurately interpreting set-up sheets, work orders, drawings, and blueprints
- Correctly and safely used a variety of hand tools, saws, and cutting equipment to carry out job duties

Education:
Bachelor of Science in Electrical Engineering (*Power Engineering*) 2012
Polytechnic University, San Juan, Puerto Rico

Training:
- Drafting with AutoCAD (2014)

Skills:
- AutoCAD 2013
- Power DB
- Microsoft Office

- Testing procedures: Insulation power factor, insulation resistance, winding resistance, AC high potential, and other related tests
- Bilingual – English and Spanish
- Knowledge of design techniques, tools, and principles involved in production of technical plans, blueprints, drawings, and models
- Familiar with NFPA 70, NFPA 70E

NETA

NETA Certified Technician

This certificate is hereby awarded to

Luis Vazquez

CE Power Solutions of Florida, LLC

for achieving status as a NETA

Level 3

Certified Technician

August 10, 2020 – January 31, 2021

AS RECOGNIZED BY THE

INTERNATIONAL ELECTRICAL TESTING ASSOCIATION

Ken Bassett

Ken Bassett
Membership Chair

INTERNATIONAL ELECTRICAL TESTING ASSOCIATION
3050 OLD CENTRE ROAD ~ SUITE 101 ~ PORTAGE, MI 49024 ~ WWW.NETAWORLD.ORG

Davis Ellis
Power Engineer

Qualification Summary & Introduction:
Davis is a Protection and Control Engineer with testing and commissioning experience in distribution and SCADA equipment in the power utility industry. He is a motivated individual that easily adapts to dynamic work environments.

Experience:
Power Engineer (2017 – Present)
- Perform feeder breaker testing and maintenance
- Aid in commissioning of transmission line panels
- Aid in commissioning of substation communication equipment

GAP Engineer (2016 – 2017)
- Shadowed field engineers and technicians on protection and control projects
- Worked on projects upgrading overcurrent and differential protection
- Performed breaker and relay testing on distribution feeders

Test Engineering Intern (2015 – 2016)
- Developed flying probe tests for new assemblies and revisions
- Aided in testing circuit boards using flying probe and in-circuit test methods
- Performed diagnostic work on failed circuit boards and issued quality alerts for repetitive manufacturing defects

Education:
Bachelor of Science in Electrical Engineering 2016
University of South Florida, Tampa, FL

Project Experience:
- **FPL Athens and Heru Substation – Solar Energy Center**
  - P&C testing and commissioning of new substation
- **FPL Smart Grid**
  - Performed relay retrofits on feeder breaker with SEL 751 relays
  - Installed and tested Orion LX communication processors
  - Performed settings changes and tested SEL 251, 351, and 751 relays
- **Duke Hines Relay Upgrade**
  - Wired, tested, installed, and commissioned SEL 351, 387, and 751 relays
- **Duke NERC Peaker Generator Relay Testing**
  - Aided in testing of 21, 25, 32,40, 50, 60, 64, and 87 electromechanical relays
  - Performed CT and PT verification test

NETA

NETA Certified Technician

This certificate is hereby awarded to

Davis Ellis

CE Power Solutions of Florida, LLC

for achieving status as a NETA

Level 2

Certified Assistant Technician

January 1, 2020 – January 31, 2021

AS RECOGNIZED BY THE

INTERNATIONAL ELECTRICAL TESTING ASSOCIATION

Ken Bassett

Ken Bassett
Membership Chair

INTERNATIONAL ELECTRICAL TESTING ASSOCIATION
3050 OLD CENTRE ROAD ~ SUITE 101 ~ PORTAGE, MI 49024 ~ WWW.NETAWORLD.ORG

Marcos Arauz
Senior Protection & Control Engineer

Qualification Summary & Introduction:
Marcos has is a Senior P&C Engineer with excellent troubleshooting skills he has demonstrated over seven years in the field. He has a passion for finding the root cause of problems and implementing methods to prevent reoccurrence. He is leader and a mentor in and out of the field.

Experience:

Senior Protection and Control Engineer (2017 – Present)
- Responsible for commissioning new transmission, generation, and distribution equipment, including SCADA equipment.

Senior Protection and Control Engineer (2009 – 2017)
- Ensured maintenance plans compliance per FERC regulations – various 500kV and lower-voltage transmission and distribution substations
- Became familiar with test plans and troubleshooting various substation relays such as GE, ABB, Areva, Beckwith, Basler, SEL and other generation and distribution stations
- Trained new employees

Lead Engineer (2006 – 2009)
- Confirmed new capabilities were created for newer accessories by ensuring testing and maintenance were designed and fabricated
- Supported the electric, hydraulic, pneumatic, fuel, generator and rewind shops by verifying test equipment was functional and documentation was updated per FAA requirements

Test Engineer (2002 – 2006)
- Developed 777, 757, 737, DC-10, MD-80 automated test plans for generator control units.

Engineering Manager (2000 – 2002)
- Trained recently graduated technicians in the testing philosophies for aircraft generators, generator control units, breakers and power relays.
- Provided technical support to the overhaul and maintenance shops

Electronic Warfare Officer – Lieutenant (1995 – 1999)
- Graduated Nuclear Power School
- Completed a Western Pacific deployment in support of the United Nations Security Council resolutions.

Education:

➢ Master of Business Administration	Chadron State College	2013
➢ Bachelor of Science in Electrical Engineering	Florida International University	1995
➢ Associate of Arts in Electrical Engineering	Miami Dade Community College	1992

Certifications:
- Florida Professional Engineer – Retired
- Six Sigma Yellow Belt

NETA

NETA Certified Technician

This certificate is hereby awarded to

Marcos Arauz

CE Power Solutions of Florida, LLC

for achieving status as a NETA

Level 4

Certified Senior Technician

July 8, 2021 – January 31, 2022

AS RECOGNIZED BY THE

INTERNATIONAL ELECTRICAL TESTING ASSOCIATION

Ken Bassett

Ken Bassett
Membership Chair

INTERNATIONAL ELECTRICAL TESTING ASSOCIATION

3050 OLD CENTRE ROAD ~ SUITE 101 ~ PORTAGE, MI 49024 ~ WWW.NETAWORLD.ORG

Greg Kelsey
Senior Service Technician

Qualification Summary & Introduction:
Experienced and dedicated field service technician with extensive knowledge of 115kV-500kV substations.

Experience:

CE Power Solutions LLC **August 2017 - Current**
- Test and perform maintenance on switchgear, breakers, relays & cables.
- Testing skills include Doble power factor test, timing, TTR, Meggar and CT analysis.
- Point to point line checks and analyze wiring diagrams.
- Trouble shoot breakers and switches.

CE Power Solutions LLC **June 2005 - August 2017**
- Shop Supervisor

Advanced Breaker Services **June 2004 – June 2005**
- Owner (Purchased by CE Power Solutions)

Switchgear Unlimited **December 1992 – June 2004**
- Lead Tech/QA Inspector

Education:
Hillsborough Community College, AA – Engineering **June 2005**
US Navy Electronics, Naval Training Center **June 1988**

NETA

NETA Certified Technician

This certificate is hereby awarded to

Greg Kelsey

CE Power Solutions of Florida, LLC

for achieving status as a NETA

Level 2

Certified Assistant Technician

January 1, 2020 – January 31, 2021

AS RECOGNIZED BY THE

INTERNATIONAL ELECTRICAL TESTING ASSOCIATION

Ken Bassett

Ken Bassett
Membership Chair

INTERNATIONAL ELECTRICAL TESTING ASSOCIATION
3050 OLD CENTRE ROAD ~ SUITE 101 ~ PORTAGE, MI 49024 ~ WWW.NETAWORLD.ORG

Jerry Daugherty, EE, PE, NETA III
PE: AR, IN, FL, KY, OH, NC, NY, TX, VA, WI
Chief Engineer - Field

Qualification Summary & Introduction:
Jerry holds a BSEE from the University of Kentucky along with NETA III Certification, PE licensure in several states, including Florida and a Certificate of Authorization from the State of Florida. His entire career, over nineteen years, has primarily been focused in the area of Power Engineering, even prior to graduation as a Student Engineer in the Transmission Department with Kentucky Utilities Headquarters.

Jerry has been instrumental in the successful completion of substation modifications up to 230 KV, and new and existing substation and protection scheme modification design. This includes turn-key projects, switchgear and substation component commissioning, new switchgear installations and upgrades, and retrofills 15kV and greater. As a hands-on Manager of Engineering, Jerry remains very active in the field with the CE Power Engineers and Technicians. He addresses technical reference needs across the entire company.

A brief listing of clients whom Jerry has served, and continues to serve, include: Florida Power& Light, FPL-NextEra, KU/LGE (PPL-owned), American Electric Power, Pacific Gas & Electric, Duke/Cinergy, US Army Corps of Engineers, Washington, DC, Walt Disney World, Alcoa Warrick Generation, Cincinnati Children's Hospital Medical Center, Vandolah Power (Northern Star Generation), Kent State University, and Ohio University

Experience:
- Versed in the operation of Doble M4K, Doble TDR-9000, Raytech TTR and WR, Omicron CMC-256 & CMC-356, Vanguard Time-Travel Analyzer, Power Analytics Power System Analysis Software
- Student Engineer with Kentucky Utilities Transmission & Distribution Substation Department – GO (Quality Street), studied under David Payne and Ron Mercer.
- Proficient in the application, modification, repair, and upgrade of all types of power distribution switchgear, ranging from 480V thru 345KV.
- Responsible for the design and construction of new Square-D MV-series product line of medium-voltage fixed-base and automatically-switched capacitor bank lineups.
- Experience performing engineering analysis and studies for arc-flash hazard analysis, short-circuit and coordination studies.
- Versed in composing single-line diagrams, master protective relay schemes, switchgear elementary diagrams, switchgear layouts and elevations, custom switchgear and bus designs using AutoCAD.
- Work history includes providing services and engineering to industries ranging from steel mills and power generation facilities to universities and hospitals.
- Amassed well over 20,000 hours of hands-on in-field engineering experience.

Education:
- University of Kentucky – College of Engineering, Bachelor's in Electrical Engineering
- Graduated Bachelors of Science – Electrical Engineering – Fall of 1993

Professional Affiliations/Certifications:
- Licensed Electrical Engineer – Arkansas, Indiana, Florida, Kentucky, Ohio, New York, North Carolina, Texas, Virginia and Wisconsin
- Certification of Authorization - Arkansas, Florida, Kentucky, Ohio
- NETA III Certified (11-3-9338340)
- Holder of Florida Certificate of Authorization
- Holder of Kentucky Certificat of Authorization
- OMICRON-September 2013
    - International Protection Testing Symposium (IPTS)
    - Instrument Transformer Forum (ITMF)

Key Projects:

Alcoa Warrick Generation – Newburgh, Indiana

- Acceptance testing and start-up support for 138KV ring-bus upgrades, 450MVA and 200MVA GSU installation and all associated relaying and controls.

American Electric Power – Roanoke Division, Roanoke, WV & Multiple Locations

- Acceptance testing and start-up support for three substations in the last 2 months of 2011 alone – including Teays Valley live-cut-in of bank protection scheme and breaker protection in Hurricane, WV.

Ohio University – Athens, Ohio

- Design Engineer on 40MVA double-ended 69KV-12.47KV LTC Substation Upgrade – including installation and start-up support.

Kent State University – Main Campus – Kent, Ohio

- Design Engineer & Commissioning Engineer on 14 MW total – dual combustion turbine generator installation design, commissioning and start-up support and on-going operational support.

Children's Hospital Medical Center – Cincinnati, Ohio

- 6.6MW total – 12.47KV diesel generator installation (3 x 2.2MW) w/ automated switchgear – design, installation support and start-up / commissioning guidance – expanding into a 2nd installation of an additional 3 engines and associated switchgear and controls.

New Madrid Power Plant – New Madrid, Missouri

- Upgrade of 14 – 5KV protective relay doors implementing solid-state relaying, including design, implementation, construction oversight and commissioning

Baltimore Gas & Electric – Wagner Power Plant – Baltimore, MD

- On-site refurbishment of 20 cells of Westinghouse 5KV air-magnetic switchgear bus work, including new cub

Ford Motor Company – Sharonville, Ohio

- Detail design/build/commission 20 MVA, 69kV-13.2kV bay expansion including organizing and coordinating all civil/structural site preparation and structural steel integration

USACE Dalecarlia Pumping Station, Washington, DC

- Lead Engineer, Project Manager and On-site Project Manager for in-field troubleshooting, modifications and repairs to the 5KV synchronous motor circuit breaker lineup in Washington, DC, including on-going efforts for coordination studies, arc flash hazard evaluation and related arc flash training for USACE personnel at Washington Aqueduct.

- Including 2nd Phase of system-wide upgrade of protection scheme to SEL-based design – responsible for all aspects of project from concept design to construction, implementation, cut-in and commissioning.

Dayton Power & Light – Killen Substation – Manchester, Ohio

- Lead Engineer, Project Manager and On-site Project Manager for complete protection scheme upgrade for the Plant – including the removal of 130+ electromechanical relays and the turn-key design, assembly, installation of SEL-based protection scheme – encompassing all incoming transformers, GSU's, 600MW steam turbine and 50MW combustion turbine.

Pacific Gas & Electric / B&V Construction – Multiple California Locations – Centering Around San Francisco, CA

- Lead On-site Project Manager / Project Engineer for acceptance testing, start-up commissioning and start-up support for multiple substations from 15KV thru 230KV spanning power plants, transmission substations, distribution substations and underground transmission circuits.

NETA

NETA Certified Technician

This certificate is hereby awarded to

Jerry Daugherty

CE Power Engineered Services, LLC

for achieving status as a NETA

Level 3

Certified Technician

January 1, 2021 – May 31, 2021

AS RECOGNIZED BY

INTERNATIONAL ELECTRICAL TESTING ASSOCIATION

Ken Bassett

Ken Bassett
Membership Chair



INTERNATIONAL ELECTRICAL TESTING ASSOCIATION
3050 OLD CENTRE · SUITE 102 · PORTAGE, MI 49024 · WWW.NETAWORLD.ORG

City of Cocoa

Dyal Water Treatment Plant

Electrical Contractor Services

TAB A

LITIGATION

CE Power has no past or pending litigation or disputes relating to the work described herein within the last 5 years.

City of Cocoa

Dyal Water Treatment Plant

Electrical Contractor Services

TAB A

FINANCIAL INFORMATION

JOHNSON FINANCIAL GROUP®

BANKING WEALTH INSURANCE

CE POWER SOLUTIONS LLC
4040 REV DR.
CINCINNATI OH 45232

July 13, 2021

To Whom It May Concern:

Accept this letter as verification that CE POWER SOLUTIONS LLC has an account in good standing at Johnson Financial Group. Find below the information requested for your use as agreed to by CE POWER SOLUTIONS LLC.

Bank:	Johnson Bank
Address:	555 Main St
	Racine WI 53403
Account Name:	CE POWER SOLUTIONS LLC
Account number:	1002113350
Routing number:	075911852
Account Type:	Checking

Sincerely,

Erin Stampfl, AAP
VP Treasury Management

100 East Wisconsin Avenue, Suite 2400, Milwaukee, WI 53202
(262) 523-8102 Office
(414) 287-6455 Fax

City of Cocoa

Dyal Water Treatment Plant

Electrical Contractor Services

TAB B

SIMILAR PROJECTS

Similar Projects

Project #1:			
Project/Event Name:	2017 Dyal Water Treatment Plant Maintenance		
Type of Project/Service:	Maintenance & Testing		
Address:	2800 State Route 520 Christmas FL 32709		
Contracting Agency/Client:	City of Cocoa	Locality Population:	
Contact Name and Phone #:	Tim Dyar 3219635-7774		
Contact Email Address and Fax #:	tdyar@cocoafl.org		
Contract Amount:	$14,000	Date Work Performed:	2017
Project #2:			
Project Name:	City of Cincinnati Waterworks		
Type of Project/Service:	Testing & Maintenance		
Address:	24545 Eastern Ave. Cincinnati Ohio 45202		
Contracting Agency/Client:	Cityo of Cincinnati Waterworks	Locality Population:	
Contact Name and Phone #:	Andrew Sampson		
Contact Email Address and Fax #:	andrew.sampson@gcww.cincinnati-oh.gov		
Contract Amount:	+$25K	Date Work Performed:	2018
Project #3:			
Project Name:	Polk County Utilities Maintenance & Testing		
Type of Project/Service:	Testing and maintenance projects		
Address:	1011 Jim Keene Blvd. Winter Haven FL 33880		
Contracting Agency/Client:	Polk County Utilities	Locality Population:	
Contact Name and Phone #:	Howard Coggin 863-419-3159		
Contact Email Address and Fax #:	howardcoggin@polk-County.net		
Contract Amount:	Multiple jobs	Date Work Performed:	2017-2018
Project #4:			
Project Name:	Louisville Gas & Electric		
Type of Project/Service:	Maintenance & Testing jobs		
Address:	820 W Broadway Louisvilee KY 40202		
Contracting Agency/Client:	Louisville Gas & Electric	Locality Population:	
Contact Name and Phone #:	Rusty Fisher		
Contact Email Address and Fax #:	rusty.fisher@lge-ku.com		
Contract Amount:	Multiple Projects	Date Work Performed:	2018-2019
Project #5:			
Project Name:	Big Rivers Testing & Maintenance Projects		
Type of Project/Service:	Multiple contracts		
Address:	9000 Hwy 2096 Robards KY 42452		
Contracting Agency/Client:	Big Rivers	Locality Population:	
Contact Name and Phone #:	Teresa Taylor		
Contact Email Address and Fax #:	teresa.taylor@bigrivers.com		
Contract Amount:	Multiple Projects	Date Work Performed:	

PLEASE COMPLETE AND SUBMIT WITH YOUR RFQ RESPONSE

☞Failure to submit this form may be grounds for disqualification of your submittal☜

City of Cocoa

Dyal Water Treatment Plant

Electrical Contractor Services

TAB B

CURRENT PROJECTS

Duke Energy, FL (DEF)
Protection and Control Relay Upgrades
DEF Substations across Florida
Contract Estimated at $ 2,400,000

Florida Power and Light (FPL)
Feeder Bay Addtion
Columbia, FL
Contact Estimated at $ 78,007

Florida Power and Light (FPL)
O'Neil Substation Regulator Telemtry upgrade
Yulee, FL
Contact Estimated at $ 69,000

Covanta – Pasco County Florida
Breaker Replacement
Spring Hill, FL
Contact Estimated at $ 135,000

Covanta – Pasco County Florida
Transformer Bushing Replacement and Re-gasket
Spring Hill, FL
Contact Estimated at $ 145,000

City of Cocoa

Dyal Water Treatment Plant

Electrical Contractor Services

TAB B

SIGNIFICANT AWARDS or ACCOMPLISHMENTS

Please see safety awards on Page 20

Please see major projects awarded in this Tab

City of Cocoa

Dyal Water Treatment Plant

Electrical Contractor Services

TAB C

PROJECT APPROACH

PROJECT APPROACH

A. State your firm's technical approach to the project and the interpretation of the scope of services required.

CE Power Response:

The scope of services for this project will cover all preventive maintenance, testing, repair/replacement services, and emergency services for the electrical distribution equipment owned by City of Cocoa. All work provided in this ESA will be performed by NETA Accredited and Certified technicians, Professional Engineers, Engineers, and Project Managers.

B. Define the adequacy of resources, including personnel, labor, equipment and supply resources, and other requirements to provide the requested services. Please include a listing of currently owned/leased equipment your firm has readily available for deployment upon activation. The City wants to determine whether your firm has enough capability to service the City and not have constraints due to other commitments.

CE Power Response:

Locally
i. (19) Field Service Technicians
ii. (1) Operations Manager with oversight of all projects, NETA Level IV
iii. (1) Project Manager
iv. (1) State of Florida Professional Engineer

Across the country
i. (288) Field Service Technicians
ii. (5) Operations Manager with oversight of all projects
iii. (9) Project Manager
iv. (48) Professional Engineers
v. (130) Engineers
vi. (13) Coordinators

Equipment Owned by CE Power is listed at the end of this section

PROJECT APPROACH
Continued

C. Provide a clear statement of the specific services and tasks to be performed. Include information concerning each task and staff committed to accomplish each task.

CE Power Response:

Field Service – SRV - Maintenance, Test and Repair/Replace
Medium Voltage (MV) Equipment – 1000 Volts to 69,000 Volts
1. Switches
2. Transformers
3. Cable testing and terminating
4. Switchgear and Motor Control Centers
5. Circuit Breakers, Contactors and Drives
6. Breaker Refurbishment and Repair
7. Relays and Meters
8. Control Panels

Low Voltage (LV) Equipment – 999 Volts and Less
1. Switches
2. Transformers
3. Cable testing and terminating
4. Switchgear, Switchboards, and Motor Control Centers
5. Circuit Breakers, Contactors and Drives
6. Breaker Retrofit, Refurbishment and Repair
7. Grounding and Ground Grid Testing
8. Relays and Meters
9. Control Panels
10. Battery Banks and Chargers

*All test reports will be reviewed and signed by a Professional Engineer

Engineering Services - PES
Engineering Services to include all voltage classes
1. Electrical Distribution Equipment Replacement
2. MV and LV Breaker Retrofills
3. Arc Flash Studies, New or Updates to existing
4. Arc Flash mitigation services
5. Load Studies and Power Monitoring with analysis
6. IR Scans with analysis

PROJECT APPROACH
Continued

Engineering Services - PEG
Engineering Services to include all voltage classes
1. Developing and writing specifications
2. Engineer, Procure and Construct Projects
3. Engineer of Record Services
4. Project Management Services

Life Extension - LES
Life Extension Equipment to include all voltage classes
1. 200,000 Square foot Facility filled with Legacy Equipment
a. Transformers
b. Switches
c. Breakers
d. Current Transformers, (CT)
e. Switchgear, Switchboards and MCC
2. Pearl Certified Legacy Equipment Provider
3. Pearl Network of Legacy Equipment Providers

D. Provide a typical response time and/or project implementation schedule for proposed services including any management and planning strategies.

CE Power Response:

a. Typical response time for project implementation is 1- 2 weeks. CEPS will work closely with City of Cocoa to implement and complete the projects within the parameters set with each project.
b. Once a project is confirmed a project lead and manager will be assigned. These individuals will work hand in hand with City of Cocoa to set the schedule and give updates to how the work is going.
c. Kickoff meetings will be set for each project between CEPS and City of Cocoa. Once the project is underway progress meetings will be set to discuss the project.

E. Provide information regarding any proposed innovative concepts that may enhance the value and quality of the services to be performed.

CE Power Response:

CEPS has provided innovative solutions across the country including:
Low and Medium Voltage Breaker Retrofills.
Here we remove the existing circuit breakers and bus in the compartment and upgrade to newest technology circuit breakers. All this without changing the footprint or pulling new cables.

Upgrade from electromechanical relays to new microprocessor relays



Appendix 1 - CE Power Company Owned Equipment Rates

Equipment	Daily	Monthly
AC Hipot 30kV	$121.00	$2,526.00
AC Hipot 60kV	$216.00	$4,295.00
AC Hipot 130kV	$137.00	$2,641.00
Power Factor Doble M4000	$457.00	$9,057.00
TTR Test Set - 2 Phase	$32.00	$536.00
TTR Test Set - 3 Phase	$74.00	$1,560.00
Sweep Frequency Test Set	$195.00	$3,812.00
Winding Resistance	$116.00	$2,284.00
Filter Press	$158.00	$3,150.00
Primary Injection Test Set	$788.00	$15,750.00
Secondary Injection Test Set	$121.00	$2,247.00
Current Supply (MS-2)	$42.00	$819.00
Coil Analyzer Power Supply	$69.00	$1,355.00
Vac Bottle Hipot (Vidar)	$63.00	$1,166.00
Vac Interrupt (MAC)	$347.00	$6,846.00
TimeMotion	$153.00	$3,035.00
CT Test Set Vanguart EZCT	$158.00	$3,072.00
1000A+ Ductor Test Set	$63.00	$1,539.00
VLF Tan Delta	$158.00	$3,072.00
Cable Fault Locator	$79.00	$1,539.00
TDR-1669	$79.00	$1,539.00
Thumper-HV	$179.00	$3,492.00
Ground Test Set AEMC 6474	$116.00	$2,284.00

Appendix 1 Cont. - CE Power Company Owned Equipment Rates

Equipment	Daily	Monthly
Relay Test Set Doble 6150	$426.00	$8,505.00
Relay Set (GPS Clock)	$27.00	$504.00
kwh Standard	$116.00	$2,300.00
Power Quality Meter	$58.00	$1,087.00
Battery Test Set	$58.00	$1,071.00
Battery Load DV Power BLU360V	$258.00	$5,072.00
Dewpoint Analyzer DMA35	$48.00	$930.00
Confined Space RKI GX-2009 Gas Analyzer	$16.00	$231.00
SF6 Cart	$788.00	$15,750.00
SF6 Analyzer Dilo 3-027-R002	$6.00	$74.00
Ultrasonic Ultra Probe 1000	$147.00	$2,867.00
IR Camera T420	$142.00	$2,814.00
Phasing Sticks Bierer PD25	$27.00	$468.00
Generator <65kW	$121.00	$2,363.00
Generator >65kW	$583.00	$11,655.00
Boom Lift	$2,757.00	$55,125.00
Van	$95.00	$1,890.00
Box/Stake Truck	$158.00	$3,150.00
Bucket Truck	$594.00	$11,813.00
Winch/Digger Derrick	$515.00	$10,238.00
4/0 Leads-50'	$42.00	$788.00
500mil Leads	$48.00	$945.00

City of Cocoa

Dyal Water Treatment Plant

Electrical Contractor Services

TAB D

REQUIRED FORMS

City of Cocoa

Dyal Water Treatment Plant

Electrical Contractor Services

TAB D

REQUIRED FORMS

Insurance Certificates

Attachment "B"
Insurance Requirements

A. Insurance. The successful Proposer/Contractor shall not commence any work in connection with an agreement until it has obtained all of the required types of insurance and has provided proof of same to the City, in the form of a certificate prior to the start of any work, nor shall the successful Proposer/Contractor allow any subcontractor to commence work on its subcontract until all similar insurance required of the subcontractor has been so obtained and approved. All insurance policies shall be with insurers qualified and doing business in Florida.

B. Limits. The successful Proposer/Contractor and/or subcontractor shall maintain the types of insurance, with at a minimum the respective limits as outlined herein:

1. AUTOMOBILE: $1,000,000.00 Combined Single Limit for Bodily Injury and Property Damage per accident;
2. GENERAL LIABILITY: $1,000,000.00 each occurrence;
3. GENERAL AGGREGATE: $2,000,000.00;
4. PROFESSIONAL LIABILITY COVERAGE: $1,000,000.00; and
5. Worker's Compensation: Employers' liability insurance which covers the statutory obligation for all persons engaged in the performance of the work required hereunder with limits not less than $1,000,000.00 per occurrence. Evidence of qualified self-insurance status will suffice for this subsection. The proposer understands and acknowledges that it shall be solely responsible for any and all medical and liability costs associated with an injury to itself and/or to its employees, sub-contractors, volunteers, and the like, including the costs to defend the City in the event of litigation against same.

C. City as Additional Insured. The successful Proposer/Contractor and/or subcontractor shall name the "City of Cocoa" as an Additional Insured, to the extent of the services to be provided hereunder, on all required insurance policies, and provide the City with proof of same.

D. Certificates of Insurance. The successful Proposer/Contractor and/or subcontractor shall provide the City's Human Resources/Risk Management Division with a Certificate of Insurance evidencing such coverage for the duration of this Agreement. Said Certificate of Insurance shall be dated and show:

1. The name of the insured Contractor,
2. The specified job by name and job number,
3. The name of the insurer,
4. The number of the policy,
5. The effective date,
6. The termination date,
7. A statement that the insurer will mail notice to the City at least thirty (30) days prior to any material changes in the provisions or cancellation of the policy, and;
8. The Certificate Holders Box must read as follows:

City of Cocoa
c/o Human Resources/Risk Management Division
65 Stone Street
Cocoa, Florida 32922

Any other wording in the Certificate Holders Box shall not be acceptable. Non-conforming certificates will be returned for correction.

TITLE: Dyal Water Treatment Plant – Electrical Contractor Services

***NOTE – FOR CONTRACTING PURPOSES THE CERTIFICATE OF INSURANCE MUST BE DELIVERED TO CITY OF COCOA, PURCHASING & CONTRACTS DIVISION , 65 STONE STREET, COCOA, FLORIDA 32922.**

E. Waiver. Receipt of certificates or other documentation of insurance or policies or copies of policies by the City, or by any of its representatives, which indicates less coverage than is required, does not constitute a waiver of the successful Proposer's/Contractor's obligation to fulfill the insurance requirements specified herein.

F. Subcontractors. The successful Proposer/Contractor shall ensure that any sub-contractor(s), hired to perform any of the duties contained in the Scope of Services of an Agreement, maintain the same insurance requirements set forth herein. In addition, the successful Proposer/Contractor shall maintain proof of same on file and make readily available upon request by the City.

G. Loss Deductible Clause. The City shall be exempt from, and in no way liable for, any sums of money which may represent a deductible in any insurance policy. The payment of such deductible shall be the sole responsibility of the successful Proposer/Contractor and/or subcontractor providing such insurance.

H. Additional Requirements. All insurance carriers shall have AM Best Rating of at least A-, and a size VII or larger. The General Liability and Workers Compensation policies shall have a waiver of subrogation in favor of the City of Cocoa. The liability policies shall be Primary/Non-Contributory.

AUTHORIZED SIGNATORY

Brian Spence
Typed Name of AUTHORIZED SIGNATORY

Sales Representative
Title

07/30/2021
Date

Witness Signature

Traci Greene
Typed Name of Witness

The City reserves the unilateral right to modify the insurance requirements set forth at any time during the process of solicitation or subsequent thereto.

PLEASE COMPLETE AND SUBMIT WITH YOUR RFQ RESPONSE

☞ Failure to submit this form may be grounds for disqualification of your submittal ☜

CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY): 5/28/2021

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER	CONTACT NAME: Jessica Prather, AU, AINS	
Marsh & McLennan Agency LLC 15415 Middlebelt Road Livonia MI 48154-3805	PHONE (A/C, No, Ext): 734-525-2415	FAX (A/C, No): 212-948-5818
	E-MAIL ADDRESS: jessica.prather@marshmma.com	

INSURER(S) AFFORDING COVERAGE	NAIC #
INSURER A : American Guarantee and Liability Ins Co	26247
INSURER B : Zurich American Insurance Company	16535
INSURER C : Brit Global Specialty USA	55555
INSURER D :	
INSURER E :	
INSURER F :	

INSURED CEPOWHOLDI

Qualus Power Services Corp., CE Power Solutions LLC, Relay Acquisition, Inc.,
CE Power Engineered Services LLC, Reuter & Hanney Inc., Relay Buyer, Inc.,
PGE Holding Corp., Power Grid Engineering, LLC

COVERAGES **CERTIFICATE NUMBER:** 424208742 **REVISION NUMBER:**

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS	
B	X COMMERCIAL GENERAL LIABILITY CLAIMS-MADE [X] OCCUR X Ded: $10,000 GEN'L AGGREGATE LIMIT APPLIES PER: POLICY [X] PRO-JECT [ ] LOC OTHER:			GL0115048503	5/31/2021	5/31/2022	EACH OCCURRENCE DAMAGE TO RENTED PREMISES (Ea occurrence) MED EXP (Any one person) PERSONAL & ADV INJURY GENERAL AGGREGATE PRODUCTS - COMP/OP AGG OHIO STOP GAP	$ 2,000,000 $ 300,000 $ 10,000 $ 2,000,000 $ 4,000,000 $ 4,000,000 $ $1,000,000
B	AUTOMOBILE LIABILITY X ANY AUTO OWNED AUTOS ONLY HIRED AUTOS ONLY SCHEDULED AUTOS NON-OWNED AUTOS ONLY			BAP115048903	5/31/2021	5/31/2022	COMBINED SINGLE LIMIT (Ea accident) BODILY INJURY (Per person) BODILY INJURY (Per accident) PROPERTY DAMAGE (Per accident)	$ 2,000,000 $ $ $
A	X UMBRELLA LIAB X OCCUR EXCESS LIAB CLAIMS-MADE DED X RETENTION $ 0			AUC115049303	5/31/2021	5/31/2022	EACH OCCURRENCE AGGREGATE	$ 10,000,000 $ 10,000,000
B	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANYPROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? Y / N [ ] (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below	N / A		WC115048803	5/31/2021	5/31/2022	X PER STATUTE OTH-ER E.L. EACH ACCIDENT E.L. DISEASE - EA EMPLOYEE E.L. DISEASE - POLICY LIMIT	$ 1,000,000 $ 1,000,000 $ 1,000,000
C	Professional/Pollution Liability			CPP1002621	5/31/2021	5/31/2022	Occur.: $10,000,000	Agg.: $10,000,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

Stop Gap coverage is included in the Workers Compensation policy.

City of Cocoa is included as an additional insured for general liability coverage to the extent provided in the attached form# UGL2162.

CERTIFICATE HOLDER

City of Cocoa
375 N Cocoa Blvd
Cocoa FL 32922

CANCELLATION

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE

© 1988-2015 ACORD CORPORATION. All rights reserved.

Additional Insured – Automatic – Owners, Lessees Or Contractors

ZURICH

THIS ENDORSEMENT CHANGES THE POLICY. PLEASE READ IT CAREFULLY.	
Policy No.	Effective Date:

This endorsement modifies insurance provided under the:

Commercial General Liability Coverage Part

A. Section **II – Who Is An Insured** is amended to include as an additional insured any person or organization whom you are required to add as an additional insured under a written contract or written agreement executed by you, but only with respect to liability for "bodily injury", "property damage" or "personal and advertising injury" and subject to the following:

1. If such written contract or written agreement specifically requires that you provide that the person or organization be named as an additional insured under one or both of the following endorsements:

a. The Insurance Services Office (ISO) ISO CG 20 10 (10/01 edition); or

b. The ISO CG 20 37 (10/01 edition),

such person or organization is then an additional insured with respect to such endorsement(s), but only to the extent that "bodily injury", "property damage" or "personal and advertising injury" arises out of:

(1) Your ongoing operations, with respect to Paragraph **1.a.** above; or

(2) "Your work", with respect to Paragraph **1.b.** above,

which is the subject of the written contract or written agreement.

However, solely with respect to this Paragraph **1.**, insurance afforded to such additional insured:

(a) Only applies if the "bodily injury", "property damage" or "personal and advertising injury" offense occurs during the policy period and subsequent to your execution of the written contract or written agreement; and

(b) Does not apply to "bodily injury" or "property damage" caused by "your work" and included within the "products-completed operations hazard" unless the written contract or written agreement specifically requires that you provide such coverage to such additional insured.

2. If such written contract or written agreement specifically requires that you provide that the person or organization be named as an additional insured under one or both of the following endorsements:

a. The Insurance Services Office (ISO) ISO CG 20 10 (07/04 edition); or

b. The ISO CG 20 37 (07/04 edition),

such person or organization is then an additional insured with respect to such endorsement(s), but only to the extent that "bodily injury", "property damage" or "personal and advertising injury" is caused, in whole or in part, by:

(1) Your acts or omissions; or

(2) The acts or omissions of those acting on your behalf,

Includes copyrighted material of Insurance Services Office, Inc., with its permission.

INTERNAL USE ONLY

in the performance of:

(a) Your ongoing operations, with respect to Paragraph **2.a.** above; or

(b) "Your work" and included in the "products-completed operations hazard", with respect to Paragraph **2.b.** above,

which is the subject of the written contract or written agreement.

However, solely with respect to this Paragraph **2.**, insurance afforded to such additional insured:

(i) Only applies if the "bodily injury", "property damage" or "personal and advertising injury" offense occurs during the policy period and subsequent to your execution of the written contract or written agreement; and

(ii) Does not apply to "bodily injury" or "property damage" caused by "your work" and included within the "products-completed operations hazard" unless the written contract or written agreement specifically requires that you provide such coverage to such additional insured.

3. If neither Paragraph **1.** nor Paragraph **2.** above apply and such written contract or written agreement requires that you provide that the person or organization be named as an additional insured:

a. Under the ISO CG 20 10 (04/13 edition, any subsequent edition or if no edition date is specified); or

b. With respect to ongoing operations (if no form is specified),

such person or organization is then an additional insured only to the extent that "bodily injury", "property damage" or "personal and advertising injury" is caused, in whole or in part by:

(1) Your acts or omissions; or

(2) The acts or omissions of those acting on your behalf,

in the performance of your ongoing operations, which is the subject of the written contract or written agreement.

However, solely with respect to this Paragraph **3.**, insurance afforded to such additional insured:

(a) Only applies to the extent permitted by law;

(b) Will not be broader than that which you are required by the written contract or written agreement to provide for such additional insured; and

(c) Only applies if the "bodily injury", "property damage" or "personal and advertising injury" offense occurs during the policy period and subsequent to your execution of the written contract or written agreement.

4. If neither Paragraph **1.** nor Paragraph **2.** above apply and such written contract or written agreement requires that you provide that the person or organization be named as an additional insured:

a. Under the ISO CG 20 37 (04/13 edition, any subsequent edition or if no edition date is specified); or

b. With respect to the "products-completed operations hazard" (if no form is specified),

such person or organization is then an additional insured only to the extent that "bodily injury" or "property damage" is caused, in whole or in part by "your work" and included in the "products-completed operations hazard", which is the subject of the written contract or written agreement.

However, solely with respect to this Paragraph **4.**, insurance afforded to such additional insured:

(1) Only applies to the extent permitted by law;

(2) Will not be broader than that which you are required by the written contract or written agreement to provide for such additional insured;

(3) Only applies if the "bodily injury" or "property damage" occurs during the policy period and subsequent to your execution of the written contract or written agreement; and

(4) Does not apply to "bodily injury" or "property damage" caused by "your work" and included within the "products-completed operations hazard" unless the written contract or written agreement specifically requires that you provide such coverage to such additional insured.

Includes copyrighted material of Insurance Services Office, Inc., with its permission.

INTERNAL USE ONLY

B. Solely with respect to the insurance afforded to any additional insured referenced in Section **A.** of this endorsement, the following additional exclusion applies:

This insurance does not apply to "bodily injury", "property damage" or "personal and advertising injury" arising out of the rendering of, or failure to render, any professional architectural, engineering or surveying services including:

1. The preparing, approving or failing to prepare or approve maps, shop drawings, opinions, reports, surveys, field orders, change orders or drawings and specifications; or

2. Supervisory, inspection, architectural or engineering activities.

This exclusion applies even if the claims against any insured allege negligence or other wrongdoing in the supervision, hiring, employment, training or monitoring of others by that insured, if the "occurrence" which caused the "bodily injury" or "property damage", or the offense which caused the "personal and advertising injury", involved the rendering of or the failure to render any professional architectural, engineering or surveying services.

C. Solely with respect to the coverage provided by this endorsement, the following is added to Paragraph **2. Duties In The Event Of Occurrence, Offense, Claim Or Suit** of Section **IV – Commercial General Liability Conditions**:

The additional insured must see to it that:

(1) We are notified as soon as practicable of an "occurrence" or offense that may result in a claim;

(2) We receive written notice of a claim or "suit" as soon as practicable; and

(3) A request for defense and indemnity of the claim or "suit" will promptly be brought against any policy issued by another insurer under which the additional insured may be an insured in any capacity. This provision does not apply to insurance on which the additional insured is a Named Insured if the written contract or written agreement requires that this coverage be primary and non-contributory.

D. Solely with respect to the coverage provided by this endorsement:

1. The following is added to the **Other Insurance** Condition of Section **IV – Commercial General Liability Conditions**:

Primary and Noncontributory insurance

This insurance is primary to and will not seek contribution from any other insurance available to an additional insured provided that:

a. The additional insured is a Named Insured under such other insurance; and

b. You are required by written contract or written agreement that this insurance be primary and not seek contribution from any other insurance available to the additional insured.

2. The following paragraph is added to Paragraph **4.b.** of the **Other Insurance** Condition under Section **IV – Commercial General Liability Conditions**:

This insurance is excess over:

Any of the other insurance, whether primary, excess, contingent or on any other basis, available to an additional insured, in which the additional insured on our policy is also covered as an additional insured on another policy providing coverage for the same "occurrence", offense, claim or "suit". This provision does not apply to any policy in which the additional insured is a Named Insured on such other policy and where our policy is required by a written contract or written agreement to provide coverage to the additional insured on a primary and non-contributory basis.

E. This endorsement does not apply to an additional insured which has been added to this Coverage Part by an endorsement showing the additional insured in a Schedule of additional insureds, and which endorsement applies specifically to that identified additional insured.

F. Solely with respect to the insurance afforded to an additional insured under Paragraph **A.3.** or Paragraph **A.4.** of this endorsement, the following is added to Section **III – Limits Of Insurance**:

Additional Insured – Automatic – Owners, Lessees Or Contractors Limit

The most we will pay on behalf of the additional insured is the amount of insurance:

Includes copyrighted material of Insurance Services Office, Inc., with its permission.

INTERNAL USE ONLY

1. Required by the written contract or written agreement referenced in Section **A.** of this endorsement; or
2. Available under the applicable Limits of Insurance shown in the Declarations,

whichever is less.

This endorsement shall not increase the applicable Limits of Insurance shown in the Declarations.

All other terms, conditions, provisions and exclusions of this policy remain the same.

Includes copyrighted material of Insurance Services Office, Inc., with its permission.

INTERNAL USE ONLY

CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY): 5/28/2021

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER	CONTACT NAME: Jessica Prather, AU, AINS	
Marsh & McLennan Agency LLC 15415 Middlebelt Road Livonia MI 48154-3805	PHONE (A/C, No, Ext): 734-525-2415	FAX (A/C, No): 212-948-5818
	E-MAIL ADDRESS: jessica.prather@marshmma.com	

INSURER(S) AFFORDING COVERAGE	NAIC #
INSURER A : American Guarantee and Liability Ins Co	26247
INSURER B : Zurich American Insurance Company	16535
INSURER C : Brit Global Specialty USA	55555
INSURER D :	
INSURER E :	
INSURER F :	

INSURED CEPOWHOLDI

Qualus Power Services Corp., CE Power Solutions LLC, Relay Acquisition, Inc.,
CE Power Engineered Services LLC, Reuter & Hanney Inc., Relay Buyer, Inc.,
PGE Holding Corp., Power Grid Engineering, LLC

COVERAGES **CERTIFICATE NUMBER:** 1673809994 **REVISION NUMBER:**

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS	
B	X COMMERCIAL GENERAL LIABILITY CLAIMS-MADE [X] OCCUR X Ded: $10,000 GEN'L AGGREGATE LIMIT APPLIES PER: POLICY [X] PRO-JECT [ ] LOC OTHER:			GL0115048503	5/31/2021	5/31/2022	EACH OCCURRENCE DAMAGE TO RENTED PREMISES (Ea occurrence) MED EXP (Any one person) PERSONAL & ADV INJURY GENERAL AGGREGATE PRODUCTS - COMP/OP AGG OHIO STOP GAP	$ 2,000,000 $ 300,000 $ 10,000 $ 2,000,000 $ 4,000,000 $ 4,000,000 $ $1,000,000
B	AUTOMOBILE LIABILITY X ANY AUTO OWNED AUTOS ONLY HIRED AUTOS ONLY SCHEDULED AUTOS NON-OWNED AUTOS ONLY			BAP115048903	5/31/2021	5/31/2022	COMBINED SINGLE LIMIT (Ea accident) BODILY INJURY (Per person) BODILY INJURY (Per accident) PROPERTY DAMAGE (Per accident)	$ 2,000,000 $ $ $
A	X UMBRELLA LIAB [X] OCCUR EXCESS LIAB [ ] CLAIMS-MADE DED [X] RETENTION $ 0			AUC115049303	5/31/2021	5/31/2022	EACH OCCURRENCE AGGREGATE	$ 10,000,000 $ 10,000,000
B	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY ANYPROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? Y / N [ ] (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below	N / A		WC115048803	5/31/2021	5/31/2022	X PER STATUTE [ ] OTH-ER E.L. EACH ACCIDENT E.L. DISEASE - EA EMPLOYEE E.L. DISEASE - POLICY LIMIT	$ 1,000,000 $ 1,000,000 $ 1,000,000
C	Professional/Pollution Liability			CPP1002621	5/31/2021	5/31/2022	Occur.: $10,000,000	Agg.: $10,000,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)

Stop Gap coverage is included in the Workers Compensation policy.

Project: Any and All Projects. Certificate holder is included as an additional insured under the general liability per form UGL2162; automobile per form CA2048 umbrella (follow form) as required by written contract / purchase order subject to policy terms / conditions. General liability coverage is primary and non-contributory basis as required by written contract. Waiver of subrogation is included under the general liability per form UGL925; automobile per form UCA424; umbrella (follow form) and workers' compensation per form WC000313 (where applicable by law) as required by written contract.

CERTIFICATE HOLDER

City of Cocoa
65 Stone Street
Cocoa FL 32922

CANCELLATION

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE

© 1988-2015 ACORD CORPORATION. All rights reserved.

Coverage Extension Endorsement

ZURICH

Policy No.	Eff. Date of Pol.	Exp. Date of Pol.	Eff. Date of End.	Producer No.	Add'l. Prem	Return Prem.
				32140000	**INCL**	

THIS ENDORSEMENT CHANGES THE POLICY. PLEASE READ IT CAREFULLY.

This endorsement modifies insurance provided under the:

Business Auto Coverage Form
Motor Carrier Coverage Form

A. Amended Who Is An Insured

1. The following is added to the **Who Is An Insured** Provision in **Section II – Covered Autos Liability Coverage**:

   The following are also "insureds":

   a. Any "employee" of yours is an "insured" while using a covered "auto" you don't own, hire or borrow for acts performed within the scope of employment by you. Any "employee" of yours is also an "insured" while operating an "auto" hired or rented under a contract or agreement in an "employee's" name, with your permission, while performing duties related to the conduct of your business.

   b. Anyone volunteering services to you is an "insured" while using a covered "auto" you don't own, hire or borrow to transport your clients or other persons in activities necessary to your business.

   c. Anyone else who furnishes an "auto" referenced in Paragraphs **A.1.a.** and **A.1.b.** in this endorsement.

   d. Where and to the extent permitted by law, any person(s) or organization(s) where required by written contract or written agreement with you executed prior to any "accident", including those person(s) or organization(s) directing your work pursuant to such written contract or written agreement with you, provided the "accident" arises out of operations governed by such contract or agreement and only up to the limits required in the written contract or written agreement, or the Limits of Insurance shown in the Declarations, whichever is less.

2. The following is added to the **Other Insurance** Condition in the Business Auto Coverage Form and the **Other Insurance – Primary and Excess Insurance Provisions Condition** in the Motor Carrier Coverage Form:

   Coverage for any person(s) or organization(s), where required by written contract or written agreement with you executed prior to any "accident", will apply on a primary and non-contributory basis and any insurance maintained by the additional "insured" will apply on an excess basis. However, in no event will this coverage extend beyond the terms and conditions of the Coverage Form.

Includes copyrighted material of Insurance Services Office, Inc., with its permission.

P. Waiver of Transfer Of Rights Of Recovery Against Others To Us

The following is added to the **Transfer Of Rights Of Recovery Against Others To Us** Condition:

This Condition does not apply to the extent required of you by a written contract, executed prior to any "accident" or "loss", provided that the "accident" or "loss" arises out of operations contemplated by such contract. This waiver only applies to the person or organization designated in the contract.

Includes copyrighted material of Insurance Services Office, Inc., with its permission.

Waiver Of Subrogation (Blanket) Endorsement

ZURICH

Policy No.	Eff. Date of Pol.	Exp. Date of Pol.	Eff. Date of End.	Producer	Add'l. Prem	Return Prem.
				32140-000	$ NA	$ NA

THIS ENDORSEMENT CHANGES THE POLICY. PLEASE READ IT CAREFULLY.

This endorsement modifies insurance provided under the:

Commercial General Liability Coverage Part

The following is added to the **Transfer Of Rights Of Recovery Against Others To Us Condition**:

If you are required by a written contract or agreement, which is executed before a loss, to waive your rights of recovery from others, we agree to waive our rights of recovery. This waiver of rights shall not be construed to be a waiver with respect to any other operations in which the insured has no contractual interest.

Additional Insured – Automatic – Owners, Lessees Or Contractors

ZURICH

THIS ENDORSEMENT CHANGES THE POLICY. PLEASE READ IT CAREFULLY.	
Policy No.	Effective Date:

This endorsement modifies insurance provided under the:

Commercial General Liability Coverage Part

A. Section **II – Who Is An Insured** is amended to include as an additional insured any person or organization whom you are required to add as an additional insured under a written contract or written agreement executed by you, but only with respect to liability for "bodily injury", "property damage" or "personal and advertising injury" and subject to the following:

1. If such written contract or written agreement specifically requires that you provide that the person or organization be named as an additional insured under one or both of the following endorsements:

a. The Insurance Services Office (ISO) ISO CG 20 10 (10/01 edition); or

b. The ISO CG 20 37 (10/01 edition),

such person or organization is then an additional insured with respect to such endorsement(s), but only to the extent that "bodily injury", "property damage" or "personal and advertising injury" arises out of:

(1) Your ongoing operations, with respect to Paragraph **1.a.** above; or

(2) "Your work", with respect to Paragraph **1.b.** above,

which is the subject of the written contract or written agreement.

However, solely with respect to this Paragraph **1.**, insurance afforded to such additional insured:

(a) Only applies if the "bodily injury", "property damage" or "personal and advertising injury" offense occurs during the policy period and subsequent to your execution of the written contract or written agreement; and

(b) Does not apply to "bodily injury" or "property damage" caused by "your work" and included within the "products-completed operations hazard" unless the written contract or written agreement specifically requires that you provide such coverage to such additional insured.

2. If such written contract or written agreement specifically requires that you provide that the person or organization be named as an additional insured under one or both of the following endorsements:

a. The Insurance Services Office (ISO) ISO CG 20 10 (07/04 edition); or

b. The ISO CG 20 37 (07/04 edition),

such person or organization is then an additional insured with respect to such endorsement(s), but only to the extent that "bodily injury", "property damage" or "personal and advertising injury" is caused, in whole or in part, by:

(1) Your acts or omissions; or

(2) The acts or omissions of those acting on your behalf,

Includes copyrighted material of Insurance Services Office, Inc., with its permission.

INTERNAL USE ONLY

in the performance of:

(a) Your ongoing operations, with respect to Paragraph **2.a.** above; or

(b) "Your work" and included in the "products-completed operations hazard", with respect to Paragraph **2.b.** above,

which is the subject of the written contract or written agreement.

However, solely with respect to this Paragraph **2.**, insurance afforded to such additional insured:

(i) Only applies if the "bodily injury", "property damage" or "personal and advertising injury" offense occurs during the policy period and subsequent to your execution of the written contract or written agreement; and

(ii) Does not apply to "bodily injury" or "property damage" caused by "your work" and included within the "products-completed operations hazard" unless the written contract or written agreement specifically requires that you provide such coverage to such additional insured.

3. If neither Paragraph **1.** nor Paragraph **2.** above apply and such written contract or written agreement requires that you provide that the person or organization be named as an additional insured:

a. Under the ISO CG 20 10 (04/13 edition, any subsequent edition or if no edition date is specified); or

b. With respect to ongoing operations (if no form is specified),

such person or organization is then an additional insured only to the extent that "bodily injury", "property damage" or "personal and advertising injury" is caused, in whole or in part by:

(1) Your acts or omissions; or

(2) The acts or omissions of those acting on your behalf,

in the performance of your ongoing operations, which is the subject of the written contract or written agreement.

However, solely with respect to this Paragraph **3.**, insurance afforded to such additional insured:

(a) Only applies to the extent permitted by law;

(b) Will not be broader than that which you are required by the written contract or written agreement to provide for such additional insured; and

(c) Only applies if the "bodily injury", "property damage" or "personal and advertising injury" offense occurs during the policy period and subsequent to your execution of the written contract or written agreement.

4. If neither Paragraph **1.** nor Paragraph **2.** above apply and such written contract or written agreement requires that you provide that the person or organization be named as an additional insured:

a. Under the ISO CG 20 37 (04/13 edition, any subsequent edition or if no edition date is specified); or

b. With respect to the "products-completed operations hazard" (if no form is specified),

such person or organization is then an additional insured only to the extent that "bodily injury" or "property damage" is caused, in whole or in part by "your work" and included in the "products-completed operations hazard", which is the subject of the written contract or written agreement.

However, solely with respect to this Paragraph **4.**, insurance afforded to such additional insured:

(1) Only applies to the extent permitted by law;

(2) Will not be broader than that which you are required by the written contract or written agreement to provide for such additional insured;

(3) Only applies if the "bodily injury" or "property damage" occurs during the policy period and subsequent to your execution of the written contract or written agreement; and

(4) Does not apply to "bodily injury" or "property damage" caused by "your work" and included within the "products-completed operations hazard" unless the written contract or written agreement specifically requires that you provide such coverage to such additional insured.

Includes copyrighted material of Insurance Services Office, Inc., with its permission.

INTERNAL USE ONLY

B. Solely with respect to the insurance afforded to any additional insured referenced in Section **A.** of this endorsement, the following additional exclusion applies:

This insurance does not apply to "bodily injury", "property damage" or "personal and advertising injury" arising out of the rendering of, or failure to render, any professional architectural, engineering or surveying services including:

1. The preparing, approving or failing to prepare or approve maps, shop drawings, opinions, reports, surveys, field orders, change orders or drawings and specifications; or
2. Supervisory, inspection, architectural or engineering activities.

This exclusion applies even if the claims against any insured allege negligence or other wrongdoing in the supervision, hiring, employment, training or monitoring of others by that insured, if the "occurrence" which caused the "bodily injury" or "property damage", or the offense which caused the "personal and advertising injury", involved the rendering of or the failure to render any professional architectural, engineering or surveying services.

C. Solely with respect to the coverage provided by this endorsement, the following is added to Paragraph **2. Duties In The Event Of Occurrence, Offense, Claim Or Suit** of Section **IV – Commercial General Liability Conditions**:

The additional insured must see to it that:

(1) We are notified as soon as practicable of an "occurrence" or offense that may result in a claim;

(2) We receive written notice of a claim or "suit" as soon as practicable; and

(3) A request for defense and indemnity of the claim or "suit" will promptly be brought against any policy issued by another insurer under which the additional insured may be an insured in any capacity. This provision does not apply to insurance on which the additional insured is a Named Insured if the written contract or written agreement requires that this coverage be primary and non-contributory.

D. Solely with respect to the coverage provided by this endorsement:

1. The following is added to the **Other Insurance** Condition of Section **IV – Commercial General Liability Conditions**:

   Primary and Noncontributory insurance

   This insurance is primary to and will not seek contribution from any other insurance available to an additional insured provided that:

   a. The additional insured is a Named Insured under such other insurance; and

   b. You are required by written contract or written agreement that this insurance be primary and not seek contribution from any other insurance available to the additional insured.

2. The following paragraph is added to Paragraph **4.b.** of the **Other Insurance** Condition under Section **IV – Commercial General Liability Conditions**:

   This insurance is excess over:

   Any of the other insurance, whether primary, excess, contingent or on any other basis, available to an additional insured, in which the additional insured on our policy is also covered as an additional insured on another policy providing coverage for the same "occurrence", offense, claim or "suit". This provision does not apply to any policy in which the additional insured is a Named Insured on such other policy and where our policy is required by a written contract or written agreement to provide coverage to the additional insured on a primary and non-contributory basis.

E. This endorsement does not apply to an additional insured which has been added to this Coverage Part by an endorsement showing the additional insured in a Schedule of additional insureds, and which endorsement applies specifically to that identified additional insured.

F. Solely with respect to the insurance afforded to an additional insured under Paragraph **A.3.** or Paragraph **A.4.** of this endorsement, the following is added to Section **III – Limits Of Insurance**:

Additional Insured – Automatic – Owners, Lessees Or Contractors Limit

The most we will pay on behalf of the additional insured is the amount of insurance:

Includes copyrighted material of Insurance Services Office, Inc., with its permission.

INTERNAL USE ONLY

1. Required by the written contract or written agreement referenced in Section **A.** of this endorsement; or

2. Available under the applicable Limits of Insurance shown in the Declarations,

whichever is less.

This endorsement shall not increase the applicable Limits of Insurance shown in the Declarations.

All other terms, conditions, provisions and exclusions of this policy remain the same.

Includes copyrighted material of Insurance Services Office, Inc., with its permission.

INTERNAL USE ONLY

WAIVER OF OUR RIGHT TO RECOVER FROM OTHERS ENDORSEMENT

We have the right to recover our payments from anyone liable for an injury covered by this policy. We will not enforce our right against the person or organization named in the Schedule. (This agreement applies only to the extent that you perform work under a written contract that requires you to obtain this agreement from us.)

This agreement shall not operate directly or indirectly to benefit anyone not named in the Schedule.

Schedule

ALL PERSONS AND/OR ORGANIZATIONS THAT ARE REQUIRED BY WRITTEN CONTRACT OR AGREEMENT WITH THE INSURED, EXECUTED PRIOR TO THE ACCIDENT OR LOSS, THAT WAIVER OF SUBROGATION BE PROVIDED UNDER THIS POLICY FOR WORK PERFORMED BY YOU FOR THAT PERSON AND/OR ORGANIZATION

© 1983 National Council on Compensation Insurance.

City of Cocoa

Dyal Water Treatment Plant

Electrical Contractor Services

REQUIRED FORMS

CONFLICT OF INTEREST

	City of Cocoa | Finance Department | Purchasing & Contracts Division 65 Stone Street, Cocoa, FL 32922 Phone: 321-433-8486, or extension 8844 | Fax: 321-433-8690	Solicitation Number: RFQ-21-25-COC
	REQUEST FOR QUALIFICATIONS (RFQ)	Due Date: July 23, 2021 @ 3:00 PM

TITLE: Dyal Water Treatment Plant – Electrical Contractor Services

Attachment "C"
Conflict of Interest Statement

This statement is submitted with Proposal, ITN, or Contract Number RFQ 21-25-COC, titled Dyal Water Treatment Plant - Electrical Contractor Services by

CE Power Solutions of Florida LLC whose business address is 3502 Riga Blvd Tampa FL 33619
[Name of entity submitting sworn statement]

_____ and its Federal Employer Identification Number (FEIN) is 52-2377623.

My name is Brent McAlister and my relationship to the above is President.
[Please print name of individual signing]

A. The Proposer has made diligent inquiry and provided the information in this statement based upon its full knowledge.
B. The Proposer states that only one (1) submittal for this solicitation has been submitted and tendered by the appropriate date and time and that said above stated entity has no financial interest in other entities submitting a proposal for the work contemplated hereby.
C. Neither the entity nor its affiliates, nor anyone associated with them, is presently suspended or otherwise prohibited from participation in this solicitation or any contract to follow thereafter by any government entity.
D. Neither the entity nor its affiliates, nor anyone associated with them, have any potential conflict of interest because of and due to any other clients, contracts, or property interests in this solicitation or the resulting project.
E. I hereby also certify that no member of the entity's ownership or management or staff has a vested interest in any City Department/Division/Office.
F. I certify that no member of the entity's ownership or management is presently applying, actively seeking, or has been selected for an elected position within City of Cocoa government.
G. In the event that a conflict of interest is identified in the provision of services, I, the undersigned will immediately notify the City in writing.
H. Section 112.313, Florida Statutes, as amended; places limitations on public officers (including advisory board members) and employees' ability to contract with the City either directly or indirectly. By my signature below, I hereby acknowledge the provisions as outlined in the hereto referenced statute and have provided any required and/or necessary information accordingly to date and shall commit to continue to do so in the future should I be a successful Proposer.

Please indicate if the following applies:

PART I.

☐ I am an employee, public officer, or advisory board member of the City.

_____ (List Position or Board)

☐ I am the spouse or child of an employee, public officer, or advisory board member of the City.

Name: _____

☐ An employee, public officer or advisory board member of the City, or their spouse or child, is an officer, partner, director, or proprietor of Respondent or has a material interest in Respondent. "Material interest" means direct or indirect ownership of

more than five percent (5%) of the total assets or capital stock of any business entity. For the purposes of [§112.313], indirect ownership does not include ownership by a spouse or minor child.

Name: _____

☐ Respondent employs or contracts with an employee, public officer, or advisory board member of the City

Name: _____

☒ None of The Above

PART II:

Are you going to request an advisory board member waiver?

☐ I will request an advisory board member waiver under §112.313(12)

☐ I will NOT request an advisory board member waiver under §112.313(12)

☐ N/A

The City will review any relationships which may be prohibited under the Florida Ethics Code and will disqualify any proposers, respondents, vendors, suppliers, contractors whose conflicts are not waived or exempt.

By the signature(s) below, I/we, the undersigned, as authorized signatory to commit the firm, certify that the information as provided in **Attachment "C", Conflict of Interest Statement**, is truthful and correct at the time of submission.

AUTHORIZED SIGNATORY

Brian Spence
Typed Name of AUTHORIZED SIGNATORY

Sales Representative
Title

07/30/2021
Date

Witness Signature

Traci Greene
Typed Name of Witness

PLEASE COMPLETE AND SUBMIT WITH YOUR RFQ RESPONSE

☛Failure to submit this form may be grounds for disqualification of your submittal☚

City of Cocoa

Dyal Water Treatment Plant

Electrical Contractor Services

REQUIRED FORMS

NON-COLLUSION/LOBBYING CERTIFICATION

	City of Cocoa | Finance Department | Purchasing & Contracts Division 65 Stone Street, Cocoa, FL 32922 Phone: 321-433-8486, or extension 8844 | Fax: 321-433-8690	Solicitation Number: RFQ-21-25-COC
	REQUEST FOR QUALIFICATIONS (RFQ)	Due Date: July 23, 2021 @ 3:00 PM

TITLE: Dyal Water Treatment Plant – Electrical Contractor Services

Attachment "D"
Non-Collusion/Lobbying Certification

This statement is submitted with Proposal, ITN, or Contract Number RFQ 21-25-COC, titled Dyal Water Treatment Plant - Electrical Contractor Services by

CE Power Solutions whose business address is 3502 Riga Blvd Tampa FL 33619
[Name of entity submitting sworn statement]

_____ and its Federal Employer Identification Number (FEIN) is 52-22377623.

My name is Brian Spence and my relationship to the above is Sales Representative.
[Please print name of individual signing]

A. **NON-COLLUSION PROVISION CERTIFICATION.**
The undersigned hereby certifies, to the best of his or her knowledge and belief, that on behalf of the person, firm, association, or corporation submitting the bid certifying that such person, firm, association, or corporation has not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action, in restraint of free competitive bidding in connection with the submitted bid. Failure to submit the executed statement as part of the bidding documents will make the bid nonresponsive and not eligible for award consideration.

B. **LOBBYING CERTIFICATION.**
The undersigned hereby certifies, to the best of his or her knowledge and belief, that:

1. No City appropriated funds have been paid or will be paid, by or on behalf of the undersigned, to any person for influencing or attempting to influence either directly or indirectly an officer or employee of the City, City Council Member of Congress in connection with the awarding of any City Contract.

2. If any funds other than City appropriated funds have been paid or will be paid to any person for influencing or attempting to influence a member of City Council or an officer or employee of the City in connection with this contract, the undersigned shall complete and submit Standard Form-L "Disclosure Form to Report Lobbying", in accordance with its instructions.

By the signature(s) below, I/we, the undersigned, as authorized signatory to commit the firm, certify that the information as provided in **Attachment "D", Non-Collusion/Lobbying Certification**, is truthful and correct at the time of submission.

AUTHORIZED SIGNATORY	Brian Spence Typed Name of AUTHORIZED SIGNATORY
Sales Representative Title	07/30/2021 Date
Witness Signature	Traci Greene Typed Name of Witness

PLEASE COMPLETE AND SUBMIT WITH YOUR RFQ RESPONSE

☞Failure to submit this form may be grounds for disqualification of your submittal☜

City of Cocoa

Dyal Water Treatment Plant

Electrical Contractor Services

REQUIRED FORMS

DRUG FREE WORKPLACE CERTIFICATION

	City of Cocoa | Finance Department | Purchasing & Contracts Division 65 Stone Street, Cocoa, FL 32922 Phone: 321-433-8486, or extension 8844 | Fax: 321-433-8690	Solicitation Number: RFQ-21-25-COC
	REQUEST FOR QUALIFICATIONS (RFQ)	Due Date: July 23, 2021 @ 3:00 PM

TITLE: Dyal Water Treatment Plant – Electrical Contractor Services

Attachment "E"
Drug-Free Workplace Certification

When applicable, the drug-free certification form below must be signed and returned with the RFQ response.

IDENTICAL TIE PROPOSALS: Preference may be given to businesses with drug-free workplace programs. Whenever two or more proposals that are equal with respect to price, quality, and service are received by the State or by any political subdivision for the procurement of commodities or contractual services, a proposal received from a business that certifies that it has implemented a drug-free workplace program shall be given preference in the award process. Established procedures for processing tie proposals will be followed if none of the tied Proposers have a drug-free workplace program.

In order to have a drug-free workplace program, a business shall:

A. Publish a statement notifying employees that the unlawful manufacture, distribution, dispensing, possession, or use of a controlled substance is prohibited in the workplace and specifying the actions that will be taken against employees for violations of such prohibition.

B. Inform employees about the dangers of drug abuse in the workplace, the business' policy of maintaining a drug-free workplace, any available drug counseling, rehabilitation, and employee assistance programs, and the penalties that may be imposed upon employees for drug abuse violations.

C. Give each employee engaged in providing the commodities or contractual services that are under bid a copy of the statement specified in the first paragraph.

D. In the statement specified in the first paragraph, notify the employees that, as a condition of working on the commodities or contractual services that are under bid, the employee will abide by the terms of the statement and will notify the employer of any conviction of, or plea of guilty or nolo contendere to, any violation of chapter 893, Florida Statutes, or of any controlled substance law of the United States or any state, for a violation occurring in the workplace no later than five (5) days after such conviction.

E. Impose a sanction on, or require the satisfactory participation in, a drug abuse assistance or rehabilitation program if such is available in the employee's community, by any employee who is so convicted.

F. Make a good faith effort to continue to maintain a drug-free workplace through implementation of the foregoing provisions.

By the signature(s) below, I/we, the undersigned, as authorized signatory to commit the firm, certify that the information as provided in **Attachment "E", Drug-Free Workplace Certification**, is truthful and correct at the time of submission.

AUTHORIZED SIGNATORY

Brian Spence
Typed Name of AUTHORIZED SIGNATORY

Sales Representatvie
Title

07/30/2021
Date

Witness Signature

Traci Greene
Typed Name of Witness

PLEASE COMPLETE AND SUBMIT WITH YOUR RFQ RESPONSE – (if applicable)

City of Cocoa

Dyal Water Treatment Plant

Electrical Contractor Services

REQUIRED FORMS

PRICE PROPOSAL
AND
ACCEPTANCE OF RFQ TERMS & CONDITIONS

	City of Cocoa | Finance Department | Purchasing & Contracts Division 65 Stone Street, Cocoa, FL 32922 Phone: 321-433-8486, or extension 8844 | Fax: 321-433-8690	Solicitation Number: RFQ-21-25-COC
	REQUEST FOR QUALIFICATIONS (RFQ)	Due Date: July 23, 2021 @ 3:00 PM

TITLE: Dyal Water Treatment Plant – Electrical Contractor Services

Attachment "F"

Price Proposal and Acceptance of Proposal Terms and Conditions

Labor Category	Indicat Level of Certification	U/P	Year 1	Year 2	Year 3	Option 1	Option 2
Professional Engineer	State of Florida PE State of Florida COA	HR	ST = $ 204 OT = $ 271 DT = $ 365	ST = $ 215 OT = $ 285 DT = $ 384	ST = $ 226 OT = $ 300 DT = $ 404	ST = $ 250 OT = $ 316 DT = $ 426	ST = $ 263 OT = $ 333 DT = $ 448
Senior Engineer		HR	ST = $ 164 OT = $ 220 DT = $ 292	ST = $ 172 OT = $ 231 DT = $ 307	ST = $ 181 OT = $ 244 DT = $ 323	ST = $ 191 OT = $ 257 DT = $ 340	ST = $ 201 OT = $ 270 DT = $ 358
Engineer Mechanical / Electrical		HR	ST = $ 126 OT = $ 170 DT = $ 226	ST = $ 132 OT = $ 178 DT = $ 238	ST = $ 139 OT = $ 188 DT = $ 250	ST = $ 147 OT = $ 198 DT = $ 264	ST = $ 155 OT = $ 209 DT = $ 277
Drafting / Designer		HR	ST = $ 84 OT = $ 113 DT = $ 151	ST = $ 88 OT = $ 119 DT = $ 159	ST = $ 93 OT = $ 125 DT = $ 167	ST = $ 98 OT = $ 131 DT = $ 176	ST = $ 103 OT = $ 139 DT = $ 185
Senior Service Technician NETA Level III and IV	NETA Certified	HR	ST = $ 142 OT = $ 192 DT = $ 254	ST = $ 149 OT = $ 202 DT = $ 267	ST = $ 157 OT = $ 212 DT = $ 281	ST = $ 165 OT = $ 223 DT = $ 296	ST = $ 174 OT = $ 236 DT = $ 312
Service Technician NETA Level I and II	NETA Certified	HR	ST = $ 113 OT = $ 153 DT = $ 202	ST = $ 118 OT = $ 161 DT = $ 212	ST = $ 123 OT = $ 169 DT = $ 224	ST = $ 128 OT = $ 178 DT = $ 236	ST = $ 133 OT = $ 188 DT = $ 248

NOTE #1: The estimated quantities are an approximate only and are not guaranteed. The City does not assume any responsibility that the actual quantities purchased shall remain in strict accordance with the estimated quantities, nor shall the Contractor cause misunderstanding or deception because of such estimate of quantities or of the character, locations of the work, or other conditions pertaining thereto. Any related positions not referenced above may be attached to the back of this page. A brief position description must also be included.

1. OPTIONAL PRICING

NA	

NOTE #2: The Proposer must include a task and fee (by position) schedule breakdown based on the proposed hourly rates. This document is to be inserted at the end of Attachment "F", Price Schedule and Acceptance of Terms and Conditions and identified as OPTIONAL PRICING SCHEDULE.

	City of Cocoa | Finance Department | Purchasing & Contracts Division 65 Stone Street, Cocoa, FL 32922 Phone: 321-433-8486, or extension 8844 | Fax: 321-433-8690	**Solicitation Number: RFQ-21-25-COC**
	REQUEST FOR QUALIFICATIONS (RFQ)	**Due Date: July 23, 2021 @ 3:00 PM**

TITLE: Dyal Water Treatment Plant – Electrical Contractor Services

I/we, the undersigned, as authorized signatory to commit the firm, do hereby accept in total all the terms and conditions stipulated and referenced in this RFQ document and do hereby agree that if a contract is offered or negotiated it will abide by the terms and conditions presented in the RFQ document or as negotiated pursuant thereto. The undersigned, having familiarized him/herself with the terms of the RFQ documents, local conditions, and the cost of the work at the place(s) where the work is to be done, hereby proposes and agrees to perform within the time stipulated, all work required in accordance with the scope of services and other documents including Addenda, if any, on file at the City of Cocoa Purchasing & Contracts Division for the price set forth herein in **Attachment "F" Price Proposal and Acceptance of Proposal Terms and Conditions**. The signature(s) below are an acknowledgment of my/our full understanding and acceptance of all the terms and conditions set forth in this RFQ document or as otherwise agreed to between the parties in writing.

Proposer/Contractor Name: CE Power Solutions

Mailing Address: 3502 Riga Blvd. Tampa FL 33619

Telephone Number: 800-434-0415 Fax Number: 863-582-9988 E-mail Address: info@cepower.net

Authorized Signatory — Brian Spence (Printed Name) — FEIN: 52-2377623 — DUNS: 14-934-6369

Sales Representative (Title) — 07/30/2021 (Date) — CAGE Code: _____ As issued through www.sam.gov

STATE OF FL
COUNTY OF Hillsborough

The foregoing instrument was executed before me this 30 day of July, 2021 by Brian Spence as Sales Rep of CE Power Sol, who personally swore or affirmed that he/she is authorized to execute this document and thereby bind the Corporation, and who is personally known to me OR has produced FL DL as identification.

(stamp)

Notary Public State of Florida
Traci R. Greene
My Commission HH 111986
Expires 03/31/2025

NOTARY PUBLIC, State of Florida

PLEASE COMPLETE AND SUBMIT WITH YOUR RFQ RESPONSE

☞ Failure to submit this form may be grounds for disqualification of your submittal ☜

City of Cocoa

Dyal Water Treatment Plant

Electrical Contractor Services

REQUIRED FORMS

ADDENDA ACKNOWLEDGEMENT

	City of Cocoa | Finance Department | Purchasing & Contracts Division 65 Stone Street, Cocoa, FL 32922 Phone: 321-433-8486, or extension 8844 | Fax: 321-433-8690	Solicitation Number: RFQ-21-25-COC
	REQUEST FOR QUALIFICATIONS (RFQ)	Due Date: July 23, 2021 @ 3:00 PM

TITLE: Dyal Water Treatment Plant – Electrical Contractor Services

Attachment "G"
Addendum Receipt Acknowledgement Certification

The undersigned acknowledges receipt of the following addenda to the solicitation document(s) (Give number and date of each):

Addendum No. 1 Dated: 07/02/2021

Addendum No. 2 Dated: 07/12/2021

Addendum No. 3 Dated: 07/20/2021

Addendum No. _____ Dated: _____

Addendum No. _____ Dated: _____

By the signature(s) below, I/we, the undersigned, as authorized signatory to commit the firm, certify that the information as provided in **Attachment "G", Addendum Receipt Acknowledgement Certification**, is truthful and correct at the time of submission.

Proposer/Contractor Name: CE Power Solutions

Mailing Address: 3502 Riga Blvd. Tampa FL 33619

Telephone Number: 800-434-0415 Fax Number: 863-582-9988 E-mail Address: info@cepower.net

_____ Brian Spence FEIN: 52-2377623 DUNS: 14-934-6939
Authorized Signatory Printed Name

Sales Representative 07/30/2021 CAGE Code: _____
Title Date As issued through www.sam.gov

PLEASE COMPLETE AND SUBMIT WITH YOUR RFQ RESPONSE

☞ Failure to submit this form may be grounds for disqualification of your submittal ☜

City of Cocoa

Dyal Water Treatment Plant

Electrical Contractor Services

REQUIRED FORMS

CORPORATE STANDING
&
AUTHORIZED SIGNATORIES

	City of Cocoa | Finance Department | Purchasing & Contracts Division 65 Stone Street, Cocoa, FL 32922 Phone: 321-433-8486, or extension 8844 | Fax: 321-433-8690	Solicitation Number: RFQ-21-25-COC
	REQUEST FOR QUALIFICATIONS (RFQ)	Due Date: July 23, 2021 @ 3:00 PM

TITLE: Dyal Water Treatment Plant – Electrical Contractor Services

Attachment "H"
Organizational Information

The proposer must include a copy of their State Certificate of Good Standing/Articles of Incorporation, which lists the corporate officers. In addition to the aforementioned documents the Bidder/Proposer must include necessary information to verify the individual signing this proposal/bid and or any contract document has been authorized to bind the corporation. Examples include:

A. A copy of the Articles of Incorporation listing the approved signatories of the corporation.

B. A copy of a resolution listing the members of staff as authorized signatories for the company.

C. A letter from a corporate officer listing the members of staff that are authorized signatories for the company.

TYPE OF ORGANIZATION					
(Please place a check mark (✓) next to applicable type)					
	Corporation		Partnership		Non-Profit
	Joint Venture		Sole Proprietorship		Other (Please specify)
State of Incorporation	Florida				
Principal Place of Business (Enter Address)	3502 Riga Blvd. Tampa FL 33619				
Federal I.D. or Social Security Number	52-2377623				

By the signature(s) below, I/we, the undersigned, as authorized signatory to commit the firm, certify that the information as provided in **Attachment "H", Organizational Information**, is truthful and correct at the time of submission.

Proposer/Contractor Name: CE Power Solutions

Mailing Address: 3502 Riga Blvd. Tampa FL 33619

Telephone Number: 800-434-0415 Fax Number: 863-582-9988 E-mail Address: info@cepower.net

Authorized Signatory | Brian Spence Printed Name | FEIN: 52-2377623 | DUNS: 14-934-6939

Sales Representative Title | 07/30/2021 Date | CAGE Code: As issued through www.sam.gov

PLEASE COMPLETE AND SUBMIT WITH YOUR RFQ RESPONSE

☞Failure to submit this form may be grounds for disqualification of your submittal☜

City of Cocoa

Dyal Water Treatment Plant

Electrical Contractor Services

REQUIRED FORMS

SUBCONTRACTORS

	City of Cocoa | Finance Department | Purchasing & Contracts Division 65 Stone Street, Cocoa, FL 32922 Phone: 321-433-8486, or extension 8844 | Fax: 321-433-8690	Solicitation Number: RFQ-21-25-COC
	REQUEST FOR QUALIFICATIONS (RFQ)	Due Date: July 23, 2021 @ 3:00 PM

TITLE: Dyal Water Treatment Plant – Electrical Contractor Services

Attachment "I"

Proposed Schedule of Subcontractor Participation

☐ No Subcontracting (of any kind) will be utilized on this project.		Solicitation Number: RFQ-21-25-COC	
Title: Dyal Water Treatment Plant - Electrical Contractor Services		Total Project Amount: $	
Subcontractor Minority Code (if applicable) Federal ID	Company Name Address Phone, Fax, Email	Trade, Services or Materials portion to be subcontracted	Percent (%) of Scope/Contract Dollar Value
	No Subcontractors are anticipated		
PERCENTAGE TOTALS FOR SUBCONTRACTOR PARTICIPATION			
PERCENTAGE TOTALS FOR MINORITY SUBCONTRACTOR PARTICIPATION			

Minority Code	Code Description	Minority Code	Code Description
AA	African American	NA	Native American
A	Asian/Pacific Islander	W	Woman
H	Hispanic	SDVBE	Service-Disabled Veteran

When applicable, the Proposer, will enter into a formal agreement with the subcontractors identified herein for work listed in this schedule conditioned upon execution of a contract with the City. By the signature(s) below, I/we, the undersigned, as authorized signatory to commit the firm, certify that the information as provided in **Attachment "I", Proposed Schedule of Subcontractor Participation**, is truthful and correct at the time of submission.

Proposer/Contractor Name: CE Power Soltions

Mailing Address: 3502 Riga Blvd. Tampa FL. 33619

Telephone Number: 800-434-0415 Fax Number: 863-582-9988 E-mail Address: info@cepower.net

Authorized Signatory

Brian Spence
Printed Name

FEIN: 52-2377623 DUNS: 149346939

Sales Representative
Title

07/30/2021
Date

CAGE Code:
As issued through www.sam.gov

PLEASE COMPLETE AND SUBMIT WITH YOUR RFQ RESPONSE

☞Failure to submit this form may be grounds for disqualification of your submittal☜

City of Cocoa

Dyal Water Treatment Plant

Electrical Contractor Services

REQUIRED FORMS

SCRUTINIZED COMPANIES CERTIFICATION

	City of Cocoa | Finance Department | Purchasing & Contracts Division 65 Stone Street, Cocoa, FL 32922 Phone: 321-433-8486, or extension 8844 | Fax: 321-433-8690	Solicitation Number: RFQ-21-25-COC
	REQUEST FOR QUALIFICATIONS (RFQ)	Due Date: July 23, 2021 @ 3:00 PM

TITLE: Dyal Water Treatment Plant – Electrical Contractor Services

Attachment "J"
Contractor Certification Regarding Scrutinized Companies (Contracts of $1,000,000.00 or more)

Section 287.135, Florida Statutes, prohibits local governments from contracting with companies, for goods or services of One Million and 00/100 Dollars ($1,000,000.00) or more that are on the Scrutinized Companies with Activities in Sudan List, on the Scrutinized Companies with Activities in the Iran Petroleum Energy Sector List or is engaged in business operations in Cuba or Syria. Both lists are created pursuant to section 215.473, Florida Statutes. In addition, the CONTRACTOR shall not be listed on the Scrutinized Companies that Boycott Israel List, created pursuant to Section 215.4725, Florida Statutes, or is engaged in a boycott of Israel.

As the person authorized to sign on behalf of the CONTRACTOR, I hereby certify that the company identified below in the section entitled "Bidder/Contractor Name" is not listed on the Scrutinized Companies with Activities in Sudan List, is not listed on the Scrutinized Companies with Activities in the Iran Petroleum Energy Sector List or is engaged in business operations in Cuba or Syria. In addition, the CONTRACTOR is not listed on the Scrutinized Companies that Boycott Israel List, created pursuant to Section 215.4725, Florida Statutes, or is engaged in a boycott of Israel. I understand that pursuant to Section 287.135, Florida Statutes, the submission of a false certification may subject the CONTRACTOR to termination of the Agreement, civil penalties, attorney's fees, and/or costs.

By the signature(s) below, I/we, the undersigned, as authorized signatory to commit the firm, certify that the information as provided in **Attachment "J", Contractor Certification Regarding Scrutinized Companies**, is truthful and correct at the time of submission.

Proposer/Contractor Name: CE Power Solutions

Mailing Address: 3502 Riga Blvd. Tampa FL 33619

Telephone Number: 800-434-0415 Fax Number: 863-582-9988 E-mail Address: info@cepower.net

Authorized Signatory — Brian Spence (Printed Name) — FEIN: 52-2377623 — DUNS: 149346939

Sales Representative (Title) — 07/30/2021 (Date) — CAGE Code: _____ As issued through www.sam.gov

PLEASE COMPLETE AND SUBMIT WITH YOUR RFQ RESPONSE (when applicable)

☞Failure to submit this form may be grounds for disqualification of your submittal☜

City of Cocoa

Dyal Water Treatment Plant

Electrical Contractor Services

REQUIRED FORMS

REFERENCES

	City of Cocoa | Finance Department | Purchasing & Contracts Division 65 Stone Street, Cocoa, FL 32922 Phone: 321-433-8486, or extension 8844 | Fax: 321-433-8690	Solicitation Number: RFQ-21-25-COC
	REQUEST FOR QUALIFICATIONS (RFQ)	Due Date: July 23, 2021 @ 3:00 PM

TITLE: Dyal Water Treatment Plant – Electrical Contractor Services

Attachment "K"
References

Proposer shall submit as a part of the Proposal package, a minimum of five (5) of the most significant projects which were performed within the last three (3) years. Additional references may be provided as set forth below.

Project #1:			
Project/Event Name: Covanta Pasco			
Type of Project/Service: Emergency Breaker Replacement 115kV			
Address: 14230 Hays Road Spring Hill, Fl 34610			
Contracting Agency/Client:	Covanta	Locality Population:	111,076
Contact Name and Phone #: Sahib Aboalaaes 727-856-2917 EXT 219			
Contact Email Address and Fax #: tdyar@cocoafl.org			
Contract Amount: $135,000	Date Work Performed: July 2021		
Project #2:			
Project Name: Covanta Pasco			
Type of Project/Service: Transformer Bushing Replacement and Maintenance Services			
Address: 14230 Hays Road Spring Hill, Fl 34610			
Contracting Agency/Client:	Covanta	Locality Population:	111,076
Contact Name and Phone #: Sahib Aboalaaes 727-856-2917 EXT 219			
Contact Email Address and Fax #: SAboAlAaes@covanta.com			
Contract Amount: $145,000	Date Work Performed: July 2021		
Project #3:			
Project Name: Jacksonville Electric Authority - Water Treatment Facilities			
Type of Project/Service: Electrical Maintenance, Testing and Arc Flash Studies			
Address: 6850 Energy Center Dr, Jacksonville, FL 32256			
Contracting Agency/Client:		Locality Population:	890,467
Contact Name and Phone #: Freddy Gonzalez Vargas, P.E. FL. & P.R. 904-665-885			
Contact Email Address and Fax #: gonzf@jea.com			
Contract Amount: $4,000,000	Date Work Performed: Project is on going		
Project #4:			
Project Name: US Steel			
Type of Project/Service: Monthly Electrical Maintenance Service			
Address: Fairless Hills, PA			
Contracting Agency/Client:	US Steel	Locality Population:	9,000
Contact Name and Phone #: Cannot Provide at this time per customer request			
Contact Email Address and Fax #: Cannot Provide at this time per customer request			
Contract Amount:	Date Work Performed:		
Project #5:			
Project Name: CED Lexington			
Type of Project/Service: Building of a new switchyard 69kV, 15kV Distribution and 480V Switchgear			
Address: Paris, KY			
Contracting Agency/Client:	CMWA	Locality Population:	8,800
Contact Name and Phone #: Cannot Provide at this time per customer request			
Contact Email Address and Fax #: Cannot Provide at this time per customer request			
Contract Amount: $5,582,593.62	Date Work Performed: August of 2019 through June of 2021		

PLEASE COMPLETE AND SUBMIT WITH YOUR RFQ RESPONSE

☞Failure to submit this form may be grounds for disqualification of your submittal☜

City of Cocoa

Dyal Water Treatment Plant

Electrical Contractor Services

REQUIRED FORMS

FEDERAL NON-COLLUSION/LOBBYING CERTIFICATION

	City of Cocoa | Finance Department | Purchasing & Contracts Division 65 Stone Street, Cocoa, FL 32922 Phone: 321-433-8486, or extension 8844 | Fax: 321-433-8690	Solicitation Number: RFQ-21-25-COC
	REQUEST FOR QUALIFICATIONS (RFQ)	Due Date: July 23, 2021 @ 3:00 PM

TITLE: Dyal Water Treatment Plant – Electrical Contractor Services

Attachment "L"
Federal Non-Collusion/Lobbying Certification

This statement is submitted with Proposal, ITN, or Contract Number RFQ 21-25-COC, titled Dyal Water Treatment Plant - Electrical Contractor Services by CE Power Solutions whose business address is 3502 Riga Blvd. Tampa FL 33619
[Name of entity submitting sworn statement]
_____ and its Federal Employer Identification Number (FEIN) is 52-2377623.

My name is Brian Spence and my relationship to the above is Sales Representative.
[Please print name of individual signing]

A. **NON-COLLUSION PROVISION CERTIFICATION.**
The undersigned hereby certifies, to the best of his or her knowledge and belief, that on behalf of the person, firm, association, or corporation submitting the bid certifying that such person, firm, association, or corporation has not, either directly or indirectly, entered into any agreement, participated in any collusion, or otherwise taken any action, in restraint of free competitive bidding in connection with the submitted bid. Failure to submit the executed statement as part of the bidding documents will make the bid nonresponsive and not eligible for award consideration.

B. **LOBBYING CERTIFICATION.**
The undersigned hereby certifies, to the best of his or her knowledge and belief, that:

1. No Federal appropriated funds have been paid or will be paid, by or on behalf of the undersigned, to any person for influencing or attempting to influence either directly or indirectly an officer or employee of any state or federal agency, a Member of Congress, an officer or employee of Congress, or an employee of a Member of Congress in connection with the awarding of any Federal Contract, the making of any Federal grant, the making of any Federal loan, the entering into of any cooperative agreement, and the extension, continuation, renewal, amendment, or modification of any Federal contract, grant, loan, or cooperative agreement.
2. If any funds other than Federal appropriated funds have been paid or will be paid to any person for influencing or attempting to influence an officer or employee of any agency, a member of Congress, an officer or employee of Congress, or an employee of a member of Congress in connection with this Federal contract, grant loan, or cooperative agreement, the undersigned shall complete and submit Standard Form-L "Disclosure Form to Report Lobbying", in accordance with its instructions.
3. The undersigned shall require that the language of this certification be included in the award documents for all sub-awards at all tiers (including subcontracts, sub-grants, and contracts under grants, loans, and cooperative agreements) and that all sub-recipients shall certify and disclose accordingly. This certification is a material representation of fact upon which reliance was placed when this transaction was made or entered into. Submission of this certification is a prerequisite for making or entering into this transaction imposed by section 1352, title 31, US Code. Any persons who fail to file the required certification shall be subject to a civil penalty of not less than $10,000.00 and not more than $100,000.00 for each failure."

By the signature(s) below, I/we, the undersigned, as authorized signatory to commit the firm, certify that the information as provided in **Attachment "L", Federal Non-Collusion/Lobbying Certification**, is truthful and correct at the time of submission.

AUTHORIZED SIGNATORY	Brian Spence Typed Name of AUTHORIZED SIGNATORY
Sales Representative Title	07/30/2021 Date
Witness Signature	Traci Greene Typed Name of Witness

PLEASE COMPLETE AND SUBMIT WITH YOUR RFQ RESPONSE

☞ Failure to submit this form may be grounds for disqualification of your submittal ☜

City of Cocoa

Dyal Water Treatment Plant

Electrical Contractor Services

REQUIRED FORMS

CERTIFICATION REGARDING DEBARMENT SUSPENSION, AND OTHER RESPONSIBILITY MATTERS

	City of Cocoa | Finance Department | Purchasing & Contracts Division 65 Stone Street, Cocoa, FL 32922 Phone: 321-433-8486, or extension 8844 | Fax: 321-433-8690	Solicitation Number: RFQ-21-25-COC
	REQUEST FOR QUALIFICATIONS (RFQ)	Due Date: July 23, 2021 @ 3:00 PM

TITLE: Dyal Water Treatment Plant – Electrical Contractor Services

Attachment "M"

Certification Regarding Debarment, Suspension, and Other Responsibility Matters Primary Covered Transactions

This contract is a covered transaction for purposes of 2 C.F.R. pt. 180 and 2 C.F.R. pt. 3000.

The Proposer certifies that, neither the firm nor any person associated therewith in the capacity of owner, partner, director, officer, principal, investigator, project director, manager, auditor, and/or position involving the administration of federal funds:

A. Is presently debarred, suspended, proposed for debarment, declared ineligible, or voluntarily excluded from covered transactions, as defined in 49 CFR s29.110(a), by any federal department or agency;

B. Has within a three-year period preceding this certification been convicted of or had a civil judgment rendered against it for: commission of fraud or a criminal offense in connection with obtaining, attempting to obtain, or performing a federal, state, or local government transaction or public contract; violation of federal or state antitrust statutes; or commission of embezzlement, theft, forgery, bribery, falsification or destruction of records, making false statements, or receiving stolen property;

C. Is presently indicted for or otherwise criminally or civilly charged by a federal, state, or local governmental entity with commission of any of the offenses enumerated in paragraph (b) of this certification; and

D. Has within a three-year period preceding this certification had one or more federal, state, or local government public transactions terminated for cause or default.

The Proposer certifies that it shall not knowingly enter into any transaction with any subcontractor, material supplier, or vendor who is debarred, suspended, declared ineligible, or voluntarily excluded from participation in this project by any federal agency unless authorized by the City of Cocoa. The Proposer must comply with 2 C.F.R. pt. 180, subpart C and 2 C.F.R. pt. 3000, subpart C and must include a requirement to comply with these regulations in any lower tier covered transaction it enters into. This certification is a material representation of fact relied upon by the City of Cocoa. If it is later determined that the contractor did not comply with 2 C.F.R. pt. 180, subpart C and 2 C.F.R. pt. 3000, subpart C, in addition to remedies available to the City of Cocoa, the Federal Government may pursue available remedies, including but not limited to suspension and/or debarment. The Proposer agrees to comply with the requirements of 2 C.F.R. pt. 180, subpart C and 2 C.F.R. pt. 3000, subpart C while this offer is valid and throughout the period of any contract that may arise from this offer. The Proposer further agrees to include a provision requiring such compliance in its lower tier covered transactions.

By the signature(s) below, I/we, the undersigned, as authorized signatory to commit the firm, certify that the information as provided in **Attachment "M", Certification Regarding Debarment, Suspension, and Other Responsibility Matters**, is truthful and correct at the time of submission.

Proposer/Contractor Name: CE Power Solutions

Mailing Address: 3502 Riga Blvd. Tampa FL 33619

Telephone Number: 800-434-0415 Fax Number: 863-582-9988 E-mail Address: info@cepower.net

Authorized Signatory | Brian Spence (Printed Name) | FEIN: 52-2877623 | DUNS: 149346939

Sales Representative (Title) | 07/30/2021 (Date) | CAGE Code: _____ As issued through www.sam.gov

PLEASE COMPLETE AND SUBMIT WITH YOUR RFQ RESPONSE

☞Failure to submit this form may be grounds for disqualification of your submittal☜

City of Cocoa

Dyal Water Treatment Plant

Electrical Contractor Services

REQUIRED FORMS

GRANT CONDITIONS AND FEDERAL PROVISIONS ACKNOWLEDGEMENT OF TERMS, CONDITIONS AND GRANT CLAUSES

	City of Cocoa | Finance Department | Purchasing & Contracts Division 65 Stone Street, Cocoa, FL 32922 Phone: 321-433-8486, or extension 8844 | Fax: 321-433-8690	Solicitation Number: RFQ-21-25-COC
	REQUEST FOR QUALIFICATIONS (RFQ)	Due Date: July 23, 2021 @ 3:00 PM

TITLE: Dyal Water Treatment Plant – Electrical Contractor Services

Attachment "N"

Grant Conditions and Federal Provisions Acknowledgement of Terms, Conditions and Grant Clauses

Flow down of Terms and Conditions from the Federal Regulations and/or Grant Agreement

Subcontracts: If the Bidder subcontracts any portion of the work under this Agreement, a copy of the signed subcontract must be available to the City of Cocoa for review and approval. The bidder agrees to include in the subcontract that:

A. The subcontractor is bound by the terms of this Agreement;

B. The subcontractor is bound by all applicable state and federal laws and regulations; and

C. The subcontractor shall hold the City of Cocoa, grant recipient and granting agency harmless against all claims of whatever nature arising out of the subcontractor's performance of work under this Agreement, to the extent allowed and required by law.

Grant Conditions and Federal Provisions

On behalf of the Bidder, I acknowledge, and agree to perform all of the specifications and grant requirements identified in this solicitation document(s).

By the signature(s) below, I/we, the undersigned, as authorized signatory to commit the firm, certify that the information as provided in **Attachment "N", Grant Conditions and Federal Provisions Acknowledgement of Terms, Conditions and Grant Clauses**, acknowledge, and agree to perform all of the specifications and grant requirements identified in this solicitation document(s) and subsequent awarded Agreement as a result of this solicitation process should I be the successful Proposer.

Proposer/Contractor Name: CE Power Solutions

Mailing Address: 3502 Riga Blvd. Tampa FL 33619

Telephone Number: 800-434-0415 Fax Number: 863-582-9988 E-mail Address: info@cepower.net

Authorized Signatory — Brian Spence (Printed Name) FEIN: 52-2377623 DUNS: 149346939

Sales Representative (Title) 07/30/2021 (Date) CAGE Code: _____ As issued through www.sam.gov

PLEASE COMPLETE AND SUBMIT WITH YOUR RFQ RESPONSE

☞Failure to submit this form may be grounds for disqualification of your submittal☜

City of Cocoa

Dyal Water Treatment Plant

Electrical Contractor Services

REQUIRED FORMS

E-VERIFY CONTRACTOR AFFIDAVIT

	City of Cocoa | Finance Department | Purchasing & Contracts Division 65 Stone Street, Cocoa, FL 32922 Phone: 321-433-8486, or extension 8844 | Fax: 321-433-8690	Solicitation Number: RFQ-21-25-COC
	REQUEST FOR QUALIFICATIONS (RFQ)	Due Date: July 23, 2021 @ 3:00 PM

TITLE: Dyal Water Treatment Plant – Electrical Contractor Services

Attachment "P"
E-Verify Contractor Affidavit

I hereby certify that CE Power Solutions [insert contractor company name] does not employ, contract with, or subcontract with an unauthorized alien, and is otherwise in full compliance with, section 448.095, Florida Statutes.

All employees hired on or after January 1, 2021 have had their work authorization status verified through the E-Verify system.

A true and correct copy of CE Power Solutions [insert contractor company name] proof of registration in the E-Verify system is attached to this Affidavit.

Print Name: Brian Spence
Date: 07/30/2021

STATE OF FLORIDA
COUNTY OF Hillsborough

The foregoing instrument was acknowledged before me by means of ☑ physical presence or ☐ online notarization, this 7-30-21 (date) by Brian Spence (name of officer or agent, title of officer or agent) of CE Power Solution (name of corporation acknowledging), a FL (state or place of incorporation) corporation, on behalf of the corporation. He/she is personally known to me or has produced FL Drivers (type of identification) as identification.

[Notary Seal] Notary Public
Traci Greene
Name typed, printed, or stamped
My Commission Expires: 3-31-25

Notary Public State of Florida
Traci R. Greene
My Commission HH 111966
Expires 03/31/2025

PLEASE COMPLETE AND SUBMIT WITH YOUR RFQ RESPONSE
☞Failure to submit this form may be grounds for disqualification of your submittal☜

1385245

THE E-VERIFY
MEMORANDUM OF UNDERSTANDING
FOR WEB SERVICES EMPLOYERS

ARTICLE I
PURPOSE AND AUTHORITY

The parties to this agreement are the Department of Homeland Security (DHS) and CE Power Engineered Services, LLC (Web Services Employer). The purpose of this agreement is to set forth terms and conditions which the Web Services Employer will follow while participating in E-Verify.

A Web Services Employer is an Employer who verifies employment authorization for its newly hired employees using a Web Services interface.

E-Verify is a program that electronically confirms a newly hired employee's authorization to work in the United States after completion of the Form I-9, Employment Eligibility Verification (Form I-9). This MOU explains certain features of the E-Verify program and describes specific responsibilities of the Web Services Employer, DHS, and the Social Security Administration (SSA).

For purposes of this MOU, the "E-Verify browser" refers to the website that provides direct access to the E-Verify system: https://e-verify.uscis.gov/emp/. You may access E-Verify directly free of charge via the E-Verify browser.

Authority for the E-Verify program is found in Title IV, Subtitle A, of the Illegal Immigration Reform and Immigrant Responsibility Act of 1996 (IIRIRA), Pub. L. 104-208, 110 Stat. 3009, as amended (8 U.S.C. § 1324a note). The Federal Acquisition Regulation (FAR) Subpart 22.18, "Employment Eligibility Verification" and Executive Order 12989, as amended, provide authority for Federal contractors and subcontractors (Federal contractor) to use E-Verify to verify the employment eligibility of certain employees working on Federal contracts.

Before accessing E-Verify using Web Services access, the Web Services Employer must meet certain technical requirements. This will require the investment of significant amounts of resources and time. If the Web Services Employer is required to use E-Verify prior to completion and acceptance of its Web Services interface, then it must use the E-Verify browser until it is able to use its Web Services interface. The Web Services Employer must also maintain ongoing technical compatibility with E-Verify.

DHS accepts no liability relating to the Web Services Employer's development or maintenance of any Web Services access system.

may subject the Web Services Employer, its subcontractors, its employees, or its representatives to: (1) prosecution for false statements pursuant to 18 U.S.C. 1001 and/or; (2) immediate termination of its MOU and/or; (3) possible debarment or suspension.

G. The foregoing constitutes the full agreement on this subject between DHS and the Web Services Employer.

Approved by:

Web Services Employer CE Power Engineered Services, LLC	
Name (Please Type or Print) Michael M McCoy	Title
Signature Electronically Signed	Date 02/26/2019
Department of Homeland Security – Verification Division	
Name (Please Type or Print) USCIS Verification Division	Title
Signature Electronically Signed	Date 03/07/2019

Company ID Number: 1385245

Information Required for the E-Verify Program **Information relating to your Company:**	
Company Name	CE Power Engineered Services, LLC
Company Facility Address	4040 Rev Drive Cincinnati, OH 45232
Company Alternate Address	
County or Parish	HAMILTON
Employer Identification Number	473803359
North American Industry Classification Systems Code	541
Parent Company	
Number of Employees	100 to 499
Number of Sites Verified for	12 site(s)

Are you verifying for more than 1 site? If yes, please provide the number of sites verified for in each State:

FL	3
GA	1
IN	2
KY	4
MA	2
MI	2
MN	2
OH	4
PA	3
TN	2
WI	2
WV	1

Company ID Number: 1385245

Information relating to the Program Administrator(s) for your Company on policy questions or operational problems:

Name	Stephanie Combs
Phone Number	5137296263
Fax	
Email	stephanie.combs@cepower.net

Name	Kelsey Veloz
Phone Number	3212440170332
Fax	3215783720
Email	kveloz@powergridmail.com

Name	Michael M McCoy
Phone Number	3212440170328
Fax	3215783720
Email	mmccoy@powergridmail.com

City of Cocoa

Dyal Water Treatment Plant

Electrical Contractor Services

REQUIRED FORMS

PROOF OF LICENSES/CERTIFICATIONS

8:35:53 AM 7/28/2021

Licensee Details

Licensee Information

Name:	**CE POWER SOLUTIONS OF FLORIDA, LLC (Primary Name)**
Main Address:	**3502 RIGA BOULEVARD SUITE C TAMPA Florida 33619**
County:	**HILLSBOROUGH**
License Mailing:	
LicenseLocation:	

License Information

License Type:	**Registry**
Rank:	**Registry**
License Number:	**29598**
Status:	**Current**
Licensure Date:	**07/01/2011**
Expires:	

Special Qualifications	Qualification Effective

Alternate Names

View Related License Information

View License Complaint

2601 Blair Stone Road, Tallahassee FL 32399 :: Email: **Customer Contact Center** :: Customer Contact Center: 850.487.1395

The State of Florida is an AA/EEO employer. **Copyright 2007-2010 State of Florida.** **Privacy Statement**

Under Florida law, email addresses are public records. If you do not want your email address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions, please contact 850.487.1395. *Pursuant to Section 455.275(1), Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S. must provide the Department with an email address if they have one. The emails provided may be used for official communication with the licensee. However email addresses are public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made available to the public.

1:49:32 PM 4/28/2021

Licensee Details

Licensee Information

Name:	**DAUGHERTY, JERRY S. (Primary Name)**
Main Address:	**3502 RIGA BOULEVARD SUITE C TAMPA Florida 33619**
County:	**HILLSBOROUGH**
License Mailing:	
LicenseLocation:	

License Information

License Type:	**Professional Engineer**
Rank:	**Prof Engineer**
License Number:	**71337**
Status:	**Current,Active**
Licensure Date:	**06/18/2010**
Expires:	**02/28/2023**

Special Qualifications	Qualification Effective
Electrical & Computer	**06/18/2010**

Alternate Names

View Related License Information

View License Complaint

2601 Blair Stone Road, Tallahassee FL 32399 :: Email: **Customer Contact Center** :: Customer Contact Center: 850.487.1395

The State of Florida is an AA/EEO employer. **Copyright 2007-2010 State of Florida.** **Privacy Statement**

Under Florida law, email addresses are public records. If you do not want your email address released in response to a public-records request, do not send electronic mail to this entity. Instead, contact the office by phone or by traditional mail. If you have any questions, please contact 850.487.1395. *Pursuant to Section 455.275(1), Florida Statutes, effective October 1, 2012, licensees licensed under Chapter 455, F.S. must provide the Department with an email address if they have one. The emails provided may be used for official communication with the licensee. However email addresses are public record. If you do not wish to supply a personal address, please provide the Department with an email address which can be made available to the public.

NETA

CERTIFICATE OF ACCREDITATION

is hereby granted to

CE Power Solutions of Florida, LLC
Tampa, FL

AS RECOGNIZED BY THE

INTERNATIONAL ELECTRICAL TESTING ASSOCIATION

January 1, 2021 – January 31, 2022

Ken Bassett

Ken Bassett
Membership Chair

INTERNATIONAL ELECTRICAL TESTING ASSOCIATION
3050 OLD CENTRE - SUITE 102 - PORTAGE, MI 49024 - WWW.NETAWORLD.ORG

City of Cocoa

Dyal Water Treatment Plant

Electrical Contractor Services

REQUIRED FORMS

W-9

Form **W-9**
(Rev. October 2018)
Department of the Treasury
Internal Revenue Service

Request for Taxpayer Identification Number and Certification

▶ Go to *www.irs.gov/FormW9* for instructions and the latest information.

Give Form to the requester. Do not send to the IRS.

Print or type. See Specific Instructions on page 3.

1 Name (as shown on your income tax return). Name is required on this line; do not leave this line blank.
QUALUS POWER SERVICES CORP.

2 Business name/disregarded entity name, if different from above
CE POWER SOLUTIONS OF FLORIDA, LLC

3 Check appropriate box for federal tax classification of the person whose name is entered on line 1. Check only **one** of the following seven boxes.

☐ Individual/sole proprietor or single-member LLC ☑ C Corporation ☐ S Corporation ☐ Partnership ☐ Trust/estate

☐ Limited liability company. Enter the tax classification (C=C corporation, S=S corporation, P=Partnership) ▶ _____

Note: Check the appropriate box in the line above for the tax classification of the single-member owner. Do not check LLC if the LLC is classified as a single-member LLC that is disregarded from the owner unless the owner of the LLC is another LLC that is **not** disregarded from the owner for U.S. federal tax purposes. Otherwise, a single-member LLC that is disregarded from the owner should check the appropriate box for the tax classification of its owner.

☐ Other (see instructions) ▶

4 Exemptions (codes apply only to certain entities, not individuals; see instructions on page 3):
Exempt payee code (if any) 5
Exemption from FATCA reporting code (if any) _____
(Applies to accounts maintained outside the U.S.)

5 Address (number, street, and apt. or suite no.) See instructions.
4040 REV DRIVE

Requester's name and address (optional)

6 City, state, and ZIP code
CINCINNATI, OH 45232

7 List account number(s) here (optional)

Part I Taxpayer Identification Number (TIN)

Enter your TIN in the appropriate box. The TIN provided must match the name given on line 1 to avoid backup withholding. For individuals, this is generally your social security number (SSN). However, for a resident alien, sole proprietor, or disregarded entity, see the instructions for Part I, later. For other entities, it is your employer identification number (EIN). If you do not have a number, see *How to get a TIN*, later.

Note: If the account is in more than one name, see the instructions for line 1. Also see *What Name and Number To Give the Requester* for guidelines on whose number to enter.

Social security number
[ ][ ][ ] – [ ][ ] – [ ][ ][ ][ ]

or

Employer identification number
4 7 – 3 8 1 9 1 2 8 **

Part II Certification

Under penalties of perjury, I certify that:

1. The number shown on this form is my correct taxpayer identification number (or I am waiting for a number to be issued to me); and
2. I am not subject to backup withholding because: (a) I am exempt from backup withholding, or (b) I have not been notified by the Internal Revenue Service (IRS) that I am subject to backup withholding as a result of a failure to report all interest or dividends, or (c) the IRS has notified me that I am no longer subject to backup withholding; and
3. I am a U.S. citizen or other U.S. person (defined below); and
4. The FATCA code(s) entered on this form (if any) indicating that I am exempt from FATCA reporting is correct.

Certification instructions. You must cross out item 2 above if you have been notified by the IRS that you are currently subject to backup withholding because you have failed to report all interest and dividends on your tax return. For real estate transactions, item 2 does not apply. For mortgage interest paid, acquisition or abandonment of secured property, cancellation of debt, contributions to an individual retirement arrangement (IRA), and generally, payments other than interest and dividends, you are not required to sign the certification, but you must provide your correct TIN. See the instructions for Part II, later.

Sign Here Signature of U.S. person ▶ [signature] Date ▶ 1/06/2021

General Instructions

Section references are to the Internal Revenue Code unless otherwise noted.

Future developments. For the latest information about developments related to Form W-9 and its instructions, such as legislation enacted after they were published, go to *www.irs.gov/FormW9*.

Purpose of Form

An individual or entity (Form W-9 requester) who is required to file an information return with the IRS must obtain your correct taxpayer identification number (TIN) which may be your social security number (SSN), individual taxpayer identification number (ITIN), adoption taxpayer identification number (ATIN), or employer identification number (EIN), to report on an information return the amount paid to you, or other amount reportable on an information return. Examples of information returns include, but are not limited to, the following.

- Form 1099-INT (interest earned or paid)
- Form 1099-DIV (dividends, including those from stocks or mutual funds)
- Form 1099-MISC (various types of income, prizes, awards, or gross proceeds)
- Form 1099-B (stock or mutual fund sales and certain other transactions by brokers)
- Form 1099-S (proceeds from real estate transactions)
- Form 1099-K (merchant card and third party network transactions)
- Form 1098 (home mortgage interest), 1098-E (student loan interest), 1098-T (tuition)
- Form 1099-C (canceled debt)
- Form 1099-A (acquisition or abandonment of secured property)

Use Form W-9 only if you are a U.S. person (including a resident alien), to provide your correct TIN.

If you do not return Form W-9 to the requester with a TIN, you might be subject to backup withholding. See What is backup withholding, *later.*

** This is the FEIN for Qualus Power Services Corp., the single owner of CE Power Solutions, LLC, which is a disregarded entity for tax purposes and the single owner of CE Power Solutions of Florida, LLC, which is also a disregarded entity for tax purposes. The assigned FEIN for CE Power Solutions of Florida, LLC is 52-2377623.

City of Cocoa

Dyal Water Treatment Plant

Electrical Contractor Services

EXHIBIT A

CHECKLIST OF ANTICIPATED SERVICES

EXHIBIT A

Checklist of Anticipated Services

Exhibit 1. Checklist of Anticipated Services	**Place an "X" for each service you are able to provide**			
	Assessment and Testing	**Maintenance**	**Repair**	**Replacement**
Medium Voltage (MV) Equipment – 1000 Volts to 69,000 Volts				
Switches	X	X	X	X
Transformers	X	X	X	X
Motors				
Generators				
Breaker Panels	X	X	X	X
Service Feeds	X	X	X	X
Cable Testing and Terminating	X	X	X	X
Switchgear and Motor Control Centers	X	X	X	X
Circuit Breakers, Contactors and Drives	X	X	X	X
Breaker Refurbishment and Repair	X	X	X	X
Relays and Meters	X	X	X	X
Control Panels	X	X	X	X
Electrical Conductors	X	X	X	X
Emergency Callout Work	X	X	X	X

Exhibit 1. Checklist of Anticipated Services	Place an "X" for each service you are able to provide			
	Assessment and Testing	**Maintenance**	**Repair**	**Replacement**
Low Voltage (LV) Equipment – 999 Volts and Less				
Switches	X	X	X	X
Transformers	X	X	X	X
Motors				
Generators				
Breaker Panels	X	X	X	X
Service Feeds	X	X	X	X
Cable Testing and Terminating	X	X	X	X
Switchgear, Switchboards, and Motor Control Centers	X	X	X	X
Circuit Breakers, Contactors, and Drives	X	X	X	X
Breaker Retrofit, Refurbishment and Repair	X	X	X	X
Grounding and Ground Grid Testing	X	X	X	X
Relays and Meters	X	X	X	X
Control Panels	X	X	X	X
Battery Banks and Chargers	X	X	X	X
Electrical Conductors	X	X	X	X
4 – 20 Milliamp Circuits	X	X	X	X
PLC Circuits				

Exhibit 1. Checklist of Anticipated Services	**Place an "X" for each service you are able to provide**			
	Assessment and Testing	**Maintenance**	**Repair**	**Replacement**
Emergency Callout Work	X	X	X	X
Life Extension (LES) Equipment - All voltage classes				
Switches	X	X	X	X
Breakers	X	X	X	X
Current Transformers, (CT)	X	X	X	X
Switchgear, Switchboards, and Motor Control Centers	X	X	X	X
Emergency Callout Work	X	X	X	X

City of Cocoa

Dyal Water Treatment Plant

Electrical Contractor Services

EXHIBIT B

EVALUATION METRIC

Exhibit B

Evaluation Metric

(Vendor Reference)

----------**OFFICIAL USE ONLY**----------

Proposer Name: _____

Evaluator: _____

		Scale	Weight
1.	**Qualifications & Experience - 35 points**	**_____(0-35)**	**35%**
	a. Service	_____(0-10)	
	b. Vendor Reputation	_____(0-5)	
	c. Relevant Experience of this project size and scope	_____(0-10)	
	d. Ability/Capacity to Produce Services in a timely manner	_____(0-10)	
2.	**Team Experience - 25 points**	**_____(0-25)**	**25%**
3.	**Quality of Response – 30 points**	**_____(0-30)**	**30%**
4.	**Technical Response – 10 Points**	**_____(0-10)**	**10%**
	a. Functionality and Features	_____(0-5)	
	b. Delivery Performance	_____(0-5)	

TOTAL SCORE: _____ **RANK:** _____

Exhibit B Continued

Evaluation Remarks

(Vendor Reference)

----------**OFFICIAL USE ONLY**----------

Comments/Justification:

Professional Abilities of Personnel

_____
_____
_____
_____
_____

Approach to and Understanding of Scope of Service

_____
_____
_____
_____
_____

Location/Familiarity with City of Cocoa

_____
_____
_____
_____
_____
_____
_____

City of Cocoa

Dyal Water Treatment Plant

Electrical Contractor Services

TAB E

FEE SCHEDULE

Please see Attachment F
on Page 93 in Tab D

City of Cocoa

Dyal Water Treatment Plant

Electrical Contractor Services

TAB F

ADDITIONAL INFORMATION

No Additional Information is Needed

	City of Cocoa | Finance Department | Purchasing & Contracts Division 65 Stone Street, Cocoa, FL 32922 Phone: 321-433-8486, or extension 8844 | Fax: 321-433-8690	Solicitation Number: RFQ-21-25-COC
	REQUEST FOR QUALIFICATIONS (RFQ)	Due Date: July 23, 2021 @ 3:00 PM

TITLE: Dyal Water Treatment Plant – Electrical Contractor Services

Attachment "P"
E-Verify Contractor Affidavit

I hereby certify that CE Power Solutions [insert contractor company name] does not employ, contract with, or subcontract with an unauthorized alien, and is otherwise in full compliance with, section 448.095, Florida Statutes.

All employees hired on or after January 1, 2021 have had their work authorization status verified through the E-Verify system.

A true and correct copy of CE Power Solutions [insert contractor company name] proof of registration in the E-Verify system is attached to this Affidavit.

Print Name: Brian Spence
Date: 07/30/2021

STATE OF FLORIDA
COUNTY OF Hillsborough

The foregoing instrument was acknowledged before me by means of ☑ physical presence or ☐ online notarization, this 7-30-21 (date) by Brian Spence (name of officer or agent, title of officer or agent) of CE Power Solution (name of corporation acknowledging), a FL (state or place of incorporation) corporation, on behalf of the corporation. He/she is personally known to me or has produced FL Drivers (type of identification) as identification.

[Notary Seal] Notary Public
Traci Greene
Name typed, printed, or stamped
My Commission Expires: 3-31-25

Notary Public State of Florida
Traci R. Greene
My Commission HH 111966
Expires 03/31/2025

PLEASE COMPLETE AND SUBMIT WITH YOUR RFQ RESPONSE
☞Failure to submit this form may be grounds for disqualification of your submittal☜

1385245

THE E-VERIFY
MEMORANDUM OF UNDERSTANDING
FOR WEB SERVICES EMPLOYERS

ARTICLE I
PURPOSE AND AUTHORITY

The parties to this agreement are the Department of Homeland Security (DHS) and CE Power Engineered Services, LLC (Web Services Employer). The purpose of this agreement is to set forth terms and conditions which the Web Services Employer will follow while participating in E-Verify.

A Web Services Employer is an Employer who verifies employment authorization for its newly hired employees using a Web Services interface.

E-Verify is a program that electronically confirms a newly hired employee's authorization to work in the United States after completion of the Form I-9, Employment Eligibility Verification (Form I-9). This MOU explains certain features of the E-Verify program and describes specific responsibilities of the Web Services Employer, DHS, and the Social Security Administration (SSA).

For purposes of this MOU, the "E-Verify browser" refers to the website that provides direct access to the E-Verify system: https://e-verify.uscis.gov/emp/. You may access E-Verify directly free of charge via the E-Verify browser.

Authority for the E-Verify program is found in Title IV, Subtitle A, of the Illegal Immigration Reform and Immigrant Responsibility Act of 1996 (IIRIRA), Pub. L. 104-208, 110 Stat. 3009, as amended (8 U.S.C. § 1324a note). The Federal Acquisition Regulation (FAR) Subpart 22.18, "Employment Eligibility Verification" and Executive Order 12989, as amended, provide authority for Federal contractors and subcontractors (Federal contractor) to use E-Verify to verify the employment eligibility of certain employees working on Federal contracts.

Before accessing E-Verify using Web Services access, the Web Services Employer must meet certain technical requirements. This will require the investment of significant amounts of resources and time. If the Web Services Employer is required to use E-Verify prior to completion and acceptance of its Web Services interface, then it must use the E-Verify browser until it is able to use its Web Services interface. The Web Services Employer must also maintain ongoing technical compatibility with E-Verify.

DHS accepts no liability relating to the Web Services Employer's development or maintenance of any Web Services access system.

may subject the Web Services Employer, its subcontractors, its employees, or its representatives to: (1) prosecution for false statements pursuant to 18 U.S.C. 1001 and/or; (2) immediate termination of its MOU and/or; (3) possible debarment or suspension.

G. The foregoing constitutes the full agreement on this subject between DHS and the Web Services Employer.

Approved by:

Web Services Employer CE Power Engineered Services, LLC	
Name (Please Type or Print) Michael M McCoy	Title
Signature Electronically Signed	Date 02/26/2019
Department of Homeland Security – Verification Division	
Name (Please Type or Print) USCIS Verification Division	Title
Signature Electronically Signed	Date 03/07/2019

Company ID Number: 1385245

Information Required for the E-Verify Program **Information relating to your Company:**	
Company Name	CE Power Engineered Services, LLC
Company Facility Address	4040 Rev Drive Cincinnati, OH 45232
Company Alternate Address	
County or Parish	HAMILTON
Employer Identification Number	473803359
North American Industry Classification Systems Code	541
Parent Company	
Number of Employees	100 to 499
Number of Sites Verified for	12 site(s)

Are you verifying for more than 1 site? If yes, please provide the number of sites verified for in each State:

FL	3
GA	1
IN	2
KY	4
MA	2
MI	2
MN	2
OH	4
PA	3
TN	2
WI	2
WV	1

Company ID Number: 1385245

Information relating to the Program Administrator(s) for your Company on policy questions or operational problems:

Name	Stephanie Combs
Phone Number	5137296263
Fax	
Email	stephanie.combs@cepower.net

Name	Kelsey Veloz
Phone Number	3212440170332
Fax	3215783720
Email	kveloz@powergridmail.com

Name	Michael M McCoy
Phone Number	3212440170328
Fax	3215783720
Email	mmccoy@powergridmail.com

CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY): 5/28/2021

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER
Marsh & McLennan Agency LLC
15415 Middlebelt Road
Livonia MI 48154-3805

CONTACT NAME: Jessica Prather, AU, AINS
PHONE (A/C, No, Ext): 734-525-2415 **FAX (A/C, No):** 212-948-5818
E-MAIL ADDRESS: jessica.prather@marshmma.com

INSURER(S) AFFORDING COVERAGE	NAIC #
INSURER A : American Guarantee and Liability Ins Co	26247
INSURER B : Zurich American Insurance Company	16535
INSURER C : Brit Global Specialty USA	55555
INSURER D :	
INSURER E :	
INSURER F :	

INSURED CEPOWHOLDI
Qualus Power Services Corp., CE Power Solutions LLC, Relay Acquisition, Inc.,
CE Power Engineered Services LLC, Reuter & Hanney Inc., Relay Buyer, Inc.,
PGE Holding Corp., Power Grid Engineering, LLC

COVERAGES **CERTIFICATE NUMBER:** 424208742 **REVISION NUMBER:**

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS	
B	X COMMERCIAL GENERAL LIABILITY			GL0115048503	5/31/2021	5/31/2022	EACH OCCURRENCE	$ 2,000,000
	CLAIMS-MADE X OCCUR						DAMAGE TO RENTED PREMISES (Ea occurrence)	$ 300,000
	X Ded: $10,000						MED EXP (Any one person)	$ 10,000
	GEN'L AGGREGATE LIMIT APPLIES PER:						PERSONAL & ADV INJURY	$ 2,000,000
	POLICY X PRO-JECT LOC						GENERAL AGGREGATE	$ 4,000,000
	OTHER:						PRODUCTS - COMP/OP AGG	$ 4,000,000
							OHIO STOP GAP	$ $1,000,000
B	AUTOMOBILE LIABILITY			BAP115048903	5/31/2021	5/31/2022	COMBINED SINGLE LIMIT (Ea accident)	$ 2,000,000
	X ANY AUTO						BODILY INJURY (Per person)	$
	OWNED AUTOS ONLY / SCHEDULED AUTOS						BODILY INJURY (Per accident)	$
	HIRED AUTOS ONLY / NON-OWNED AUTOS ONLY						PROPERTY DAMAGE (Per accident)	$
								$
A	X UMBRELLA LIAB X OCCUR			AUC115049303	5/31/2021	5/31/2022	EACH OCCURRENCE	$ 10,000,000
	EXCESS LIAB CLAIMS-MADE						AGGREGATE	$ 10,000,000
	DED X RETENTION $ 0							$
B	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY Y/N			WC115048803	5/31/2021	5/31/2022	X PER STATUTE OTH-ER	
	ANYPROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? (Mandatory in NH) N/A						E.L. EACH ACCIDENT	$ 1,000,000
	If yes, describe under DESCRIPTION OF OPERATIONS below						E.L. DISEASE - EA EMPLOYEE	$ 1,000,000
							E.L. DISEASE - POLICY LIMIT	$ 1,000,000
C	Professional/Pollution Liability			CPP1002621	5/31/2021	5/31/2022	Occur.: $10,000,000	Agg.: $10,000,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)
Stop Gap coverage is included in the Workers Compensation policy.

City of Cocoa is included as an additional insured for general liability coverage to the extent provided in the attached form# UGL2162.

CERTIFICATE HOLDER

City of Cocoa
375 N Cocoa Blvd
Cocoa FL 32922

CANCELLATION

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE

© 1988-2015 ACORD CORPORATION. All rights reserved.

The ACORD name and logo are registered marks of ACORD

Additional Insured – Automatic – Owners, Lessees Or Contractors

THIS ENDORSEMENT CHANGES THE POLICY. PLEASE READ IT CAREFULLY.	
Policy No.	Effective Date:

This endorsement modifies insurance provided under the:

Commercial General Liability Coverage Part

A. Section **II – Who Is An Insured** is amended to include as an additional insured any person or organization whom you are required to add as an additional insured under a written contract or written agreement executed by you, but only with respect to liability for "bodily injury", "property damage" or "personal and advertising injury" and subject to the following:

1. If such written contract or written agreement specifically requires that you provide that the person or organization be named as an additional insured under one or both of the following endorsements:

   a. The Insurance Services Office (ISO) ISO CG 20 10 (10/01 edition); or

   b. The ISO CG 20 37 (10/01 edition),

   such person or organization is then an additional insured with respect to such endorsement(s), but only to the extent that "bodily injury", "property damage" or "personal and advertising injury" arises out of:

   (1) Your ongoing operations, with respect to Paragraph **1.a.** above; or

   (2) "Your work", with respect to Paragraph **1.b.** above,

   which is the subject of the written contract or written agreement.

   However, solely with respect to this Paragraph **1.**, insurance afforded to such additional insured:

   (a) Only applies if the "bodily injury", "property damage" or "personal and advertising injury" offense occurs during the policy period and subsequent to your execution of the written contract or written agreement; and

   (b) Does not apply to "bodily injury" or "property damage" caused by "your work" and included within the "products-completed operations hazard" unless the written contract or written agreement specifically requires that you provide such coverage to such additional insured.

2. If such written contract or written agreement specifically requires that you provide that the person or organization be named as an additional insured under one or both of the following endorsements:

   a. The Insurance Services Office (ISO) ISO CG 20 10 (07/04 edition); or

   b. The ISO CG 20 37 (07/04 edition),

   such person or organization is then an additional insured with respect to such endorsement(s), but only to the extent that "bodily injury", "property damage" or "personal and advertising injury" is caused, in whole or in part, by:

   (1) Your acts or omissions; or

   (2) The acts or omissions of those acting on your behalf,

Includes copyrighted material of Insurance Services Office, Inc., with its permission.

INTERNAL USE ONLY

in the performance of:

(a) Your ongoing operations, with respect to Paragraph **2.a.** above; or

(b) "Your work" and included in the "products-completed operations hazard", with respect to Paragraph **2.b.** above,

which is the subject of the written contract or written agreement.

However, solely with respect to this Paragraph **2.**, insurance afforded to such additional insured:

(i) Only applies if the "bodily injury", "property damage" or "personal and advertising injury" offense occurs during the policy period and subsequent to your execution of the written contract or written agreement; and

(ii) Does not apply to "bodily injury" or "property damage" caused by "your work" and included within the "products-completed operations hazard" unless the written contract or written agreement specifically requires that you provide such coverage to such additional insured.

3. If neither Paragraph **1.** nor Paragraph **2.** above apply and such written contract or written agreement requires that you provide that the person or organization be named as an additional insured:

a. Under the ISO CG 20 10 (04/13 edition, any subsequent edition or if no edition date is specified); or

b. With respect to ongoing operations (if no form is specified),

such person or organization is then an additional insured only to the extent that "bodily injury", "property damage" or "personal and advertising injury" is caused, in whole or in part by:

(1) Your acts or omissions; or

(2) The acts or omissions of those acting on your behalf,

in the performance of your ongoing operations, which is the subject of the written contract or written agreement.

However, solely with respect to this Paragraph **3.**, insurance afforded to such additional insured:

(a) Only applies to the extent permitted by law;

(b) Will not be broader than that which you are required by the written contract or written agreement to provide for such additional insured; and

(c) Only applies if the "bodily injury", "property damage" or "personal and advertising injury" offense occurs during the policy period and subsequent to your execution of the written contract or written agreement.

4. If neither Paragraph **1.** nor Paragraph **2.** above apply and such written contract or written agreement requires that you provide that the person or organization be named as an additional insured:

a. Under the ISO CG 20 37 (04/13 edition, any subsequent edition or if no edition date is specified); or

b. With respect to the "products-completed operations hazard" (if no form is specified),

such person or organization is then an additional insured only to the extent that "bodily injury" or "property damage" is caused, in whole or in part by "your work" and included in the "products-completed operations hazard", which is the subject of the written contract or written agreement.

However, solely with respect to this Paragraph **4.**, insurance afforded to such additional insured:

(1) Only applies to the extent permitted by law;

(2) Will not be broader than that which you are required by the written contract or written agreement to provide for such additional insured;

(3) Only applies if the "bodily injury" or "property damage" occurs during the policy period and subsequent to your execution of the written contract or written agreement; and

(4) Does not apply to "bodily injury" or "property damage" caused by "your work" and included within the "products-completed operations hazard" unless the written contract or written agreement specifically requires that you provide such coverage to such additional insured.

Includes copyrighted material of Insurance Services Office, Inc., with its permission.

INTERNAL USE ONLY

B. Solely with respect to the insurance afforded to any additional insured referenced in Section **A.** of this endorsement, the following additional exclusion applies:

This insurance does not apply to "bodily injury", "property damage" or "personal and advertising injury" arising out of the rendering of, or failure to render, any professional architectural, engineering or surveying services including:

1. The preparing, approving or failing to prepare or approve maps, shop drawings, opinions, reports, surveys, field orders, change orders or drawings and specifications; or

2. Supervisory, inspection, architectural or engineering activities.

This exclusion applies even if the claims against any insured allege negligence or other wrongdoing in the supervision, hiring, employment, training or monitoring of others by that insured, if the "occurrence" which caused the "bodily injury" or "property damage", or the offense which caused the "personal and advertising injury", involved the rendering of or the failure to render any professional architectural, engineering or surveying services.

C. Solely with respect to the coverage provided by this endorsement, the following is added to Paragraph **2. Duties In The Event Of Occurrence, Offense, Claim Or Suit** of Section **IV – Commercial General Liability Conditions**:

The additional insured must see to it that:

(1) We are notified as soon as practicable of an "occurrence" or offense that may result in a claim;

(2) We receive written notice of a claim or "suit" as soon as practicable; and

(3) A request for defense and indemnity of the claim or "suit" will promptly be brought against any policy issued by another insurer under which the additional insured may be an insured in any capacity. This provision does not apply to insurance on which the additional insured is a Named Insured if the written contract or written agreement requires that this coverage be primary and non-contributory.

D. Solely with respect to the coverage provided by this endorsement:

1. The following is added to the **Other Insurance** Condition of Section **IV – Commercial General Liability Conditions**:

Primary and Noncontributory insurance

This insurance is primary to and will not seek contribution from any other insurance available to an additional insured provided that:

a. The additional insured is a Named Insured under such other insurance; and

b. You are required by written contract or written agreement that this insurance be primary and not seek contribution from any other insurance available to the additional insured.

2. The following paragraph is added to Paragraph **4.b.** of the **Other Insurance** Condition under Section **IV – Commercial General Liability Conditions**:

This insurance is excess over:

Any of the other insurance, whether primary, excess, contingent or on any other basis, available to an additional insured, in which the additional insured on our policy is also covered as an additional insured on another policy providing coverage for the same "occurrence", offense, claim or "suit". This provision does not apply to any policy in which the additional insured is a Named Insured on such other policy and where our policy is required by a written contract or written agreement to provide coverage to the additional insured on a primary and non-contributory basis.

E. This endorsement does not apply to an additional insured which has been added to this Coverage Part by an endorsement showing the additional insured in a Schedule of additional insureds, and which endorsement applies specifically to that identified additional insured.

F. Solely with respect to the insurance afforded to an additional insured under Paragraph **A.3.** or Paragraph **A.4.** of this endorsement, the following is added to Section **III – Limits Of Insurance**:

Additional Insured – Automatic – Owners, Lessees Or Contractors Limit

The most we will pay on behalf of the additional insured is the amount of insurance:

Includes copyrighted material of Insurance Services Office, Inc., with its permission.

INTERNAL USE ONLY

1. Required by the written contract or written agreement referenced in Section **A.** of this endorsement; or
2. Available under the applicable Limits of Insurance shown in the Declarations,

whichever is less.

This endorsement shall not increase the applicable Limits of Insurance shown in the Declarations.

All other terms, conditions, provisions and exclusions of this policy remain the same.

Includes copyrighted material of Insurance Services Office, Inc., with its permission.

INTERNAL USE ONLY

Legislation Details (With Text)

File #:	21-782	**Version:** 1	**Name:**		
Type:	Contract		**Status:**	Multi-Year Contract	
File created:	11/22/2021		**In control:**	City Council	
On agenda:	12/14/2021		**Final action:**		
Title:	Approve the City Manager to execute the multi-year continuing service agreement(s) for an initial 5-year term (including two one-year renewal options) for ITB B-21-30-COC Concrete Sidewalk Curb and Gutter Construction Services. Authorize the City Manager to negotiate and execute the final agreement(s). Authorize the City Manager to sign the contract(s), renewal(s) and Purchase Orders for each subsequent fiscal year pending the approval of that year's budget. (Public Works Director)				
Sponsors:					
Indexes:					
Code sections:					
Attachments:	MASTER TABULATION SHEET - PRICING v2 Nov16-2021.pdf JMD E-Verify.pdf JMD Notification of Intent to Award.pdf Goodson COI.pdf Goodson E-Verify.pdf Goodson Notification of Intent to Award_signed.pdf Garcia E-Verify.pdf Garcia Notification of Intent to Award_unsigned.pdf				

Date	Ver.	Action By	Action	Result

CITY COUNCIL AGENDA ITEM

Memo Date: November 22, 2021
Agenda Date: December 14, 2021
Prepared By: Abigail Morgan, P.E., Assistant City Engineer
Through: Bryant Smith III, P.E., CFM, Public Works Director/City Engineer
Requested Action:
Approve the City Manager to execute the multi-year continuing service agreement(s) for an initial 5-year term (including two one-year renewal options) for ITB B-21-30-COC Concrete Sidewalk Curb and Gutter Construction Services. Authorize the City Manager to negotiate and execute the final agreement(s). Authorize the City Manager to sign the contract(s), renewal(s) and Purchase Orders for each subsequent fiscal year pending the approval of that year's budget.

BACKGROUND:

On September 16, 2021, the City released to the General Public an Invitation to Bid (ITB) to engage qualified firms for the procurement of services to be provided for concrete sidewalk, concrete curb, shoulder and valley gutter construction services. It is the intent of the City of Cocoa to award this contract to one (1) tier I Contractor and one (1) or more tier II Contractor(s).

Purchasing published 3,194 invitations and notifications to bid and received 4 responses from 35 plan holders for this bid. The low bidder is JMD Global Developers. However, Public works has decided to split the award to the following 3 bidders.

- JMD Global Developers - 1st tier
- Goodson Paving - 2nd tier
- Garcia Civil Contracting, LLC - 2nd tier

As first tier, JMD Global Developers will be given priority for all planned projects. A second tier will remain as backup should the first-tier contractor be unavailable or unresponsive.

STRATEGIC PLAN CONNECTION:

Infrastructure improvements add a variety of safety measures, allowing for better and safer pedestrian traffic.

BUDGETARY IMPACT:

Budgeted	Yes
If not budgeted, is amendment/transfer attached?	N/A

Amount Requested	$30,000
Account Number	001-3510-541.46-00
Account Name	Repairs & Maintenance

Amount Requested	$30,000
Account Number	423-3570-538.46-00
Account Name	Repairs & Maintenance

PREVIOUS ACTION:

None

RECOMMENDED MOTION:

Approve the City Manager to execute the multi-year continuing service agreement(s) for an initial 5-year term (including two one-year renewal options) for ITB B-21-30-COC Concrete Sidewalk Curb and Gutter Construction Services. Authorize the City Manager to negotiate and execute the final agreement(s). Authorize the City Manager to sign the contract(s), renewal(s) and Purchase Orders for each subsequent fiscal year pending the approval of that year's budget.

CITY OF COCOA
MASTER TABULATION SHEET
Concrete Sidewalks, Curb and Gutter Construction Services
ITB 21-30-COC
ITB Final Tabulation Sheet
Due: September 16, 2021 3:00PM (ET)

Note: The Tabulation Sheet is used to document the screening of bid/proposal pricing, materials and immaterial contents. Results of the tabulation are documented within this form DOES NOT constitute an award. After evaluations are recorded, recommendation is reviewed by City Council for final approval. Notice of award will be sent forth via email from the Purchasing and Contracts Division.

				Bid Prices Submitted					Mid Point Total Dollars			
				Goodson Paving	Garcia Civil Contractors LLC	Sparks Concrete LLC	JMD Global Developers LLC	Qty Range Mid Point	Goodson Paving	Garcia Civil Contractors LLC	Sparks Concrete LLC	JMD Global Developers LLC
ITEM #	Description	Qty Range	Unit	Unit Price	Unit Price	Unit Price	Unit Price					
1	New Concrete Sidewalk Construction-3000 P.S.I. (4" Fiber)/F.D.O.T. Specifications[2]	20-100	SY	$ 45.10	$ 142.02	$ 100.00	$ 33.95	60	$ 2,706.00	$ 8,521.20	$ 6,000.00	$ 2,037.00
2	New Concrete Sidewalk Construction-3000 P.S.I. (4" Fiber)/F.D.O.T. Specifications[2]	101-250+	SY	$ 40.60	$ 74.61	$ 90.00	$ 34.27	175.5	$ 7,125.30	$ 13,094.06	$ 15,795.00	$ 6,014.39
3	New Concrete Sidewalk Construction-3000 P.S.I. (6" Fiber)/F.D.O.T. Specifications[2] (square yard price to include concrete driveway aprons construction)	20-100	SY	$ 53.10	$ 152.46	$ 120.00	$ 39.45	60	$ 3,186.00	$ 9,147.60	$ 7,200.00	$ 2,367.00
4	New Concrete Sidewalk Construction-3000 P.S.I. (6" Fiber)/F.D.O.T. Specifications[2] (square yard price to include concrete driveway aprons construction)	101-250+	SY	$ 49.80	$ 97.29	$ 110.00	$ 40.92	175.5	$ 8,739.90	$ 17,074.40	$ 19,305.00	$ 7,181.46
5	Remove and Replace Concrete Sidewalk Construction-3000 P.S.I. (4" Fiber)/F.D.O.T. Specifications	20-100	SY	$ 71.35	$ 124.17	$ 130.00	$ 48.95	60	$ 4,281.00	$ 7,450.20	$ 7,800.00	$ 2,937.00
6	Remove and Replace Concrete Sidewalk Construction-3000 P.S.I. (4" Fiber)/F.D.O.T. Specifications	101-250+	SY	$ 65.25	$ 74.61	$ 120.00	$ 49.82	175.5	$ 11,451.38	$ 13,094.06	$ 21,060.00	$ 8,743.41
7	Remove and Replace Concrete Sidewalk Construction-3000 P.S.I. (6" Fiber)/F.D.O.T. Specifications (square yard price to include concrete driveway aprons construction)	20-100	SY	$ 78.60	$ 134.63	$ 140.00	$ 57.95	60	$ 4,716.00	$ 8,077.80	$ 8,400.00	$ 3,477.00
8	Remove and Replace Concrete Sidewalk Construction-3000 P.S.I. (6" Fiber)/F.D.O.T. Specifications (square yard price to include concrete driveway aprons construction)	101-250+	SY	$ 74.15	$ 85.07	$ 160.00	$ 58.82	175.5	$ 13,013.33	$ 14,929.79	$ 28,080.00	$ 10,322.91
9	Detectable Warnng Surfaces (Inset)	10-25	SF	$ 61.00	$ 25.00	$ 50.00	$ 22.55	17.5	$ 1,067.50	$ 437.50	$ 875.00	$ 394.63
10	Detectable Warnng Surfaces (Inset)	51-100+	SF	$ 61.00	$ 25.00	$ 40.00	$ 24.42	75.5	$ 4,605.50	$ 1,887.50	$ 3,020.00	$ 1,843.71
11	Detectable Warnng Surfaces (Screwdown Retro-fit)	10-25	SF	$ 50.00	$ 99.41	$ 50.00	$ 29.27	17.5	$ 875.00	$ 1,739.68	$ 875.00	$ 512.23
12	Detectable Warnng Surfaces (Screwdown Retro-fit)	51-100+	SF	$ 50.00	$ 62.26	$ 40.00	$ 27.50	75.5	$ 3,775.00	$ 4,700.63	$ 3,020.00	$ 2,076.25
	Concrete Curb - Index 300/F.D.O.T.											
13	Type A	10-25	LF	$ 29.00	$ 164.62	$ 40.00	$ 22.00	17.5	$ 507.50	$ 2,880.85	$ 700.00	$ 385.00
14	Type A	26-50+	LF	$ 18.00	$ 96.46	$ 30.00	$ 22.00	38	$ 684.00	$ 3,665.48	$ 1,140.00	$ 836.00
15	Type B	10-25	LF	$ 26.00	$ 164.99	$ 40.00	$ 22.00	17.5	$ 455.00	$ 2,887.33	$ 700.00	$ 385.00
16	Type B	26-50+	LF	$ 16.50	$ 96.84	$ 30.00	$ 22.00	38	$ 627.00	$ 3,679.92	$ 1,140.00	$ 836.00
17	Type D	10-25	LF	$ 24.15	$ 164.99	$ 40.00	$ 22.00	17.5	$ 422.63	$ 2,887.33	$ 700.00	$ 385.00
18	Type D	26-50+	LF	$ 13.75	$ 96.84	$ 30.00	$ 22.00	38	$ 522.50	$ 3,679.92	$ 1,140.00	$ 836.00
19	Type E	10-25	LF	$ 30.00	$ 169.12	$ 50.00	$ 22.00	17.5	$ 525.00	$ 2,959.60	$ 875.00	$ 385.00
20	Type E	26-50+	LF	$ 19.75	$ 100.97	$ 40.00	$ 22.00	38	$ 750.50	$ 3,836.86	$ 1,520.00	$ 836.00

				Bid Prices Submitted					Mid Point Total Dollars			
ITEM #	Description	Qty Range	Unit	Goodson Paving Unit Price	Garcia Civil Contractors LLC Unit Price	Sparks Concrete LLC Unit Price	JMD Global Developers LLC Unit Price	Qty Range Mid Point	Goodson Paving	Garcia Civil Contractors LLC	Sparks Concrete LLC	JMD Global Developers LLC
21	Type F	10-25	LF	$ 27.50	$ 168.18	$ 50.00	$ 29.00	17.5	$ 481.25	$ 2,943.15	$ 875.00	$ 507.50
22	Type F	26-50+	LF	$ 18.35	$ 100.03	$ 40.00	$ 29.00	38	$ 697.30	$ 3,801.14	$ 1,520.00	$ 1,102.00
23	Drop Curb (2.0 feet wide)	10-25	LF	$ 24.15	$ 166.68	$ 40.00	$ 28.00	17.5	$ 422.63	$ 2,916.90	$ 700.00	$ 490.00
24	Drop Curb (2.0 feet wide)	26-50+	LF	$ 16.00	$ 98.53	$ 30.00	$ 28.00	38	$ 608.00	$ 3,744.14	$ 1,140.00	$ 1,064.00
25	Valley Gutter (3.5 feet wide)	10-25	LF	$ 36.00	$ 169.31	$ 60.00	$ 30.00	17.5	$ 630.00	$ 2,962.93	$ 1,050.00	$ 525.00
26	Valley Gutter (3.5 feet wide)	26-50+	LF	$ 31.25	$ 101.16	$ 60.00	$ 30.00	38	$ 1,187.50	$ 3,844.08	$ 2,280.00	$ 1,140.00
27	6"x6" Curb Poured on Existing Surface	10-25	LF	$ 18.90	$ 159.73	$ 25.00	$ 30.00	17.5	$ 330.75	$ 2,795.28	$ 437.50	$ 525.00
28	6"x6" Curb Poured on Existing Surface	26-50+	LF	$ 12.75	$ 91.58	$ 25.00	$ 30.00	38	$ 484.50	$ 3,480.04	$ 950.00	$ 1,140.00
									$ 74,877.95	**$ 153,119.33**	**$ 138,297.50**	**$ 59,284.48**
Additional Curb Work												
29	Aluminum Handrail - 2 rails high		LF	$ 83.00	$ 80.00	$ 125.00	$ 88.00		$ -	$ -	$ -	$ -
30	Aluminum Handrail - 3 rails high		LF	$ 87.00	$ 90.00	$ 160.00	$ 132.00		$ -	$ -	$ -	$ -
31	Curb & Gutter Removal	25-250	LF	$ 21.00	$ 32.80	$ 50.00	$ 17.82	137.5	$ 2,887.50	$ 4,510.00	$ 6,875.00	$ 2,450.25
32	Curb & Gutter Removal	251-500+	LF	$ 12.25	$ 20.53	$ 50.00	$ 17.82	375.5	$ 4,599.88	$ 7,709.02	$ 18,775.00	$ 6,691.41
33	Miscellaneous Concrete Removal	50-500	SY	$ 18.60	$ 36.54	$ 50.00	$ 31.00	275	$ 5,115.00	$ 10,048.50	$ 13,750.00	$ 8,525.00
34	Miscellaneous Concrete Removal	501-1000+	SY	$ 15.20	$ 23.86	$ 50.00	$ 31.00	750.5	$ 11,407.60	$ 17,906.93	$ 37,525.00	$ 23,265.50
									$ 24,009.98	**$ 40,174.45**	**$ 76,925.00**	**$ 40,932.16**
Pavers - F.D.O.T												
35	Asphalt Removal	20-100	SY	$ 18.60	$ 76.83	$ 10.00	$ 31.00	60	$ 1,116.00	$ 4,609.80	$ 600.00	$ 1,860.00
36	Asphalt Removal	101-250+	SY	$ 14.25	$ 37.83	$ 10.00	$ 31.00	175.5	$ 2,500.88	$ 6,639.17	$ 1,755.00	$ 5,440.50
37	Paver Removal	20-100	SY	$ 37.00	$ 66.00	$ 50.00	$ 38.00	60	$ 2,220.00	$ 3,960.00	$ 3,000.00	$ 2,280.00
38	Paver Removal	101-250+	SY	$ 22.50	$ 37.83	$ 50.00	$ 38.50	175.5	$ 3,948.75	$ 6,639.17	$ 8,775.00	$ 6,756.75
41	Ribbon Curb Installation	10-25	LF	$ 21.50	$ 216.99	$ 30.00	$ 29.00	17.5	$ 376.25	$ 3,797.33	$ 525.00	$ 507.50
42	Ribbon Curb Installation	26-50+	LF	$ 16.10	$ 103.68	$ 30.00	$ 29.00	38	$ 611.80	$ 3,939.84	$ 1,140.00	$ 1,102.00
									$ 10,773.68	**$ 29,585.30**	**$ 15,795.00**	**$ 17,946.75**
43	Night Work (additional %)	%	1	30%	10%	15%	20.25%					
39	Paver Installation	20-100	SY	$ 115.00	$ 107.01	$ -	$ 51.00	60	$ 6,900.00	$ 6,420.60	$ -	$ 3,060.00
40	Paver Installation	101-250+	SY	$ 92.00	$ 73.27	$ -	$ 51.00	175.5	$ 16,146.00	$ 12,858.89	$ -	$ 8,950.50
									$ 23,046.00	**$ 19,279.49**	**$ -**	**$ 12,010.50**
								Total	**$ 132,707.60**	**$ 242,158.55**	**$ 231,017.50**	**$ 130,173.89**

	City of Cocoa | Finance Department | Purchasing & Contracts Division 65 Stone Street, Cocoa, FL 32922 Phone: 321-433-8486, or extension 8844	Solicitation Number: ITB B-21-30-COC
	INVITATION TO BID (ITB)	Due Date: Sept. 16, 2021 @ 3:00PM
TITLE: Concrete Sidewalks, Curb and Gutter Construction Services		

Attachment "O"
E-Verify Contract Affidavit

I hereby certify that JMD Global Developers, LLC [insert subcontractor company name] does not employ, contract with, or subcontract with an unauthorized alien, and is otherwise in full compliance with, section 448.095, Florida Statutes.

All employees hired on or after January 1, 2021 have had their work authorization status verified through the E-Verify system.

A true and correct copy of JMD Global Developers, LLC [insert subcontractor company name] proof of registration in the E-Verify system is attached to this Affidavit.

By: _____
Authorized Signatory

Print Name: Benjamin Hernandez

Date: September 7, 2021

STATE OF FLORIDA
COUNTY OF Orange

The foregoing instrument was acknowledged before me by means of ☒ physical presence or ☐ online notarization, this 7th (date) by Benjamin Hernandez (name of officer or agent, title of officer or agent) of JMD Global Developers, LLC (name of corporation acknowledging), a Florida (state or place of incorporation) corporation, on behalf of the corporation. He/she is personally known to me or has produced Drivers License (type of identification) as identification.

_____
[Notary Seal] Notary Public

JESSICA HERNANDEZ
Notary Public - State of Florida
Commission # HH 148163
My Comm. Expires Jul 1, 2025
Bonded through National Notary Assn.

Jessica Hernandez
Name typed, printed or stamped

My Commission Expires: July 1, 2025

PLEASE COMPLETE AND SUBMIT WITH YOUR RESPONSE
☞Failure to submit this form may be grounds for disqualification of your submittal☜

An official website of the United States government Here's how you know

My Company Pro le

Company Information

Company Name
JMD GLOBAL DEVELOPERS, LLC

Doing Business As (DBA)
JMD GLOBAL DEVELOPERS, LLC

Company ID
1630523

Enrollment Date
01/19/2021

Employer ID Number
452714646

DUNS Number
968759261

Total Number of Employees
1 to 4

NAICS Code
236

Sector
Construction

Subsector
Construction of Buildings

Edit Company Information

Employer Category

Employer Category
State Government

Edit Employer Category

Company Locations

Physical Address
668 N Orlando Ave
1009A
Maitland, FL 32751

Mailing Address
Same as Physical Address

Edit Company Locations

Hiring Sites

⚠ We have implemented a new policy and require more information for existing and future hiring sites.

Number of Sites
1

Edit Hiring Sites

Company Access and MOU

My Company is Configured to:

Verify Its Own Employees

Manage and Verify Employees for Clients

Memorandum of Understanding

View Current MOU

Finance Department
Purchasing &
Contracts Division
65 Stone Street I Cocoa, FL 32922
Phone: (321) 433-8833 Fax: (321) 433-8860

NOTIFICATION OF INTENT TO AWARD

Disclaimer: This Notice of Intent to Award is subject to a final award decision by the City Council or the City Manager (as applicable) and execution of a written contract with the City. This Notice does NOT constitute the formation of a contract between the City of Cocoa and the apparent successful vendor referenced in the Notice. The vendor shall not acquire any legal or equitable rights relative to the contract services until a contract containing terms and conditions acceptable to the City of Cocoa is executed. If the City Council or City Manager (as applicable) awards the contract to the apparent successful vendor, and the vendor fails to negotiate and execute a contract with the City of Cocoa, the City of Cocoa may revoke the award and award the contract to the next highest ranked vendor or withdraw the Bid. The City of Cocoa further reserves the right at its discretion to reject this Notice and award the contract to another vendor or reject all bids without penalty.

Department: Utilities	Division: WFO
Bid / RFP / RFQ #: RFP # 21-30-COC Concrete Sidewalks, Curb and Gutter Construction Services	Project # TBD
Awarded To: JMD Global Developers LLC	Scope of Work or Services: Provide concrete sidewalk, concrete curb, shoulder, and valley gutter construction services
Address / City / State / Zip: 668 N. Orlando Ave, Suite 1009A Maitland, FL 32751	Phone / Fax #'s: 877-945-0004
Purchase / Contract Amount: Services will be requested on an as-needed basis.	Date of Award Notification: November 16, 2021
Title / Position (Print) Senior Development Manager	Signature

Please complete the information required above.

Return the Notification of Intent to Award to Purchasing & Contracts Division when completed

ACORD®

CERTIFICATE OF LIABILITY INSURANCE

DATE (MM/DD/YYYY)
9/15/2021

THIS CERTIFICATE IS ISSUED AS A MATTER OF INFORMATION ONLY AND CONFERS NO RIGHTS UPON THE CERTIFICATE HOLDER. THIS CERTIFICATE DOES NOT AFFIRMATIVELY OR NEGATIVELY AMEND, EXTEND OR ALTER THE COVERAGE AFFORDED BY THE POLICIES BELOW. THIS CERTIFICATE OF INSURANCE DOES NOT CONSTITUTE A CONTRACT BETWEEN THE ISSUING INSURER(S), AUTHORIZED REPRESENTATIVE OR PRODUCER, AND THE CERTIFICATE HOLDER.

IMPORTANT: If the certificate holder is an ADDITIONAL INSURED, the policy(ies) must have ADDITIONAL INSURED provisions or be endorsed. If SUBROGATION IS WAIVED, subject to the terms and conditions of the policy, certain policies may require an endorsement. A statement on this certificate does not confer rights to the certificate holder in lieu of such endorsement(s).

PRODUCER
M.E. Wilson Company LLC
Waldorff Insurance & Bonding, Inc.
45 Eglin Parkway, NE, Ste 202
Fort Walton Beach FL 32548

CONTACT NAME: Benjamin H French
PHONE (A/C, No, Ext): 850-581-4925 **FAX (A/C, No):** 850-581-4930
E-MAIL ADDRESS: receptionist@waldorffinsurance.com

INSURER(S) AFFORDING COVERAGE	NAIC #
INSURER A : The FCCI Insurance Company	10178
INSURER B : National Trust Insurance Co.	20141
INSURER C : American Interstate Ins. Co.	31895
INSURER D : FCCI Commercial Ins. Co.	33472
INSURER E :	
INSURER F :	

INSURED GOOD-01
Goodson Paving, Inc.
630 Cidco Road
Cocoa FL 32926

COVERAGES **CERTIFICATE NUMBER:** 660045832 **REVISION NUMBER:**

THIS IS TO CERTIFY THAT THE POLICIES OF INSURANCE LISTED BELOW HAVE BEEN ISSUED TO THE INSURED NAMED ABOVE FOR THE POLICY PERIOD INDICATED. NOTWITHSTANDING ANY REQUIREMENT, TERM OR CONDITION OF ANY CONTRACT OR OTHER DOCUMENT WITH RESPECT TO WHICH THIS CERTIFICATE MAY BE ISSUED OR MAY PERTAIN, THE INSURANCE AFFORDED BY THE POLICIES DESCRIBED HEREIN IS SUBJECT TO ALL THE TERMS, EXCLUSIONS AND CONDITIONS OF SUCH POLICIES. LIMITS SHOWN MAY HAVE BEEN REDUCED BY PAID CLAIMS.

INSR LTR	TYPE OF INSURANCE	ADDL INSD	SUBR WVD	POLICY NUMBER	POLICY EFF (MM/DD/YYYY)	POLICY EXP (MM/DD/YYYY)	LIMITS	
B	X COMMERCIAL GENERAL LIABILITY [ ] CLAIMS-MADE [X] OCCUR X 2,500 GEN'L AGGREGATE LIMIT APPLIES PER: [ ] POLICY [X] PRO-JECT [ ] LOC [ ] OTHER:	Y		GL100058436-01	7/1/2021	7/1/2022	EACH OCCURRENCE DAMAGE TO RENTED PREMISES (Ea occurrence) MED EXP (Any one person) PERSONAL & ADV INJURY GENERAL AGGREGATE PRODUCTS - COMP/OP AGG 	$ 1,000,000 $ 100,000 $ 5,000 $ 1,000,000 $ 2,000,000 $ 2,000,000 $
A	AUTOMOBILE LIABILITY X ANY AUTO [ ] OWNED AUTOS ONLY [ ] SCHEDULED AUTOS X HIRED AUTOS ONLY [X] NON-OWNED AUTOS ONLY			CA100058434-01	7/1/2021	7/1/2022	COMBINED SINGLE LIMIT (Ea accident) BODILY INJURY (Per person) BODILY INJURY (Per accident) PROPERTY DAMAGE (Per accident) PIP	$ 1,000,000 $ $ $ $ 10,000
A	X UMBRELLA LIAB [X] OCCUR EXCESS LIAB [ ] CLAIMS-MADE [ ] DED X RETENTION $ 10,000			UMB100058433-01	7/1/2021	7/1/2022	EACH OCCURRENCE AGGREGATE 	$ 1,000,000 $ 1,000,000 $
C	WORKERS COMPENSATION AND EMPLOYERS' LIABILITY Y/N ANYPROPRIETOR/PARTNER/EXECUTIVE OFFICER/MEMBER EXCLUDED? [ ] (Mandatory in NH) If yes, describe under DESCRIPTION OF OPERATIONS below	N/A		AVWCFL2955602021	1/1/2021	1/1/2022	[ ] PER STATUTE [ ] OTH-ER E.L. EACH ACCIDENT E.L. DISEASE - EA EMPLOYEE E.L. DISEASE - POLICY LIMIT	 $ 500,000 $ 500,000 $ 500,000
D	Leased/Rented Equipment Installation Floater			CM100058435-01	7/1/2021	7/1/2022	Equip Limit Installation Fltr	300,000 50,000

DESCRIPTION OF OPERATIONS / LOCATIONS / VEHICLES (ACORD 101, Additional Remarks Schedule, may be attached if more space is required)
Concrete Sidewalks, Curb and Gutter Construction Services
ITB B-21-30-COC


CERTIFICATE HOLDER

CITY OF COCOA
c/o Administrative Services Director
65 Stone Street
Cocoa Fl 32922

CANCELLATION

SHOULD ANY OF THE ABOVE DESCRIBED POLICIES BE CANCELLED BEFORE THE EXPIRATION DATE THEREOF, NOTICE WILL BE DELIVERED IN ACCORDANCE WITH THE POLICY PROVISIONS.

AUTHORIZED REPRESENTATIVE



© 1988-2015 ACORD CORPORATION. All rights reserved.

The ACORD name and logo are registered marks of ACORD

	City of Cocoa | Finance Department | Purchasing & Contracts Division 65 Stone Street, Cocoa, FL 32922 Phone: 321-433-8486, or extension 8844	Solicitation Number: ITB B-21-30-COC
	INVITATION TO BID (ITB)	Due Date: Sept. 16, 2021 @ 3:00PM
TITLE: Concrete Sidewalks, Curb and Gutter Construction Services		

Attachment "O"
E-Verify Contract Affidavit

I hereby certify that Goodson Paving [insert subcontractor company name] does not employ, contract with, or subcontract with an unauthorized alien, and is otherwise in full compliance with, section 448.095, Florida Statutes.

All employees hired on or after January 1, 2021 have had their work authorization status verified through the E-Verify system.

A true and correct copy of Goodson Paving [insert subcontractor company name] proof of registration in the E-Verify system is attached to this Affidavit.

_____
Authorized Signatory

Print Name: Travis Goodson

Date: September 15, 2021

STATE OF FLORIDA
COUNTY OF Brevard

The foregoing instrument was acknowledged before me by means of ☑ physical presence or ☐ online notarization, this 9/15/21 (date) by Travis Goodson (name of officer or agent, title of officer or agent) of Goodson Paving (name of corporation acknowledging), a Florida (state or place of incorporation) corporation, on behalf of the corporation. He/she is personally known to me or has produced _____ (type of identification) as identification.

_____
[Notary Seal] Notary Public

FAITH NEUMANN
Commission # HH 157299
Expires August 13, 2025
Bonded Thru Budget Notary Services

_____
Name typed, printed or stamped

My Commission Expires: _____

PLEASE COMPLETE AND SUBMIT WITH YOUR RESPONSE
☛Failure to submit this form may be grounds for disqualification of your submittal☚

My Company Profile

Company Information

Company Name
Goodson Paving, Inc.

Doing Business As (DBA)
Goodson Paving, Inc.

Company ID
1340535

Enrollment Date
09/11/2018

Employer ID Number
592872065

DUNS Number

Total Number of Employees
20 to 99

NAICS Code
237

Sector
Construction

Subsector
Heavy and Civil Engineering Construction

Edit Company Information

Employer Category

Employer Category
None of these categories apply

Edit Employer Category

Company Locations

Hiring Sites

630 Cidco Rd
Cocoa, FL 32926

Same as Physical Address

1

Edit Company Locations

Edit Hiring Sites

Company Access and MOU

My Company is Configured to:

Verify Its Own Employees

Memorandum of Understanding

View Current MOU

Finance Department
Purchasing &
Contracts Division
65 Stone Street I Cocoa, FL 32922
Phone: (321) 433-8833 Fax: (321) 433-8860

NOTIFICATION OF INTENT TO AWARD

Disclaimer: This Notice of Intent to Award is subject to a final award decision by the City Council or the City Manager (as applicable) and execution of a written contract with the City. This Notice does NOT constitute the formation of a contract between the City of Cocoa and the apparent successful vendor referenced in the Notice. The vendor shall not acquire any legal or equitable rights relative to the contract services until a contract containing terms and conditions acceptable to the City of Cocoa is executed. If the City Council or City Manager (as applicable) awards the contract to the apparent successful vendor, and the vendor fails to negotiate and execute a contract with the City of Cocoa, the City of Cocoa may revoke the award and award the contract to the next highest ranked vendor or withdraw the Bid. The City of Cocoa further reserves the right at its discretion to reject this Notice and award the contract to another vendor or reject all bids without penalty.

Department: Utilities	Division: WFO
Bid / RFP / RFQ #: RFP # 21-30-COC Concrete Sidewalks, Curb and Gutter Construction Services	Project # TBD
Awarded To: Goodson Paving	Scope of Work or Services: Provide concrete sidewalk, concrete curb, shoulder, and valley gutter construction services
Address / City / State / Zip: 630 Cidco Rd. Cocoa, FL 32926	Phone / Fax #'s: 321-631-5523 321-639-0755
Purchase / Contract Amount: Services will be requested on an as-needed basis.	Date of Award Notification: November 16, 2021
Title / Position (Print) Vice President, Travis Goodson	Signature

Please complete the information required above.

Return the Notification of Intent to Award to Purchasing & Contracts Division when completed

	City of Cocoa | Finance Department | Purchasing & Contracts Division 65 Stone Street, Cocoa, FL 32922 Phone: 321-433-8486, or extension 8844	Solicitation Number: ITB B-21-30-COC
	INVITATION TO BID (ITB)	Due Date: Sept. 16, 2021 @ 3:00PM
TITLE: Concrete Sidewalks, Curb and Gutter Construction Services		

Attachment "O"
E-Verify Contract Affidavit

I hereby certify that Garcia Civil Contractors [insert subcontractor company name] does not employ, contract with, or subcontract with an unauthorized alien, and is otherwise in full compliance with, section 448.095, Florida Statutes.

All employees hired on or after January 1, 2021 have had their work authorization status verified through the E-Verify system.

A true and correct copy of Garcia Civil Contractors [insert subcontractor company name] proof of registration in the E-Verify system is attached to this Affidavit.

Authorized Signatory

Print Name: Eduardo Garcia

Date: 9/15/21

STATE OF FLORIDA
COUNTY OF Orange

The foregoing instrument was acknowledged before me by means of ☑ physical presence or ☐ online notarization, this 9/15/21 (date) by Eduardo Garcia (name of officer or agent, title of officer or agent) of Garcia Contractor (name of corporation acknowledging), a _____ (state or place of incorporation) corporation, on behalf of the corporation. He/she is personally known to me or has produced Florida (type of identification) as identification. fl DL.

[Notary Seal] Notary Public

PABLO J. HENRIQUEZ

Name typed, printed or stamped

My Commission Expires: _____

PABLO HENRIQUEZ
Notary Public, State of Florida
Commission# GG 307355
My comm. expires May 21, 2023

PLEASE COMPLETE AND SUBMIT WITH YOUR RESPONSE
☞Failure to submit this form may be grounds for disqualification of your submittal☜

Company ID Number: 1573910

THE E-VERIFY MEMORANDUM OF UNDERSTANDING FOR EMPLOYERS

ARTICLE I
PURPOSE AND AUTHORITY

The parties to this agreement are the Department of Homeland Security (DHS) and the Garcia Civil Contractors, LLC (Employer). The purpose of this agreement is to set forth terms and conditions which the Employer will follow while participating in E-Verify.

E-Verify is a program that electronically confirms an employee's eligibility to work in the United States after completion of Form I-9, Employment Eligibility Verification (Form I-9). This Memorandum of Understanding (MOU) explains certain features of the E-Verify program and describes specific responsibilities of the Employer, the Social Security Administration (SSA), and DHS.

Authority for the E-Verify program is found in Title IV, Subtitle A, of the Illegal Immigration Reform and Immigrant Responsibility Act of 1996 (IIRIRA), Pub. L. 104-208, 110 Stat. 3009, as amended (8 U.S.C. § 1324a note). The Federal Acquisition Regulation (FAR) Subpart 22.18, "Employment Eligibility Verification" and Executive Order 12989, as amended, provide authority for Federal contractors and subcontractors (Federal contractor) to use E-Verify to verify the employment eligibility of certain employees working on Federal contracts.

ARTICLE II
RESPONSIBILITIES

A. RESPONSIBILITIES OF THE EMPLOYER

1. The Employer agrees to display the following notices supplied by DHS in a prominent place that is clearly visible to prospective employees and all employees who are to be verified through the system:

   a. Notice of E-Verify Participation

   b. Notice of Right to Work

2. The Employer agrees to provide to the SSA and DHS the names, titles, addresses, and telephone numbers of the Employer representatives to be contacted about E-Verify. The Employer also agrees to keep such information current by providing updated information to SSA and DHS whenever the representatives' contact information changes.

3. The Employer agrees to grant E-Verify access only to current employees who need E-Verify access. Employers must promptly terminate an employee's E-Verify access if the employer is separated from the company or no longer needs access to E-Verify.

4. The Employer agrees to become familiar with and comply with the most recent version of the E-Verify User Manual.

5. The Employer agrees that any Employer Representative who will create E-Verify cases will complete the E-Verify Tutorial before that individual creates any cases.

a. The Employer agrees that all Employer representatives will take the refresher tutorials when prompted by E-Verify in order to continue using E-Verify. Failure to complete a refresher tutorial will prevent the Employer Representative from continued use of E-Verify.

6. The Employer agrees to comply with current Form I-9 procedures, with two exceptions:

a. If an employee presents a "List B" identity document, the Employer agrees to only accept "List B" documents that contain a photo. (List B documents identified in 8 C.F.R. § 274a.2(b)(1)(B)) can be presented during the Form I-9 process to establish identity.) If an employee objects to the photo requirement for religious reasons, the Employer should contact E-Verify at 888-464-4218.

b. If an employee presents a DHS Form I-551 (Permanent Resident Card), Form I-766 (Employment Authorization Document), or U.S. Passport or Passport Card to complete Form I-9, the Employer agrees to make a photocopy of the document and to retain the photocopy with the employee's Form I-9. The Employer will use the photocopy to verify the photo and to assist DHS with its review of photo mismatches that employees contest. DHS may in the future designate other documents that activate the photo screening tool.

Note: Subject only to the exceptions noted previously in this paragraph, employees still retain the right to present any List A, or List B and List C, document(s) to complete the Form I-9.

7. The Employer agrees to record the case verification number on the employee's Form I-9 or to print the screen containing the case verification number and attach it to the employee's Form I-9.

8. The Employer agrees that, although it participates in E-Verify, the Employer has a responsibility to complete, retain, and make available for inspection Forms I-9 that relate to its employees, or from other requirements of applicable regulations or laws, including the obligation to comply with the antidiscrimination requirements of section 274B of the INA with respect to Form I-9 procedures.

a. The following modified requirements are the only exceptions to an Employer's obligation to not employ unauthorized workers and comply with the anti-discrimination provision of the INA: (1) List B identity documents must have photos, as described in paragraph 6 above; (2) When an Employer confirms the identity and employment eligibility of newly hired employee using E-Verify procedures, the Employer establishes a rebuttable presumption that it has not violated section 274A(a)(1)(A) of the Immigration and Nationality Act (INA) with respect to the hiring of that employee; (3) If the Employer receives a final nonconfirmation for an employee, but continues to employ that person, the Employer must notify DHS and the Employer is subject to a civil money penalty between $550 and $1,100 for each failure to notify DHS of continued employment following a final nonconfirmation; (4) If the Employer continues to employ an employee after receiving a final nonconfirmation, then the Employer is subject to a rebuttable presumption that it has knowingly

employed an unauthorized alien in violation of section 274A(a)(1)(A); and (5) no E-Verify participant is civilly or criminally liable under any law for any action taken in good faith based on information provided through the E-Verify.

b. DHS reserves the right to conduct Form I-9 compliance inspections, as well as any other enforcement or compliance activity authorized by law, including site visits, to ensure proper use of E-Verify.

9. The Employer is strictly prohibited from creating an E-Verify case before the employee has been hired, meaning that a firm offer of employment was extended and accepted and Form I-9 was completed. The Employer agrees to create an E-Verify case for new employees within three Employer business days after each employee has been hired (after both Sections 1 and 2 of Form I-9 have been completed), and to complete as many steps of the E-Verify process as are necessary according to the E-Verify User Manual. If E-Verify is temporarily unavailable, the three-day time period will be extended until it is again operational in order to accommodate the Employer's attempting, in good faith, to make inquiries during the period of unavailability.

10. The Employer agrees not to use E-Verify for pre-employment screening of job applicants, in support of any unlawful employment practice, or for any other use that this MOU or the E-Verify User Manual does not authorize.

11. The Employer must use E-Verify for all new employees. The Employer will not verify selectively and will not verify employees hired before the effective date of this MOU. Employers who are Federal contractors may qualify for exceptions to this requirement as described in Article II.B of this MOU.

12. The Employer agrees to follow appropriate procedures (see Article III below) regarding tentative nonconfirmations. The Employer must promptly notify employees in private of the finding and provide them with the notice and letter containing information specific to the employee's E-Verify case. The Employer agrees to provide both the English and the translated notice and letter for employees with limited English proficiency to employees. The Employer agrees to provide written referral instructions to employees and instruct affected employees to bring the English copy of the letter to the SSA. The Employer must allow employees to contest the finding, and not take adverse action against employees if they choose to contest the finding, while their case is still pending. Further, when employees contest a tentative nonconfirmation based upon a photo mismatch, the Employer must take additional steps (see Article III.B. below) to contact DHS with information necessary to resolve the challenge.

13. The Employer agrees not to take any adverse action against an employee based upon the employee's perceived employment eligibility status while SSA or DHS is processing the verification request unless the Employer obtains knowledge (as defined in 8 C.F.R. § 274a.1(l)) that the employee is not work authorized. The Employer understands that an initial inability of the SSA or DHS automated verification system to verify work authorization, a tentative nonconfirmation, a case in continuance (indicating the need for additional time for the government to resolve a case), or the finding of a photo mismatch, does not establish, and should not be interpreted as, evidence that the employee is not work authorized. In any of such cases, the employee must be provided a full and fair opportunity to contest the finding, and if he or she does so, the employee may not be terminated or suffer any adverse employment consequences based upon the employee's perceived employment eligibility status

(including denying, reducing, or extending work hours, delaying or preventing training, requiring an employee to work in poorer conditions, withholding pay, refusing to assign the employee to a Federal contract or other assignment, or otherwise assuming that he or she is unauthorized to work) until and unless secondary verification by SSA or DHS has been completed and a final nonconfirmation has been issued. If the employee does not choose to contest a tentative nonconfirmation or a photo mismatch or if a secondary verification is completed and a final nonconfirmation is issued, then the Employer can find the employee is not work authorized and terminate the employee's employment. Employers or employees with questions about a final nonconfirmation may call E-Verify at 1-888-464-4218 (customer service) or 1-888-897-7781 (worker hotline).

14. The Employer agrees to comply with Title VII of the Civil Rights Act of 1964 and section 274B of the INA as applicable by not discriminating unlawfully against any individual in hiring, firing, employment eligibility verification, or recruitment or referral practices because of his or her national origin or citizenship status, or by committing discriminatory documentary practices. The Employer understands that such illegal practices can include selective verification or use of E-Verify except as provided in part D below, or discharging or refusing to hire employees because they appear or sound "foreign" or have received tentative nonconfirmations. The Employer further understands that any violation of the immigration-related unfair employment practices provisions in section 274B of the INA could subject the Employer to civil penalties, back pay awards, and other sanctions, and violations of Title VII could subject the Employer to back pay awards, compensatory and punitive damages. Violations of either section 274B of the INA or Title VII may also lead to the termination of its participation in E-Verify. If the Employer has any questions relating to the anti-discrimination provision, it should contact OSC at 1-800-255-8155 or 1-800-237-2515 (TDD).

15. The Employer agrees that it will use the information it receives from E-Verify only to confirm the employment eligibility of employees as authorized by this MOU. The Employer agrees that it will safeguard this information, and means of access to it (such as PINS and passwords), to ensure that it is not used for any other purpose and as necessary to protect its confidentiality, including ensuring that it is not disseminated to any person other than employees of the Employer who are authorized to perform the Employer's responsibilities under this MOU, except for such dissemination as may be authorized in advance by SSA or DHS for legitimate purposes.

16. The Employer agrees to notify DHS immediately in the event of a breach of personal information. Breaches are defined as loss of control or unauthorized access to E-Verify personal data. All suspected or confirmed breaches should be reported by calling 1-888-464-4218 or via email at E-Verify@dhs.gov. Please use "Privacy Incident – Password" in the subject line of your email when sending a breach report to E-Verify.

17. The Employer acknowledges that the information it receives from SSA is governed by the Privacy Act (5 U.S.C. § 552a(i)(1) and (3)) and the Social Security Act (42 U.S.C. 1306(a)). Any person who obtains this information under false pretenses or uses it for any purpose other than as provided for in this MOU may be subject to criminal penalties.

18. The Employer agrees to cooperate with DHS and SSA in their compliance monitoring and evaluation of E-Verify, which includes permitting DHS, SSA, their contractors and other agents, upon

reasonable notice, to review Forms I-9 and other employment records and to interview it and its employees regarding the Employer's use of E-Verify, and to respond in a prompt and accurate manner to DHS requests for information relating to their participation in E-Verify.

19. The Employer shall not make any false or unauthorized claims or references about its participation in E-Verify on its website, in advertising materials, or other media. The Employer shall not describe its services as federally-approved, federally-certified, or federally-recognized, or use language with a similar intent on its website or other materials provided to the public. Entering into this MOU does not mean that E-Verify endorses or authorizes your E-Verify services and any claim to that effect is false.

20. The Employer shall not state in its website or other public documents that any language used therein has been provided or approved by DHS, USCIS or the Verification Division, without first obtaining the prior written consent of DHS.

21. The Employer agrees that E-Verify trademarks and logos may be used only under license by DHS/USCIS (see M-795 (Web)) and, other than pursuant to the specific terms of such license, may not be used in any manner that might imply that the Employer's services, products, websites, or publications are sponsored by, endorsed by, licensed by, or affiliated with DHS, USCIS, or E-Verify.

22. The Employer understands that if it uses E-Verify procedures for any purpose other than as authorized by this MOU, the Employer may be subject to appropriate legal action and termination of its participation in E-Verify according to this MOU.

B. RESPONSIBILITIES OF FEDERAL CONTRACTORS

1. If the Employer is a Federal contractor with the FAR E-Verify clause subject to the employment verification terms in Subpart 22.18 of the FAR, it will become familiar with and comply with the most current version of the E-Verify User Manual for Federal Contractors as well as the E-Verify Supplemental Guide for Federal Contractors.

2. In addition to the responsibilities of every employer outlined in this MOU, the Employer understands that if it is a Federal contractor subject to the employment verification terms in Subpart 22.18 of the FAR it must verify the employment eligibility of any "employee assigned to the contract" (as defined in FAR 22.1801). Once an employee has been verified through E-Verify by the Employer, the Employer may not create a second case for the employee through E-Verify.

   a. An Employer that is not enrolled in E-Verify as a Federal contractor at the time of a contract award must enroll as a Federal contractor in the E-Verify program within 30 calendar days of contract award and, within 90 days of enrollment, begin to verify employment eligibility of new hires using E-Verify. The Employer must verify those employees who are working in the United States, whether or not they are assigned to the contract. Once the Employer begins verifying new hires, such verification of new hires must be initiated within three business days after the hire date. Once enrolled in E-Verify as a Federal contractor, the Employer must begin verification of employees assigned to the contract within 90 calendar days after the date of enrollment or within 30 days of an employee's assignment to the contract, whichever date is later.

b. Employers enrolled in E-Verify as a Federal contractor for 90 days or more at the time of a contract award must use E-Verify to begin verification of employment eligibility for new hires of the Employer who are working in the United States, whether or not assigned to the contract, within three business days after the date of hire. If the Employer is enrolled in E-Verify as a Federal contractor for 90 calendar days or less at the time of contract award, the Employer must, within 90 days of enrollment, begin to use E-Verify to initiate verification of new hires of the contractor who are working in the United States, whether or not assigned to the contract. Such verification of new hires must be initiated within three business days after the date of hire. An Employer enrolled as a Federal contractor in E-Verify must begin verification of each employee assigned to the contract within 90 calendar days after date of contract award or within 30 days after assignment to the contract, whichever is later.

c. Federal contractors that are institutions of higher education (as defined at 20 U.S.C. 1001(a)), state or local governments, governments of Federally recognized Indian tribes, or sureties performing under a takeover agreement entered into with a Federal agency under a performance bond may choose to only verify new and existing employees assigned to the Federal contract. Such Federal contractors may, however, elect to verify all new hires, and/or all existing employees hired after November 6, 1986. Employers in this category must begin verification of employees assigned to the contract within 90 calendar days after the date of enrollment or within 30 days of an employee's assignment to the contract, whichever date is later.

d. Upon enrollment, Employers who are Federal contractors may elect to verify employment eligibility of all existing employees working in the United States who were hired after November 6, 1986, instead of verifying only those employees assigned to a covered Federal contract. After enrollment, Employers must elect to verify existing staff following DHS procedures and begin E-Verify verification of all existing employees within 180 days after the election.

e. The Employer may use a previously completed Form I-9 as the basis for creating an E-Verify case for an employee assigned to a contract as long as:

i. That Form I-9 is complete (including the SSN) and complies with Article II.A.6,

ii. The employee's work authorization has not expired, and

iii. The Employer has reviewed the Form I-9 information either in person or in communications with the employee to ensure that the employee's Section 1, Form I-9 attestation has not changed (including, but not limited to, a lawful permanent resident alien having become a naturalized U.S. citizen).

f. The Employer shall complete a new Form I-9 consistent with Article II.A.6 or update the previous Form I-9 to provide the necessary information if:

i. The Employer cannot determine that Form I-9 complies with Article II.A.6,

ii. The employee's basis for work authorization as attested in Section 1 has expired or changed, or

iii. The Form I-9 contains no SSN or is otherwise incomplete.

Note: If Section 1 of Form I-9 is otherwise valid and up-to-date and the form otherwise complies with

Article II.C.5, but reflects documentation (such as a U.S. passport or Form I-551) that expired after completing Form I-9, the Employer shall not require the production of additional documentation, or use the photo screening tool described in Article II.A.5, subject to any additional or superseding instructions that may be provided on this subject in the E-Verify User Manual.

g. The Employer agrees not to require a second verification using E-Verify of any assigned employee who has previously been verified as a newly hired employee under this MOU or to authorize verification of any existing employee by any Employer that is not a Federal contractor based on this Article.

3. The Employer understands that if it is a Federal contractor, its compliance with this MOU is a performance requirement under the terms of the Federal contract or subcontract, and the Employer consents to the release of information relating to compliance with its verification responsibilities under this MOU to contracting officers or other officials authorized to review the Employer's compliance with Federal contracting requirements.

C. RESPONSIBILITIES OF SSA

1. SSA agrees to allow DHS to compare data provided by the Employer against SSA's database. SSA sends DHS confirmation that the data sent either matches or does not match the information in SSA's database.

2. SSA agrees to safeguard the information the Employer provides through E-Verify procedures. SSA also agrees to limit access to such information, as is appropriate by law, to individuals responsible for the verification of Social Security numbers or responsible for evaluation of E-Verify or such other persons or entities who may be authorized by SSA as governed by the Privacy Act (5 U.S.C. § 552a), the Social Security Act (42 U.S.C. 1306(a)), and SSA regulations (20 CFR Part 401).

3. SSA agrees to provide case results from its database within three Federal Government work days of the initial inquiry. E-Verify provides the information to the Employer.

4. SSA agrees to update SSA records as necessary if the employee who contests the SSA tentative nonconfirmation visits an SSA field office and provides the required evidence. If the employee visits an SSA field office within the eight Federal Government work days from the date of referral to SSA, SSA agrees to update SSA records, if appropriate, within the eight-day period unless SSA determines that more than eight days may be necessary. In such cases, SSA will provide additional instructions to the employee. If the employee does not visit SSA in the time allowed, E-Verify may provide a final nonconfirmation to the employer.

Note: If an Employer experiences technical problems, or has a policy question, the employer should contact E-Verify at 1-888-464-4218.

D. RESPONSIBILITIES OF DHS

1. DHS agrees to provide the Employer with selected data from DHS databases to enable the Employer to conduct, to the extent authorized by this MOU:

a. Automated verification checks on alien employees by electronic means, and

b. Photo verification checks (when available) on employees.

2. DHS agrees to assist the Employer with operational problems associated with the Employer's participation in E-Verify. DHS agrees to provide the Employer names, titles, addresses, and telephone numbers of DHS representatives to be contacted during the E-Verify process.

3. DHS agrees to provide to the Employer with access to E-Verify training materials as well as an E-Verify User Manual that contain instructions on E-Verify policies, procedures, and requirements for both SSA and DHS, including restrictions on the use of E-Verify.

4. DHS agrees to train Employers on all important changes made to E-Verify through the use of mandatory refresher tutorials and updates to the E-Verify User Manual. Even without changes to E-Verify, DHS reserves the right to require employers to take mandatory refresher tutorials.

5. DHS agrees to provide to the Employer a notice, which indicates the Employer's participation in E-Verify. DHS also agrees to provide to the Employer anti-discrimination notices issued by the Office of Special Counsel for Immigration-Related Unfair Employment Practices (OSC), Civil Rights Division, U.S. Department of Justice.

6. DHS agrees to issue each of the Employer's E-Verify users a unique user identification number and password that permits them to log in to E-Verify.

7. DHS agrees to safeguard the information the Employer provides, and to limit access to such information to individuals responsible for the verification process, for evaluation of E-Verify, or to such other persons or entities as may be authorized by applicable law. Information will be used only to verify the accuracy of Social Security numbers and employment eligibility, to enforce the INA and Federal criminal laws, and to administer Federal contracting requirements.

8. DHS agrees to provide a means of automated verification that provides (in conjunction with SSA verification procedures) confirmation or tentative nonconfirmation of employees' employment eligibility within three Federal Government work days of the initial inquiry.

9. DHS agrees to provide a means of secondary verification (including updating DHS records) for employees who contest DHS tentative nonconfirmations and photo mismatch tentative nonconfirmations. This provides final confirmation or nonconfirmation of the employees' employment eligibility within 10 Federal Government work days of the date of referral to DHS, unless DHS determines that more than 10 days may be necessary. In such cases, DHS will provide additional verification instructions.

ARTICLE III
REFERRAL OF INDIVIDUALS TO SSA AND DHS

A. REFERRAL TO SSA

1. If the Employer receives a tentative nonconfirmation issued by SSA, the Employer must print the notice as directed by E-Verify. The Employer must promptly notify employees in private of the finding and provide them with the notice and letter containing information specific to the employee's E-Verify

case. The Employer also agrees to provide both the English and the translated notice and letter for employees with limited English proficiency to employees. The Employer agrees to provide written referral instructions to employees and instruct affected employees to bring the English copy of the letter to the SSA. The Employer must allow employees to contest the finding, and not take adverse action against employees if they choose to contest the finding, while their case is still pending.

2. The Employer agrees to obtain the employee's response about whether he or she will contest the tentative nonconfirmation as soon as possible after the Employer receives the tentative nonconfirmation. Only the employee may determine whether he or she will contest the tentative nonconfirmation.

3. After a tentative nonconfirmation, the Employer will refer employees to SSA field offices only as directed by E-Verify. The Employer must record the case verification number, review the employee information submitted to E-Verify to identify any errors, and find out whether the employee contests the tentative nonconfirmation. The Employer will transmit the Social Security number, or any other corrected employee information that SSA requests, to SSA for verification again if this review indicates a need to do so.

4. The Employer will instruct the employee to visit an SSA office within eight Federal Government work days. SSA will electronically transmit the result of the referral to the Employer within 10 Federal Government work days of the referral unless it determines that more than 10 days is necessary.

5. While waiting for case results, the Employer agrees to check the E-Verify system regularly for case updates.

6. The Employer agrees not to ask the employee to obtain a printout from the Social Security Administration number database (the Numident) or other written verification of the SSN from the SSA.

B. REFERRAL TO DHS

1. If the Employer receives a tentative nonconfirmation issued by DHS, the Employer must promptly notify employees in private of the finding and provide them with the notice and letter containing information specific to the employee's E-Verify case. The Employer also agrees to provide both the English and the translated notice and letter for employees with limited English proficiency to employees. The Employer must allow employees to contest the finding, and not take adverse action against employees if they choose to contest the finding, while their case is still pending.

2. The Employer agrees to obtain the employee's response about whether he or she will contest the tentative nonconfirmation as soon as possible after the Employer receives the tentative nonconfirmation. Only the employee may determine whether he or she will contest the tentative nonconfirmation.

3. The Employer agrees to refer individuals to DHS only when the employee chooses to contest a tentative nonconfirmation.

4. If the employee contests a tentative nonconfirmation issued by DHS, the Employer will instruct the

employee to contact DHS through its toll-free hotline (as found on the referral letter) within eight Federal Government work days.

5. If the Employer finds a photo mismatch, the Employer must provide the photo mismatch tentative nonconfirmation notice and follow the instructions outlined in paragraph 1 of this section for tentative nonconfirmations, generally.

6. The Employer agrees that if an employee contests a tentative nonconfirmation based upon a photo mismatch, the Employer will send a copy of the employee's Form I-551, Form I-766, U.S. Passport, or passport card to DHS for review by:

a. Scanning and uploading the document, or

b. Sending a photocopy of the document by express mail (furnished and paid for by the employer).

7. The Employer understands that if it cannot determine whether there is a photo match/mismatch, the Employer must forward the employee's documentation to DHS as described in the preceding paragraph. The Employer agrees to resolve the case as specified by the DHS representative who will determine the photo match or mismatch.

8. DHS will electronically transmit the result of the referral to the Employer within 10 Federal Government work days of the referral unless it determines that more than 10 days is necessary.

9. While waiting for case results, the Employer agrees to check the E-Verify system regularly for case updates.

ARTICLE IV
SERVICE PROVISIONS

A. NO SERVICE FEES

1. SSA and DHS will not charge the Employer for verification services performed under this MOU. The Employer is responsible for providing equipment needed to make inquiries. To access E-Verify, an Employer will need a personal computer with Internet access.

ARTICLE V
MODIFICATION AND TERMINATION

A. MODIFICATION

1. This MOU is effective upon the signature of all parties and shall continue in effect for as long as the SSA and DHS operates the E-Verify program unless modified in writing by the mutual consent of all parties.

2. Any and all E-Verify system enhancements by DHS or SSA, including but not limited to E-Verify checking against additional data sources and instituting new verification policies or procedures, will be covered under this MOU and will not cause the need for a supplemental MOU that outlines these changes.

B. TERMINATION

1. The Employer may terminate this MOU and its participation in E-Verify at any time upon 30 days prior written notice to the other parties.

2. Notwithstanding Article V, part A of this MOU, DHS may terminate this MOU, and thereby the Employer's participation in E-Verify, with or without notice at any time if deemed necessary because of the requirements of law or policy, or upon a determination by SSA or DHS that there has been a breach of system integrity or security by the Employer, or a failure on the part of the Employer to comply with established E-Verify procedures and/or legal requirements. The Employer understands that if it is a Federal contractor, termination of this MOU by any party for any reason may negatively affect the performance of its contractual responsibilities. Similarly, the Employer understands that if it is in a state where E-Verify is mandatory, termination of this by any party MOU may negatively affect the Employer's business.

3. An Employer that is a Federal contractor may terminate this MOU when the Federal contract that requires its participation in E-Verify is terminated or completed. In such cases, the Federal contractor must provide written notice to DHS. If an Employer that is a Federal contractor fails to provide such notice, then that Employer will remain an E-Verify participant, will remain bound by the terms of this MOU that apply to non-Federal contractor participants, and will be required to use the E-Verify procedures to verify the employment eligibility of all newly hired employees.

4. The Employer agrees that E-Verify is not liable for any losses, financial or otherwise, if the Employer is terminated from E-Verify.

ARTICLE VI
PARTIES

A. Some or all SSA and DHS responsibilities under this MOU may be performed by contractor(s), and SSA and DHS may adjust verification responsibilities between each other as necessary. By separate agreement with DHS, SSA has agreed to perform its responsibilities as described in this MOU.

B. Nothing in this MOU is intended, or should be construed, to create any right or benefit, substantive or procedural, enforceable at law by any third party against the United States, its agencies, officers, or employees, or against the Employer, its agents, officers, or employees.

C. The Employer may not assign, directly or indirectly, whether by operation of law, change of control or merger, all or any part of its rights or obligations under this MOU without the prior written consent of DHS, which consent shall not be unreasonably withheld or delayed. Any attempt to sublicense, assign, or transfer any of the rights, duties, or obligations herein is void.

D. Each party shall be solely responsible for defending any claim or action against it arising out of or related to E-Verify or this MOU, whether civil or criminal, and for any liability wherefrom, including (but not limited to) any dispute between the Employer and any other person or entity regarding the applicability of Section 403(d) of IIRIRA to any action taken or allegedly taken by the Employer.

E. The Employer understands that its participation in E-Verify is not confidential information and may be disclosed as authorized or required by law and DHS or SSA policy, including but not limited to,

Congressional oversight, E-Verify publicity and media inquiries, determinations of compliance with Federal contractual requirements, and responses to inquiries under the Freedom of Information Act (FOIA).

F. The individuals whose signatures appear below represent that they are authorized to enter into this MOU on behalf of the Employer and DHS respectively. The Employer understands that any inaccurate statement, representation, data or other information provided to DHS may subject the Employer, its subcontractors, its employees, or its representatives to: (1) prosecution for false statements pursuant to 18 U.S.C. 1001 and/or; (2) immediate termination of its MOU and/or; (3) possible debarment or suspension.

G. The foregoing constitutes the full agreement on this subject between DHS and the Employer.

To be accepted as an E-Verify participant, you should only sign the Employer's Section of the signature page. If you have any questions, contact E-Verify at 1-888-464-4218.

Company ID Number: 1573910

Approved by:

Employer Garcia Civil Contractors, LLC	
Name (Please Type or Print) Eduardo Garcia	Title
Signature Electronically Signed	Date 08/05/2020
Department of Homeland Security – Verification Division	
Name (Please Type or Print) USCIS Verification Division	Title
Signature Electronically Signed	Date 08/05/2020

Company ID Number: 1573910

Information Required for the E-Verify Program **Information relating to your Company:**	
Company Name	Garcia Civil Contractors, LLC
Company Facility Address	13110 Moss Park Ridge Dr Orlando, FL 32832
Company Alternate Address	
County or Parish	ORANGE
Employer Identification Number	851678853
North American Industry Classification Systems Code	237
Parent Company	
Number of Employees	1 to 4
Number of Sites Verified for	1

Company ID Number: 1573910

Are you verifying for more than 1 site? If yes, please provide the number of sites verified for in each State:

FLORIDA	1 site(s)

Company ID Number: 1573910

Information relating to the Program Administrator(s) for your Company on policy questions or operational problems:

Name	Yanelle Garcia
Phone Number	(786) 285 - 4806
Fax Number	
Email Address	yanelle@garciacivil.com

Name	Eduardo Garcia
Phone Number	(407) 744 - 2790
Fax Number	
Email Address	yanelle@garciacivil.com

Page intentionally left blank

Finance Department
Purchasing &
Contracts Division
65 Stone Street I Cocoa, FL 32922
Phone: (321) 433-8833 Fax: (321) 433-8860

NOTIFICATION OF INTENT TO AWARD

Disclaimer: This Notice of Intent to Award is subject to a final award decision by the City Council or the City Manager (as applicable) and execution of a written contract with the City. This Notice does NOT constitute the formation of a contract between the City of Cocoa and the apparent successful vendor referenced in the Notice. The vendor shall not acquire any legal or equitable rights relative to the contract services until a contract containing terms and conditions acceptable to the City of Cocoa is executed. If the City Council or City Manager (as applicable) awards the contract to the apparent successful vendor, and the vendor fails to negotiate and execute a contract with the City of Cocoa, the City of Cocoa may revoke the award and award the contract to the next highest ranked vendor or withdraw the Bid. The City of Cocoa further reserves the right at its discretion to reject this Notice and award the contract to another vendor or reject all bids without penalty.

Department: Utilities	Division: WFO
Bid / RFP / RFQ #: RFP # 21-30-COC Concrete Sidewalks, Curb and Gutter Construction Services	Project # TBD
Awarded To: Garcia Civil Contractors LLC	Scope of Work or Services: Provide concrete sidewalk, concrete curb, shoulder, and valley gutter construction services
Address / City / State / Zip:	Phone / Fax #'s:
Purchase / Contract Amount: Services will be requested on an as-needed basis.	Date of Award Notification: November 16, 2021
Title / Position (Print)	Signature

Please complete the information required above.

Return the Notification of Intent to Award to Purchasing & Contracts Division when completed

Legislation Details (With Text)

File #:	21-792	**Version:**	1	**Name:**	
Type:	Contract			**Status:**	Multi-Year Contract
File created:	12/1/2021			**In control:**	City Council
On agenda:	12/14/2021			**Final action:**	
Title:	Approval to enter into a “Piggyback” contract with Communication International using the Board of County Commissioners of Brevard County Public Safety Radio System Maintenance Contract number B 7-21-81 as a multi-year contract. (Chief of Police)				
Sponsors:					
Indexes:					
Code sections:					
Attachments:	PARTIALLY EXECUTED Standard Form for Piggyback Contract No. B 7-21-81_.pdf SIGNED E-Verify Contractor Affidavit CPD 11.30.21.pdf CI CONTRACT 2021-2026_.pdf AO-29_CI CONTRACT_.pdf NOA 08-13-2021.pdf				

Date	Ver.	Action By	Action	Result

CITY COUNCIL AGENDA ITEM

Memo Date: December 1, 2021
Agenda Date: December 14, 2021
Prepared By: Susan L. Lambert, CAM, OM
Through: Evander Collier IV, Chief of Police
Requested Action:
Council approval to enter into a “Piggyback” contract with Communication International using the Board of County Commissioners of Brevard County Public Safety Radio System Maintenance Contract number B 7-21-81 as a multi-year contract.

BACKGROUND:

The Police Department has to use Brevard County Emergency Management’s 800MHz backbone system in order to communicate between the Dispatch center and the Officers who are on patrol. In order to facilitate this communication, Brevard County has maintained the backbone system as part of their emergency maintenance and goes out to bid for a Contractor to repair the system and the radios which are on the system. Each year, the Police Department has entered into a contract with the vendor that the County has selected in order to utilize their system. Historically, this vendor has been Harris/Communications International.

This year, Brevard County has entered into a multi-year contract with Communications International which begins on October 1, 2021 and ends September 30, 2026. The Police Department is requesting to piggyback off of their contract for maintenance to their radios, including repairs and

discounted services.

The amount of the contract will vary each year dependent upon the number of radios we have on the equipment contract. Communications International recently increased their prices (before contract negations with the County, but after our budget) and raised the cost from $10.00 per radio to $11.00 per radio maintenance cost. This amount was forecast budgeted in the FY2022 budget.

Since the Fire Department uses the same emergency communication network for its operations this request will also include their anticipated radio maintenance costs.

STRATEGIC PLAN CONNECTION:

Operational.

BUDGETARY IMPACT:

Budgeted Yes

Police Department
$36,500 was budgeted in FY2022 budget in account 001-2101-521.46-00
$39,948 is projected to be budgeted in FY2023
$47,050 is projected to be budgeted in FY2024 (increasing radios for new officers plus a CI increase)
$47,050 is projected to be budgeted in FY2025
$47,050 is projected to be budgeted in FY2026

Fire Department
$8,606 was budgeted in FY2022 budget in account 001-2201-522.46-00
$9,467 is projected to be budgeted in FY2023
$10,413 is projected to be budgeted in FY2024
$11,455 is projected to be budgeted in FY2025
$12,600 is projected to be budgeted in FY2026

PREVIOUS ACTION:

None.

RECOMMENDED MOTION:

Council approval to enter into a “Piggyback” contract with Communication International using the Board of County Commissioners of Brevard County Public Safety Radio System Maintenance Contract number B 7-21-81 as a multi-year contract.

STANDARD FORM FOR NEW PIGGYBACK CONTRACT

The **City of Cocoa,** a Florida Municipal Corporation ("City") enters this "Piggyback" Contract with Communications International, 4450 US Hwy 1, Vero Beach, FL 32967 (hereinafter referred to as the "Vendor "), under the terms and conditions hereinafter provided. The City and the Vendor agree as follows:

The Financial Operations Manual (FOM) for the City of Cocoa allows for "piggybacking" contracts. Pursuant to this procedure, the City is allowed to piggyback an existing government contract, and there is no need to obtain formal or informal quotations, proposals or bids. The parties agree that the Vendor has entered a contract with Board of County Commissioners of Brevard County, FL said contract being identified as: Public Safety Radio System Maintenance, Contract No. B 7-21-81. (referred to as the "original government contract").

Work assigned under this contract may include, but is not limited to, the following types of projects: The Contractor shall be prepared to furnish all labor, materials, equipment, machinery, tools, apparatus and transportation to perform all work and services specified in the Scope of Services, Attachment A, attached hereto and made a part hereof by this reference. (see attached "Exhibit A" – original contract).

1. The original government contract is incorporated herein by reference and is attached as **Exhibit A** to this Contract. All of the terms and conditions set out in the original government contract (Exhibit "A") are fully binding on the parties and said terms and conditions are incorporated herein.

2. Notwithstanding the requirement that the original government contract is fully binding on the parties, the parties have agreed to modify certain technical provisions of the original government contract as applied to this Contract between the Vendor and the City of Cocoa, as follows:

Time Period ("Term") of the Agreement:

The effective date of this agreement shall be the latest date mutual parties' sign by and between the City of Cocoa, FL and Communications International. The term of said agreement shall be for the period effective date of signature of City Council through 09/30/2026. Prices shall remain firm for the first twelve (12) months of this contract. The awarded contractor may have an opportunity to request an annual price adjustment for the second and subsequent years of this contract with City Manager Approval.

a. Insurance Requirements (As Applicable):

Liability Insurance

COMMERCIAL GENERAL LIABILITY INSURANCE MINIMUM REQUIREMENTS FOR CONTRACTS VALUED AT LESS THAN $15,000:

It is required that individuals and firms contracting with the City of Cocoa, where the total contract or job value is LESS than $15,000, maintain Commercial General Liability insurance with a minimum per occurrence limit of not less than $200,000 per person and $300,000 each occurrence, and property damage insurance of at least $200,000 each occurrence and with a deductible amount not greater than $1,000. It is further required that the City of Cocoa, be named as an additional insured to the contractor's CGL policy, and that proof of same in the form of a certificate of insurance be submitted before work is begun.

COMMERCIAL GENERAL LIABILITY INSURANCE MINIMUM REQUIREMENTS FOR CONTRACTS VALUED AT $15,000 OR MORE:

It is required that individuals and firms contracting with the City of Cocoa, where the total contract or job value is $15,000 or MORE, maintain Commercial General Liability insurance with a minimum per occurrence limit of not less than $2,000,000 as the combined single limit for each occurrence and with a deductible not greater than $5,000 or as otherwise approved in writing by the City Manager. It is further required that the City of Cocoa and FDOT, be named as an additional insured to the Contractor's CGL policy, and that proof of same in the form of a certificate of insurance be submitted before work is begun.

AUTOMOBILE LIABILITY INSURANCE MINIMUM REQUIREMENTS FOR ALL CONTRACTS:

The Contractor shall maintain comprehensive automobile liability insurance in the minimum amount of $1,000,000 combined single limit bodily injury and minimum $1,000,000 property damage as the combined single limit for each occurrence to protect the Contractor from claims for damages for bodily injury, including wrongful death, as well as from claims from property damage, which may arise from the ownership, use, or maintenance of owned and non-owned automobiles, including rented automobiles whether such operations be by the Contractor or by anyone directly or indirectly employed by the Contractor.



PROFESSIONAL LIABILITY INSURANCE MINIMUM REQUIREMENTS FOR ALL PROFESSIONALS AS DEFINED BY FLORIDA STATUTE:

Professionals and professional corporations, associations, and firms who contract with the City of Cocoa to provide professional services are required to maintain Professional Liability Insurance and submit proof of same in the form of a certificate of insurance before work is begun.

ENVIRONMENTAL IMPAIRMENT INSURANCE MINIMUM REQUIREMENTS:

Individuals or firms who contract with the City of Cocoa to provide excavation or construction type services and who will be locating portable fuel or lubricant storage tanks at the job site or who will be storing or using hazardous chemicals on the job site are required to maintain Environmental Impairment Insurance of "Pollution Insurance" with a limit of not less than $1,000,000 per occurrence and submit proof of same in the form of a certificate of insurance or an endorsement to their General Liability policy showing a pollution exclusion exception for each specific work product or storage container before work is begun. Contracts with such firms shall include a provision that they work in compliance with the OSHA Hazardous Communication Standard and Florida Department of Environmental Protection guidelines and supply all information about hazardous chemical being brought onto City property as required by the City's Safety and Loss Control Program.

WORKERS' COMPENSATION INSURANCE MINIMUM REQUIREMENTS:

It is required that firms employing four or more people who contract with the City of Cocoa maintain Workers' Compensation Insurance at the statutory limits and employer liability insurance and submit proof of same in the form of a certificate of insurance before work is begun.

It is required that firms employing less than four people who contract with the City of Cocoa comply with the exemption and notice provisions of F.S. 440 and maintain employer liability insurance and submit proof of same in the form of a certificate of insurance before work is begun.

However, if you are a corporate officer of a corporation that is actively engaged in the construction industry, or a sole proprietor or partner who is actively engaged in the construction industry, then your exemption will not apply to any work performed at a commercial building project valued at $250,000 or greater and you must secure workers' compensation coverage in accordance with F.S. 440.38 and these general conditions and submit proof of same in the form of a certificate of insurance before work is begun.

COMPREHENSIVE BUILDER RISK INSURANCE

The Contractor shall maintain comprehensive builder risk insurance, which shall cover Contractor's labor, and any materials and equipment to be used for completion of the Work performed under this Agreement, against all risks of direct physical loss, excluding earthquake and flood, for a minimum amount of $2,000,000. Contractor shall maintain the builder risk insurance required by this subsection until the date a certificate of occupancy is issued issuance of a certificate of occupancy for the Work.

DURATION OF CONTRACTS-NAMED INSUREDS-LIABILITY INSURANCE:

For contracts exceeding time periods of 30 days, it is required that the vendor name the City of Cocoa as an additional insured on their Liability Insurance policies and submit proof of same in the form of a certificate of insurance before work is begun. A copy of a current Certificate of Insurance shall be provided to the City by Contractor upon the Effective Date of this Agreement which satisfied the insurance requirements of this Article. Renewal certificates shall be sent to the City 30 days prior to any expiration date. The certificates and policies shall provide that in the event of any material change in or cancellation of the policies reflecting the required coverage, thirty days advance notice shall be given to the City and the State of Florida, Department of Transportation, or as provided in accordance with Florida law.

a. Any other provisions that will be modified:

The CONTRACTOR must provide proof of Employment Eligibility by completing the E-Verify Contractor Affidavit **(Exhibit B)** in accordance with Florida Statute § 448.95; via E-Verify (https://www.e-verify.gov), which is an internet-based system operated by the United States Department of Homeland Security that allows participating employers to electronically verify the employment eligibility of newly hired employees. This must be completed prior to the CITY issuing any Purchase Orders or requesting services.

b. Address change for the City of Cocoa:

Notwithstanding the address and contact information for the government entity as set out in Exhibit "A," the Vendor agrees that he/she/it will send notices, invoices and will conduct all business with the City of Cocoa, attention of Accounts Payable, at 65 Stone Street, Cocoa Florida 32922, telephone number (321) 433-8633, facsimile number: (321) 433-8608 and email accountspayable@cocoafl.org.

c. Notwithstanding anything in Exhibit "A" to the contrary, the venue of any dispute will be in Brevard County, Florida. Litigation between the parties arising out of this contract must be in Brevard County, Florida in the Court of appropriate jurisdiction. The law of Florida will control any dispute between the parties arising out of or related to this Piggyback Contract, the performance thereof or any products or services delivered pursuant to such contract.

d. Notwithstanding any other provision in Exhibit "A" to the contrary, there shall be no arbitration with respect to any dispute between the parties arising out of this Contract. Dispute resolution shall be through voluntary and non-binding mediation, negotiation or litigation in the Court of appropriate jurisdiction in Brevard County, Florida, with the parties bearing the costs of their own legal fees and related costs with respect to any dispute resolution, including litigation.

e. All other provisions in the original government contract (Exhibit "A") are fully binding on the parties and will represent the agreement between the City of Cocoa and the Vendor.

f. This contract is not a requirements agreement nor is it an exclusive agreement. Accordingly, the City of Cocoa reserves the right to purchase the goods or services that are the subject hereof from any alternative vendor during the contract term, regardless of contrary language in the underlying contract that is being piggybacked.

VENDOR:

Communications International
Attn: Jeana Quintana
4450 US Hwy 1,
Vero Beach, FL 32967
Phone: 321-636-9885
Email: dwatkins@ask4ci.com

Communications International

Entered this _____ day of _____

IVANA QUINTANA

(Print Name / Title)

(Signature)

11/30/24

(Date)

City Council Approval Required

X Yes (Approved by Mayor)

☐ No (Approved by City Manager)

CITY OF COCOA

By: _____

Date: _____

(Stockton Whitten, City Manager)

City Manager (For purchases up to the limit of the City Manager's purchase order authority, this signature alone as attested will be sufficient).

By:_____

Date: _____

(Michael C. Blake, Mayor)

Mayor (For purchases exceeding City Manager's purchase order authority).

_____

Attested By: City Clerk

CONTRACTOR E-VERIFY AFFIDAVIT

I hereby certify that Communications Int'l [insert contractor company name] does not employ, contract with, or subcontract with an unauthorized alien, and is otherwise in full compliance with, section 448.095, Florida Statutes.

All employees hired on or after January 1, 2021 have had their work authorization status verified through the E-Verify system.

A true and correct copy of Communications Int'l[insert contractor company name] proof of registration in the E-Verify system is attached to this Affidavit.

Print Name: Sonia Perez

Date: 11/30/2021

STATE OF FLORIDA

COUNTY OF Indian River

The foregoing instrument was acknowledged before me by means of ☒ physical presence or ☐ online notarization, this 11-30-21 (date) by Sonia Perez (name of officer or agent, title of officer or agent) of Sr. HR Generalist (name of corporation acknowledging) , a Florida (state or place of incorporation) corporation, on behalf of the corporation. He/she is personally known to me or has produced Fl. Driver License (type of identification) as identification.

[Notary Seal] Notary Public

Ben C Saltz

Name typed, printed or stamped

My Commission Expires: 7-9-2025

BEN C SALTZ
Notary Public - State of Florida
Commission # HH 146049
My Comm. Expires Jul 9, 2025
Bonded through National Notary Assn.

An official website of the United States government Here's how you know

My Company Profile

Company Information

Company Name
Communications International, Inc.

Doing Business As (DBA)

Company ID
353812

Enrollment Date
08/27/2010

Employer ID Number
591885709

DUNS Number
020968574

Total Number of Employees
100 to 499

NAICS Code
541

Sector
Professional, Scientific, and Technical Services

Subsector
Professional, Scientific, and Technical Services

Edit Company Information

Employer Category

Employer Category
Federal Contractor with FAR E-Verify Clause

Edit Employer Category

Company Locations

Physical Address
4450 US Highway 1
Vero Beach, FL 32967

Mailing Address
Same as Physical Address

Edit Company Locations

Hiring Sites

> We have implemented a new policy and require more information for existing and future hiring sites.

Number of Sites
10

Edit Hiring Sites

Company Access and MOU

My Company is Configured to:
Verify Its Own Employees

Memorandum of Understanding
View Current MOU



PUBLIC SAFETY RADIO SYSTEM MAINTENANCE

THIS CONTRACT by and between the Board of County Commissioners of Brevard County, Florida, a political subdivision of the State of Florida (hereinafter the "County"), and, Communications Int'l Inc. a business having its primary business location at 4450 US Hwy 1, Vero Beach, FL 32967, (hereinafter the "Contractor").

WITNESSETH:

WHEREAS, Contractor currently provides certain Products and Services in relation to two-way radio communications within the boundaries of State of Florida; and

WHEREAS, the provision of such services shall mutually benefit the parties hereto and the residents of Brevard County, Florida.

WHEREAS, Brevard County desires to contract for the purchase of Products and Services from Contractor as described herein; and

WHEREAS, the Parties wish to establish terms, conditions and pricing under which the particular Products and Services will be purchased by the County; and

WHEREAS, the Parties hereby desire to enter into this Contract to set forth, in writing, their respective rights, duties and obligations hereunder.

NOW THEREFORE, for and in consideration of the mutual promises herein contained and other good and valuable consideration, the sufficiency and receipt of which is hereby acknowledged and confessed, the Parties hereby agree as follows:

SECTION 1: DEFINITIONS

A. "Parties" shall mean, collectively, Contractor and the County.

B. "Products" shall mean the equipment, accessories and miscellaneous items Contractor offers for sale to Brevard County at negotiated pricing as stated within this Contract.

C. "Services" shall mean those services to be provided by Contractor to the County pursuant to this Contract including, but not limited to, maintenance, technical support, installations, training, labor, and testing.

D. "Software" means those Product(s) or portions thereof consisting of computer software programs, software utilities, and source code or object code.

E. "Fixed Equipment" is defined as the site repeater stations and associated equipment, multi-site coordinator, console electronic equipment and radio control stations and as otherwise specified described as Fixed Equipment in a Customer maintenance contract.

F. "Mobile Equipment" is defined as all vehicular mounted radios, personal portable radios, vehicular repeaters and portable radio chargers and as otherwise specifically described as Fixed Equipment for maintenance in this Contract.

G. "Demand Services" are defined as service requests that are not included in the fixed fee arrangement in this Contract.

H. "Working Hours" are defined as 8:00 a.m. to 5:00 p.m. Monday through Friday excluding holidays unless otherwise defined within this Contract.

I. "Emergency Services" shall mean services performed outside of Working Hours, twenty-four hours, seven days per week, including Federal and State holidays.

J. "Specialized Services" are defined as service requests that are not included in the fixed fee arrangement in this Contract and are part of a Radio System Enhancement if sixty five (65) percent or more of the total value of such enhancement comprises Sole Source Services and/or Products.

SECTION 2: ATTACHMENTS

The attachments listed below are incorporated into and made part of this Contract.

ATTACHMENT A–Scope of Service
ATTACHMENT B–Equipment and Pricing List
ATTACHMENT C–Miscellaneous Technical Services Rates
ATTACHMENT D–Pricing Discounts
ATTACHMENT E–Per Unit Equipment Maintenance Rates
ATTACHMENT F–System Failure Escalation Procedure
ATTACHMENT G–Specialized Services
ATTACHMENT H–E-Verify Form

SECTION 3: SCOPE OF THE CONTRACT

The Contractor shall be prepared to furnish all labor, materials, equipment, machinery, tools, apparatus and transportation to perform all work and services specified in the Scope of Services, Attachment A, attached hereto and made a part hereof by this reference.

The parties expressly agree that any state or local government agency may, at the agency's option, utilize this Contract to obtain service, maintenance, and parts for the agency's equipment used in connection with its two way radio communications under the same terms and conditions as the County. This Contract may also be utilized by any Federal government agency to obtain service, maintenance, and parts, at the agency's option, operating on the Brevard County radio communication system under a valid user agreement with the County with respect to any equipment that is included on the equipment list provided to Contractor (see Attachment B).

Brevard infrastructure radio system operation takes precedence over individual agency needs within Brevard County. The Contractor shall be responsible for making available sufficient staffing to timely perform both the obligations under this Contract.

SECTION 4: TERM

The term of the Contract shall begin October 1, 2021 (Effective Date) and terminate on September 30, 2026.

SECTION 5: PAYMENTS

County shall pay the Contractor for (Work or Services) provided under this Contract as provided in Attachment B, C, D and E to this Contract and made a part of this Contract by this reference. The County reserves the right to deduct from any contractor invoice an amount for defective or nonconforming work, or for work not provided but invoiced. The County shall remit payment in accordance with the Florida Prompt Payment Act, Florida Statute section 218.70, et seq. The time frames for payment under the Florida Prompt Payment Act shall not begin to run until the service and parts provided are accepted by the County.

Payment terms for monthly recurring Maintenance Services, as outlined in Attachment E are in advance. Contractor may invoice the County for products delivered or services performed during the County fiscal year (October 1 to September 30). The invoice shall contain the purchase order number and description of services including quantity, if any, no later than October 15th. Invoices received after October 15th for products delivered or services completed prior to September 30th will be considered invalid and not payable by the County.

No extra charges of any kind will be allowed unless specifically agreed to in writing by authorized representatives of both parties.

The pricing under this Contract may be adjusted each year based on the US Consumer Price Index (CPI) found at the US Bureau of Labor Statistics web site, under the "South Urban" region of the United States map. The number used for adjustment will be the index number for "Feb" under the current year. This percent number is a twelve-month percent change for the "South Urban" over the last twelve months as reflected in February.

SECTION 6: MISCELLANEOUS

A. In addition to the Services specified in this Contract, the County may order other work to be provided by the Contractor including specially designed work or services otherwise not in conformity with this Contract, and listed as Specialized Services as shown in Attachment G. Within ten (10) business days of receipt of a Special Requirements Order, the Contractor will furnish the County with a proposal to fill such Order including price and delivery time. The County may accept or reject any such proposal within ten (10) business days of receipt; any proposal not specifically accepted will be deemed rejected on the eleventh business day after receipt.

B. Demand Services, including the installation, removal, or reinstallation of equipment, shall be performed by Contractor, following reasonable notice to the County, and at the hourly rates listed in Attachment C to this Contract. Service work made necessary because of abuse or neglect (which is not under the control of Contractor) will be performed at the hourly rate for Demand Services, plus parts. Items that are not covered under Maintenance in Attachment E, such as portable batteries, portable antennas, mobile antennas and items abused or misused by the County will be repaired and/or replaced under the Demand Services pricing structure of this Contract.

C. Purchase orders issued in compliance with this Contract, other than Special Requirements Orders, shall be deemed accepted upon receipt by Contractor. Special Requirements Orders shall be deemed accepted by Contractor upon receipt of the County's acceptance of Contractor's proposal.

D. Unless otherwise specifically agreed to in writing between Contractor and the County, the terms and conditions of this Contract shall take precedence over any accepted purchase order issued after the date of this Contract, in conformance with Article 19 of this Contract.

E. The County agrees to notify Contractor immediately if, at any time, it appears the Services and requirements set forth in this Contract are not being provided by Contractor to the County's satisfaction. The notification shall be in writing setting forth the nature of the work and/or the equipment which does not meet the County's requirements.

F. Contractor shall maintain a minimum inventory of replacement equipment and parts available immediately in Brevard County to service backbone infrastructure and User Terminal Equipment covered under this Contract. A copy of this inventory will be made available to the County by Contractor upon request. Contractor shall ensure that all other parts,

etc. not maintained on the minimum inventory list shall be available within a three (3) business day time frame from the time of the service call.

G. Contract management meetings shall be held between Contractor and the County to discuss the performance of Contractor under the Contract, to discuss any special considerations that from time to time may arise regarding execution of the Contract, and to discuss issues pertinent to other users or municipal agencies with the Contract. Meetings shall be held quarterly as scheduled by the County; however, Contractor agrees to meet monthly if so scheduled by the County.

H. Before any piece of equipment can be added to this Contract, the County Radio System administration has the right of final determination of acceptance or rejection of that additional equipment based on good radio communications practices and procedures. Contractor shall evaluate the equipment prior to its use or installation and bill either the User Agency or the County, depending on who is making the request, for time and materials for any required corrective actions at the demand services rate as specified in Attachment C of this Contract.

SECTION 7: RESPONSE TIME

Response time is defined in Attachment A of this Contract. Contractor agrees that a technician will respond to a reported failure within the specified response time after a verifiable notification by the County. Escalation contact procedures included as Attachment F.

SECTION 8: WARRANTIES

A. Contractor warrants that all Services performed hereunder shall be free from defects in materials and workmanship and shall be the kind and quality necessary to assure performance of the equipment as intended and in accordance with the terms of this Contract.

B. Contractor shall warrant all parts and materials per the manufacturer's warranty. The warranty period begins when the applicable agency under this Contract takes receipt of equipment.

C. Replacement of any parts, equipment and/or materials which are under warranty shall be performed without cost to the County for the parts, equipment, and/or materials, labor, or any shipping expense should the equipment be returned to a Harris Corporation facility or other OEM vendor's facility for service.

D. Except as set forth in this Section, Contractor makes no warranties, express or implied, relating to the equipment including, without limitation, the warranties of merchantability or fitness for a particular purpose of the equipment. The manufacturer standard warranty will apply in this case.

E. If equipment is out of service in excess of 30 days for warranty repair, the warranty period may be extended for the number of days the equipment is in the possession of Contractor or Harris.

SECTION 9: INDEMNIFICATION

The Contractor shall indemnify and hold harmless the County and its agents and employees from and against all claims, damages, losses, and expenses, including attorney's fees arising out of or resulting from the performance of its work under this Contract, where such claim, damage, loss, or expense is caused, in whole or in part, by the act or omission of the Contractor, or anyone directly or indirectly employed by the Contractor, or anyone for whose acts any of them may be liable, regardless of whether or not it is caused by in part by a party indemnified thereunder. In any and all claims against the County, or any of its agents or anyone directly or indirectly employed by the Contractor, or anyone for whose acts any of them may be liable, indemnification obligation under this paragraph shall not be limited in any way by a limitation on the amount or type of damages, compensation or benefits payable by or for the custodial contractor, under workers' compensation acts, or other related policies of insurance. The parties acknowledge specific consideration has been exchanged for this provision.

SECTION 10: MODIFICATIONS TO CONTRACT

This Contract, together with any exhibits, attachments, task assignments and schedules constitute the entire agreement between the County and the Contractor and supersedes all prior written or oral understandings. This Contract and any exhibits, task assignments and schedules may only be amended, supplemented or canceled by a written instrument duly executed by the parties hereto.

Should laws change requiring additional Services or significant changes in cost, the Contractor and the County will negotiate an equitable price increase. The reverse will hold true should laws change requiring fewer Services or reductions in cost, in which case Contractor and the County will negotiate an equitable price reduction.

SECTION 11: INSURANCE

The Contractor, at its own expense, shall keep in force and at all times maintain during the term of this Contract:

A. General Liability Insurance: General Liability Insurance issued by responsible insurance companies and in a form acceptable to the County, with a $ 1,000,000 combined single limit for each occurrence to include the following coverage: Operations, Products and Completed Operations, Personal Injury, Contractual Liability covering this contract, "X-C-U" hazards, and Errors & Omissions.

B. Automobile Liability Insurance: Automobile Liability coverage shall be in the minimum amount of One Million Dollars ($1,000,000) which includes coverage for all owned, non-owned and rented vehicles with a $ 1,000,000, combined single limit for each occurrence.

C. Workers' Compensation and Employers Liability Insurance: Full and complete Workers' Compensation Coverage for all employees of the contractor and subcontractors, as required by State of Florida law, shall be provided.

D. Professional Liability Insurance: in the amount of $ 1,000,000 per claim.

E. Insurance Certificates: The Contractor shall provide the County with Certificate(s) of Insurance on all the policies of insurance and renewals thereof in a form(s) acceptable to the County. The General Liability and Automobile Liability Policies shall provide that Brevard County Board of County Commissioners be an additional insured. The County shall be notified in writing of any reduction, cancellation or substantial change of policy or policies at least thirty (30) days prior to the effective date of said action. All insurance policies shall be issued by

responsible companies who are acceptable to the County and licensed and authorized under the laws of the State of Florida.

SECTION 12: ATTORNEY'S FEES

In the event of any legal action to enforce the terms of this Contract each party shall bear its own attorney's fees and costs.

Any action brought to enforce the terms or litigate the terms of this Contract shall be brought in the venue of Brevard County, Florida. Any Federal action may only be initiated in the Middle District Court, Orlando Division. Any action brought in either state or federal court shall be non-jury.

SECTION 13: ASSIGNMENTS

Contractor shall not assign any portion of this Contract without the written permission of the County.

SECTION 14: TERMINATION

If either party fails or refuses to perform any of the provisions of this Contract or otherwise fails to timely satisfy the contract provisions (with the exception of the County's obligation to make payments), either may notify the other party in writing of the nonperformance. The non-compliant party shall have three (3) working days to come into compliance with the Contract. If the non-compliant party fails to come into compliance or resolve the issue, the other party may issue a written notice of termination of the Contract to the non-compliant party, which shall be effective thirty (30) days from the date that the Notice of Termination was received. Any work completed or services provided prior to the date of termination shall, at the option of the County, become the property of the County. The County is only responsible for payment for work, on a pro rata basis, completed prior to the effective date of termination.

With regard to any failure of the County to make payments for undisputed work or delivered products and equipment under this Contract, the Contractor shall first notify the County in writing that the Contractor has not received any payment due by the County to the Contractor. The County shall have 30 days within which to remedy any confirmed delinquency in payment.

Under any circumstance of early termination, the Contractor shall reimburse the County for any payments made to the Contractor in advance for work not performed by the Contractor as of the effective date of the termination. Such payments shall be paid to the County within 15 days from the effective date of the early termination.

SECTION 15: TERMINATION FOR CONVENIENCE

The County retains the right to terminate the Contract, in part or in its entirety without cause, upon ninety (90) days prior written notice to the Contractor. In such event, the Contractor shall be paid for services performed through the date of termination on a pro rata basis.

SECTION 16: INDEPENDENT CONTRACTOR

The Contractor shall perform the services under this Contract as an independent contractor and nothing contained herein shall be construed to be inconsistent with this relationship or status. Nothing in this Contract shall be interpreted or construed to constitute the Contractor or any of its agents or employees to be the agent, employee or representative of the County.

SECTION 17: RIGHT TO AUDIT RECORDS/PUBLIC RECORDS

The County and its auditors shall be entitled to audit the books and records of the Contractor to the extent that such books and records relate to the performance of this Contract. Said records shall be made available, upon request, for audit purposes to Brevard County and its auditors. Such books and records shall be maintained by the Contractor for a period of three (3) years from the date of final payment under this Contract unless a shorter period is otherwise authorized in writing.

Both parties understand that Brevard County is subject to the Florida Public Records Law, Chapter 119, Florida Statutes and all other applicable. If records provided by the Contractor do not fall under a specific exemption under Florida or federal law, the records provided by the Contractor to the County must be provided to anyone making a public records request. It will be the Contractor's duty to identify the information which it deems is exempt under Florida or federal law and identify the statute number which requires the information be held exempt.

Should any person or entity make a public records request of the County which requires or would require the County to allow inspection or provide copies of records which the Contractor maintains are exempt under the Public Records Law or otherwise confidential, it shall be the Contractor's obligation to provide the County within 24 hours (not including weekends and legal holidays), or notification by the County to the Contractor of the records request, of the specific exemption or confidentiality provision to allow the County to comply with the requirements of Florida Statute 119.07(1)(e) and (f). Should the County face any kind of legal action to require or enforce inspection or production of any records provided by the Contractor to the County which the Contractor maintains are exempt or confidential from such inspection/production as a public record, the Contractor shall hire and compensate attorney(s) who shall represent the interests of the County as well as the Contractor in defending such action. The Contractor shall also pay any costs to defend such action and shall pay any costs and attorney's fees which may be awarded pursuant to Fla. Stat. 119.12.

SECTION 18: SECTION 508 ACCESSIBLE DOCUMENTS

The Contractor agrees that all documents that are part, required, or a direct result of this Contract shall follow Section 508 of the United States Rehabilitation Act. Complex maps, blueprints, plats, and construction/building plans are exempt.

SECTION 19: UNAUTHORIZED ALIEN WORKERS AND E-VERIFY

Brevard County will not intentionally award publicly-funded contracts to any contractor who knowingly employs unauthorized alien workers, constituting a violation of the employment provisions contained in 8 U.S.C. Section 1324a(e)(Section 274A(e) of the Immigration and Nationality Act "INA"). The County shall consider a contractor's intentional employment of unauthorized aliens as grounds for immediate termination of this Contract.

Employment Eligibility Verification (E-Verify):
The Contractor:

(1) Shall utilize the U.S. Department of Homeland Security's E-Verify system to verify the employment eligibility of all new employees hired by the Contractor during the term of the contract; and

(2) Shall expressly require any subcontractors performing work or providing services pursuant to this Contract to likewise utilize the U.S. Department of Homeland Security's E-Verify system to verify the employment eligibility of all new employees hired by the subcontractor during the term of this Contract; and

(3) Agrees to maintain records of its participation and compliance with the provisions of the E-Verify program, including participation by its subcontractors as provided above, and to make such records available to the County consistent with the terms of the Contractor's enrollment in the program. This includes maintaining a copy of proof of the Contractor's and subcontractors' enrollment in the E-Verify Program.

Compliance with the terms of this section is made an express condition of this Contract and the County may treat a failure to comply as a material breach of this Contract.

A contractor who registers with and participates in the E-Verify program may not be barred or penalized under this section if, as a result of receiving inaccurate verification information from the E-Verify program, the contractor hires or employs a person who is not eligible for employment.

Nothing in this section may be construed to allow intentional discrimination of any class protected by law.

Contractor shall execute a Confirmation of E-Verify Form which shall be incorporated herein and referred to as Attachment "H".

SECTION 20: FEDERAL TAX ID NUMBER

The Contractor shall provide to the County their Federal Tax ID Number or, if the Contractor is a sole proprietor, a Social Security Number.

SECTION 21: EMPLOYMENT

The Contractor shall not engage the services of any person or persons now employed by the County, including any department, agency, board or commission thereof, to provide services relating to this contract without written consent from the County.

SECTION 22: RESTRICTIVE COVENANT

Recognizing among other things the unique services provided by the employees of Contractor, Brevard County agrees not to solicit or hire said employees during the term of this Agreement (including any renewals thereof) and for a period of one (1) year thereafter without prior written consent of Contractor.

SECTION 23: PUBLIC ENTITY CRIMES

A person or affiliate who has been placed on the convicted vendor list following a conviction for a public entity crime may not submit a bid on a contract to provide any goods or services to a public entity, may not submit a bid on a contract with a public entity for the construction or repair of a public building or public work, may not submit bids on leases of real

property to a public entity, may not be awarded or perform work as a contractor, supplier, subcontractor, or consultant under a contract with a public entity, and may not transact business with any public entity in excess of the threshold amount provided in s. 287.017 for Category Two for a period of thirty six (36) months from the date of being placed on the convicted vendor list.

SECTION 24: OBLIGATIONS

The County's obligations set forth in this Contract shall be performed by County in a timely and proper fashion to allow Contractor to timely perform its obligations under this Contract.

a) County shall provide ready access to all sites owned, leased or otherwise controlled by County.

During the term of this Contract, the Contractor shall furnish all the Services specified in this Contract. Contractor understands and agrees that this is a requirement and that the County has no responsibility or obligation to the Contractor to assist in providing the required services.

SECTION 25: SECTION 22: EXCUSABLE DELAYS

In the event of any delay or failure excused by this Section, Contractor shall as soon as practical notify County and shall at the same time, or at the earliest practical date after such notice, specify the revised delivery and performance dates. In the event of such delay, the time of delivery or of performance shall be extended for a reasonable time period to compensate for the time lost by Contractor by reason of the delay. Contractor shall not be liable for delays in delivery or failure to perform due directly or indirectly to:

a) Causes beyond Contractor's reasonable control,

b) Acts of God, acts (including failure to act) of any governmental authority (de jure or de facto), wars (declared or undeclared), riots, revolutions, strikes or other labor disputes, fires, floods, sabotage, nuclear incidents, earthquakes, storms, epidemics,

c) Contractor's inability to timely obtain necessary materials, items, components or services from suppliers who are affected by the foregoing circumstances or

d) The failure of the County to perform its obligations hereunder in a timely manner. The foregoing shall apply even though any of such causes exists at the time of signature of the Contract by Contractor or occurs after delays in Contractor's performance of its obligations due to other reasons.

SECTION 26: PUBLIC RECORDS – EXEMPTIONS AND HOMELAND SECURITY

If Contractor receives any request for any records maintained or created pursuant to this Contract, before the Contractor (meaning any of its officers, agents, employees or subcontractors) provides records to anyone other than designated representatives of the County, it shall inform the designated representative of the County of the request for records by faxing or emailing the representative a copy of the request or a written description of the request. The Contractor shall not release any records until it receives the approval from the County's designated representative. All records must be reviewed for compliance with the Florida Public Records Act and the federal Homeland Security Act.

If the Contractor fails to comply with this paragraph on records, it shall reimburse the County for any attorney's fees and costs it incurs to retrieve such records, for any damages the County sustains as a result of the release of the records, and for the replacement of any

systems, equipment, software, etc. necessary to maintain the security of the County's two way radio system.

SECTION 27: ORDER OF PRECEDENCE

Any inconsistency between this Contract, Purchase Order Releases, the specifications and other documents will be resolved by giving precedence to those documents in the following order, with the document to be given greatest precedence listed first:

1. Purchase Orders with non-standard terms and conditions accompanied by a mutually approved Statement of Work.
2. This Contract and Attachments.
3. Purchase Orders with standard terms and conditions.

SECTION 28: CONSTRUCTION OF CONTRACT

The parties hereby acknowledge that they fully reviewed this Contract, its attachments and had the opportunity to consult with legal counsel of their choice, and that this Contract shall not be construed against any party as if they were the drafter of this Contract.

SECTION 29: NOTICE

Notice under this Contract shall be given by certified mail or hand delivery as follows:

To Brevard County:
Brevard County Emergency Management
1746 Cedar Street
Rockledge, Florida 32955
ATTN to: Emergency Management Director

To the Contractor:
4450 US Hwy 1, Vero Beach, FL 32967

IN WITNESS WHEREOF, the Parties hereto have set their hands and affixed their respective seals the day and year first above written.

THE COUNTY

BREVARD COUNTY BOARD OF COUNTY COMMISSIONERS

By: _____

Name: Rita Pritchett

Title: Chair

As approved by the Board on: 08/4/20

Date: 10/8/21

ATTEST/AUTHENTICATED:

By: _____

Name: Rizzo Reiz

Date: 10/8/21

REVIEWED FOR LEGAL FORM AND CONTENT:

OFFICE OF THE COUNTY ATTORNEY

By: _____

Name: Melissa H. Powers

Date: 9/17/2021

Vendor:

By: _____

Name: James M. Reed

Title: VP of Service

Date: 10/12/21

ATTEST/AUTHENTICATED:

By: _____

Name: VP Engineering

Date: 10/12/21

ATTACHMENT A: Scope of Service

1. Scope

During the term of this Contract as set forth in Section 4.0 of the Master Contract, the Contractor agrees to provide the County with;

1. Radio System Preventive Maintenance and Repairs.
2. Direct Current (DC) Plant Preventive Maintenance.
3. User Terminal Equipment Preventive Maintenance and Repairs.
4. Quality Assurance Check.
5. Miscellaneous Technical Services.

2. Condition of Service

The Contractor shall supply all supervision, labor, service facilities, repair parts, test equipment, and supplies necessary to meet the service requirements stated herein.

3. Service Facilities

The Contractor shall have a full-service maintenance facility available and staffed with factory trained service technicians. The location and staffing level shall be sufficient to meet the service requirements stated herein.

4. Contractor's Personnel

The Contractor shall provide a list of Contractor's employees (and any subcontractors) who will perform the work on the County system and equipment and for any entities which choose to utilize this Contract to have service performed on their respective two-way radio system(s). The list shall include as follows: the name of each individual; what equipment each individual will work on; and the degrees, certifications and licenses each individual holds. This list shall be updated any time an individual is added or removed from the list. In any event the list shall be updated monthly to advise the County of any certifications or licenses renewed, added or lost by any given individual.

For each individual the Contractor intends to authorize to work on the County's equipment under this Contract, the Contractor shall provide the County with his/her background check, including a criminal history check. The Contractor shall be responsible for the cost of such background checks.

The County reserves the right to refuse to allow any given Contractor's employee or subcontractor to perform the work contracted for under this Contract based on the background check. Should the County ever exercise this refusal, the Contractor shall be responsible for

submitting alternate personnel acceptable to the County with the necessary qualifications and prior background check approval to perform the work.

5. Fixed Equipment Maintenance

Fixed equipment is defined as the site repeater stations and associated equipment, multi- site coordinator, console electronics equipment and radio control stations.

All work on fixed equipment shall be performed at the location of the equipment. Emergency service shall be provided twenty-four (24) hours per day, seven days per week. Technical personnel must respond within two (2) hours of the request for emergency service. This service is included in the monthly maintenance rate. No fixed equipment shall be out of service in excess of twenty-four (24) hours after notification of equipment failure when the failure results in the inability of mobile units to communicate with each other or with a dispatch center.

The Contractor will notify the customer, either verbally or in writing if a repair on an item of fixed equipment will exceed ten (10) business days. If a repair on an item of fixed equipment will exceed thirty (30) business days, unless the repair involves factors outside of the Contractor's control, the monthly contract service charge for the particular item while out of service will be forfeited as penalty.

The Contractor shall not be liable for costs incurred for repair and/or replacement of equipment that becomes inoperative due to documented gross negligence on the part of the user, liquid intrusion, lightning damage, user installations, user removals, and/or acts of God. Any component parts replaced because of abuse on the part of the user shall be returned to the County for examination. The Contractor shall not be liable for costs incurred for correcting and/or repairing backbone damage and/or data corruption caused by improper operations or failure of associated systems. Associated systems are defined as any equipment used in the operations of the 800MHz Radio System that is not directly maintained by the Contractor.

6. User Terminal Equipment Maintenance

User terminal equipment (UTE) is defined as all vehicular, mounted radios, personal portable radios, vehicular repeaters and portable radio chargers.

UTE shall normally be serviced at a Contractor's facility during normal working hours. Exceptions will be allowable with the mutual concurrence of the County's contract manager and the Contractor Regional Manager responsible for Brevard service center operations. Emergency services shall be available twenty-four (24) hours per day, seven days per week. Emergency service on UTE equipment, if requested will be performed at the labor rate stated for demand emergency service.

The normal estimated time of repair of UTE delivered to the Contractor's local facility is three (3) to seven (7) business days. The Contractor will notify the customer, either verbally or in writing if a repair on an item of UTE will exceed ten (10) business days. If a repair on an item of UTE will exceed thirty (30) business days, unless the repair involves factors outside of the Contractor's

control, the monthly maintenance fee for the particular item will be forfeited as penalty. In the event of the Contractor's chronic failure to comply with the repair performance standards set forth above, the County reserves the right to add a clause to this Contract defining a minimum parts inventory to be maintained at the Rockledge Service Center.

The Contractor shall not be liable for costs incurred for repair and/or replacement of equipment that becomes inoperative due to documented gross negligence on the part of the user, liquid intrusion, lightning damage, user installations, user removals, and/or acts of God. Any component parts replaced because of abuse on the part of the user shall be returned to the County for examination.

7. Working Hours

Working hours are defined as 8:00 a.m. to 5:00 p.m. Monday through Friday excluding holidays observed by the County. Work performed outside of working hours is defined as emergency service; however, if work is begun prior to 5:00 pm during normal working hours but not yet completed, the work will continue and be billed at the regular rate.

8. Demand Services

The installation, removal, or reinstallation of equipment shall be performed by the Contractor, following reasonable notice, and at the hourly, demand-rates listed in Attachment C under the demand services labor rates to this Contract. Service work made necessary because of abuse or neglect not under the control of the Contractor will be performed at the daytime hourly rate for demand service, plus parts. Special work, not otherwise covered, will be performed at prevailing rates, or may be performed by the County or its agents at the County election and expense.

9. Preventive Maintenance

Within ten (10) business days of executing this Contract, the Contractor will provide the County a maintenance schedule which will outline all maintenance work to be performed setting out the equipment to be serviced, the location of the equipment, and the date projected for the service. The maintenance schedule shall be updated monthly reflecting whether or not the equipment due to be serviced for the preceding month was serviced or not, whether equipment had to be taken out of service and the projected return to service date. The Contractor will adhere to the following schedule:

9.1 User Equipment

Quality Assurance Check:

The Contractor will test all new Harris equipment prior to delivery in order to ensure it meets factory standards and is properly tuned, aligned, and programmed to work on the Brevard trunked system. This check shall be included as part of the baseline costing under standard Contractor delivery for new equipment.

Annual User Equipment test (Preventative Maintenance):

Perform verification on mobiles, portables and control stations covered by this Contract to validate factory specification. At a minimum, the user test will include measurements of output power, correct modulation including data rates and analog or digital voice, checking transmit and receive frequency and receiver sensitivity, correct any deficiencies found and document all results in a written report that can be provided to the County on request.

Damage due to gross physical abuse may be treated as Demand Service and will be billed accordingly.

9.2 Infrastructure

Daily system test:

Remotely access to review alarm conditions in the system. Investigate, note conditions, and provide resolutions.

Monthly system test:

Verify that the system is fully functional with an end-to-end voice test of all trunked channels and conventional at all site and transmitter locations. Verify microwave BER meets specifications. Collect and analyze microwave error logs as needed for any events causing unavailable seconds. Perform monthly inspection of sites using checklist provided by the County including visual observation of antennas/antenna tower, guy wires and guy points, antenna tower obstruction lighting and remote controller. Check obstruction lighting for proper functioning. Note deficiencies found where applicable for corrective action and provide the County a copy of the completed checklist.

Annual Preventive Maintenance:

Perform preventative maintenance checks on all trunked and conventional repeater stations and site equipment to include: power output, modulation levels, high speed data, low speed data, analog deviation, output frequency, and receive sensitivity. Check antenna forward power, antenna reflected power, combiner performance, and multi-coupler performance at all sites, both conventional and trunked. Sweep and save Return Loss plots for all base station's antennas trunked and conventional. Document results using a standard reporting format. Correct any deviations from system specifications. Perform monthly site inspection using checklist provided by the County, providing a copy of the completed checklist and noting deficiencies found to the County where applicable for corrective action.

DC Plant Preventive Maintenance:

The DC plant preventive maintenance includes checks and reports. It does not include

parts and/or labor for the repairs.

Table 1: DC Plant Preventive Maintenance

Task #	Description	Frequency
1	Visual Inspection: look for discoloration, broken parts, alarms etc.	Quarterly
2	Thermal Scan: IR Temperature scan each battery and main terminals	Quarterly
3	Measure & Record Voltages: Measure each battery voltage and record value	Quarterly
4	Prepare Report	Quarterly
5	Torque Bolts: torque battery bolts and strapping bolts to manufacturers recommended values	Annually
6	Measure Ohmic value of each battery and record	Annually

10. Service Records

Copies of billable service records and County work orders will be provided by the Contractor to the County contract manager every two weeks at a minimum. The parties shall agree upon an electronic format of transmitting the service records, which shall include a scanned copy of the work order (which shall have a legible signature from an authorized representative of the County before it will be accepted to be processed for payment) with each service record and request for payment.

Copies of non-billable service records will be retained by the Contractor during the lifespan of the Contract and any subsequent extensions, and a copy of the same will be provided to the County upon request.

11. Database Reprogramming

Annual UTE radio software updates will be provided by the Contractor during annual Preventative Maintenance. Logical ID terminal equipment reprogramming changes will be provided upon request at no cost to the customer.

12. Additions and Deletions

The quantity of units to be maintained & serviced may be added to or subtracted from the Contract while the Contract is in force. New units purchased in any given budget fiscal year may be added to the Contract in the month following the expiration date of the manufacturer's warranty.

All units added to or removed from service in a particular month, will be added to or dropped

from charges to the user the first month of the following quarter. Written authorization (EMAIL acceptable) will be required to add to or delete from Attachment B. All units are to be identified with LID number, serial number, and County property number.

13. Batteries

Due to the variation and inconsistency of battery manufacturers, all portable batteries used on portable equipment covered under this Contract must be certified by the radio manufacturer for use on that unit. Any repairs due to such non-certified batteries will be at the demand service rate plus materials. All batteries provided by the Contractor as new to a Brevard County or affiliated customer shall be engraved with an in-service date, location, and Work Order number.

14. Warranty

All Services provided under this Contract shall be free from defects in materials and workmanship and shall be the kind and quality necessary to assure performance of the equipment in accordance with the terms of this Contract. See paragraph 12.0 of the Contract.

15. Incorporation from Master Contract

All provisions in the Master Contract Sections 1.0 through 27.0 not inconsistent with the provisions contained in this Attachment A are incorporated herein and made a part hereof by reference.

16. Signal Coverage

A. Communications International will report to Brevard County any repeated instances of user feedback, complaints, or documented deficiencies in coverage in any given areas of Brevard County on the 800 MHz Public Safety Trunked System. The 800 MHz system users will be requested to submit an on-line request via the County's radio system website in the event that repeated coverage deficiencies are identified.

B. Upon request from the 800 MHz administration office, the Contractor will perform signal strength testing and advise if there is a documented, repeatable system signal coverage issue in the indicated area(s).

C. Upon request from the 800 MHz administration office via radio communications work order, the Contractor will attempt to enhance the coverage in any identified dead spot areas within the technical limitations of the system hardware and the limitations in coverage patterns as defined by the Federal Communications Commission and the Region 9 committees.

D. The Contractor will provide written documentation of their actions in addressing any signal coverage complaints to the County for their files and further action.

17. Coordination of radio system operations

A) In the event of a staffing shortfall or other such circumstance as the needs of the County may dictate, Brevard County shall have the option of procuring ongoing professional services from the Contractor to address the County's needs for management of certain aspects of integrated radio system operations. These services may include but are not limited to the following services, which maybe procured asneeded:

1) VIDA interoperability switch database management and operations to include coordination with requesting user(s) and documentation of changes to the satisfaction of the County;

2) Communications Systems Director database management and operations to include coordination with requesting user(s) and documentation of changes to the satisfaction of the County;

3) FCC radio licensing preparation services, license management, and license monitoring services;

4) Monitoring and management of outside vendor operations to assure quality control and correct delivery of services. This may also include services provided by other County offices to the radio system.

5) System planning and design services for both trunked and conventional radio systems. Interface with system users to insure correct operation of the radio system as well as coordinating responses to user questions.

6) Radio tower and antenna site management and site design services.

7) Other professional services as requested by the Emergency Management Director within the Board-authorized scope of services under this Contract.

B) Rate(s) for these services shall be offered to the County by the Contractor on a monthly basis and shall be presented on a comprehensive flat-rate basis, not split by type ofservice.

C) The Contractor will advise the County if, in its best judgment, services requested are not within the Contractor's ability to perform the same. Inability of Contractor to perform and deliver service as requested under this section will not prejudice the continuity of the Contract as a whole.

ATTACHMENT B: RADIO SYSTEM EQUIPMENT AND PRICING LISTS

Monthly Total: $34,178.56

Yearly Total: $410,142.76

Table 1: Backbone charges for the Control Point Equipment

Description	Titusville	Palm Bay	Indian Harbour Beach	Each	Total
Alarm IEA	1	1	1	$54.47	$163.42
Multiplexers (Site & IMC Mux)	5	4	3	$25.88	$310.57
SIM	1	1	1	$300.50	$901.49
SSCP (Vertical Site Pro's)	14	20	12	$25.05	$1,152.26
Test/Alignment Radio (Control/Test Rack)	1	1	1	$257.72	$773.17

Table 2: Backbone charges for Simulcast sites and microwave hubs

Description	Barefoot Bay	Palm Bay	Scottsmoor	Titusville	Each	Total
DC Plant Preventive Maintenance	1	1	1	1	$59.40	$237.62
Alarm Sys	1	1	1	1	$54.47	$217.90
Combiners	3	3	2	2	$60.21	$602.11
S/C Common Equip (Rack)	1	1	1	1	$239.71	$958.85
MASTR III (w/ Site Pro)	20	20	14	14	$148.81	$10,118.95
Microwave (MW Hub)	2	2	2	2	$38.26	$306.08
Multicoupler & TTA	1	1	1	1	$93.78	$375.13
Multiplexers	1	1	1	1	$25.51	$102.03
Timing equipment	1	1	1	1	$17.39	$69.56

Table 3: Backbone charges for Simulcast sites

Description	Cocoa Beach	IHB	Melbourne	Rockledge	Sharpes	Each	Total
DC Plant Preventive Maintenance	1	1	1	1	1	$59.40	$297.02
Alarm Sys	1	1	1	1	1	$54.47	$272.37
Combiners	2	2	3	2	2	$60.21	$662.32
S/C Common Equip (Rack)	1	1	1	1	1	$239.71	$1,198.56
MASTR III (w/ Site Pro)	12	12	20	14	14	$148.81	$10,714.18
Multicoupler & TTA	1	1	1	1	1	$93.78	$468.92
Multiplexers	1	1	1	1	1	$25.51	$127.53
Timing equipment	1	1	1	1	1	$17.39	$86.94

Table 4: Backbone charges for the IMC equipment

Description	Rockledge	M/A	Each	Total
IMC Switch	1	0	$149.29	$149.29
Multiplexers	0	7	$27.59	$193.10
Fiber Muxes	2	0	$27.00	$54.01
CSD & MOM System	1	0	$165.44	$165.44
Backup CSD & MOM System	1	0	$165.44	$165.44

Table 5: Backbone charges for the VIDA network

Description	Quantity	Each	Total
VIP Console	2	$27.59	$55.17
Migration Gateway/GVIUS	1	$662.01	$662.01
Backup Migration Gateway Server	1	$112.69	$112.69
Firewalls	1	$22.07	$22.07
UAC Chassis - R5	1	$11.04	$11.04
UAC Channels - R5	4	$11.04	$44.15
UAC Chassis	4	$11.04	$44.15
UAC Channels	44	$11.04	$485.68
Interop Routers	4	$11.04	$44.15
Routers	9	$11.04	$99.34
Switches	12	$11.04	$132.46
Labor Core Software FX Install	1	$231.18	$231.18
NSC Server SANSC	2	$695.12	$1,390.23

ATTACHMENT C: MISCELLANEOUS TECHNICAL SERVICES RATES

Table 1: Technical Services Rates

SERVICE RATES	WORKING HOURS 8AM-5PM FROM M-F	EMERGENCY SERVICES
Radio Repair Service Hourly Rate	$87.00	$129.00
Reprogramming: Portable and Mobile Unit Rate	$34.00	$129.00
Programming: New Unit Rate	$34.00	$129.00
*Bulk Reprogramming: New Unit Rate	$22.00	$129.00
Clerical Hourly Rate	$65.00	NA
System Design Engineering Hourly Rate	$135.00	NA
Engineering Hourly Rate	$135.00	
RF Propagation Hourly Rate	$135.00	NA
Inter-Modulation Study Hourly Rate	$120.00	NA
Traffic Analysis Hourly Rate	$120.00	NA
Dispatch Center Consulting Hourly Rate	$120.00	NA
FCC Frequency Searches Hourly Rate	$120.00	NA
BDA Initial Assessment	$350.00 + $10.00 per grid >20	NA
BDA Final Assessment	$825.00 + $15.00 per grid >20	NA
Annual BDA Operational Assessment	$250	NA

*The programming rate for maintenance contract customers will be reduced to $22.00 per unit if:

1. The agency provides a minimum of 100 units for programming within 5 consecutive business days or

2. Programming is completed during a scheduled annual Preventative Maintenance effort.

ATTACHMENT D: Pricing Discounts

Pricing discounts for all Harris manufactured equipment will be at the current Public Safety discount level of **25%** off list price as published on the Harris website. All list pricing will reference the most current pricing available from Harris Corporation.

All other vendor items will be priced to the County at either current published "Public Safety or Government" discount levels or at a minimum of **5%** discount from the manufacturer's published list price, whichever provides the better discount level to the Customer.

Discounts on all other manufactured equipment, custom equipment, and software not having published pricing or discount levels will be quoted at the time of request. All prices will be at best pricing offered to Public Safety agencies by Contractor in the State of Florida.

ATTACHMENT E: PER UNIT EQUIPMENT MAINTENANCE RATES

Table 1: UTE Monthly Maintenance Rates

DESCRIPTION	PRICE
Mobile Radios	$11.00
Portable Radios	$11.00
Desktop Station	$17.00
Dual Control Adders	$3.00
EMC Interface	$11.00
Zetron Encoder	$28.00
Decoder (STALII')	$13.00
Zetron Switch	$75.00
Consoles	$117.00

ATTACHMENT F: System Failure Escalation Procedure

1. Upon notification of a system failure the on-call technician will immediately (within 15 minutes) contact the customer-designated location to ascertain the nature of the failure and its location. The technician will then promptly address the problem to isolate the cause and/or repair as necessary. A maximum response time of TWO HOURS is allotted for the on-call technician to arrive to the trouble location from the time the problem is reported to the Contractor call center by the Customer.

2. Should the technician be unable to locate the failure cause or repair the problem within ONE HOUR after arriving at the site of the failure or callout, the Contractor RF system engineer assigned to Brevard County will be notified. If the RF engineer is unable to respond or the problem is of unusual complexity, the technician will notify the Contractor Regional Manager assigned to Brevard County.

3. The Contractor Regional Manager will then assess the situation along with the repair diagnosis and the progress in implementation of the repair. If the resolution is not forecast - within an hour, the Contractor Regional Manager may request assistance from other Contractor offices and personnel to expedite the repair. The Contractor Regional Manager will also, at this point, contact the Brevard County Emergency Management radio system contact to inform of the situation and the repair status.

4. Should a repair be of such scope and complexity as to exceed eight (8) hours in duration, the Contractor Regional Manager will contact the Contractor Vice President of Services to advise of the situation and to request such assistance as may be required. The Contractor Regional Manager will also, at this point, contact the Brevard County Emergency Management radio system contact to inform of the situation and the repair status.

ATTACHMENT G: Specialized Service

As needed by the County, the County may issue a RFP or solicitation for bid Specialized Services. Alternatively, the County may submit a request for a price proposal for Specialized Service in writing to the Contractor. Contractor shall perform the Specialized Services as agreed to in writing by the Parties. These services shall be paid for as Special Order. Contractor shall not begin work on Specialized Services until receipt of a written notice by the County to begin work. The procedure for authorization of Specialized Services by the Director of Brevard County Emergency Management Office is as follows:

1. The County submits a request for a price proposal with a description of the Specialized Service to be performed. Contractor provides written price proposal with scope of work to be performed and schedule for completing the work, specifying all Sole Source Services and/or Products.

2. The County identifies the percentage of Sole Source Services and/or Products out of the total project cost and evaluates the proposal within the Specialized Services categorization. Services and/or Products outside of the Sole Source definition and for $15,000.00 or above in value, should be obtained by the County, via Bid/Proposal/Competitive Negotiated Agreement and reviewed and approved by the County.

3. Following agreement on scope, sub-contractors, schedule and fees, the County approves authorization to proceed by way of a written SRO.

4. The Contractor shall provide a project team to manage and oversee the implementation of the enhancement, providing a project manager who will serve as the primary point of contact for the County and who will be responsible for developing the project plan, outlining major milestones, work tasks and schedules. In addition, the project manager will oversee Contractor staff and approved sub-contractors assigned with responsibilities for various aspects of development and implementation plan.

BREVARD COUNTY
BOARD OF COUNTY COMMISSIONERS

CONTRACT REVIEW AND APPROVAL FORM

SECTION I - GENERAL INFORMATION

1. Contractor: Communications International, Inc.	**2. Amount:** $500,000/Year
3. Fund/Account #: 0031/220700	**4. Department Name:** Emergency Management
5. Contract Description: Public Safety Radio System Maintenance	
6. Contract Monitor: Lisa Morgan	**8. Contract Type:** SERVICES
7. Dept/Office Director: John Scott	
9. Type of Procurement: Invitation to Bid (ITB)	

SECTION II - REVIEW AND APPROVAL TO ADVERTISE

COUNTY OFFICE	APPROVAL YES	APPROVAL NO	SIGNATURE
User Agency	☑	☐	Scott, John — Digitally signed by Scott, John Date: 2021.06.24 14:04:53 -04'00'
Purchasing	☑	☐	Darling, Steven — Digitally signed by Darling, Steven Date: 2021.06.21 16:13:36 -04'00'
Risk Management	☑	☐	Lairsey, Matt — Digitally signed by Lairsey, Matt Date: 2021.06.09 07:51:36 -04'00'
County Attorney	☑	☐	Powers, Melissa — Digitally signed by Powers, Melissa Date: 2021.06.21 15:52:20 -04'00'

SECTION III - REVIEW AND APPROVAL TO EXECUTE

COUNTY OFFICE	APPROVAL YES	APPROVAL NO	SIGNATURE
User Agency	☑	☐	Scott, John — Digitally signed by Scott, John Date: 2021.09.21 10:42:18 -04'00'
Purchasing	☑	☐	Darling, Steven — Digitally signed by Darling, Steven Date: 2021.09.17 16:14:16 -04'00'
Risk Management	☑	☐	Lairsey, Matt — Digitally signed by Lairsey, Matt Date: 2021.09.20 10:48:03 -04'00'
County Attorney	☑	☐	Powers, Melissa — Digitally signed by Powers, Melissa Date: 2021.09.17 11:53:59 -04'00'

SECTION IV - CONTRACTS MANAGEMENT DATABASE CHECKLIST

CM DATABASE REQUIRED FIELDS	Complete ✓
Department Information	☐
Department	☐
Program	☐
Contact Name	☐
Cost Center, Fund, and G/L Account	☐
Vendor Information (SAP Vendor #)	☐
Contract Status, Title, Type, and Amount	☐
Storage Location (SAP)	☐
Contract Approval Date, Effective Date, and Expiration Date	☐
Contract Absolute End Date (No Additional Renewals/Extensions)	☐
Material Group	☐
Contract Documents Uploaded in CM database (Contract Form with County Attorney/ Risk Management/ Purchasing Approval; Signed/Executed Contract)	☐
"Right To Audit" Clause Included in Contract	☐
Monitored items: Uploaded to database (Insurance, Bonds, etc.)	☐

Brevard COUNTY
Purchasing Services

Purchasing Services
2725 Judge Fran Jamieson Way
Building C, Room 303
Viera, Florida 32940

NOTICE OF AWARD
August 13, 2021
B#/7-21-81 800MHz Radio System Maintenance

PROCUREMENT ANALYST: Stephanie Reynolds

VENDOR	VENDOR CITY AND STATE	MEETS MINIMUM REQUIREMENTS	ITEMS AWARDED	AWARD AMOUNT
Communications International, Inc	**Vero Beach, FL**	**Yes**	**ALL**	**$410,142.76 Yearly Total**

☐ BOARD AWARD--AGENDA ATTACHED

☒ APPROVED AWARD (NON-BOARD AGENDA): _____
(Per Sections III.E. & III.I. & J., BCC-25, PROCUREMENT) Steven A. Darling Jr., Central Services Director

☐ Award to overall lowest, most responsive bidder, minimum three responses received.
☐ Award to other than low, with low bid being non-responsive.
☒ Award to low bid, less than three responses received.

AWARDED BY A COMMITTEE CONSISTING OF: Lizzet Ruiz, Public Safety Radio Systems Manager; Stephanie Reynolds, Procurement Analyst; Summer Wyllie Purchasing Supervisor

FOR PURCHASING USE ONLY:

☐ ONE-TIME PURCHASE

☒ ANNUAL BID:
EFFECTIVE DATE: October 1, 2021 ENDING DATE: September 30, 2026
RENEWAL OPTION ☐ One year ☐ Other (fill in) _____

☐ Prompt Payment Discount Offered ☐ Yes_____ (Terms) ☒NO
☐ Performance and payment bonds received with construction contract documents.
☐ Release Cashier's or Certified Check Received for Bid Deposit on Bids

SPECIAL INSTRUCTIONS TO AWARDED VENDOR:

☒ Please provide certificate of insurance.
☐ Please provide performance and payment bonds as required.
☐ OTHER:

SW

Legislation Details (With Text)

File #:	21-747	**Version:**	1	**Name:**	
Type:	Ordinance			**Status:**	Public Hearing
File created:	11/10/2021			**In control:**	City Council
On agenda:	12/14/2021			**Final action:**	
Title:	Approval of Ordinance No. 12-2021/second and final reading: Amending Chapter 2, Administration, Article VIII, Firefighters' Retirement Plan of the Code by amending: Section 2-271, Definitions, adding definition of death in the line of duty; Section 2-324, Disability, amending the benefit for a service incurred disability; Section 2-325, Preretirement Death, amending to create a new pre-retirement death benefit for members killed in the line-of-duty. (Administrative Services Director)				
Sponsors:	Department Director				
Indexes:					
Code sections:					
Attachments:	12-2021 Cocoa Firefighters Pension Ordinance (Final Reading).pdf 12-2021 Actuarial Impact Statement.pdf Ad Confirmation: Ordinance 12-2021.pdf				

Date	Ver.	Action By	Action	Result

CITY COUNCIL AGENDA ITEM

Memo Date: November 10, 2021
Agenda Date: December 14, 2021
Prepared By: Tammy B. Gemmati, Administrative Services Director
Through: Stockton Whitten, City Manager
Requested Action:
Approval of Ordinance No. 12-2021/second and final reading: Amending Chapter 2, Administration, Article VIII, Firefighters' Retirement Plan of the Code by amending: Section 2-271, Definitions, adding definition of death in the line of duty; Section 2-324, Disability, amending the benefit for a service incurred disability; Section 2-325, Preretirement Death, amending to create a new pre-retirement death benefit for members killed in the line-of-duty.

BACKGROUND:

The City of Cocoa has an established Firefighters' Retirement Plan in accordance with Chapter 175, Florida Statutes for the benefit of the City's Firefighters. Under this statute, the City is required to provide a minimum level of pension benefits, which includes a pension benefit for a service-connected disability. The City recently concluded collective bargaining with both the International Association of Firefighters Local 2416 for the rank and file members and Teamsters Fire District Chiefs which resulted in adding specific benefits for in the line-of-duty death benefits if the disability occurs as the result of an active shooter event or mass killing.

These proposed benefit changes have been done so under the guidance of the City's pension

attorney Glenn Thomas of Lewis, Longman, & Walker. According to information provided by legal counsel, there are not many pension plans that have specific benefits for situations defined in this ordinance. A draft ordinance was provided to the Pension Plan's attorney Mark Floyd, Mierzwa & Floyd, P.A. and the Plan's actuarial firm Foster and Foster. Additionally, edits were made to the disability section to reflect the current disability multiplier being used and to comply with Florida State Statute Section 112.1816 for firefighters who become disabled due to a cancer diagnosis or circumstances that arise out of the treatment of such cancer on or after July 1, 2019.

After the first reading the actuary will provide an impact statement to accompany the second reading. City Staff hired a third-party actuary firm to conduct an analysis of these changes and it was found to have a minimal budgetary impact.

The following amendments to the pension plan in the proposed ordinance include:

1. Section 2-271, Definitions

   This section was amended to include a new definition of "death in the line of duty." The definition complies with the requirements of Section 112.1816, for firefighters who die as the result of cancer or the treatment of cancer.

2. Section 2-324, Disability

   (a) Service Incurred.

   - Effective October 1, 2021, the disability benefit shall be an amount equal to the member's accrued retirement benefit accrued at three percent (3%) of average monthly earnings; provided such amount is not less than forty-two percent (42%) of the member's average monthly earnings at the time of disability.
   - A separate disability benefit was added if the service incurred disability is the result of an active shooter situation or mass killing event. In these two situations, the minimum benefit would not be less than sixty percent (60%) of the member's average monthly salary at the time of death versus the plan's current minimum benefit of forty-two percent (42%). An active shooter situation is defined in the ordinance and with the FBI as an individual actively engaged in killing or attempting to kill people in a confined and populated area. Our ordinance references the federal code 28 U.S.C. s. 530C which has defined a mass killing event as three or more killings in a single incident.

   (f) Cancer Presumption. The plan is amended to reference the Florida Statute 112.1816 where as a firefighter is eligible for certain benefits upon a cancer diagnosis on or after July 1, 2019. The City's Plan is now being updated to reflect this change.

3. Section 2-325, Preretirement Death

   (c) *Death in line of duty.* When evaluating the changes for the active shooter and mass casualty disability it was recommended by the City's pension attorney to define in line of duty death benefits for members effective October 1, 2021. The proposed language in the City's ordinance mirrors language in the Florida Retirement System (FRS), except for deaths as a

result of an active shooter and mass casualty situation. Specifically, this new language covers different situations dependent on whether the member is married or unmarried at the time of event.

4. Incorporation into the Code. Specific authority is hereby granted to codify and incorporate this Ordinance in the existing Code of Ordinances of the City of Cocoa.

5. Repeal of Prior Inconsistent Ordinances and Resolutions. All Ordinances or parts of Ordinances in conflict herewith be and the same are hereby repealed.

6. Severability. If any section, subsection, sentence, clause, phrase of this ordinance, or the particular application thereof shall be held invalid by any court, administrative agency, or other body with appropriate jurisdiction, the remaining section, subsection, sentences, clauses, or phrases under application shall not be affected thereby.

7. Effective Date. The Ordinance shall be effective immediately upon adoption by the City Council.

City Council approved the first reading of this Ordinance at the November 9 City Council Meeting. There have been no changes to the item since then. The notice of the second reading was publicly advertised as a public hearing. The Plan's actuary Doug Lozen prepared the impact statement which is attached to the agenda item. City Administration recommends approval of Ordinance No. 12-2021/second and final reading, related to changes in the Firefighters' Retirement Plan: Section 2-271, Definitions, adding definition of death in the line of duty; Section 2-324, Disability, amending the benefit for a service incurred disability; Section 2-325, Preretirement Death, amending to create a new pre-retirement death benefit for members killed in the line-of-duty.

STRATEGIC PLAN CONNECTION:

N/A

BUDGETARY IMPACT:

Budgeted: Yes

An actuarial analysis on this benefit change was conducted by both an outside actuary hired by the City and the Plan's actuary. It was determined the budgetary impact is minimal. The Pension Plan's actuary has provided an impact statement for this public hearing.

PREVIOUS ACTION:

At a regular City Council Meeting on November 9, 2021, City Council approved the first reading of Ordinance No. 12-2021 amending Chapter 2, Administration, Article VIII, Firefighters' Retirement Plan

of the Code by amending: Section 2-271, Definitions, adding definition of death in the line of duty; Section 2-324, Disability, amending the benefit for a service incurred disability; Section 2-325, Preretirement Death, amending to create a new pre-retirement death benefit for members killed in the line-of-duty.

At a regular City Council Meeting on July 10, 2019, City Council approved Ordinance No. 9-2019 amending Chapter 2, Administration, Article VIII, Firefighters' Retirement Plan of the Code by amending: Section 2-281, Board Designated as Administrator, Composition, extending the terms of office for the Board of Trustees from two to four years; Section 2-308, Investment Powers of the Board, modifying the investment policy to allow the board to invest up to twenty-five percent of plan assets in foreign securities.

RECOMMENDED MOTION:

Approval of Ordinance No. 12-2021/second and final reading: Amending Chapter 2, Administration, Article VIII, Firefighters' Retirement Plan of the Code by amending: Section 2-271, Definitions, adding definition of death in the line of duty; Section 2-324, Disability, amending the benefit for a service incurred disability; Section 2-325, Preretirement Death, amending to create a new pre-retirement death benefit for members killed in the line-of-duty

powered by Legistar™

ORDINANCE NO. 12-2021

AN ORDINANCE OF THE CITY COUNCIL OF THE CITY OF COCOA, BREVARD COUNTY, FLORIDA, AMENDING CHAPTER 2, ADMINISTRATION, ARTICLE VIII, FIREFIGHTERS' RETIREMENT PLAN, OF THE CODE OF ORDINANCES OF THE CITY OF COCOA BY AMENDING SECTION 2-271, DEFINITIONS; AMENDING SECTION 2-324, DISABILITY; AMENDING SECTION 2-325, PRERETIREMENT DEATH; PROVIDING FOR CODIFICATION; PROVIDING FOR SEVERABILITY OF PROVISIONS; REPEALING ALL ORDINANCES IN CONFLICT HEREWITH AND PROVIDING AN EFFECTIVE DATE.

WHEREAS, the City of Cocoa established the Firefighters' Retirement Plan pursuant to Ordinance No. 9-93, in accordance with Chapter 175, Florida Statutes for the benefit of the City's firefighters.

NOW, THEREFORE, BE IT ENACTED BY THE CITY COUNCIL OF THE CITY OF COCOA, BREVARD COUNTY, FLORIDA AS FOLLOWS:

SECTION 1: That Section 2-271, Definitions; in Article VIII of Chapter 2, Part II of the City Code of the City of Cocoa, Florida, is amended to read as follows (Underlined type are additions and ~~strikeout~~ type are deletions to the City Code):

Sec. 2-271. - Definitions.

As used herein, unless otherwise defined or required by the context, the following words and phrases shall have the meaning indicated:

* * *

Death in line of duty: Death arising out of and in the actual performance of duty required by a member's employment during his or her regularly scheduled working hours or irregular working hours as required by the city. The Board may require such proof as deemed necessary as to the time, date, and cause of death, including evidence from any available witnesses. Workers' Compensation records under the provisions of chapter 440, Florida Statutes may also be used. Death in the line of duty shall not include death resulting from conduct found in deliberate violation or disregard of standards of behavior which the city has the right to expect of an employee; or carelessness or negligence by the member of such a degree or recurrence as to manifest culpability, wrongful intent, or evil design, or to show an intentional and substantial disregard of the city's interests or of the member's duties and obligations to the city. As provided in, and subject to the limitations of, section 112.1816, Florida Statutes, any member whose death results from cancer initially diagnosed on or after July 1, 2019, or from circumstances arising from the treatment of such cancer, shall be considered to have died in the line of duty for all purposes under the Plan.

* * *

SECTION 2: That Section 2-324, Disability, in Article VIII of Chapter 2, Part II of the City Code of the City of Cocoa, Florida, is amended to read as follows (Underlined type are additions and ~~strikeout~~ type are deletions to the City Code):

* * *

Sec. 2-324. - Disability.

(a) *Service incurred.* Any member who receives a service-connected injury, disease or disability, which, in the opinion of the board in accordance with Section 175.191, Florida Statutes permanently incapacitates the member, physically or mentally from rendering useful and efficient service as a firefighter, shall, effective December 31, 1999, receive monthly, a disability benefit in an amount equal to the member's accrued retirement benefit (accrued at the statutory two percent (2%) minimum; provided such amount is not less than forty-two percent (42%) of the member's average monthly earnings ~~salary~~ at the time of disability. Effective October 1, 2021, the disability benefit payable under this subsection (a) shall be an amount equal to the member's accrued retirement benefit accrued at three percent (3%) of average monthly earnings; provided such amount is not less than forty-two percent (42%) of the member's average monthly earnings at the time of disability. If the service-connected disability occurred during an active shooter event (defined as an individual actively engaged in killing or attempting to kill people in a confined and populated area) or mass killing event, as defined in 28 U.S.C. s. 530C, and as the direct result of the unlawful and intentional act of the perpetrator of such event, the disability benefit shall equal the member's accrued retirement benefit (accrued at the statutory two percent (2%) minimum) provided such amount is not less than sixty percent (60%) of the member’s average monthly earnings at the time of disability. The benefit shall be paid beginning when the member's sick pay and accrued vacation have expired and will continue until the payment due next preceding the date of recovery, as determined by the board, or if the member dies without recovery from the disability, the payment due next preceding the member's death or the one hundred twentieth (120th) monthly payment, whichever is later. An optional form of benefit providing death benefits, may be elected.

(b) *Nonservice incurred.* Any member who receives a nonservice connected injury, disease or disability, which, in the opinion of the board in accordance with Section 175.191, Florida Statutes permanently incapacitates the member, physically or mentally, from useful and efficient service as a firefighter, shall receive monthly, a disability benefit in an amount equal to one-twelfth (1/12) of twenty-five percent (25%) of the member's rate of regular base salary in effect as of the date of disability. The benefit shall be paid beginning six (6) months from

the date of disability until the earlier of recovery, as determined by the board, or death. An optional form of benefit, providing death benefits may be elected.

(c) *Determination of disability.* All questions relating to eligibility for initial payment or continuance of disability benefits shall be determined by the board taking into consideration the recommendations of the duly qualified physician or surgeon selected by the board to examine the member and based upon the methods and procedures established by the board. In the event that any disabled member could otherwise still be employed, or be reemployed as an employee except that the position for which the member is qualified is not available due to being currently filled, the benefit shall be payable only until such position again becomes available. The board may require, at its expense, periodic medical reexamination of disabled members.

(d) *Exclusions.* Disability benefits shall not be payable in cases where the disability is a result of:

(1) Excessive and habitual use of drugs, intoxicants, or narcotics;

(2) Injury or disease sustained while willfully and illegally participating in fights, riots, civil insurrections or while committing a felony;

(3) Injury or disease sustained while serving in the armed forces;

(4) Injury or disease sustained after employment as a firefighter has terminated, whether voluntarily or involuntarily.

(5) Injury or disease sustained while working for anyone other than the city and arising out of such employment during the first ten (10) years of credited service.

(e) *Recovery.* In the event of recovery from disability as determined by the board and immediate reemployment by the city as an employee, the period of time while disabled shall be included as credited service. In the event of recovery, or the refusal by the member to submit to medical reexamination, but without immediate reemployment as an employee, the member's future benefits shall be determined as though the member initially terminated employment on the member's date of disability.

(f) *Cancer presumption*. Subject to the requirements and limitations under s. 112.1816, F.S., if a firefighter is totally and permanently disabled due to cancer diagnosed on or after July 1, 2019, or circumstances that arise out of the treatment of such cancer, the disability shall be deemed by the Board to have been directly caused by the performance of his or her duty as a firefighter.

* * *

SECTION 3: That Section 2-325, Preretirement Death, in Article VIII of Chapter 2, Part II of the City Code of the City of Cocoa, Florida, is amended to read as follows (Underlined type are additions and ~~strikeout~~ type are deletions to the City Code):

* * *

(a) Prior to eligibility for retirement. ~~The~~ Except as provided under subsection (c), the death benefit payable on behalf of a member who dies prior to being eligible for early, normal, or delayed retirement shall equal the member's accumulated contributions with interest.

(b) Deceased employees eligible for retirement. The beneficiary of any actively employed member who is eligible for but dies prior to early, normal, or delayed retirement, shall, effective December 31, 1999, be entitled to the benefits otherwise payable to the member at early or normal retirement age, accrued at the statutory two percent (2%) minimum.

(c) *Death in line of duty.* Effective October 1, 2021, if a member, other than a participant in the Deferred Retirement Option Plan, dies in the line of duty, a death benefit shall be paid as follows:

(1) If the member is married at the time of death, the member's spouse shall receive the greater of, a monthly benefit equal to forty-two percent (42%) of the member's average monthly earnings at the time of the member's death, or if the member was vested, the member's accrued retirement benefit (calculated at 3% of average monthly earnings), payable for the life of the spouse. If the surviving spouse of a member killed in the line of duty dies, or if the member killed in the line of duty leaves no surviving spouse but is survived by a child or children under 18, the monthly payment that would have been payable to such surviving spouse had such surviving spouse lived shall be paid for the use and benefit of such member's child or children under 18 years of age and unmarried or, until the 25th birthday of any child of the member if the child is unmarried and enrolled as a full-time student.

(2) If the member is not married at the time of death, a monthly benefit equal to forty-two percent (42%) of the member's average monthly earnings at the time of the member's death shall be split equally among the member's beneficiaries. Benefit payments to a beneficiary under this paragraph shall continue for twenty (20) years or until the death of the beneficiary, whichever occurs first.

(3) If a member's line-of-duty death occurred during an active shooter event (defined as an individual actively engaged in killing or attempting to kill people in a confined and populated area) or mass killing event, as defined in 28 U.S.C. s. 530C, and was the direct

result of the unlawful and intentional act of the perpetrator of such of event, the benefit payable to the member's beneficiary or beneficiaries as provided in this subsection (c) shall equal the greater of, sixty percent (60%) of the member's average monthly earnings at the time of death, or if the member was vested, the member's accrued retirement benefit (calculated at 3% of average monthly earnings).

(4) The benefit provided under this subsection (c) shall commence on the first day of the month coincident with or next following the date of the member's death and shall supersede any other distribution that may have been provided by the member's designation of beneficiary.

* * *

SECTION 4: Incorporation into the Code. Specific authority is hereby granted to codify and incorporate this Ordinance in the existing Code of Ordinances of the City of Cocoa.

SECTION 5: Severability. Should any section or provision of this Ordinance or any portion thereof, or any paragraph, sentence, or word be declared by a court of competent jurisdiction to be invalid, such decision shall not affect the validity of the remainder hereto as a whole or part thereof other than the part to be declared invalid.

SECTION 6: Repeal of Prior Inconsistent Ordinances and Resolutions. All City Code provisions or laws inconsistent with this Ordinance are hereby repealed to the extent of any conflict.

SECTION 7: Effective Date. That this Ordinance shall become effective upon its adoption.

ADOPTED BY THE CITY COUNCIL OF THE CITY OF COCOA, FLORIDA, IN A REGULAR MEETING ASSEMBLED ON THE 14th DAY OF December 2021.

_____

Michael C. Blake, Mayor

ATTEST:

_____

Carie Shealy, MMC, City Clerk

1ST READING: November 9, 2021

2ND READING AND ADOPTION: December 14, 2021

CITY OF COCOA
FIREFIGHTERS' RETIREMENT PLAN

ACTUARIAL IMPACT STATEMENT

November 10, 2021
(Page 1)

Attached hereto is a comparison of the impact on the Minimum Required Contribution (per Chapter 112, Florida Statutes) and the Required City Contribution, resulting from the implementation of the following changes:

- Section 2-325, Preretirement Death, is being amended to provide for a line-of-duty death benefit equal to the greater of 42% of the member's average monthly earnings at the time of death or, the member's accrued retirement benefit (calculated at 3% of average monthly earnings for each year of Credited Service), payable for the life of the spouse. If the member is not married at the time of death, a monthly benefit equal to 42% of average monthly earnings shall be split equally among the member's beneficiaries and payable for 20 years or until the death of the beneficiary, whichever occurs first. To value for this change, we assume 100% of the members are married with females three years younger than males.

- Section 2-324, Disability, is being amended to provide for a service-connected disability benefit when the disability occurred during an active shooter event. The benefit shall equal the member's accrued retirement benefit (accrued at the statutory 2% minimum) provided such amount is not less than 60% of the member's average monthly earnings at the time of the disability. To value for this change, we assume 0.2% of service-connected disabilities occur during an active shooter event.

- Section 2-325, Preretirement Death, is being amended to provide for a line-of-duty death benefit when the death occurred during an active shooter event. The benefit shall equal the greater of 60% of the member's average monthly earnings at the time of death or the member's accrued retirement benefit (calculated at 3% of average monthly earnings for each year of Credited Service). To value for this change, we assume 0.2% of line-of-duty deaths occur during an active shooter event.

It is important to note that the 0.2% probabilities above are based on a 0.1727% probability of a mass shooting in Cocoa, Florida, as calculated in an analysis by Bolton Retirement.

Additionally, the ordinance amends the Plan in the sections outlined below, and we have determined that adoption of the below changes will have no impact on the assumptions used in determining the funding requirements of the program.

- Section 2-271, Definitions and Section 2-324, Disability, are being amended to incorporate the changes from Chapter 2019-21, Laws of Florida, regarding the non-rebuttable conclusive cancer presumption. These changes were valued in our October 8, 2019 actuarial impact statement and incorporated in our October 1, 2019 actuarial valuation report.

CITY OF COCOA
FIREFIGHTERS' RETIREMENT PLAN

ACTUARIAL IMPACT STATEMENT

November 10, 2021
(Page 2)

The cost impact, determined as of October 1, 2020, applicable to the fiscal year ending September 30, 2022, is as follows:

	Proposed	Current
Minimum Required Contribution		
% of Projected Annual Payroll	75.76%	75.10%
Member Contributions (Est.)		
% of Projected Annual Payroll	6.50%	6.50%
City And State Required Contribution		
% of Projected Annual Payroll	69.26%	68.60%
State Contribution (Est.) [1]	$124,461	$124,461
% of Projected Annual Payroll	5.92%	5.92%
City Required Contribution [2]		
% of Projected Annual Payroll	63.34%	62.68%

[1] Represents the amount received in calendar 2021. As per a Mutual Consent Agreement between the Membership and the City, all State Monies received each year will be available to offset the City's required contribution.


Unless otherwise noted, all data, assumptions, methods and plan provisions are the same as in the October 1, 2020 actuarial valuation report. It should be noted that changes to retirement benefits could potentially affect participants' retirement or termination behavior. We will monitor and advise of any recommended changes with future experience studies.

Future actuarial measurements may differ significantly from the current measurements presented in this report for a variety of reasons including: changes in applicable laws, changes in plan provisions, changes in assumptions, or plan experience differing from expectations. Due to the limited scope of the analysis, we did not perform an analysis of the potential range of such future measurements.

Please note that contents of this analysis and the October 1, 2020 actuarial valuation report are considered an integral part of the actuarial opinions. In reviewing the results presented in this study, it should be noted that there are risks that may not be inherently apparent to the reader that should be carefully considered. For key risks, please see the Discussion of Risk section of the October 1, 2020 actuarial valuation report.

In performing the analysis, we used third-party software to model (calculate) the underlying liabilities and costs. These results are reviewed in the aggregate and for individual sample lives. The output from the software is either used directly or input into internally developed models to generate the costs. All internally developed models are reviewed as part of the process. As a result of this review, we believe that the models have produced reasonable results. We do not believe there are any material inconsistencies among assumptions or unreasonable output produced due to the aggregation of assumptions.

The changes presented herein are in compliance with Part VII, Chapter 112, Florida Statutes and Section 14, Article X of the State Constitution. The undersigned is familiar with the immediate and long-term aspects of pension valuations and meets the Qualification Standards of the American Academy of Actuaries necessary to render the opinions contained herein.



Douglas H. Lozen, EA, MAAA
Enrolled Actuary #20-7778

STATEMENT OF PLAN ADMINISTRATOR

The prepared information presented herein reflects the estimated impact of the proposed amendment.

_____
Chairman, Board of Trustees

FLORIDA TODAY
FLORIDATODAY.com
A GANNETT COMPANY

Classified Ad Receipt
(For Info Only - NOT A BILL)

Customer: CITY OF COCOA - TE

Address: 65 STONE ST
COCOA FL 32922
USA

Ad No.: 0005000410
Pymt Method Invoice
Net Amt: $260.18

Run Times: 1

No. of Affidavits: 1

Run Dates: 12/05/21

Text of Ad:

Ad#5000410 12/5/2021

CITY OF COCOA
NOTICE OF PUBLIC HEARING

DECEMBER 14, 2021

NOTICE is hereby given that the City of Cocoa, Florida, will hold a Public Hearing at 6:00 p.m. on Tuesday, December 14, 2021, in City Council Chambers, located at 65 Stone Street, in Cocoa, Florida.

The City Council will consider adopting the following Ordinance on Second Reading, titled as follows:

ORDINANCE NO. 12-2021

AN ORDINANCE OF THE CITY COUNCIL OF THE CITY OF COCOA, BREVARD COUNTY, FLORIDA, AMENDING CHAPTER 2, ADMINISTRATION, ARTICLE VIII, FIREFIGHTERS' RETIREMENT PLAN, OF THE CODE OF ORDINANCES OF THE CITY OF COCOA BY AMENDING SECTION 2-271, DEFINITIONS; AMENDING SECTION 2-324, DISABILITY; AMENDING SECTION 2-325, PRERETIREMENT DEATH; PROVIDING FOR CODIFICATION; PROVIDING FOR SEVERABILITY OF PROVISIONS; REPEALING ALL ORDINANCES IN CONFLICT HEREWITH AND PROVIDING AN EFFECTIVE DATE.

This is a public meeting. All interested parties may attend. The facility wherein the public meeting will be held is accessible to the physically handicapped.

Pursuant to Section 286.0105, *Florida Statutes*, the City of Cocoa hereby advises the public that if a person decides to appeal any decision made by this Council with respect to any matter considered at the meeting, that person will need a record of the proceedings and that for such purpose, affected persons may need to ensure that a verbatim record of the proceedings is made, and such record shall include the testimony and evidence upon which the appeal is to be based. This notice does not constitute consent by the City for the introduction or admission into evidence of otherwise inadmissible or irrelevant evidence, nor does it authorize challenges or appeals not otherwise allowed by law.

Members of the public are encouraged to comment on the proposed ordinances at the meeting. Comments may also be submitted in writing to the Office of the City Clerk, 65 Stone Street, Cocoa, FL 32922, or by email (cshealy@cocoafl.org), or by telephone by calling (321) 433-8484.

In accordance with the Americans With Disabilities Act, persons needing assistance to participate in any of these proceedings should contact the City Clerk of the City of Cocoa, listed below, at least 48 hours prior to the meeting:

Carie Shealy, City Clerk, 65 Stone Street, Cocoa (321) 433-8484

Further information may be obtained by calling the City Clerk at the above listed number.

Dated this the 10th
day of November, 2021.

Carie Shealy, MMC, City Clerk

Legislation Details (With Text)

File #:	21-755	**Version:**	1	**Name:**	
Type:	Ordinance			**Status:**	Public Hearing
File created:	11/15/2021			**In control:**	City Council
On agenda:	12/14/2021			**Final action:**	
Title:	Consideration of Second Reading and Public Hearing (Ordinance 14-2021) of The City of Cocoa, Brevard County, Florida; relating to backyard chickens; amending Chapter 5 - Animals and Fowl of the city code to allow the keeping of chickens and chicken coops within certain residential zoning districts subject to certain enumerated conditions; creating definitions; establishing a permitting process; providing for the repeal of prior inconsistent ordinances and resolutions, severability, incorporation into the code, and an effective date. (Interim Community Services Director)				
Sponsors:					
Indexes:					
Code sections:					
Attachments:	Ordinance 14-2021 Backyard Chickens.pdf Chicken Ad 14-2021.pdf				

Date	Ver.	Action By	Action	Result

CITY COUNCIL AGENDA ITEM

Memo Date: November 15, 2021
Agenda Date: December 14, 2021
Prepared By: Alix Bernard, Senior Planner
Through: Charlene Neuterman, Interim Community Services Director
Requested Action:
Consideration of Second Reading and Public Hearing (Ordinance 14-2021) of The City of Cocoa, Brevard County, Florida; relating to backyard chickens; amending Chapter 5 - Animals and Fowl of the city code to allow the keeping of chickens and chicken coops within certain residential zoning districts subject to certain enumerated conditions; creating definitions; establishing a permitting process; providing for the repeal of prior inconsistent ordinances and resolutions, severability, incorporation into the code, and an effective date.

BACKGROUND:

In February 2017 The City implemented the Backyard Chicken Pilot Program. This pilot program was in place for two years and sunset in February of 2019. In that two-year time frame, according to Code Enforcement two residents have signed up to have backyard chickens. In addition, Code Enforcement has received some complaints from people who have not followed the proper process and have gotten roosters, which are very noisy and not permitted.

I. Zoning Ordinance Amendment Analysis

In accordance with Appendix A. Zoning, Article XXI, Section 1(G)(2) of the Code of the City of Cocoa,

the Planning and Zoning Board shall consider and study the following when an amendment to the zoning code is proposed:

a. The need and justification for the change.

b. The relationship of the proposed amendment to the purposes and objectives of the comprehensive planning programs and to the comprehensive plan, with appropriate consideration as to whether the proposed changes will further the purposes of [the] zoning code and other codes, regulations, and actions designed to implement the comprehensive plan.

Need and justification for change

City Council presented a non-binding referendum on the November 4, 2014 election ballot to gauge community interest and support in establishing a backyard chicken program for purposes of raising and keeping of chickens on residential property for domestic purposes. The referendum results were 2,777 in favor (54.66%) and 2,283 opposed (45.34%) to City Council establishing a backyard chicken program under terms and conditions established by City Council.

City staff has conducted analysis regarding appropriate terms and conditions. Proposed revisions of the section of code (Section 5-35. - Backyard Chicken Pilot Program) have been updated under Chapter 5, Animals and Fowl. The details of the proposed revisions of code can be found in the attached ordinance (Ordinance No. 14-2021). Some of the highlights of the ordinance include the following:

- Persons desiring to participate in the Backyard Chicken Pilot Program must apply for and obtain a permit ($50.00 fee) prior to the keeping of chickens.
- Persons applying for a permit must provide evidence of successful completion of a University of Florida Agricultural Extension Service class, or equivalent, on the care and raising of chickens.
- Up to 4 chickens may be kept on an occupied single-family property within the proper zoning district as noted above.
- Chickens must be kept within a coop and enclosure, and may not be released or set free to roam unless under the direct supervision of the owner and such roaming must be confined to the backyard of the subject property.
- Chickens must be kept for personal use only. Selling of chickens, eggs, feathers, chicken manure, or the breeding of chickens for commercial purposes is strictly prohibited.
- The coop and enclosure must be screened from neighboring property.
- Chicken coops and fence enclosures must be located in the rear/back yard (behind the home). No coop or enclosure will be allowed in any front or side yard. The coop and enclosure must be at least 10 feet from the single-family structure, a minimum of 10 feet from the rear or side property, a minimum of 20 feet from any side street, and a minimum of 20 feet from any neighboring residential homes.

Relationship and consistency with Comprehensive Plan Policies and Objectives
The following Comprehensive Plan policies support the applicant's request:

- Housing Element Objective 3.2.4 - Neighborhood Preservation: The City of Cocoa shall promote neighborhood preservation through the continued application and enforcement of zoning district regulations, land development regulations, and nuisance abatement regulations.

- Housing Element Policy 3.2.4.4: The City shall protect residential neighborhoods from noise, water, and air pollution by regulating land development practices to ensure all applicable local, state, and federal air & water quality standards are met and maintained. Activities creating noise related disturbances shall be restricted from inappropriate locations or required to provide more stringent attenuation measures.

Staff is requesting Council approval of the second reading of Ordinance No. 14-2021, relating to backyard chickens; amending Chapter 5 - Animals and Fowl of the city code to allow the keeping of chickens and chicken coops within certain residential zoning districts subject to certain enumerated conditions; creating definitions; establishing a permitting process; providing for the repeal of prior inconsistent ordinances and resolutions, severability, incorporation into the code, and an effective date.

STRATEGIC PLAN CONNECTION:

N/A

BUDGETARY IMPACT:

N/A

PREVIOUS ACTION:

City Council heard and approved the first reading on November 9, 2021

RECOMMENDED MOTION:

Consideration of Second Reading and Public Hearing (Ordinance 14-2021) of The City of Cocoa, Brevard County, Florida; relating to backyard chickens; amending Chapter 5 - Animals and Fowl of the city code to allow the keeping of chickens and chicken coops within certain residential zoning districts subject to certain enumerated conditions; creating definitions; establishing a permitting process; providing for the repeal of prior inconsistent ordinances and resolutions, severability, incorporation into the code, and an effective date.

ORDINANCE NO. 14-2021

AN ORDINANCE OF THE CITY COUNCIL OF THE CITY OF COCOA, BREVARD COUNTY, FLORIDA; RELATING TO BACKYARD CHICKENS; AMENDING CHAPTER 5 – ANIMALS AND FOWL OF THE CITY CODE TO ALLOW THE KEEPING OF CHICKENS AND CHICKEN COOPS WITHIN CERTAIN RESIDENTIAL ZONING DISTRICTS SUBJECT TO CERTAIN ENUMERATED CONDITIONS; CREATING DEFINITIONS; ESTABLISHING A PERMITTING PROCESS; PROVIDING FOR THE REPEAL OF PRIOR INCONSISTENT ORDINANCES AND RESOLUTIONS, SEVERABILITY, INCORPORATION INTO THE CODE, AND AN EFFECTIVE DATE.

WHEREAS, the City of Cocoa is granted the authority, under Section 2(b), Article VIII, of the State Constitution, to exercise any power for municipal purposes, except when expressly prohibited by law; and

WHEREAS, Chapter 166, Florida Statutes, the Municipal Home Rule Powers Act, provides for the ability of the City of Cocoa to enact legislation concerning any subject matter upon which the state Legislature may act, subject to limited exceptions as provided for therein; and

WHEREAS, the City Council recognizes the trend in society to incorporate fresh organic products into diets; a lifestyle which can be supported by allowing residents to keep and raise chickens on their single family residential properties for the purposes of producing eggs for personal consumption; and

WHEREAS, in recognition of this trend, the City Council presented a non-binding referendum to the registered electorate of the City on November 4, 2014 to gauge community interest and support in establishing a backyard chicken program for purposes of raising and keeping of chickens on residential property for domestic purposes ("Referendum"); and

WHEREAS, the Referendum results were 2,777 in favor (54.66%) and 2,283 opposed (45.34%) to the City Council establishing a backyard chicken program under terms and conditions determined by the City Council; and

WHEREAS, after the Referendum, City staff conducted additional analysis regarding appropriate terms and conditions for establishing a backyard chicken program within the city of Cocoa, and evaluated several other programs that were initiated by other municipalities and counties around the country, including within the State of Florida; and

WHEREAS, the City Council adopted Ordinance 01-2017 on February 14, 2017, which established a Pilot Program to allow for the keeping of backyard chickens and which further expired on February 14, 2019; and

WHEREAS, the City Council recognizes the desire of all residents to live in a clean and pleasant environment free of excessive odor, noise, vermin and disease; and

WHEREAS, based on staff's analysis, experts seem to suggest that the keeping of four (4) chickens is sufficient to meet the needs of the average family's egg consumption; and

WHEREAS, the City Council desires to permit residents to maintain up to four (4) chickens on a lot or parcel occupied by a single family detached residence in the RU-1-7, RU-1-7a, and the RU-1-10 Residential zoning districts, subject to the terms and conditions of this Ordinance; and

WHEREAS, the City Council of the City of Cocoa, hereby finds this Ordinance to be in the best interests of the public health, safety, and welfare of the citizens of Cocoa.

NOW, THEREFORE, THE CITY OF COCOA HEREBY ORDAINS AS FOLLOWS:

Section 1. Recitals. The foregoing recitals are hereby fully incorporated herein by this reference as legislative findings and the intent and purpose of the City Council of the City of Cocoa.

Section 2. Amendment to Chapter 5, Animal and Fowl. Chapter 5, Animal and Fowl, Section 5-35, Backyard Chicken Pilot Program, of the Code of Ordinances, City of Cocoa, Florida, is hereby amended as follows (underlined type indicates additions to the City Code and ~~strikeout~~ type indicates deletions, while asterisks (* * *) indicate a deletion from the Ordinance of text existing in Section 5-35. It is intended that the text in Section 5-35 denoted by the asterisks and set forth in this Ordinance shall remain unchanged from the language existing prior to adoption of this ordinance):

Sec. 5-35. – Backyard Chicken Pilot Program.

(a) The intent of this section is to ~~create and implement a two (2) year temporary Backyard Chicken Pilot Program to~~ permit the keeping of chickens ~~by no more than fifteen (15) families~~ on occupied single-family property within the RU-1-7, RU-1-7a, and the RU-1-10 Residential zoning districts, subject to the terms and conditions of this section. ~~The number of families eligible under the program may be increased at the city council's sole discretion, by resolution, in increments of five (5) families, not to exceed twenty-five (25) upon being advised that the public demand requires the increase, city staff is capable of managing the increase, and the outstanding permits are not causing any adverse effects on the community.~~

(b) For purposes of this Section, the term "chicken" refers to female chickens (hens) only. The term "predators" includes, but is not limited to, bears, raccoons, coyotes, bobcats, alligators and foxes. The term "subject property" is the single-family residential property with which the ~~Backyard Chicken Pilot Program~~ permit is associated.

(c) This section does not authorize persons to violate applicable restrictive covenants or homeowner's association rules and regulations. The City does not police and enforce private restrictive covenants or homeowner's association rules and regulations. Persons

applying for and receiving ~~temporary~~ permits under this Section are solely responsible for compliance with all applicable restrictive covenants and homeowner's association rules and regulations.

(d) Persons desiring to ~~participate in the Backyard Chicken Pilot Program~~ keep chickens on eligible residential property within the RU-1-7, RU-1-7a, and the RU-1-10 Residential zoning districts must apply for and obtain a permit from the city's community services director or designee ~~prior to keeping chickens within the RU-1-7, RU-1-7a, and the RU-1-10 Residential zoning districts~~. The city shall charge a non-refundable fee of $50.00 dollars to persons applying for a permit to cover processing costs. If the person is not the fee simple owner of the subject property, the fee simple owner must provide owner authorization and consent to the application. ~~No more than twenty-five (25) permits will be issued under this section.~~ Only one permit per occupied single-family property will be issued. ~~Permits shall be awarded by the city on a first-come, first-served basis. If a participant chooses to leave the program, he/she must provide notice to the city. The city is then authorized to re-issue the permit to another qualified applicant. If a participant is removed from the pilot program due to violations of the terms of this section, his/her permit may also be re-issued to another qualified applicant.~~

(e) In order to obtain a permit under this section, persons applying for a permit must submit a sketch showing the location of the proposed chicken coop and enclosure and must demonstrate that he/she can meet the requirements of this section. The city will conduct site inspections of the subject property to make compliance determinations under this section. The community services director or designee may deny a permit application if he/she determines that the person(s) applying for a permit cannot meet the requirements of this section. The issuance of a permit is conditioned upon and subject to the terms and conditions of this section. ~~Regardless of the date of the permit issued, such permit shall terminate and expire two years from the effective date of this section on February 14, 2019 unless terminated earlier or extended by action of the city to extend the sunset and termination date set forth herein.~~

(f) Persons applying for a permit under this section must provide proof of successful completion of a University of Florida Agricultural Extension Service class, or equivalent, on the care and raising of chickens. The community services director or designee will maintain a schedule of such classes that are available for complying with this condition.

(g) Persons applying for a permit under this section shall be deemed to have agreed to the following terms and conditions: ~~(i) agree to the terms and conditions of this section;~~ (ii) granted the city and its officers, employees and agents a right-of-entry upon the subject property (including rear yard) for inspection purposes to ensure compliance with this section; (iii) agreed to remove chickens and chicken coops and enclosures upon the termination ~~or expiration~~ of a permit issued under this section, and (iii~~iv~~) to hold the city and its officials, employees and agents harmless concerning matters relating to the permit and this section.

(h) Up to four (4) chickens may be kept on an occupied single-family property zoned RU-1-7, RU-1-7a, and the RU-1-10 upon receiving a permit from the community services director or designee. Chickens are prohibited within other zoning districts unless expressly

provided otherwise in the City Code applicable. Chickens shall not be kept on duplex, triplex, or multi-family properties, or within mobile home/manufactured home parks.

(i) Chickens must be kept within a coop or enclosure and may not be released or set free to roam unless under the direct supervision of the owner in compliance with this section. Such roaming must be confined to the backyard of the subject property.

(j) Ducks, geese, turkeys, peafowl, male chickens/roosters, or any other poultry or fowl are not allowed under the provisions of this section.

(k) Chickens must be kept for personal use only. Selling chickens, eggs, feathers or chicken manure, or the breeding of chickens for commercial purposes is strictly prohibited.

(l) Chickens may not be bred or slaughtered on premises. Chickens shall not be used or trained for the purpose of fighting for amusement, sport or financial gain.

(m) The coop and enclosure must be screened from neighboring property. Screening must be accomplished using an opaque fence and/or landscape screen (existing vegetation may be used if sufficient enough to create an opaque screen).

(n) All applicable building permits must be obtained prior to constructing fences and the coop and enclosures to house chickens.

(o) Unless otherwise in conflict with Florida Statutes, a dog or cat that injures or kills a chicken that wanders onto the property at which the dog or cat resides will not, for that reason alone, be considered a dangerous or aggressive animal.

(p) Deceased chickens must be properly disposed of within 24-hours of expiring and in accordance with Florida law. Permit holders may contact the University of Florida Agricultural Extension Service office for requirements regarding the proper disposal methods.

(q) No manure may be allowed to accumulate on the floor of the coop or ground. Permit holders must implement a manure management program. For example, a fly-tight bin for storage of manure could be utilized; the size of which must be sufficient to contain all accumulation or manure. A manure box inside the coop is recommended. The fly-tight tin must be kept at least twenty (20) feet away from all property lines. Composting chicken manure may be allowed in the enclosed bin. Perceptible odor shall not emanate from the manure storage/composting bin.

(r) Chicken coops and fence enclosures must be located in the rear/back yard (behind the home). No coop or enclosure will be allowed in any front or side yard. Yard, as used in this ~~provision~~section, references location, not building setback area. The coop and enclosure must be at least five (5) feet from the single family structure, a minimum of ten (10) feet from the rear or side property lines, a minimum of twenty (20) feet from any side street, and a minimum twenty (20) feet from any neighboring residential homes. On corner lots, coops and enclosures must meet the required side street setback per the property's applicable zoning district. The community services director may authorize an administrative waiver, in writing, of up to ten percent (10%) of any setback requirement set forth in this subsection if the subject property has extraordinary conditions that make

compliance with any particular setback requirement impracticable or unfeasible, provided such waiver does not undermine the intent and purpose of the safeguards required under this section.

(s) The coop must be covered and ventilated, and a fenced enclosure/run is required. The coop and enclosure must be completely secured from predators, including all openings, ventilation holes, doors, and gates. Fencing or roofing is required over the enclosure in addition to the coop, in order to protect the chickens from predators. The coop must also be tied down for wind resistance.

(t) All stored feed must be kept in a rodent and predator-proof container or be kept inside a secured structure.

(u) The coop must provide a minimum of four (4) square feet per chicken; a minimum of five (5) square feet of run per chicken, and be of sufficient size to permit free movement of the chickens. The coop may not be taller than six (6) feet, measured from the natural grade, and may be easily accessible for cleaning and maintenance. Coops may not exceed a maximum of 150 square feet.

(v) Chicken coops and enclosures must be maintained in a clean and sanitary condition at all times including dry bedding materials. Activities permitted by this section must be conducted in a manner that does not create any nuisance consisting of odor, noise or pests, or contribute to any other nuisance condition. There shall be no perceptible odor that is objectionable, under the reasonable person standard, to neighboring properties emanating from the chickens or the enclosure.

(w) In a public health emergency declared by the Brevard County Health Department including, but not limited to, an outbreak of Avian Flu or West Nile Virus, immediate corrective action may be required in accordance with applicable public health regulations and procedures. Any person issued a permit under this section shall be deemed to have consented to compliance with such required corrective action.

(x) In the event ~~of~~ a person violates any of the provisions of this section, the city shall have the right to legally pursue any of the following remedies or actions:

(1) Institute code enforcement ~~actions~~ <u>proceedings</u> against the violator and the property owner of the subject property where the violation occurs;

(2) Issue a civil citation as a Class II violation to the violator for the first violation, and Class III for all other violations whether concurrent with or subsequent to the first violation, in accordance with Chapter 6, Article II, Division 2 of the City Code.

(3) Each violation of this section shall be considered a separate offense.

(4) Take any other action or remedy authorized by law or equity, including, but not limited to, instituting an action in court to enjoin violating actions, in which case, the person violating this section shall be liable to the City for reimbursement of the city's attorney's fees and costs concerning such action; and/or

(5) Revoke the permit issued under this section for keeping of chickens and require that the chickens be removed within ten (10) calendar days of said revocation. Upon revocation, the community services director or designee shall give notice of such action to the permittee in writing, stating the reason therefore. Any permittee whose permit has been revoked under this subsection may, within ten (10) calendar days after said revocation, appeal to the city manager. The filing of an appeal stays the revocation until the city manager makes a final decision. If the city manager denies the appeal or an appeal has not been filed, the permittee may not re-apply until at least twelve (12) months have elapsed since the date the revocation took effect.

~~(y) This section shall be subject to a two (2) year sunset period and shall expire on February 14, 2019 unless otherwise extended by the city council, by resolution, for an additional period of up to one year. During the effective period of this section, the community services department and code enforcement staff shall track complaints and compliance issues regarding the permits issued under this section. At least one hundred and twenty (120) days prior to the sunset expiration date, the community services director and code enforcement staff shall present a written report to the city council as to the results. Prior to the sunset expiration date, the city council shall conduct a public hearing and review the data compiled by staff in the report, and feedback from staff, the public and professionals on the successes and failures of the Backyard Chicken Pilot Program. After the hearing, the city council may permit the program to sunset and expire, extend the pilot program, or take other action as appropriate. However, the sunset of this section shall not affect the city's ability to prosecute violations of this section for violations occurring prior to the sunset and expiration date.~~

Section 3. **Repeal of Prior Inconsistent Ordinances and Resolutions**. All prior inconsistent ordinances and resolutions adopted by the City Council, or parts of prior ordinances and resolutions in conflict herewith, are hereby repealed to the extent of the conflict.

Section 4. **Incorporation Into Code**. This Ordinance shall be incorporated into the Cocoa City Code and any section or paragraph number or letter and any heading may be changed or modified as necessary to effectuate the foregoing. Grammatical, typographical, and like errors may be corrected and additions, alterations, and omissions, not affecting the construction or meaning of this Ordinance and the City Code may be freely made.

Section 5. **Severability.** If any section, subsection, sentence, clause, phrase, word or provision of this Ordinance is for any reason held invalid or unconstitutional by any court of competent jurisdiction, whether for substantive, procedural, or any other reason, such portion shall be deemed a separate, distinct and independent provision, and such holding shall not affect the validity of the remaining portions of this Ordinance.

Section 6. **Effective Date.** This Ordinance shall become effective immediately upon adoption by the City Council of the City of Cocoa, Florida.

ADOPTED, by the City Council of the City of Cocoa, Florida, this _____ day of October, 2021.

_____
Michael C. Blake, Mayor

ATTEST:

_____
Carie Shealy, City Clerk

CITY OF COCOA

NOTICE OF PUBLIC HEARING

THE COCOA CITY COUNCIL
PROPOSE TO CONSIDER THE FOLLOWING:

Ordinance 14-2021 BACKYARD CHICKEN PROGRAM

AN ORDINANCE OF THE CITY COUNCIL OF THE CITY OF COCOA, BREVARD COUNTY, FLORIDA; RELATING TO BACKYARD CHICKENS; AMENDING CHAPTER 5 – ANIMALS AND FOWL OF THE CITY CODE TO ALLOW THE KEEPING OF CHICKENS AND CHICKEN COOPS WITHIN CERTAIN RESIDENTIAL ZONING DISTRICTS SUBJECT TO CERTAIN ENUMERATED CONDITIONS; CREATING DEFINITIONS; ESTABLISHING A PERMITTING PROCESS; PROVIDING FOR THE REPEAL OF PRIOR INCONSISTENT ORDINANCES AND RESOLUTIONS, SEVERABILITY, INCORPORATION INTO THE CODE, AND AN EFFECTIVE DATE.

CITY COUNCIL WILL CONSIDER THIS ITEM ON
December 14, 2021

AT 6:00 P.M. OR SOON THEREAFTER IN THE
COCOA CITY HALL COUNCIL CHAMBERS LOCATED AT
65 STONE STREET, COCOA, FL

Members of the public may view the meeting agenda, ordinances, project applications, supporting documents, and staff reports on the City's website at the following link prior to attending or commenting: City of Cocoa meeting calendar at https://cocoa.legistar.com/Calendar.aspx

These documents and information pertaining to the above may also be inspected at the Community Services Department, between 9:00 a.m. and 5:00 p.m., Monday through Friday, or by phoning (321) 433-8535.

Interested parties are invited to attend this public meeting in person. Additionally, interested persons may view or listen to the meeting electronically at the following internet sites:

(1) https://tinyurl.com/s5e875r or

(2) https://cocoa.legistar.com/DepartmentDetail.aspx?ID=26365&GUID=FF9D3369-D354-4FAB-800A-57D0AEE30153&Mode=MainBody

However, the City is not responsible for technical difficulties that may occur while attempting to view or listen to the meeting on the internet.

Interested parties may also submit their written comments or questions regarding the meeting prior to the meeting through Email at meetings@cocoafl.org, or via E-comments through the online agenda. Any electronic comments submitted will be made part of the meeting record. Written comments may also be mailed to City of Cocoa, Planning & Zoning Manager, 65 Stone Street, Cocoa, Florida 32922. Written comments or questions not relevant to the Council meeting agenda will not be made part of the meeting record but will be maintained as public record.

This is a public meeting. Interested parties are hereby advised that they may appear at said meeting and be heard. The facility wherein this public meeting will be held is accessible to the physically handicapped. In accordance with the Americans With Disabilities Act, persons needing assistance to participate in any of these proceedings should contact the City Clerk of the City of Cocoa, listed below, at least 48 hours prior to the meeting: Carie Shealy, City Clerk, 65 Stone Street, Cocoa, by telephone at (321) 433-8484 or via email at cshealy@cocoafl.org.

Pursuant to Section 286.0105, Florida Statutes, the City hereby advises the public that if a person decides to appeal any decision made by the P&Z Board/LPA or City Council with respect to any matter considered at its meeting or hearing, that person will need a record of the proceedings and for such purpose, affected persons may need to assure that a verbatim record of the proceedings is made, and such record shall include the testimony and evidence upon which the appeal is to be based. This notice does not constitute consent by the City for the introduction or admission into evidence of otherwise inadmissible or irrelevant evidence, nor does it authorize challenges or appeals otherwise not allowed by law.

The City Council reserves the right to continue or postpone hearings to a date certain without re-advertising.

Legislation Details (With Text)

File #:	21-801	**Version:**	1	**Name:**	
Type:	Ordinance			**Status:**	Public Hearing
File created:	12/6/2021			**In control:**	City Council
On agenda:	12/14/2021			**Final action:**	
Title:	Consideration of First Reading (Ordinance 15-2021) of the City of Cocoa, Brevard County, Florida; consistent with Florida Statute, Section 163.3177, adopting a Private Property Rights Element as a new section into the City of Cocoa's Comprehensive Plan. (Interim Community Services Director)				
Sponsors:					
Indexes:					
Code sections:					
Attachments:	Ordinance 15-2021 Cocoa Comp Plan Property Rights Element.pdf Legal Ad private property rights.pdf Notice of Public Hearing - Ordinance No. 15-2021.pdf				

Date	Ver.	Action By	Action	Result

PLANNING & ZONING BOARD/LOCAL PLANNING AGENCY AGENDA ITEM

Memo Date: December 6, 2021
Agenda Date: December 14, 2021
Prepared By: Cindy Thurman, Planning & Zoning Manager
Through: Charlene Neuterman, Interim Community Services Director
Requested Action:
Consideration of First Reading (Ordinance 15-2021) of the City of Cocoa, Brevard County, Florida; consistent with Florida Statute, Section 163.3177, adopting a Private Property Rights Element as a new section into the City of Cocoa's Comprehensive Plan.

BACKGROUND:

On July 1, 2021, The Florida Legislature passed a new law (Chapter 2021-195, Laws of Florida), requiring that local governments must adopt a Private Property Rights Element into their comprehensive plans. Each local government must adopt a property rights element in its comprehensive plan by the earlier of the date of its adoption of its next proposed plan amendment that is initiated after July 1, 2021, or the date of the next scheduled evaluation and appraisal of its comprehensive plan pursuant to s. 163.3191. The proposed ordinance utilizes the "statement of rights" suggested by the new law. The City is permitted to adopt its own element, but any element the City chooses to adopt may not conflict with the statement of rights provided in the statute.

The City's Comprehensive Plan is the all-encompassing view of how Cocoa will grow and evolve in the future over the next ten to twenty-year period. The City on average has between two to four comprehensive plan amendments per year.

Below is the proposed new element:

XV - PROPERTY RIGHTS ELEMENT

GOAL 15.1: The City will respect judicially acknowledged and constitutionally protected private property rights.

Objective 15.1.1: The City will consider when appropriate and applicable judicially acknowledged and constitutionally protected private property rights when making decisions.

Policy 15.1.1.1: In accordance with Florida law requiring governmental entities to respect judicially acknowledged and constitutionally protected private property rights, the following rights shall be considered in local decision making:

A. The right of a property owner to physically possess and control his or her interests in the property, including easements, leases, or mineral rights.
B. The right of a property owner to use, maintain, develop, and improve his or her property for personal use or for the use of any other person, subject to state law and local ordinances.
C. The right of the property owner to privacy and to exclude others from the property to protect the owner's possessions and property.
D. The right of a property owner to dispose of his or her property through sale or gift.

Consistency with Code of the City of Cocoa

Planning & Zoning staff has addressed the criteria contained in Chapter 15, Article II, Sections 15-10 and 15-11 below:

a. Whether the proposal favorably or unfavorably impacts the city's budget, or the economy of the region

Staff Finding: The proposed addition of private property rights element will not impact the city's budget or the economy of the region.

b. Whether the proposal will diminish the service level of public facilities

Staff Finding: The proposed private property rights element will not negatively impact or diminish the service level of public facilities.

c. Whether the proposal favorably or unfavorably impacts the environment, or the natural or historical resources of the city or the region

Staff Finding: The text amendment will not impact any natural or historical resources.

d. Whether the proposal is consistent with goals, policies, and objectives of the state comprehensive plan set forth in Chapter 187, Florida Statutes, and the East Central Florida Comprehensive Regional Policy Plan, Florida Administrative Code

14) State Comprehensive Plan, Chapter 187,201(14) Private Property Right

(a) Goal.-Florida shall protect private property rights and recognize the existence of legitimate and often competing public and private interests in land use regulations and other government action.

(b) Policies.-

1. Provide compensation, or other appropriate relief as provided by law, to a landowner for any governmental action that is determined to be an unreasonable exercise of the state's police power so as to constitute a taking.

2. Determine compensation or other relief by judicial proceeding rather than by administrative proceeding.

3. Encourage acquisition of lands by state or local government in cases where regulation will severely limit practical use of real property.

Staff Finding: The proposed new element ensures that their judicially acknowledged and constitutionally protected rights are secure.

e. Whether the proposal will favorably or unfavorably affect the city's ability to provide adequate public facilities, and whether the proposal will reduce the level of service for affected public facilities below the level of service set in the comprehensive plan

Staff Finding: The proposed new element would not alter the City's ability to provide service capacity to lands.

f. Whether the proposal is incompatible with surrounding neighborhoods and land uses

Staff Finding: The proposed new element will not change the FLU designation of any parcel of land.

g. Whether the proposal will have a favorable or adverse effect on the ability of people to find adequate housing reasonably accessible to their places of employment

Staff Finding: The proposed new element will not affect the ability of people to find adequate housing reasonably accessible to their places of employment.

h. If the amendment being requested is consistent with all the elements of the comprehensive plan.

Staff Finding: The proposed new element is consistent with the following Comprehensive Plan policies:

Objective 1.1.5: Neighborhood Protection. The city shall ensure that additional growth and development will be respectful of established neighborhoods that define much of the City's character.

powered by Legistar™

BUDGETARY IMPACT:

N/A

PREVIOUS ACTION:

Approved at the November 3, 2021 Planning & Zoning Board Meeting.

RECOMMENDED MOTION:

Consideration of First Reading (Ordinance 15-2021) of the City of Cocoa, Brevard County, Florida; consistent with Florida Statute, Section 163.3177, adopting a Private Property Rights Element as a new section into the City of Cocoa's Comprehensive Plan.

ORDINANCE NO. 15-2021

AN ORDINANCE OF THE CITY COUNCIL OF THE CITY OF COCOA, BREVARD COUNTY, FLORIDA, AMENDING THE TEXT OF THE CITY'S COMPREHENSIVE PLAN TO INCLUDE A PROPERTY RIGHTS ELEMENT AS REQUIRED BY LAW; PROVIDING FOR THE REPEAL OF PRIOR INCONSISTENT ORDINANCES AND RESOLUTIONS, INCORPORATION INTO THE COMPREHENSIVE PLAN, SEVERABILITY AND AN EFFECTIVE DATE AND LEGAL STATUS OF THE PLAN AMENDMENT.

WHEREAS, section 163.3161 et. seq., Florida Statutes, established the Community Planning Act, which was formerly known as the Local Government Comprehensive Planning and Land Development Regulation Act; and

WHEREAS, the Community Planning Act requires each municipality in the State of Florida to prepare, adopt, and update a Comprehensive Plan; and

WHEREAS, during the 2021 Legislative Session, the Florida Legislature adopted, and Governor DeSantis signed into law, Chapter 2021-195, Laws of Florida requiring local governments to amend their comprehensive plans to include a property rights element; and

WHEREAS, the City of Cocoa recognizes the importance of property rights and desires to expeditiously comply with the new law by adding a property rights element to its Comprehensive Plan; and

WHEREAS, in accordance with the provisions of the Community Planning Act, the City's Land Planning Agency has reviewed and made a recommendation regarding this Ordinance at a duly held public meeting as required by law; and

WHEREAS, the City Council of the City of Cocoa held two duly noticed public hearings on the proposed amendment set forth hereunder and considered findings and advice of staff, citizens, and all interested parties submitting written and oral comments and supporting data and analysis, and after complete deliberation, hereby approves and adopts the Comprehensive Plan Amendment set forth hereunder; and

WHEREAS, the City Council of the City of Cocoa, Florida, hereby finds this ordinance to be in the best interests of the public health, safety, and welfare of the citizens of Cocoa.

NOW, THEREFORE, THE CITY COUNCIL OF THE CITY OF COCOA HEREBY ORDAINS, AS FOLLOWS:

Section 1. **Recitals.** The foregoing recitals are hereby fully incorporated herein by reference as legislative findings of the City Council of Cocoa.

Section 2. **Authority.** This Ordinance is adopted in compliance with, and pursuant to, the Community Planning Act, sections 163.3161 et. seq., Florida Statutes, and Chapter 2021-195, Laws of Florida.

Section 3. **Purpose and Intent.** It is hereby declared to be the purpose and intent of this Ordinance to adopt a comprehensive plan amendment incorporating the revisions stated herein as part of the City of Cocoa Comprehensive Plan.

Section 4. **Addition of Property Rights Element.** The City of Cocoa Comprehensive Plan is hereby amended as set forth below (underlined type indicates additions and ~~strikeout~~ type indicates deletions, while asterisks (*** * ***) indicate a deletion from the text of this Ordinance that shall remain unchanged in the City's Comprehensive Plan):

City of Cocoa

Comprehensive Plan

*** * ***

XV – PROPERTY RIGHTS ELEMENT

GOAL 15.1: The City will respect judicially acknowledged and constitutionally protected private property rights.

Objective 15.1.1: The City will consider when appropriate and applicable judicially acknowledged and constitutionally protected private property rights when making decisions.

Policy 15.1.1.1: In accordance with Florida law requiring governmental entities to respect judicially acknowledged and constitutionally protected private property rights, the following rights shall be considered in local decisionmaking:

A. The right of a property owner to physically possess and control his or her interests in the property, including easements, leases, or mineral rights.

B. The right of a property owner to use, maintain, develop, and improve his or her property for personal use or for the use of any other person, subject to state law and local ordinances.

C. The right of the property owner to privacy and to exclude others from the property to protect the owner's possessions and property.

D. The right of a property owner to dispose of his or her property through sale or gift.

Section 5. **Repeal of Prior Inconsistent Ordinances and Resolutions.** All prior inconsistent ordinances and resolutions adopted by the City Council, or parts or ordinances and resolutions in conflict herewith, are hereby repealed to the extent of the conflict.

Section 6. **Incorporation into Comprehensive Plan.** Upon the effective date of the Comprehensive Plan Amendment adopted by this Ordinance, said Amendment shall be incorporated into the City of Cocoa Comprehensive Plan and any section or paragraph number or letter and any heading may be changed or modified as necessary to effectuate the foregoing.

Section 7. **Severability.** If any section, subsection, sentence, clause, phrase, word, or provision of this ordinance is for any reason held invalid or unconstitutional by any court of competent jurisdiction, whether for substantive, procedural, or any other reason, such portion shall be deemed a separate, distinct and independent provision, and such holding shall not affect the validity of the remaining portions of this ordinance.

Section 8. **Effective Date.** The effective date of the Comprehensive Plan Amendment adopted by this Ordinance shall be thirty-one (31) days after the state land planning agency notifies the City that the plan amendment package is complete pursuant to section 163.3184(3)(c)(4.), Florida Statutes. If the plan amendment is timely challenged, the plan amendment shall not become effective until the state land planning agency or the Administration Council enters a final order determining the adopted amendment to be in compliance. No development orders, development permits, or land use dependent on this plan amendment may be issued before it has become effective. After and from the effective date of this plan amendment, the Comprehensive Plan Amendment set forth herein shall amend the City of Cocoa Comprehensive Plan and become a part of that plan and the plan amendment shall have the legal status of the City of Cocoa Comprehensive Plan, as amended.

ADOPTED by the City Council of the City of Cocoa, Florida, in a regular meeting assembled on the _____ day of _____, 2021.

_____

Michael C. Blake, Mayor

ATTEST:

_____

CARIE SHEALY, MMC
City Clerk

First Reading: _____
Legal Ad Published: _____
Effective Date: _____

CITY OF COCOA

NOTICE OF PUBLIC HEARING

THE PLANNING & ZONING BOARD/LOCAL PLANNING AGENCY AND THE COCOA CITY COUNCIL

PROPOSE TO CONSIDER THE FOLLOWING:

Ordinance 15-2021 Private Property Rights

An Ordinance of The City Council of The City of Cocoa, Brevard County, Florida, amending the text of The City's Comprehensive Plan to include a Property Rights Element as required by law; providing for the repeal of prior inconsistent ordinances and resolutions, incorporation into The Comprehensive Plan, severability and an effective date and legal status of the plan amendment.

PLANNING AND ZONING BOARD WILL CONSIDER THESE ITEMS ON NOVEMBER 3, 2021

CITY COUNCIL WILL CONSIDER THESE ITEMS ON DECEMBER 14, 2021

AT 6:00 P.M. OR SOON THEREAFTER IN THE COCOA CITY HALL COUNCIL CHAMBERS LOCATED AT 65 STONE STREET, COCOA, FL

Members of the public may view the meeting agenda, ordinances, project applications, supporting documents, and staff reports on the City's website at the following link prior to attending or commenting: City of Cocoa meeting calendar at https://cocoa.legistar.com/Calendar.aspx

These documents and information pertaining to the above may also be inspected at the Community Services Department, between 9:00 a.m. and 5:00 p.m., Monday through Friday, or by phoning (321) 433-8535.

Interested parties are invited to attend this public meeting in person. Additionally, interested persons may view or listen to the meeting electronically at the following internet sites:

(1) https://tinyurl.com/s5e875r or

(2) https://cocoa.legistar.com/DepartmentDetail.aspx?ID=26365&GUID=FF9D3369-D354-4FAB-800A-57D0AEE30153&Mode=MainBody

However, the City is not responsible for technical difficulties that may occur while attempting to view or listen to the meeting on the internet.

Interested parties may also submit their written comments or questions regarding the meeting prior to the meeting through Email at meetings@cocoafl.org, or via E-comments through the online agenda. Any electronic comments submitted will be made part of the meeting record. Written comments may also be mailed to City of Cocoa, Planning & Zoning Manager, 65 Stone Street, Cocoa, Florida 32922. Written comments or questions not relevant to the Council meeting agenda will not be made part of the meeting record but will be maintained as public record.

This is a public meeting. Interested parties are hereby advised that they may appear at said meeting and be heard. The facility wherein this public meeting will be held is accessible to the physically handicapped. In accordance with the Americans With Disabilities Act, persons needing assistance to participate in any of these proceedings should contact the City Clerk of the City of Cocoa, listed below, at least 48 hours prior to the meeting: Carie Shealy, City Clerk, 65 Stone Street, Cocoa, by telephone at (321) 433-8484 or via email at cshealy@cocoafl.org.

Pursuant to Section 286.0105, Florida Statutes, the City hereby advises the public that if a person decides to appeal any decision made by the P&Z Board/LPA or City Council with respect to any matter considered at its meeting or hearing, that person will need a record of the proceedings and for such purpose, affected persons may need to assure that a verbatim record of the proceedings is made, and such record shall include the testimony and evidence upon which the appeal is to be based. This notice does not constitute consent by the City for the introduction or admission into evidence of otherwise inadmissible or irrelevant evidence, nor does it authorize challenges or appeals otherwise not allowed by law.

The City Council reserves the right to continue or postpone hearings to a date certain without re-advertising.

FLORIDA TODAY
FLORIDATODAY.com
A GANNETT COMPANY

Classified Ad Receipt
(For Info Only - NOT A BILL)

Customer: CITY OF COCOA (TE)

Address: 65 STONE ST
COCOA FL 32922
USA

Ad No.: 0004963760
Pymt Method Invoice
Net Amt: $386.13

Run Times: 1

Run Dates: 10/20/21

No. of Affidavits: 1

Text of Ad:

Ad#4963760 10/20/2021

CITY OF COCOA
NOTICE OF PUBLIC HEARING
THE PLANNING & ZONING BOARD/LOCAL PLANNING AGENCY
AND THE COCOA CITY COUNCIL
PROPOSE TO CONSIDER THE FOLLOWING:

Ordinance 15-2021 Private Property Rights

An Ordinance of The City Council of The City of Cocoa, Brevard County, Florida, amending the text of The City's Comprehensive Plan to include a Property Rights Element as required by law; providing for the repeal of prior inconsistent ordinances and resolutions, incorporation into The Comprehensive Plan, severability and an effective date and legal status of the plan amendment.

PLANNING AND ZONING BOARD WILL CONSIDER THESE ITEMS ON NOVEMBER 3, 2021

CITY COUNCIL WILL CONSIDER THESE ITEMS ON DECEMBER 14, 2021

AT 6:00 P.M. OR SOON THEREAFTER IN THE COCOA CITY HALL COUNCIL CHAMBERS LOCATED AT 65 STONE STREET, COCOA, FL

Members of the public may view the meeting agenda, ordinances, project applications, supporting documents, and staff reports on the City's website at the following link prior to attending or commenting: City of Cocoa meeting calendar at https://cocoa.legistar.com/Calendar.aspx
These documents and information pertaining to the above may also be inspected at the Community Services Department, between 9:00 a.m. and 5:00 p.m., Monday through Friday, or by phoning (321) 433-8535.
Interested parties are invited to attend this public meeting in person. Additionally, interested persons may view or listen to the meeting electronically at the following internet sites:
(1) https://tinyurl.com/s5e875r or
(2) https://cocoa.legistar.com/DepartmentDetail.aspx?ID=26365&GUID=FF9D3369-D354-4FAB-800A-57D0AEE30153&Mode=MainBody
However, the City is not responsible for technical difficulties that may occur while attempting to view or listen to the meeting on the internet.
Interested parties may also submit their written comments or questions regarding the meeting prior to the meeting through Email at meetings@cocoafl.org, or via E-comments through the online agenda. Any electronic comments submitted will be made part of the meeting record. Written comments may also be mailed to City of Cocoa, Planning & Zoning Manager, 65 Stone Street, Cocoa, Florida 32922. Written comments or questions not relevant to the Council meeting agenda will not be made part of the meeting record but will be maintained as public record.
This is a public meeting. Interested parties are hereby advised that they may appear at said meeting and be heard. The facility wherein this public meeting will be held is accessible to the physically handicapped. In accordance with the Americans With Disabilities Act, persons needing assistance to participate in any of these proceedings should contact the City Clerk of the City of Cocoa, listed below, at least 48 hours prior to the meeting: Carie Shealy, City Clerk, 65 Stone Street, Cocoa, by telephone at (321) 433-8484 or via email at cshealy@cocoafl.org.
Pursuant to Section 286.0105, Florida Statutes, the City hereby advises the public that if a person decides to appeal any decision made by the P&Z Board/LPA or City Council with respect to any matter considered at its meeting or hearing

ter considered at its meeting or hearing, that person will need a record of the proceedings and for such purpose, affected persons may need to assure that a verbatim record of the proceedings is made, and such record shall include the testimony and evidence upon which the appeal is to be based. This notice does not constitute consent by the City for the introduction or admission into evidence of otherwise inadmissible or irrelevant evidence, nor does it authorize challenges or appeals otherwise not allowed by law.

The City Council reserves the right to continue or postpone hearings to a date certain without re-advertising.

Legislation Details (With Text)

File #:	21-802	**Version:**	1	**Name:**	
Type:	Ordinance			**Status:**	Public Hearing
File created:	12/6/2021			**In control:**	City Council
On agenda:	12/14/2021			**Final action:**	
Title:	Consideration of the First Reading (Ordinance 11-2021) of The City of the City of Cocoa, Brevard County, Florida; amending Appendix A, Zoning, Article VIII, Section 17, Home Occupations.(Interim Community Services Director)				
Sponsors:					
Indexes:					
Code sections:					
Attachments:	Ordinance 11-2021 Home Based Businesses.pdf Legal Ad (Display Ad) - Home Based Businesses.pdf Notice of Zoning Text Change - Ordinance No. 11-2021.pdf				

Date	Ver.	Action By	Action	Result

PLANNING & ZONING BOARD/LOCAL PLANNING AGENCY AGENDA ITEM

Memo Date: December 6, 2021
Agenda Date: December 14, 2021
Prepared By: Cindy Thurman, Planning & Zoning Manager
Through: Charlene Neuterman, Interim Community Services Director
Requested Action:
Consideration of the First Reading (Ordinance 11-2021) of The City of the City of Cocoa, Brevard County, Florida; amending Appendix A, Zoning, Article VIII, Section 17, Home Occupations.

BACKGROUND:

Section 559.955, Florida Statutes, (HB 403), which became effective on July 1, 2021, preempts areas of regulation for home-based businesses to the state. It forbids counties and municipalities from enacting or enforcing any ordinance, regulation, or policy or from taking any action to license or otherwise regulate a home-based business in violation of the statute. Currently, local governments regulate business activities conducted on residential property through ordinances that address "home occupations." The City's existing home occupation ordinance, Appendix A, Zoning, Article XIII Supplementary District Regulations, Section 17, must be substantially amended and stricken to conform to the statutory requirements. Current requirements for home occupations that must be eliminated from the City Code include, but are not limited to:

- The prohibition of home occupations in the RE zoning district

- The designation of home occupations as a special exception in RU-2-10 zoning district
- The limitation of home occupations to home office, preparation and fabrication of arts and handicrafts to be sold off-premises, and use by a physician, surgeon, dentist, lawyer, clergyman and other professional persons for consultation or emergency treatment
- The prohibition of retail sales on the premises
- No home occupation may be conducted in a free standing or attached accessory building or structure
- The home occupation cannot occupy more than 20% of the floor area of the residence.

City staff notes that special notice of this ordinance was provided to Southern Legal Counsel, as required by the Substitute Consent Decree, dated January 28, 2009, in *Houston, et. al. v. City of Cocoa,* Case 6:89-cv-00082-PCF.

The statute provides that a home-based business may operate in an area zoned for residential use and may not be prohibited, restricted, regulated, or licensed in a manner different from other businesses in a local government's jurisdiction except as otherwise provided by the statute.

The statute includes criteria that home-based businesses must meet to operate in an area zoned for residential use. To be considered a home-based business under the bill, a business must meet the following criteria:

- The activities of the home-based business must be secondary to the property's use as a residential dwelling.
- The business employees who work at the residential dwelling must also reside in the residential dwelling, except that up to two employees or independent contractors who do not reside at the residential dwelling may work at the business.
- Parking related to the business activities of the home-based business must comply with local zoning requirements. The business may not generate a need for parking greater in volume than a similar residence where no business is conducted. Local governments may regulate the parking or storage of heavy equipment at the business which is visible from the street or neighboring property. Vehicles and trailers used in connection with the business must be parked in legal parking spaces that are not located within the right-of-way, on or over a sidewalk, or on any unimproved surfaces at the residence.
- As viewed from the street, the use of the residential property must be consistent with the uses

of the residential areas surrounding the property. Any external modifications to a home-based business must conform to the residential character and architectural aesthetics of the neighborhood. The home-based business may not conduct retail transactions at a structure other than the residential dwelling; however, incidental business uses and activities may be conducted at the residential property.

- All business activities must comply with any relevant local or state regulations concerning signage and equipment or processes that create noise, vibration, heat, smoke, dust, glare, fumes, or noxious odors. However, such regulations on a business with respect to noise, vibration, heat, smoke, dust, glare, fumes, or noxious odors, may not be more stringent than those that apply to a residence where no business is conducted.

- All business activities must comply with any relevant local, state, and federal regulations concerning the use, storage, or disposal of hazardous materials. However, such regulations on a business may not be more stringent than those that apply to a residence where no business is conducted.

The bill does not supersede any current or future declaration of condominium adopted pursuant to ch. 718, F.S., cooperative document adopted pursuant to ch. 719, F.S., or declaration of covenants adopted pursuant to ch. 720, F.S. In addition, the bill does not supersede any local laws, ordinances, or regulations related to transient public lodging establishments that are not otherwise preempted under ch. 509, F.S.

I. Zoning Ordinance Amendment Analysis

In accordance with Appendix A. Zoning, Article XXI, Section 1(G)(2) of the Code of the City of Cocoa, the Planning and Zoning Board shall consider and study the following when an amendment to the zoning code is proposed:

a. The need and justification for the change.

b. The relationship of the proposed amendment to the purposes and objectives of the comprehensive planning programs and to the comprehensive plan, with appropriate consideration as to whether the proposed changes will further the purposes of [the] zoning code and other codes, regulations, and actions designed to implement the comprehensive plan.

Need and justification for change

In July of 2021 the State Legislature passed a new law in regards to home based businesses and where they are allowed to be located. In order for the City to be in alignment with the new state law it is necessary for Cocoa to modify the existing code with respect to home occupations.

Relationship and consistency with Comprehensive Plan Policies and Objectives

Objective 1.3.1: **Economic Base Enhancement.** The City of Cocoa shall seek to establish and maintain a stable and growing economic base through strategic incentive programs and diversification of the economy.

Policy 1.3.1.5: The City shall provide referral services to appropriate agencies for information and assistance to prospective and growing businesses in meeting zoning and infrastructure standards as well as requirements imposed by various government agencies.

Policy 1.1.10.10: The City will review the non-conforming section of the land development code to ensure its effectiveness.

BUDGETARY IMPACT:

N/A

PREVIOUS ACTION:

Approved at the November 3, 2021 Planning & Zoning Board Meeting.

RECOMMENDED MOTION:

Consideration of the First Reading (Ordinance 11-2021) of The City of the City of Cocoa, Brevard County, Florida; amending Appendix A, Zoning, Article VIII, Section 17, Home Occupations.

powered by Legistar™

ORDINANCE NO. 11-2021

AN ORDINANCE OF THE CITY COUNCIL OF THE CITY OF COCOA, BREVARD COUNTY, FLORIDA; AMENDING APPENDIX A-ZONING, ARTICLE XIII SUPPLEMENTARY DISTRICT REGULATIONS, SECTION 17 OF THE CITY CODE RELATED TO HOME BASED BUSINESSES (HOME OCCUPATIONS) TO COMPLY WITH RECENT LEGISLATION ADOPTED BY THE FLORIDA LEGISLATURE; MAKING OTHER CONFORMING AMENDMENTS TO THE SCHEDULE OF ZONING DISTRICT REGULATIONS AND CITY CODE TO COMPLY WITH SAID LEGISLATION; PROVIDING FOR THE REPEAL OF PRIOR INCONSISTENT ORDINANCES AND RESOLUTIONS, INCORPORATION INTO THE CODE, SEVERABILITY, AND AN EFFECTIVE DATE.

WHEREAS, the City is granted the authority, under Section 2(b), Article VIII, of the State Constitution, to exercise any power for municipal purposes, except when expressly prohibited by law; and

WHEREAS, based on recent legislation adopted by the Florida Legislature during the 2021 session, it has been determined that it is warranted to provide amendments to the City Code regarding home-based businesses by repealing and replacing Appendix A-Zoning, Article XIII Supplementary District Regulations, Section 17 of the City Code and making other conforming amendments to the City Code to comply with the state preemption provided under Section 559.955, Florida Statutes; and

WHEREAS, pursuant to the Florida Community Planning Act and Appendix A-Zoning, Article XIX, Section 3 of the City Code, the City's Planning & Zoning Board/Land Planning Agency has reviewed and recommended adoption of this Ordinance at a duly held public meeting; and

WHEREAS, the City Council of the City of Cocoa, Florida, hereby finds this ordinance to be in the best interests of the public health, safety, and welfare of the citizens of Cocoa.

NOW, THEREFORE, BE IT ENACTED BY THE CITY COUNCIL OF THE CITY OF COCOA, BREVARD COUNTY, FLORIDA, AS FOLLOWS:

Section 1. Recitals. The foregoing recitals are hereby fully incorporated herein by this reference as legislative findings and the intent and purpose of the City Council of the City of Cocoa.

Section 2. Code Amendment. Appendix A-Zoning, Article XIII Supplementary District Regulations, Section 17 of the Code of Ordinances, City of Cocoa, Florida, is hereby

amended as follows (~~strikeout~~ type indicates deletions from the City Code and underlined type indicates additions:

Sec. 17. - Home based businesses ~~occupations~~.

(a) Home based businesses shall be permitted in accordance with Section 559.955, Florida Statutes and other applicable law including any applicable provisions of the City Code.

(b) This section does not supersede or repeal:

(1) Any current or future declaration or declaration of condominium adopted pursuant to chapter 718, cooperative document adopted pursuant to chapter 719, or declaration or declaration of covenant adopted pursuant to chapter 720.

(2) Any provision of the City Code related to transient public lodging establishments, as defined in section 509.013(4)(a) 1., Florida Statutes that are not otherwise preempted under chapter 509, Florida Statutes.

~~occupations are permitted in dwellings or residential districts where the dwelling unit is the principal use under the following conditions:~~

~~(A) A home occupation application shall be submitted to the city's planning division on a form designated by the city. A nonrefundable fee of twenty-five dollars ($25.00) shall be submitted with the application to cover administrative costs associated with the city's review of the application.~~

~~(B) The review of the application shall verify that the home occupation can be conducted at all times in the following manner:~~

~~1. A home occupation shall be conducted within a dwelling unit and shall be limited to the use of the premises for:~~

~~(a) Home office;~~
~~(b) Preparation and fabrication of a commodity commonly classified as arts and handicrafts to be sold off premises; and/or~~
~~(c) Use of the premises by a physician, surgeon, dentist, lawyer, clergyman or other professional persons for consultation or emergency treatment, but not for the general practice of a profession.~~

~~2. No persons other than members living in the dwelling (as a primary residence) shall be licensed at the premises.~~

~~3. No home occupation shall be conducted in any free standing or attached accessory building or structure (except garages used to store vehicles).~~

~~4. No home occupation shall occupy more than twenty percent (20%) of the floor area of the residence, located on the premises, exclusive of the area of any open porch or attached garage or similar space not suited or intended for occupancy as living quarters.~~

~~5. There shall be no exterior storage of any materials on the premises.~~

~~6. There shall be no commodity sold upon the premises in connection with such home occupation.~~

~~7. There shall be no advertisement which directs consumers to the premises or is located at the premises.~~

~~8. No equipment or process shall be used in such home occupation which creates noise, vibration, glare, fumes, odors, or electrical interference outside the dwelling. In the case of electrical interference, no equipment or process shall be used which creates visual or audible interference in any radio or television receivers off the premises.~~

~~9. No home occupation shall interfere with the residential uses of adjoining property.~~

~~10. There shall be no additional and separate entrance incongruent with the residential structural design constructed for the purpose of conducting the home occupation.~~

~~11. There shall be no change in the outside appearance of the building or premises, or other visible evidence of the conduct of such home occupation.~~

~~12. No traffic shall be generated by such home occupation in greater volumes than would normally be expected in a residential neighborhood. Any need for parking generated by the conduct of such home occupation shall be met off street and not located in any required yard. No additional driveways to serve such home occupation shall be permitted.~~

~~13. The home occupation shall not generate pedestrian or vehicular trips beyond that normally generated in a residential district based on trip generation data presented in the Institute of Transportation Engineers (ITE) Manual.~~

~~14. There shall be no hazardous or dangerous materials, animals, substances, chemicals, plants, machines and tools stored or used on the premises in conjunction with the home occupation.~~

~~15. A home occupation shall be subject to all applicable city local business tax receipts and other business taxes.~~

~~(C) Any home occupation approved pursuant to this section may be temporarily suspended or absolutely revoked or canceled by the city council as provided by Cocoa Code Chapter 12, section 12-10 if it is determined that the home occupation is not being conducted in accordance with the provisions of this section.~~

~~(D) Notwithstanding the foregoing, any person conducting a home occupation, whether lawfully licensed or not, in violation of this section may also be prosecuted pursuant to any applicable local or state law.~~

Section 3. **Conforming Code Amendments.** The following conforming amendmentsto specific provisions of the Code of Ordinances, City of Cocoa, Florida, which are expressly listed below are hereby adopted as follows (~~strikeout~~ type indicates deletions from the City Code and underlined type indicates additions, while asterisks (*** * ***) indicate a deletion from the Ordinance of text existing in the specific section listed below. It is intended that the text in specific sections listed below denoted by the asterisks and set forth in this Ordinance shall remain unchanged from the language existing prior to adoption of this ordinance:

(A) **Section 9-22 – Solid Waste franchise**

****

(b) *Definitions.* The following words and phrases contained in this agreement shall have the meaning ascribed in this section unless the context clearly indicates otherwise:

****

(26) *Household trash* shall mean the accumulation of paper, excelsior, rags, wooden or paper boxes and containers, sweepings, broken toys, tools, utensils, whole automobile tires (not to exceed an amount permitted by the designated facility), construction and demolition debris from "do-it-yourself" projects not to exceed two (2) cubic yards per customer per collection, and all other accumulations of a similar nature other than garbage and vegetative waste, which are usual to house keeping and ,~~-~~do-it-yourself home improvements~~, and home occupations (as defined by city Code)~~.

****

(B) The following sections of Appendix A-Zoning, Article XI. – Schedule of District Regulations:

(1) **Sec. 1. – District and intent - RE, Residential Estate**

***

(D) PROHIBITED USES AND STRUCTURES

***

(2) ~~Home occupations.~~

***

(2) **Sec. 4A. – District and intent - RU-2-10, Low Density Single Family and Multiple-Family District**

***

(C) SPECIAL EXCEPTIONS.

***

(4) ~~Home occupations~~ Reserved.

***

(3) **Sec. 13. – District and intent - CBD, Central Business District**

***

(A) PRINCIPAL USES AND STRUCTURES.

***

(16) ~~Home occupations.~~ Reserved.

***

Section 4. Repeal of Prior Inconsistent Ordinances and Resolutions. All prior inconsistent ordinances and resolutions adopted by the City Council, or parts of prior ordinances and resolutions in conflict herewith, are hereby repealed to the extent of the conflict.

Section 5. Incorporation Into Code. This Ordinance shall be incorporated into the City Code for the City of Cocoa, and any section or paragraph, number or letter, and any headingmay be changed or modified as necessary to effectuate the foregoing. Grammatical, typographical,and like errors may be corrected and additions, alterations, and omissions, not affecting the construction or meaning of this ordinance and the City Code may be freely made.

Section 6. Severability. If any section, subsection, sentence, clause, phrase, word or provision of this Ordinance is for any reason held invalid or unconstitutional by any court of competent jurisdiction, whether for substantive, procedural, or any other reason, such portion shall be deemed a separate, distinct and independent provision, and such holding shall not affect the validity of the remaining portions of this Ordinance.

Section 7. Effective Date. This Ordinance shall become effective immediately upon adoption by the City Council of the City of Cocoa, Florida.

ADOPTED by the City Council of the City of Cocoa, Florida, in a regular meeting assembled on the____day of_____, 2021.

_____
Michael C. Blake, Mayor

ATTEST:

_____
Carie Shealy, City Clerk

CITY OF COCOA
NOTICE OF ZONING TEXT CHANGE

NOTICE IS HEREBY GIVEN THAT

THE COCOA CITY COUNICL

PROPOSE TO CONSIDER THE FOLLOWING:

Ordinance No. 11-2021

AN ORDINANCE OF THE CITY COUNCIL OF THE CITY OF COCOA, BREVARD COUNTY, FLORIDA; AMENDING APPENDIX A-ZONING, ARTICLE XIII SUPPLEMENTARY DISTRICT REGULATIONS, SECTION 17 OF THE CITY CODE RELATED TO HOME BASED BUSINESSES (HOME OCCUPATIONS) TO COMPLY WITH RECENT LEGISLATION ADOPTED BY THE FLORIDALEGISLATURE; MAKING OTHER CONFORMING AMENDMENTS TO THE SCHEDULE OF ZONING DISTRICT REGULATIONS AND CITY CODE TO COMPLY WITH SAID LEGISLATION; PROVIDING FOR THE REPEAL OF PRIOR INCONSISTENT ORDINANCES AND RESOLUTIONS, INCORPORATION INTO THE CODE, SEVERABILITY, AND AN EFFECTIVE DATE.

PLANNING AND ZONING BOARD WILL HEAR THIS ITEMS ON:

November 3, 2021

CITY COUNCIL WILL HEAR THIS ITEM ON:

December 14, 2021

ALL HEARINGS WILL BE AT 6:00 P.M. OR SOON THEREAFTER IN THE COCOA CITY HALL COUNCIL CHAMBERS LOCATED AT 65 STONE STREET, COCOA, FL

Members of the public may view the meeting agenda, ordinances, project applications, supporting documents, and staff reports on the City's website at the following link prior to attending or commenting: City of Cocoa meeting calendar at https://cocoa.legistar.com/Calendar.aspx

These documents and information pertaining to the above may also be inspected at the Community Services Department, between 9:00 a.m. and 5:00 p.m., Monday through Friday, or by phoning (321) 433-8535.

Interested parties are invited to attend this public meeting in person. Additionally, interested persons may view or listen to the meeting electronically at the following internet sites:

(1) https://tinyurl.com/s5e875r or

(2) https://cocoa.legistar.com/DepartmentDetail.aspx?ID=26365&GUID=FF9D3369-D354-4FAB-800A-57D0AEE30153&Mode=MainBody

However, the City is not responsible for technical difficulties that may occur while attempting to view or listen to the meeting on the internet.

Interested parties may also submit their written comments or questions regarding the meeting prior to the meeting through Email at meetings@cocoafl.org, or via E-comments through the online agenda. Any electronic comments submitted will be made part of the meeting record. Written comments may also be mailed to City of Cocoa, Planning & Zoning Manager, 65 Stone Street, Cocoa, Florida 32922. Written comments or questions not relevant to the Council meeting agenda will not be made part of the meeting record but will be maintained as public record.

This is a public meeting. Interested parties are hereby advised that they may appear at said meeting and be heard. The facility wherein this public meeting will be held is accessible to the physically handicapped. In accordance with the Americans With Disabilities Act, persons needing assistance to participate in any of these proceedings should contact the City Clerk of the City of Cocoa, listed below, at least 48 hours prior to the meeting: Carie Shealy, City Clerk, 65 Stone Street, Cocoa, by telephone at (321) 433-8484 or via email at cshealy@cocoafl.org.

Pursuant to Section 286.0105, Florida Statutes, the City hereby advises the public that if a person decides to appeal any decision made by the P&Z Board/LPA or City Council with respect to any matter considered at its meeting or hearing, that person will need a record of the proceedings and for such purpose, affected persons may need to assure that a verbatim record of the proceedings is made, and such record shall include the testimony and evidence upon which the appeal is to be based. This notice does not constitute consent by the City for the introduction or admission into evidence of otherwise inadmissible or irrelevant evidence, nor does it authorize challenges or appeals otherwise not allowed by law.

The City Council reserves the right to continue or postpone hearings to a date certain without re-advertising.

CITY OF COCOA
NOTICE OF ZONING TEXT CHANGE

NOTICE IS HEREBY GIVEN THAT

THE COCOA CITY COUNICL

PROPOSE TO CONSIDER THE FOLLOWING:

Ordinance No. 11-2021

AN ORDINANCE OF THE CITY COUNCIL OF THE CITY OF COCOA, BREVARD COUNTY, FLORIDA; AMENDING APPENDIX A-ZONING, ARTICLE XIII SUPPLEMENTARY DISTRICT REGULATIONS, SECTION 17 OF THE CITY CODE RELATED TO HOME BASED BUSINESSES (HOME OCCUPATIONS) TO COMPLY WITH RECENT LEGISLATION ADOPTED BY THE FLORIDA LEGISLATURE; MAKING OTHER CONFORMING AMENDMENTS TO THE SCHEDULE OF ZONING DISTRICT REGULATIONS AND CITY CODE TO COMPLY WITH SAID LEGISLATION; PROVIDING FOR THE REPEAL OF PRIOR INCONSISTENT ORDINANCES AND RESOLUTIONS, INCORPORATION INTO THE CODE, SEVERABILITY, AND AN EFFECTIVE DATE.

PLANNING AND ZONING BOARD WILL HEAR THIS ITEMS ON:

November 3, 2021

CITY COUNCIL WILL HEAR THIS ITEM ON:

December 14, 2021

ALL HEARINGS WILL BE AT 6:00 P.M. OR SOON THEREAFTER IN THE COCOA CITY HALL COUNCIL CHAMBERS LOCATED AT 65 STONE STREET, COCOA, FL

Members of the public may view the meeting agenda, ordinances, project applications, supporting documents, and staff reports on the City's website at the following link prior to attending or commenting: City of Cocoa meeting calendar at https://cocoa.legistar.com/Calendar.aspx

These documents and information pertaining to the above may also be inspected at the Community Services Department, between 9:00 a.m. and 5:00 p.m., Monday through Friday, or by phoning (321) 433-8535.

Interested parties are invited to attend this public meeting in person. Additionally, interested persons may view or listen to the meeting electronically at the following internet sites:

(1) https://tinyurl.com/s5e875r or

(2) https://cocoa.legistar.com/DepartmentDetail.aspx?ID=26365&GUID=FF9D3369-D354-4FAB-800A-57D0AEE30153&Mode=MainBody

However, the City is not responsible for technical difficulties that may occur while attempting to view or listen to the meeting on the internet.

Interested parties may also submit their written comments or questions regarding the meeting prior to the meeting through Email at meetings@cocoafl.org, or via E-comments through the online agenda. Any electronic comments submitted will be made part of the meeting record. Written comments may also be mailed to City of Cocoa, Planning & Zoning Manager, 65 Stone Street, Cocoa, Florida 32922. Written comments or questions not relevant to the Council meeting agenda will not be made part of the meeting record but will be maintained as public record.

This is a public meeting. Interested parties are hereby advised that they may appear at said meeting and be heard. The facility wherein this public meeting will be held is accessible to the physically handicapped. In accordance with the Americans With Disabilities Act, persons needing assistance to participate in any of these proceedings should contact the City Clerk of the City of Cocoa, listed below, at least 48 hours prior to the meeting: Carie Shealy, City Clerk, 65 Stone Street, Cocoa, by telephone at (321) 433-8484 or via email at cshealy@cocoafl.org.

Pursuant to Section 286.0105, Florida Statutes, the City hereby advises the public that if a person decides to appeal any decision made by the P&Z Board/LPA or City Council with respect to any matter considered at its meeting or hearing, that person will need a record of the proceedings and for such purpose, affected persons may need to assure that a verbatim record of the proceedings is made, and such record shall include the testimony and evidence upon which the appeal is to be based. This notice does not constitute consent by the City for the introduction or admission into evidence of otherwise inadmissible or irrelevant evidence, nor does it authorize challenges or appeals otherwise not allowed by law.

The City Council reserves the right to continue or postpone hearings to a date certain without re-advertising.

FT-GCI0753764-01

A Daily Publication By:

FLORIDA TODAY

FLORIDATODAY.com

A GANNETT COMPANY

CITY OF COCOA TE
65 STONE ST
COCOA FL 32922
ATTN ALEXANDRA BERNARD

STATE OF FLORIDA COUNTY OF BREVARD

Before the undersigned authority personally appeared said legal clerk, who on oath says that he or she is a Legal Advertising Representative of the **FLORIDA TODAY** a daily newspaper published in Brevard County, Florida that the attached copy of advertisement, being a Legal Ad in the matter of

PUBLIC NOTICE

as published in **FLORIDA TODAY** in the issue(s) of

10/21/2021

Affiant further says that the said **FLORIDA TODAY** is a newspaper in said Brevard County, Florida and that the said newspaper has heretofore been continuously published in said Brevard County, Florida each day and has been entered as periodicals matter at the post office in **MELBOURNE** in said Brevard County, Florida, for a period of one year next preceding the first publication of the attached copy of advertisement; and affiant further says that he or she has never paid nor promised any person, firm or corporation any discount, rebate, commission or refund for the purpose of securing this advertisement for publication in the said newspaper.

Sworn to and Subscribed before me this 21st day of October, 2021 by legal clerk who is personally known to me

Affiant

Notary State of Wisconsin County of Brown

5.15.23

My commission expires

Publication Cost: $623.60
Ad No: GCI0753764
Customer No: CIT180
PO#: PUBLIC NOTICE

NANCY HEYRMAN
Notary Public
State of Wisconsin

Legislation Details (With Text)

File #:	21-676	**Version:**	1	**Name:**	
Type:	Informational Item			**Status:**	Council Busines
File created:	11/15/2021			**In control:**	City Council
On agenda:	12/14/2021			**Final action:**	
Title:	City Council discussion and direction related to the funding of a $2,600 appraisal and purchase (not to exceed the lesser of the appraisal or $20,000 owner asking price) for the proposed easement area. (Public Works Director)				
Sponsors:					
Indexes:					
Code sections:					
Attachments:	Final Letter Sent 7-14-21.pdf Trail Easement.pdf Easement Quotations - CCA.pdf				

Date	Ver.	Action By	Action	Result

CITY COUNCIL AGENDA ITEM

Memo Date: November 15, 2021
Agenda Date: December 14, 2021
Prepared By: Bryant Smith III, P.E., CFM, Public Works Director/City Engineer
Through: Bryant Smith III, P.E., CFM, Public Works Director/City Engineer
Requested Action:
City Council discussion and direction related to the funding of a $2,600 appraisal and purchase (not to exceed the lesser of the appraisal or $20,000 owner asking price) for the proposed easement area.

BACKGROUND:

At the June 22, 2021, City Council Meeting, the City Council allocated $56,500 for the construction of an aluminum pedestrian bridge across the Range Road ditch, controlled access fencing, educational signage, and trail markers. The intent of this allocation was to create a new access point from Range Road to the Cocoa Conservation Area (CCA) to provide a direct link from Cocoa High School to the CCA. The proposed plan required an easement from a private property owner (Parcel ID 24-35-24-00 -759) directly south of the Cocoa Bay neighborhood and an easement from the Eastern Florida State College (EFSC) property, located on the southeast corner of Range Rd and Tiger Trail. While funding was allocated for aluminum pedestrian bridge, controlled access fencing, educational signage, and trail markers, no funding was provided to acquire the easement from the private property owner. The City received a response after the second certified letter was sent to the private owner and began discussions about the donation of a 15’ wide easement area on the northern edge of the property to the City. The owner of the parcel has requested $20,000 for this easement. Since there was no funding for the acquisition of property or easements, Staff is requesting the Council to either allocate

the additional funding needed for this easement area or appropriate the $56,500 previously set aside to another Council initiative.

At a subsequent council meeting, the City Council tabled this item with the intent to bring back an appraisal for related to the value of the easement. Staff sought out three written quotations for this work per the City's Financial Operations Manual, which requires a minimum of two verbal quotations for services between $1,000 - $3,000. Of the three quotations, one was for $2,600, while the other two were a combination of a no quote and no response.

STRATEGIC PLAN CONNECTION:

Objective 2.2(b): Create/Improve Off-road trails near Walmart and Cocoa Conservation.

BUDGETARY IMPACT:

Budgeted	No
If not budgeted, is amendment/transfer attached?	No

PREVIOUS ACTION:

October 12, 2021 - City Council voted to table this item until an appraisal could be brought back for council's review.

June 22, 2021 - City Council approved funding $39,000 for an aluminum pedestrian bridge, $10,000 for controlled access fencing, and $7,500 for educational signage and trail markers.

RECOMMENDED MOTION:

City Council discussion and direction related to the funding of a $2,600 appraisal and purchase (not to exceed the lesser of the appraisal or $20,000 owner asking price) for the proposed easement area.

powered by Legistar™

Public Works
155 Wilson Ave. I Cocoa, FL 32922
Phone: (321) 433-8770 I Fax: (321) 504-0922

July 9, 2021

Mr. William Ray Miller
736 Wade Road,
Seymour, TN 37865

Dear Mr. Miller,

The City of Cocoa is looking to enhance the Cocoa Conservation Area, which is the large forested area directly west of your property on Range Road in Cocoa, Florida, Tax Parcel ID 24-35-24-00-759. As part of this enhancement, the City is looking to install a pedestrian bridge across the stormwater ditch on Range Road to tie into a newly established cross-country trail that could be utilized by the public. In order to make this happen, the City would need to utilize about 15' on the northern edge of your property that abuts the Cocoa Bay Subdivision to provide a trail connection. Therefore, the City of Cocoa is seeking a 15' wide trail access easement along the northern boundary of your property. Please let me know if you are amenable to this request. I have attached a draft access easement for your information, along with an exhibit showing the requested easement area. The City would seek to fence this area, install an access gate, and would perform any work necessary to establish and maintain this trail. The City of Cocoa or its designee or volunteers would open and close the access gate as is already done for other trailhead locations in the Cocoa Conservation Area.

Please let me know if you have any questions or concerns related to this request. The City is open to discussing the specific terms of the proposed easement. My information is below and I would be happy to discuss this project with you.

Sincerely,

Bryant Smith III, P.E., CFM
Director of Public Works / City Engineer
City of Cocoa
bsmith@cocoafl.org I 321-433-8770

Dana Blickley, CFA
PROPERTY APPRAISER
Brevard County

Exhibit A

1:2,000
0 130 260 520 ft
0 37.5 75 150 m

N W E S



All BCPAO maps and/or map applications are maintained for assessment and illustrative purposes only and do not represent surveys, plats, or any other legal instrument. Likewise, measurement and location tools are for assessment and illustrative purposes only and do not necessarily reflect real-world conditions. Due to the nature of Geographic Information Systems (GIS) and cadastral mapping, map layers may not precisely align and may not represent precise location, shape, and/or legal boundaries. Only a Florida-licensed surveyor can determine legally-relevant property boundaries, elevation, distance, area, and/or location in Florida.

Map created July 2, 2021 (map data dates may vary)

Return to:
Carie Shealy, City Clerk
City of Cocoa
65 Stone Street
Cocoa, Florida 32922
Parcel ID: 24-36-32-05-B-1

EASEMENT AGREEMENT

THIS EASEMENT AGREEMENT (the "**Easement**") is made the last date signed below, by _____, a _____, which has a mailing address of _____ (hereinafter "**Grantor**") in favor of the **City of Cocoa**, a Florida municipal corporation, having a mailing address of 65 Stone Street, Cocoa, Florida 32922 (hereinafter "**Grantee**").

WITNESSETH:

WHEREAS, Grantor is the sole owner of certain real property located within the City of Cocoa, located at _____, which is legally described in **Exhibit A** (hereinafter "Grantor's Property"); and

WHEREAS, Grantee desires to construct and maintain a trail for pedestrian and nonmotorized vehicle access at the _____; and

WHEREAS, Grantor desires to convey a perpetual, non-exclusive easement over, under, and across a portion of Grantor's Property, for purposes of allowing Grantee to construct, install and maintain a trail at _____; and

NOW, THEREFORE, in consideration of the enumerated purposes stated herein, and mutual covenants, terms and conditions and restrictions contained herein, together with other good and valuable consideration, the receipt and sufficiency of which is acknowledged, Grantor provides as follows:

1. Recitals. The foregoing recitals are hereby incorporated herein by this reference.

2. Grant of Easement. Grantor hereby voluntarily grants and conveys to Grantee, and its successors, and assigns, subject to any previous duly recorded easements or grants of record, a perpetual, non-exclusive easement over, under, through, and across a portion of Grantor's Property described on **Exhibit A**, the easement area being depicted graphically and legally described in **Exhibit B,** a copy of which is attached hereto and incorporated herein by this reference (hereinafter "**Easement Area**"). Said Easement shall be of the nature and character and to the extent hereinafter set forth.

DRAFT

3. Purpose of Easement. This Easement is granted for the express purpose of allowing Grantee to use and perform the following:

A. Construct and maintain a trail for public pedestrian and nonmotorized vehicle use over, under, and across the Easement Area and to harmonize the surrounding ground surface with the trail;

B. Provide Grantee unconditional ingress and egress to, over, under and from the Easement Area for the purposes stated herein.

4. Rights of Grantee. To accomplish the purposes stated above, and at Grantee's expense, the following rights are conveyed to the Grantee by this Easement:

A. To clear, excavate, construct, operate, alter, improve, repair, replace, inspect and maintain a public access trail and any additional appurtenant improvements authorized hereunder over, under, and across the Easement Area for the use of the public;

B. To harmonize the ground surface of the Easement Area with the construction of the trail. Such harmonizing shall consist of excavation or placement of fill dirt or vegetation, and the maintenance thereof, which the Grantee deems necessary or convenient in connection therewith;

C. To repair and maintain the trail and related harmonizing improvements made by Grantee hereunder;

D. To cut, trim, and keep clear such trees, brush, and undergrowth that might hinder or prohibit the use of the Easement Area for the purposes set forth herein;

E. To enjoy all other rights and privileges reasonably and customarily necessary or convenient for Grantee’s safe and efficient operation, maintenance, and/or repair of the public access trail;

F. To restore, or cause to be restored, the surface and subsurface of the Easement Area to the condition said Property was in prior to the performance of any construction, reconstruction, replacement, removal, enlargement, operation, inspection, maintenance, repair improvement, relocation or any other use or work contemplated by this Easement. Any such restoration shall be in a workman like manner acceptable to the Grantor. Grantee shall use its best efforts in its use of the Easement Area to not interfere with use by Grantor, its tenants, guests and invitees;

G. To prevent any activity on or use of the Easement Area that is inconsistent with the purpose of the Easement, and to require the restoration of areas or features of the Easement Area that may be damaged by an inconsistent activity or use;

H. To use this Easement for ingress and egress to the defined improvements; and

I. To take any civil action deemed necessary, at the Grantee's sole and absolute discretion, to protect and preserve the Easement granted hereunder.

DRAFT

5. Permits. The parties acknowledge that certain local, state, and federal permits may be required from time to time for purposes of constructing, operating, and maintaining the improvements and other incidental appurtenances and accessory structures referred to herein. Grantor, as fee simple owner of the Grantor's Property, hereby agrees to allow Grantee to make application for said permits and also agrees to join in any said permit (as signatory or otherwise) when required by any permitting agency for issuance of the permit. Notwithstanding, Grantee shall be solely responsible and liable for all permit fees and related costs, and for complying with any local, state, or federal permit requirements, obligations, and duties (if any) related to the construction, operation, and maintenance of the improvements and other incidental appurtenances and accessories thereto.

6. Easement Runs with the Land. This Easement shall remain a charge against the Grantor's Property. Therefore, this Easement shall run with the land and be automatically assigned by any deed or other conveyance conveying a portion of the Grantor's Property relating to this Easement, even though conveyance makes no reference to this Easement as such.

7. Attorney's Fees. In the event of any legal action arising under this Easement between the parties, each party shall be responsible for its own attorney's fees, court costs, and expenses, through all appellate proceedings.

8. Recordation. Grantee shall record this instrument in a timely fashion in the Official Records of Brevard County, Florida and may re-record it at any time as may be required to preserve its rights in this Easement.

9. Successors. The covenants, terms, conditions, rights, and restrictions of this Easement shall be binding upon, and inure to the benefit of the parties hereto and their respective personal representatives, heirs, successors, and assigns and shall continue as a servitude running with the Property.

10. Grantor's Use of Easement. Subject to and conditioned upon the provisions of Paragraphs 3 and 4 of this Easement Agreement, Grantor hereby reserves for itself the right to use the Easement Area; provided, however, that Grantor's use may not (i) violate any provision of this Easement Agreement, or (ii) unreasonably interfere with any of Grantee's easements, rights or interest under this Easement.

11. Grantor's Representations and Warranties. Grantor hereby agrees and makes the following representations and warranties to Grantee:

A. Grantor is lawfully seized of said Grantor's Property in fee simple and has full and lawful authority to execute this Easement, grant the Easement to Grantee, and bind the Grantor's Property as set forth herein.

B. The Grantor's Property is free of any and all encumbrances, except zoning restrictions and prohibitions and other requirements imposed by government authority and other encumbrances which are recorded in the public records of Brevard County, Florida.

DRAFT

C. Grantor shall pay any and all taxes that are levied on Grantor's Property, from time to time, as said taxes and assessments come due. The improvements contemplated to be made on this Easement are for a public purpose and therefore not considered as being subject to taxation. If said public improvements are assessed taxes, Grantee will be responsible for the payment of taxes attributed specifically to the public improvements.

D. Grantor hereby warrants the title to the Easement granted hereunder over, under, and across the Grantor's Property and will defend the same against lawful claims of all persons whomever.

12. Sovereign Immunity. Notwithstanding any other provision set forth in this Easement Agreement, nothing contained in this Easement Agreement shall be construed as a waiver of the City's right to sovereign immunity under section 768.28, Florida Statutes, or other limitations imposed on the City's potential liability under state or federal law. As such, the City shall not be liable under this Easement Agreement for punitive damages or interest for the period before judgment. Further, the City shall not be liable for any claim or judgment, or portion thereof, to any one person for more than two hundred thousand dollars ($200,000.00), or any claim or judgment, or portion thereof, which, when totaled with all other claims or judgments paid by the State or its agencies and subdivisions arising out of the same incident or occurrence, exceeds the sum of three hundred thousand dollars ($300,000.00). This paragraph shall survive termination of this Easement Agreement.

13. Liability. To the extent permitted by law, and without waiving Grantee's right to sovereign immunity, each party to this Easement Agreement shall be responsible for any and all claims, demands, suits, actions, damages and causes of action related to or arising out of or in any way connected with its own actions and omissions, and the action of its personnel and agents, in performing their obligations and responsibilities under this Easement Agreement.

14. Injunctive Relief. The parties agree that, in the event of default, there may not be an adequate remedy at law, and therefore, in addition to any other available legal remedies that may be available, it is agreed the parties shall be entitled to seek injunctive relief, including a mandatory injunction.

15. Notice. All notices, demands, requests, consents, approvals or other communications (collectively, "**Notices**") required or permitted to be given hereunder or which are given with respect to this Easement shall be effective only if in writing and delivered by personal service, or delivered to an overnight courier service with guaranteed next day delivery or mailed by registered or certified mail, return receipt requested, postage prepaid, addressed as follows:

TO GRANTEE:

Attn: City Manager

DRAFT

City of Cocoa, Florida

65 Stone Street

Cocoa, FL 32922

TO GRANTOR:

_____

_____

_____

_____

or to such other address as such party shall have specified most recently by like Notice. The aforesaid attorneys for the parties hereto are hereby respectively authorized to give any Notice permitted under this Easement. Any Notice given as provided herein shall be deemed received as follows: if delivered by personal service, on the date so delivered; if delivered to an overnight courier service, on the business day immediately following delivery to such service; and if mailed, on the third business day after mailing.

16. **Governing Law and Venue**. This Easement Agreement shall be governed by the laws of the State of Florida. Venue for all disputes shall be properly placed in Brevard County, Florida. The parties agree that the Easement Agreement was consummated in Brevard County, and the site of the easement is in Brevard County, Florida.

17. **Entire Agreement.** This Easement Agreement constitutes the full and entire agreement between the parties hereto and supersedes any oral or written prior communications between the parties related to the subject matter contained in this easement.

18. **Modifications.** This Easement Agreement shall only be modified by a written instrument executed by the parties hereto or any successor, assigns heirs, or representatives thereto.

19. **Duty of Noninterference.** Grantor agrees not to interfere or allow others to interfere with Grantee's rights to use the Grantor's Property, including as specifically set forth herein. Grantor agrees not to permit or allow the construction or erection of any building or structure or the planting of any trees which may cause damage to the trail within the Easement Area without prior written consent of the Grantee; it being expressly understood and agreed, however, that this Easement is non-exclusive and that Grantor shall have the authority to use and to authorize others to use the Grantor's Property in any manner which is not inconsistent with this Easement.

20. **Termination.** The parties agree that this Easement is intended to be perpetual. However, in the event the Grantee determines, at its sole discretion, that it no longer requires the

DRAFT

property for improvements described herein, Grantee, at Grantor's written request, agrees to execute an appropriate written instrument to terminate this Easement.

21. **Severability**. If any provision, or a portion thereof, of this Easement Agreement, or the application thereof to any person or circumstances shall, to any extent, be held invalid, inoperative or unenforceable, the remainder of this Easement Agreement or the application of such provision, or portion thereof, to any persons or circumstances shall not be affected thereby and the remainder of this Easement Agreement shall be given effect as if such invalid, inoperative or unenforceable portion has not been included; such invalid, inoperative or unenforceable provision, or portion thereof, or the application thereof to any person or circumstances, shall not be given effect.

IN WITNESS WHEREOF, Grantor and Grantee set their respective hands on the day and year above written.

Signed, sealed and delivered in the presence of: Two witnesses required by Florida Law

WITNESSES:

_____ _____

Print Name: _____ Its:_____

_____

Print Name: _____

STATE OF FLORIDA

COUNTY OF _____

The foregoing instrument was acknowledged before me by means of (___) online notarization or (___) physical presence, this ____ day of _____, 2021, by _____, as _____ , who is ___ personally known to me or ____who has produced _____ as identification.

_____

Notary Public

PRINT/TYPE NAME: _____

DRAFT

Notary Public in and for the County and State last aforesaid.
My Commission Expires: _____
Serial No., if any: _____

WITNESSES: **CITY OF COCOA, FL**

_____ _____
Print Name: _____ Mayor Michael C. Blake

_____
Print Name: _____

STATE OF FLORIDA

COUNTY OF BREVARD

The foregoing instrument was acknowledged before me by means of (___) online notarization or (___) physical presence, this ____ day of _____, 2021, by **Michael C. Blake**, as Mayor of Cocoa, who is ___ personally known to me or ___who has produced _____ as identification.

_____
Notary Public
PRINT/TYPE NAME: _____
Notary Public in and for the County and State last aforesaid.
My Commission Expires: _____
Serial No., if any: _____

DRAFT

EXHIBIT A

GRANTOR'S PROPERTY

DRAFT

EXHIBIT B

EASEMENT AREA

DRAFT

Return to:
Carie Shealy, City Clerk
City of Cocoa
65 Stone Street
Cocoa, Florida 32922
Parcel ID: 24-36-32-05-B-1

EASEMENT AGREEMENT

THIS EASEMENT AGREEMENT (the "**Easement**") is made the last date signed below, by _____, a _____, which has a mailing address of _____ (hereinafter "**Grantor**") in favor of the **City of Cocoa**, a Florida municipal corporation, having a mailing address of 65 Stone Street, Cocoa, Florida 32922 (hereinafter "**Grantee**").

WITNESSETH:

WHEREAS, Grantor is the sole owner of certain real property located within the City of Cocoa, located at _____, which is legally described in **Exhibit A** (hereinafter "Grantor's Property"); and

WHEREAS, Grantee desires to construct and maintain a trail for pedestrian and nonmotorized vehicle access at the _____; and

WHEREAS, Grantor desires to convey a perpetual, non-exclusive easement over, under, and across a portion of Grantor's Property, for purposes of allowing Grantee to construct, install and maintain a trail at _____; and

NOW, THEREFORE, in consideration of the enumerated purposes stated herein, and mutual covenants, terms and conditions and restrictions contained herein, together with other good and valuable consideration, the receipt and sufficiency of which is acknowledged, Grantor provides as follows:

1. Recitals. The foregoing recitals are hereby incorporated herein by this reference.

2. Grant of Easement. Grantor hereby voluntarily grants and conveys to Grantee, and its successors, and assigns, subject to any previous duly recorded easements or grants of record, a perpetual, non-exclusive easement over, under, through, and across a portion of Grantor's Property described on **Exhibit A**, the easement area being depicted graphically and legally described in **Exhibit B,** a copy of which is attached hereto and incorporated herein by this reference (hereinafter "**Easement Area**"). Said Easement shall be of the nature and character and to the extent hereinafter set forth.

DRAFT

3. Purpose of Easement. This Easement is granted for the express purpose of allowing Grantee to use and perform the following:

A. Construct and maintain a trail for public pedestrian and nonmotorized vehicle use over, under, and across the Easement Area and to harmonize the surrounding ground surface with the trail;

B. Provide Grantee unconditional ingress and egress to, over, under and from the Easement Area for the purposes stated herein.

4. Rights of Grantee. To accomplish the purposes stated above, and at Grantee's expense, the following rights are conveyed to the Grantee by this Easement:

A. To clear, excavate, construct, operate, alter, improve, repair, replace, inspect and maintain a public access trail and any additional appurtenant improvements authorized hereunder over, under, and across the Easement Area for the use of the public;

B. To harmonize the ground surface of the Easement Area with the construction of the trail. Such harmonizing shall consist of excavation or placement of fill dirt or vegetation, and the maintenance thereof, which the Grantee deems necessary or convenient in connection therewith;

C. To repair and maintain the trail and related harmonizing improvements made by Grantee hereunder;

D. To cut, trim, and keep clear such trees, brush, and undergrowth that might hinder or prohibit the use of the Easement Area for the purposes set forth herein;

E. To enjoy all other rights and privileges reasonably and customarily necessary or convenient for Grantee’s safe and efficient operation, maintenance, and/or repair of the public access trail;

F. To restore, or cause to be restored, the surface and subsurface of the Easement Area to the condition said Property was in prior to the performance of any construction, reconstruction, replacement, removal, enlargement, operation, inspection, maintenance, repair improvement, relocation or any other use or work contemplated by this Easement. Any such restoration shall be in a workman like manner acceptable to the Grantor. Grantee shall use its best efforts in its use of the Easement Area to not interfere with use by Grantor, its tenants, guests and invitees;

G. To prevent any activity on or use of the Easement Area that is inconsistent with the purpose of the Easement, and to require the restoration of areas or features of the Easement Area that may be damaged by an inconsistent activity or use;

H. To use this Easement for ingress and egress to the defined improvements; and

I. To take any civil action deemed necessary, at the Grantee's sole and absolute discretion, to protect and preserve the Easement granted hereunder.

DRAFT

5. Permits. The parties acknowledge that certain local, state, and federal permits may be required from time to time for purposes of constructing, operating, and maintaining the improvements and other incidental appurtenances and accessory structures referred to herein. Grantor, as fee simple owner of the Grantor's Property, hereby agrees to allow Grantee to make application for said permits and also agrees to join in any said permit (as signatory or otherwise) when required by any permitting agency for issuance of the permit. Notwithstanding, Grantee shall be solely responsible and liable for all permit fees and related costs, and for complying with any local, state, or federal permit requirements, obligations, and duties (if any) related to the construction, operation, and maintenance of the improvements and other incidental appurtenances and accessories thereto.

6. Easement Runs with the Land. This Easement shall remain a charge against the Grantor's Property. Therefore, this Easement shall run with the land and be automatically assigned by any deed or other conveyance conveying a portion of the Grantor's Property relating to this Easement, even though conveyance makes no reference to this Easement as such.

7. Attorney's Fees. In the event of any legal action arising under this Easement between the parties, each party shall be responsible for its own attorney's fees, court costs, and expenses, through all appellate proceedings.

8. Recordation. Grantee shall record this instrument in a timely fashion in the Official Records of Brevard County, Florida and may re-record it at any time as may be required to preserve its rights in this Easement.

9. Successors. The covenants, terms, conditions, rights, and restrictions of this Easement shall be binding upon, and inure to the benefit of the parties hereto and their respective personal representatives, heirs, successors, and assigns and shall continue as a servitude running with the Property.

10. Grantor's Use of Easement. Subject to and conditioned upon the provisions of Paragraphs 3 and 4 of this Easement Agreement, Grantor hereby reserves for itself the right to use the Easement Area; provided, however, that Grantor's use may not (i) violate any provision of this Easement Agreement, or (ii) unreasonably interfere with any of Grantee's easements, rights or interest under this Easement.

11. Grantor's Representations and Warranties. Grantor hereby agrees and makes the following representations and warranties to Grantee:

A. Grantor is lawfully seized of said Grantor's Property in fee simple and has full and lawful authority to execute this Easement, grant the Easement to Grantee, and bind the Grantor's Property as set forth herein.

B. The Grantor's Property is free of any and all encumbrances, except zoning restrictions and prohibitions and other requirements imposed by government authority and other encumbrances which are recorded in the public records of Brevard County, Florida.

DRAFT

C. Grantor shall pay any and all taxes that are levied on Grantor's Property, from time to time, as said taxes and assessments come due. The improvements contemplated to be made on this Easement are for a public purpose and therefore not considered as being subject to taxation. If said public improvements are assessed taxes, Grantee will be responsible for the payment of taxes attributed specifically to the public improvements.

D. Grantor hereby warrants the title to the Easement granted hereunder over, under, and across the Grantor's Property and will defend the same against lawful claims of all persons whomever.

12. Sovereign Immunity. Notwithstanding any other provision set forth in this Easement Agreement, nothing contained in this Easement Agreement shall be construed as a waiver of the City's right to sovereign immunity under section 768.28, Florida Statutes, or other limitations imposed on the City's potential liability under state or federal law. As such, the City shall not be liable under this Easement Agreement for punitive damages or interest for the period before judgment. Further, the City shall not be liable for any claim or judgment, or portion thereof, to any one person for more than two hundred thousand dollars ($200,000.00), or any claim or judgment, or portion thereof, which, when totaled with all other claims or judgments paid by the State or its agencies and subdivisions arising out of the same incident or occurrence, exceeds the sum of three hundred thousand dollars ($300,000.00). This paragraph shall survive termination of this Easement Agreement.

13. Liability. To the extent permitted by law, and without waiving Grantee's right to sovereign immunity, each party to this Easement Agreement shall be responsible for any and all claims, demands, suits, actions, damages and causes of action related to or arising out of or in any way connected with its own actions and omissions, and the action of its personnel and agents, in performing their obligations and responsibilities under this Easement Agreement.

14. Injunctive Relief. The parties agree that, in the event of default, there may not be an adequate remedy at law, and therefore, in addition to any other available legal remedies that may be available, it is agreed the parties shall be entitled to seek injunctive relief, including a mandatory injunction.

15. Notice. All notices, demands, requests, consents, approvals or other communications (collectively, "**Notices**") required or permitted to be given hereunder or which are given with respect to this Easement shall be effective only if in writing and delivered by personal service, or delivered to an overnight courier service with guaranteed next day delivery or mailed by registered or certified mail, return receipt requested, postage prepaid, addressed as follows:

TO GRANTEE:

Attn: City Manager

DRAFT

City of Cocoa, Florida

65 Stone Street

Cocoa, FL 32922

TO GRANTOR:

_____

_____

_____

_____

or to such other address as such party shall have specified most recently by like Notice. The aforesaid attorneys for the parties hereto are hereby respectively authorized to give any Notice permitted under this Easement. Any Notice given as provided herein shall be deemed received as follows: if delivered by personal service, on the date so delivered; if delivered to an overnight courier service, on the business day immediately following delivery to such service; and if mailed, on the third business day after mailing.

16. **Governing Law and Venue**. This Easement Agreement shall be governed by the laws of the State of Florida. Venue for all disputes shall be properly placed in Brevard County, Florida. The parties agree that the Easement Agreement was consummated in Brevard County, and the site of the easement is in Brevard County, Florida.

17. **Entire Agreement.** This Easement Agreement constitutes the full and entire agreement between the parties hereto and supersedes any oral or written prior communications between the parties related to the subject matter contained in this easement.

18. **Modifications.** This Easement Agreement shall only be modified by a written instrument executed by the parties hereto or any successor, assigns heirs, or representatives thereto.

19. **Duty of Noninterference.** Grantor agrees not to interfere or allow others to interfere with Grantee's rights to use the Grantor's Property, including as specifically set forth herein. Grantor agrees not to permit or allow the construction or erection of any building or structure or the planting of any trees which may cause damage to the trail within the Easement Area without prior written consent of the Grantee; it being expressly understood and agreed, however, that this Easement is non-exclusive and that Grantor shall have the authority to use and to authorize others to use the Grantor's Property in any manner which is not inconsistent with this Easement.

20. **Termination.** The parties agree that this Easement is intended to be perpetual. However, in the event the Grantee determines, at its sole discretion, that it no longer requires the

DRAFT

property for improvements described herein, Grantee, at Grantor's written request, agrees to execute an appropriate written instrument to terminate this Easement.

21. **Severability**. If any provision, or a portion thereof, of this Easement Agreement, or the application thereof to any person or circumstances shall, to any extent, be held invalid, inoperative or unenforceable, the remainder of this Easement Agreement or the application of such provision, or portion thereof, to any persons or circumstances shall not be affected thereby and the remainder of this Easement Agreement shall be given effect as if such invalid, inoperative or unenforceable portion has not been included; such invalid, inoperative or unenforceable provision, or portion thereof, or the application thereof to any person or circumstances, shall not be given effect.

IN WITNESS WHEREOF, Grantor and Grantee set their respective hands on the day and year above written.

Signed, sealed and delivered in the presence of: Two witnesses required by Florida Law

WITNESSES:

_____ _____

Print Name: _____ Its:_____

_____

Print Name: _____

STATE OF FLORIDA

COUNTY OF _____

The foregoing instrument was acknowledged before me by means of (___) online notarization or (___) physical presence, this ____ day of _____, 2021, by _____, as _____ , who is ___ personally known to me or ____who has produced _____ as identification.

_____

Notary Public

PRINT/TYPE NAME: _____

DRAFT

Notary Public in and for the County and State last aforesaid.
My Commission Expires: _____
Serial No., if any: _____

WITNESSES: **CITY OF COCOA, FL**

_____ _____
Print Name: _____ Mayor Michael C. Blake

_____
Print Name: _____

STATE OF FLORIDA

COUNTY OF BREVARD

The foregoing instrument was acknowledged before me by means of (___) online notarization or (___) physical presence, this ____ day of _____, 2021, by **Michael C. Blake**, as Mayor of Cocoa, who is ___ personally known to me or ___who has produced _____ as identification.

_____
Notary Public
PRINT/TYPE NAME: _____
Notary Public in and for the County and State last aforesaid.
My Commission Expires: _____
Serial No., if any: _____

DRAFT

EXHIBIT A

GRANTOR'S PROPERTY

DRAFT

EXHIBIT B

EASEMENT AREA

DRAFT

Bryant Smith

From: Matthew Jehs <matthew.jehs@t-a-w.com>
Sent: Thursday, October 14, 2021 4:07 PM
To: Bryant Smith
Cc: dina.taylor@t-a-w.com
Subject: RE: Easement Appraisal Request - City of Cocoa - Range Road

Follow Up Flag: Follow up
Flag Status: Flagged

EXTERNAL MESSAGE - USE CAUTION WITH LINKS AND ATTACHMENTS!

Bryant,

Thank you for the opportunity to bid. We can provide a USPAP compliant Appraisal Report that will address the current market value of the Easement Rights for an Access Easement on the indicated subject identified for a fee of $2,600 and a time of 4 weeks from engagement. We are competent to complete the assignment but have not appraised the subject in the last 3 years. If you have any further questions on the bid or process please let me know.

Regards,

Matthew W. Jehs, MAI
Cert. Gen. RZ2806
Managing Director
Tuttle-Armfield-Wagner Appraisal & Research, Inc.
111 W. New Haven Avenue
Melbourne, FL 32901
Ph. 321-723-7010 x 225
Fx 321-723-4375
matthew.jehs@t-a-w.com
www.t-a-w.com
2020 Past President, East Florida Chapter of the Appraisal Institute

TUTTLE ARMFIELD WAGNER
APPRAISAL & RESEARCH, INC.

From: Bryant Smith <bsmith@cocoafl.org>
Sent: Thursday, October 14, 2021 1:20 PM
To: matthew.jehs@t-a-w.com
Subject: Easement Appraisal Request - City of Cocoa - Range Road

Matthew,

The City of Cocoa is looking to acquire an easement on the property listed below. I have also attached a schematic for reference. We are trying to get a 15’ easement on the northern boundary of the property. Can you provide me with a proposal to place an approximate value on that portion of the property? We are planning to use it for access to the conservation area to the west.

Thanks a lot and let me know if you have any questions.

-Bryant

Bryant Smith III, P.E., CFM
Public Works Director/City Engineer
155 N. Wilson Ave., Cocoa, FL 32922
(321) 433-8771 I bsmith@cocoafl.org



Stay Connected: www.CocoaFL.org

PLEASE NOTE: Florida has a very broad public records law. Most written communications (including contents of emails and email addresses) to or from City of Cocoa officials and employees regarding public business are public records available to the public and media upon request. Your written and e-mail communications may be subject to public disclosure. If you do not want your written and email communications released in response to a public records request, do not send written or email communications to City of Cocoa officials and employees. Instead, contact this office by phone.

Bryant Smith

From: john coston <jcoston@cfl.rr.com>
Sent: Thursday, October 28, 2021 6:51 PM
To: Bryant Smith
Subject: Re: Easement Appraisal Request - City of Cocoa - Range Road

EXTERNAL MESSAGE - USE CAUTION WITH LINKS AND ATTACHMENTS!

Hello, we are not taking on any additional work at the moment , other than the normal flow of Bank work, we are just too backlogged. Thank you for contacting us.

Coston Appraisal

On 10/26/2021 9:46 AM, Bryant Smith wrote:

> The City of Cocoa is looking to acquire an easement on the property listed in the attachment. are trying to get a 15' easement on the northern boundary of the property. Can you provide me with a proposal to place an approximate value on that portion of the property? We are planning to use it for access to the conservation area to the west. The proposal should address the current market value of easements rights for an access easement in a USPAP Compliant Appraisal Report.
>
> Thanks a lot and let me know if you have any questions.
>
> -Bryant

Bryant Smith III, P.E., CFM
Public Works Director/City Engineer
155 N. Wilson Ave., Cocoa, FL 32922
(321) 433-8771 I bsmith@cocoafl.org



Stay Connected: www.CocoaFL.org

PLEASE NOTE: Florida has a very broad public records law. Most written communications (including contents of emails and email addresses) to or from City of Cocoa officials and employees regarding public business are public records available to the public and media upon request. Your written and e-mail communications may be subject to public disclosure. If you do not want your written and email

communications released in response to a public records request, do not send written or email communications to City of Cocoa officials and employees. Instead, contact this office by phone.

--
John C. Coston
Cert Res RD2803
Coston Appraisal and Research, Inc.
PH: 321-768-0370
Cell: 321-501-4210

Bryant Smith

From: Bryant Smith
Sent: Tuesday, October 19, 2021 7:44 AM
To: jon@ajmvaluations.com
Subject: Easement Appraisal Request - City of Cocoa - Range Road
Attachments: Exhibit A - Parcel Map.pdf

John,

The City of Cocoa is looking to acquire an easement on the property listed below. I have also attached a schematic for reference. We are trying to get a 15' easement on the northern boundary of the property. Can you provide me with a proposal to place an approximate value on that portion of the property? We are planning to use it for access to the conservation area to the west. The proposal should address the current market value of easements rights for an access easement in a USPAP Compliant Appraisal Report.

Thanks a lot and let me know if you have any questions.

-Bryant

Bryant Smith III, P.E., CFM
Public Works Director/City Engineer
155 N. Wilson Ave., Cocoa, FL 32922
(321) 433-8771 I bsmith@cocoafl.org

Together we can stop the spread

Stay Connected: www.CocoaFL.org

Legislation Details (With Text)

File #:	21-735	**Version:**	1	**Name:**	
Type:	Report			**Status:**	Council Busines
File created:	11/3/2021			**In control:**	City Council
On agenda:	12/14/2021			**Final action:**	
Title:	Accept the City of Cocoa Urban Forest Management Plan and authorize the City to proceed with the plan recommendations. (Public Works Director)				
Sponsors:					
Indexes:					
Code sections:					
Attachments:	Brochure.pdf City of Cocoa 2021 Tree Management Plan_092921_Final_Complete.pdf 111720 - COCOA_TREE_INVENTORY_FINAL_Sorted Very Poor to Excellent.pdf				

Date	Ver.	Action By	Action	Result

CITY COUNCIL AGENDA ITEM

Memo Date: November 3, 2021
Agenda Date: December 14, 2021
Prepared By: Frank Mirabito, Project Manager
Through: Bryant Smith III, P.E., CFM, Public Works Director/City Engineer
Requested Action:
Accept the City of Cocoa Urban Forest Management Plan and authorize the City to proceed with the plan recommendations.

BACKGROUND:

The City of Cocoa is recognized as a Tree City as part of the Arbor Day Foundation's Tree City USA Program. The maintenance and care activities associated with this certification are provided by the Parks and Beautification Division, under the Public Works Department. This work ranges from trimming trees to American National Standards Institute (ANSI) standards and the Florida Department of Transportation (FDOT) guidelines, removing hazardous and dead trees, and planting new trees where the opportunities exist.

On October 23, 2019, Council authorized a multi-year matching grant application to the United States Department of Agriculture Forest Service (USDA). The grant is administered through the Florida Department of Agriculture and Consumer Services Florida Forest Service (FDACS). Below is a breakdown of the three-year grant program:

Year 1 - Tree Inventory
Year 2 - Urban Forest Management Plan
Year 3 - Up to $15,000 to plant trees

On April 22, 2020, Council accepted the multi-year grant award. Year 1 and 2 work was bid in the Summer of 2020 and Bayhead Ecological Solutions was awarded this work. Year 3 work will be released for bid separately at a later date. The tree inventory was completed in October of 2020.

On July 27, 2021, Council authorized the Year 2 contract for the Urban Forest Management Plan. This plan utilized the data obtained during the Year 1 Tree Inventory. The plan was drafted by Bayhead Ecological Solutions and highlights the Public Works Department's commitment to proper tree care within the plan. Examples include: "statistics point to a dramatic diversity within both the public area and street urban populations within the City of Cocoa.", and "Based on these metrics, the overall tree populations in the public areas and streets of the City are deemed to be very healthy". The plan also notes that "an overwhelming majority of the trees collected were rated as being in "Excellent" in both the public (95%) and street (95%) designations".

Future work identified in the management plant includes: removal of trees rated 9 or 10 on the hazard scale of the tree inventory and located next to targets (vehicular and pedestrian). This includes trees that are an example of "the wrong tree in the wrong place". Other trees rated poorly should receive corrective pruning but may need to be removed if pruning cannot improve their conditions. Tree stocking or planting is recommended within street rights of way and open spacing, pending the location of conflicts. The plan also recommends the continued maintenance of existing healthy trees to prevent future removals.

Year 3 work, which includes matching funds for tree planting, is pending a notice to proceed from the Florida Department of Agriculture and Consumer Services (FDACS). The release of this work is estimated to be in July of 2022. A budget amendment will be requested upon receipt of the notice to proceed.

STRATEGIC PLAN CONNECTION:

Diverse and healthy trees improve the City of Cocoa's image, welcoming new residents and visitors alike.

BUDGETARY IMPACT:

Tree removals and evaluations are budgeted as part of the Parks and Beautification Divisions Fiscal Year 2022 budget.

PREVIOUS ACTION:

On July 27, 2021, Council authorized the Year 2 contract for the urban Forest Management Plan.

RECOMMENDED MOTION:

Accept the City of Cocoa Urban Forest Management Plan and authorize the City to proceed with the plan recommendations.



2021 CITY OF COCOA URBAN FOREST MANAGEMENT PLAN

Plant the "Right tree, in the Right Place".

Who We Are

About us

The Public Works Department accomplishes its mission by providing strategic planning, financial and budget management, resource coordination, guidance and leadership to its seven divisions:

- Streets
- Stormwater
- Beautification
- Facilities Maintenance
- Capital Projects
- Fleet Management
- Sanitation

Contact Us
Telephone: (321) 433 - 8770
Email: publicworkscocoa@cocoafl.org
Web: www.cocoafl.org

CITY OF COCOA PUBLIC WORKS
155 N. Wilson Avenue
Cocoa, FL 32922
(321) 433 - 8770



Lee Wenner Park: Community Public Green Spaces..

Main Focus of Inventory and Management Strategies

Urban Forest Management Plan Summary:

- The importance to consider planting the "right tree at the right place" (https://www.arborday.org/trees /bulletins/documents/004-summary.pdf)
- A goal that should precede the planting or replacement of any trees across the City of Cocoa.



City of Cocoa Streets and Rights-of-Way

Mission

The mission of the Public Works Administration is to enhance Cocoa's quality of life through effective and efficient maintenance, construction, and operation of its physical environment.

Responsibilities

The Public Works Department also has the responsibility for hurricane preparedness, pre-storm preparations, and post-storm event clean up.

But what is a tree and what is the measure of the beauty in one specimen compared to another?

Infrastructure and Perpetual Maintenance

Trees that were impacting sidewalks or were an infrastructure hazard should be prioritized for removal and potentially subsequent replanting.

The Beauty and Value of Trees

The primary objective of a tree is to capture light, without which it cannot live. In the pursuit of light, a tree never grows anything it does not need.



Mitigate Risk and Replace Trees Appropriately.

Tree City USA

The City of Cocoa has been recognized as a Tree City USA. The Tree City USA program has been greening up cities and towns across America since 1976. It is a nationwide movement that provides the framework necessary for communities to manage and expand their public trees.

CITY OF COCOA
BREVARD COUNTY, FLORIDA
2021 CITY OF COCOA URBAN FOREST MANAGEMENT PLAN

Prepared for:

Frank Mirabito
Project Manager
City of Cocoa
155 N. Wilson Avenue
Cocoa, FL 32922

September 29, 2021

Prepared by:

and

615 7th Street South
Safety Harbor, FL 34695•727 482-2480

Stefan Bourgoin
Certified Arborist/Project Manager

Jeffrey A. Busch
Certified Arborist/Principal

Contents

1.0 INTRODUCTION 3
1.1 Tree Removal 4
1.2 Tree Stocking/Plantings 4
1.3 Tree Maintenance 6
2.0 HABITAT MANANGEMENT 7
2.1 Illustrate Management Plans Budgetary Impact 7
2.2 Identify Priority Plantings Areas Preliminary Review 8
2.3 Canopy Goals 9
3.0 RECOMMENDATIONS 9
3.1 Tree Care Ordinance Changes to Promote Better Care and Management Using BMP's 9
3.2 Public Education Brochure 10
4.0 METRIC to measure progress 11
REFERENCES 13

1.0 INTRODUCTION

In August through October of 2020, arborists from both Bayhead Ecological Solutions (BES) and Wiregrass Ecological Associates (WEA) assessed and inventoried trees and stumps within the City of Cocoa (The Client), Florida. Trees were inventoried within city Right-of-Way (ROW), as no residential trees were recorded. The city ROW included several parks and cemeteries, in addition to the trees found along the ROW of the streets of the City of Cocoa. A total of 8,340 trees were identified through the inventory, with 2,335 (28%) located in parks or cemeteries (public areas) and 6,005 (72%) along the streets.

When examining tree composition, it was noted that the public areas contained 83 tree species and the streets contained 128 tree species. To determine the most common species for each location, it was noted that the majority of the species present in both public areas and street were comprised of fourteen (14) (public areas) and 11 (streets) core species. These species met the criteria of each comprising greater than 1% of that location's total tree abundance. Trees located in both public areas and streets from this group included the Brazilian peppertree (*Schinus terebinthifolia*), crape myrtle (*Lagerstroemia* spp.), white mangrove (*Laguncularia racemosa*), laurel oak (*Quercus laurifolia*), live oak, (*Quercus virginiana*), sand live oak (*Quercus geminata*), cabbage palm (*Sabal palmetto*), and slash pine (*Pinus elliottii*). The additional most abundant species within public areas included cherry laurel (*Prunus caroliniana*), pignut hickory (*Carya glabra*), red mangrove (*Rhizophora mangle*), Australian pine (*Casuarina equisetifolia*), plum pine (*Podocarpus* spp.), and saw palmetto (*Serenoa repens*); the additional abundant species for the streets included queen palm (*Syagrus romanzoffiana*), Washingtonia palm (*Washingtonia* spp.), and sycamore (*Platanus occidentalis*).

Species diversity is an important factor in the analysis of an urban tree landscape. A high diversity of tree species is preferable to the health of the city's trees as a whole. If species diversity is low, with a few species dominating the overall city's tree population, diseases that may specialize in those certain species have a much easier time proliferating throughout the entire population and may cause widespread decimation. The diversity of trees within the city also can affect future planting goals, as species chosen for planting are based on the proportion already present in the population.

A rule of thumb within the urban arboriculture community is the 10% rule for species proposed by Santamour (1999), which indicates that no one species should compose more than 10% of an overall urban landscape. Adherence to this guideline helps to control the spread of certain diseases that could spread quickly through populations. In the public area tree population, only cabbage palm (24%) and live oak (15%), or 2 out of 83 species (2% of population) exceed this threshold; in the street population only live oak (24%) and cabbage palm (21%), or 2 out of 128 species (1.5% of population) exceed the threshold. As neither of these two species propagate serious diseases, it is anticipated that their high abundances will not adversely affect the City of Cocoa's urban forest. Additionally, 83% of public area trees and 91% of street trees each comprise less than 1% of their respective populations' abundances. These statistics point to a dramatic diversity within both the public area and street urban tree populations within the City of Cocoa.

Tree condition is an important metric used to express the health of a tree and any potential risks posed through it remaining on site. For this study, trees were rated, in decreasing level of health, either Excellent, Good, Fair, Poor, or Very Poor. When examining the condition of the trees throughout the City of Cocoa, an overwhelming majority of the trees collected were rated as being in "Excellent" in both the public (95%) and street (95%) designations. "Good" was the next highest percentage for both with 3.1% and 3.7%, respectively; the other designations differ less than 1% between the two tree locations and range from 0.12% to 0.81%. Based on these metrics, the overall tree populations in the public areas and streets of the City are deemed to be very healthy.

1.1 Tree Removal

While most of the City of Cocoa's 8,340 inventoried trees were in excellent health, 51 were rated as having an overall health rating as "Very Poor". In addition to the overall health rating, each tree was assigned a hazardous ranking scale of 1-10, with a ten being cause for immediate removal. These "Very Poor" trees were spread fairly evenly throughout the City and not located in any centralized patterns, which rules out the chance of a particular site having very unsuitable conditions for current trees or any future trees that would be planted. It is the recommendation of BES/WEA that these trees should be the first priority for tree removal within the City; within this group of compromised trees, the trees rated a 9 or 10 on the hazard scale as well as any located closest to any static (constantly occupied) or potentially occupied (periodic human usage) human targets should be the first priorities of removal. Such "high-traffic" areas with the City of Cocoa could be Riverfront Park, Lee Wenner Park, or various sidewalks especially throughout Cocoa Village. The trees located within Cocoa Village are an example of "wrong tree, wrong place" due to their propensity to injure pedestrians. These trees should receive first priority for removal among the "Very Poor" trees and replaced with trees appropriate for the location. Stumps and trunks were also grouped into the "Very Poor" health designation but may not have a high hazardous ranking; these items should eventually be removed due to safety concerns but should not be the first targeted for removal.

Trees should also be justified for removal when corrective actions such as pruning are unable to create a safe, hazard-free environment, or if the cost of such pruning exercises would be cost-prohibitive to the maintenance of the City of Cocoa as a whole. Hazards in this case include not just humans but also electrical lines or other utility structures as well as homes/businesses. Therefore, it is possible that some trees listed as being in "Fair" or "Poor" overall health may still warrant removal if pruning cannot occur to improve their hazard level to the community.

1.2 Tree Stocking/Plantings

Stocking

Stocking is a traditional forestry term used to measure the density and distribution of trees. In determining how well an urban community is currently stocked with trees, it is important to investigate the total number of sites along the streets that are able to support trees. As the calculations for determining stocking density are dependent on linear feet of streets, park and other public property trees are excluded from this measurement.

The level of stocking present is a ratio of the number of street sites currently occupied by trees compared to the number of street sites that are suitable for trees to exist. As an example, if 250 trees existed in a section of street that had the capacity for 500 trees, that section of street would have a stocking level of 50%. To calculate a street's capacity for trees, it is the assumption that a gap of 50ft must be between each tree planted along the street's ROW; note that this applies to both sides of the street (McPherson et al. 2016). Therefore, a one-mile section of street ROW with trees able to grow on both street sides at 50-foot intervals would give the potential for 212 trees/mile (5,280ft/mile ÷ 50 ft between trees = 106 trees/mile on one side of street). When the estimated stocking level is determined using theoretical assumptions, the actual number of planting sites may be significantly less than estimated due to unknown growing space constraints, including inadequate growing space size, proximity of private trees, and utility conflicts. Typical examples of utility conflicts within the City of Cocoa could include aerial power lines, underground power lines, underground potable water lines, underground reclaimed water lines, underground storm and sanitary lines, underground fiber/telecommunication lines, and underground gas lines. An additional factor to consider in the planting process is the impact that a tree's root ball may have on surrounding sidewalks or driveways.

Looking at just those streets in the City of Cocoa where the inventory was conducted, the inventory covered 115 miles of linear street. Applying the available stocking rate of 212 trees/mile, the tree inventory area has the capacity for 24,380 trees; a total of 6,013 trees were inventoried within that area, giving a stocking rate of 25% and totaling 52 trees/mile and 6 trees per acre using an average 50-ft ROW width. In comparison with another Florida city nearby, Tampa has an average of 125 trees/acre. There is room for an additional 160 trees per mile to reach full stocking rate within the City's street ROW; however, 90% stocking capacity is recommended due to potential overcrowding. It should be noted that this 90% number may not be attainable due to the ROW width on certain streets, the types of land use occupying certain streets, or various other factors including utility conflicts.

Fully stocking the street ROW with trees is an excellent goal. Inadequate tree planting and maintenance budgets, along with tree mortality, will result in lower stocking levels. Nevertheless, working to attain a fully stocked street ROW is important to promote canopy continuity and environmental sustainability. Efforts can be made to move from the current stocking rate of 25% toward the goal of 90% stocking; this will entail a program of planting, care, and continued maintenance of the City's trees. With 16,560 available planting sites (115 miles X 160 additional trees/mile = 18,400 X 90% = 16,560 trees), there is ample room for the City to improve stocking rates using a metric of 40 trees planted a year (not including a mortality factor). If feasible for the City, this number would be a good starting point to making progress toward a goal of occupying the available planting spots with trees. Of course, it is a given that additional trees means additional cost to the City in maintain their health. It should be kept in mind that some of these "available" tree sites may not be available due to concrete parking lots, businesses, driveways, etc.

Planting

In beginning to plant the City of Cocoa with trees, a few factors must be considered. As mentioned above in the data summary, the 10% rule of urban forestry states that if possible a certain species should not comprise more than 10% of tree abundance; this helps to assure diversity within the urban forest and helps prevent against the spread of disease and decay among similar species of families. At the current time, only live oak and cabbage palm exceed this percentage for both the public area and street tree populations. The Australian pine and slash pine are nearing 10% for the public areas (8.3% and 6.7%, respectively), while the crape myrtle and white mangrove (both 7%) are close in the street trees category. Although not a mandatory rule, this 10% stocking threshold should be avoided if possible.

Other factors to consider when planting include the exclusion of invasive species, selection of appropriate trees, consideration of species final height and its relation to surrounding utilities, the impact that planting may have on subsurface utility systems, and the spacing of trees of the same species. The Florida Invasive Species Council (FISC) invasive species list (https://floridainvasivespecies.org/plantlist.cfm) should be consulted prior to any plantings, as an invasive species could spread quickly and significantly harm its surrounding urban treescape. Also, trees that have a low incidence of species failure should be selected if possible when planting. In the current inventory, box elder (*Acer negundo*) stands out as a tree species found within the City that has a reputation for higher failure rates. In fact, the population along Michigan Avenue that was inventoried had an average hazard rating of 6 due to limb breakage and deadwood. When planting trees, care should be made to not plant too many of the same species in the same vicinity, as diseases that affect that particular species may spread quickly within too close of a proximity. Also, a tree's final height should be considered when planting to anticipate any issues with surrounding landscaping, above or underground utilities, sidewalks, or other factors. Planting only small-growing trees within 20 feet of overhead utilities, medium-size trees within 20–40 feet, and large-growing trees outside 40 feet will help improve future tree conditions, minimize future utility line conflicts, and reduce the costs of maintaining trees under utility lines (Davey 2019).

1.3 Tree Maintenance

Even with the overall condition of Cocoa's inventoried tree population being very healthy, maintenance practices should still be undertaken on a regular basis. These will help to ensure the continued health and success of the existing trees within the City and in the process prevent the need for costly removals or replantings in the future. Below are some recommendations based on our field findings as well as ANSI A300 recommendations for tree care:

- Dead trees should be removed because of their failed health and the hazard they pose; these trees will likely not recover, even with increased care. Dead tree removal should not be based solely on the results of this inventory, as dead trees should be removed as they are noted into the future.

- Younger trees rated in Fair or Poor condition may benefit from improvements in structure that may improve their health over time. Pruning should follow ANSI A300 (Part 1) (ANSI 2008).
- Proper tree care practices are needed for the long-term general health of the urban forest.

In order of maintenance importance, dead, hazardous trees that are present within the City are the top priority for treatment and removal. The next most hazardous trees with poor to moderate overall health, that require the most extensive pruning measures, should be tended to next; trees that are in good overall health and pose a small hazard risk are the last in line to have their pruning or other maintenance needs completed. Following this certain ranking of priorities within the City's treescape can begin to shift tree care activities from an as-needed system to a more proactive tree care program that over time will be preventative in dealing with tree care needs.

If staffing needs, certain efficiencies, and/or contract specifications allow for the completion of more or less tree work, or if the maintenance prescription requires modification to meet budgetary or other needs, then the tree care schedule should be adjusted accordingly to reflect these changing circumstances. Unforeseen situations such as hurricanes may arise and drastically change the City's treescape or the maintenance needs of its trees. Should conditions or maintenance needs change, budgets and equipment will need to be adjusted to meet the new demands.

2.0 HABITAT MANANGEMENT

2.1 Illustrate Management Plans Budgetary Impact

Proper maintenance and following through with removals and the subsequent replanting strategies is necessary in coastal communities such as the City of Cocoa. The City relies on established trees for water uptake during normal rain events, soil stabilization, and maintaining a healthy diversity within the tree population. In the event of a hurricane, flood, or other natural disaster that may occur in coastal communities, the tree community becomes part of the City's environmental infrastructure. The 2020 inventory shall be utilized as a catalyst to demonstrate funding needs in areas that are dire in a coastal tree community. Diversity, native recruitment, carbon uptake, water uptake, and oxygen production are all critical to coastal communities after a major natural disaster event. Therefore, using the 2020 tree inventory to prioritize yearly funding based on trees that are deemed to be dead or dying is a strategic tool to help mitigate the City's tree community needs in a positive direction to improve the tree community infrastructure. By removing a tree that is no longer an asset to the community and replacing it with the right tree in the appropriate location, the community is improved measurably, yearly. By utilizing the 2020 inventory the City can measure the success and growth of the tree community within the City over time through concentrated actions. Both maintenance and the protection of natural resources are a priority in coastal communities preparing ahead of time to mitigate hurricane or flood impacts.

When determining budgetary impacts for the City, the action items with the greatest need are the removal of trees characterized through the 2020 Tree Inventory as hazardous, the replanting of these areas, the planting of new trees to raise the City of Cocoa's Urban Tree Canopy (UTC), and the maintenance (pruning) of existing trees to maintain their health. The largest amount of money

should be set aside to conduct hazardous tree removal; once that has occurred, the remaining action items should be prioritized equally. Additional funds should be allocated for the addition of 40 trees per each fiscal year, as mentioned above in Section 1.2.

2.2 Identify Priority Plantings Areas Preliminary Review

Planting should be used within the City to improve its overall tree cover or to replace trees that may require removal due to their condition or location within the city. The first location to examine potential tree removals and plantings is a City-owned public park or other public and common areas. Through a combination of field inventory data and desktop interpretation, most parks within the City are already well-covered with trees. The exception to this is Bracco Pond Park, and to a lesser degree Michigan Avenue and Rosa L. Jones Drive. Bracco Pond Park would be a great option, as it contains an ample amount of open green space that could support the planting of many varied trees of a variety of species. Sunlight is not a limiting factor at Bracco Pond Park, as the canopy cover is sparse. The surrounding land should be well-drained due to the presence of the multiple ponds and water penetrable surfaces. Once new trees replace these trees that are removed, proper irrigation should occur so that they receive the water needed for their growth.

In examining potential street sites for planting, many of the residential areas are fairly well-stocked with trees, especially those established neighborhoods with large mature trees. This observation makes sense, given the City's long history. Michigan Avenue, especially the western portion of the road where it veers to the South, seems to be able to support multiple young tree plantings. Some of Michigan Avenue has already been planted with young trees, which is excellent; those prior plantings should be continued on both sides of the road and in both directions if possible. Both Fiske Boulevard and King Street, two of the major roadways through Cocoa, as well as Rosa L. Jones Drive could also support additional plantings. While these are just a few suggestions for planting sites, the ultimate decision for where plantings occur rests on the City of Cocoa employees who are infinitely more familiar with the City's roads and needs. The above areas can be considered "priority planting areas", but they are not the only areas that need plantings or could be considered for priority planting. The City should use its budgetary requirements to analyze which sites could be properly planted.

In addition to public areas and new plantings on streets, it should be ensured that new plantings be ready to replace any trees that must be removed. As noted in this report, live oak and cabbage palm are currently exceeding the 10% rule in abundance throughout the City. While the 10% is not a mandatory guideline, if a cabbage palm or live oak were to be removed it would be a prudent idea to replace that tree with one of a different species to further promote diversity among the City's treescape. Also, it is important to consider planting the "right tree at the right place" (https://www.arborday.org/trees/bulletins/documents/004-summary.pdf), a goal that should precede the planting of any trees across the City. This may involve selecting smaller trees to occupy spots underneath utility lines, planting trees with smaller root balls to avoid underground utilities or sidewalk interactions, or as mentioned above diversifying a certain area of the City to include multiple different types or trees.

2.3 Canopy Goals

As mentioned above in the Tree Planting Measures section, the City of Cocoa is currently operating at 25% of its total possible stocking density. While the metric of stocking density is helpful in detailing a community's urban tree population, another metric known as urban tree canopy (UTC) is used to determine the percentage of all city land area, when viewed as an aerial image, that is occupied by tree crowns (Hilbert et al. 2019). A recent study of 43 cities in Florida using this metric revealed that the average UTC for Florida communities is 33.7%; Cocoa's neighbor directly to the South, Rockledge, was very close to average at 32.9%. Although UTC was not measured during this urban tree inventory, the similar habitat present within Rockledge, as well as its close proximity to Cocoa, combined with Cocoa's somewhat similar stocking density metric of 25%, could indicate that Cocoa's overall UTC falls near the average for the state.

Some key factors influencing this UTC metric are obviously the density of trees present, as well as the size and species present within the urban treescape. Mature trees of whatever species is present will have greater canopy coverage than young trees, so either ensuring that young trees reach maturity or planting mature trees instead of seedlings will help to increase the UTC for the City. When determining the effect of species on UTC, it should be noted that trees with a decurrent growth form (outward branching with a rounded crown) will provide greater canopy coverage than those with excurrent growth (Christmas tree shape) or a plantation tree growth form (palm trees). Some examples of trees with good decurrent growth already present within the treescape are live oaks, sand live oaks, laurel oaks, sycamores, and pignut hickory, among others.

Knowing where the City of Cocoa falls on tree canopy cover, a main goal for canopy coverage is that it does not decrease over time. For this to occur, it should be ensured that if trees are removed or significantly pruned this loss will be compensated through the planting of additional trees to maintain or enhance the City's UTC. An additional measure could be to replace younger trees in poor health with healthy mature trees, both improving the City's treescape health as well as its UTC.

3.0 RECOMMENDATIONS

3.1 Tree Care Ordinance Changes to Promote Better Care and Management Using BMP's

The current Tree Care Ordinance for the City of Cocoa was reviewed. Although the vast majority of the language was applicable and current, certain elements were highlighted in the document for their potential updating. Among these items for update were:

- Updating the City's Tree Ordinance with the most recent 2019 Florida Exotic Pest Plant Council's (FLEPPC) List of Invasive Plant Species will help crews to determine with is classified as native and as non-native plant species. For example, a bottlebrush (*Callistemon viminalis*) tree was a popular mid-story tree planted in Right-of Ways all over the southeast United States. Today the bottlebrush is listed on the 2019 FLEPPC

List as a Category II exotic species. Revising the Tree Care Ordinance to include the updated list of trees and then replacing those trees with a Florida #1 or greater quality tree with adequate caliper compensation would be useful in reestablishing the coastal native plant ecosystem diversity.

- Removal of dead trees can be problematic to wildlife in urban settings. Many birds use the hollows to forage for insects and to create nesting sites in urban areas. Where practical, consider revising the Tree Ordinance to leave some dead trees where risk to targets is low and only remove dead trees when the target area is a high risk to injury or property damage.
- Although oaks are a prominent tree within the City's Tree Community, all trees, involving the City's attention should be included under the review of the tree committee. Either mitigating or attaining the proper replacement tree in the most appropriate location should be the main object of the tree committee.

3.2 Public Education Brochure



2021 CITY OF COCOA URBAN FOREST MANAGEMENT PLAN

Plant the "Right tree, in the Right Place".

Who We Are

About us

The Public Works Department accomplishes its mission by providing strategic planning, financial and budget management, resource coordination, guidance and leadership to its seven divisions:

- Streets
- Stormwater
- Beautification
- Facilities Maintenance
- Capital Projects
- Fleet Management
- Sanitation

Contact Us
Telephone: (321) 433 - 8770
Email: publicworkscocoa@cocoafl.org
Web: www.cocoafl.org

CITY OF COCOA PUBLIC WORKS
155 N. Wilson Avenue
Cocoa, FL 32922
(321) 433 - 8770



Lee Wenner Park: Community Public Green Spaces..

Main Focus of Inventory and Management Strategies

Urban Forest Management Plan Summary:

- The importance to consider planting the "right tree at the right place" (https://www.arborday.org/trees /bulletins/documents/004-summary.pdf)
- A goal that should precede the planting or replacement of any trees across the City of Cocoa.



City of Cocoa Streets and Rights-of-Way

Mission

The mission of the Public Works Administration is to enhance Cocoa's quality of life through effective and efficient maintenance, construction, and operation of its physical environment.

Responsibilities

The Public Works Department also has the responsibility for hurricane preparedness, pre-storm preparations, and post-storm event clean up.

But what is a tree and what is the measure of the beauty in one specimen compared to another?

Infrastructure and Perpetual Maintenance

Trees that were impacting sidewalks or were an infrastructure hazard should be prioritized for removal and potentially subsequent replanting.

The Beauty and Value of Trees

The primary objective of a tree is to capture light, without which it cannot live. In the pursuit of light, a tree never grows anything it does not need.



Mitigate Risk and Replace Trees Appropriately.

Tree City USA

The City of Cocoa has been recognized as a Tree City USA. The Tree City USA program has been greening up cities and towns across America since 1976. It is a nationwide movement that provides the framework necessary for communities to manage and expand their public trees.

4.0 METRIC TO MEASURE PROGRESS

Tree condition is an important metric used to express the health of a tree and any potential risks posed through it remaining on site. For this study, trees were rated, in decreasing level of health, either Excellent, Good, Fair, Poor, or Very Poor. When examining the condition of the trees throughout the City of Cocoa, an overwhelming majority of the trees collected were rated as being in "Excellent" in both the public (95%) and street (95%) designations. "Good" was the next highest percentage for both with 3.1% and 3.7%, respectively; the other designations differ less than 1% between the two tree locations and range from 0.12% to 0.81%. Based on these metrics, the overall tree populations in the public areas and streets of the City are deemed to be healthy.

Using the rating scale in the tree inventory of 0-10 is a reliable metric to gear maintenance and replanting justifications for yearly budgeting, especially for the immediate subsequent years following the 2020 inventory. This metric can be utilized to measure the success of routine maintenance and replacement of "Poor" and "Very Poor" designated trees. This immediately provides guidance that impacts the success of the tree community. Many of the dead trees found throughout the City were cherry laurel (*Prunus caroliniana*). Although these species is considered native, is not a tree that maintains well, so replacing those trees with a similar tree (mid-story) would go far in providing relief from maintenance while improving the health of the tree community. This pattern, of reducing a trouble (dead or hazardous) tree and replacing it with a tree that requires less attention from the City's maintenance division, is one metric to measure progress being made in the City's tree care system.

It was observed over the course of the inventory that the Drake elm (*Ulmas parvifolia*) and boxelder (*Acer negundo*) are planted through the city. Specifically, drake elms are planted throughout the Cocoa Village area in rights-of-way (ROW) that line the streets. The Drake elm is not considered native to Florida. In the field review, arborists observed many of these trees to be in "Poor" or "Very Poor" condition even though many of the trees were regularly irrigated and maintained. Replacing this mid-story non-native with a more salt tolerant native elm/other species is another metric for improving the tree community success. The boxelder, although native, was also observed as having low vigor, especially along the Michigan Avenue ROW. Although this tree is native, it is listed as a FACW species, which is usually a transitional tree buffering wetlands in native habitats. The box elder is not proliferating because its nature is grown in wet conditions for a portion of the year. Consider replacing these trees with a native upland tree with similar specifications in height and spread. These initiatives would allow the City to proactively manage its tree population before these problematic, unhealthy trees become a hazard to pedestrians.

Another way to determine the budget needs for the City and to measure progress is to evaluate the notes taken by the field arborists while conducting the inventory. Trees that were impacting sidewalks or were an infrastructure hazard should be prioritized for removal and potentially subsequent replanting. Examples of these impacts include sidewalk heaving, powerline intersections, or high traffic areas. The City may require additional funds to increase the current tree and canopy coverage each year in an attempt to raise its UTC percentage closer to similar cities within Florida. A metric of measuring the increase in tree canopy can simply be to plant

more trees than what are removed each year. By planting additional mid-story trees that require less area to proliferate, the City can greatly increase the tree canopy while adding diversity to the tree community and avoiding potential infrastructure damage that would be present with a tree with a large root system or height enough to impact overhead powerlines. Additional funds should be allocated each year to increase the tree canopy, not merely maintain it. With more infrastructure and development increasing each year, the amount of natural areas and tree-dominated locations become important to absorb rainwater that is deflected by impermeable surfaces as well, along with providing shade and lowering the utility payments of surrounding structures. A correlation from development project and tree plantings should be established to maintain a favorable balance that buffers natural disasters, floods, and environmental devastation in the future.

REFERENCES

American National Standards Institute. 2008. *ANSI A300 (Part 1)–2008, American National Standard for Tree Care Operations—Tree, Shrub, and Other Woody Plant Management—Standard Practices (Pruning)*. Londonderry: Tree Care Industry Association, Inc.

Davey Tree Service Blog. 2019. Planting Trees and Shrubs Near Underground Utility Lines. https://blog.davey.com/2019/04/planting-trees-and-shrubs-near-underground-utility-lines/

Hilbert, D.R., A. K. Koeser, L.A. Roman, K. Hamilton, S. M. Landry, R. J. Hauer, H. Campanella, D. McLean, M Andreu, and H. Perez. 2019. Development practices and ordinances predict inter-city variation in Florida urban tree canopy coverage. Landscape and Urban Planning 190:103603.

Landry, S.M., A.K. Koeser, R.J. Northrop, D. McLean, G. Donovan, M.G. Andreu, and D. Hilbert. 2016. City of Tampa Tree Canopy and Urban Forest Analysis. Tampa, FL: City of Tampa, FL.

McPherson, E.G., N. van Doorn, and J. de Goede. 2016. Structure, function and value of street trees in California, USA. Urban Forestry and Urban Greening. 17:104-115.

Santamour, F.S. 1999. *Trees for Urban Planting: Diversity, Uniformity, and Common Sense*. U.S. National Arboretum.

Site_Type	Editor	Date_Creat	Last_Edito	Date_Last_	Approximat	DBH	Height	Spread	Longitude	Latitude	Overall_He	Hazardous_	Notes	Damage_Yes	Damage_Des	Maintenanc	Invasive_E	Woodland_Y	GlobalID	SpeciesNam	TreeAssess	Scien_Name	TreeAmount
City Building	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	20.00000000000	8.00000000000	25.00000000000	15.00000000000	28.36061474000	-80.73457219720	Very Poor	7.00000000000	Completely dead	Tree is Damaged	Tree is Dead	Removal	No	No	380d956b-567b-48f5-9a70-79ea56e063ca	Holly (East Palatka)	No	Ilex x attenuata	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	20.00000000000	8.00000000000	15.00000000000	0.00000000000	28.39002635800	-80.74369412080	Very Poor	7.00000000000	Dead palm, needs removal	Tree is Damaged	Tree Is Dead	Removal	No	No	9d1bf111-5d79-49ce-8d7e-23a1a8281ce8	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	20.00000000000	6.00000000000	35.00000000000	0.00000000000	28.39044569030	-80.74287065860	Very Poor	7.00000000000	Dead, needs removal	Tree is Damaged	Tree Is Dead	Removal	No	No	63320dae-df76-49d6-94c0-317aa338cb65	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	16.00000000000	15.00000000000	10.00000000000	28.38811917220	-80.75545490770	Very Poor	7.00000000000	See pics, Tree Is Dead	Tree Is Damaged	Stump/Trunk	Removal	No	No	bde7f7c8-b406-4740-98ea-e4afe5a316a0	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	8.00000000000	15.00000000000	5.00000000000	28.38811179650	-80.75583988790	Very Poor	7.00000000000	Trunk Damage, Signs of Decay	Tree is Damaged	Trunk has decay, only 20% of canopy alive	Removal	No	No	1ec8cd33-6e1b-49b4-8b5c-08e338f08f04	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	4.00000000000	20.00000000000	15.00000000000	28.38111007130	-80.75043034640	Very Poor	7.00000000000	Dead, Neds Removal	Tree is Damaged	Dead, Needs Removal	Removal	No	No	{B33DF877-BE37-4AE2-A174-B6C36DBF6CD5}	Red Cedar	No	Juniperus virginiana	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	10.00000000000	6.00000000000	5.00000000000	5.00000000000	28.39251547890	-80.78256999220	Very Poor	7.00000000000	Poor condition, consider replacement	Tree Is Damaged	Previously taken to just stump, resprouting	No Maintenance Required	No	No	{0A2DB9BD-0037-4CD7-8F52-2BC20845E1EF}	Golden Raintree	No	Koelreuteria paniculata	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	5.00000000000	8.00000000000	10.00000000000	10.00000000000	28.35366975970	-80.73520389430	Very Poor	6.00000000000	Dead cabbage palm	Tree is Damaged	Dead, brown fronds and trunk	Removal	No	No	4ef806b9-e874-40b8-b918-a37f76dfb7a9	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	20.00000000000	10.00000000000	30.00000000000	15.00000000000	28.37441256170	-80.73508941830	Very Poor	6.00000000000	Poor Shape, Nearly Dead; Leaning into Roadway	Tree is Damaged	Rot and decay	Removal	No	No	64cce7b8-a526-414e-85b7-90ea8d68558e	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	40.00000000000	22.00000000000	45.00000000000	30.00000000000	28.39349752110	-80.74494572830	Very Poor	6.00000000000	In yard but mostly dead, overhanging road	Tree is Damaged	Tree is Dead	Removal	No	No	3c6fff81-c9e5-4fc0-a24c-a31250ed8b13	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	12.00000000000	10.00000000000	15.00000000000	28.39630519010	-80.75949179910	Very Poor	6.00000000000	Tree is Dead, Top Snapped Off, Just Trunk	Tree is Damaged	Stump/Trunk	Remove Trunk	No	No	{92A6AB4D-4442-48D9-9A42-83918A223759}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	12.00000000000	20.00000000000	10.00000000000	28.39546529150	-80.77771919830	Very Poor	6.00000000000	Two dead trees in Woodland.	Tree is Damaged	Stump/Trunk	Remove Trunks	No	Yes	{71FB3AC6-090C-432D-82B1-989025C76E55}	Palm (Queen)	No	Syagrus romanzoffiana	2.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	15.00000000000	20.00000000000	30.00000000000	10.00000000000	28.39654017710	-80.77215492750	Very Poor	5.00000000000	Dead Tree, Needs Removal	Tree Is Damaged	Stump/Trunk	Removal	No	No	{90F49D7A-131D-4681-A0D4-30C3A6650F80}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	14.00000000000	10.00000000000	0.00000000000	28.35970917560	-80.73356772260	Very Poor	5.00000000000	Dead Tree With Debris on Ground, Needs Removal	Tree is Damaged	Tree is Dead	Removal	Yes	No	{5D5B6D97-BA02-4D4D-BB9A-204665A5946F}	Pine (Australian)	No	Casuarina equisetifolia	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	25.00000000000	12.00000000000	0.00000000000	0.00000000000	28.35465994530	-80.73038683670	Very Poor	4.00000000000	See pic; dead stump, needs removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	37cea1c0-ea25-4473-a27f-ef602c1ea2ef	Red Cedar	No	Juniperus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	16.00000000000	10.00000000000	0.00000000000	28.39199010250	-80.75872301100	Very Poor	4.00000000000	Stump That Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{BAAB84BD-2DA2-46C1-A220-4AF39FF0EE37}	N/A (Stump)	No	N/A (Stump)	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	12.00000000000	40.00000000000	5.00000000000	28.40082534120	-80.76887391530	Very Poor	4.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{B3016B6E-7653-4251-9F36-3F5C670A749D}	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	14.00000000000	35.00000000000	15.00000000000	28.40072983500	-80.76886922250	Very Poor	4.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{3753AAE0-AF6F-44AD-9FDC-63D37B8CE09D}	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	14.00000000000	20.00000000000	10.00000000000	28.39545492520	-80.77698497380	Very Poor	4.00000000000	Dead Trunk, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{A2B29C06-54B6-4511-A0AE-4AE144866251}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	15.00000000000	12.00000000000	15.00000000000	0.00000000000	28.36028379310	-80.74511496280	Very Poor	3.00000000000	Dead palm trunk. Directly under power lines, needs removal	Tree Is Damaged	Stump	Remove Stump	No	No	102a501f-485a-4869-935d-7599fd845db5	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	10.00000000000	8.00000000000	20.00000000000	20.00000000000	28.38850520070	-80.78777619640	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{950C8A8C-E95D-4C3D-9BB1-88CB78773C06}	Pine (Slash)	No	Pinus elliottii	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	8.00000000000	30.00000000000	20.00000000000	28.38802106560	-80.78773675040	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{E7B29CFB-B138-494D-BC3A-6544126508D3}	Pine (Slash)	No	Pinus elliottii	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	20.00000000000	15.00000000000	28.38729850230	-80.78772135240	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{A6F520AA-BE5B-4F33-AA30-C028F250066C}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	acarroll_sfc	9/29/2020	acarroll_sfc	9/29/2020	15.00000000000	8.00000000000	15.00000000000	10.00000000000	28.35750346390	-80.73363002340	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{5BEBB25C-5D3A-4F51-B4AC-916BA29AFBEB}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Median	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.38273778120	-80.77264493330	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree is Dead	Removal	No	No	{7356D8DC-9EEF-4BCD-9C37-AF34A528B318}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	8.00000000000	15.00000000000	0.00000000000	28.36806211650	-80.75455653490	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree Is Dead	Removal	No	No	{B0AA3A91-74ED-4EC5-B6B9-9C55DC00EFD4}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	30.00000000000	28.00000000000	10.00000000000	0.00000000000	28.36940032900	-80.75550067230	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{980EB6CB-8C9C-46A5-BE14-C58E1DC6B7E2}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	15.00000000000	12.00000000000	5.00000000000	5.00000000000	28.40107568520	-80.74431573080	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{29508705-86F4-4831-AB68-2CB1FC0730A6}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	20.00000000000	14.00000000000	15.00000000000	10.00000000000	28.40210622400	-80.74257587820	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{F12D774F-FACC-4548-883C-2B4B33DED582}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	12.00000000000	5.00000000000	0.00000000000	28.39095154290	-80.78079465800	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{A8EBBB7F-C43F-42C4-B97E-D8C7EF0A23AA}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	30.00000000000	18.00000000000	35.00000000000	15.00000000000	28.35545871610	-80.73228686420	Very Poor	2.00000000000	Bizmark stump	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	f5b6bc90-b19d-47b1-9d94-803c94c27919	Palm (Bismarck)	No	Bismarckia nobilis	1.00000000000
City Park	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	20.00000000000	10.00000000000	0.00000000000	0.00000000000	28.35888270100	-80.73130859620	Very Poor	2.00000000000	3 stumps and 1 BP. To be removed	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	b11484c9-65d7-4d53-9461-416912340a10	Hickory (Pignut)	No	Carya glabra	1.00000000000
2-4 Ft ROW	shendley_sfc	9/13/2020	shendley_sfc	9/13/2020	20.00000000000	8.00000000000	5.00000000000	0.00000000000	28.35087389180	-80.73356707580	Very Poor	2.00000000000	Tree is cut; stump needs removal	Tree Is Damaged	Stump/Trunk	Remove Stump	No	No	7148642b-82af-4f80-a4ad-74d5e933ea8a	Sycamore	No	Platanus occidentalis	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/16/2020	sbourgoin_sfc	9/16/2020	20.00000000000	14.00000000000	25.00000000000	15.00000000000	28.36619344110	-80.74705959530	Very Poor	2.00000000000	Completely dead needs removal	Tree is Damaged	Tree is Dead	Removal	No	No	1c15f2d9-a065-4aab-8ccf-5cd17f805c7a	Pine (Longleaf)	No	Pinus palustris	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	20.00000000000	10.00000000000	5.00000000000	0.00000000000	28.38738969540	-80.76376179260	Very Poor	2.00000000000	Stump	Tree Is Undamaged	<Null>	Remove Stump	No	No	{57F1FA2A-BD75-400B-8276-6ED829F7A80C}	Bottlebrush (Weeping)	No	Melaleuca viminalis	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	16.00000000000	0.00000000000	0.00000000000	28.39889285130	-80.76775526670	Very Poor	2.00000000000	Stump That Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{20ACB205-116A-418E-A68F-74403C577CD5}	N/A (Stump)	No	N/A (Stump)	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	35.00000000000	18.00000000000	10.00000000000	5.00000000000	28.35695927990	-80.73346942710	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{F6DC1A1A-AB89-41C0-8372-8E2460A0F823}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	55.00000000000	28.00000000000	50.00000000000	60.00000000000	28.36019909440	-80.73430334220	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{C9E5553C-5EC9-4DA4-9A4E-6D214065BBD5}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	25.00000000000	16.00000000000	40.00000000000	20.00000000000	28.35963514510	-80.73353318230	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree is dead, see picture.	Removal	Yes	No	{6EE83020-5AB6-449A-ADA6-8EA7F2292927}	Pine (Australian)	No	Casuarina equisetifolia	1.00000000000
Cemetary	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	30.00000000000	18.00000000000	0.00000000000	0.00000000000	28.36875127660	-80.75586536950	Very Poor	2.00000000000	Old stump. Rotting	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{35627E43-0723-448B-BD9B-8911F4A8D205}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	16.00000000000	10.00000000000	5.00000000000	28.36835598580	-80.75473439860	Very Poor	2.00000000000	Stump	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{15DA5336-B17B-479C-929E-A36072E8D6D0}	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	10.00000000000	4.00000000000	15.00000000000	5.00000000000	28.38348674870	-80.77803819550	Very Poor	2.00000000000		Tree is Damaged	Tree is Dead	Removal	No	No	{1BAEAF65-A73A-4AAD-B2B5-156CBE656BE0}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	12.00000000000	0.00000000000	0.00000000000	28.39103175120	-80.78077820530	Very Poor	2.00000000000	Two stumps in Woodland.	Tree is Damaged	Stump/Trunk	Remove Stump	No	Yes	{E37E5873-D334-4D04-8F44-04B030B00B88}	N/A (Stump)	No	N/A (Stump)	2.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	12.00000000000	15.00000000000	0.00000000000	28.39120392220	-80.78055795280	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{88B0584D-929C-4C3A-B4CE-733862991F2F}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	10.00000000000	20.00000000000	0.00000000000	28.39127525250	-80.78042099290	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{63356FB1-094E-4FD5-9573-2F45BA64F029}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	12.00000000000	25.00000000000	10.00000000000	28.39152758910	-80.77998370830	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{B19D23DB-8B93-431A-ACD0-7BE247CC2E33}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.39102319340	-80.77973278460	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{EC4E220A-D753-48A0-B655-12FD268FB25D}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	8.00000000000	30.00000000000	25.00000000000	28.39072632140	-80.78034228610	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{66C46A3C-08E9-491C-B001-175D6B738570}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.39078610070	-80.78101954130	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{CBF7C1CA-BA64-4423-B044-09F778651EDE}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	5.00000000000	4.00000000000	15.00000000000	5.00000000000	28.39078144680	-80.78100083840	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{8C262DC2-611C-4171-875C-EE4247717BF5}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35702616760	-80.73350831880	Very Poor	1.00000000000	Stump that has resprouted	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{B77C4B93-AF85-4AD0-9BD7-C050A6AD16C9}	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
City Park	acarroll_sfc	9/15/2020	acarroll_sfc	9/15/2020	20.00000000000	10.00000000000	25.00000000000	10.00000000000	28.35420867420	-80.74326518970	Poor	6.00000000000	See pic	Tree is Undamaged	<Null>	Removal	No	No	cdb648ac-bce2-4124-b380-995ad4b2eee9	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
City Park	sbourgoin_sfc	9/18/2020	sbourgoin_sfc	9/18/2020	5.00000000000	8.00000000000	15.00000000000	10.00000000000	28.37679872970	-80.76179704140	Poor	6.00000000000	tree not completely dead, but 50 percent of branches without leaves; seems to have a web work infestation see pics	Tree is Damaged	Large chunk of middle bark missing	Removal	No	No	e8617e60-7f0e-4fef-8965-1e60586e0c86	Oak (Live)	No	Quercus virginiana	1.00000000000
City Building	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	20.00000000000	10.00000000000	25.00000000000	10.00000000000	28.36120423840	-80.73457651270	Poor	5.00000000000	Majority of tree is dead. Recommend removal	Tree is Damaged	Tree is Dead	Removal	No	No	b7742f99-fba6-40f2-996f-ae824c895a11	Holly (East Palatka)	No	Ilex x attenuata	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	15.00000000000	6.00000000000	20.00000000000	10.00000000000	28.37505849060	-80.76122660220	Poor	5.00000000000	Severe leaf loss	Tree is Damaged	Severe leaf loss, obvious damage to tree	Removal	No	No	1b4a0557-5f26-41f9-9019-11038d4fee85	Holly (American)	No	Ilex opaca	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	14.00000000000	20.00000000000	15.00000000000	28.38814578530	-80.75573913730	Poor	5.00000000000	High percentage of deadwood in canopy, multiple limb breaks	Tree is Damaged	Recent limb breaks, copious deadwood	Pruning	No	No	bb7b3673-838d-4293-95a6-0bfced1b9db4	Box Elder	No	Acer negundo	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	20.00000000000	16.00000000000	35.00000000000	20.00000000000	28.38825967710	-80.78775262730	Poor	5.00000000000	Severe damage to trunk, wood rot	Tree is Damaged	Wood rot in trunk	Removal	No	No	{0E823A48-2112-4497-9276-C59EF128FB03}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	16.00000000000	20.00000000000	15.00000000000	28.35703777640	-80.73279946090	Poor	5.00000000000	Try cleaning deadwood first before removing. Co dom w included bark	Tree is Damaged	Tree Is Dead	Removal	No	No	{AE4C2C59-5208-4610-B8B3-58DC8CCBB65E}	Hickory (Pignut)	No	Carya glabra	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	8.00000000000	6.00000000000	20.00000000000	10.00000000000	28.39916023430	-80.77080259110	Poor	4.00000000000	Remove	Tree is Damaged	Cambium layer weed whacked repeatedly	Removal	No	No	{E356A27F-155E-41C7-AE39-BE2D3B1F3306}	Holly (Dahoon)	No	Ilex cassine	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35120694720	-80.72616601960	Poor	3.00000000000	Canopy broken and mostly leafless	Tree Is Damaged	Canopy topped	No Maintenance Required	No	No	cd35ada1-bbfe-4763-97e7-f10ed59cf265	Tabebuia	No	Tabebuia spp.	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	5.00000000000	8.00000000000	10.00000000000	10.00000000000	28.35114616070	-80.72621493110	Poor	3.00000000000	Canopy broken and mostly leafless	Tree Is Damaged	Crown broke	No Maintenance Required	No	No	bf3469ee-9835-42d5-b45e-81997412c6ae	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	20.00000000000	14.00000000000	20.00000000000	10.00000000000	28.37552867380	-80.76525779480	Poor	2.00000000000	See pic	Tree is Damaged	Needs pruning of multiple dead limbs for a chance	Pruning	Yes	No	7c237f9f-a267-4710-92e8-f4454a1b5c7f	Indian Rosewood	No	Dalbergia sissoo	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	30.00000000000	12.00000000000	35.00000000000	15.00000000000	28.36061274170	-80.73415800010	Poor	2.00000000000	Unnatural form. Fine for SLO.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{AB73F2B7-444C-4EB9-9B64-0ED15E67861B}	Oak (Sand Live)	No	Quercus geminata	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	40.00000000000	18.00000000000	25.00000000000	40.00000000000	28.36486055300	-80.73437332990	Fair	7.00000000000		Tree Is Damaged	Missing mult limbs due to rot and pruning. Central leader still intact but rotting likely to fall	Removal	No	No	035599b7-6ba4-4a35-bf49-3b2cb056e780	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	60.00000000000	32.00000000000	45.00000000000	25.00000000000	28.38155051730	-80.73657843430	Fair	7.00000000000	Lg oak directly next to road. Evidence of prev pruning. Lg dead limbs overhanging road, needs additional consult	Tree is Damaged	Multiple large dead limbs	Pruning	No	No	788c2f34-9024-4f34-aeb1-4b0ff7cb1825	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	40.00000000000	24.00000000000	45.00000000000	25.00000000000	28.37482115740	-80.76184862270	Fair	7.00000000000	Remove. Co Dom and over pruned. Trunk rot. See pictures	Tree is Damaged	Trunk Rot	Removal	No	No	042c8a89-8f42-45a7-932d-209dbeb2a45b	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	18.00000000000	50.00000000000	35.00000000000	28.37785729230	-80.74507031560	Fair	7.00000000000	Water oak, dead branch over road way	Tree is Damaged	Crown broke	Pruning	No	No	{BC25B713-2163-4046-9747-9A4FC6AC84A3}	Oak (Water)	No	Quercus nigra	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	30.00000000000	26.00000000000	40.00000000000	35.00000000000	28.39283805840	-80.76054104570	Fair	7.00000000000	Tree has sparse canopy with many bare branches, see pictures.	Tree is Damaged	Bare branches/canopy	Pruning	No	No	{03C14FE5-C859-4706-923E-676D89DB62A9}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	6.00000000000	10.00000000000	5.00000000000	28.35700282350	-80.73356992610	Fair	7.00000000000	See pic	Tree is Damaged	Tree Is Dead	Removal	No	No	{58F800C4-0AC0-464A-80AB-BBA329198225}	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	6.00000000000	10.00000000000	5.00000000000	28.35528643810	-80.72750413570	Fair	6.00000000000	See pic	Tree is Damaged	Dying, needs H2O	Removal	No	No	060c3393-62c2-403b-bd0f-860973469609	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	15.00000000000	12.00000000000	15.00000000000	20.00000000000	28.35402286250	-80.72669429640	Fair	6.00000000000	See picture	Tree Is Damaged	Crown broken	No Maintenance Required	No	No	3b083e80-5b3e-4bd5-bd2b-7af3cfdbe027	Red Cedar	No	Juniperus virginiana	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	10.00000000000	10.00000000000	20.00000000000	20.00000000000	28.36394391950	-80.74302337130	Fair	6.00000000000	Large trunk damage	Tree Is Damaged	Trunk is Cracked and Split for Its Entirety	Removal	No	No	63aa69e1-249e-489e-8fec-7ee7362c9bda	Sycamore	No	Platanus occidentalis	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/16/2020	sbourgoin_sfc	9/16/2020	20.00000000000	10.00000000000	30.00000000000	25.00000000000	28.37128400850	-80.74462001170	Fair	6.00000000000	Tree is nearly dead, probably 40 percent of branches with leaves; needs at least pruning, possibly removal	Tree is Damaged	High Proportion of Branches Dead	Pruning	No	No	f91261d9-9f85-42e9-9f78-aa7a782adf5e	Green Ash	No	Fraxinus pennsylvanica	1.00000000000
4+ Ft ROW	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	40.00000000000	24.00000000000	40.00000000000	45.00000000000	28.39816863550	-80.74960865740	Fair	6.00000000000	Overhang	Tree is Damaged	Hit by vehicle	No Maintenance Required	No	No	4a56135e-24de-4fba-b0f3-08359e5707ef	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	20.00000000000	16.00000000000	35.00000000000	40.00000000000	28.37463553980	-80.76391794760	Fair	6.00000000000	This tree has a co-dominance stem with included bark also overhangs the road also has soil heaving. Also has bark beetles. Minor bark beetles. See pictures	Tree is Damaged	Minor bark beetles	No Maintenance Required	No	No	b5b0fef6-9771-4532-b50e-4d81cd696a64	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	10.00000000000	6.00000000000	20.00000000000	10.00000000000	28.38810714400	-80.75727310950	Fair	6.00000000000	Heavy signs of bark beetle infestation	Tree is Damaged	Pest Infestation	No Maintenance Required	No	No	d601b313-3efe-42d1-82f5-832a90f6c213	Green Ash	No	Fraxinus pennsylvanica	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	16.00000000000	15.00000000000	20.00000000000	28.39544013590	-80.75904185900	Fair	6.00000000000	Tree appears to be dying with bare branches. See picture.	Tree is Damaged	Branches are Dying Off	Pruning	No	No	{50398963-9B6C-42E0-9FE6-AF91BDD37434}	Bottlebrush (Weeping)	No	Melaleuca viminalis	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	8.00000000000	15.00000000000	15.00000000000	28.39721316040	-80.77160247610	Fair	6.00000000000	Trim back hard	Tree Is Undamaged	<Null>	Pruning	Yes	No	{06490509-BE0F-44E0-AF4B-31F9569E62B2}	Camphor Tree	No	Cinnamomum camphora	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	8.00000000000	20.00000000000	15.00000000000	28.35712084050	-80.73344344240	Fair	6.00000000000	The canopy has been broken off. Bark beetles present in the canopy. Deadwood throughout. See picture	Tree is Damaged	Canopy has been broken off	Pruning	No	No	{BACA6C9D-F7F4-44F3-A16B-E6E6525412DA}	Sugarberry	No	Celtis laevigata	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	40.00000000000	20.00000000000	50.00000000000	20.00000000000	28.36061601040	-80.73421910450	Fair	6.00000000000	Deadwood at the top of the canopy. Sparse canopy. Bark peeling. Decay in lowest point of trunk.	Tree is Damaged	Deadwood and Peeling Bark	Pruning	No	No	{8EAFBCE8-3712-4061-B595-38C4579F5B35}	Oak (Sand Live)	No	Quercus geminata	1.00000000000
Median	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	35.00000000000	18.00000000000	40.00000000000	20.00000000000	28.34926456580	-80.74507902570	Fair	5.00000000000	See pics. Damaged	Tree Is Damaged	Mechanical Damage and Potential Rot at Base	Pruning	No	No	6d9dc418-0830-4fa2-9284-ac99e520e57f	Maple (Red)	No	Acer rubrum	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	20.00000000000	16.00000000000	25.00000000000	25.00000000000	28.36483498630	-80.73419860670	Fair	5.00000000000		Tree Is Damaged	Mechanical damage at base see pics	No Maintenance Required	Yes	No	4ab213a9-17a8-45e9-b82b-090433acb0a2	Chinaberry	No	Melia azedarach	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	15.00000000000	10.00000000000	30.00000000000	20.00000000000	28.38431299220	-80.73913266000	Fair	5.00000000000	Overhang	Tree Is Damaged	Lightning	No Maintenance Required	No	No	5bae7c63-65bc-4b4c-aba4-c7d31271810f	Sugarberry	No	Celtis laevigata	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	10.00000000000	20.00000000000	15.00000000000	28.38812960800	-80.75560444030	Fair	5.00000000000	High percentage of deadwood in canopy, multiple limb breaks	Tree is Damaged	Recent limb breaks, copious deadwood	Pruning	No	No	2ee43f2d-8efc-48d3-b90b-e8b67ccfb9bb	Box Elder	No	Acer negundo	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	30.00000000000	18.00000000000	25.00000000000	25.00000000000	28.39032768990	-80.78335793950	Fair	5.00000000000	Minor soil heaving on curb and sidewalk. The crown was broken in this tree. And the sides are now growing out to make it fall in the canopy. Minor bark beetles present. See pictures. Multiple stems extending from a central location.	Tree Is Undamaged	<Null>	Pruning	No	No	{898CAFB2-3ECE-424E-ABBE-EA0929457A2D}	Maple (Red)	No	Acer rubrum	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	30.00000000000	20.00000000000	35.00000000000	20.00000000000	28.35699553170	-80.73361485270	Fair	5.00000000000	Lots of vines on canopy. Deadwood within canopy. Lots of decaying scaffolding. Toward the back of the cemetery and not much risk of injury. There is a fence target nearby. And graves.	Tree is Damaged	Branches contain decay	Pruning	No	No	{110D2DD3-E453-460D-8C91-DC008B59B80E}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35702268850	-80.73344126310	Fair	5.00000000000	Lots of deadwood. Vines growing. See picture. Florida privet	Tree is Undamaged	<Null>	Pruning	No	No	{3DF41125-9937-4B2F-B841-F77FE19B0300}	Privet (Florida)	No	Forestiera segregata	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	10.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35761562420	-80.73307111860	Fair	5.00000000000	Species is red bay	Tree is Damaged	Chlorotic leaves, dead branches	No Maintenance Required	No	No	{973AD2BD-CF5F-4C63-8953-1831FFB6A0DA}	Bay	No	Persea palustris	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	12.00000000000	15.00000000000	10.00000000000	28.35950482670	-80.73428338070	Fair	5.00000000000		Tree is Damaged	Half of tree is dead, see picture.	No Maintenance Required	No	No	{A5A80953-7423-4830-B4B9-CB49F9CE4AC8}	Arborvitae	No	Thuja occidentalis	1.00000000000
2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	3.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35366966090	-80.72927017420	Fair	4.00000000000	See photo	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	2328ded0-bb32-4338-ac3d-cd2e428802ae	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
Median	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	15.00000000000	8.00000000000	15.00000000000	5.00000000000	28.34927533190	-80.74307763490	Fair	4.00000000000	2 palms. Unhealthy. See pics	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	976b9498-f2da-4078-98a6-c1ac74f54e39	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
4+ Ft ROW	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	22.00000000000	16.00000000000	25.00000000000	30.00000000000	28.35478254130	-80.72673213700	Fair	4.00000000000	Parking lot very little foliage	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	3140e591-9ff6-4f6e-8467-8c1008accedd	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	5.00000000000	6.00000000000	10.00000000000	10.00000000000	28.36371706370	-80.74298053960	Fair	4.00000000000	Small hole in trunk	Tree Is Damaged	Small Hole in Trunk, May Close Up	No Maintenance Required	No	No	e37d9b02-14f7-4b57-b8a2-e98aa0f61b75	Sycamore	No	Platanus occidentalis	1.00000000000
City Building	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	25.00000000000	16.00000000000	35.00000000000	30.00000000000	28.36080468400	-80.73807965300	Fair	4.00000000000		Tree is Damaged	Either mech or lightning damage to trunk; many branches seem dead, remaining leaves are suffering	Removal	No	No	ea477734-34a4-47f6-b6f3-594844e3dbb6	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	20.00000000000	14.00000000000	10.00000000000	10.00000000000	28.37271717360	-80.74467862950	Fair	4.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	34c90256-657b-4d10-b2d4-179390fc1c84	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
City Park	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	12.00000000000	10.00000000000	20.00000000000	15.00000000000	28.38168577190	-80.76364231310	Fair	4.00000000000	Some bark loss and multiple dead branches	Tree is Damaged	Bark and branch loss	No Maintenance Required	No	No	3e2839ae-30c5-4e17-a96d-193921f8edd8	Maple (Red)	No	Acer rubrum	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	20.00000000000	20.00000000000	25.00000000000	15.00000000000	28.37414888640	-80.76223058630	Fair	4.00000000000	Some large limbs previously pruned	Tree is Undamaged	<Null>	No Maintenance Required	No	No	41806838-1739-42ca-9f71-98e778c556cd	Bottlebrush (Weeping)	No	Melaleuca viminalis	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	15.00000000000	14.00000000000	20.00000000000	25.00000000000	28.37414067260	-80.76261808180	Fair	4.00000000000	Co-dominant tree, weak attachement of trunks at base; needs removal of a trunk	Tree is Damaged	Tree has Unnatural growth and weak base attachment	Pruning	No	No	936de601-7b68-49d8-bc42-d5e8fffb5f7c	Maple (Red)	No	Acer rubrum	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	30.00000000000	24.00000000000	50.00000000000	45.00000000000	28.38520645320	-80.76522934600	Fair	4.00000000000	Tree has 3 inch deep cut in trunk of the tree, see pictures. Tree has another 3 inch hole, see picture. Tree has overhanging branches over road, see picture.	Tree is Damaged	Cut In Trunk	No Maintenance Required	No	No	fa9e59b3-f768-4517-93ce-585e20b8f6ea	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	35.00000000000	16.00000000000	30.00000000000	15.00000000000	28.38963604470	-80.78271833460	Fair	4.00000000000	This tree looks owner maintained and owner pruned. It is near green electrical box target and a waterline see pictures.	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{218B0157-AFEA-4D39-900E-009981AD5C6F}	Maple (Red)	No	Acer rubrum	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	40.00000000000	20.00000000000	25.00000000000	25.00000000000	28.39473146360	-80.78195103140	Fair	4.00000000000	See pics. Bark beetles.	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{9312E47A-59A9-41C9-9F8F-3227B9192533}	Maple (Silver)	No	Acer saccharinum	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	25.00000000000	20.00000000000	30.00000000000	25.00000000000	28.39472408110	-80.78189990470	Fair	4.00000000000	Over hang and bark beetles.	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{E319197A-63C9-45BE-ADF7-4177771F351B}	Maple (Silver)	No	Acer saccharinum	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	25.00000000000	16.00000000000	35.00000000000	45.00000000000	28.35724955860	-80.73296058630	Fair	4.00000000000		Tree is Damaged	Crown damage, broken/dead limbs	No Maintenance Required	No	No	{D25BA6E7-8490-4715-822D-1D32F903A435}	Jacaranda	No	Jacaranda mimosifolia	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	30.00000000000	20.00000000000	35.00000000000	40.00000000000	28.35952643120	-80.73343624150	Fair	4.00000000000	Bark missing from base of trunk	Tree is Damaged	Trunk Damage	No Maintenance Required	No	No	{1BA03A16-9A32-4194-835F-65A608A6ECA0}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	50.00000000000	30.00000000000	45.00000000000	30.00000000000	28.36878933130	-80.75475628880	Fair	4.00000000000	Co-dom forks. Many stems coming from a central location. Deadwood In canopy. Prune, reduce co-dominant forks	Tree is Undamaged	<Null>	Pruning	No	No	{7C1C9E25-7AE3-423C-9355-7A3AB1516E84}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
City Park	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	10.00000000000	14.00000000000	25.00000000000	15.00000000000	28.38966730970	-80.74328153360	Fair	3.00000000000		Tree Is Damaged	Mistletoe	No Maintenance Required	No	No	1d5ee857-5f30-4e30-8acb-e0ab5d5591af	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
City Park	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	12.00000000000	10.00000000000	30.00000000000	10.00000000000	28.38724854370	-80.75966270630	Fair	3.00000000000	See pic	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	7db372bd-ad65-4bf2-a99c-c40b9744adbd	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	20.00000000000	14.00000000000	25.00000000000	15.00000000000	28.35827905770	-80.73213278520	Fair	3.00000000000	Next to water tower; tough to measure duh covered with vines	Tree is Damaged	Covered with vines, restricting sunlight and nutrients to tree	Vine Removal	No	No	09c19dff-648b-4bc3-acc3-4d259f7d5b33	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	25.00000000000	8.00000000000	30.00000000000	10.00000000000	28.40263694950	-80.74600148860	Fair	3.00000000000		Tree is Damaged	Insect	No Maintenance Required	No	No	80efa2df-be1f-4bfb-8e62-28eba8f4e3e5	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	10.00000000000	4.00000000000	10.00000000000	5.00000000000	28.37326120090	-80.75323873240	Fair	3.00000000000	See pics	Tree is Undamaged	<Null>	No Maintenance Required	No	No	fbbb878b-7740-4321-a348-117f795b8045	Red Cedar	No	Juniperus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	14.00000000000	25.00000000000	30.00000000000	28.37313945380	-80.75703305180	Fair	3.00000000000	Signs of previous pruning	Tree is Undamaged	<Null>	No Maintenance Required	No	No	7fccc4d2-66ee-4495-b220-9848e1c3dc68	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	8.00000000000	30.00000000000	15.00000000000	28.36064853210	-80.73380302640	Fair	3.00000000000	This tree has an extreme amount of deadwood. The tree is dying.	Tree is Damaged	Copious Deadwood	Removal	No	No	{564840C7-715F-4CF5-9C66-78D79D368402}	Sugarberry	No	Celtis laevigata	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	15.00000000000	6.00000000000	20.00000000000	5.00000000000	28.36780439560	-80.75477134000	Fair	3.00000000000	Tree form.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{EB3EA535-6587-411A-88CB-557D656FFBDF}	Pine (Plum)	No	Podocarpus spp.	1.00000000000
4+ Ft ROW	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	30.00000000000	12.00000000000	15.00000000000	30.00000000000	28.40094754960	-80.74489991150	Fair	3.00000000000	Button wood	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{04FAB51D-B7D4-40AC-99B6-5670CE7226E3}	Silver Buttonwood	No	Conocarpus erectus var. sericeus	1.00000000000
4+ Ft ROW	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.40176428220	-80.74471509120	Fair	3.00000000000	Lead tree	Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	{535573ED-CDF9-499B-91E8-7E250837CE92}	Lead Tree	No	Leucaena leucocephala	1.00000000000
4+ Ft ROW	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	10.00000000000	6.00000000000	10.00000000000	10.00000000000	28.36430683890	-80.74567686980	Fair	2.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	3fea2f21-f5db-482d-8647-a1d185db20d6	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	10.00000000000	4.00000000000	5.00000000000	10.00000000000	28.35691992690	-80.73309249220	Good	10.00000000000	Shrub form. 1 dead. Needs replace. Remove NE	Tree is Damaged	Tree Is Dead	Removal	No	Yes	{B2786299-994D-439E-A3DD-73E68708224D}	Viburnum	No	Viburnum spp.	2.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	20.00000000000	25.00000000000	15.00000000000	28.36064258130	-80.73415649100	Good	10.00000000000	Chinaberry is been previously pruned and has grown back. Tree needs to be removed. And the stump ground	Tree is Damaged	Tree Is Dead	Removal	Yes	No	{7C128A9D-F237-4B67-A4AA-388C4C0DC979}	Chinaberry	No	Melia azedarach	1.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	25.00000000000	12.00000000000	30.00000000000	20.00000000000	28.35433934780	-80.72505430150	Good	7.00000000000	Red cedar	Tree Is Damaged	Thinning in crown.	Pruning	No	No	abaa5aa9-5a78-4a8c-9135-d9a84bd4d9a7	Red cedar	No	Juniperus virginiana	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	40.00000000000	20.00000000000	60.00000000000	40.00000000000	28.36485755400	-80.73384140240	Good	7.00000000000	Potential for damage with weak codominant attachment at trunk; limbs over power lines	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	f3a5c676-a1b1-42d0-bdb4-f607f55f2be7	Oak (Bluejack)	No	Quercus incana	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	25.00000000000	16.00000000000	40.00000000000	25.00000000000	28.36395930050	-80.74300895420	Good	7.00000000000	See pics. Power line near tree	Tree Is Damaged	Severe lean off property	Pruning	No	No	51389bfd-5f81-4d77-a9a3-5f842d8c5f06	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	40.00000000000	26.00000000000	50.00000000000	25.00000000000	28.37481051250	-80.76323943210	Good	7.00000000000	This tree has a double codominant forks and an unnatural form in the crown. See pictures. Also overhangs Road and near powerline. Some carpenter ants observed around the tree. Indications of decay.	Tree is Damaged	Interior Decay	No Maintenance Required	No	No	4bc5b220-dfc9-448b-96f1-0e9c0514f15a	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	40.00000000000	20.00000000000	30.00000000000	30.00000000000	28.38080154250	-80.74892588030	Good	7.00000000000	Dead branches hanging over roadway need removal	Tree Is Undamaged	<Null>	Pruning	Yes	No	{04C50FA6-3CA1-4955-9EFB-4CFFF37041BC}	Camphor Tree	No	Cinnamomum camphora	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/16/2020	sbourgoin_sfc	9/16/2020	20.00000000000	12.00000000000	25.00000000000	15.00000000000	28.36409171370	-80.73148113650	Good	6.00000000000	Overhanging powerlines; covered with ferns and vines, likely not structurally sound	Tree is Damaged	Vines restricting tree, may be evidence of internal rot	Pruning	No	Yes	12aa113a-0aae-40fe-8398-d537b6a8610e	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
Cemetary	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	5.00000000000	8.00000000000	5.00000000000	5.00000000000	28.36908748430	-80.75591699300	Good	6.00000000000	Is cabbage farm is it in the middle of a gravesite. It has come up between two prominent sites. This should be removed before catastrophic damage occurs to target	Tree is Undamaged	<Null>	Removal	No	No	{9178FBBD-8B6D-4EA8-9D63-CF95B977CB58}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000

Cemetary	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	25.00000000000	18.00000000000	35.00000000000	35.00000000000	28.36884389650	-80.75575154300	Good	6.00000000000	This tree has a major codominant fork. It overhangs several grave targets. It is near a powerline that is connecting lights to the cemetery. Included bark within the codom and Immediatelynext to Hickory tree. Removing codom will improve both trees.	Tree is Undamaged	<Null>	Pruning	No	No	{848EDD9E-8DC4-4B63-B2D7-A44239C2DDA1}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	20.00000000000	8.00000000000	25.00000000000	15.00000000000	28.35161476910	-80.72623787230	Good	5.00000000000	Tree is dying	Tree Is Damaged	Crown contains deadwood. See picture	Pruning	No	No	b7ae642e-718e-4b07-937a-d8f99995a7ed	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	20.00000000000	12.00000000000	25.00000000000	15.00000000000	28.34939832470	-80.73753823480	Good	5.00000000000	Poor condition.	Tree Is Undamaged	<Null>	Pruning	No	No	9cbd6f9c-8e62-4816-9a31-c6485c2855a5	Sycamore	No	Platanus occidentalis	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	30.00000000000	22.00000000000	40.00000000000	25.00000000000	28.34973228680	-80.74882608650	Good	5.00000000000	Included bark and triple Co-Dom. Also observed carpenter ants indication of decay within.	Tree Is Damaged	Included bark, possible decay	Removal	No	No	4c3a128e-8bb6-4fa5-92e1-d649f71e5ff6	Oak (Live)	No	Quercus virginiana	1.00000000000
City Building	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	15.00000000000	6.00000000000	15.00000000000	10.00000000000	28.35372977410	-80.72762640180	Good	5.00000000000	See pic deadwood. Dying 2 EPHs	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	09745eb7-d349-4f18-8440-520002bd04ec	Holly (East Palatka)	No	Ilex x attenuata	2.00000000000
City Park	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	15.00000000000	12.00000000000	25.00000000000	15.00000000000	28.35894780250	-80.74008140760	Good	5.00000000000	Damaged bottom and power line next to tree	Tree is Damaged	Base of tree injured	No Maintenance Required	No	No	786823d7-cfd2-4717-bc5c-f223f1098217	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	35.00000000000	30.00000000000	30.00000000000	25.00000000000	28.36349226030	-80.73120254110	Good	5.00000000000	Overhang road	Tree is Undamaged	<Null>	No Maintenance Required	No	No	0d23e33a-2c1e-4d9e-a1b9-82ba051691bc	Red Cedar	No	Juniperus virginiana	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/16/2020	sbourgoin_sfc	9/16/2020	45.00000000000	20.00000000000	45.00000000000	40.00000000000	28.37611355010	-80.73593111640	Good	5.00000000000	hanging over road; multiple dead limbs over roadway	Tree is Undamaged	<Null>	Pruning	No	No	61a887a6-a020-4dd3-99d5-03c5fcdd8fde	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	35.00000000000	26.00000000000	40.00000000000	40.00000000000	28.37315579850	-80.75738308030	Good	5.00000000000	Canopy a previously pruned away from powerline. Canopy over HankΓ ÇÖs Road. Trump has a co-dominance pork. See pictures. Excellent one word around the pruning. Pruned tooclose the trunk.	Tree is Damaged	Pruned Too Close to Trunk	No Maintenance Required	No	No	1c233bed-1b23-4c01-87ea-ed8da0819383	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	14.00000000000	15.00000000000	15.00000000000	28.38813312800	-80.75550193000	Good	5.00000000000	See pic Crown is been reduced greatly. Lots of deadwood in canopy. See pictures	Tree is Damaged	Recent limb breaks, copious deadwood	Pruning	No	No	2cbe3987-db48-497b-b53e-d19a5460b3a2	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	12.00000000000	15.00000000000	15.00000000000	28.38815420900	-80.75556873320	Good	5.00000000000	High percentage of deadwood in canopy, multiple limb breaks	Tree is Damaged	Recent limb breaks, copious deadwood	Pruning	No	No	3d0bd14a-5242-41bd-abcf-c3508cd740de	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	14.00000000000	25.00000000000	15.00000000000	28.38814088150	-80.75561516890	Good	5.00000000000	High percentage of deadwood in canopy, multiple limb breaks	Tree is Damaged	Recent limb breaks, copious deadwood	Pruning	No	No	29c3d77f-164e-4a92-b6c4-2c884f9f043b	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	35.00000000000	26.00000000000	45.00000000000	30.00000000000	28.38817009220	-80.75814868300	Good	5.00000000000	See pics A natural form with trunk c0-dominant fork has formed and multiple stems radiating from Central point. canopy slightly overhangs the road and the sidewalk. See pictures	Tree is Undamaged	<Null>	No Maintenance Required	No	No	8303b722-eb4e-4e6d-9f98-f34e697e6f42	Pine (Slash)	No	Pinus elliottii	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	40.00000000000	36.00000000000	55.00000000000	40.00000000000	28.38799725720	-80.76245513730	Good	5.00000000000	See pics. Excessive scaffolding burning. Some lion tailing on some of the lower branches. Slight overhang on the road.Some sap oozing on the lower truck	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{A37B5D4F-DD89-4957-A483-0C8AFDA962D7}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	25.00000000000	20.00000000000	35.00000000000	40.00000000000	28.38726312870	-80.76408793220	Good	5.00000000000	See pic canopy overhang sidewalk and road. Bark beetles in upper scaffolding. Some deadwood throughout canopy.	Tree Is Undamaged	<Null>	Pruning	No	No	{F9F89E8D-54EB-4FA7-A892-D7490278A234}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	30.00000000000	24.00000000000	50.00000000000	45.00000000000	28.38723077470	-80.76424400370	Good	5.00000000000	Tree overhangs road and sidewalk. Codominant fork on well-established. Bark beetles in upper canopy scaffold	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{09432192-5FA4-4441-B199-3C821ACDB8F4}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	25.00000000000	18.00000000000	40.00000000000	35.00000000000	28.39627581170	-80.75731107950	Good	5.00000000000	Branches splitting at attachment, damp trunk	Tree is Damaged	Branch splitting	No Maintenance Required	No	No	{8236C0A1-C523-459F-92BF-6C892CD2AB4E}	Maple (Red)	No	Acer rubrum	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	30.00000000000	18.00000000000	45.00000000000	25.00000000000	28.35676000010	-80.73362331840	Good	5.00000000000	This tree has no wound word where branches have been broken. The main stem from the canopy has been broken and has not repaired itself. Some deadwood and canopy see picture	Tree is Damaged	Damage to some main branches and stem	Pruning	No	No	{3D217305-325E-4A9B-9443-9AFF8CD74616}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	16.00000000000	25.00000000000	10.00000000000	28.36017621190	-80.73371342390	Good	5.00000000000	Drastically and overhangΓÇÖs grave sites.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{B7BB28E1-06A9-436D-AABE-F35B5B1297A9}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Cemetary	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	15.00000000000	6.00000000000	20.00000000000	15.00000000000	28.36893240930	-80.75576042740	Good	5.00000000000	Juniper in tree form. Many vines and moss present. Needs pruning. Powerline present.	Tree is Undamaged	<Null>	Pruning	No	No	{2AC7DFE9-1DD1-4B6F-BD19-26E93E961158}	Arborvitae	No	Thuja occidentalis	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	6.00000000000	5.00000000000	5.00000000000	28.35611312970	-80.72782702890	Good	4.00000000000	Bizmark Palm, see photo	Tree Is Damaged	Falling over	No Maintenance Required	No	No	5ebb400e-a054-469a-adb1-8d8017b4be02	Palm (Bismarck)	No	Bismarckia nobilis	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	15.00000000000	12.00000000000	35.00000000000	20.00000000000	28.35352183250	-80.72661852260	Good	4.00000000000	Prune deadwood. Also near open power line and transformer box. Consider relocating. See pic	Tree Is Undamaged	<Null>	Pruning	No	No	b3873074-2b75-4337-bd1b-747ae8dcb292	Holly (East Palatka)	No	Ilex x attenuata	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	15.00000000000	10.00000000000	20.00000000000	10.00000000000	28.35805541750	-80.73022275310	Good	4.00000000000	Crown damage	Tree Is Damaged	Crown pruned out	No Maintenance Required	No	No	900e3385-e096-4b93-953e-a45e9169ca1e	Mulberry (Red)	No	Morus rubra	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	30.00000000000	20.00000000000	45.00000000000	30.00000000000	28.34940021820	-80.73825741250	Good	4.00000000000	Deadwood. Slight heaving. See pics	Tree Is Undamaged	<Null>	Pruning	No	No	bb7954c9-c827-4a66-9000-c1159c64ded0	Sycamore	No	Platanus occidentalis	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	20.00000000000	14.00000000000	30.00000000000	15.00000000000	28.34940619260	-80.73784204320	Good	4.00000000000	Deadwood. See pics. Target, mailbox	Tree Is Undamaged	<Null>	Pruning	No	No	a42aba50-31af-4b1a-aaab-cd63b091d455	Sycamore	No	Platanus occidentalis	1.00000000000
Median	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	30.00000000000	14.00000000000	30.00000000000	15.00000000000	28.34929346470	-80.74388314080	Good	4.00000000000	See pic. Deadwood	Tree Is Undamaged	<Null>	Pruning	No	No	7e81bf97-ead3-4f0f-b7bd-d8e1a7d65dfb	Maple (Florida)	No	Acer saccharum subs. floridanum	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	30.00000000000	22.00000000000	40.00000000000	25.00000000000	28.34974037520	-80.74880641520	Good	4.00000000000	Included bark, triple co-Dom	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	7ad97726-2b99-4b44-a0e0-13ac08e82449	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	10.00000000000	16.00000000000	35.00000000000	15.00000000000	28.35545007720	-80.73286340740	Good	4.00000000000	Phoen syl; moss on outside, soft rot, exposed roots	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	3861a598-f213-4192-a786-422d552fee9c	Palm (Silver Date)	No	Phoenix sylvestris	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	20.00000000000	18.00000000000	25.00000000000	20.00000000000	28.36484224750	-80.73400287640	Good	4.00000000000	Rot near base; needs vine removal	Tree Is Undamaged	<Null>	Vine Removal	No	No	cc807be3-44f9-40b3-a8d0-1c165eec7fa6	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	20.00000000000	14.00000000000	35.00000000000	30.00000000000	28.36481735260	-80.73409995100	Good	4.00000000000	Vines girdling trunk and limbs	Tree Is Undamaged	<Null>	No Maintenance Required	Yes	No	2c3a296a-a55d-467d-9a02-bc4a864ee9ef	Chinese Tallow	No	Triadica sebifera	1.00000000000
City Building	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	10.00000000000	6.00000000000	20.00000000000	10.00000000000	28.35462257250	-80.72723924230	Good	4.00000000000	Deadwood see pic	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	289ca309-9914-4c60-9a88-abbc63000293	Magnolia (Southern)	No	Magnolia grandiflora	1.00000000000
City Building	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	15.00000000000	6.00000000000	15.00000000000	10.00000000000	28.35392435980	-80.72762430690	Good	4.00000000000	2 EPHs need replacing. Deadwood see pics	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	cdef2a0d-3b21-4857-9c7d-346330f037a9	Holly (East Palatka)	No	Ilex x attenuata	2.00000000000
City Building	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	20.00000000000	8.00000000000	25.00000000000	15.00000000000	28.36061474000	-80.73457219720	Very Poor	7.00000000000	Completely dead	Tree is Damaged	Tree is Dead	Removal	No	No	380d956b-567b-48f5-9a70-79ea56e063ca	Holly (East Palatka)	No	Ilex x attenuata	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	20.00000000000	8.00000000000	15.00000000000	0.00000000000	28.39002635800	-80.74369412080	Very Poor	7.00000000000	Dead palm, needs removal	Tree is Damaged	Tree Is Dead	Removal	No	No	9d1bf111-5d79-49ce-8d7e-23a1a8281ce8	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	20.00000000000	6.00000000000	35.00000000000	0.00000000000	28.39044569030	-80.74287065860	Very Poor	7.00000000000	Dead, needs removal	Tree is Damaged	Tree Is Dead	Removal	No	No	63320dae-df76-49d6-94c0-317aa338cb65	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	16.00000000000	15.00000000000	10.00000000000	28.38811917220	-80.75545490770	Very Poor	7.00000000000	See pics, Tree Is Dead	Tree is Damaged	Stump/Trunk	Removal	No	No	bde7f7c8-b406-4740-98ea-e4afe5a316a0	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	8.00000000000	15.00000000000	5.00000000000	28.38811179650	-80.75583988790	Very Poor	7.00000000000	Trunk Damage, Signs of Decay	Tree is Damaged	Trunk has decay, only 20% of canopy alive	Removal	No	No	1ec8cd33-6e1b-49b4-8b5c-08e338f08f04	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	4.00000000000	20.00000000000	15.00000000000	28.38111007130	-80.75043034640	Very Poor	7.00000000000	Dead, Neds Removal	Tree is Damaged	Dead, Needs Removal	Removal	No	No	{B33DF877-BE37-4AE2-A174-B6C36DBF6CD5}	Red Cedar	No	Juniperus virginiana	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	10.00000000000	6.00000000000	5.00000000000	5.00000000000	28.39251547890	-80.78256999220	Very Poor	7.00000000000	Poor condition, consider replacement	Tree Is Damaged	Previously taken to just stump, resprouting	No Maintenance Required	No	No	{0A2DB9BD-0037-4CD7-8F52-2BC20845E1EF}	Golden Raintree	No	Koelreuteria paniculata	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	5.00000000000	8.00000000000	10.00000000000	10.00000000000	28.35366975970	-80.73520389430	Very Poor	6.00000000000	Dead cabbage palm	Tree is Damaged	Dead, brown fronds and trunk	Removal	No	No	4ef806b9-e874-40b8-b918-a37f76dfb7a9	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	20.00000000000	10.00000000000	30.00000000000	15.00000000000	28.37441256170	-80.73508941830	Very Poor	6.00000000000	Poor Shape, Nearly Dead; Leaning into Roadway	Tree is Damaged	Rot and decay	Removal	No	No	64cce7b8-a526-414e-85b7-90ea8d68558e	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	40.00000000000	22.00000000000	45.00000000000	30.00000000000	28.39349752110	-80.74494572830	Very Poor	6.00000000000	In yard but mostly dead, overhanging road	Tree is Damaged	Tree is Dead	Removal	No	No	3c6fff81-c9e5-4fc0-a24c-a31250ed8b13	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	12.00000000000	10.00000000000	10.00000000000	28.39630519010	-80.75949179910	Very Poor	6.00000000000	Tree is Dead, Top Snapped Off, Just Trunk	Tree is Damaged	Stump/Trunk	Remove Trunk	No	No	{92A6AB4D-4442-48D9-9A42-83918A223759}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	12.00000000000	20.00000000000	10.00000000000	28.39546529150	-80.77771919830	Very Poor	6.00000000000	Two dead trees in Woodland.	Tree is Damaged	Stump/Trunk	Remove Trunks	No	Yes	{71FB3AC6-090C-432D-82B1-989025C76E55}	Palm (Queen)	No	Syagrus romanzoffiana	2.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	15.00000000000	20.00000000000	30.00000000000	10.00000000000	28.39654017710	-80.77215492750	Very Poor	5.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{90F49D7A-131D-4681-A0D4-30C3A6650F80}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	14.00000000000	10.00000000000	0.00000000000	28.35970917560	-80.73356772260	Very Poor	5.00000000000	Dead Tree With Debris on Ground, Needs Removal	Tree is Damaged	Tree is Dead	Removal	Yes	No	{5D5B6D97-BA02-4D4D-BB9A-204665A5946F}	Pine (Australian)	No	Casuarina equisetifolia	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	25.00000000000	12.00000000000	0.00000000000	0.00000000000	28.35465994530	-80.73038683670	Very Poor	4.00000000000	See pic; dead stump, needs removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	37cea1c0-ea25-4473-a27f-ef602c1ea2ef	Red Cedar	No	Juniperus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	16.00000000000	10.00000000000	0.00000000000	28.39199010250	-80.75872301100	Very Poor	4.00000000000	Stump That Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{BAAB84BD-2DA2-46C1-A220-4AF39FF0EE37}	N/A (Stump)	No	N/A (Stump)	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	12.00000000000	40.00000000000	5.00000000000	28.40082534120	-80.76887391530	Very Poor	4.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{B3016B6E-7653-4251-9F36-3F5C670A749D}	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	14.00000000000	35.00000000000	15.00000000000	28.40072983500	-80.76886922250	Very Poor	4.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{3753AAE0-AF6F-44AD-9FDC-63D37B8CE09D}	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	14.00000000000	20.00000000000	10.00000000000	28.39545492520	-80.77698497380	Very Poor	4.00000000000	Dead Trunk, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{A2B29C06-54B6-4511-A0AE-4AE144866251}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	15.00000000000	12.00000000000	15.00000000000	0.00000000000	28.36028379310	-80.74511496280	Very Poor	3.00000000000	Dead palm trunk. Directly under power lines, needs removal	Tree Is Damaged	Stump	Remove Stump	No	No	102a501f-485a-4869-935d-7599fd845db5	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	10.00000000000	8.00000000000	20.00000000000	20.00000000000	28.38850520070	-80.78777619640	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{950C8A8C-E95D-4C3D-9BB1-88CB78773C06}	Pine (Slash)	No	Pinus elliottii	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	8.00000000000	30.00000000000	20.00000000000	28.38802106560	-80.78773675040	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{E7B29CFB-B138-494D-BC3A-6544126508D3}	Pine (Slash)	No	Pinus elliottii	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	20.00000000000	15.00000000000	28.38729850230	-80.78772135240	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{A6F520AA-BE5B-4F33-AA30-C028F250066C}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	acarroll_sfc	9/29/2020	acarroll_sfc	9/29/2020	15.00000000000	8.00000000000	15.00000000000	10.00000000000	28.35750346390	-80.73363002340	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{5BEBB25C-5D3A-4F51-B4AC-916BA29AFBEB}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Median	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.38273778120	-80.77264493330	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree is Dead	Removal	No	No	{7356D8DC-9EEF-4BCD-9C37-AF34A528B318}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	8.00000000000	15.00000000000	0.00000000000	28.36806211650	-80.75455653490	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree Is Dead	Removal	No	No	{B0AA3A91-74ED-4EC5-B6B9-9C55DC00EFD4}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	30.00000000000	28.00000000000	10.00000000000	0.00000000000	28.36940032900	-80.75550067230	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{980EB6CB-8C9C-46A5-BE14-C58E1DC6B7E2}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	15.00000000000	12.00000000000	5.00000000000	5.00000000000	28.40107568520	-80.74431573080	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{29508705-86F4-4831-AB68-2CB1FC0730A6}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	20.00000000000	14.00000000000	15.00000000000	10.00000000000	28.40210622400	-80.74257587820	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{F12D774F-FACC-4548-883C-2B4B33DED582}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	12.00000000000	5.00000000000	0.00000000000	28.39095154290	-80.78079465800	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{A8EBBB7F-C43F-42C4-B97E-D8C7EF0A23AA}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	30.00000000000	18.00000000000	35.00000000000	15.00000000000	28.35545871610	-80.73228686420	Very Poor	2.00000000000	Bizmark stump	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	f5b6bc90-b19d-47b1-9d94-803c94c27919	Palm (Bismarck)	No	Bismarckia nobilis	1.00000000000
City Park	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	20.00000000000	10.00000000000	0.00000000000	0.00000000000	28.35888270100	-80.73130859620	Very Poor	2.00000000000	3 stumps and 1 BP. To be removed	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	b11484c9-65d7-4d53-9461-416912340a10	Hickory (Pignut)	No	Carya glabra	1.00000000000
2-4 Ft ROW	shendley_sfc	9/13/2020	shendley_sfc	9/13/2020	20.00000000000	8.00000000000	5.00000000000	0.00000000000	28.35087389180	-80.73356707580	Very Poor	2.00000000000	Tree is cut; stump needs removal	Tree Is Damaged	Stump/Trunk	Remove Stump	No	No	7148642b-82af-4f80-a4ad-74d5e933ea8a	Sycamore	No	Platanus occidentalis	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/16/2020	sbourgoin_sfc	9/16/2020	20.00000000000	14.00000000000	25.00000000000	15.00000000000	28.36619344110	-80.74705959530	Very Poor	2.00000000000	Completely dead needs removal	Tree is Damaged	Tree is Dead	Removal	No	No	1c15f2d9-a065-4aab-8ccf-5cd17f805c7a	Pine (Longleaf)	No	Pinus palustris	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	20.00000000000	10.00000000000	5.00000000000	0.00000000000	28.38738969540	-80.76376179260	Very Poor	2.00000000000	Stump	Tree Is Undamaged	<Null>	Remove Stump	No	No	{57F1FA2A-BD75-400B-8276-6ED829F7A80C}	Bottlebrush (Weeping)	No	Melaleuca viminalis	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	16.00000000000	0.00000000000	0.00000000000	28.39889285130	-80.76775526670	Very Poor	2.00000000000	Stump That Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{20ACB205-116A-418E-A68F-74403C577CD5}	N/A (Stump)	No	N/A (Stump)	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	35.00000000000	18.00000000000	10.00000000000	5.00000000000	28.35695927990	-80.73346942710	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{F6DC1A1A-AB89-41C0-8372-8E2460A0F823}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	55.00000000000	28.00000000000	50.00000000000	60.00000000000	28.36019909440	-80.73430334220	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{C9E5553C-5EC9-4DA4-9A4E-6D214065BBD5}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	25.00000000000	16.00000000000	40.00000000000	20.00000000000	28.35963514510	-80.73353318230	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree is dead, see picture.	Removal	Yes	No	{6EE83020-5AB6-449A-ADA6-8EA7F2292927}	Pine (Australian)	No	Casuarina equisetifolia	1.00000000000
Cemetary	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	30.00000000000	18.00000000000	0.00000000000	0.00000000000	28.36875127660	-80.75586536950	Very Poor	2.00000000000	Old stump. Rotting	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{35627E43-0723-448B-BD9B-8911F4A8D205}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	16.00000000000	10.00000000000	5.00000000000	28.36835598580	-80.75473439860	Very Poor	2.00000000000	Stump	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{15DA5336-B17B-479C-929E-A36072E8D6D0}	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	10.00000000000	4.00000000000	15.00000000000	5.00000000000	28.38348674870	-80.77803819550	Very Poor	2.00000000000		Tree is Damaged	Tree is Dead	Removal	No	No	{1BAEAF65-A73A-4AAD-B2B5-156CBE656BE0}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	12.00000000000	0.00000000000	0.00000000000	28.39103175120	-80.78077820530	Very Poor	2.00000000000	Two stumps in Woodland.	Tree is Damaged	Stump/Trunk	Remove Stump	No	Yes	{E37E5873-D334-4D04-8F44-04B030B00B88}	N/A (Stump)	No	N/A (Stump)	2.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	12.00000000000	15.00000000000	0.00000000000	28.39120392220	-80.78055795280	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{88B0584D-929C-4C3A-B4CE-733862991F2F}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	10.00000000000	20.00000000000	0.00000000000	28.39127525250	-80.78042099290	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{63356FB1-094E-4FD5-9573-2F45BA64F029}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	12.00000000000	25.00000000000	10.00000000000	28.39152758910	-80.77998370830	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{B19D23DB-8B93-431A-ACD0-7BE247CC2E33}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.39102319340	-80.77973278460	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{EC4E220A-D753-48A0-B655-12FD268FB25D}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	8.00000000000	30.00000000000	25.00000000000	28.39072632140	-80.78034228610	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{66C46A3C-08E9-491C-B001-175D6B738570}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.39078610070	-80.78101954130	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{CBF7C1CA-BA64-4423-B044-09F778651EDE}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	5.00000000000	4.00000000000	15.00000000000	5.00000000000	28.39078144680	-80.78100083840	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{8C262DC2-611C-4171-875C-EE4247717BF5}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35702616760	-80.73350831880	Very Poor	1.00000000000	Stump that has resprouted	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{B77C4B93-AF85-4AD0-9BD7-C050A6AD16C9}	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
City Park	acarroll_sfc	9/15/2020	acarroll_sfc	9/15/2020	20.00000000000	10.00000000000	25.00000000000	10.00000000000	28.35420867420	-80.74326518970	Poor	6.00000000000	See pic	Tree is Undamaged	<Null>	Removal	No	No	cdb648ac-bce2-4124-b380-995ad4b2eee9	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
City Park	sbourgoin_sfc	9/18/2020	sbourgoin_sfc	9/18/2020	5.00000000000	8.00000000000	15.00000000000	10.00000000000	28.37679872970	-80.76179704140	Poor	6.00000000000	tree not completely dead, but 50 percent of branches without leaves; seems to have a web work infestation see pics	Tree is Damaged	Large chunk of middle bark missing	Removal	No	No	e8617e60-7f0e-4fef-8965-1e60586e0c86	Oak (Live)	No	Quercus virginiana	1.00000000000
City Building	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	20.00000000000	10.00000000000	25.00000000000	10.00000000000	28.36120423840	-80.73457651270	Poor	5.00000000000	Majority of tree is dead. Recommend removal	Tree is Damaged	Tree is Dead	Removal	No	No	b7742f99-fba6-40f2-996f-ae824c895a11	Holly (East Palatka)	No	Ilex x attenuata	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	15.00000000000	6.00000000000	20.00000000000	10.00000000000	28.37505849060	-80.76122660220	Poor	5.00000000000	Severe leaf loss	Tree is Damaged	Severe leaf loss, obvious damage to tree	Removal	No	No	1b4a0557-5f26-41f9-9019-11038d4fee85	Holly (American)	No	Ilex opaca	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	14.00000000000	20.00000000000	15.00000000000	28.38814578530	-80.75573913730	Poor	5.00000000000	High percentage of deadwood in canopy, multiple limb breaks	Tree is Damaged	Recent limb breaks, copious deadwood	Pruning	No	No	bb7b3673-838d-4293-95a6-0bfced1b9db4	Box Elder	No	Acer negundo	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	20.00000000000	16.00000000000	35.00000000000	20.00000000000	28.38825967710	-80.78775262730	Poor	5.00000000000	Severe damage to trunk, wood rot	Tree is Damaged	Wood rot in trunk	Removal	No	No	{0E823A48-2112-4497-9276-C59EF128FB03}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	16.00000000000	20.00000000000	15.00000000000	28.35703777640	-80.73279946090	Poor	5.00000000000	Try cleaning deadwood first before removing. Co dom w included bark	Tree is Damaged	Tree Is Dead	Removal	No	No	{AE4C2C59-5208-4610-B8B3-58DC8CCBB65E}	Hickory (Pignut)	No	Carya glabra	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	8.00000000000	6.00000000000	20.00000000000	10.00000000000	28.39916023430	-80.77080259110	Poor	4.00000000000	Remove	Tree is Damaged	Cambium layer weed whacked repeatedly	Removal	No	No	{E356A27F-155E-41C7-AE39-BE2D3B1F3306}	Holly (Dahoon)	No	Ilex cassine	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35120694720	-80.72616601960	Poor	3.00000000000	Canopy broken and mostly leafless	Tree Is Damaged	Canopy topped	No Maintenance Required	No	No	cd35ada1-bbfe-4763-97e7-f10ed59cf265	Tabebuia	No	Tabebuia spp.	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	5.00000000000	8.00000000000	10.00000000000	10.00000000000	28.35114616070	-80.72621493110	Poor	3.00000000000	Canopy broken and mostly leafless	Tree Is Damaged	Crown broke	No Maintenance Required	No	No	bf3469ee-9835-42d5-b45e-81997412c6ae	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	20.00000000000	14.00000000000	20.00000000000	10.00000000000	28.37552867380	-80.76525779480	Poor	2.00000000000	See pic	Tree is Damaged	Needs pruning of multiple dead limbs for a chance	Pruning	Yes	No	7c237f9f-a267-4710-92e8-f4454a1b5c7f	Indian Rosewood	No	Dalbergia sissoo	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	30.00000000000	12.00000000000	35.00000000000	15.00000000000	28.36061274170	-80.73415800010	Poor	2.00000000000	Unnatural form. Fine for SLO.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{AB73F2B7-444C-4EB9-9B64-0ED15E67861B}	Oak (Sand Live)	No	Quercus geminata	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	40.00000000000	18.00000000000	25.00000000000	40.00000000000	28.36486055300	-80.73437332990	Fair	7.00000000000		Tree Is Damaged	Missing mult limbs due to rot and pruning. Central leader still intact but rotting likely to fall	Removal	No	No	035599b7-6ba4-4a35-bf49-3b2cb056e780	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	60.00000000000	32.00000000000	45.00000000000	25.00000000000	28.38155051730	-80.73657843430	Fair	7.00000000000	Lg oak directly next to road. Evidence of prev pruning. Lg dead limbs overhanging road, needs additional consult	Tree is Damaged	Multiple large dead limbs	Pruning	No	No	788c2f34-9024-4f34-aeb1-4b0ff7cb1825	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	40.00000000000	24.00000000000	45.00000000000	25.00000000000	28.37482115740	-80.76184862270	Fair	7.00000000000	Remove. Co Dom and over pruned. Trunk rot. See pictures	Tree is Damaged	Trunk Rot	Removal	No	No	042c8a89-8f42-45a7-932d-209dbeb2a45b	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	18.00000000000	50.00000000000	35.00000000000	28.37785729230	-80.74507031560	Fair	7.00000000000	Water oak, dead branch over road way	Tree is Damaged	Crown broke	Pruning	No	No	{BC25B713-2163-4046-9747-9A4FC6AC84A3}	Oak (Water)	No	Quercus nigra	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	30.00000000000	26.00000000000	40.00000000000	35.00000000000	28.39283805840	-80.76054104570	Fair	7.00000000000	Tree has sparse canopy with many bare branches, see pictures.	Tree is Damaged	Bare branches/canopy	Pruning	No	No	{03C14FE5-C859-4706-923E-676D89DB62A9}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	6.00000000000	10.00000000000	5.00000000000	28.35700282350	-80.73356992610	Fair	7.00000000000	See pic	Tree is Damaged	Tree Is Dead	Removal	No	No	{58F800C4-0AC0-464A-80AB-BBA329198225}	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	6.00000000000	10.00000000000	5.00000000000	28.35528643810	-80.72750413570	Fair	6.00000000000	See pic	Tree is Damaged	Dying, needs H2O	Removal	No	No	060c3393-62c2-403b-bd0f-860973469609	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	15.00000000000	12.00000000000	15.00000000000	20.00000000000	28.35402286250	-80.72669429640	Fair	6.00000000000	See picture	Tree Is Damaged	Crown broken	No Maintenance Required	No	No	3b083e80-5b3e-4bd5-bd2b-7af3cfdbe027	Red Cedar	No	Juniperus virginiana	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	10.00000000000	10.00000000000	20.00000000000	20.00000000000	28.36394391950	-80.74302337130	Fair	6.00000000000	Large trunk damage	Tree Is Damaged	Trunk is Cracked and Split for Its Entirety	Removal	No	No	63aa69e1-249e-489e-8fec-7ee7362c9bda	Sycamore	No	Platanus occidentalis	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/16/2020	sbourgoin_sfc	9/16/2020	20.00000000000	10.00000000000	30.00000000000	25.00000000000	28.37128400850	-80.74462001170	Fair	6.00000000000	Tree is nearly dead, probably 40 percent of branches with leaves; needs at least pruning, possibly removal	Tree is Damaged	High Proportion of Branches Dead	Pruning	No	No	f91261d9-9f85-42e9-9f78-aa7a782adf5e	Green Ash	No	Fraxinus pennsylvanica	1.00000000000
4+ Ft ROW	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	40.00000000000	24.00000000000	40.00000000000	45.00000000000	28.39816863550	-80.74960865740	Fair	6.00000000000	Overhang	Tree is Damaged	Hit by vehicle	No Maintenance Required	No	No	4a56135e-24de-4fba-b0f3-08359e5707ef	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	20.00000000000	16.00000000000	35.00000000000	40.00000000000	28.37463553980	-80.76391794760	Fair	6.00000000000	This tree has a co-dominance stem with included bark also overhangs the road also has soil heaving. Also has bark beetles. Minor bark beetles. See pictures	Tree is Damaged	Minor bark beetles	No Maintenance Required	No	No	b5b0fef6-9771-4532-b50e-4d81cd696a64	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	10.00000000000	6.00000000000	20.00000000000	10.00000000000	28.38810714400	-80.75727310950	Fair	6.00000000000	Heavy signs of bark beetle infestation	Tree is Damaged	Pest Infestation	No Maintenance Required	No	No	d601b313-3efe-42d1-82f5-832a90f6c213	Green Ash	No	Fraxinus pennsylvanica	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	16.00000000000	15.00000000000	20.00000000000	28.39544013590	-80.75904185900	Fair	6.00000000000	Tree appears to be dying with bare branches. See picture.	Tree is Damaged	Branches are Dying Off	Pruning	No	No	{50398963-9B6C-42E0-9FE6-AF91BDD37434}	Bottlebrush (Weeping)	No	Melaleuca viminalis	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	8.00000000000	15.00000000000	15.00000000000	28.39721316040	-80.77160247610	Fair	6.00000000000	Trim back hard	Tree Is Undamaged	<Null>	Pruning	Yes	No	{06490509-BE0F-44E0-AF4B-31F9569E62B2}	Camphor Tree	No	Cinnamomum camphora	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	8.00000000000	20.00000000000	15.00000000000	28.35712084050	-80.73344344240	Fair	6.00000000000	The canopy has been broken off. Bark beetles present in the canopy. Deadwood throughout. See picture	Tree is Damaged	Canopy has been broken off	Pruning	No	No	{BACA6C9D-F7F4-44F3-A16B-E6E6525412DA}	Sugarberry	No	Celtis laevigata	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	40.00000000000	20.00000000000	50.00000000000	20.00000000000	28.36061601040	-80.73421910450	Fair	6.00000000000	Deadwood at the top of the canopy. Sparse canopy. Bark peeling. Decay in lowest point of trunk.	Tree is Damaged	Deadwood and Peeling Bark	Pruning	No	No	{8EAFBCE8-3712-4061-B595-38C4579F5B35}	Oak (Sand Live)	No	Quercus geminata	1.00000000000
Median	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	35.00000000000	18.00000000000	40.00000000000	20.00000000000	28.34926456580	-80.74507902570	Fair	5.00000000000	See pics. Damaged	Tree Is Damaged	Mechanical Damage and Potential Rot at Base	Pruning	No	No	6d9dc418-0830-4fa2-9284-ac99e520e57f	Maple (Red)	No	Acer rubrum	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	20.00000000000	16.00000000000	25.00000000000	25.00000000000	28.36483498630	-80.73419860670	Fair	5.00000000000		Tree Is Damaged	Mechanical damage at base see pics	No Maintenance Required	Yes	No	4ab213a9-17a8-45e9-b82b-090433acb0a2	Chinaberry	No	Melia azedarach	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	15.00000000000	10.00000000000	30.00000000000	20.00000000000	28.38431299220	-80.73913266000	Fair	5.00000000000	Overhang	Tree is Damaged	Lightning	No Maintenance Required	No	No	5bae7c63-65bc-4b4c-aba4-c7d31271810f	Sugarberry	No	Celtis laevigata	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	10.00000000000	20.00000000000	15.00000000000	28.38812960800	-80.75560444030	Fair	5.00000000000	High percentage of deadwood in canopy, multiple limb breaks	Tree is Damaged	Recent limb breaks, copious deadwood	Pruning	No	No	2ee43f2d-8efc-48d3-b90b-e8b67ccfb9bb	Box Elder	No	Acer negundo	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	30.00000000000	18.00000000000	25.00000000000	25.00000000000	28.39032768990	-80.78335793950	Fair	5.00000000000	Minor soil heaving on curb and sidewalk. The crown was broken in this tree. And the sides are now growing out to make it fall in the canopy. Minor bark beetles present. See pictures. Multiple stems extending from a central location.	Tree Is Undamaged	<Null>	Pruning	No	No	{898CAFB2-3ECE-424E-ABBE-EA0929457A2D}	Maple (Red)	No	Acer rubrum	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	30.00000000000	20.00000000000	35.00000000000	20.00000000000	28.35699553170	-80.73361485270	Fair	5.00000000000	Lots of vines on canopy. Deadwood within canopy. Lots of decaying scaffolding. Toward the back of the cemetery and not much risk of injury. There is a fence target nearby. And graves.	Tree is Damaged	Branches contain decay	Pruning	No	No	{110D2DD3-E453-460D-8C91-DC008B59B80E}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35702268850	-80.73344126310	Fair	5.00000000000	Lots of deadwood. Vines growing. See picture. Florida privet	Tree is Undamaged	<Null>	Pruning	No	No	{3DF41125-9937-4B2F-B841-F77FE19B0300}	Privet (Florida)	No	Forestiera segregata	1.00000000000

4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	25.00000000000	18.00000000000	25.00000000000	20.00000000000	28.38846748260	-80.76024793080	Good	3.00000000000	This is an under story oak thatΓÇÖs being our completed by a much larger tree nearby. Slight overhang on the road and major overhang on sidewalk. Sidewalk heaving slightly. See pictures	Tree is Undamaged	<Null>	No Maintenance Required	No	No	a1b60c6b-d168-444a-8378-e5bfcffda539	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	55.00000000000	36.00000000000	55.00000000000	60.00000000000	28.38853328040	-80.76105913110	Good	3.00000000000	See pics. Very little wound wood forming around previous pruning a bed.	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{43D64CED-C83D-4DAA-9FFD-DBD9422805F4}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	20.00000000000	18.00000000000	30.00000000000	35.00000000000	28.38749233180	-80.76401794360	Good	3.00000000000	Codominant fork with included bark. Slight sidewalk heaving. See pictures.	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{F707F43A-542B-44AA-8CE1-884CF36A9D38}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	30.00000000000	14.00000000000	40.00000000000	35.00000000000	28.38770879420	-80.76344017860	Good	3.00000000000	See pic. Minor wound wood forming around previous pruning. Minor bark beetle.	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{F90FC314-B710-4ABA-B6B8-CE8446B8153C}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	35.00000000000	22.00000000000	40.00000000000	40.00000000000	28.38780996360	-80.76330011690	Good	3.00000000000	See pics	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{1C7A09A5-37AE-4AFC-8DE3-C4D4DDAF76E2}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	10.00000000000	8.00000000000	15.00000000000	10.00000000000	28.38864266400	-80.76120086910	Good	3.00000000000	White ash. See pics	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{76431BC8-16A6-49BA-8D53-90C32C481A39}	White Ash	No	Fraxinus americana	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	30.00000000000	20.00000000000	45.00000000000	30.00000000000	28.38845671180	-80.75885846260	Good	3.00000000000	Some deadwood where Branch was not pruned to branch color. See pics	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{9BE959B2-F244-4A96-AB26-F7240BDCB173}	Pine (Slash)	No	Pinus elliottii	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	10.00000000000	14.00000000000	30.00000000000	20.00000000000	28.39271337740	-80.76055931840	Good	3.00000000000	See pictures.	Tree is Damaged	Sparse canopy	No Maintenance Required	No	No	{1540CCB2-B35B-45FD-A223-5939F7C9899B}	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	20.00000000000	30.00000000000	25.00000000000	28.38099429710	-80.75041687170	Good	3.00000000000	Overhang	Tree is Damaged	Insect	No Maintenance Required	No	No	{28F10872-BF73-448B-BCF1-7B3CF2F0DFE3}	Elm (Florida)	No	Ulmus americana var. floridana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	35.00000000000	24.00000000000	40.00000000000	40.00000000000	28.39187606690	-80.75967628520	Good	3.00000000000	Tree has sparse canopy, see pictures.	Tree Is Undamaged	<Null>	Pruning	No	No	{23FCA5E1-D6F9-4D5A-8DCD-A014F8BD159F}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	10.00000000000	6.00000000000	20.00000000000	10.00000000000	28.39087769850	-80.75865897370	Good	3.00000000000	Tree appears to have been broken off in the past. Seems to be growing back. See picture. Tree is a golden trumpet tree.	Tree is Undamaged	<Null>	Pruning	No	No	{133A2494-E3F5-4909-8331-8DB88DBA5E7F}	Tabebuia	No	Tabebuia spp.	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	8.00000000000	6.00000000000	20.00000000000	15.00000000000	28.39951063960	-80.77081323610	Good	3.00000000000	Prune dead	Tree is Damaged	Cambium layer weed whack	Pruning	No	No	{FB868B8B-B7B0-41B4-B174-0D6056B40A38}	Holly (Dahoon)	No	Ilex cassine	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	28.00000000000	22.00000000000	40.00000000000	45.00000000000	28.39398279760	-80.77689561570	Good	3.00000000000	Missing bark on trunk	Tree is Damaged	Trunk Damage	No Maintenance Required	No	No	{20DB3B3A-3074-43B0-BD2E-657D9B864C44}	Maple (Red)	No	Acer rubrum	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	25.00000000000	16.00000000000	40.00000000000	40.00000000000	28.39137274600	-80.78324071930	Good	3.00000000000	4 stemmed trunk w included bark see pics	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{154FFF1C-9694-43C9-9897-E615BE025369}	Maple (Red)	No	Acer rubrum	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	15.00000000000	10.00000000000	28.38676938880	-80.78772865930	Good	3.00000000000	Tree is leaning sideways.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{18703829-E642-460B-A28F-BD9286F0DDAE}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	35.00000000000	16.00000000000	40.00000000000	25.00000000000	28.39474586330	-80.78087428550	Good	3.00000000000	Bark beetles. Overhangs Road. See pictures. Finally this trees off the right away but reaches the road. It also overhangs the sidewalk which is city maintain.	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{1F55BBB8-97C1-44F3-A55C-A0D3C6DA5B33}	Maple (Red)	No	Acer rubrum	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	30.00000000000	22.00000000000	30.00000000000	20.00000000000	28.39043764850	-80.78062442180	Good	3.00000000000	Unnatural canopy shade. Previous pruning has reduce the canopy to one side of the tree. See picturesMinor sidewalk heaving.	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{BC695D06-358E-41C0-B973-744C3DF3E2BF}	Pine (Slash)	No	Pinus elliottii	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	8.00000000000	25.00000000000	15.00000000000	28.39512606650	-80.78050741000	Good	3.00000000000	Minor decay within the lower trunk.. See pictures	Tree is Damaged	Lower trunk minor rot	No Maintenance Required	No	No	{D1C2A254-ED5F-4560-9D0C-7C6C0878FEDE}	Maple (Red)	No	Acer rubrum	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	30.00000000000	22.00000000000	30.00000000000	20.00000000000	28.39043764850	-80.78062442180	Good	3.00000000000	Unnatural canopy shade. Previous pruning has reduce the canopy to one side of the tree. See picturesMinor sidewalk heaving.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{6497C1FA-43EE-448E-80ED-CDC2174C1ACF}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	acarroll_sfc	9/29/2020	acarroll_sfc	9/29/2020	15.00000000000	10.00000000000	30.00000000000	20.00000000000	28.35744800120	-80.73361759070	Good	3.00000000000	Some deadwood in the upper canopy. Lots of lower growth. Needs pruning. See picture	Tree is Undamaged	<Null>	Pruning	No	No	{085D26D2-C954-4537-8F77-C4F48A114119}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	acarroll_sfc	9/29/2020	acarroll_sfc	9/29/2020	10.00000000000	16.00000000000	15.00000000000	10.00000000000	28.35758430310	-80.73362256830	Good	3.00000000000	Covered in vines	Tree is Undamaged	<Null>	Pruning	No	No	{5BCDC551-5B64-4A7D-B96E-98B6D8F8C64D}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Cemetary	acarroll_sfc	9/29/2020	acarroll_sfc	9/29/2020	45.00000000000	24.00000000000	50.00000000000	45.00000000000	28.35758928580	-80.73324913860	Good	3.00000000000	Minor deadwood in canopy	Tree is Undamaged	<Null>	Pruning	No	No	{BAA2D636-D1BF-4A00-BEF9-855CCDC35E8B}	Oak (Live)	No	Quercus virginiana	1.00000000000
Median	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	8.00000000000	40.00000000000	15.00000000000	28.37942236510	-80.77276257580	Good	3.00000000000	Mechanical damage to trunk	Tree is Damaged	Trunk damage	No Maintenance Required	No	No	{9D802E6B-4703-41F9-8A9A-15BB25853693}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Median	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	10.00000000000	35.00000000000	15.00000000000	28.37943999240	-80.77285210820	Good	3.00000000000	Mechanical damage to trunk	Tree is Damaged	Trunk Damage	No Maintenance Required	No	No	{D0AE1850-6C36-4D87-BCC2-1FFDAD64FF22}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	8.00000000000	15.00000000000	15.00000000000	28.35695936370	-80.73314026910	Good	3.00000000000	Minor dead wood. See pic. Juniper. Tree form	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{9D61652A-9386-4781-8E98-25FE19E633FE}	Arborvitae	No	Thuja occidentalis	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	45.00000000000	20.00000000000	35.00000000000	25.00000000000	28.36053445490	-80.73416168770	Good	3.00000000000	Many stems around a central location within the scaffolding. Some deadwood in the canopy. This is an overstory tree for many of the other points around here. Pruning this tree would improve the quality of the other trees around.	Tree is Undamaged	<Null>	Pruning	No	No	{F71A15E3-9CD5-4ED8-AFAA-15BF9C302B6F}	Oak (Sand Live)	No	Quercus geminata	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	45.00000000000	18.00000000000	45.00000000000	20.00000000000	28.36060624540	-80.73419689180	Good	3.00000000000	Thin canopy. Narrow.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{08E99049-829E-4A0C-8CE6-CC43FBAC7308}	Oak (Sand Live)	No	Quercus geminata	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	45.00000000000	20.00000000000	35.00000000000	30.00000000000	28.36010743850	-80.73403897700	Good	3.00000000000	Codominant fork with included bark 1 foot above ground. Previous prunes have not recovered with Woundwood. See pictures	Tree is Undamaged	<Null>	Pruning	No	No	{034F8579-7CF3-4377-9CD8-BED57588ECF3}	Hickory (Pignut)	No	Carya glabra	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	10.00000000000	6.00000000000	25.00000000000	15.00000000000	28.36062879270	-80.73372608030	Good	3.00000000000	Understory tree. Some decay in canopy	Tree is Damaged	Some canopy decay	Pruning	No	No	{63912C23-962F-41DD-B407-771820F8ACAD}	Sugarberry	No	Celtis laevigata	1.00000000000
Cemetary	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	20.00000000000	10.00000000000	40.00000000000	30.00000000000	28.36881468520	-80.75575539860	Good	3.00000000000	This hickory is growing immediately next to a Laurel Oak. The Hickory has a slight co-dom. by removing the smaller one would improve the quality of both trees.	Tree is Undamaged	<Null>	Pruning	No	No	{151EF093-4716-4D13-8C47-9BC3F0B214D3}	Hickory (Pignut)	No	Carya glabra	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	20.00000000000	20.00000000000	25.00000000000	15.00000000000	28.36784060820	-80.75473379400	Good	3.00000000000	Tree form. Needs pruned	Tree is Undamaged	<Null>	Pruning	No	No	{6A085C13-5393-4582-95A0-68EA6B98939E}	Pine (Plum)	No	Podocarpus spp.	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	15.00000000000	10.00000000000	30.00000000000	15.00000000000	28.36791936220	-80.75475215470	Good	3.00000000000	Deadwood in canopy	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{AEA57261-7D37-417D-9F58-B0BF45841CC2}	Oak (Chapman's)	No	Quercus chapmanii	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	10.00000000000	10.00000000000	20.00000000000	25.00000000000	28.35638692670	-80.72330768460	Good	2.00000000000		Tree Is Damaged	Bark damage	Pruning	No	No	8aee07d6-bf46-497e-b6f8-e499c8fb9ea5	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	10.00000000000	8.00000000000	25.00000000000	20.00000000000	28.35640259100	-80.72323195750	Good	2.00000000000		Tree Is Damaged	Bark rubbed off	Pruning	No	No	a2d55162-bb93-4766-9fce-3a1bddac3223	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	15.00000000000	10.00000000000	25.00000000000	25.00000000000	28.35638227520	-80.72314013350	Good	2.00000000000		Tree Is Damaged	Bark	Pruning	No	No	aa0fe956-d595-4cce-abca-9dd6b9d2ef5b	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	10.00000000000	6.00000000000	15.00000000000	10.00000000000	28.35627234770	-80.72213266580	Good	2.00000000000	Prune death	Tree Is Damaged	Dead branches	Pruning	No	No	ba2ec46d-0152-45cc-85a9-e1dd2e3404f7	Sugarberry	No	Celtis laevigata	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	10.00000000000	10.00000000000	15.00000000000	10.00000000000	28.35335785920	-80.72394249170	Good	2.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	08ae3eec-2379-4fe3-bb36-8a04125693f8	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	20.00000000000	8.00000000000	20.00000000000	10.00000000000	28.35914732720	-80.72915612230	Good	2.00000000000	See pic	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	0239093c-3a31-4375-8b89-0e02ffd9c93c	Magnolia (Southern)	No	Magnolia grandiflora	1.00000000000
2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	5.00000000000	4.00000000000	15.00000000000	10.00000000000	28.35535168180	-80.72747977160	Good	2.00000000000	See photo	Tree Is Undamaged	<Null>	Pruning	No	No	9808c647-1262-446d-8763-f7d55bc73762	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35473556350	-80.72688749440	Good	2.00000000000	See pic	Tree Is Undamaged	<Null>	Pruning	No	No	4ea326af-a428-4bdf-9b66-31029aab7a63	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	10.00000000000	8.00000000000	20.00000000000	15.00000000000	28.35471856450	-80.72710467020	Good	2.00000000000	See pic	Tree Is Undamaged	<Null>	Pruning	No	No	44bce3b0-9e3a-4e5d-82c0-471b7096b399	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	35.00000000000	18.00000000000	30.00000000000	20.00000000000	28.35830447590	-80.73047845220	Good	2.00000000000	See pics	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	5b4914ea-c771-457b-b7df-d6e2c13577fe	Maple (Florida)	No	Acer saccharum subs. floridanum	1.00000000000
City Park	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	5.00000000000	4.00000000000	15.00000000000	5.00000000000	28.35919243980	-80.73137281400	Good	2.00000000000	See pic. Skinny tree	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	6a816558-d4b4-4c6f-b994-82d09c2fe153	Cypress (Bald)	No	Taxodium distichum	1.00000000000
City Park	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	30.00000000000	28.00000000000	60.00000000000	25.00000000000	28.35896818960	-80.73131693520	Good	2.00000000000	See picture. Slender build with Co-Dom	Tree Is Undamaged	<Null>	No Maintenance Required	Yes	No	d157b3d1-527e-4ef6-a1fa-e55ad83eb204	Camphor Tree	No	Cinnamomum camphora	1.00000000000
Median	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	5.00000000000	6.00000000000	5.00000000000	5.00000000000	28.35419014080	-80.73226008270	Good	2.00000000000	See pic. 3 stemmed	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	23b850ec-863d-4abc-b148-22a0653b4c34	Palm (Pygmy Date)	No	Phoenix roebelenii	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	30.00000000000	16.00000000000	45.00000000000	30.00000000000	28.34939497500	-80.73671305940	Good	2.00000000000	See pics	Tree Is Undamaged	<Null>	Pruning	No	No	7b118cff-dbd5-4881-89d1-6efbf701c671	Sycamore	No	Platanus occidentalis	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	25.00000000000	14.00000000000	35.00000000000	20.00000000000	28.34941333940	-80.73643856750	Good	2.00000000000	See pics	Tree Is Undamaged	<Null>	Pruning	No	No	c7f6401f-3f9a-4549-bb47-18a91cff0218	Sycamore	No	Platanus occidentalis	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	30.00000000000	14.00000000000	35.00000000000	20.00000000000	28.34945458070	-80.73429693630	Good	2.00000000000	See pics	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	86494abb-04c5-4da7-bd17-8a1d0abb5122	Sycamore	No	Platanus occidentalis	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	20.00000000000	12.00000000000	30.00000000000	15.00000000000	28.34945718650	-80.73399247120	Good	2.00000000000	See pics	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	366eeb51-db2e-4a0b-bf30-1c207dea9649	Sycamore	No	Platanus occidentalis	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	20.00000000000	16.00000000000	30.00000000000	20.00000000000	28.34943860000	-80.73359782690	Good	2.00000000000	See pic	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	cf6f85fa-7dff-4da1-9b5a-fc0517466c0b	Sycamore	No	Platanus occidentalis	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	10.00000000000	12.00000000000	15.00000000000	5.00000000000	28.34972642470	-80.74729256080	Good	2.00000000000	See pic	Tree Is Undamaged	<Null>	Pruning	No	No	3d73dd8e-2459-4571-b7bf-21d259407a5a	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	10.00000000000	10.00000000000	15.00000000000	10.00000000000	28.34978501900	-80.74724367270	Good	2.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	88817afc-0ea2-4627-8ae8-96240ada3943	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	1.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35368236970	-80.74000751580	Good	2.00000000000	Picture	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	4a3bd802-c54c-4c0f-87df-38ade0bcf6a1	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	20.00000000000	14.00000000000	35.00000000000	20.00000000000	28.34995404560	-80.73267132070	Good	2.00000000000	Slightly wind through. See pic	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	96d2aba2-1bc5-4c8a-b4a4-77e70ef7659a	Sycamore	No	Platanus occidentalis	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	35.00000000000	16.00000000000	35.00000000000	10.00000000000	28.36481773040	-80.73322936490	Good	2.00000000000	Palm needs ID. Stringy trunk	Tree Is Damaged	Slight trunk mechanical damage	No Maintenance Required	No	No	0f3cb16d-b5f0-4659-b089-8770db1a8a77	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	20.00000000000	14.00000000000	30.00000000000	30.00000000000	28.36483149950	-80.73403533340	Good	2.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	Yes	No	e486d35c-eddd-4bc6-895c-505051718547	Chinese Tallow	No	Triadica sebifera	1.00000000000
City Building	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	15.00000000000	6.00000000000	15.00000000000	10.00000000000	28.35384980350	-80.72761776900	Good	2.00000000000	See pic	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	7cbc0b40-20e1-4a39-9105-e7e5072653a1	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
City Park	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	13.00000000000	10.00000000000	20.00000000000	20.00000000000	28.38996369380	-80.74337339980	Good	2.00000000000		Tree Is Damaged	Mistletoe	No Maintenance Required	No	No	2c3dd49a-a01b-4695-9613-0934fdee3023	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	15.00000000000	8.00000000000	15.00000000000	10.00000000000	28.38791339620	-80.75923732530	Good	2.00000000000	4 stemmed hedge	Tree Is Undamaged	<Null>	Pruning	No	No	59205802-bd38-4ede-8d37-ef6ada2c8a86	Pine (Plum)	No	Podocarpus spp.	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	10.00000000000	4.00000000000	25.00000000000	5.00000000000	28.38790111750	-80.75907714670	Good	2.00000000000	See pic. Shrub it	Tree Is Undamaged	<Null>	Pruning	No	No	2f09d526-741f-4af7-9ad0-8ddba6e0bf5e	Pine (Plum)	No	Podocarpus spp.	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.38788234170	-80.75899944690	Good	2.00000000000	See pic. In landscape	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	266bf295-f345-49ad-b523-ed6ba323eb18	Palm (Paurotis)	No	Acoelorrhaphe wrightii	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	5.00000000000	4.00000000000	15.00000000000	5.00000000000	28.38770653160	-80.75898771220	Good	2.00000000000	Shrub it. See pic	Tree Is Undamaged	<Null>	Pruning	No	No	032098d6-c07d-4cff-83d1-4c73179daff0	Pine (Plum)	No	Podocarpus spp.	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	40.00000000000	32.00000000000	60.00000000000	45.00000000000	28.36398978100	-80.74312031480	Good	2.00000000000	See pic	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	cfe08006-2ed4-457d-8a0c-4c7cff1577fb	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
City Park	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	13.00000000000	10.00000000000	20.00000000000	20.00000000000	28.36386399820	-80.74300157810	Good	2.00000000000		Tree Is Damaged	Top fell out	No Maintenance Required	No	No	00c690ee-c359-4617-9c20-9de00cb54f11	Sycamore	No	Platanus occidentalis	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	5.00000000000	6.00000000000	15.00000000000	20.00000000000	28.35361557090	-80.73531872590	Good	2.00000000000	bP 1 fl privet and 1 sm cabbage. Remove bP	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	3ee67764-d307-43bc-949d-41778518dd52	Privet (Florida)	No	Forestiera segregata	2.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.35344881270	-80.73548921360	Good	2.00000000000	See pic. 2 crepes	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	21e624b8-1172-4716-801a-963396fca1b2	Crepe Myrtle	No	Lagerstroemia spp.	2.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.35338791830	-80.73477650100	Good	2.00000000000	2 crapes	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	655f714d-6730-42f1-b456-f15a521ac4d1	Crepe Myrtle	No	Lagerstroemia spp.	2.00000000000
City Park	acarroll_sfc	9/15/2020	acarroll_sfc	9/15/2020	25.00000000000	30.00000000000	45.00000000000	35.00000000000	28.35356959580	-80.74410438500	Good	2.00000000000	CoΓÇödom	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	45dd52c7-5228-40a4-b8e1-dff5313efccf	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
City Park	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	25.00000000000	16.00000000000	35.00000000000	35.00000000000	28.35411946220	-80.74292199100	Good	2.00000000000	This and next 2 to the west part of woodland	Tree is Damaged	Slight weed eater damage to roots	No Maintenance Required	No	Yes	ef4ec291-82c1-4ae1-82b7-4fb7500320a4	Oak (Live)	No	Quercus virginiana	3.00000000000
City Park	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.35419249740	-80.74429599570	Good	2.00000000000	3 holly at front gate	Tree is Undamaged	<Null>	No Maintenance Required	No	No	862e2fdf-8c32-4bf8-b082-a988c1255362	Holly (East Palatka)	No	Ilex x attenuata	3.00000000000
City Building	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	20.00000000000	18.00000000000	25.00000000000	20.00000000000	28.35892206830	-80.73688936460	Good	2.00000000000		Tree is Damaged	Bottom undercut by lawn equipment	No Maintenance Required	No	No	ef6c9bd8-4eb6-4163-b580-1a10afb0c7f3	Palm (Bismarck)	No	Bismarckia nobilis	1.00000000000
City Building	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	30.00000000000	14.00000000000	35.00000000000	40.00000000000	28.36093876910	-80.73803154460	Good	2.00000000000		Tree is Damaged	Looks like either mech or lightning damage to trunk (pic); leaves still good	No Maintenance Required	No	No	27d273ff-1554-4b5b-9711-59d0f81e3faa	Maple (Red)	No	Acer rubrum	1.00000000000
4+ Ft ROW	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	5.00000000000	6.00000000000	10.00000000000	10.00000000000	28.36529723900	-80.74109338400	Good	2.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	2961ccb1-3993-4bd8-9378-e88e12d8fedc	Avocado	No	Persea americana	1.00000000000
4+ Ft ROW	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	5.00000000000	6.00000000000	10.00000000000	10.00000000000	28.36315057830	-80.74556572300	Good	2.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	f4bab6e7-59d3-49f6-89c2-3df91e2b7acf	Camphor Tree	No	Cinnamomum camphora	1.00000000000
4+ Ft ROW	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	15.00000000000	10.00000000000	10.00000000000	15.00000000000	28.36727486000	-80.74507094710	Good	2.00000000000	Co- dom	Tree is Undamaged	<Null>	No Maintenance Required	No	No	73b91d29-d19b-4f3f-9d3d-4c69b22cca2a	Red Cedar	No	Juniperus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	10.00000000000	8.00000000000	20.00000000000	15.00000000000	28.36629319940	-80.74805888390	Good	2.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	c6e3b38b-6916-4392-b0df-c14abe00b9e9	Maple (Red)	No	Acer rubrum	1.00000000000
2-4 Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	7.00000000000	6.00000000000	15.00000000000	15.00000000000	28.37553462460	-80.74314147280	Good	2.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	7210d34c-7ee5-43b0-8bfa-7bfd0378f426	Golden Raintree	No	Koelreuteria paniculata	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	10.00000000000	8.00000000000	10.00000000000	5.00000000000	28.37944271360	-80.74163849700	Good	2.00000000000	2	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	9d15ed2c-ba5d-4d63-b561-5e6ece5fda8d	Red Cedar	No	Juniperus virginiana	2.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	40.00000000000	28.00000000000	40.00000000000	25.00000000000	28.37856572490	-80.73576168610	Good	2.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	fca6fe22-730c-4c98-8f7a-e3df463716c5	Sugarberry	No	Celtis laevigata	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/16/2020	sbourgoin_sfc	9/16/2020	30.00000000000	12.00000000000	45.00000000000	15.00000000000	28.37677138360	-80.73627783380	Good	2.00000000000		Tree is Damaged	base of tree is damaged and starting to rot; may need further assessment	No Maintenance Required	No	No	aaceb75a-6ce7-4f3a-93b2-e4c4ca5efeec	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	100.00000000000	38.00000000000	40.00000000000	40.00000000000	28.38638520810	-80.74081591330	Good	2.00000000000	Overhang	Tree is Damaged	Disease	No Maintenance Required	No	No	5741760f-2c3b-4fd6-9951-5780abbaf75d	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	25.00000000000	24.00000000000	35.00000000000	30.00000000000	28.37515999600	-80.76617712160	Good	2.00000000000	See pic. Co-dom and trunk decay. Heaving sidewalk	Tree is Damaged	Trunk Decay	Pruning	No	No	35e2b3b6-1d59-4f78-b85a-3423dfd82a7b	Elm (Florida)	No	Ulmus americana var. floridana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	35.00000000000	22.00000000000	30.00000000000	20.00000000000	28.37555423870	-80.76401702100	Good	2.00000000000	3 stem Co-dom see pics. Some excessive pruning	Tree is Undamaged	<Null>	No Maintenance Required	No	No	eddcb8c3-c520-4743-9b53-470f012b385c	Maple (Red)	No	Acer rubrum	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	5.00000000000	6.00000000000	5.00000000000	5.00000000000	28.37481223080	-80.76531344990	Good	2.00000000000	See pic. 6 crepes	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	0cac292b-cc6f-4ff0-8378-b78884434bd6	Crepe Myrtle	No	Lagerstroemia spp.	6.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	15.00000000000	6.00000000000	20.00000000000	10.00000000000	28.37486160010	-80.76490868790	Good	2.00000000000	See pic	Tree is Undamaged	<Null>	Pruning	Yes	No	210752a8-3f86-484f-b527-f43344800427	Indian Rosewood	No	Dalbergia sissoo	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	25.00000000000	14.00000000000	35.00000000000	30.00000000000	28.37525399910	-80.76381728060	Good	2.00000000000	Sidewalk heaving and overhang Road. See pictures. Deadwood	Tree is Undamaged	<Null>	Pruning	No	No	97718717-cf92-45e1-abf3-5491c1f8d5c3	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.37555038240	-80.76158140800	Good	2.00000000000	2 oleander	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	eefb27bc-d13e-4881-a2a4-e865e9950311	Oleander	No	Nerium oleander	2.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	20.00000000000	14.00000000000	30.00000000000	10.00000000000	28.37616771010	-80.76130547610	Good	2.00000000000	Slight trunk damage	Tree is Damaged	Slight damage to trunk	No Maintenance Required	No	No	d79c2698-ccaf-46ca-b1b4-efcaff29e53f	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.37600748980	-80.76128292840	Good	2.00000000000	3 crapes	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	faa5aa3f-d9cd-4cba-baf3-8d7c1c29af30	Crepe Myrtle	No	Lagerstroemia spp.	3.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	15.00000000000	12.00000000000	25.00000000000	10.00000000000	28.37575758380	-80.76121453250	Good	2.00000000000	See pic	Tree is Undamaged	<Null>	No Maintenance Required	No	No	379131f7-d54b-4533-8819-bc37bca5b5e9	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	10.00000000000	6.00000000000	15.00000000000	10.00000000000	28.37409813440	-80.76225590000	Good	2.00000000000	Crown is broken off a tip however tree is regenerating nicely.	Tree is Damaged	Crown broken	No Maintenance Required	No	No	8e7d81fe-47bc-4b2d-886d-f7ac887a8542	Magnolia (Sweetbay)	No	Magnolia grandiflora	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	25.00000000000	16.00000000000	45.00000000000	35.00000000000	28.37385099420	-80.76107019570	Good	2.00000000000	See pics	Tree is Undamaged	<Null>	No Maintenance Required	No	No	206ca6c2-07ad-41b0-a9a1-ea66f093dfc1	Maple (Red)	No	Acer rubrum	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	25.00000000000	14.00000000000	35.00000000000	40.00000000000	28.38812265110	-80.75647741590	Good	2.00000000000	See pics	Tree is Undamaged	<Null>	No Maintenance Required	No	No	71d21f65-752a-4973-8f1e-7e65f70e9bf9	Sweetgum	No	Liquidambar styraciflua	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	35.00000000000	20.00000000000	55.00000000000	50.00000000000	28.38815341240	-80.75685543960	Good	2.00000000000	See pics	Tree is Undamaged	<Null>	No Maintenance Required	No	No	df902702-a57a-44a8-a50a-684e605a1a24	Sycamore	No	Platanus occidentalis	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	25.00000000000	14.00000000000	35.00000000000	25.00000000000	28.38817885180	-80.75708585830	Good	2.00000000000	See pics	Tree is Undamaged	<Null>	No Maintenance Required	No	No	e99cfa19-7fba-4869-984a-ec707f9b12aa	Sycamore	No	Platanus occidentalis	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	12.00000000000	25.00000000000	20.00000000000	28.38813442720	-80.75723245710	Good	2.00000000000	See pics	Tree is Undamaged	<Null>	No Maintenance Required	No	No	d76fbfd8-10ac-4693-bae8-978683cbd5b7	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	25.00000000000	14.00000000000	25.00000000000	30.00000000000	28.38824054260	-80.75859409740	Good	2.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	7f17162b-8885-4b7c-a699-69b15a00fca7	Green Ash	No	Fraxinus pennsylvanica	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	40.00000000000	28.00000000000	35.00000000000	40.00000000000	28.38825759940	-80.75886952710	Good	2.00000000000	High level of mechincal damage around base; tree seems healthy enough though	Tree is Damaged	Mechanical Damage to Base	No Maintenance Required	No	No	fc09673e-c372-4597-86b1-3f963dd74eaf	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	14.00000000000	25.00000000000	20.00000000000	28.38855301940	-80.76044197230	Good	2.00000000000	This tree is reduced because itΓÇÖs in the understory of a much larger tree. Previous pruning has occurred. See pictures	Tree is Undamaged	<Null>	No Maintenance Required	No	No	4a25a01b-b315-42b5-a792-d4ecfbc6377e	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	15.00000000000	12.00000000000	35.00000000000	25.00000000000	28.38454441620	-80.76364411060	Good	2.00000000000		Tree is Damaged	Appears to be mild decay in fork, see picture.	No Maintenance Required	No	No	{6283F274-4305-49DA-9564-D0200C11C644}	Magnolia (Southern)	No	Magnolia grandiflora	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	25.00000000000	20.00000000000	20.00000000000	10.00000000000	28.38716958670	-80.76423872250	Good	2.00000000000	See pic. 2 bottlebrush	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	{79C92296-2908-4134-8AB5-8F1A3862AA3D}	Bottlebrush (Weeping)	No	Melaleuca viminalis	2.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	20.00000000000	16.00000000000	30.00000000000	25.00000000000	28.38860821460	-80.75970537000	Good	2.00000000000	Deadwood and canopy due to improper pruning. Branches should be prune to branch collar. See previous note. see picture	Tree Is Undamaged	<Null>	Pruning	No	No	{6384C0D1-93E4-4E68-A8BF-55B343EAADAE}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	30.00000000000	20.00000000000	45.00000000000	30.00000000000	28.38859865930	-80.76344026220	Good	2.00000000000		Tree is Damaged	Appears to be healing, see pictures.	No Maintenance Required	No	No	{E1B31CA4-58E4-4872-B468-933F8A8416E8}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	30.00000000000	20.00000000000	40.00000000000	45.00000000000	28.38883217930	-80.76334320010	Good	2.00000000000	Low hanging branches over residence yard, see pictures.	Tree is Undamaged	<Null>	Pruning	No	No	{3E56A47E-B2B8-4983-8423-CBB39F0254B9}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	35.00000000000	32.00000000000	60.00000000000	55.00000000000	28.38868754910	-80.76318046670	Good	2.00000000000	Mild soil upheaving under road side drain and adjacent sidewalk, see pictures.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{BCD236AF-B53D-4669-A372-0A641281CAD6}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	35.00000000000	24.00000000000	45.00000000000	45.00000000000	28.38862146300	-80.76318529070	Good	2.00000000000	Soil up heaving under sidewalk causing cracking, see picture. Soil up heaving under roadside drain, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{312B6519-802D-40B7-83B1-42DCDE9D4CD0}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	30.00000000000	24.00000000000	55.00000000000	50.00000000000	28.38828658720	-80.76331014930	Good	2.00000000000	Codominant tree, see pictures.	Tree is Damaged	Slight bark missing at base, beginning of split in codominant trunk	No Maintenance Required	No	No	{37F1E5F3-9A71-499C-9F66-D0860C913288}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	14.00000000000	40.00000000000	35.00000000000	28.39519898890	-80.76219362250	Good	2.00000000000	Soil upheaving on adjacent sidewalk. For damage, tree has sparse canopy with mini bear branches. No obvious sign of damage on stem of tree. See pictures.	Tree is Undamaged	<Null>	Pruning	No	No	{D2A90A96-A17D-48C1-8674-C004D4BC41CD}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	10.00000000000	35.00000000000	5.00000000000	28.39631948130	-80.75956505760	Good	2.00000000000	Tree is growing into adjacent Live OakΓÇÖs canopy, see picture.	Tree is Undamaged	<Null>	Pruning	No	No	{F8C910E0-EFF0-4514-A334-3C6F0D048D52}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	14.00000000000	25.00000000000	5.00000000000	28.39507363740	-80.75995624070	Good	2.00000000000	Tree is growing into adjacent Live OakΓÇÖs canopy, see picture. Soil up heaving on adjacent roadside drain, see picture.	Tree is Undamaged	<Null>	Pruning	No	No	{94ECA53E-73E3-4A3E-BBE9-E2AD75E34BB1}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	40.00000000000	20.00000000000	35.00000000000	45.00000000000	28.37387215790	-80.74500099800	Good	2.00000000000	Overhang	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{A05DDECB-B5EB-4D72-A11C-579F9008736C}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	8.00000000000	15.00000000000	15.00000000000	28.37619252010	-80.74555512560	Good	2.00000000000	2 tree ,Old trimming has insect damage	Tree is Damaged	Insect damage to old trimming, see photo	No Maintenance Required	No	Yes	{6BC33CC2-1520-4F42-9C7B-2EB1BDF0B8EF}	Arborvitae	No	Thuja occidentalis	2.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	10.00000000000	15.00000000000	15.00000000000	28.37690548480	-80.74534473920	Good	2.00000000000		Tree Is Undamaged	<Null>	Pruning	No	No	{C32F493B-50EA-4A8A-AEFD-9686E8934F1F}	Arborvitae	No	Thuja occidentalis	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	60.00000000000	34.00000000000	30.00000000000	20.00000000000	28.37757167860	-80.74571471670	Good	2.00000000000	Some old storm damage but healed nice , some insect damage	Tree is Damaged	Old storm- insect	No Maintenance Required	No	No	{E613D518-6AD3-4305-9EC8-0AC50CBF29A9}	Red Cedar	No	Juniperus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	12.00000000000	20.00000000000	20.00000000000	28.37652683260	-80.74558949060	Good	2.00000000000	Co-dom	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{F56B29AD-4A69-4C87-9707-04ECC60AF04C}	Arborvitae	No	Thuja occidentalis	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	14.00000000000	25.00000000000	20.00000000000	28.37511800200	-80.74663278680	Good	2.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{3DE172AD-7B7C-47C2-AB74-E641C8D57EFA}	Sugarberry	No	Celtis laevigata	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	18.00000000000	30.00000000000	30.00000000000	28.39283840840	-80.75840667560	Good	2.00000000000		Tree Is Undamaged	<Null>	Pruning	No	No	{3D71DF90-DAA8-4BDF-93C0-69C9EA82ED2C}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	15.00000000000	8.00000000000	10.00000000000	10.00000000000	28.40091008250	-80.76998669620	Good	2.00000000000		Tree Is Undamaged	<Null>	Pruning	No	No	{5E6C5864-230B-459E-9750-34373798EDE1}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	22.00000000000	40.00000000000	35.00000000000	28.39695460800	-80.77613347420	Good	2.00000000000	Tree has weak canopy, see picture.	Tree is Damaged	Tree has a weak canopy	Pruning	No	No	{0881748E-6611-4DAE-841F-6DB4D7649391}	Sycamore	No	Platanus occidentalis	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	25.00000000000	22.00000000000	35.00000000000	40.00000000000	28.39846047120	-80.77637907090	Good	2.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{68ED8310-A770-4199-A509-FD4A6E1CD30C}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	26.00000000000	35.00000000000	45.00000000000	28.39914569130	-80.77654402680	Good	2.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{A23F49FA-2DFC-48BF-A0AB-52B56ABA16A6}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	35.00000000000	22.00000000000	45.00000000000	40.00000000000	28.39613136630	-80.77730349840	Good	2.00000000000	Soil upheaving nunder adjacent sidewalk sidewalk.	Tree is Undamaged	<Null>	Pruning	No	No	{D306F4F0-053A-4E14-AC5E-E16BEC943BE9}	Sweetgum	No	Liquidambar styraciflua	1.00000000000
4+ Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	40.00000000000	22.00000000000	50.00000000000	25.00000000000	28.39233446790	-80.78127495480	Good	2.00000000000	Side walk heaving. 2 pines off ROW, but target affect in ROW	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	{9093AF67-895F-4022-BAC6-0D98F9734A7F}	Pine (Longleaf)	No	Pinus palustris	2.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	8.00000000000	25.00000000000	15.00000000000	28.39512606650	-80.78050741000	Good	2.00000000000	Minor decay within the lower trunk.. See pictures	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{D938E5AB-8367-4EE0-AD2D-074FB3505657}	Maple (Red)	No	Acer rubrum	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	15.00000000000	10.00000000000	28.38676938880	-80.78772865930	Good	2.00000000000	Tree is leaning sideways.	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{C31E3023-B9A6-42C0-B657-0CCC094D94B1}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	10.00000000000	8.00000000000	20.00000000000	15.00000000000	28.36206437590	-80.81468669670	Good	2.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{1F63AE88-8EDC-43E0-A7AF-967332B9EE6A}	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
Cemetary	acarroll_sfc	9/29/2020	acarroll_sfc	9/29/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.35764527890	-80.73360780450	Good	2.00000000000	Florida privet. Vines. See pic	Tree Is Undamaged	<Null>	Pruning	No	No	{54606B89-D6E0-4CB5-B1C3-D5D8593ED47B}	Privet (Florida)	No	Forestiera segregata	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35707490800	-80.73344545470	Good	2.00000000000	5 potocarpus. Brazilian pepper and Florida privet as well as cabbage palm growing out of Podocarpus. See picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{B5E117DE-BC0B-4F87-87AA-47394AF5661E}	Pine (Plum)	No	Podocarpus spp.	2.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	35.00000000000	22.00000000000	40.00000000000	40.00000000000	28.35684532760	-80.73349448830	Good	2.00000000000	Minor bark beetles. Co dom see pic	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{0B25A53A-6EC4-4C49-A7F1-2110EA979098}	Hickory (Pignut)	No	Carya glabra	1.00000000000

Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	10.00000000000	20.00000000000	10.00000000000	28.35712691800	-80.73336205420	Good	2.00000000000	See pics. Co dom w some included bark.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{2008689B-B17F-41C5-ADAE-56997A45B10A}	Hickory (Pignut)	No	Carya glabra	1.00000000000
Median	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	16.00000000000	5.00000000000	30.00000000000	28.37942938820	-80.77269269130	Good	2.00000000000	Missing bark on trunk	Tree is Damaged	Trunk Damage	No Maintenance Required	No	No	{301D61D5-05F9-4F1B-9D4C-4DB821EA3DC8}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	14.00000000000	30.00000000000	40.00000000000	28.35943800620	-80.73333792180	Good	2.00000000000		Tree is Damaged	Multiple broken limbs	Pruning	No	No	{101BFAEC-124B-4C5C-941F-BD1D5ED3E4DE}	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	55.00000000000	22.00000000000	55.00000000000	30.00000000000	28.36062267420	-80.73416437010	Good	2.00000000000	Sap oozing from trunk. Minor.	Tree is Damaged	Minor sap coming from trunk	No Maintenance Required	No	No	{52C42FC6-6616-4A44-A830-B898501EA757}	Oak (Sand Live)	No	Quercus geminata	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	14.00000000000	35.00000000000	30.00000000000	28.35973746690	-80.73385281460	Good	2.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{2DD66E8E-EE5C-4CE1-B93D-FBC13D070AB0}	Hickory (Pignut)	No	Carya glabra	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	10.00000000000	4.00000000000	15.00000000000	10.00000000000	28.36063788730	-80.73370261090	Good	2.00000000000	Understory tree.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{285BABA4-66E2-46CA-8CC8-883ACDAE8FAE}	Sugarberry	No	Celtis laevigata	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	10.00000000000	6.00000000000	20.00000000000	10.00000000000	28.36063478620	-80.73370940040	Good	2.00000000000	Understory tree.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{3409EEA0-DAEA-4D37-8A77-ECE1D7244CCC}	Sugarberry	No	Celtis laevigata	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	12.00000000000	40.00000000000	25.00000000000	28.35965393060	-80.73352316700	Good	2.00000000000		Tree is Damaged	Top of tree is dead.	No Maintenance Required	Yes	No	{550D38A7-8339-44C9-ADB0-D184DA748014}	Pine (Australian)	No	Casuarina equisetifolia	1.00000000000
Cemetary	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	40.00000000000	22.00000000000	55.00000000000	40.00000000000	28.36917612720	-80.75573759130	Good	2.00000000000	Minor fruiting bodies near base and roots	Tree is Damaged	Minor rot near base	No Maintenance Required	No	No	{0114B69E-32B1-4C81-AC4D-9659CA228B34}	Pine (Longleaf)	No	Pinus palustris	1.00000000000
Cemetary	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	35.00000000000	12.00000000000	40.00000000000	25.00000000000	28.36907263840	-80.75573385700	Good	2.00000000000	Some sparse foliage. Smaller portion of tree is showing decay. Consider removing for overall tree health.	Tree is Damaged	Branch damage	Pruning	No	No	{8B26EDA2-D6FE-4EE0-B3DF-7BC42ECD17C3}	Oak (Sand Live)	No	Quercus geminata	1.00000000000
Cemetary	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	20.00000000000	8.00000000000	20.00000000000	35.00000000000	28.36896086570	-80.75469676370	Good	2.00000000000	Blown over regrowing	Tree is Damaged	Blown over	No Maintenance Required	Yes	No	{4595765C-D46D-4948-B5F4-9FBBFF93E43E}	Chinaberry	No	Melia azedarach	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	25.00000000000	10.00000000000	30.00000000000	15.00000000000	28.36788424530	-80.75466057510	Good	2.00000000000	Decay around previous pruning. See pic	Tree is Damaged	Decay around previous pruning	No Maintenance Required	No	No	{D928D81A-2C29-4B0B-9E82-519DEAA044FA}	Oak (Sand Live)	No	Quercus geminata	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	6.00000000000	10.00000000000	10.00000000000	28.36775816740	-80.75476280420	Good	2.00000000000	Previous prune away from road	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{B2778F42-2663-440B-91B5-9F51ED2D10D3}	Oak (Chapman's)	No	Quercus chapmanii	1.00000000000
Cemetary	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	20.00000000000	4.00000000000	10.00000000000	10.00000000000	28.36844776740	-80.75536027550	Good	2.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{4D54D0B3-AA98-4530-886A-215638951246}	Ligustrum	No	Ligustrum spp.	1.00000000000
4+ Ft ROW	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	15.00000000000	8.00000000000	20.00000000000	30.00000000000	28.40097064150	-80.74500627830	Good	2.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	{4291BA9B-B2EC-450E-AFCA-27ED452A4FEB}	Brazilian Pepper	No	Schinus terebinthifolia	1.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	15.00000000000	6.00000000000	20.00000000000	25.00000000000	28.40243872270	-80.74060168480	Good	2.00000000000	Two trees in Woodland.	Tree is Undamaged	<Null>	No Maintenance Required	Yes	Yes	{371ECC6A-3689-408B-97B7-832E64E429B1}	Brazilian Pepper	No	Schinus terebinthifolia	2.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	16.00000000000	50.00000000000	30.00000000000	28.39149833660	-80.77985026900	Good	2.00000000000	Deadwood at end of some limbs, see picture. Codominant tree	Tree is Undamaged	<Null>	Pruning	No	No	{6AB12AE3-DCF5-41B1-865D-6B642860EBF6}	Maple (Red)	No	Acer rubrum	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	16.00000000000	50.00000000000	25.00000000000	28.39108159420	-80.77984013330	Good	2.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{B2D2D8F9-36AA-4694-8728-D9DE8234D73C}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	10.00000000000	10.00000000000	20.00000000000	15.00000000000	28.35691162880	-80.73304756570	Good	1.00000000000	Unnatural. Remove recommended for future main issues	Tree is Damaged	Tree Is Dead	Removal	Yes	No	{C824207F-893A-46DE-A7AD-3880D79327AD}	Camphor Tree	No	Cinnamomum camphora	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	35.00000000000	16.00000000000	55.00000000000	45.00000000000	28.36488459020	-80.73417183600	Excellent	5.00000000000	Needs pruning, tangled in power lines	Tree Is Undamaged	<Null>	Pruning	No	No	1528b0c9-2311-4287-bb82-5ed6553edfc5	Royal Poinciana	No	Delonix regia	1.00000000000
City Park	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	15.00000000000	10.00000000000	40.00000000000	15.00000000000	28.35374225370	-80.73479420770	Excellent	5.00000000000	Limbs tangled in power lines	Tree Is Undamaged	<Null>	Pruning	No	No	571b653f-ed33-4520-8c5c-a6d1b6fcbcbb	Holly (East Palatka)	No	Ilex x attenuata	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/16/2020	sbourgoin_sfc	9/16/2020	30.00000000000	16.00000000000	45.00000000000	35.00000000000	28.37153293460	-80.74303695830	Excellent	5.00000000000	Some branches directly overhanging power lines, needs pruning	Tree Is Undamaged	<Null>	Pruning	No	No	fc0968ba-5c5b-438a-8e12-b96c1334b9db	Pine (Longleaf)	No	Pinus palustris	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	30.00000000000	20.00000000000	40.00000000000	55.00000000000	28.39320553820	-80.74330616630	Excellent	5.00000000000	Hanging over road and intertwined with power lines	Tree Is Undamaged	<Null>	Pruning	No	No	f4a3dcc2-fa16-4c50-9235-fcc4806491ef	Oak (Sand Live)	No	Quercus geminata	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	40.00000000000	22.00000000000	65.00000000000	55.00000000000	28.37513937640	-80.76389975850	Excellent	5.00000000000	Curb heaving and overhanging road. Near powerlines. See pictures	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	15f8e9e6-d50a-464c-9e32-b3ae3033afb2	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	15.00000000000	10.00000000000	35.00000000000	15.00000000000	28.34993586000	-80.72507063460	Excellent	4.00000000000	Co-dom going into power lines in canopy, see pic. Also soil heaving near a buried utility. This area should be assessed further by COC staff	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	63c39bbc-6a41-4b26-a70f-491cb47c75a1	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	25.00000000000	18.00000000000	35.00000000000	25.00000000000	28.35528327360	-80.72673032690	Excellent	4.00000000000	Crown in power line, see pic	Tree Is Undamaged	<Null>	No Maintenance Required	Yes	No	cbec7ade-c025-4d99-ad92-49323838cb66	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
City Park	acarroll_sfc	9/15/2020	acarroll_sfc	9/15/2020	15.00000000000	10.00000000000	30.00000000000	25.00000000000	28.35426759890	-80.74375066890	Excellent	4.00000000000	Severe lean	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	0e76e05d-1c08-454e-9b18-7b25f7aa8947	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	35.00000000000	26.00000000000	25.00000000000	30.00000000000	28.35501664800	-80.74323861840	Excellent	4.00000000000	On power line and mistletoe all on it	Tree Is Undamaged	<Null>	Pruning	No	No	f8c82c08-4318-498b-874d-461a90cc4911	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	35.00000000000	30.00000000000	55.00000000000	55.00000000000	28.37497752160	-80.76626135940	Excellent	4.00000000000	Road overhang. Sidewalk and road damage from heaving	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	97996e0b-01a1-4cfc-9e3b-e530cf4c0622	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	35.00000000000	28.00000000000	50.00000000000	50.00000000000	28.38443465770	-80.76557816090	Excellent	4.00000000000	Roots causing unevenness on sidewalk and road, see picture. Limbs overhanging electricity line to street light, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	58dcf2a9-2fd7-4e83-85d9-fa4a8109f172	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	40.00000000000	24.00000000000	45.00000000000	40.00000000000	28.38805027310	-80.76272428070	Excellent	4.00000000000	See pic. Overhang road. powerline	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{F7C8B84E-E2AF-4E88-9406-699C56FAE463}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	18.00000000000	30.00000000000	25.00000000000	28.37830501120	-80.74537063950	Excellent	4.00000000000	In road path and power line	Tree Is Undamaged	<Null>	Pruning	No	No	{6997806F-F0D0-4B8B-ACBA-7A42FDAB4CC5}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	20.00000000000	35.00000000000	25.00000000000	28.37616649450	-80.74751590350	Excellent	4.00000000000	Trunk has missing bark/beginnings of wood rot	Tree is Damaged	Trunk/Bark damage	No Maintenance Required	No	No	{1DC53A85-EECC-4E7F-B359-B8EED28F50DD}	Sweetgum	No	Liquidambar styraciflua	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	25.00000000000	18.00000000000	40.00000000000	40.00000000000	28.39318002970	-80.76029044990	Excellent	4.00000000000	Limbs overhanging road and powerlines, see picture.	Tree is Undamaged	<Null>	Pruning	No	No	{1DF05E88-5BA0-43EF-83FF-E048C31A218A}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	12.00000000000	40.00000000000	30.00000000000	28.39313041920	-80.76030182620	Excellent	4.00000000000	Limbs growing over powerline, see picture.	Tree is Undamaged	<Null>	Pruning	No	No	{A1742825-1826-4207-89B5-3FEDE269ADE3}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	25.00000000000	16.00000000000	40.00000000000	40.00000000000	28.39239532570	-80.76029093050	Excellent	4.00000000000	Limbs growing on adjacent powerline, see picture.	Tree is Undamaged	<Null>	Pruning	No	No	{C070CB8A-ECB7-4BAA-BBE9-F99A0F82CEFE}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	30.00000000000	10.00000000000	35.00000000000	15.00000000000	28.37623962670	-80.74974347840	Excellent	4.00000000000	3 tree in row	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	{E87E77B3-5AC6-4100-A6D6-D436DB2FE762}	Palm (Washingtonia)	No	Washingtonia robusta	3.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	25.00000000000	24.00000000000	45.00000000000	45.00000000000	28.39232875110	-80.76028523520	Excellent	4.00000000000	Limb is growing over street light post and powerline. Limbs crossing over road. See picture.	Tree is Undamaged	<Null>	Pruning	No	No	{4391815F-294E-4A36-90E9-DD81480708F0}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	35.00000000000	26.00000000000	45.00000000000	50.00000000000	28.39846054150	-80.76900175370	Excellent	4.00000000000	Large section of bark missing	Tree is Damaged	Trunk with bark missing	Pruning	No	No	{8312700B-1A8B-4A2D-89B1-56D7C5552181}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	30.00000000000	20.00000000000	40.00000000000	45.00000000000	28.38678699440	-80.78597760750	Excellent	4.00000000000	Severe bark removal from lower trunk	Tree is Damaged	Trunk damage	No Maintenance Required	No	No	{0CE2FCED-F5E6-4FDF-A4F0-70F596F97368}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	20.00000000000	16.00000000000	25.00000000000	20.00000000000	28.38836384980	-80.78771297830	Excellent	4.00000000000	Limbs on powerline.	Tree is Undamaged	<Null>	Pruning	No	No	{DED957B0-E006-4EE0-A7E9-2F3485057E54}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	20.00000000000	12.00000000000	30.00000000000	35.00000000000	28.38823790220	-80.78773420280	Excellent	4.00000000000	Two trees in Woodland. Branches overhanging powerline.	Tree is Undamaged	<Null>	Pruning	No	Yes	{88974F87-550A-442E-8148-991C2C021B77}	Oak (Laurel)	No	Quercus laurifolia	2.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	25.00000000000	18.00000000000	45.00000000000	40.00000000000	28.38818117920	-80.78776661580	Excellent	4.00000000000	Branches overhanging powerline.	Tree is Undamaged	<Null>	Pruning	No	No	{D103ACE6-8A92-45E7-B04C-BCDBC1E83DC3}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	10.00000000000	50.00000000000	35.00000000000	28.38815535170	-80.78777049660	Excellent	4.00000000000	Two trees in Woodland. Both trees have limbs overhanging powerline.	Tree is Undamaged	<Null>	Pruning	No	Yes	{54FE22BF-05C8-4F35-AAB1-0AA126EC0BFA}	Oak (Laurel)	No	Quercus laurifolia	2.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	20.00000000000	14.00000000000	30.00000000000	35.00000000000	28.38810791220	-80.78772944890	Excellent	4.00000000000	Limbs touching powerline.	Tree is Undamaged	<Null>	Pruning	No	No	{6B4EDB79-636C-46FB-8218-A5DE28B1CD47}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	25.00000000000	18.00000000000	60.00000000000	30.00000000000	28.38803866450	-80.78773738820	Excellent	4.00000000000	Limbs overhanging powerline unable to take a picture due to understory trees.	Tree is Undamaged	<Null>	Pruning	No	No	{32F393E5-226C-4A6E-9393-A90EDFCF25A5}	Pine (Slash)	No	Pinus elliottii	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	20.00000000000	16.00000000000	40.00000000000	40.00000000000	28.38800390360	-80.78773675040	Excellent	4.00000000000	Limbs overhanging powerline.	Tree is Undamaged	<Null>	Pruning	No	No	{9D91890B-7205-45DD-A13D-8027565D94E7}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	10.00000000000	6.00000000000	30.00000000000	15.00000000000	28.38798081600	-80.78774012990	Excellent	4.00000000000	Limbs overhanging powerlines. No picture due to thick understory branches.	Tree is Undamaged	<Null>	Pruning	No	No	{9B6713D7-DCC3-4F9F-B4EF-1AA7F2E04C19}	Pine (Slash)	No	Pinus elliottii	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	14.00000000000	40.00000000000	35.00000000000	28.38791234910	-80.78773453880	Excellent	4.00000000000	Two trees in Woodland. Both trees have overhanging branches. Both trees with limbs on powerline.	Tree is Undamaged	<Null>	Pruning	No	Yes	{D428D6A7-52D3-4C1F-8D6A-504B36A5EAF8}	Oak (Laurel)	No	Quercus laurifolia	2.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	25.00000000000	25.00000000000	28.38777459240	-80.78771232610	Excellent	4.00000000000	Limbs touching power-line.	Tree is Undamaged	<Null>	Pruning	No	No	{6C8CAA9D-10B9-4420-B66F-3BB0627E6746}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	25.00000000000	20.00000000000	40.00000000000	45.00000000000	28.38738284350	-80.78777389400	Excellent	4.00000000000	Limb overhanging powerline.	Tree is Undamaged	<Null>	Pruning	No	No	{412D7848-13B0-48B4-B287-E0F974E6C550}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	25.00000000000	18.00000000000	45.00000000000	40.00000000000	28.38818117920	-80.78776661580	Excellent	4.00000000000	Branches overhanging powerline.	Tree is Undamaged	<Null>	Pruning	No	No	{D3299A40-9AEA-4B07-BD7B-0B52658AF38A}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	10.00000000000	50.00000000000	35.00000000000	28.38815535170	-80.78777049660	Excellent	4.00000000000	Two trees in Woodland. Both trees have limbs overhanging powerline.	Tree is Undamaged	<Null>	Pruning	No	Yes	{6AB643AE-5C2E-4813-AD02-2D809180911E}	Pine (Slash)	No	Pinus elliottii	2.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	20.00000000000	14.00000000000	30.00000000000	35.00000000000	28.38810791220	-80.78772944890	Excellent	4.00000000000	Limbs touching powerline.	Tree is Undamaged	<Null>	Pruning	No	No	{6B06FA8E-65F2-4806-9072-5F8C8330D2BE}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	25.00000000000	18.00000000000	60.00000000000	30.00000000000	28.38803866450	-80.78773738820	Excellent	4.00000000000	Limbs overhanging powerline unable to take a picture due to understory trees.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{CDEBBEDE-AEA9-4976-8283-2C395B9714A8}	Pine (Slash)	No	Pinus elliottii	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	20.00000000000	16.00000000000	40.00000000000	40.00000000000	28.38800390360	-80.78773675040	Excellent	4.00000000000	Limbs overhanging powerline.	Tree is Undamaged	<Null>	Pruning	No	No	{2184913F-06C2-477C-9F4A-52A679F77029}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	10.00000000000	6.00000000000	30.00000000000	15.00000000000	28.38798081600	-80.78774012990	Excellent	4.00000000000	Limbs overhanging powerlines. No picture due to thick understory branches.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{88E4BF47-3755-44B1-A8D0-F4D796BC5431}	Pine (Slash)	No	Pinus elliottii	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	14.00000000000	40.00000000000	35.00000000000	28.38791234910	-80.78773453880	Excellent	4.00000000000	Two trees in Woodland. Both trees have overhanging branches. Both trees with limbs on powerline.	Tree is Undamaged	<Null>	Pruning	No	Yes	{41528941-69BB-492B-BC4F-E603EE283AD8}	Oak (Laurel)	No	Quercus laurifolia	2.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	25.00000000000	25.00000000000	28.38777459240	-80.78771232610	Excellent	4.00000000000	Limbs touching power-line.	Tree is Undamaged	<Null>	Pruning	No	No	{09579301-CDFB-4588-B03B-3F720A34815A}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	25.00000000000	20.00000000000	40.00000000000	45.00000000000	28.38738284350	-80.78777389400	Excellent	4.00000000000	Limb overhanging powerline.	Tree is Undamaged	<Null>	Pruning	No	No	{ED800125-387D-4880-B8B8-0F73726B50F4}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	12.00000000000	25.00000000000	10.00000000000	28.35692411750	-80.73340765180	Excellent	4.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{5696C42B-BE23-4B7E-9A98-B60D2C215D55}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	20.00000000000	12.00000000000	20.00000000000	15.00000000000	28.36883068520	-80.75489863580	Excellent	4.00000000000	Palm fronds touching powerline.	Tree is Undamaged	<Null>	Pruning	No	No	{AFCB3FA7-6CD7-423A-AD39-679DA15D5636}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	20.00000000000	16.00000000000	40.00000000000	50.00000000000	28.36821362550	-80.75480519570	Excellent	4.00000000000	Limbs overhanging gravesites.	Tree is Undamaged	<Null>	Pruning	No	No	{3C4BCDB4-1CC5-402F-A79B-4E5F77C16CD6}	Hickory (Pignut)	No	Carya glabra	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	25.00000000000	10.00000000000	30.00000000000	25.00000000000	28.36792776850	-80.75462256290	Excellent	4.00000000000	Decay in a location that was the central point of the canopy. It appears to have broken off and re-groan. Little wound word forming around previously pruned areas	Tree is Damaged	Decay in central canopy	No Maintenance Required	No	No	{DBD43537-B63C-429C-BD8A-7A906AA6DB64}	Hickory (Pignut)	No	Carya glabra	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	15.00000000000	14.00000000000	35.00000000000	30.00000000000	28.36797146250	-80.75489176730	Excellent	4.00000000000	Limbs touching powerline.	Tree is Undamaged	<Null>	Pruning	No	No	{51033AB4-52CD-49BD-9920-1C63FE1B3CA7}	Oak (Sand Live)	No	Quercus geminata	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	20.00000000000	10.00000000000	30.00000000000	10.00000000000	28.36930288950	-80.75579881690	Excellent	4.00000000000	Limbs touching powerline.	Tree is Undamaged	<Null>	Pruning	No	No	{AC3C53D3-5652-4786-B0CC-0D3CF1BEF57D}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	30.00000000000	30.00000000000	50.00000000000	50.00000000000	28.35320020540	-80.74590624290	Excellent	4.00000000000	Limbs touching powerline.	Tree is Undamaged	<Null>	Pruning	No	No	{F2C21D64-1504-4C78-9062-C5C9065BAE6F}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	25.00000000000	20.00000000000	40.00000000000	40.00000000000	28.39073250530	-80.78008311770	Excellent	4.00000000000	Limbs overhanging sidewalk and touching powerline	Tree is Undamaged	<Null>	Pruning	No	No	{EF783848-2CC2-46D8-9791-9274806EC504}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	30.00000000000	22.00000000000	40.00000000000	45.00000000000	28.39063646760	-80.78023969230	Excellent	4.00000000000	Limbs overhanging sidewalk and touching powerlines.	Tree is Undamaged	<Null>	Pruning	No	No	{C905E44D-CB2C-4CBE-8CBF-D49E5916EF09}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	30.00000000000	22.00000000000	45.00000000000	45.00000000000	28.39058902600	-80.78031470970	Excellent	4.00000000000	Limbs overhanging sidewalk and touching powerline.	Tree is Undamaged	<Null>	Pruning	No	No	{91955637-E3D0-4A64-83C7-D198871E92C3}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	6.00000000000	10.00000000000	5.00000000000	28.35225079980	-80.72535958490	Excellent	3.00000000000	See pic	Tree Is Damaged	Zip ties on electric box are digging into bark. See pic	Pruning	No	No	906f068d-c465-48de-b76d-70b991d31ef6	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	10.00000000000	14.00000000000	30.00000000000	25.00000000000	28.34988672820	-80.72507999780	Excellent	3.00000000000	Hickory w/ 4 stemmed trunk, see pic growing into power lines	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	4269a202-88ca-4370-a64a-17ac5d6e575c	Hickory (Pignut)	No	Carya glabra	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	15.00000000000	12.00000000000	30.00000000000	10.00000000000	28.35374604270	-80.72628399360	Excellent	3.00000000000	Crown leaning heavily	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	a33c94bb-6cd6-4260-abcd-495ea146ad22	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	40.00000000000	24.00000000000	50.00000000000	40.00000000000	28.35422257910	-80.72630748000	Excellent	3.00000000000	Soil heaving in sidewalk around buried utility	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	299da017-e144-4999-85fa-fbea982e8982	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	25.00000000000	16.00000000000	30.00000000000	35.00000000000	28.35525983110	-80.72890815310	Excellent	3.00000000000	Near power line, unnatural crown form from previous pruning off powerline	Tree Is Undamaged	<Null>	Pruning	No	No	b1738723-ec9d-4eef-9a13-f46b942d7f9b	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	15.00000000000	10.00000000000	25.00000000000	25.00000000000	28.35414995190	-80.72959163000	Excellent	3.00000000000	Near powerline and overhangs road	Tree Is Undamaged	<Null>	Pruning	No	No	d949ec61-93da-4abe-afbf-ae587bd84a54	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	25.00000000000	14.00000000000	40.00000000000	35.00000000000	28.34938304760	-80.73857307150	Excellent	3.00000000000	Target (bench) close	Tree Is Undamaged	<Null>	Pruning	No	No	7a0c713f-e76c-40bf-9166-02a761df639a	Sycamore	No	Platanus occidentalis	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	35.00000000000	20.00000000000	50.00000000000	40.00000000000	28.34980082340	-80.74878362220	Excellent	3.00000000000	See pic. Co-Dom. Included bark. Powerline	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	be4b08a7-6719-4376-9880-b0dbec221401	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	35.00000000000	24.00000000000	40.00000000000	50.00000000000	28.35033753770	-80.74446070630	Excellent	3.00000000000	Carpenter ants in base. Indicates decay. Curb heaving	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	684ced16-db58-434e-b14b-af68384ecda9	Oak (Live)	No	Quercus virginiana	1.00000000000
City Building	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	20.00000000000	16.00000000000	40.00000000000	30.00000000000	28.35370487980	-80.72753503960	Excellent	3.00000000000	See pic. Beetles upper trunk. And scaffolding	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	1a546025-a9cd-404b-9f58-ffe4ee9cb5b9	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	40.00000000000	22.00000000000	45.00000000000	45.00000000000	28.38930437350	-80.74328572520	Excellent	3.00000000000	Fence see pic. Targets near by	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	a4cc686b-639d-4dab-a6cb-9d6e5790c948	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	30.00000000000	22.00000000000	45.00000000000	70.00000000000	28.35342973120	-80.74426386740	Excellent	3.00000000000	Could use pruning around power lines	Tree Is Undamaged	<Null>	Pruning	No	No	deb58cac-001e-4563-8ae3-0ba74be2c5cd	Oak (Live)	No	Quercus virginiana	1.00000000000
City Building	acarroll_sfc	9/15/2020	acarroll_sfc	9/15/2020	35.00000000000	20.00000000000	40.00000000000	40.00000000000	28.36014205600	-80.73193260460	Excellent	3.00000000000	See photo	Tree is Damaged	Bark	No Maintenance Required	No	No	ac7b3c08-a9ab-4164-abab-0887471a499d	Oak (Live)	No	Quercus virginiana	1.00000000000
City Building	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	20.00000000000	22.00000000000	40.00000000000	35.00000000000	28.35649458690	-80.74634294000	Excellent	3.00000000000	See photo	Tree is Damaged	Bark	No Maintenance Required	No	No	8e72f32e-bdce-4436-84ff-691464ddc83e	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/16/2020	sbourgoin_sfc	9/16/2020	30.00000000000	24.00000000000	40.00000000000	55.00000000000	28.37697194180	-80.74362499460	Excellent	3.00000000000	Codom trunks, potential for splitting	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	ba585e30-1a4d-48f6-a784-fb01084c4fd6	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/16/2020	sbourgoin_sfc	9/16/2020	20.00000000000	12.00000000000	35.00000000000	15.00000000000	28.36348229800	-80.73363280100	Excellent	3.00000000000	Fronds over power line needs pruning	Tree Is Undamaged	<Null>	Pruning	No	No	d0ebcc1f-ad29-419f-aaeb-e18147069b3d	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/16/2020	sbourgoin_sfc	9/16/2020	60.00000000000	34.00000000000	60.00000000000	100.00000000000	28.37767468340	-80.73609115040	Excellent	3.00000000000	needs pruning on limbs overhanging road, some are dead and a risk	Tree Is Undamaged	<Null>	Pruning	No	No	c0053f85-e07d-43c6-8f66-3d17a3fa1ffc	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	80.00000000000	36.00000000000	45.00000000000	50.00000000000	28.37066185220	-80.73349948470	Excellent	3.00000000000	Large oak overhanging the road,	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	0e589688-ae7e-4992-9dc0-02d91e128511	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	40.00000000000	22.00000000000	45.00000000000	30.00000000000	28.39262149270	-80.74523535500	Excellent	3.00000000000	Overhanging road and powerline, in great health	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	d883bfbf-aa4a-4ab5-8036-5407b9d7258e	Hickory (Pignut)	No	Carya glabra	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	10.00000000000	8.00000000000	10.00000000000	10.00000000000	28.37618707200	-80.76388995160	Excellent	3.00000000000	Target near by	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	a6714a32-ef8d-42c2-9b4f-402820dedfb7	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	50.00000000000	34.00000000000	50.00000000000	65.00000000000	28.37481352940	-80.76520331190	Excellent	3.00000000000	Curb heaving. Overhanging. Raise crown	Tree Is Undamaged	<Null>	Pruning	No	No	5afba365-d130-476f-9709-0392b43dd037	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	35.00000000000	22.00000000000	30.00000000000	50.00000000000	28.37498682530	-80.76381878980	Excellent	3.00000000000	Cracked sidewalk overhanging road. Codominant fork. See pictures. Included bark.	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	30d5fede-1b1f-4a44-9391-947fb3f6b5f0	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	35.00000000000	30.00000000000	40.00000000000	50.00000000000	28.37492308130	-80.76147168870	Excellent	3.00000000000	Damage. No wound wood on damaged tree	Tree is Damaged	Previously damaged trunk has not healed	No Maintenance Required	No	No	7c6539ed-ce40-49ea-97a2-95d880cb5630	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	25.00000000000	26.00000000000	40.00000000000	40.00000000000	28.37316598290	-80.75619771110	Excellent	3.00000000000	A natural form from pruning away from powerline. Tree recovered nicely. Some overhang on the road. See pictures. Trunk contains a co-dominant fork With included bark	Tree is Undamaged	<Null>	No Maintenance Required	No	No	c13ee022-7c9c-4214-99ec-dc462a7dfdca	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	25.00000000000	22.00000000000	35.00000000000	35.00000000000	28.38831702680	-80.75915803190	Excellent	3.00000000000	Powerline nearby see pictures	Tree is Undamaged	<Null>	No Maintenance Required	No	No	2c42e8e1-99de-4f04-bb0a-7de8922c8a65	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	30.00000000000	20.00000000000	45.00000000000	40.00000000000	28.38516480290	-80.76365458760	Excellent	3.00000000000	Branches on light post, almost over power line, see picture.	Tree Is Undamaged	<Null>	Pruning	No	No	{361E3755-4DBA-4CC5-A427-B13F08387BD4}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	40.00000000000	34.00000000000	55.00000000000	70.00000000000	28.38772497150	-80.76303139310	Excellent	3.00000000000	Codominant pronounced throughout the trunk. Electrical box target nearby. Canopy overhangs road and sidewalk. Soil heaving on sidewalk.	Tree Is Undamaged	<Null>	Pruning	No	No	{9405B2E3-F2C4-4DBE-BF23-C09AB0186574}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	30.00000000000	22.00000000000	50.00000000000	40.00000000000	28.38554123440	-80.76397879950	Excellent	3.00000000000	Codominant tree (fork 4 foot up), see picture. Branches crossing the road completely, see picture.	Tree Is Undamaged	<Null>	Pruning	No	No	{0C88523E-1944-4915-A205-1F35EBE192E1}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	30.00000000000	22.00000000000	40.00000000000	40.00000000000	28.38673561380	-80.76495730290	Excellent	3.00000000000	Some inconsistent pruning. Wound word is not forming on previous cuts. See pictures. Sidewalk heaving and overhang Road.	Tree Is Undamaged	<Null>	Pruning	No	No	{FF40598A-B8AD-4372-BFB0-58AE2679E99F}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	35.00000000000	22.00000000000	45.00000000000	35.00000000000	28.38781977110	-80.76321990280	Excellent	3.00000000000	Some carpenter ants observed near previous pruning. Minor wound wood forming on previous prunes. See pictures.	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{4EAF31F1-10C2-4017-90A2-2D582F7B9F89}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	40.00000000000	30.00000000000	55.00000000000	45.00000000000	28.38867015650	-80.75979941550	Excellent	3.00000000000	Lots of dead wood in the canopy Due to previously pruning branches back but not turning them all the way back to the branch collar. results in a lotshould be pruned back to the branch collar. See pictures	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{70A8D0E5-843D-41B2-846A-BA79A25A7A20}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	30.00000000000	24.00000000000	45.00000000000	50.00000000000	28.39425401310	-80.75947822110	Excellent	3.00000000000	Low hanging branches of residence yard, sidewalk, and road, see picture.	Tree is Damaged	Past damage that appears to be healing, see picture.	Pruning	No	No	{5D5FA087-10C9-4E5B-BB09-A104516BA423}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	8.00000000000	10.00000000000	5.00000000000	28.37811004810	-80.74789401160	Excellent	3.00000000000	Coppice sprouting from trunk	Tree is Damaged	Previous cut trunk, sprouting	No Maintenance Required	No	No	{63CD2788-349B-497C-9C0C-D89741308EC7}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	14.00000000000	25.00000000000	20.00000000000	28.37827806380	-80.75042090420	Excellent	3.00000000000	Needs pruned out of street light	Tree Is Undamaged	<Null>	Pruning	No	No	{59FF6641-14CD-475C-9E47-AF7D774DBB3E}	Red Cedar	No	Juniperus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	25.00000000000	18.00000000000	35.00000000000	35.00000000000	28.39849177780	-80.76938822870	Excellent	3.00000000000	Three trees in Woodland. Middle tree has weak canopy, see picture. Most north tree has branches overhanging road.	Tree Is Undamaged	<Null>	Pruning	No	Yes	{E6402009-ADC2-4512-B84A-26A5CD315C88}	Oak (Live)	No	Quercus virginiana	3.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	25.00000000000	16.00000000000	35.00000000000	25.00000000000	28.39888639760	-80.76946483970	Excellent	3.00000000000	Large limb broken off at base	Tree is Damaged	Scaffolding	Pruning	No	No	{F5773E3B-81CC-4E1B-A221-6B30F9184084}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Median	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	35.00000000000	10.00000000000	30.00000000000	10.00000000000	28.39703835520	-80.77197119590	Excellent	3.00000000000	Hole/damage in trunk	Tree is Damaged	Trunk Damage	No Maintenance Required	No	No	{1B93B32B-C08D-4B64-8B88-9B1A4E91C134}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	12.00000000000	30.00000000000	20.00000000000	28.39832764410	-80.77680928130	Excellent	3.00000000000	Slight trunk damage	Tree is Damaged	Trunk hole and damage	No Maintenance Required	No	No	{810365AA-6DA1-4047-940C-EA7AB394175B}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	24.00000000000	40.00000000000	50.00000000000	28.39906258110	-80.77779445470	Excellent	3.00000000000	Slight trunk damage	Tree is Damaged	Hole in trunk	Pruning	No	No	{ECF91E58-1542-426F-99C7-0E352030EF72}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	32.00000000000	40.00000000000	45.00000000000	28.39915715560	-80.77799905410	Excellent	3.00000000000	Slight trunk damage at base	Tree is Damaged	Trunk damage	Pruning	No	No	{D27FBC82-E7F0-4100-9568-134CA85EC158}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	18.00000000000	20.00000000000	10.00000000000	28.36006108680	-80.73404232950	Excellent	3.00000000000	Strangler in tree Between three gravesites. The strangler should be removed so that the graves are not disturbed	Tree is Undamaged	<Null>	Removal	No	No	{C63F3793-C314-42F3-881F-FE09DBBB8A0A}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Cemetary	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	10.00000000000	10.00000000000	10.00000000000	15.00000000000	28.36869042340	-80.75573561680	Excellent	3.00000000000	Near grave. See pic target risk	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{93E8821F-D62B-44C7-9756-FC5F59F9B50F}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	65.00000000000	36.00000000000	45.00000000000	55.00000000000	28.36838208130	-80.75471037770	Excellent	3.00000000000	Deadwood in canopy. Co-com fork. W included bark. Massive root system near water.	Tree is Undamaged	<Null>	Pruning	No	No	{EE4CCE63-7183-46CF-9573-F38EA65C82FB}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	15.00000000000	14.00000000000	30.00000000000	35.00000000000	28.36792582640	-80.75484663230	Excellent	3.00000000000	We have main stems of tree is broken off.	Tree is Undamaged	<Null>	Pruning	No	No	{755C2805-4999-4310-9547-796C4FFFEC39}	Hickory (Pignut)	No	Carya glabra	1.00000000000
City Building	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	20.00000000000	8.00000000000	25.00000000000	15.00000000000	28.36061474000	-80.73457219720	Very Poor	7.00000000000	Completely dead	Tree is Damaged	Tree is Dead	Removal	No	No	380d956b-567b-48f5-9a70-79ea56e063ca	Holly (East Palatka)	No	Ilex x attenuata	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	20.00000000000	8.00000000000	15.00000000000	0.00000000000	28.39002635800	-80.74369412080	Very Poor	7.00000000000	Dead palm, needs removal	Tree is Damaged	Tree Is Dead	Removal	No	No	9d1bf111-5d79-49ce-8d7e-23a1a8281ce8	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	20.00000000000	6.00000000000	35.00000000000	0.00000000000	28.39044569030	-80.74287065860	Very Poor	7.00000000000	Dead, needs removal	Tree is Damaged	Tree Is Dead	Removal	No	No	63320dae-df76-49d6-94c0-317aa338cb65	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	16.00000000000	15.00000000000	10.00000000000	28.38811917220	-80.75545490770	Very Poor	7.00000000000	See pics, Tree Is Dead	Tree is Damaged	Stump/Trunk	Removal	No	No	bde7f7c8-b406-4740-98ea-e4afe5a316a0	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	8.00000000000	15.00000000000	5.00000000000	28.38811179650	-80.75583988790	Very Poor	7.00000000000	Trunk Damage, Signs of Decay	Tree is Damaged	Trunk has decay, only 20% of canopy alive	Removal	No	No	1ec8cd33-6e1b-49b4-8b5c-08e338f08f04	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	4.00000000000	20.00000000000	15.00000000000	28.38111007130	-80.75043034640	Very Poor	7.00000000000	Dead, Neds Removal	Tree is Damaged	Dead, Needs Removal	Removal	No	No	{B33DF877-BE37-4AE2-A174-B6C36DBF6CD5}	Red Cedar	No	Juniperus virginiana	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	10.00000000000	6.00000000000	5.00000000000	5.00000000000	28.39251547890	-80.78256999220	Very Poor	7.00000000000	Poor condition, consider replacement	Tree Is Damaged	Previously taken to just stump, resprouting	No Maintenance Required	No	No	{0A2DB9BD-0037-4CD7-8F52-2BC20845E1EF}	Golden Raintree	No	Koelreuteria paniculata	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	5.00000000000	8.00000000000	10.00000000000	10.00000000000	28.35366975970	-80.73520389430	Very Poor	6.00000000000	Dead cabbage palm	Tree is Damaged	Dead, brown fronds and trunk	Removal	No	No	4ef806b9-e874-40b8-b918-a37f76dfb7a9	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	20.00000000000	10.00000000000	30.00000000000	15.00000000000	28.37441256170	-80.73508941830	Very Poor	6.00000000000	Poor Shape, Nearly Dead; Leaning into Roadway	Tree is Damaged	Rot and decay	Removal	No	No	64cce7b8-a526-414e-85b7-90ea8d68558e	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	40.00000000000	22.00000000000	45.00000000000	30.00000000000	28.39349752110	-80.74494572830	Very Poor	6.00000000000	In yard but mostly dead, overhanging road	Tree is Damaged	Tree is Dead	Removal	No	No	3c6fff81-c9e5-4fc0-a24c-a31250ed8b13	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	12.00000000000	10.00000000000	15.00000000000	28.39630519010	-80.75949179910	Very Poor	6.00000000000	Tree is Dead, Top Snapped Off, Just Trunk	Tree is Damaged	Stump/Trunk	Remove Trunk	No	No	{92A6AB4D-4442-48D9-9A42-83918A223759}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	12.00000000000	20.00000000000	10.00000000000	28.39546529150	-80.77771919830	Very Poor	6.00000000000	Two dead trees in Woodland.	Tree is Damaged	Stump/Trunk	Remove Trunks	No	Yes	{71FB3AC6-090C-432D-82B1-989025C76E55}	Palm (Queen)	No	Syagrus romanzoffiana	2.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	15.00000000000	20.00000000000	30.00000000000	10.00000000000	28.39654017710	-80.77215492750	Very Poor	5.00000000000	Dead Tree, Needs Removal	Tree Is Damaged	Stump/Trunk	Removal	No	No	{90F49D7A-131D-4681-A0D4-30C3A6650F80}	Pine (Slash)	No	Pinus elliottii	1.00000000000

2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	6.00000000000	15.00000000000	5.00000000000	28.35527974860	-80.72764608840	Excellent	2.00000000000	Unnatural lean, see pic. Remove deadwood	Tree Is Undamaged	<Null>	Pruning	No	No	ac2f45eb-0ad9-4b32-90fc-9d53002b8727	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	10.00000000000	8.00000000000	15.00000000000	15.00000000000	28.35528643810	-80.72732985720	Excellent	2.00000000000	Unnatural lean, trying to correct itself though. See pic	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	66e3f931-34e7-48f9-b989-b62ad784293d	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	30.00000000000	24.00000000000	35.00000000000	30.00000000000	28.35527656520	-80.72633260140	Excellent	2.00000000000	See photo	Tree Is Damaged	Moderate hole in bark near trunk base	No Maintenance Required	No	No	8f4020db-a4f6-4c8b-ac43-3093110a552a	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	1.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35228469260	-80.72776607730	Excellent	2.00000000000	Crepe regrowing where once was. Attention to COC only.	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	a1bc8090-ee9a-4b57-b2a5-04b3e4c3a2b1	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	10.00000000000	12.00000000000	15.00000000000	10.00000000000	28.35525718680	-80.72874925730	Excellent	2.00000000000	Strangler in canopy	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	bfb1299c-494f-40d7-8cee-22c797dd2bdf	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	50.00000000000	40.00000000000	75.00000000000	60.00000000000	28.35233512540	-80.73102350950	Excellent	2.00000000000	Pignut Hickory. Height 75ΓÇÖ. Spread extremely wide in one direction and narrow opposite	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	3e715c8f-dc79-4829-8c1b-d5f164b45982	Hickory (Pignut)	No	Carya glabra	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	20.00000000000	12.00000000000	25.00000000000	20.00000000000	28.35417441050	-80.72964264080	Excellent	2.00000000000	2 oaks. Similar. Prune away from road and box trucks.	Tree Is Undamaged	<Null>	Pruning	No	Yes	10366825-bdc5-45ff-ab32-6af8a0ed55cd	Oak (Live)	No	Quercus virginiana	2.00000000000
4+ Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	15.00000000000	8.00000000000	20.00000000000	10.00000000000	28.35470715710	-80.72995855050	Excellent	2.00000000000	Will need pruning. Under powerline. See pic	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	9b2c9311-f256-426d-8216-81ed3ddc3968	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	20.00000000000	12.00000000000	25.00000000000	25.00000000000	28.35521406150	-80.72994327640	Excellent	2.00000000000	See pic. Power lines nearby. Needs road clearance 2 oaks. Similar	Tree Is Undamaged	<Null>	Pruning	No	Yes	322afafe-ffa1-4823-8f4c-1a6f49d3c0df	Oak (Live)	No	Quercus virginiana	2.00000000000
City Park	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35903444440	-80.73146229340	Excellent	2.00000000000	Some chlorotic leaves, see pic	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	17558e08-2538-484d-9669-b9d62d4d7eb2	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
City Park	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	40.00000000000	16.00000000000	60.00000000000	40.00000000000	28.35889933400	-80.73137820930	Excellent	2.00000000000	Beetles throughout upper canopy	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	b7b154ac-d49d-48b8-9756-526985907624	Tabebuia	No	Tabebuia spp.	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	25.00000000000	18.00000000000	50.00000000000	40.00000000000	28.34935882900	-80.73973861320	Excellent	2.00000000000	Powerline see pic	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	4cc262e3-ac9c-48a9-a9b7-7f68c28bcb46	Sycamore	No	Platanus occidentalis	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	25.00000000000	16.00000000000	40.00000000000	30.00000000000	28.34937816810	-80.73871199510	Excellent	2.00000000000	Mistletoe present. Remove	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	74d04bae-bf0b-462f-b853-301f72d3daf1	Sycamore	No	Platanus occidentalis	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	30.00000000000	22.00000000000	40.00000000000	30.00000000000	28.34941908060	-80.73766572100	Excellent	2.00000000000	Deadwood see pic	Tree Is Undamaged	<Null>	Pruning	No	No	da1b6849-349d-47f6-b0e1-276d7ca41afe	Sycamore	No	Platanus occidentalis	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	40.00000000000	24.00000000000	50.00000000000	35.00000000000	28.34937356140	-80.73699628300	Excellent	2.00000000000	Minor deadwood	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	4c0f9ca5-3f36-4b91-8e66-36ed80da159d	Sycamore	No	Platanus occidentalis	1.00000000000
Median	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	50.00000000000	30.00000000000	50.00000000000	60.00000000000	28.34929758520	-80.74293700990	Excellent	2.00000000000	Heaving. Slight. See pic	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	7a311543-6a17-416a-93f5-41084f6401f5	Oak (Live)	No	Quercus virginiana	1.00000000000
Median	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	15.00000000000	10.00000000000	30.00000000000	15.00000000000	28.34931586570	-80.74371407330	Excellent	2.00000000000	Mower wound on trunk. See pic	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	9e330e6c-3965-4ce2-9091-ad8994e712a2	Cypress (Bald)	No	Taxodium distichum	1.00000000000
Median	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	20.00000000000	14.00000000000	40.00000000000	25.00000000000	28.34931351140	-80.74382131420	Excellent	2.00000000000	Crown broke. Re growth great. See pic	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	8f8afe11-fd3e-41f6-89e0-3415b9a68ba3	Cypress (Bald)	No	Taxodium distichum	1.00000000000
Median	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	25.00000000000	16.00000000000	45.00000000000	35.00000000000	28.34929156490	-80.74395676670	Excellent	2.00000000000	Crown broke, but regenerated nicely	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	cfb96d0a-2d40-44fb-b2bd-86cf756de30d	Cypress (Bald)	No	Taxodium distichum	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	45.00000000000	24.00000000000	50.00000000000	70.00000000000	28.34990234120	-80.74880163970	Excellent	2.00000000000	Some included bark	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	d0dba30c-2fa2-4207-89f2-f22248e2e3b8	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	25.00000000000	18.00000000000	35.00000000000	30.00000000000	28.34995137030	-80.74873946100	Excellent	2.00000000000	Included bark and co-dom. Slight soil heave. Powerline	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	8592002b-0762-4df7-a70a-5afa69106ccc	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	35.00000000000	22.00000000000	40.00000000000	40.00000000000	28.35015895290	-80.74872738590	Excellent	2.00000000000	See pic. Curb heave. Powerline	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	d1efffbe-5b55-43b2-b92d-dbed93ba81d2	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	45.00000000000	28.00000000000	55.00000000000	50.00000000000	28.35160811890	-80.74886762280	Excellent	2.00000000000	Soil heaving. Cracked sidewalk	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	f5c23e54-878a-4fb4-b90e-58c1f3d7e908	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	10.00000000000	6.00000000000	15.00000000000	10.00000000000	28.35306493500	-80.74542440990	Excellent	2.00000000000	Powerline	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	591f14f1-a9e5-4ac0-bb1e-c248aa67baa2	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	10.00000000000	6.00000000000	15.00000000000	10.00000000000	28.35302621700	-80.74558355640	Excellent	2.00000000000	Powerline	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	d086daf8-5252-428e-8bae-3ba3661d8ef2	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	10.00000000000	6.00000000000	15.00000000000	10.00000000000	28.35305277710	-80.74588044960	Excellent	2.00000000000	Minor bark beetle	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	21943585-513a-4e66-8c6a-26120db9c8b7	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	10.00000000000	6.00000000000	15.00000000000	10.00000000000	28.35303417860	-80.74706901140	Excellent	2.00000000000	Powerline	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	21b581c3-a29c-4463-84cf-1caf6115c784	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	10.00000000000	14.00000000000	15.00000000000	10.00000000000	28.35382397950	-80.73842564180	Excellent	2.00000000000	Powerline	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	1395923b-afa2-4777-9888-59f8dae58db5	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/13/2020	shendley_sfc	9/13/2020	7.00000000000	10.00000000000	10.00000000000	10.00000000000	28.35111361460	-80.73489133260	Excellent	2.00000000000	4 crepes in row on block 3 need pruning	Tree Is Undamaged	<Null>	Pruning	No	Yes	91146625-6613-4379-a5cc-133a028d4840	Crepe Myrtle	No	Lagerstroemia spp.	4.00000000000
2-4 Ft ROW	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	15.00000000000	14.00000000000	20.00000000000	15.00000000000	28.35689863660	-80.74113610250	Excellent	2.00000000000	Small amounts of brownage	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	937ef2bf-604e-4e0a-96ed-a625845b8da2	Cypress (Bald)	No	Taxodium distichum	1.00000000000
Median	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	15.00000000000	20.00000000000	25.00000000000	15.00000000000	28.35572630590	-80.73532732640	Excellent	2.00000000000	Median; Phoenix syl	Tree Is Damaged	Hand-sized hole in trunk at base	No Maintenance Required	No	No	ec714310-5746-4253-8555-7149751ad602	Palm (Silver Date)	No	Phoenix sylvestris	1.00000000000
2-4 Ft ROW	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	35.00000000000	22.00000000000	25.00000000000	30.00000000000	28.35854492660	-80.74438576610	Excellent	2.00000000000	Has been pruned may need more	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	e7c2a700-dc22-485d-b25d-6f5c69ad12a2	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	20.00000000000	12.00000000000	20.00000000000	15.00000000000	28.35853063490	-80.74300794900	Excellent	2.00000000000	Some browning and touching power line	Tree Is Undamaged	<Null>	Pruning	No	No	e497cbb0-0ec1-4ff7-9ba4-4c8bd0eaaa8d	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	30.00000000000	24.00000000000	25.00000000000	40.00000000000	28.36142947430	-80.74359082630	Excellent	2.00000000000	Possible pruning	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	a2a97995-d911-4add-97bc-8027e6243667	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	27.00000000000	16.00000000000	40.00000000000	40.00000000000	28.35942657630	-80.74189122810	Excellent	2.00000000000	All same age and duh except one that is 8in. Possible pruning	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	4ecdecf3-9baa-4785-92b6-573ac4049494	Sycamore	No	Platanus occidentalis	4.00000000000
City Building	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	20.00000000000	14.00000000000	40.00000000000	10.00000000000	28.35423665550	-80.72521247050	Excellent	2.00000000000	Near power line, see pic	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	514e2d36-59d3-411f-970b-08d45595ba70	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	5.00000000000	4.00000000000	15.00000000000	10.00000000000	28.36394270460	-80.74288062720	Excellent	2.00000000000	2 trees powerline eventually	Tree Is Undamaged	<Null>	Pruning	No	Yes	a8ca13fe-0158-48fc-8abe-a6ca33244054	Cherry Laurel	No	Prunus laurocerasus	2.00000000000
City Park	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	30.00000000000	22.00000000000	40.00000000000	50.00000000000	28.35381454440	-80.73448204040	Excellent	2.00000000000	Weak lower branch connections	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	1c5781ba-a56a-4e5c-ac3d-f8a744caccbd	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
City Building	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	15.00000000000	10.00000000000	20.00000000000	15.00000000000	28.35781867640	-80.73139758780	Excellent	2.00000000000	Strangler fig. 2 sabals	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	83a14f59-cd5b-4bb9-b5c4-ab0b22d71631	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	30.00000000000	16.00000000000	25.00000000000	25.00000000000	28.36346455820	-80.73155097690	Excellent	2.00000000000	Overhang road	Tree is Undamaged	<Null>	No Maintenance Required	No	No	b76a436d-6998-40e2-bca7-f8905e895371	Red Cedar	No	Juniperus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	20.00000000000	22.00000000000	25.00000000000	25.00000000000	28.36349548780	-80.73166446740	Excellent	2.00000000000	Overhang road,2 tree	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	2fda1a60-e9b0-4849-8b20-0d348ab85975	Pine (Plum)	No	Podocarpus spp.	2.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	18.00000000000	12.00000000000	25.00000000000	30.00000000000	28.36463249300	-80.73106189270	Excellent	2.00000000000	Overhang	Tree is Undamaged	<Null>	No Maintenance Required	No	No	b1b0e9bb-3390-4071-b609-fd670ff3d5a3	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	15.00000000000	6.00000000000	30.00000000000	25.00000000000	28.36664813120	-80.73198599780	Excellent	2.00000000000	Overhang,5 tree , lead tree	Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	0a1c1652-97ec-4d99-9e2e-fb09186257be	Lead Tree	No	Leucaena leucocephala	5.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	35.00000000000	24.00000000000	40.00000000000	40.00000000000	28.36711558990	-80.73226846760	Excellent	2.00000000000	Overhang	Tree is Undamaged	<Null>	No Maintenance Required	No	No	e1d8528d-a574-47a2-a333-e2bb416498f7	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/16/2020	sbourgoin_sfc	9/16/2020	35.00000000000	20.00000000000	40.00000000000	35.00000000000	28.36759233020	-80.73243611120	Excellent	2.00000000000	Hanging over roadway	Tree is Undamaged	<Null>	Pruning	Yes	No	f7831609-6d0f-4159-934c-89beba347a2f	Indian Rosewood	No	Dalbergia sissoo	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	40.00000000000	30.00000000000	40.00000000000	50.00000000000	28.37795628170	-80.73602855670	Excellent	2.00000000000	Overhang	Tree is Undamaged	<Null>	No Maintenance Required	No	No	7efa7db1-1700-46b4-aa5e-fe9b97f88c51	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	40.00000000000	20.00000000000	35.00000000000	40.00000000000	28.37719192460	-80.73628390820	Excellent	2.00000000000	Overhang	Tree is Undamaged	<Null>	No Maintenance Required	No	No	28ea5020-966f-4ef6-b885-bf2640b3abd2	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	20.00000000000	16.00000000000	30.00000000000	30.00000000000	28.37692729120	-80.73633155300	Excellent	2.00000000000	Overhang	Tree is Undamaged	<Null>	No Maintenance Required	No	No	d05505c6-dccb-4aff-8f75-326728ed863b	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	40.00000000000	30.00000000000	40.00000000000	45.00000000000	28.37668955050	-80.73624956920	Excellent	2.00000000000	3 , overhang	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	0560f583-b1b1-437f-adf0-a2b482634e52	Oak (Live)	No	Quercus virginiana	3.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	40.00000000000	20.00000000000	40.00000000000	35.00000000000	28.37578171020	-80.73580489950	Excellent	2.00000000000	Overhang	Tree is Undamaged	<Null>	No Maintenance Required	No	No	60972b14-3c73-42b2-a953-89c6830fd35c	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	25.00000000000	18.00000000000	30.00000000000	30.00000000000	28.37505633830	-80.73545351180	Excellent	2.00000000000	Overhang	Tree is Undamaged	<Null>	No Maintenance Required	No	No	55d7f206-3eed-43f9-a984-74e94dc82891	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	100.00000000000	40.00000000000	40.00000000000	55.00000000000	28.36939337240	-80.73334394950	Excellent	2.00000000000	Overhang	Tree is Undamaged	<Null>	No Maintenance Required	No	No	d54377dc-b50c-430d-a40d-55cdd05a2d69	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	15.00000000000	10.00000000000	25.00000000000	20.00000000000	28.38197817140	-80.73679360600	Excellent	2.00000000000	Overhang, lead tree	Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	937f9807-e2c5-4135-b1f3-a2389708395d	Lead Tree	No	Leucaena leucocephala	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	100.00000000000	34.00000000000	40.00000000000	45.00000000000	28.38408307630	-80.73883920910	Excellent	2.00000000000	Overhang	Tree is Undamaged	<Null>	No Maintenance Required	No	No	378d19bd-40c3-45d1-8b10-330fba9c1307	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	20.00000000000	14.00000000000	30.00000000000	25.00000000000	28.38420768060	-80.73909527930	Excellent	2.00000000000	Large tree overhanging road, looks to be in good shape though	Tree is Undamaged	<Null>	No Maintenance Required	No	No	bf3d20dd-2fc2-48c7-aa45-62ab020d3321	Sugarberry	No	Celtis laevigata	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	30.00000000000	18.00000000000	35.00000000000	35.00000000000	28.38437153970	-80.73930976910	Excellent	2.00000000000	Overhang	Tree is Undamaged	<Null>	No Maintenance Required	No	No	69316509-e4a2-4841-8c8a-b0ac2a1eb2cc	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	40.00000000000	24.00000000000	45.00000000000	45.00000000000	28.38456545520	-80.73962233070	Excellent	2.00000000000	Overhang	Tree is Undamaged	<Null>	No Maintenance Required	No	No	8737c439-fa57-462f-b591-1a849fddab08	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	100.00000000000	44.00000000000	50.00000000000	55.00000000000	28.38503882310	-80.74004100680	Excellent	2.00000000000	Overhang	Tree is Damaged	Bark	No Maintenance Required	No	No	b6777d68-9aef-49c6-80de-b3b42e12e86d	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	50.00000000000	26.00000000000	50.00000000000	40.00000000000	28.38567454050	-80.74035897620	Excellent	2.00000000000	Lg oak with limbs overhanging the road; limbs and tree appear healthy	Tree is Undamaged	<Null>	No Maintenance Required	No	No	8ac548f4-d2d3-4174-bdea-7cee511f50f4	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	100.00000000000	44.00000000000	50.00000000000	60.00000000000	28.38760142250	-80.74139443190	Excellent	2.00000000000	Overhang	Tree is Undamaged	<Null>	No Maintenance Required	No	No	32b145e8-a044-4c1a-a145-dd034c792aa7	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	25.00000000000	16.00000000000	35.00000000000	30.00000000000	28.38805098520	-80.74279940690	Excellent	2.00000000000	Overhang	Tree is Undamaged	<Null>	No Maintenance Required	No	No	4f6a746d-9510-4e80-9a43-fd77387c8989	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	30.00000000000	20.00000000000	40.00000000000	40.00000000000	28.38831547620	-80.74290300690	Excellent	2.00000000000	Overhang	Tree is Undamaged	<Null>	No Maintenance Required	No	No	fc03d1c0-28b0-494f-a5f2-f0274f70fcdd	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	15.00000000000	14.00000000000	25.00000000000	25.00000000000	28.38910978790	-80.74357012280	Excellent	2.00000000000	Overhang	Tree is Undamaged	<Null>	No Maintenance Required	No	No	dd04f7c7-10fd-4ccc-bd7b-687ef18e8888	Oak (Sand Live)	No	Quercus geminata	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	100.00000000000	40.00000000000	30.00000000000	40.00000000000	28.38908858140	-80.74402702030	Excellent	2.00000000000	Overhang	Tree is Undamaged	<Null>	No Maintenance Required	No	No	42d691e2-79e6-4125-ba80-2a1beafbb0e5	Oak (Sand Live)	No	Quercus geminata	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	20.00000000000	24.00000000000	35.00000000000	35.00000000000	28.38807479030	-80.74385938210	Excellent	2.00000000000	2, overhang	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	13deb61a-b286-41d1-810e-981b82a808b6	Oak (Live)	No	Quercus virginiana	2.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	50.00000000000	40.00000000000	40.00000000000	50.00000000000	28.38994818700	-80.74373876710	Excellent	2.00000000000	Overhang	Tree is Undamaged	<Null>	No Maintenance Required	No	No	19c9302c-aca6-427d-9476-c6aa8397f847	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	40.00000000000	24.00000000000	30.00000000000	35.00000000000	28.39022567020	-80.74201460900	Excellent	2.00000000000	Overhang	Tree is Undamaged	<Null>	No Maintenance Required	No	No	e1086acd-636e-4695-84dc-1b724967d807	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	50.00000000000	30.00000000000	40.00000000000	35.00000000000	28.38995279750	-80.74184085240	Excellent	2.00000000000	Overhang	Tree is Undamaged	<Null>	No Maintenance Required	No	No	3ad7998a-15ba-47ae-8f75-0b6aac4fbeac	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	40.00000000000	22.00000000000	40.00000000000	30.00000000000	28.38843493860	-80.74164210730	Excellent	2.00000000000	Overhanging road but seems healthy	Tree is Undamaged	<Null>	No Maintenance Required	No	No	f57487ea-e08e-40de-bb99-4d34bd5adffb	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	25.00000000000	16.00000000000	35.00000000000	30.00000000000	28.39249050590	-80.74279778280	Excellent	2.00000000000	Overhanging road but limbs and tree seem healthy	Tree is Undamaged	<Null>	No Maintenance Required	No	No	30acee04-3227-490a-8994-6e5db1947372	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	40.00000000000	16.00000000000	35.00000000000	35.00000000000	28.39295607500	-80.74312881550	Excellent	2.00000000000	Overhang ,2tree	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	18497fa8-7b0c-430e-a5bf-e7f5b1f9b2e4	Oak (Sand Live)	No	Quercus geminata	2.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	35.00000000000	16.00000000000	30.00000000000	25.00000000000	28.39335144950	-80.74342838480	Excellent	2.00000000000	Overhang	Tree is Undamaged	<Null>	No Maintenance Required	No	No	7c7aeff8-8a62-481f-a8ce-cd1432ab7b61	Oak (Sand Live)	No	Quercus geminata	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	60.00000000000	30.00000000000	40.00000000000	45.00000000000	28.39465969700	-80.74439037630	Excellent	2.00000000000	Overhang	Tree is Undamaged	<Null>	No Maintenance Required	No	No	af36378b-15b9-4b37-b766-5adbdcf628cd	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	100.00000000000	50.00000000000	50.00000000000	50.00000000000	28.39497087550	-80.74458651260	Excellent	2.00000000000	Overhang	Tree is Undamaged	<Null>	No Maintenance Required	No	No	682e9988-ee1d-436b-9894-9a96b35aaf69	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	30.00000000000	16.00000000000	40.00000000000	45.00000000000	28.39522444010	-80.74465468400	Excellent	2.00000000000	Overhanging	Tree is Undamaged	<Null>	No Maintenance Required	No	No	830006a8-ca08-465e-8483-524afb5e8610	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	25.00000000000	14.00000000000	30.00000000000	30.00000000000	28.39487930330	-80.74480896780	Excellent	2.00000000000	Overhang	Tree is Undamaged	<Null>	No Maintenance Required	No	No	1a781577-0e77-4edc-b160-f87104d41afe	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	25.00000000000	22.00000000000	45.00000000000	40.00000000000	28.39423712550	-80.74479106710	Excellent	2.00000000000	Overhanging road from private yard	Tree is Undamaged	<Null>	No Maintenance Required	No	No	7d519c47-7ec6-4104-8ec0-5a0a529db2ad	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	30.00000000000	16.00000000000	30.00000000000	30.00000000000	28.39445149030	-80.74491659230	Excellent	2.00000000000	Overhang	Tree is Undamaged	<Null>	No Maintenance Required	No	No	faded2ff-bc40-4352-854b-1c3ad98e75d2	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	30.00000000000	20.00000000000	30.00000000000	30.00000000000	28.39419818940	-80.74500535660	Excellent	2.00000000000	Overhang	Tree is Undamaged	<Null>	No Maintenance Required	No	No	e1724915-4aa0-4678-85a9-f0ea44e37ac0	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	15.00000000000	10.00000000000	20.00000000000	20.00000000000	28.39424600790	-80.74531372670	Excellent	2.00000000000	Overhang	Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	36c7a82b-46d5-4231-90c0-b17c724d647b	Brazilian Pepper	No	Schinus terebinthifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	50.00000000000	26.00000000000	45.00000000000	40.00000000000	28.39493353350	-80.74565805540	Excellent	2.00000000000	Overhang	Tree is Undamaged	<Null>	No Maintenance Required	No	No	149a2997-a4c7-4484-94ad-c7c6d837aaee	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	30.00000000000	18.00000000000	35.00000000000	30.00000000000	28.39512086910	-80.74621939110	Excellent	2.00000000000	Overhang	Tree is Undamaged	<Null>	No Maintenance Required	No	No	6fd5e47b-8d8f-40ac-92e0-a4a6b5ae3eec	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	25.00000000000	18.00000000000	20.00000000000	20.00000000000	28.39508218700	-80.74797154430	Excellent	2.00000000000	Overhang	Tree is Undamaged	<Null>	No Maintenance Required	No	No	6c5aa6c3-5c18-4811-b89b-bc409433143a	Seagrape	No	Coccoloba uvifera	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	25.00000000000	16.00000000000	25.00000000000	35.00000000000	28.39472977010	-80.74777699970	Excellent	2.00000000000	Overhang	Tree is Undamaged	<Null>	No Maintenance Required	No	No	73c554b4-a638-408e-b822-f767da2c7eab	Hickory (Pignut)	No	Carya glabra	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	35.00000000000	20.00000000000	40.00000000000	40.00000000000	28.39246911680	-80.74730228590	Excellent	2.00000000000	In yard but overhanging, in good health	Tree is Undamaged	<Null>	No Maintenance Required	No	No	56865af9-35ee-4ef8-9a05-ee2310363272	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	20.00000000000	12.00000000000	25.00000000000	20.00000000000	28.39321243550	-80.74697644450	Excellent	2.00000000000	Overhang	Tree is Undamaged	<Null>	No Maintenance Required	No	No	db54cf80-a257-4cba-a66e-bd54eada2d9e	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	35.00000000000	16.00000000000	35.00000000000	40.00000000000	28.39319676170	-80.74664770600	Excellent	2.00000000000	Overhang	Tree is Undamaged	<Null>	No Maintenance Required	No	No	a8526e92-4db3-4ebc-ad48-8ad0e9f332a2	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	40.00000000000	20.00000000000	35.00000000000	45.00000000000	28.39243153930	-80.74669171990	Excellent	2.00000000000	Good health but overhanging	Tree is Undamaged	<Null>	No Maintenance Required	No	No	92c3906b-586e-4320-a9b6-e415b2fb72ba	Oak (Sand Live)	No	Quercus geminata	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	35.00000000000	30.00000000000	35.00000000000	40.00000000000	28.39331591030	-80.74583658930	Excellent	2.00000000000	Co-dom, overhang	Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	527dda6e-312f-4081-bf57-a3271682de2f	Camphor Tree	No	Cinnamomum camphora	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	50.00000000000	24.00000000000	50.00000000000	50.00000000000	28.39346653300	-80.74591219420	Excellent	2.00000000000	Overhang	Tree is Undamaged	<Null>	No Maintenance Required	No	No	1e73c95b-d3ac-48fe-af86-05e0d74ca648	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	50.00000000000	24.00000000000	50.00000000000	55.00000000000	28.39285901830	-80.74582435250	Excellent	2.00000000000	Healthy but overhanging road	Tree is Undamaged	<Null>	No Maintenance Required	No	No	f1f3a13b-e67e-468a-8511-a984ae28106c	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	40.00000000000	18.00000000000	40.00000000000	40.00000000000	28.39206419900	-80.74584078090	Excellent	2.00000000000	Overhang	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	3bf83b4e-adc7-4197-8b44-37cbba8b8b3f	Oak (Live)	No	Quercus virginiana	2.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	40.00000000000	20.00000000000	45.00000000000	40.00000000000	28.39162108920	-80.74600095860	Excellent	2.00000000000	Overhang	Tree is Undamaged	<Null>	No Maintenance Required	No	No	209844f3-8035-4ed9-97ff-703ff6f82d0f	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	35.00000000000	18.00000000000	40.00000000000	35.00000000000	28.39167330910	-80.74641234200	Excellent	2.00000000000	Overhang	Tree is Undamaged	<Null>	No Maintenance Required	No	No	f96a3bdd-c84d-45a6-bee9-85047cb3277b	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	30.00000000000	16.00000000000	35.00000000000	30.00000000000	28.39095057950	-80.74488365110	Excellent	2.00000000000	Overhang	Tree is Undamaged	<Null>	No Maintenance Required	No	No	09d053cf-a84e-4efe-9368-034e60c379d5	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	50.00000000000	24.00000000000	40.00000000000	45.00000000000	28.39110765570	-80.74473353090	Excellent	2.00000000000	Overhang	Tree is Undamaged	<Null>	No Maintenance Required	No	No	a5c559c4-4ba9-465b-99ec-7f7838bc7838	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	40.00000000000	20.00000000000	40.00000000000	35.00000000000	28.39275740960	-80.74424945400	Excellent	2.00000000000	Overhanging powerline and road	Tree is Undamaged	<Null>	Pruning	No	No	89a379ba-639a-4860-ad90-f0dfa8aaade1	Oak (Sand Live)	No	Quercus geminata	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	40.00000000000	26.00000000000	45.00000000000	55.00000000000	28.39255155890	-80.74467519250	Excellent	2.00000000000	Overhanging but looks good	Tree is Undamaged	<Null>	No Maintenance Required	No	No	3cac2b03-6515-42c2-a807-abc06e3f34f2	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	25.00000000000	16.00000000000	30.00000000000	35.00000000000	28.39077229700	-80.74411982620	Excellent	2.00000000000	Overhang	Tree is Undamaged	<Null>	No Maintenance Required	No	No	4f85de81-9ef6-4473-96db-7873df330a61	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	25.00000000000	18.00000000000	35.00000000000	30.00000000000	28.39066266270	-80.74392904830	Excellent	2.00000000000	Overhang	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	2455bdd2-d84f-4caa-a3f7-bf95e9887dc4	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	25.00000000000	16.00000000000	35.00000000000	30.00000000000	28.39112700230	-80.74309120850	Excellent	2.00000000000	Overhang	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	d112985f-9a75-4114-987e-31dec2875553	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	35.00000000000	22.00000000000	35.00000000000	30.00000000000	28.40235978090	-80.74996662800	Excellent	2.00000000000	Overhang	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	aa38b60e-de47-4b20-bb92-91e8af01d3e6	Oak (Laurel)	No	Quercus laurifolia	2.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	35.00000000000	24.00000000000	35.00000000000	30.00000000000	28.40201252520	-80.74975865090	Excellent	2.00000000000	Overhang	Tree is Undamaged	<Null>	No Maintenance Required	No	No	5092ac8b-0a1a-4a77-b6bc-13d30d4f8f0e	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	30.00000000000	20.00000000000	35.00000000000	40.00000000000	28.40174799800	-80.74818870120	Excellent	2.00000000000	Overhang	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	894351d6-28bd-43d9-a9bf-13e8cb03583f	Oak (Live)	No	Quercus virginiana	2.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	30.00000000000	20.00000000000	40.00000000000	30.00000000000	28.40288523550	-80.74862608730	Excellent	2.00000000000	Overhanging	Tree is Undamaged	<Null>	No Maintenance Required	No	No	2dfce345-7e23-491b-80e4-a5e7ae79da6c	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	60.00000000000	40.00000000000	40.00000000000	40.00000000000	28.40305654480	-80.74867311420	Excellent	2.00000000000	Overhang	Tree is Undamaged	<Null>	No Maintenance Required	No	No	31da0da4-78d3-4f63-9e64-b939a7c1e575	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	50.00000000000	22.00000000000	40.00000000000	40.00000000000	28.40345382240	-80.74899690200	Excellent	2.00000000000	Healthy but overhanging	Tree is Undamaged	<Null>	No Maintenance Required	No	No	82712c27-2bf7-495b-bd79-342ddcf714a3	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/18/2020	sbourgoin_sfc	9/18/2020	20.00000000000	14.00000000000	25.00000000000	30.00000000000	28.40168511640	-80.75046448330	Excellent	2.00000000000	good health but overhanging	Tree is Undamaged	<Null>	No Maintenance Required	No	No	7d3de7ab-5542-44a8-b5aa-652cc23c08a2	Oak (Sand Live)	No	Quercus geminata	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/18/2020	sbourgoin_sfc	9/18/2020	30.00000000000	14.00000000000	25.00000000000	20.00000000000	28.40167936700	-80.74778138350	Excellent	2.00000000000	in good health but overhanging	Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	24689596-3fb7-4c4a-8836-06d89ad32a03	Camphor Tree	No	Cinnamomum camphora	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/18/2020	sbourgoin_sfc	9/18/2020	40.00000000000	20.00000000000	35.00000000000	30.00000000000	28.40240381630	-80.74718926710	Excellent	2.00000000000	in good health but overhanging	Tree is Undamaged	<Null>	No Maintenance Required	No	No	cf5d543a-0f6c-4768-824e-28fa66dbca8c	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/18/2020	sbourgoin_sfc	9/18/2020	40.00000000000	22.00000000000	40.00000000000	35.00000000000	28.40268141700	-80.74710451640	Excellent	2.00000000000	in good health overhanging	Tree is Undamaged	<Null>	No Maintenance Required	No	No	6217ea81-7929-4ef3-8d87-0e5ca5b346c3	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/18/2020	sbourgoin_sfc	9/18/2020	60.00000000000	32.00000000000	30.00000000000	55.00000000000	28.40283538300	-80.74594318340	Excellent	2.00000000000	in good health but overhanging road	Tree is Undamaged	<Null>	No Maintenance Required	No	No	c228e330-c8f6-42cb-b39e-df80090f8cae	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/18/2020	sbourgoin_sfc	9/18/2020	100.00000000000	60.00000000000	90.00000000000	90.00000000000	28.40196553360	-80.74647514960	Excellent	2.00000000000	overhanging but seems to have been pruned clear of powerlines	Tree is Undamaged	<Null>	No Maintenance Required	No	No	7b9648bf-402e-46fe-8672-379c9ce0b9d0	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/18/2020	sbourgoin_sfc	9/18/2020	50.00000000000	32.00000000000	30.00000000000	55.00000000000	28.40191351640	-80.74644683380	Excellent	2.00000000000	good health overhanging power lines	Tree is Undamaged	<Null>	No Maintenance Required	No	No	3494bed0-c092-439a-9353-d0f655dd03dc	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/18/2020	sbourgoin_sfc	9/18/2020	35.00000000000	22.00000000000	35.00000000000	50.00000000000	28.40334743300	-80.74603423310	Excellent	2.00000000000	good health, overhanging power line	Tree is Undamaged	<Null>	No Maintenance Required	No	No	33f0cbda-dbab-4ec2-8a0d-3807d5b081ef	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	55.00000000000	38.00000000000	40.00000000000	30.00000000000	28.40353063380	-80.74610348150	Excellent	2.00000000000	Overhang	Tree is Undamaged	<Null>	No Maintenance Required	No	No	0684126a-b117-4a02-892a-7ba31c82944c	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/18/2020	sbourgoin_sfc	9/18/2020	50.00000000000	26.00000000000	30.00000000000	40.00000000000	28.40319426660	-80.74633333340	Excellent	2.00000000000	good health overhanging	Tree is Undamaged	<Null>	No Maintenance Required	No	No	5caba751-076b-4e37-a80f-fa8f36e14aee	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/18/2020	sbourgoin_sfc	9/18/2020	50.00000000000	24.00000000000	50.00000000000	50.00000000000	28.40258093350	-80.74732668330	Excellent	2.00000000000	in good health overhanging	Tree is Undamaged	<Null>	No Maintenance Required	No	No	2af08e3e-d836-4518-8c60-01084e7037a5	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	35.00000000000	26.00000000000	30.00000000000	40.00000000000	28.40354132880	-80.74721557510	Excellent	2.00000000000	Overhang	Tree is Undamaged	<Null>	No Maintenance Required	No	No	52209fed-22a4-4be3-8088-f10fe6321de3	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	40.00000000000	22.00000000000	40.00000000000	40.00000000000	28.40377113600	-80.74935642670	Excellent	2.00000000000	Overhang	Tree is Undamaged	<Null>	No Maintenance Required	No	No	78a174d1-c355-4b54-a768-4f26f7ed4463	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	15.00000000000	8.00000000000	20.00000000000	25.00000000000	28.40365071510	-80.74819619860	Excellent	2.00000000000	Overhang	Tree is Undamaged	<Null>	No Maintenance Required	No	No	0387aa05-33d3-4330-b29c-6e2dc2bdd513	Willow (Weeping)	No	Salix babylonica	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	40.00000000000	32.00000000000	60.00000000000	50.00000000000	28.37487878310	-80.76591175030	Excellent	2.00000000000	Road overhanging. Needs more clearance	Tree is Undamaged	<Null>	No Maintenance Required	No	No	8b1a13c5-87bd-44d4-95af-a6f0d361c17c	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	35.00000000000	28.00000000000	55.00000000000	50.00000000000	28.37477002790	-80.76568258920	Excellent	2.00000000000	Over hangcurb heaving	Tree is Undamaged	<Null>	No Maintenance Required	No	No	f1ebf137-5e23-4275-8c82-365af4130b48	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	20.00000000000	26.00000000000	45.00000000000	45.00000000000	28.37485631950	-80.76510239430	Excellent	2.00000000000	2 similar oaks. Slight overhang. Not bad. Monitor.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	c3baccb3-f280-4a4d-b3c3-396edbe96a6d	Oak (Live)	No	Quercus virginiana	2.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	20.00000000000	16.00000000000	35.00000000000	30.00000000000	28.37473578740	-80.76482931180	Excellent	2.00000000000	Curb heave. Overhang	Tree is Undamaged	<Null>	No Maintenance Required	No	No	174d04a5-f70e-483b-a37b-61fa99402ec9	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	25.00000000000	18.00000000000	45.00000000000	35.00000000000	28.37481445180	-80.76481028460	Excellent	2.00000000000	Overhang and heaving. See pic	Tree is Undamaged	<Null>	No Maintenance Required	No	No	1cf00933-2417-4416-a502-b2dd055aca4d	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	40.00000000000	22.00000000000	55.00000000000	65.00000000000	28.37487065240	-80.76440627720	Excellent	2.00000000000	Tree overhangs road. Minor soil heaving within the sidewalk	Tree is Undamaged	<Null>	Pruning	No	No	989e941d-6689-4b71-bf9d-547a755660d6	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	35.00000000000	18.00000000000	40.00000000000	60.00000000000	28.37480552510	-80.76432270960	Excellent	2.00000000000	Overhangs Road. Crown needs to be raised.	Tree is Undamaged	<Null>	Pruning	No	No	2f5a7976-8f0c-4da4-95e9-ef76abc518c4	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	30.00000000000	20.00000000000	40.00000000000	45.00000000000	28.37480393250	-80.76417426570	Excellent	2.00000000000	Overhangs Road.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	99795c06-8343-4ab0-82e8-892985d020ef	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	35.00000000000	22.00000000000	40.00000000000	60.00000000000	28.37486952060	-80.76416186090	Excellent	2.00000000000	Overhanging road. See picture. Sidewalk leaving. See picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	ba93c843-0285-47b2-ab3c-ce73e57db257	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	35.00000000000	26.00000000000	50.00000000000	60.00000000000	28.37492731380	-80.76404568720	Excellent	2.00000000000	Overhanging the road and curb heaving	Tree is Undamaged	<Null>	No Maintenance Required	No	No	f60ce9b2-7023-4390-bd2b-8511475312c2	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	30.00000000000	20.00000000000	35.00000000000	50.00000000000	28.37509394660	-80.76377830450	Excellent	2.00000000000	Sidewalk heaving and overhang Road. See pictures	Tree is Undamaged	<Null>	No Maintenance Required	No	No	f9a9c45f-0c79-4faa-a50d-57123ebc44e1	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	20.00000000000	18.00000000000	30.00000000000	45.00000000000	28.37432415230	-80.76388148590	Excellent	2.00000000000	Tree overhangs Road. See picture	Tree is Undamaged	<Null>	No Maintenance Required	No	No	c8b63dd3-478c-43ed-bb93-b5cd16c9e4c4	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	20.00000000000	16.00000000000	30.00000000000	35.00000000000	28.37420240480	-80.76386421940	Excellent	2.00000000000	Sidewalk cracking and overhangΓÇÖs road. See pictures	Tree is Undamaged	<Null>	No Maintenance Required	No	No	7254bb89-670e-4861-8651-1e3a1df2c6d8	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	45.00000000000	30.00000000000	40.00000000000	65.00000000000	28.37481545710	-80.76372139180	Excellent	2.00000000000	Canopy overhanging road sidewalks lightly heaving. See pictures	Tree is Undamaged	<Null>	No Maintenance Required	No	No	55a51988-92a9-4ea2-983b-20e46d646a4a	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	25.00000000000	16.00000000000	45.00000000000	40.00000000000	28.37490317450	-80.76315561300	Excellent	2.00000000000	Soil heaving up concrete. Tree overhangs Road. See pictures	Tree is Undamaged	<Null>	No Maintenance Required	No	No	f71d5064-5cea-4b9e-8fc2-c141611d372c	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	20.00000000000	16.00000000000	50.00000000000	40.00000000000	28.37483125700	-80.76313926820	Excellent	2.00000000000	Water oak. Overhangs road.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	44cfb938-b1ca-4bab-a349-b8463fd9e15f	Oak (Water)	No	Quercus nigra	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	30.00000000000	18.00000000000	45.00000000000	45.00000000000	28.37484005880	-80.76311538020	Excellent	2.00000000000	Overhangs road soil heaving side walk	Tree is Undamaged	<Null>	No Maintenance Required	No	No	b127631c-0fe7-4a2d-92dc-94ed5827d7ce	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	35.00000000000	24.00000000000	40.00000000000	55.00000000000	28.37491935140	-80.76264800470	Excellent	2.00000000000	Street heave. Slight. Over hangs road.	Tree is Undamaged	<Null>	Pruning	No	No	3247487d-b62d-43ea-b766-ba350e609868	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	30.00000000000	24.00000000000	50.00000000000	40.00000000000	28.37482643800	-80.76258480550	Excellent	2.00000000000	Overhanging road and powerline. See pic.	Tree is Undamaged	<Null>	Pruning	No	No	e4eac306-e31f-46aa-8366-3d214a1b32b0	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	35.00000000000	30.00000000000	40.00000000000	50.00000000000	28.37490325830	-80.76237131820	Excellent	2.00000000000	Sidewalk heaving. Overhangs road	Tree is Undamaged	<Null>	No Maintenance Required	No	No	e95fbf9a-9967-4a89-8b8d-8b7834a945e2	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	35.00000000000	24.00000000000	45.00000000000	50.00000000000	28.37574161570	-80.76135484480	Excellent	2.00000000000	Overhang road	Tree is Undamaged	<Null>	No Maintenance Required	No	No	6b22eaa2-6fa7-4d63-9c08-538d528585b6	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	25.00000000000	22.00000000000	40.00000000000	50.00000000000	28.37549916950	-80.76122257870	Excellent	2.00000000000	Over hang. Heaving.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	5420a431-4de4-4f16-99e5-4f0d0b59a5c0	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	45.00000000000	32.00000000000	50.00000000000	55.00000000000	28.37337280630	-80.76128393450	Excellent	2.00000000000	Overhang	Tree is Undamaged	<Null>	No Maintenance Required	No	No	f2508afa-fea3-4e02-9768-58543de93bc2	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	50.00000000000	50.00000000000	65.00000000000	70.00000000000	28.37366638270	-80.76131561810	Excellent	2.00000000000	Overhang road	Tree is Undamaged	<Null>	No Maintenance Required	No	No	ed0c79b2-4474-4b08-800c-d0f6f81a5662	Oak (Live)	No	Quercus virginiana	1.00000000000

2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	25.00000000000	16.00000000000	35.00000000000	35.00000000000	28.37411007880	-80.75956799060	Excellent	2.00000000000	Sidewalk heaving and overhang	Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	a4313197-b5e1-444a-9f3e-10102953bf47	Indian Rosewood	No	Dalbergia sissoo	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	25.00000000000	20.00000000000	35.00000000000	50.00000000000	28.37449811840	-80.76104194900	Excellent	2.00000000000	Slight soil heaving on curb and sidewalk and overhanging street. See pictures	Tree is Undamaged	<Null>	No Maintenance Required	No	No	fae4c2af-31ae-46a2-8831-499eafab47f4	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	14.00000000000	35.00000000000	15.00000000000	28.37211640080	-80.76046711800	Excellent	2.00000000000	Tree has cacti species growing on it. See picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	d962c601-bdcd-492d-8d14-af98dbe4413f	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	10.00000000000	25.00000000000	15.00000000000	28.37197431980	-80.76028425240	Excellent	2.00000000000	Debris laying on ground, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	403c9833-f12a-484b-a917-7c81a6db1ee8	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	12.00000000000	30.00000000000	15.00000000000	28.37196770570	-80.76008473570	Excellent	2.00000000000	Debris on ground, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	6f1dfbc4-0370-41fe-9399-dcc17dfdd08b	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	12.00000000000	20.00000000000	20.00000000000	28.37200148470	-80.76006906100	Excellent	2.00000000000	Debris on the ground, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	d4669f54-9f48-4816-83a8-bc651628cd09	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	12.00000000000	20.00000000000	15.00000000000	28.37198603920	-80.76006875020	Excellent	2.00000000000	Debris on ground, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	ed62f5bd-cc58-493c-83f4-3a4e69d32d55	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	14.00000000000	30.00000000000	25.00000000000	28.37315642770	-80.75622746690	Excellent	2.00000000000	Previous pruning of crown away from powerline. Branches overhanging sidewalk is a potential risk. See photos	Tree is Undamaged	<Null>	No Maintenance Required	No	No	120c5c49-ccad-4627-ae38-04d1220f9257	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	8.00000000000	35.00000000000	10.00000000000	28.37186115830	-80.75979110970	Excellent	2.00000000000	Debris on ground, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	90d3d61b-959b-4964-ab3e-fe20e9f0e90e	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	35.00000000000	20.00000000000	45.00000000000	35.00000000000	28.37317511910	-80.75628102800	Excellent	2.00000000000	Tree overhangs road also overhang sidewalk. Previous pruning has resulted in a branch overhang on sidewalk near powerlines. See pictures	Tree is Undamaged	<Null>	No Maintenance Required	No	No	cc542a34-6ae7-4f56-a754-afaeac9d5a27	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	30.00000000000	20.00000000000	50.00000000000	30.00000000000	28.37313463470	-80.75636099070	Excellent	2.00000000000	Tree overhangs Road. See pictures. Previously pruned away from powerline. See pictures	Tree is Undamaged	<Null>	No Maintenance Required	No	No	633e9521-6d09-4ce3-81ec-2167fc44d992	Pine (Slash)	No	Pinus elliottii	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	14.00000000000	30.00000000000	15.00000000000	28.37196155070	-80.75944413630	Excellent	2.00000000000	Tree has cacti species growing on trunk.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	ab6db927-0ed2-483c-88b1-f76bc75c9a87	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	18.00000000000	30.00000000000	35.00000000000	28.37318488370	-80.75677857700	Excellent	2.00000000000	Tree overhangs Road canopy over sidewalk and under powerline. See pictures	Tree is Undamaged	<Null>	No Maintenance Required	No	No	3af241bb-a909-44c2-a111-b11b111290f2	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	12.00000000000	30.00000000000	10.00000000000	28.37211149160	-80.75954697630	Excellent	2.00000000000	Cacti species growing on trunk.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	b77174d5-f1ef-4eb8-a545-7b6c14d923ff	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	24.00000000000	45.00000000000	35.00000000000	28.37310772870	-80.75699969190	Excellent	2.00000000000	Tree overhang Road and sidewalk and powerline nearby. See pictures	Tree is Undamaged	<Null>	Pruning	No	No	6fe0f484-ada2-4f21-94d2-96b2916d2d86	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	30.00000000000	24.00000000000	50.00000000000	50.00000000000	28.37312394770	-80.75749673880	Excellent	2.00000000000	Overhangs road also overhang sidewalk with a single branch that is a risk due to previous pruning under a powerline. See pictures	Tree is Undamaged	<Null>	Pruning	No	No	b7257bbf-0d53-4bbe-93be-d6c44bc2ef8b	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	14.00000000000	30.00000000000	35.00000000000	28.37318098470	-80.75822397170	Excellent	2.00000000000	Limbs hanging over the road and sidewalk, See picture.	Tree is Undamaged	<Null>	Pruning	No	No	bc442ecb-b6cf-4052-b8c1-50e5889c68f0	Oak (Sand Live)	No	Quercus geminata	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	12.00000000000	35.00000000000	25.00000000000	28.37314511150	-80.75813208750	Excellent	2.00000000000	Low hanging limbs over sidewalk, see picture.	Tree is Undamaged	<Null>	Pruning	No	No	a9f089fb-8f4a-4167-b891-62e7a8a5eb42	Oak (Sand Live)	No	Quercus geminata	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	10.00000000000	8.00000000000	20.00000000000	15.00000000000	28.37313270690	-80.75780301400	Excellent	2.00000000000	Tree slightly overhangs road. See	Tree is Undamaged	<Null>	No Maintenance Required	No	No	ac71f566-414e-44f0-b11a-9ec263425dd7	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	12.00000000000	40.00000000000	25.00000000000	28.37313935420	-80.75802175020	Excellent	2.00000000000	Low hanging limbs over sidewalk, see picture.	Tree is Undamaged	<Null>	Pruning	No	No	5dee9b26-43d3-4e97-b220-5e144fa6c224	Oak (Sand Live)	No	Quercus geminata	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	40.00000000000	36.00000000000	50.00000000000	70.00000000000	28.38450296800	-80.76686301320	Excellent	2.00000000000	Needs pruning, limbs overhanging The residence driveway and vehicle. Past damage, see picture.	Tree is Damaged	Older Damage, see picture.	Pruning	No	No	072a4338-4736-4609-a1ec-73061f39e5fe	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	50.00000000000	28.00000000000	45.00000000000	60.00000000000	28.38465199800	-80.76683032350	Excellent	2.00000000000	Tree has low hanging limbs overhanging residence driveway and yard, See picture. Codominant tree, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	3dcf6924-9ccf-439c-80b8-9ce6950f3ec6	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	59.00000000000	26.00000000000	55.00000000000	60.00000000000	28.38526526030	-80.76687030480	Excellent	2.00000000000	Low overhanging branches over sidewalk And residences yard, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	6a1b7f80-170b-4127-aeac-2102b7cbe23d	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	45.00000000000	34.00000000000	55.00000000000	50.00000000000	28.38568184060	-80.76687005330	Excellent	2.00000000000	Tree has low overhanging branches over residence driveway. See picture.	Tree is Damaged	Tree has discoloration to one section of the bar, see picture.	Pruning	No	No	c9f6a785-db21-4295-b431-3b76b31584ae	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	25.00000000000	22.00000000000	50.00000000000	55.00000000000	28.38568364880	-80.76696602120	Excellent	2.00000000000	Low hanging branches over. See picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	f90b3116-5e39-4001-839f-b21e8dc139e2	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	40.00000000000	24.00000000000	50.00000000000	65.00000000000	28.38546856300	-80.76701187570	Excellent	2.00000000000	Low hanging branches over residence yard, car, driveway. See picture.	Tree is Undamaged	<Null>	Pruning	No	No	eda808b6-c1f0-4142-b31a-60c988880b06	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	30.00000000000	24.00000000000	45.00000000000	40.00000000000	28.38513307740	-80.76695244770	Excellent	2.00000000000	Tree has low overhanging branches of residence driveway, vehicle, yard. See picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	62a9b88c-c17c-4cea-a510-54dcab63571c	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	40.00000000000	30.00000000000	30.00000000000	40.00000000000	28.38814553320	-80.75591096710	Excellent	2.00000000000	Slight overhang on the road major overhang on the sidewalk. See pictures	Tree is Undamaged	<Null>	No Maintenance Required	No	No	edb08cb7-a782-4037-9500-8574f2ed04ac	Red Cedar	No	Juniperus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	35.00000000000	24.00000000000	35.00000000000	45.00000000000	28.38812047150	-80.75620064500	Excellent	2.00000000000	The large spread is mostly in the lower limbs. They are natural form has created a slight lean to the tree. Mostly healthy tree. Slight soil cracking and heaving near room base. See pictures	Tree is Undamaged	<Null>	No Maintenance Required	No	No	2e72925c-2c80-4f1e-9669-9abed38f3409	Pine (Slash)	No	Pinus elliottii	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	30.00000000000	24.00000000000	50.00000000000	55.00000000000	28.38477956530	-80.76697288610	Excellent	2.00000000000	Overhanging branches in residence yard. See picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	9133b4dc-df5a-4fbd-bb99-0e1fb9bc14b7	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	35.00000000000	28.00000000000	35.00000000000	50.00000000000	28.38589872240	-80.76673946340	Excellent	2.00000000000	Low branches over residence yard, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	fad02ba5-8c9e-48d7-9f18-ff895fa28b27	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	35.00000000000	36.00000000000	50.00000000000	55.00000000000	28.38547598090	-80.76603965870	Excellent	2.00000000000	Large branches across road, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	387fb01c-d9ff-4041-bec4-8c60cb67f4cd	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	35.00000000000	28.00000000000	50.00000000000	45.00000000000	28.38542304900	-80.76602582830	Excellent	2.00000000000	Branches close to residence house, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	842862db-fb65-425b-9529-a9adad827bf7	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	40.00000000000	32.00000000000	50.00000000000	55.00000000000	28.38845700500	-80.76002170360	Excellent	2.00000000000	See pics. Sap oozing from trunk. Overall tree is in great shape. Slight soil heaving on sidewalk see picture	Tree is Undamaged	<Null>	No Maintenance Required	No	No	92d87f8d-c02f-4529-9223-5ad2d47e84e7	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	50.00000000000	34.00000000000	40.00000000000	65.00000000000	28.38849606500	-80.76019068300	Excellent	2.00000000000	Tree overhangs into road and overhang sidewalk. Sidewalk heaving slight and cracked. See pictures	Tree is Undamaged	<Null>	No Maintenance Required	No	No	7a9c83a9-e7cb-473a-86de-bb4ae19ab73c	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	35.00000000000	28.00000000000	55.00000000000	60.00000000000	28.38519350940	-80.76607944960	Excellent	2.00000000000	Codominant tree, see pictures. Overhanging branches in residency yard/covert truck, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	391b1d8b-aab1-4633-8534-10bdf927d6d0	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	45.00000000000	26.00000000000	40.00000000000	50.00000000000	28.38857745270	-80.76062159590	Excellent	2.00000000000	Call dominant fork without included bark. Very natural form. Tree overhanging the road and overhangs the sidewalk. Some pruning required on roadside roadside overhang. See pics	Tree is Undamaged	<Null>	Pruning	No	No	2bfab365-a799-4d60-8c48-425a4598da18	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	35.00000000000	26.00000000000	50.00000000000	60.00000000000	28.38491597910	-80.76601515090	Excellent	2.00000000000	Low overhanging branches over residence yard, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	47c188a6-1a79-4745-a8ac-95ef364c4edf	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	35.00000000000	26.00000000000	50.00000000000	50.00000000000	28.38480857690	-80.76603173200	Excellent	2.00000000000	Low hanging branches over residence yard, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	af018a3f-90ef-44d3-9600-1f68d03efa15	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	35.00000000000	28.00000000000	55.00000000000	45.00000000000	28.38447329080	-80.76610724800	Excellent	2.00000000000	Tree has large overhanging branches over Road, appears to be lifting up sidewalk, appears to be damaging road some. See pictures for all of the above.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	feaac080-f678-4970-ad46-a98780f4cb8a	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	35.00000000000	30.00000000000	55.00000000000	65.00000000000	28.38430755870	-80.76596132830	Excellent	2.00000000000	Tree has low overhanging branches over residence yard, see picture. Underground roots appear to be elevating sidewalk causing mild cracking, see pictures.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	af4f1eae-daaa-4255-9361-5dc8d0319112	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	30.00000000000	22.00000000000	50.00000000000	40.00000000000	28.38443397410	-80.76570409310	Excellent	2.00000000000	Limbs overhanging road, see picture.	Tree is Undamaged	<Null>	Pruning	No	No	5a09b9cd-7c4a-4c42-ab9b-49eeff2c9198	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	30.00000000000	16.00000000000	40.00000000000	45.00000000000	28.38459811820	-80.76523879090	Excellent	2.00000000000	Low hanging branches over residence yard, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	ad1623f5-2716-4b7b-bbeb-40216483971a	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	30.00000000000	22.00000000000	40.00000000000	45.00000000000	28.38489880880	-80.76522736970	Excellent	2.00000000000	Tree has sparse canopy, see pictures.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	542a1a1d-1335-4444-bb06-7276eebe8078	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	30.00000000000	24.00000000000	50.00000000000	65.00000000000	28.38526749450	-80.76523108070	Excellent	2.00000000000	Tree has small section of brown discoloration, see picture. Roots causing cracking and unevenness on sidewalk, see picture. Tree has low overhanging branches over sidewalk, see picture.	Tree is Damaged	Small section of discoloration	No Maintenance Required	No	No	b5ed822c-2f34-4f38-9734-dbee91a9b7a4	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	30.00000000000	22.00000000000	45.00000000000	50.00000000000	28.38543695450	-80.76524852680	Excellent	2.00000000000	Tree has low overhanging branches over sidewalk in residence home, see picture.	Tree is Undamaged	<Null>	Pruning	No	No	9cb13230-ba31-406d-a186-05103ab35edf	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	30.00000000000	22.00000000000	50.00000000000	55.00000000000	28.38557119180	-80.76536137410	Excellent	2.00000000000	Low overhanging branches in residence yard, see pictures.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	c23415f5-76b7-467a-be06-5c2e76534d1f	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	30.00000000000	26.00000000000	50.00000000000	55.00000000000	28.38564979120	-80.76533372850	Excellent	2.00000000000	Roots causing cracking in sidewalk, see picture. Overhanging low limbs in residence yard, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	198eb9de-d5b4-4e75-adf1-d223eb9e2132	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	35.00000000000	30.00000000000	55.00000000000	55.00000000000	28.38568061720	-80.76529797460	Excellent	2.00000000000	Low hanging limbs in residence yard, see picture. Route build up next to road, no cracking or unevenness see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	e6c01d28-ddd5-4a75-bf46-cd73d53b35f9	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	50.00000000000	46.00000000000	80.00000000000	75.00000000000	28.38841526280	-80.76151535850	Excellent	2.00000000000	Canopy overhangs road slightly. Overhang sidewalk a lot. Slight soil keeping on sidewalk. See pictures	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{4A248EA0-363E-46C7-9D54-9ABDEB9C0C99}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	45.00000000000	36.00000000000	60.00000000000	65.00000000000	28.38790958310	-80.76261749520	Excellent	2.00000000000	Canopy overhangs road and sidewalk. Slight soil heaving on the sidewalk. See pictures.	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{B3184F25-4D56-47C7-9FB1-69BD96E795F3}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	35.00000000000	24.00000000000	50.00000000000	45.00000000000	28.38777815430	-80.76278446240	Excellent	2.00000000000	Tree overhangs road and sidewalk. See pics	Tree Is Undamaged	<Null>	Pruning	No	No	{61BBBAE0-295F-462F-8050-27D32905D0B6}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	30.00000000000	22.00000000000	50.00000000000	40.00000000000	28.38548813500	-80.76395315080	Excellent	2.00000000000	Low hanging branches in adjacent residence yard, see picture. Mild cracking on sidewalk adjacent to tree, see picture.	Tree is Undamaged	<Null>	Pruning	No	No	{1C5F86B4-13DB-42FD-835B-AB58A4815112}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	30.00000000000	20.00000000000	50.00000000000	40.00000000000	28.38559202830	-80.76399765870	Excellent	2.00000000000	Branches overhanging road, see picture. Roots growing visibly next to roadside drain, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{861FCDF6-1F39-412C-A707-6A938E62C6F6}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	30.00000000000	28.00000000000	50.00000000000	50.00000000000	28.38571629020	-80.76402925880	Excellent	2.00000000000	Low hanging branches over residence yard, see picture. Branches Crossing Road, see picture.	Tree Is Undamaged	<Null>	Pruning	No	No	{8C5B9B3D-7C33-4C13-ADA6-3B7D7255F3BC}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	30.00000000000	22.00000000000	45.00000000000	40.00000000000	28.38575878660	-80.76411961580	Excellent	2.00000000000	Branches overhanging the residence vehicle, see picture.	Tree is Undamaged	<Null>	Pruning	No	No	{97C69337-9DD0-4B33-A8C0-96EA823F5AA9}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	25.00000000000	18.00000000000	40.00000000000	40.00000000000	28.38571159650	-80.76422254570	Excellent	2.00000000000	Overhanging limbs over residence driveway and vehicles, see picture. Codominant tree, see picture.	Tree is Undamaged	<Null>	Pruning	No	No	{7F191B10-E4D7-4618-85A3-3FFAD3DF6894}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	45.00000000000	36.00000000000	65.00000000000	65.00000000000	28.38715869010	-80.76437593480	Excellent	2.00000000000	Crown thinning and some lion tailing on scaffolding. See picture. Canopy overhang road and some curb heaving on side walk	Tree Is Undamaged	<Null>	Pruning	No	No	{4D639B36-8883-45BC-9C4C-316C3AB18227}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	30.00000000000	26.00000000000	50.00000000000	50.00000000000	28.38565422250	-80.76431441100	Excellent	2.00000000000	Low hanging branches over residents yard and vehicles, see picture. Roots causing unevenness in adjacent sidewalk, see picture.	Tree is Undamaged	<Null>	Pruning	No	No	{088B15C2-3E58-44C4-A0C2-8CC89A2F86D4}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	25.00000000000	16.00000000000	40.00000000000	35.00000000000	28.38562928590	-80.76434341310	Excellent	2.00000000000	Low hanging branches over sidewalk, see picture. Codominant tree, see picture.	Tree is Undamaged	<Null>	Pruning	No	No	{155F92A5-9B16-4F16-A73F-5310E590C661}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	30.00000000000	26.00000000000	35.00000000000	40.00000000000	28.38678670120	-80.76487096940	Excellent	2.00000000000	See pics. Co-dom w included bark. Tree overhangs road. Slate soil heaving on curb. And sidewalk. See pictures	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{E873516D-C57B-4426-A5CD-D002BAC5DBAD}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	30.00000000000	26.00000000000	45.00000000000	50.00000000000	28.38543316500	-80.76446609600	Excellent	2.00000000000	Low hanging branches over residence yard, see picture. Codominant tree, see picture.	Tree is Undamaged	<Null>	Pruning	No	No	{F0BA84B5-F6C4-43EA-BC83-94B9A3BD4F74}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	15.00000000000	8.00000000000	35.00000000000	25.00000000000	28.38539920300	-80.76449344880	Excellent	2.00000000000	Low hanging branches over sidewalk, see picture.	Tree is Undamaged	<Null>	Pruning	No	No	{EA6D2977-470F-4A90-923B-EBBD33158265}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	40.00000000000	26.00000000000	60.00000000000	45.00000000000	28.38667396480	-80.76560958310	Excellent	2.00000000000	Many large stems coming from a central point. Dominant fork. Curb hearing on road sidewalk having on sidewalk. Lots of exposed roots. Some carpenter ant damage associated with the base of the trunk. Indications of decay.	Tree Is Undamaged	<Null>	Pruning	No	No	{C48A4665-A01F-4935-8340-0266290B6167}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	40.00000000000	32.00000000000	55.00000000000	65.00000000000	28.38680400950	-80.76540263370	Excellent	2.00000000000	Slight overhang on the road major overhang on the sidewalk. Sidewalk heaving due to roots pushing. Minor deadwood in upper canopy.	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{8358C0E5-7B07-4580-A4B3-B09B71C03028}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	20.00000000000	14.00000000000	25.00000000000	25.00000000000	28.38684671580	-80.76518344660	Excellent	2.00000000000	This tree is reduced in size due to overstory canopy surrounding it. Slight deadwood and canopy. See picture	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{696E88AA-2B34-458E-85BB-9FF9523D348A}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	25.00000000000	14.00000000000	30.00000000000	25.00000000000	28.38684931430	-80.76518462070	Excellent	2.00000000000	This tree has a reduce canopy and reduce height due to overstory trees around it. Some pruning in this area should be done. See pictures	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{E0B3AE9C-059D-4EFC-963A-AC3964A3AEA1}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	20.00000000000	18.00000000000	35.00000000000	25.00000000000	28.38507473970	-80.76444575550	Excellent	2.00000000000	A few low hanging branches over sidewalk, see picture.	Tree is Undamaged	<Null>	Pruning	No	No	{6CFB8E00-BFDC-486B-AA09-FE2827CA3E6A}	Maple (Red)	No	Acer rubrum	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	60.00000000000	36.00000000000	70.00000000000	80.00000000000	28.38730042830	-80.76444776770	Excellent	2.00000000000	Canopy overhangs road overhang for sidewalk. Sidewalk cracking due to roots. See pictures	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{6671B24F-38C1-49EA-879E-6678835A3055}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	30.00000000000	24.00000000000	50.00000000000	60.00000000000	28.38479545460	-80.76446662690	Excellent	2.00000000000	Two trees in Woodland. Both trees causing unevenness in adjacent sidewalk. North most tree (first in picture) has low overhanging branches over adjacent driveway, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{36276D2B-FB25-4264-86D5-39BF367D38E1}	Oak (Live)	No	Quercus virginiana	2.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	30.00000000000	20.00000000000	55.00000000000	60.00000000000	28.38472592660	-80.76446813520	Excellent	2.00000000000	overhanging branches oper road, see picture. Roots causing cracking and unevenness in adjacent sidewalk.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{0191DA66-A355-4A6D-9152-05482C220AF6}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	50.00000000000	36.00000000000	45.00000000000	65.00000000000	28.38752191970	-80.76391660640	Excellent	2.00000000000	Sidewalk heaving. Canopy over road. Some pruning has been previously done. Canopy encroaching private residence residence	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{143E341F-811C-4540-B89D-1040DF595380}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	30.00000000000	22.00000000000	45.00000000000	40.00000000000	28.38437464100	-80.76458129150	Excellent	2.00000000000	Mildly low branches overhanging sidewalk, see pictures.	Tree is Undamaged	<Null>	Pruning	No	No	{FCDBA8D9-5C4A-4890-9868-8646AF528FD2}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	30.00000000000	28.00000000000	55.00000000000	50.00000000000	28.38466788180	-80.76456586830	Excellent	2.00000000000	Low hanging branches over residence yard, see picture.	Tree is Undamaged	<Null>	Pruning	No	No	{34470766-78D1-4F56-AFEE-0DBE42810227}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	35.00000000000	26.00000000000	45.00000000000	50.00000000000	28.38485986920	-80.76458833160	Excellent	2.00000000000	Well hanging branches over residence yard. While cracking in sidewalk, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{7D4C681B-1FDC-4576-95C0-D1B79FA293B4}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	20.00000000000	14.00000000000	35.00000000000	30.00000000000	28.38547719640	-80.76458581720	Excellent	2.00000000000	Tree is slightly leaning, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{38B35A88-8B46-464E-9C0D-B1621CEC9EDB}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	30.00000000000	26.00000000000	50.00000000000	45.00000000000	28.38570304700	-80.76443896600	Excellent	2.00000000000	Overhanging branches over residence yard, see picture.	Tree is Undamaged	<Null>	Pruning	No	No	{1D57BED0-B24A-4AAB-A822-6459C80966D5}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	25.00000000000	18.00000000000	40.00000000000	35.00000000000	28.38613186500	-80.76433880300	Excellent	2.00000000000	Overhanging branches in residence yard, see pictures.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{D1BD1F34-E55C-4CF6-ACED-068742267769}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	30.00000000000	22.00000000000	35.00000000000	40.00000000000	28.38677060830	-80.76467407850	Excellent	2.00000000000	Branches overhanging road, see picture. Codominate tree, see pictures.	Tree is Undamaged	<Null>	Pruning	No	No	{B5493B63-6163-4B82-8415-841C05835C7D}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	35.00000000000	28.00000000000	55.00000000000	50.00000000000	28.38620311100	-80.76426328160	Excellent	2.00000000000	Low overhanging limb over residence yard, see pictures. Roots growing along side road side drain, see pictures. Roots causing minor cracking in adjacent sidewalk, see pictures.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{5DBA02D4-59A6-4E89-916B-EA2C578D517B}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	35.00000000000	24.00000000000	45.00000000000	35.00000000000	28.38795647980	-80.76298965110	Excellent	2.00000000000	Canopy overhangs the road. Slight codominance. Previous pruning not showing much wound wood. See pictures.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{83826AFE-418A-40D7-B74F-0C8CC9F764AA}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	15.00000000000	12.00000000000	15.00000000000	15.00000000000	28.38605513030	-80.76416107400	Excellent	2.00000000000	Low hanging branches over driveway and road, see pictures.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{18A13B37-3B14-482A-8A09-0C1498738C65}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	20.00000000000	12.00000000000	25.00000000000	15.00000000000	28.38598685820	-80.76411492210	Excellent	2.00000000000	Low overhanging lambs, see pictures.	Tree is Undamaged	<Null>	Pruning	No	No	{86FD5F27-589D-401B-AB14-47BB6EDC544C}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	35.00000000000	26.00000000000	50.00000000000	65.00000000000	28.38862862460	-80.76139206110	Excellent	2.00000000000	See pics Minor deadwood and canopy.	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{3BE1DA5F-0A82-4E4D-935D-A229E9B0F402}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	35.00000000000	24.00000000000	50.00000000000	60.00000000000	28.38845109600	-80.76380621610	Excellent	2.00000000000	Low hanging branches over residence yard, see pictures.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{1FB570BC-3A03-4955-88CC-8BEF20BB693B}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	30.00000000000	22.00000000000	55.00000000000	45.00000000000	28.38888695470	-80.76332299970	Excellent	2.00000000000	Low hanging limbs over sidewalk, see pictures.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{23DB605B-D051-4BFC-8D86-FBCB806516C7}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	20.00000000000	14.00000000000	25.00000000000	30.00000000000	28.38853198120	-80.75873751160	Excellent	2.00000000000	Prune to branch color	Tree Is Undamaged	<Null>	Pruning	No	No	{58450B5D-6288-459B-8852-0E127F690DEB}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	25.00000000000	18.00000000000	40.00000000000	45.00000000000	28.38903456000	-80.76367788990	Excellent	2.00000000000	Low hanging limbs over Road and residents yard, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{58BE0F49-0C44-462A-AA2F-7241159CDE0C}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	30.00000000000	22.00000000000	40.00000000000	50.00000000000	28.38903602680	-80.76375508670	Excellent	2.00000000000	Overhanging limbs on residents yard, see picture. Low overhanging limbs over road, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{6C1CB2F2-467C-41AC-8D79-F887DAE80D04}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	25.00000000000	18.00000000000	35.00000000000	40.00000000000	28.38904415720	-80.76387117590	Excellent	2.00000000000	Low hanging limbs over residence yard, See picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{4775FD75-DDFE-4B3C-9C2E-C9B221588D6F}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	35.00000000000	32.00000000000	50.00000000000	60.00000000000	28.38867791000	-80.75866886420	Excellent	2.00000000000	See pic. Co-dom Deadwood in canopy from previous pruning	Tree Is Undamaged	<Null>	Pruning	No	No	{89CF355C-BE9F-47CA-B383-ED771EB9DFE9}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	30.00000000000	24.00000000000	40.00000000000	45.00000000000	28.38902772880	-80.76394569120	Excellent	2.00000000000	Over hanging limbs over sidewalk, road, And parked vehicle. See picture. Codominate tree, see pictures.	Tree is Undamaged	<Null>	Pruning	No	No	{BC098938-F27B-48C6-B20C-B6ABEF19B7D6}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	35.00000000000	28.00000000000	45.00000000000	50.00000000000	28.38909999310	-80.76425185410	Excellent	2.00000000000	Limbs hanging over residence driveway.	Tree is Undamaged	<Null>	Pruning	No	No	{76B75690-5152-4886-B64B-FE58764EE820}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	30.00000000000	20.00000000000	45.00000000000	40.00000000000	28.38912758580	-80.76391742570	Excellent	2.00000000000	Overhanging lambs in residence yard, see picture.	Tree is Undamaged	<Null>	Pruning	No	No	{BD720CAC-4FB9-4FA4-90DC-EB14666BCD27}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	25.00000000000	18.00000000000	40.00000000000	35.00000000000	28.38914503370	-80.76380607590	Excellent	2.00000000000	Low hanging limbs over residence yard and sidewalk, see pictures.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{BEA248C9-516F-4902-B20D-FE95F22C202C}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	30.00000000000	22.00000000000	45.00000000000	35.00000000000	28.38911464180	-80.76336645480	Excellent	2.00000000000	Overhanging branches over sidewalk and residence Driveway, see pictures.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{879A7D46-D398-413A-B77A-965278F15216}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	30.00000000000	24.00000000000	55.00000000000	60.00000000000	28.38899828120	-80.76325082280	Excellent	2.00000000000	Branches overhanging road, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{79F5FC76-E65C-4F0F-8B11-04402CBF12FF}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	30.00000000000	22.00000000000	45.00000000000	40.00000000000	28.38882935000	-80.76319601030	Excellent	2.00000000000	Overhanging branches in residence yard, see pictures. Mild soil up heaving under road side drain, see pictures.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{AFFBAE8F-9A52-461E-A437-89F6A89BA4B3}	Oak (Live)	No	Quercus virginiana	1.00000000000

2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	30.00000000000	24.00000000000	60.00000000000	50.00000000000	28.38827700100	-80.76315812020	Excellent	2.00000000000	Soil upheaving under roadside drain, see pictures. Overhanging limbs over sidewalk and residents yard, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{9FC3E6DF-464A-4F9D-9CC5-B81FA01DBCD5}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	30.00000000000	28.00000000000	45.00000000000	55.00000000000	28.38799378000	-80.76315156070	Excellent	2.00000000000	Overhanging limbs in residence yard and over sidewalk, see pictures. Soil upheaving under sidewalk causing cracking. Soil upheaving under roadside drain. See pictures.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{AF52B484-82EA-43E4-B5AD-85BA9265E6E2}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	30.00000000000	22.00000000000	55.00000000000	45.00000000000	28.38833391450	-80.76331794490	Excellent	2.00000000000	Soil upheaving under sidewalk, see pictures. Low hanging limbs over residents yard, see pictures.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{87BD4BA9-5D55-45D7-87FB-30BB8C0B5170}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	30.00000000000	22.00000000000	40.00000000000	45.00000000000	28.38804598260	-80.76448879910	Excellent	2.00000000000	Soil upheaving under sidewalk causing cracking. Soil upheaving under road side drain. Overhanging limbs in residence yard. See pictures. Codominant tree, see pictures.	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{0095578B-0D61-4261-A04E-03C094B5070A}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	30.00000000000	26.00000000000	50.00000000000	45.00000000000	28.38802413500	-80.76465271380	Excellent	2.00000000000	Limbs overhanging sidewalk, see picture. Soil upheaving under roadside drain, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{4E9DD92B-35EC-4963-953F-013B54F05377}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	10.00000000000	6.00000000000	20.00000000000	20.00000000000	28.39641541280	-80.76282679100	Excellent	2.00000000000	Low branches, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{3C0E3DAC-B431-4953-8073-623A37C3FFCD}	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/23/2020	acarroll_sfc	9/23/2020	35.00000000000	26.00000000000	55.00000000000	60.00000000000	28.38930470780	-80.75867119080	Excellent	2.00000000000	Some deadwood in the canopy due to previous pruning but not pruning back to branch collars.	Tree Is Undamaged	<Null>	Pruning	No	No	{1B44117D-7374-4DC5-8729-3E6C443A73EE}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	14.00000000000	35.00000000000	35.00000000000	28.39519525900	-80.76244667160	Excellent	2.00000000000	Soil upheaving on adjacent sidewalk, see picture. Low hanging branches over residence yard, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{83CCF874-C2BA-4D1F-9B9C-4E1183FB05C7}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	25.00000000000	18.00000000000	40.00000000000	45.00000000000	28.39512388710	-80.76233326470	Excellent	2.00000000000	Soil up heaving on adjacent sidewalk and roadside drain. Low overhanging branches over residence yard. See pictures.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{414B0393-59A9-4091-AFCE-C56FDD4C9608}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	40.00000000000	26.00000000000	40.00000000000	40.00000000000	28.38959183090	-80.75872502320	Excellent	2.00000000000	This tree has been pruned back away from the road. The branches need to be pruned back to the branch collar. Otherwise deadwood is going to form in the canopy and fall and create a risk.	Tree Is Undamaged	<Null>	Pruning	No	No	{8F05EA15-1FC8-44E4-837D-D2447E1DCF03}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	8.00000000000	15.00000000000	10.00000000000	28.39603122830	-80.75977158750	Excellent	2.00000000000	Low hanging branches over sidewalk, see picture.	Tree is Undamaged	<Null>	Pruning	No	No	{00B1F124-451C-4E6E-9475-9EBC3689349B}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	18.00000000000	40.00000000000	35.00000000000	28.39546917950	-80.76064632290	Excellent	2.00000000000	Low hanging limbs over Road and residence house, see picture.	Tree is Undamaged	<Null>	Pruning	No	No	{B3AA32F3-1A11-4473-9265-BC8D9EDDE4EE}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	25.00000000000	24.00000000000	40.00000000000	50.00000000000	28.39522044620	-80.76000762160	Excellent	2.00000000000	Low hanging branches over residence yard and road, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{A91DB936-2C8D-4F6B-B5C8-BC72F27B2AC0}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	25.00000000000	16.00000000000	40.00000000000	45.00000000000	28.39503088940	-80.75992858070	Excellent	2.00000000000	Low hanging branches over residence yard and road	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{38E5CE27-8A39-4B56-A59A-CA5B96970DD0}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	10.00000000000	8.00000000000	10.00000000000	10.00000000000	28.39501400040	-80.75989237050	Excellent	2.00000000000	Needs pruning, see picture.	Tree is Undamaged	<Null>	Pruning	No	No	{29284000-3E74-4B86-9B0B-ECA97F44D7E1}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	30.00000000000	26.00000000000	50.00000000000	45.00000000000	28.39427014830	-80.76003586910	Excellent	2.00000000000	Low hanging limbs over road. Soil up heaving on adjacent sidewalk and roadside drain. See picture. Limbs also growing around street post, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{AD51D712-CB85-4542-9518-5FB4054796EB}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	30.00000000000	22.00000000000	50.00000000000	45.00000000000	28.39427308170	-80.76007492880	Excellent	2.00000000000	Low hanging branches over sidewalk and road, see pictures.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{5D88E8B0-1E31-4049-9324-5E9E2653CF7B}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	30.00000000000	24.00000000000	50.00000000000	45.00000000000	28.39414169560	-80.76022303670	Excellent	2.00000000000	Low hanging branches over residence yard and sidewalk. Soil upheaving on roadside drain and sidewalk. See picture for both.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{E7825306-4837-49A3-B46C-45947694FADB}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	30.00000000000	22.00000000000	40.00000000000	45.00000000000	28.39425585670	-80.76034541240	Excellent	2.00000000000	Branch in photos overhanging road sign.	Tree is Undamaged	<Null>	Pruning	No	No	{A01C932A-E03A-4DE8-BC3B-7E60ABA91CC7}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	40.00000000000	20.00000000000	35.00000000000	45.00000000000	28.37387215790	-80.74500099800	Excellent	2.00000000000	Overhang, tree in good health	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{7884802F-60CA-4CBB-8DB0-C59032F13D31}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	25.00000000000	18.00000000000	40.00000000000	35.00000000000	28.39431893090	-80.76037240230	Excellent	2.00000000000	Low hanging branches over road, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{391D1F7B-872D-4891-94A9-2E4B3D20497E}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	30.00000000000	22.00000000000	40.00000000000	35.00000000000	28.37383490090	-80.74464392850	Excellent	2.00000000000	Overhang,	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	{8F949BB0-29D8-4C64-84FA-AB983E000726}	Oak (Live)	No	Quercus virginiana	2.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	35.00000000000	32.00000000000	30.00000000000	40.00000000000	28.37379374580	-80.74455784650	Excellent	2.00000000000	Overhang	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{0CFEA4F2-A4D0-44CD-8C15-23B86C991ECA}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	16.00000000000	35.00000000000	40.00000000000	28.39488152390	-80.76114244810	Excellent	2.00000000000	Low hanging branches over sidewalk, Road, residence Yard. See pictures.	Tree is Undamaged	<Null>	Pruning	No	No	{18A73D7E-2933-48F3-87F6-A0CF1BC5902B}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	14.00000000000	40.00000000000	30.00000000000	28.37447024920	-80.74511666780	Excellent	2.00000000000	Overhang road see photo some dead branches to be pruned out	Tree Is Undamaged	<Null>	Pruning	No	No	{932EB994-64D5-4BDB-971F-735EE1A85401}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	30.00000000000	26.00000000000	50.00000000000	60.00000000000	28.39437500580	-80.76049871710	Excellent	2.00000000000	Soil up heaving on adjacent sidewalk. Low hanging branches over residence yard and sidewalk. See pictures.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{D8408B47-3E43-484F-AF4E-CC4D4B2D0BC2}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	35.00000000000	26.00000000000	40.00000000000	40.00000000000	28.37543969940	-80.74594044180	Excellent	2.00000000000	Overhang	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{96707FF1-3D91-42B1-B4C3-1A5218A1A774}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	18.00000000000	30.00000000000	35.00000000000	28.37541396760	-80.74593071840	Excellent	2.00000000000	Overhang	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{568E2C8D-86ED-4B0C-ACE9-6A22701CAD82}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	18.00000000000	30.00000000000	35.00000000000	28.37543835890	-80.74596625750	Excellent	2.00000000000	Overhang few dead branches over road	Tree Is Undamaged	<Null>	Pruning	No	No	{92182C77-6983-4074-9E3F-ADF6D8BFB8F0}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	25.00000000000	18.00000000000	30.00000000000	35.00000000000	28.37575733160	-80.74591856420	Excellent	2.00000000000	Overhang	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{67F0ADD7-AE60-4BE8-8BDD-C39BD14FB621}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	30.00000000000	22.00000000000	40.00000000000	45.00000000000	28.39396123340	-80.76032127290	Excellent	2.00000000000	Soil up heaving on adjacent sidewalk. Low overhanging branches over residence yard and sidewalk. Possible codominant tree. See pictures.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{C75528DF-F3E4-4BE7-8A90-58D0791DD306}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	30.00000000000	18.00000000000	40.00000000000	40.00000000000	28.37592643700	-80.74583675730	Excellent	2.00000000000	Overhang road	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{0D302862-E3BD-4466-84A3-27890522B223}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	30.00000000000	22.00000000000	40.00000000000	45.00000000000	28.39383076910	-80.76032479340	Excellent	2.00000000000	Lowhanging limbs of residence yard, see picture.	Tree is Undamaged	<Null>	Pruning	No	No	{88048243-CCA1-4F84-A49A-4AA4AA9D416A}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	35.00000000000	32.00000000000	40.00000000000	30.00000000000	28.37602308000	-80.74570214390	Excellent	2.00000000000	Overhang road	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{D0DAF2A3-9223-40C6-A18F-36E6DED02A3E}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	16.00000000000	35.00000000000	30.00000000000	28.37606888730	-80.74561145170	Excellent	2.00000000000	Overhang road	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{997B59E4-DA53-47F6-A00B-0C9EE8BDA956}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	35.00000000000	32.00000000000	45.00000000000	50.00000000000	28.39374577630	-80.76042613050	Excellent	2.00000000000	Low branches over Road, see picture. Possible codominant tree, see picture.	Tree is Undamaged	<Null>	Pruning	No	No	{0844E836-D52F-49DE-9084-08AD2E15FE92}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	10.00000000000	10.00000000000	25.00000000000	30.00000000000	28.37651807360	-80.74499211280	Excellent	2.00000000000	Overhang road	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{BDD9F2CA-6AE2-4F23-8D07-A9B94DBAD9A8}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	25.00000000000	20.00000000000	30.00000000000	40.00000000000	28.37644410300	-80.74457695730	Excellent	2.00000000000	Overhang road needs pruned	Tree Is Undamaged	<Null>	Pruning	No	No	{2F73B7A4-470D-48A2-ACBF-84C5BAE5519C}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	40.00000000000	20.00000000000	40.00000000000	35.00000000000	28.37624918240	-80.74449850290	Excellent	2.00000000000	Overhang road	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{B8A501D1-4A97-4258-AB81-1C61A94618F4}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	16.00000000000	30.00000000000	20.00000000000	28.37642088570	-80.74452205580	Excellent	2.00000000000	Overhang road	Tree Is Undamaged	<Null>	No Maintenance Required	Yes	No	{B41E2423-2105-48A2-8104-EB199099A731}	Camphor Tree	No	Cinnamomum camphora	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	30.00000000000	28.00000000000	40.00000000000	40.00000000000	28.37658202770	-80.74416657900	Excellent	2.00000000000	Overhang road	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{2EC61D33-C82C-43C4-B889-35BADF05709B}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	30.00000000000	24.00000000000	40.00000000000	35.00000000000	28.37661702160	-80.74408913070	Excellent	2.00000000000	Overhang road	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{8A4677F2-67DC-4B91-A4CC-18A96493ABD0}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	14.00000000000	30.00000000000	30.00000000000	28.37660801140	-80.74395543900	Excellent	2.00000000000	Overhang road	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{D9102CD2-BF8A-4562-A89D-CB0F0DA425D9}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	25.00000000000	22.00000000000	45.00000000000	45.00000000000	28.39352374000	-80.75904797750	Excellent	2.00000000000	Low hanging limb over residence yard and road. Branches over street light post. Codominant tree. See pictures.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{D7A9BC96-3B57-432F-BEA2-35AA1C0F83FD}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	35.00000000000	36.00000000000	45.00000000000	35.00000000000	28.37667712020	-80.74445952680	Excellent	2.00000000000	Overhang road in path	Tree Is Undamaged	<Null>	Pruning	No	No	{09A10D98-3E6B-479B-A30C-627D9EE64557}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	30.00000000000	36.00000000000	40.00000000000	45.00000000000	28.37729138810	-80.74474199660	Excellent	2.00000000000	Overhang road	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{903AFBC9-947C-457C-9042-0A70E7E18047}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	30.00000000000	22.00000000000	40.00000000000	40.00000000000	28.37748622550	-80.74482522910	Excellent	2.00000000000	Overhang road in path	Tree Is Undamaged	<Null>	Pruning	No	No	{EECA3924-AC3E-4D27-924D-DA86854126C5}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	30.00000000000	16.00000000000	25.00000000000	35.00000000000	28.37754623980	-80.74478977350	Excellent	2.00000000000	Overhang sidewalk in path	Tree Is Undamaged	<Null>	Pruning	No	No	{10C17B52-0189-4BE2-9E20-B9106DAADFBA}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	10.00000000000	30.00000000000	30.00000000000	28.39343413750	-80.76077817040	Excellent	2.00000000000	Low branches on sidewalk, see pictures.	Tree is Damaged	Past damage, appears to be healing.	Pruning	No	No	{8E95FAF8-EADB-44AE-8237-31559507544E}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	30.00000000000	26.00000000000	50.00000000000	45.00000000000	28.39408637520	-80.76183705600	Excellent	2.00000000000	Soil upheaving on adjacent sidewalk. Low hanging branches of residence yard and driveway. See pictures.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{51B4BB00-B89E-4E95-9B19-531E89E22578}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	25.00000000000	16.00000000000	40.00000000000	45.00000000000	28.39344394370	-80.76224770370	Excellent	2.00000000000	Two trees in the woodland. Both trees have overhanging branches in residence yard, see picture. West tree has limbs overhanging parked vehicle. West tree also codominant tree, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{0B62CCE4-1955-4918-92D1-13BC7BCC5A07}	Oak (Live)	No	Quercus virginiana	2.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	25.00000000000	22.00000000000	35.00000000000	45.00000000000	28.39447852210	-80.76294204220	Excellent	2.00000000000	Overall hanging limbs on sidewalk. Upheaving soil under sidewalk. See pictures.	Tree is Undamaged	<Null>	Pruning	No	No	{1C97CBCE-1DE8-4943-A2EC-AAA4F6D32B56}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	22.00000000000	35.00000000000	40.00000000000	28.37684337480	-80.74663773200	Excellent	2.00000000000	Needs pruned in sidewalk path, overhang road 3 trees	Tree Is Undamaged	<Null>	Pruning	No	Yes	{07F5F1B1-E4AA-458A-90EE-95DFFF649BF1}	Oak (Live)	No	Quercus virginiana	3.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	25.00000000000	18.00000000000	40.00000000000	40.00000000000	28.39454767310	-80.76279670010	Excellent	2.00000000000	Low hanging branches over sidewalk and Residents yard.	Tree is Undamaged	<Null>	Pruning	No	No	{E17A5E2D-8A17-4BAE-81ED-B1847411ADA0}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	20.00000000000	35.00000000000	40.00000000000	28.37659380430	-80.74615703010	Excellent	2.00000000000	Overhang road	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	{BF6F6721-CC46-46BD-B2FD-A137B0CB40C4}	Oak (Live)	No	Quercus virginiana	2.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	25.00000000000	16.00000000000	45.00000000000	40.00000000000	28.39461510530	-80.76290340200	Excellent	2.00000000000	Upheaving soil under sidewalk. Low hanging branches over residence driveway and yard. See pictures.	Tree is Undamaged	<Null>	Pruning	No	No	{54823691-1645-4BF5-8B80-112655CCD6F6}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	14.00000000000	30.00000000000	35.00000000000	28.39471485030	-80.76291496870	Excellent	2.00000000000	Low hanging branches in residence yard.	Tree is Undamaged	<Null>	Pruning	No	No	{4E212BE6-5AD9-4A51-819A-D4FBAEB9D6E2}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	25.00000000000	18.00000000000	35.00000000000	35.00000000000	28.39471640080	-80.76283684940	Excellent	2.00000000000	Low hanging branches over residence driveway and sidewalk. See pictures.	Tree is Undamaged	<Null>	Pruning	No	No	{90EDD52A-CDDE-4ADC-BA4E-ABAFE7CE8E51}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Building	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	20.00000000000	8.00000000000	25.00000000000	15.00000000000	28.36061474000	-80.73457219720	Very Poor	7.00000000000	Completely dead	Tree is Damaged	Tree is Dead	Removal	No	No	380d956b-567b-48f5-9a70-79ea56e063ca	Holly (East Palatka)	No	Ilex x attenuata	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	20.00000000000	8.00000000000	15.00000000000	0.00000000000	28.39002635800	-80.74369412080	Very Poor	7.00000000000	Dead palm, needs removal	Tree is Damaged	Tree Is Dead	Removal	No	No	9d1bf111-5d79-49ce-8d7e-23a1a8281ce8	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	20.00000000000	6.00000000000	35.00000000000	0.00000000000	28.39044569030	-80.74287065860	Very Poor	7.00000000000	Dead, needs removal	Tree is Damaged	Tree Is Dead	Removal	No	No	63320dae-df76-49d6-94c0-317aa338cb65	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	16.00000000000	15.00000000000	10.00000000000	28.38811917220	-80.75545490770	Very Poor	7.00000000000	See pics, Tree Is Dead	Tree Is Damaged	Stump/Trunk	Removal	No	No	bde7f7c8-b406-4740-98ea-e4afe5a316a0	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	8.00000000000	15.00000000000	5.00000000000	28.38811179650	-80.75583988790	Very Poor	7.00000000000	Trunk Damage, Signs of Decay	Tree is Damaged	Trunk has decay, only 20% of canopy alive	Removal	No	No	1ec8cd33-6e1b-49b4-8b5c-08e338f08f04	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	4.00000000000	20.00000000000	15.00000000000	28.38111007130	-80.75043034640	Very Poor	7.00000000000	Dead, Neds Removal	Tree is Damaged	Dead, Needs Removal	Removal	No	No	{B33DF877-BE37-4AE2-A174-B6C36DBF6CD5}	Red Cedar	No	Juniperus virginiana	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	10.00000000000	6.00000000000	5.00000000000	5.00000000000	28.39251547890	-80.78256999220	Very Poor	7.00000000000	Poor condition, consider replacement	Tree Is Damaged	Previously taken to just stump, resprouting	No Maintenance Required	No	No	{0A2DB9BD-0037-4CD7-8F52-2BC20845E1EF}	Golden Raintree	No	Koelreuteria paniculata	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	5.00000000000	8.00000000000	10.00000000000	10.00000000000	28.35366975970	-80.73520389430	Very Poor	6.00000000000	Dead cabbage palm	Tree is Damaged	Dead, brown fronds and trunk	Removal	No	No	4ef806b9-e874-40b8-b918-a37f76dfb7a9	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	20.00000000000	10.00000000000	30.00000000000	15.00000000000	28.37441256170	-80.73508941830	Very Poor	6.00000000000	Poor Shape, Nearly Dead; Leaning into Roadway	Tree is Damaged	Rot and decay	Removal	No	No	64cce7b8-a526-414e-85b7-90ea8d68558e	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	40.00000000000	22.00000000000	45.00000000000	30.00000000000	28.39349752110	-80.74494572830	Very Poor	6.00000000000	In yard but mostly dead, overhanging road	Tree is Damaged	Tree is Dead	Removal	No	No	3c6fff81-c9e5-4fc0-a24c-a31250ed8b13	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	12.00000000000	10.00000000000	15.00000000000	28.39630519010	-80.75949179910	Very Poor	6.00000000000	Tree is Dead, Top Snapped Off, Just Trunk	Tree is Damaged	Stump/Trunk	Remove Trunk	No	No	{92A6AB4D-4442-48D9-9A42-83918A223759}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	12.00000000000	20.00000000000	10.00000000000	28.39546529150	-80.77771919830	Very Poor	6.00000000000	Two dead trees in Woodland.	Tree is Damaged	Stump/Trunk	Remove Trunks	No	Yes	{71FB3AC6-090C-432D-82B1-989025C76E55}	Palm (Queen)	No	Syagrus romanzoffiana	2.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	15.00000000000	20.00000000000	30.00000000000	10.00000000000	28.39654017710	-80.77215492750	Very Poor	5.00000000000	Dead Tree, Needs Removal	Tree Is Damaged	Stump/Trunk	Removal	No	No	{90F49D7A-131D-4681-A0D4-30C3A6650F80}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	14.00000000000	10.00000000000	0.00000000000	28.35970917560	-80.73356772260	Very Poor	5.00000000000	Dead Tree With Debris on Ground, Needs Removal	Tree is Damaged	Tree is Dead	Removal	Yes	No	{5D5B6D97-BA02-4D4D-BB9A-204665A5946F}	Pine (Australian)	No	Casuarina equisetifolia	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	25.00000000000	12.00000000000	0.00000000000	0.00000000000	28.35465994530	-80.73038683670	Very Poor	4.00000000000	See pic; dead stump, needs removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	37cea1c0-ea25-4473-a27f-ef602c1ea2ef	Red Cedar	No	Juniperus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	16.00000000000	10.00000000000	0.00000000000	28.39199010250	-80.75872301100	Very Poor	4.00000000000	Stump That Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{BAAB84BD-2DA2-46C1-A220-4AF39FF0EE37}	N/A (Stump)	No	N/A (Stump)	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	12.00000000000	40.00000000000	5.00000000000	28.40082534120	-80.76887391530	Very Poor	4.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{B3016B6E-7653-4251-9F36-3F5C670A749D}	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	14.00000000000	35.00000000000	15.00000000000	28.40072983500	-80.76886922250	Very Poor	4.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{3753AAE0-AF6F-44AD-9FDC-63D37B8CE09D}	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	14.00000000000	20.00000000000	10.00000000000	28.39545492520	-80.77698497380	Very Poor	4.00000000000	Dead Trunk, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{A2B29C06-54B6-4511-A0AE-4AE144866251}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	15.00000000000	12.00000000000	15.00000000000	0.00000000000	28.36028379310	-80.74511496280	Very Poor	3.00000000000	Dead palm trunk. Directly under power lines, needs removal	Tree Is Damaged	Stump	Remove Stump	No	No	102a501f-485a-4869-935d-7599fd845db5	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	10.00000000000	8.00000000000	20.00000000000	20.00000000000	28.38850520070	-80.78777619640	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{950C8A8C-E95D-4C3D-9BB1-88CB78773C06}	Pine (Slash)	No	Pinus elliottii	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	8.00000000000	30.00000000000	20.00000000000	28.38802106560	-80.78773675040	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{E7B29CFB-B138-494D-BC3A-6544126508D3}	Pine (Slash)	No	Pinus elliottii	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	20.00000000000	15.00000000000	28.38729850230	-80.78772135240	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{A6F520AA-BE5B-4F33-AA30-C028F250066C}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	acarroll_sfc	9/29/2020	acarroll_sfc	9/29/2020	15.00000000000	8.00000000000	15.00000000000	10.00000000000	28.35750346390	-80.73363002340	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{5BEBB25C-5D3A-4F51-B4AC-916BA29AFBEB}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Median	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.38273778120	-80.77264493330	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree is Dead	Removal	No	No	{7356D8DC-9EEF-4BCD-9C37-AF34A528B318}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	8.00000000000	15.00000000000	0.00000000000	28.36806211650	-80.75455653490	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree Is Dead	Removal	No	No	{B0AA3A91-74ED-4EC5-B6B9-9C55DC00EFD4}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	30.00000000000	28.00000000000	10.00000000000	0.00000000000	28.36940032900	-80.75550067230	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{980EB6CB-8C9C-46A5-BE14-C58E1DC6B7E2}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	15.00000000000	12.00000000000	5.00000000000	5.00000000000	28.40107568520	-80.74431573080	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{29508705-86F4-4831-AB68-2CB1FC0730A6}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	20.00000000000	14.00000000000	15.00000000000	10.00000000000	28.40210622400	-80.74257587820	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{F12D774F-FACC-4548-883C-2B4B33DED582}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	12.00000000000	5.00000000000	0.00000000000	28.39095154290	-80.78079465800	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{A8EBBB7F-C43F-42C4-B97E-D8C7EF0A23AA}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	30.00000000000	18.00000000000	35.00000000000	15.00000000000	28.35545871610	-80.73228686420	Very Poor	2.00000000000	Bizmark stump	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	f5b6bc90-b19d-47b1-9d94-803c94c27919	Palm (Bismarck)	No	Bismarckia nobilis	1.00000000000
City Park	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	20.00000000000	10.00000000000	0.00000000000	0.00000000000	28.35888270100	-80.73130859620	Very Poor	2.00000000000	3 stumps and 1 BP. To be removed	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	b11484c9-65d7-4d53-9461-416912340a10	Hickory (Pignut)	No	Carya glabra	1.00000000000
2-4 Ft ROW	shendley_sfc	9/13/2020	shendley_sfc	9/13/2020	20.00000000000	8.00000000000	5.00000000000	0.00000000000	28.35087389180	-80.73356707580	Very Poor	2.00000000000	Tree is cut; stump needs removal	Tree Is Damaged	Stump/Trunk	Remove Stump	No	No	7148642b-82af-4f80-a4ad-74d5e933ea8a	Sycamore	No	Platanus occidentalis	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/16/2020	sbourgoin_sfc	9/16/2020	20.00000000000	14.00000000000	25.00000000000	15.00000000000	28.36619344110	-80.74705959530	Very Poor	2.00000000000	Completely dead needs removal	Tree is Damaged	Tree is Dead	Removal	No	No	1c15f2d9-a065-4aab-8ccf-5cd17f805c7a	Pine (Longleaf)	No	Pinus palustris	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	20.00000000000	10.00000000000	5.00000000000	0.00000000000	28.38738969540	-80.76376179260	Very Poor	2.00000000000	Stump	Tree Is Undamaged	<Null>	Remove Stump	No	No	{57F1FA2A-BD75-400B-8276-6ED829F7A80C}	Bottlebrush (Weeping)	No	Melaleuca viminalis	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	16.00000000000	0.00000000000	0.00000000000	28.39889285130	-80.76775526670	Very Poor	2.00000000000	Stump That Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{20ACB205-116A-418E-A68F-74403C577CD5}	N/A (Stump)	No	N/A (Stump)	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	35.00000000000	18.00000000000	10.00000000000	5.00000000000	28.35695927990	-80.73346942710	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{F6DC1A1A-AB89-41C0-8372-8E2460A0F823}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	55.00000000000	28.00000000000	50.00000000000	60.00000000000	28.36019909440	-80.73430334220	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{C9E5553C-5EC9-4DA4-9A4E-6D214065BBD5}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	25.00000000000	16.00000000000	40.00000000000	20.00000000000	28.35963514510	-80.73353318230	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree is dead, see picture.	Removal	Yes	No	{6EE83020-5AB6-449A-ADA6-8EA7F2292927}	Pine (Australian)	No	Casuarina equisetifolia	1.00000000000
Cemetary	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	30.00000000000	18.00000000000	0.00000000000	0.00000000000	28.36875127660	-80.75586536950	Very Poor	2.00000000000	Old stump. Rotting	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{35627E43-0723-448B-BD9B-8911F4A8D205}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	16.00000000000	10.00000000000	5.00000000000	28.36835598580	-80.75473439860	Very Poor	2.00000000000	Stump	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{15DA5336-B17B-479C-929E-A36072E8D6D0}	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	10.00000000000	4.00000000000	15.00000000000	5.00000000000	28.38348674870	-80.77803819550	Very Poor	2.00000000000		Tree is Damaged	Tree is Dead	Removal	No	No	{1BAEAF65-A73A-4AAD-B2B5-156CBE656BE0}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	12.00000000000	0.00000000000	0.00000000000	28.39103175120	-80.78077820530	Very Poor	2.00000000000	Two stumps in Woodland.	Tree is Damaged	Stump/Trunk	Remove Stump	No	Yes	{E37E5873-D334-4D04-8F44-04B030B00B88}	N/A (Stump)	No	N/A (Stump)	2.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	12.00000000000	15.00000000000	0.00000000000	28.39120392220	-80.78055795280	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{88B0584D-929C-4C3A-B4CE-733862991F2F}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	10.00000000000	20.00000000000	0.00000000000	28.39127525250	-80.78042099290	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{63356FB1-094E-4FD5-9573-2F45BA64F029}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	12.00000000000	25.00000000000	10.00000000000	28.39152758910	-80.77998370830	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{B19D23DB-8B93-431A-ACD0-7BE247CC2E33}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.39102319340	-80.77973278460	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{EC4E220A-D753-48A0-B655-12FD268FB25D}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	8.00000000000	30.00000000000	25.00000000000	28.39072632140	-80.78034228610	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{66C46A3C-08E9-491C-B001-175D6B738570}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.39078610070	-80.78101954130	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{CBF7C1CA-BA64-4423-B044-09F778651EDE}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	5.00000000000	4.00000000000	15.00000000000	5.00000000000	28.39078144680	-80.78100083840	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{8C262DC2-611C-4171-875C-EE4247717BF5}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35702616760	-80.73350831880	Very Poor	1.00000000000	Stump that has resprouted	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{B77C4B93-AF85-4AD0-9BD7-C050A6AD16C9}	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
City Park	acarroll_sfc	9/15/2020	acarroll_sfc	9/15/2020	20.00000000000	10.00000000000	25.00000000000	10.00000000000	28.35420867420	-80.74326518970	Poor	6.00000000000	See pic	Tree is Undamaged	<Null>	Removal	No	No	cdb648ac-bce2-4124-b380-995ad4b2eee9	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
City Park	sbourgoin_sfc	9/18/2020	sbourgoin_sfc	9/18/2020	5.00000000000	8.00000000000	15.00000000000	10.00000000000	28.37679872970	-80.76179704140	Poor	6.00000000000	tree not completely dead, but 50 percent of branches without leaves; seems to have a web work infestation see pics	Tree is Damaged	Large chunk of middle bark missing	Removal	No	No	e8617e60-7f0e-4fef-8965-1e60586e0c86	Oak (Live)	No	Quercus virginiana	1.00000000000
City Building	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	20.00000000000	10.00000000000	25.00000000000	10.00000000000	28.36120423840	-80.73457651270	Poor	5.00000000000	Majority of tree is dead. Recommend removal	Tree is Damaged	Tree is Dead	Removal	No	No	b7742f99-fba6-40f2-996f-ae824c895a11	Holly (East Palatka)	No	Ilex x attenuata	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	15.00000000000	6.00000000000	20.00000000000	10.00000000000	28.37505849060	-80.76122660220	Poor	5.00000000000	Severe leaf loss	Tree is Damaged	Severe leaf loss, obvious damage to tree	Removal	No	No	1b4a0557-5f26-41f9-9019-11038d4fee85	Holly (American)	No	Ilex opaca	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	14.00000000000	20.00000000000	15.00000000000	28.38814578530	-80.75573913730	Poor	5.00000000000	High percentage of deadwood in canopy, multiple limb breaks	Tree is Damaged	Recent limb breaks, copious deadwood	Pruning	No	No	bb7b3673-838d-4293-95a6-0bfced1b9db4	Box Elder	No	Acer negundo	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	20.00000000000	16.00000000000	35.00000000000	20.00000000000	28.38825967710	-80.78775262730	Poor	5.00000000000	Severe damage to trunk, wood rot	Tree is Damaged	Wood rot in trunk	Removal	No	No	{0E823A48-2112-4497-9276-C59EF128FB03}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	16.00000000000	20.00000000000	15.00000000000	28.35703777640	-80.73279946090	Poor	5.00000000000	Try cleaning deadwood first before removing. Co dom w included bark	Tree is Damaged	Tree Is Dead	Removal	No	No	{AE4C2C59-5208-4610-B8B3-58DC8CCBB65E}	Hickory (Pignut)	No	Carya glabra	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	8.00000000000	6.00000000000	20.00000000000	10.00000000000	28.39916023430	-80.77080259110	Poor	4.00000000000	Remove	Tree is Damaged	Cambium layer weed whacked repeatedly	Removal	No	No	{E356A27F-155E-41C7-AE39-BE2D3B1F3306}	Holly (Dahoon)	No	Ilex cassine	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35120694720	-80.72616601960	Poor	3.00000000000	Canopy broken and mostly leafless	Tree Is Damaged	Canopy topped	No Maintenance Required	No	No	cd35ada1-bbfe-4763-97e7-f10ed59cf265	Tabebuia	No	Tabebuia spp.	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	5.00000000000	8.00000000000	10.00000000000	10.00000000000	28.35114616070	-80.72621493110	Poor	3.00000000000	Canopy broken and mostly leafless	Tree Is Damaged	Crown broke	No Maintenance Required	No	No	bf3469ee-9835-42d5-b45e-81997412c6ae	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	20.00000000000	14.00000000000	20.00000000000	10.00000000000	28.37552867380	-80.76525779480	Poor	2.00000000000	See pic	Tree is Damaged	Needs pruning of multiple dead limbs for a chance	Pruning	Yes	No	7c237f9f-a267-4710-92e8-f4454a1b5c7f	Indian Rosewood	No	Dalbergia sissoo	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	30.00000000000	12.00000000000	35.00000000000	15.00000000000	28.36061274170	-80.73415800010	Poor	2.00000000000	Unnatural form. Fine for SLO.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{AB73F2B7-444C-4EB9-9B64-0ED15E67861B}	Oak (Sand Live)	No	Quercus geminata	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	40.00000000000	18.00000000000	25.00000000000	40.00000000000	28.36486055300	-80.73437332990	Fair	7.00000000000		Tree Is Damaged	Missing mult limbs due to rot and pruning. Central leader still intact but rotting likely to fall	Removal	No	No	035599b7-6ba4-4a35-bf49-3b2cb056e780	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	60.00000000000	32.00000000000	45.00000000000	25.00000000000	28.38155051730	-80.73657843430	Fair	7.00000000000	Lg oak directly next to road. Evidence of prev pruning. Lg dead limbs overhanging road, needs additional consult	Tree is Damaged	Multiple large dead limbs	Pruning	No	No	788c2f34-9024-4f34-aeb1-4b0ff7cb1825	Oak (Live)	No	Quercus virginiana	1.00000000000

4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	30.00000000000	18.00000000000	35.00000000000	45.00000000000	28.37873170390	-80.74814081110	Excellent	2.00000000000	In roadway	Tree Is Undamaged	<Null>	Pruning	No	No	{69161484-FC18-440F-A8C0-43E0AABD49A6}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	20.00000000000	45.00000000000	30.00000000000	28.37870785550	-80.74782457000	Excellent	2.00000000000	Overhang road	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{D918057D-0568-414F-A68F-BD02F07C3524}	Sycamore	No	Platanus occidentalis	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	40.00000000000	26.00000000000	50.00000000000	50.00000000000	28.37877014460	-80.74764581610	Excellent	2.00000000000	In roadway	Tree is Damaged	Bark see photo	Pruning	No	No	{CB64B872-E160-40B6-BFFA-CCEE74516FE4}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	25.00000000000	24.00000000000	45.00000000000	35.00000000000	28.37801386620	-80.74829156550	Excellent	2.00000000000	Overhang road	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{B3A1A948-E064-401A-A2F2-A0753A7F79CB}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	25.00000000000	22.00000000000	50.00000000000	35.00000000000	28.37802006900	-80.74833624050	Excellent	2.00000000000	Overhang road	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{4B92596A-9543-4E2D-8B26-6FCBBEF4EBF6}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	40.00000000000	22.00000000000	40.00000000000	50.00000000000	28.37825689940	-80.74971724310	Excellent	2.00000000000	Overhang road	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{566EFDA4-FAD9-4BC7-9ACD-0DC42744C10E}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	40.00000000000	22.00000000000	40.00000000000	50.00000000000	28.37728065880	-80.74837177970	Excellent	2.00000000000	Overhang road	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{93AB5746-9724-4F3C-A113-DCC753A1C03A}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	40.00000000000	22.00000000000	40.00000000000	50.00000000000	28.37666266110	-80.74799073860	Excellent	2.00000000000	Overhang road	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{E4AC649C-2151-4BB5-AA40-4F7BB4BF1878}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	30.00000000000	28.00000000000	35.00000000000	40.00000000000	28.37663051650	-80.74827463410	Excellent	2.00000000000	Overhang road	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{8368EACB-B527-4618-B48B-20B40A94B7D7}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	40.00000000000	42.00000000000	50.00000000000	55.00000000000	28.37668596300	-80.74854285480	Excellent	2.00000000000	Overhang road	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{2156F65C-D991-494C-85B2-A292059FB06C}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	30.00000000000	30.00000000000	40.00000000000	40.00000000000	28.37672527390	-80.74879699360	Excellent	2.00000000000	Overhang road	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{D6E1618C-D99D-4129-90DF-2E2A1F763316}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	26.00000000000	40.00000000000	40.00000000000	28.37666735510	-80.74888165090	Excellent	2.00000000000	Overhang road	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{A274DEA6-7291-49D9-8BAE-D34BF358B7ED}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	15.00000000000	16.00000000000	25.00000000000	30.00000000000	28.37660528690	-80.74960039920	Excellent	2.00000000000	overhang road needs pruned	Tree Is Undamaged	<Null>	Pruning	No	No	{37EFFF8C-A918-4769-ADFC-894BE9EC653A}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	30.00000000000	30.00000000000	40.00000000000	40.00000000000	28.37696348800	-80.74969352220	Excellent	2.00000000000	Overhang road	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{0F9D935B-6814-4867-9218-7B1079D4B5A1}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	25.00000000000	28.00000000000	45.00000000000	40.00000000000	28.37665507590	-80.74968053070	Excellent	2.00000000000	Overhang road needs pruned to stay out of road path	Tree Is Undamaged	<Null>	Pruning	No	No	{CB945397-4962-4C63-94FD-21D000337C7F}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	25.00000000000	26.00000000000	35.00000000000	40.00000000000	28.37649858530	-80.74970073110	Excellent	2.00000000000	Overhang road	Tree Is Undamaged	<Null>	Pruning	No	No	{4A32AD68-6DDB-4C24-B64C-29B194368DB2}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	30.00000000000	30.00000000000	40.00000000000	40.00000000000	28.37637541370	-80.75004187450	Excellent	2.00000000000	Overhang sidewalk	Tree Is Undamaged	<Null>	Pruning	No	No	{E3B912F0-E70B-4274-B95A-26802EBC47E5}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	30.00000000000	34.00000000000	45.00000000000	50.00000000000	28.37661077770	-80.75039902660	Excellent	2.00000000000	Overhang road, heaving	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{A3D28913-3FA2-496F-991B-D7EE578624FC}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	25.00000000000	28.00000000000	40.00000000000	35.00000000000	28.37695523170	-80.75050321420	Excellent	2.00000000000	Overhang road,heaving	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{6FE8D3F8-F98E-46DA-9E21-536089873CB6}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	30.00000000000	34.00000000000	40.00000000000	50.00000000000	28.37712831780	-80.75046055050	Excellent	2.00000000000	Overhang road heaving	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{9915F702-F854-483F-877C-98DF89E8C55E}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	30.00000000000	36.00000000000	45.00000000000	55.00000000000	28.37727466620	-80.75043682960	Excellent	2.00000000000	Overhang road	Tree Is Undamaged	<Null>	Pruning	No	No	{735B113C-7CA3-4F5E-AAAE-CA0C2668A9DA}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	40.00000000000	44.00000000000	50.00000000000	60.00000000000	28.37775733770	-80.75043926040	Excellent	2.00000000000	Overhang road,heaving	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{67251863-FF46-459F-BCEE-652C234CE4D8}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	25.00000000000	26.00000000000	40.00000000000	40.00000000000	28.37803025280	-80.75055065600	Excellent	2.00000000000	3 trees in row overhang road	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	{B4AE11CC-B185-4DC5-A088-443124CBD7E8}	Oak (Live)	No	Quercus virginiana	3.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	35.00000000000	34.00000000000	40.00000000000	50.00000000000	28.37803494680	-80.75010867770	Excellent	2.00000000000	Overhang road	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{E754CA0E-C52A-4013-A599-BBA8D53D645A}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	35.00000000000	36.00000000000	50.00000000000	65.00000000000	28.37849473620	-80.75047018940	Excellent	2.00000000000	Overhang road, needs lower branchΓÇÖs pruned to prevent harm overhang road	Tree Is Undamaged	<Null>	Pruning	No	No	{4124748C-6C8E-4F3B-85B6-5441D73809C6}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	25.00000000000	20.00000000000	35.00000000000	40.00000000000	28.37887695070	-80.75046633380	Excellent	2.00000000000	Overhang road	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{0D9889C1-C0AC-4505-9ACD-40D4CE3D232E}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	22.00000000000	30.00000000000	40.00000000000	28.37987917520	-80.75041838890	Excellent	2.00000000000	Overhang road	Tree Is Undamaged	<Null>	Pruning	No	No	{08794431-4601-4257-90BF-42AF5C38F3FC}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	30.00000000000	24.00000000000	40.00000000000	40.00000000000	28.39037285640	-80.76040408590	Excellent	2.00000000000	Over hang	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{10533BF0-42FE-46BC-8D00-6672C96D331E}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	30.00000000000	30.00000000000	40.00000000000	45.00000000000	28.39035403920	-80.76045739460	Excellent	2.00000000000	Overhang road	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{D7D87A2F-9671-40BB-9056-889F791E9310}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	10.00000000000	20.00000000000	20.00000000000	28.38951308270	-80.76047558370	Excellent	2.00000000000	In sidewalk path, royal poinciana	Tree Is Undamaged	<Null>	Pruning	No	No	{C2F17931-8911-452A-A618-4ADC102D491E}	Royal Poinciana	No	Delonix regia	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	30.00000000000	26.00000000000	35.00000000000	45.00000000000	28.38939477220	-80.76039939220	Excellent	2.00000000000	Overhang road	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{44E7D7FB-8028-4B5F-9473-F405A92F86CD}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	30.00000000000	30.00000000000	40.00000000000	45.00000000000	28.38935595520	-80.75977395990	Excellent	2.00000000000	Overhang road	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{F0C8A8C2-53FC-46FF-9DF8-C7F531E03CE7}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	30.00000000000	28.00000000000	40.00000000000	45.00000000000	28.38965008480	-80.75953454720	Excellent	2.00000000000	Heaving,overhang	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{89B16811-7212-4D8D-8352-65750935CD25}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	30.00000000000	30.00000000000	45.00000000000	50.00000000000	28.38977836990	-80.75957033790	Excellent	2.00000000000	Overhang road	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{66DE0363-924E-4B3A-83C6-E4FA13B782E6}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	40.00000000000	32.00000000000	50.00000000000	65.00000000000	28.38995309070	-80.75960897800	Excellent	2.00000000000	Overhang road	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{3694FBC3-77AE-4FEE-B106-B89C82458C60}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	30.00000000000	30.00000000000	40.00000000000	50.00000000000	28.39006612070	-80.75953245150	Excellent	2.00000000000	Overhang road	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{31D6F2FF-E2C5-4254-AE6C-CAB6724AFC10}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	40.00000000000	40.00000000000	40.00000000000	65.00000000000	28.39019386090	-80.75958391680	Excellent	2.00000000000	Co dom,overhang	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{91D2FACC-512B-44CE-854A-A8D4C2BAC5B1}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	30.00000000000	26.00000000000	40.00000000000	45.00000000000	28.39033987350	-80.75957251720	Excellent	2.00000000000	Overhang road	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{5BDD200D-EC92-42C9-887D-AFC1C9096805}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	20.00000000000	30.00000000000	30.00000000000	28.39762446020	-80.77013840910	Excellent	2.00000000000	Overhang road	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{BC567A29-384B-44C3-A6CE-6B56E50582AE}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	25.00000000000	24.00000000000	35.00000000000	40.00000000000	28.39757580320	-80.77029657540	Excellent	2.00000000000	Overhang road	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{C9736715-287B-4F21-B1E2-D6CD7D09DD33}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	30.00000000000	24.00000000000	40.00000000000	45.00000000000	28.39768568950	-80.77051182260	Excellent	2.00000000000	Overhang road	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{8633B0E1-DB8B-44CF-A560-CF3A77B30DBB}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	35.00000000000	20.00000000000	35.00000000000	40.00000000000	28.39808982340	-80.77072313060	Excellent	2.00000000000	Overhang road	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{CB64937D-E952-49A0-8688-866B0C6CD0A9}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	20.00000000000	35.00000000000	30.00000000000	28.39924644200	-80.77084106410	Excellent	2.00000000000	Heaving, overhang	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{140016A4-E9D0-42B5-8C73-31120FBB7E43}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	30.00000000000	26.00000000000	50.00000000000	50.00000000000	28.39881381050	-80.77092613990	Excellent	2.00000000000	Two trees in Woodland. Both trees need pruning.	Tree is Undamaged	<Null>	Pruning	No	Yes	{493A0480-FB47-4EC9-ACF4-3B1F13918065}	Oak (Live)	No	Quercus virginiana	2.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	10.00000000000	8.00000000000	15.00000000000	10.00000000000	28.40074881470	-80.77095396800	Excellent	2.00000000000	Two trees in Woodland. Both trees need trimming.	Tree is Undamaged	<Null>	Pruning	No	Yes	{CA480812-B455-42D1-AFC8-AEED5BB8CE42}	Crepe Myrtle	No	Lagerstroemia spp.	2.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	20.00000000000	35.00000000000	30.00000000000	28.40081247520	-80.77058700890	Excellent	2.00000000000	Overhang road	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{5180A0D9-2E39-40F1-955C-50904F100413}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	12.00000000000	25.00000000000	15.00000000000	28.40076637440	-80.77056395810	Excellent	2.00000000000	Two trees in Woodlands. Both trees need pruning.	Tree is Undamaged	<Null>	Pruning	No	Yes	{CCF06575-6F3F-4500-AEDF-D5F16FFEC07E}	Palm (Queen)	No	Syagrus romanzoffiana	2.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	15.00000000000	12.00000000000	30.00000000000	20.00000000000	28.40075736380	-80.76961294760	Excellent	2.00000000000	Two trees in Woodland. East tree needs pruning.	Tree is Undamaged	<Null>	Pruning	No	Yes	{6CAC8307-BBBA-400B-818F-93A6E412A76D}	Maple (Red)	No	Acer rubrum	2.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	40.00000000000	32.00000000000	40.00000000000	45.00000000000	28.40038260950	-80.76800680750	Excellent	2.00000000000	Overhang road sidewalk	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{4E6F36FC-D29B-43A7-9E8C-F5D4DD00303B}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	25.00000000000	24.00000000000	35.00000000000	35.00000000000	28.40004330940	-80.76776280980	Excellent	2.00000000000	Overhang road	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{2E8906CD-7D6F-4165-8812-660C66A79628}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	25.00000000000	20.00000000000	30.00000000000	30.00000000000	28.39958557400	-80.76779122440	Excellent	2.00000000000	Overhang road	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{47BD8171-6C2A-41CC-8875-64868F3B92AD}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	17.00000000000	14.00000000000	25.00000000000	25.00000000000	28.39947002930	-80.76774830920	Excellent	2.00000000000	overhang road	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{D0705F51-15E4-47E7-A4E4-981B59735A86}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	30.00000000000	22.00000000000	35.00000000000	45.00000000000	28.39983820450	-80.76785601720	Excellent	2.00000000000	Two trees in Woodland, trees on either side of drop pin. South tree needs pruning, see picture.	Tree is Undamaged	<Null>	Pruning	No	Yes	{CAD98EC5-7762-44E7-9D27-16B18F0F3FAC}	Oak (Live)	No	Quercus virginiana	2.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	25.00000000000	20.00000000000	30.00000000000	30.00000000000	28.39937409830	-80.76777152710	Excellent	2.00000000000	Overhang needs pruning maintenance to keep out of road path	Tree Is Undamaged	<Null>	Pruning	No	No	{BA130DA1-DF83-466C-8709-FF7A94DFBD30}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	15.00000000000	10.00000000000	20.00000000000	20.00000000000	28.39964684560	-80.76788585650	Excellent	2.00000000000	Two trees in Woodland. Both trees need pruning.	Tree is Undamaged	<Null>	Pruning	No	Yes	{8D419DF1-1D9F-4065-93F1-390E96507A1E}	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	20.00000000000	35.00000000000	40.00000000000	28.39936232190	-80.76786523660	Excellent	2.00000000000	Overhang road	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{61A3647F-CEC5-4840-81D4-CC36F5E576B4}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	50.00000000000	30.00000000000	40.00000000000	45.00000000000	28.39768460060	-80.76977463450	Excellent	2.00000000000	Overhang road	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{A47D34D6-480E-4E92-B977-DDB1A148C678}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	25.00000000000	16.00000000000	25.00000000000	30.00000000000	28.39799255170	-80.76811669390	Excellent	2.00000000000	Overhang sidewalk	Tree Is Undamaged	<Null>	Pruning	No	No	{B7F30601-CDA7-4FF1-82ED-EA580148E0D6}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	24.00000000000	30.00000000000	30.00000000000	28.39811823790	-80.76792181520	Excellent	2.00000000000	Overhang road	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{AF6BD2E8-9133-45C8-A458-36CD3C8EEFB9}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	22.00000000000	35.00000000000	45.00000000000	28.39868242370	-80.76835859590	Excellent	2.00000000000	Overhang road	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{7586CF69-B826-4AC7-A17D-668475DBC75E}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	18.00000000000	35.00000000000	40.00000000000	28.39889507250	-80.76814225910	Excellent	2.00000000000	Three trees in Woodland. All three trees have overhanging branches road. Most west tree has overhanging branches in residence yard. See picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{E55CDF1F-D232-42E3-B8C4-FE4C0B7D1B30}	Oak (Live)	No	Quercus virginiana	3.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	22.00000000000	40.00000000000	40.00000000000	28.39843482240	-80.76908673160	Excellent	2.00000000000	Overhang road	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{DB87B07B-7B96-4B27-AF6D-784F94234B3A}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	20.00000000000	30.00000000000	30.00000000000	28.39839425440	-80.76916594060	Excellent	2.00000000000	Overhang in road path	Tree Is Undamaged	<Null>	Pruning	No	No	{D95C1AE6-F5CA-4652-9100-54DD6AD9F984}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	24.00000000000	40.00000000000	35.00000000000	28.39834492690	-80.76940113660	Excellent	2.00000000000	Overhang road	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{90F8EFFD-D9F7-4A99-BBE9-47345869136C}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	15.00000000000	18.00000000000	30.00000000000	30.00000000000	28.39897214410	-80.76949032040	Excellent	2.00000000000	Overhang road	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{395F6045-3D7B-4F84-9AAA-401E6DE6D9BD}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	40.00000000000	26.00000000000	40.00000000000	40.00000000000	28.39944915840	-80.76948043000	Excellent	2.00000000000	Overhang road , lions tail trimmed	Tree Is Undamaged	<Null>	Pruning	No	No	{59B05CBD-5965-4674-9DA0-37FA9ECB3D08}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	22.00000000000	35.00000000000	40.00000000000	28.39735720290	-80.76922578720	Excellent	2.00000000000	Overhang road 5 tree in row	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	{97701AF8-EE55-48D1-A8CA-FEE41C214FA0}	Oak (Live)	No	Quercus virginiana	5.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	30.00000000000	20.00000000000	40.00000000000	45.00000000000	28.39719865910	-80.76934003320	Excellent	2.00000000000	Three trees in Woodlands. All three trees need pruning.	Tree is Undamaged	<Null>	Pruning	No	Yes	{C251A80F-B713-4E01-9C3B-0FD0846C9BBF}	Oak (Live)	No	Quercus virginiana	3.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	30.00000000000	30.00000000000	50.00000000000	45.00000000000	28.39664746550	-80.77220362600	Excellent	2.00000000000	Prune dead branches	Tree Is Undamaged	<Null>	Pruning	No	No	{F4330FD0-4792-4809-93C3-41AACF5FC787}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	25.00000000000	26.00000000000	35.00000000000	25.00000000000	28.39678082170	-80.77190942150	Excellent	2.00000000000	Trim dead out of crown	Tree Is Undamaged	<Null>	Pruning	No	No	{F2A81942-F605-4D71-B2BF-E884D3DE4365}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	10.00000000000	6.00000000000	15.00000000000	15.00000000000	28.39718264990	-80.77186415900	Excellent	2.00000000000	Growing into sidewalk path, overhang	Tree Is Undamaged	<Null>	Pruning	No	No	{5C075E25-1707-4F18-84AF-D435C2015292}	Ligustrum	No	Ligustrum spp.	1.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	24.00000000000	40.00000000000	40.00000000000	28.39775662430	-80.77386513020	Excellent	2.00000000000	Swamp mahogany , hanging in sidewalk path	Tree Is Undamaged	<Null>	Pruning	No	No	{CA1496CD-E6C0-4EF9-BC7D-B169B1934D62}	Swamp Mahogany	No	Eucalyptus robusta	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	22.00000000000	45.00000000000	35.00000000000	28.39770161560	-80.77383088910	Excellent	2.00000000000	Species is swamp mahogany. Overhanging branches.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{9CF2AE0A-6351-4E6D-9850-D2039DC38155}	Swamp Mahogany	No	Eucalyptus robusta	1.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	50.00000000000	36.00000000000	50.00000000000	70.00000000000	28.39707520640	-80.77312064780	Excellent	2.00000000000	Huge tree overhang sidewalk and road need trimming out of sidewalk	Tree Is Undamaged	<Null>	Pruning	Yes	No	{680FD9A0-9638-447B-88AF-AA6E71B831E8}	Camphor Tree	No	Cinnamomum camphora	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	25.00000000000	24.00000000000	30.00000000000	40.00000000000	28.39698575940	-80.77381264340	Excellent	2.00000000000	Heaving, overhang road	Tree Is Undamaged	<Null>	No Maintenance Required	Yes	No	{723D946C-C4AE-439A-B426-E7A2D3F6367E}	Camphor Tree	No	Cinnamomum camphora	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	16.00000000000	30.00000000000	30.00000000000	28.39690223350	-80.77393499220	Excellent	2.00000000000	Tree overhanging road and street light.	Tree is Undamaged	<Null>	Pruning	Yes	No	{B80FD297-054A-4EAB-83E5-FD464DAFDB75}	Camphor Tree	No	Cinnamomum camphora	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	35.00000000000	20.00000000000	30.00000000000	30.00000000000	28.39826350080	-80.77511719490	Excellent	2.00000000000	Overhang in roadway	Tree Is Undamaged	<Null>	Pruning	No	No	{9E691EB3-3F8B-4B67-BBE2-DC80EDA36B41}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	25.00000000000	14.00000000000	25.00000000000	20.00000000000	28.39819590430	-80.77521161410	Excellent	2.00000000000	Overhang sidewalk path	Tree Is Undamaged	<Null>	Pruning	No	No	{BBC2D31E-9B6E-4727-9777-9ED9F82E5906}	Arborvitae	No	Thuja occidentalis	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	40.00000000000	24.00000000000	40.00000000000	35.00000000000	28.39710233320	-80.77572721920	Excellent	2.00000000000	Growing Offsite causing heaving of sidewalk and overhang road	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{90E05D87-8901-4A39-995E-C18B93ECAD94}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	28.00000000000	50.00000000000	50.00000000000	28.39700158290	-80.77656902870	Excellent	2.00000000000	Heaving, overhang road	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{D2BA61EC-C7DB-4D14-A819-C919D7F16D1A}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	28.00000000000	45.00000000000	50.00000000000	28.39704219330	-80.77694047580	Excellent	2.00000000000	Overhang road	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{08A70186-FCAC-4811-83AD-EC3753C19BFA}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	32.00000000000	45.00000000000	50.00000000000	28.39703740450	-80.77709885140	Excellent	2.00000000000	Heaving ,overhang	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{4C5350D1-4005-4755-9DD8-4FDD3F7AA171}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	40.00000000000	34.00000000000	50.00000000000	60.00000000000	28.39704039870	-80.77717503580	Excellent	2.00000000000	Heaving, overhang	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{F9A23EBA-4E0E-4DC9-B83D-4F4F62F49FA9}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	25.00000000000	30.00000000000	45.00000000000	50.00000000000	28.39689647430	-80.77634676570	Excellent	2.00000000000	Branches overhanging sidewalk.	Tree is Undamaged	<Null>	Pruning	No	No	{D61251A1-B400-43B4-9798-733E4FDB6987}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	50.00000000000	40.00000000000	55.00000000000	60.00000000000	28.39698508540	-80.77746511070	Excellent	2.00000000000	Heaving, overhang	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{C9D08CCE-E078-41BB-96F3-271AA5259E53}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	25.00000000000	18.00000000000	45.00000000000	35.00000000000	28.39697379780	-80.77641085330	Excellent	2.00000000000	Branches overhanging road.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{603F9E59-0669-48A9-B667-8FD1F724373B}	Sycamore	No	Platanus occidentalis	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	26.00000000000	45.00000000000	35.00000000000	28.39702250250	-80.77758141560	Excellent	2.00000000000	Heaving, overhang	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{5243F2B1-C30F-4E1D-BC33-8C8BAFA27E57}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	22.00000000000	35.00000000000	30.00000000000	28.39693995720	-80.77661954900	Excellent	2.00000000000	Branches overhanging sidewalk.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{9132A400-5DAE-43CD-A88F-6845417C9679}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	24.00000000000	45.00000000000	40.00000000000	28.39702705500	-80.77833139930	Excellent	2.00000000000	Heaving, overhang	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{06036434-33C3-4DB1-941F-E7EC95A50F97}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	50.00000000000	42.00000000000	55.00000000000	50.00000000000	28.39699562850	-80.77869872400	Excellent	2.00000000000	Overhang road	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{8407433B-7994-4A1A-A553-E1286B336A58}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	26.00000000000	45.00000000000	35.00000000000	28.39741989190	-80.77895250620	Excellent	2.00000000000	Heaving, overhang	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{3C78D25E-E034-480E-B317-16C0E5456401}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	40.00000000000	40.00000000000	50.00000000000	50.00000000000	28.39739163440	-80.77917334170	Excellent	2.00000000000	Heaving, overhang	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{935DF1E5-38C7-44D3-86D0-7A861539B2EA}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	40.00000000000	26.00000000000	50.00000000000	45.00000000000	28.39752965910	-80.77916421390	Excellent	2.00000000000	Heaving, overhang	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{793FD8E4-985D-4847-A7FB-5D78A1F2502C}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	50.00000000000	28.00000000000	50.00000000000	45.00000000000	28.39765685680	-80.77917506290	Excellent	2.00000000000	Heaving, overhang	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{FE28115D-AEF5-421F-95D1-CB756E790898}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	25.00000000000	18.00000000000	40.00000000000	40.00000000000	28.39772556950	-80.77917257180	Excellent	2.00000000000	Overhang road	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{7B92BB23-E724-4B51-AC68-8C433D1E7DE9}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	40.00000000000	26.00000000000	50.00000000000	50.00000000000	28.39792021760	-80.77918148220	Excellent	2.00000000000	Heaving, overhang	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{820B1298-88EA-44C2-84D3-27D8B026DC82}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	25.00000000000	16.00000000000	40.00000000000	40.00000000000	28.39803791170	-80.77891079200	Excellent	2.00000000000	Overhang road , in sidewalk path	Tree Is Undamaged	<Null>	Pruning	No	No	{2B9F4829-A8E7-4520-A57E-075E4CA696F3}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	35.00000000000	26.00000000000	45.00000000000	40.00000000000	28.39788748440	-80.77849188060	Excellent	2.00000000000	Heaving, overhang road, 2 tree	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	{749D9D7E-5E94-4440-B346-73D5823824F8}	Oak (Live)	No	Quercus virginiana	2.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	25.00000000000	22.00000000000	40.00000000000	35.00000000000	28.39773771280	-80.77814216650	Excellent	2.00000000000	Overhang in sidewalk	Tree Is Undamaged	<Null>	Pruning	No	No	{FF3FC036-E479-4B62-B9A8-49F584F010AA}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	40.00000000000	26.00000000000	40.00000000000	40.00000000000	28.39767026840	-80.77766433640	Excellent	2.00000000000	4 tree in row overhang road	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	{C63C69C9-32CA-4C26-91B8-A08F4341D8E3}	Oak (Live)	No	Quercus virginiana	4.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	35.00000000000	26.00000000000	40.00000000000	50.00000000000	28.39765365170	-80.77667090210	Excellent	2.00000000000	Overhang road,4 tree	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	{3998935C-F9A2-43A3-B54B-49AC0A5CD508}	Oak (Live)	No	Quercus virginiana	4.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	26.00000000000	40.00000000000	35.00000000000	28.39780960210	-80.77630246620	Excellent	2.00000000000	In sidewalk path	Tree Is Undamaged	<Null>	Pruning	No	No	{0D1ECD47-1551-4742-8252-CE8CE84A6285}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	22.00000000000	45.00000000000	50.00000000000	28.39771965870	-80.77658089720	Excellent	2.00000000000	Overhang road, 4 tree	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	{34879B0D-3259-420E-8E0D-C7F9387100FA}	Oak (Live)	No	Quercus virginiana	4.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	22.00000000000	35.00000000000	30.00000000000	28.39807043070	-80.77599623410	Excellent	2.00000000000	Overhang road , 2 tree	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	{32522B2C-7BAC-4171-91D4-579C5BEF7B63}	Oak (Live)	No	Quercus virginiana	2.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	35.00000000000	26.00000000000	40.00000000000	40.00000000000	28.39843104280	-80.77597093750	Excellent	2.00000000000	Heaving, overhang	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{5846B217-F038-4DA3-9447-81A077514F8F}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	28.00000000000	40.00000000000	45.00000000000	28.39827611110	-80.77693730560	Excellent	2.00000000000	Branches overhanging road and yard.	Tree is Undamaged	<Null>	Pruning	No	No	{D7EBC1F9-2250-4B64-A767-D17E73CC44E1}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	24.00000000000	35.00000000000	40.00000000000	28.39904728430	-80.77597703440	Excellent	2.00000000000	Heaving, overhang road, 3 tree in row	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	{D4C14B7D-B157-4573-92AA-F0C68DDDE61E}	Oak (Live)	No	Quercus virginiana	3.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	24.00000000000	35.00000000000	35.00000000000	28.39935574500	-80.77601980410	Excellent	2.00000000000	Overhang road	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{6A2E2615-E716-40FB-AC3F-E80BF25ED9AB}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	25.00000000000	24.00000000000	40.00000000000	40.00000000000	28.39957131080	-80.77676472580	Excellent	2.00000000000	Heaving, overhang in sidewalk path	Tree Is Undamaged	<Null>	Pruning	No	No	{8F216650-77BF-4305-A448-5C0C8C151BF4}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	26.00000000000	45.00000000000	50.00000000000	28.39974405730	-80.77597864330	Excellent	2.00000000000	Heaving, overhang	Tree is Damaged	Bark damage, in photo	No Maintenance Required	No	Yes	{46349C97-2AEE-4EA2-93FF-D1C070ECE424}	Oak (Live)	No	Quercus virginiana	3.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	22.00000000000	45.00000000000	40.00000000000	28.39981130680	-80.77611978840	Excellent	2.00000000000	Overhang road	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{40123893-7D08-4AC0-860E-6FD6C714D867}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	24.00000000000	45.00000000000	45.00000000000	28.39971636380	-80.77660742990	Excellent	2.00000000000	Heaving, overhang	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{8C24ACCC-D0F7-4DAC-9D5F-F7791D032FB4}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	22.00000000000	35.00000000000	35.00000000000	28.39984961580	-80.77685158750	Excellent	2.00000000000	Overhang	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{9DEAE4F1-E4BE-4227-88A9-726010A189CE}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	25.00000000000	18.00000000000	35.00000000000	40.00000000000	28.39845684800	-80.77663325730	Excellent	2.00000000000	Two trees in Woodland. Both trees have overhanging branches.	Tree is Undamaged	<Null>	Pruning	No	Yes	{90C7BD2E-D70B-4974-9155-13B48C66968C}	Oak (Live)	No	Quercus virginiana	2.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	24.00000000000	45.00000000000	50.00000000000	28.39980746880	-80.77733168940	Excellent	2.00000000000	Heaving, overhang	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{A7B37689-6FC3-44BC-90FA-683AD727E122}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	25.00000000000	16.00000000000	30.00000000000	35.00000000000	28.39898367320	-80.77615811770	Excellent	2.00000000000	Branches overhanging sidewalk.	Tree is Undamaged	<Null>	Pruning	No	No	{8BEAAE1F-392F-4DF4-99F3-D1964CE1496A}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	40.00000000000	32.00000000000	50.00000000000	55.00000000000	28.39974046580	-80.77754895410	Excellent	2.00000000000	Heaving, overhang in sidewalk path	Tree Is Undamaged	<Null>	Pruning	No	No	{49D7E55A-B732-40BD-A92C-80940541956F}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	40.00000000000	28.00000000000	35.00000000000	40.00000000000	28.39980433320	-80.77759127820	Excellent	2.00000000000	Heaving, overhang	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{446A7F48-FBB7-4F30-97FF-11242362D0B5}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	40.00000000000	28.00000000000	40.00000000000	50.00000000000	28.39978858450	-80.77779003860	Excellent	2.00000000000	Heaving, overhang in sidewalk	Tree Is Undamaged	<Null>	Pruning	No	No	{11589429-C2E6-424D-8EC0-7036B8267801}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	25.00000000000	20.00000000000	30.00000000000	40.00000000000	28.39904613210	-80.77699318260	Excellent	2.00000000000	Two trees in Woodland both trees need pruning. West most tree has soil up heaving under sidewalk.	Tree is Undamaged	<Null>	Pruning	No	Yes	{6167C86D-62B7-4461-B302-C11AA8C134D2}	Oak (Live)	No	Quercus virginiana	2.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	25.00000000000	24.00000000000	45.00000000000	35.00000000000	28.39982506580	-80.77800462720	Excellent	2.00000000000	Heaving, overhang, away from house	Tree Is Undamaged	<Null>	Pruning	No	No	{9BCAF40A-C48D-462C-BDA1-C3D9B30B7193}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	40.00000000000	26.00000000000	40.00000000000	40.00000000000	28.39981694570	-80.77826941370	Excellent	2.00000000000	Heaving, overhang in sidewalk ,2 tree in row	Tree Is Undamaged	<Null>	Pruning	No	Yes	{A6E169B8-9EEB-438A-A1B5-38BDA306FD26}	Oak (Live)	No	Quercus virginiana	2.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	40.00000000000	28.00000000000	50.00000000000	50.00000000000	28.39978812620	-80.77823760620	Excellent	2.00000000000	Heaving, overhang, 2 tree in row	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	{DD3BE97C-EB6A-4802-AC05-B2801FC35AF1}	Oak (Live)	No	Quercus virginiana	2.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	40.00000000000	30.00000000000	50.00000000000	55.00000000000	28.39976063660	-80.77881147430	Excellent	2.00000000000	Heaving, overhang	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{69FCA309-49BF-4294-8767-4C36E973811B}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	40.00000000000	30.00000000000	50.00000000000	55.00000000000	28.39978314240	-80.77909700380	Excellent	2.00000000000	Heaving, overhang in roadway and sidewalk	Tree Is Undamaged	<Null>	Pruning	No	No	{71E04DE9-7E9A-4142-A4A9-B149FD1C5D7F}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	40.00000000000	26.00000000000	40.00000000000	40.00000000000	28.39938819400	-80.77922130720	Excellent	2.00000000000	Overhang	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{9B446383-98E4-4423-A363-B75B1F28EE56}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	18.00000000000	35.00000000000	40.00000000000	28.39897867670	-80.77924176460	Excellent	2.00000000000	Overhang road, 3 tree	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	{84062CD5-0213-44A4-8076-7E8D4A3C340F}	Oak (Live)	No	Quercus virginiana	3.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	40.00000000000	28.00000000000	45.00000000000	50.00000000000	28.39843281050	-80.77922639620	Excellent	2.00000000000	Heaving, overhang	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{70CA82D5-36FC-4C51-8FE9-AFA34375F37F}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	40.00000000000	26.00000000000	50.00000000000	50.00000000000	28.39817147320	-80.77927431680	Excellent	2.00000000000	In roadway	Tree Is Undamaged	<Null>	Pruning	No	No	{85BA7ADB-1F10-420D-A33F-3A4556EE9E2C}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	15.00000000000	10.00000000000	20.00000000000	15.00000000000	28.39327018720	-80.77684418260	Excellent	2.00000000000	Three trees in Woodland. All three trees need pruning.	Tree is Undamaged	<Null>	Pruning	No	Yes	{75192C22-BD4C-4C22-B611-FC38743810DB}	Palm (Queen)	No	Syagrus romanzoffiana	3.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	16.00000000000	35.00000000000	30.00000000000	28.39272342780	-80.77752256430	Excellent	2.00000000000	Limbs overhanging sidewalk.	Tree is Undamaged	<Null>	Pruning	No	No	{FC643E3A-B979-4714-A854-072CC9C75BC2}	Maple (Red)	No	Acer rubrum	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	12.00000000000	20.00000000000	15.00000000000	28.39277944830	-80.77745848300	Excellent	2.00000000000	Tree overhanging sidewalk.	Tree is Undamaged	<Null>	Pruning	No	No	{A3283CC7-99C7-4F4B-B7ED-9DECCDAE5AA9}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	25.00000000000	18.00000000000	35.00000000000	30.00000000000	28.39280394380	-80.77792989100	Excellent	2.00000000000	Tree has limbs overhanging road.	Tree is Undamaged	<Null>	Pruning	No	No	{1304337D-2B13-44D9-93AF-213ABBED3E97}	Maple (Red)	No	Acer rubrum	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	26.00000000000	35.00000000000	40.00000000000	28.39330715990	-80.77936174270	Excellent	2.00000000000	Limbs overhanging sidewalk.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{42B2B564-3490-4A29-A6C4-2D1247E9D91B}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	24.00000000000	35.00000000000	40.00000000000	28.39355995480	-80.77872654570	Excellent	2.00000000000	Two trees in Woodland. Both trees need trimming.	Tree is Undamaged	<Null>	Pruning	No	Yes	{9AC12A56-0FE9-4CBF-8F92-8E7042D0E61E}	Oak (Live)	No	Quercus virginiana	2.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	20.00000000000	45.00000000000	20.00000000000	28.39460328170	-80.77823094430	Excellent	2.00000000000	Tree is leaning over sidewalk	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{38A8B8E2-92E7-4831-8A66-6BD9826A4E2B}	Pine (Slash)	No	Pinus elliottii	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	25.00000000000	22.00000000000	40.00000000000	20.00000000000	28.39492876760	-80.77824481070	Excellent	2.00000000000	Tree leaning over sidewalk.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{7C729DC0-83A2-4476-AE4E-6C77C586559E}	Pine (Slash)	No	Pinus elliottii	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	22.00000000000	35.00000000000	40.00000000000	28.39528635360	-80.77882554010	Excellent	2.00000000000	Two trees in Woodland. Both limbs overhanging sidewalk.	Tree is Undamaged	<Null>	Pruning	No	Yes	{34DC72B3-508B-4D76-8DF4-3004ADA771FB}	Oak (Live)	No	Quercus virginiana	2.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	15.00000000000	10.00000000000	15.00000000000	10.00000000000	28.39349502070	-80.77783166470	Excellent	2.00000000000	Three trees in Woodland. All three trees need pruning.	Tree is Undamaged	<Null>	Pruning	No	Yes	{9BA15174-C261-4767-ACEE-860C0E9DAF78}	Palm (Queen)	No	Syagrus romanzoffiana	3.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.39141569860	-80.78325144610	Excellent	2.00000000000	Enters roadway. See pic	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{16A0AFCF-1CEC-4558-A852-7CF470E34D9C}	Sea Grape	No	Coccoloba uvifera	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	35.00000000000	22.00000000000	40.00000000000	35.00000000000	28.39297203890	-80.78224640460	Excellent	2.00000000000	Canopy overhangs road see pictures the root system looks like it has been previously pruned see pictures no evidence of soil heaving on this tree.	Tree Is Undamaged	<Null>	Pruning	No	No	{0D0CB168-1C69-4B76-8C26-1B76FCC579EF}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	35.00000000000	24.00000000000	40.00000000000	40.00000000000	28.39303392370	-80.78223183580	Excellent	2.00000000000	Overhangs road. Side walk heaving	Tree Is Undamaged	<Null>	Pruning	No	No	{8B8781E5-0F30-4399-A8E1-191D22121435}	Oak (Live)	No	Quercus virginiana	1.00000000000

2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	35.00000000000	22.00000000000	35.00000000000	40.00000000000	28.39332897480	-80.78208665360	Excellent	2.00000000000	Overhangs road. See pics	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{1E209EE1-A2E5-4C8F-9564-8E3B661CBFE6}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	25.00000000000	20.00000000000	35.00000000000	35.00000000000	28.39331694950	-80.78263331440	Excellent	2.00000000000	Over hangs road. Minor sidewalk heave3 oaks. All similar.	Tree Is Undamaged	<Null>	Pruning	No	Yes	{EDC12727-385D-4A43-A111-FD54A3CCD2C6}	Oak (Live)	No	Quercus virginiana	3.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	40.00000000000	24.00000000000	45.00000000000	35.00000000000	28.39345771220	-80.78335089140	Excellent	2.00000000000	Canopy overhangs road and sidewalk is heaving. Appears to be route pruning to curb as well. See picture	Tree Is Undamaged	<Null>	Pruning	No	No	{3AB5A386-2283-4077-961C-54DC584D0C66}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	30.00000000000	18.00000000000	30.00000000000	35.00000000000	28.39419434800	-80.78249788890	Excellent	2.00000000000	Overhangs street	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{F2E5426F-B215-4908-B82C-4B0317D61D91}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	35.00000000000	20.00000000000	45.00000000000	35.00000000000	28.39464852380	-80.78233859510	Excellent	2.00000000000	Overhang road	Tree Is Undamaged	<Null>	Pruning	No	No	{CDF630EC-0F58-4DF7-91B6-ADE977525B52}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	10.00000000000	10.00000000000	25.00000000000	10.00000000000	28.39474579460	-80.78273504050	Excellent	2.00000000000	Seeds rotting on sidewalk.	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{7FA6F6EC-B9F9-464C-B700-2CBB263C77E1}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	15.00000000000	14.00000000000	35.00000000000	30.00000000000	28.39470313110	-80.78327570690	Excellent	2.00000000000	Overhang road. Sidewalk heaving	Tree Is Undamaged	<Null>	Pruning	No	No	{F00C0EFE-4345-4266-B74C-3D3859337071}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	25.00000000000	20.00000000000	45.00000000000	35.00000000000	28.39562938770	-80.78317205560	Excellent	2.00000000000	Overhangs road	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{CCD2C209-094F-4D5C-9E2D-305058983092}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	25.00000000000	14.00000000000	40.00000000000	20.00000000000	28.39463114080	-80.78137294300	Excellent	2.00000000000	Overhangs road	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{3006EE00-0334-4642-914B-40C949A37019}	Cypress (Bald)	No	Taxodium distichum	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	25.00000000000	18.00000000000	50.00000000000	25.00000000000	28.39465670360	-80.78105722830	Excellent	2.00000000000	Overhangs road	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{E87A73D5-D3B5-40EA-B6DA-F73AC9627DC8}	Cypress (Bald)	No	Taxodium distichum	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	10.00000000000	40.00000000000	30.00000000000	28.38718581860	-80.78598530870	Excellent	2.00000000000	Branches overhanging sidewalk and road.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{5CE6EA08-ABB9-4671-AED3-3FBF7E8F0BDA}	Sycamore	No	Platanus occidentalis	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	25.00000000000	18.00000000000	35.00000000000	35.00000000000	28.38740984480	-80.78706103230	Excellent	2.00000000000	Branches overhanging sidewalk.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{83B556B6-306F-448C-B81C-3133E104BD9C}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	20.00000000000	14.00000000000	30.00000000000	35.00000000000	28.38766732750	-80.78705760700	Excellent	2.00000000000	Limbs overhanging sidewalk and road.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{A63C26EF-C6BF-49FC-8F3E-AE7E4853C3EF}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	20.00000000000	12.00000000000	30.00000000000	30.00000000000	28.38872819510	-80.78704634030	Excellent	2.00000000000	Tree has a weak canopy, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{73365FCC-C514-4446-9A3A-F561D9B61BEE}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	20.00000000000	14.00000000000	35.00000000000	35.00000000000	28.38893900600	-80.78712953240	Excellent	2.00000000000	Limbs overhanging road. Soil up heaving adjacent sidewalk.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{0C3D64E8-2FD3-435C-8C44-71D034271086}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	20.00000000000	14.00000000000	35.00000000000	35.00000000000	28.38861307570	-80.78419293260	Excellent	2.00000000000	Some canopy missing	Tree is Damaged	Canopy missing	Pruning	Yes	No	{5DF962C3-4005-481F-BBBA-81D0D51FD704}	Carrotwood	No	Cupaniopsis anacardioides	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	25.00000000000	16.00000000000	45.00000000000	35.00000000000	28.38654907420	-80.78627826640	Excellent	2.00000000000	Branches overhanging sidewalk.	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{F174CD57-3413-48B3-8121-62F46D57A8BA}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	25.00000000000	18.00000000000	35.00000000000	40.00000000000	28.38875797780	-80.78573516300	Excellent	2.00000000000	Overhanging limbs.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{56E946FD-A936-4FD2-A5E9-D087053A6E60}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	20.00000000000	18.00000000000	30.00000000000	40.00000000000	28.38897982650	-80.78772364220	Excellent	2.00000000000	Overhanging branches.	Tree is Undamaged	<Null>	Pruning	No	No	{5860422E-D1D3-4875-A5C7-05B5553C1D3E}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	20.00000000000	14.00000000000	45.00000000000	25.00000000000	28.38902403500	-80.78774253650	Excellent	2.00000000000	Overhanging branches. Two trees in Woodland.	Tree is Undamaged	<Null>	Pruning	No	Yes	{AD1067DF-8F01-40B4-B9DF-EE079C8DA058}	Pine (Slash)	No	Pinus elliottii	2.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	25.00000000000	18.00000000000	35.00000000000	45.00000000000	28.38916359270	-80.78775525210	Excellent	2.00000000000	Overhanging branches.	Tree is Undamaged	<Null>	Pruning	No	No	{D731E1B0-9FA8-424C-A791-D1B58F219105}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	20.00000000000	14.00000000000	40.00000000000	25.00000000000	28.38869593090	-80.78775540930	Excellent	2.00000000000	Overhanging branches. Five trees in Woodland.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{20D8E59C-B274-4A19-A8E0-B1AB7774D5BF}	Pine (Slash)	No	Pinus elliottii	5.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	20.00000000000	14.00000000000	50.00000000000	35.00000000000	28.38843588220	-80.78775356510	Excellent	2.00000000000	Overhanging branches	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{4D51D1B9-81CB-4E03-8B75-6799510CDD21}	Pine (Slash)	No	Pinus elliottii	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	20.00000000000	16.00000000000	35.00000000000	40.00000000000	28.38836806760	-80.78775958560	Excellent	2.00000000000	Overhanging branches. Three trees in Woodland.	Tree is Undamaged	<Null>	Pruning	No	Yes	{90A7ED02-102A-4B7E-8CA9-A384815AB2E9}	Oak (Live)	No	Quercus virginiana	3.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	20.00000000000	14.00000000000	45.00000000000	30.00000000000	28.38823749840	-80.78776141910	Excellent	2.00000000000	Overhanging branches.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{16F76BF9-3622-4158-95C3-C2ED34D7BA6A}	Pine (Slash)	No	Pinus elliottii	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	40.00000000000	25.00000000000	28.38792414420	-80.78776113970	Excellent	2.00000000000	Three trees in Woodland. All three trees have overhanging branches.	Tree is Undamaged	<Null>	Pruning	No	Yes	{0991C884-2E26-49D1-B0C8-FFBB32FF245E}	Pine (Slash)	No	Pinus elliottii	3.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	40.00000000000	35.00000000000	28.38690346720	-80.78775884540	Excellent	2.00000000000	Two trees in Woodland. South most tree has limbs overhanging.	Tree is Undamaged	<Null>	Pruning	No	Yes	{448E7A6E-E6E7-4C7E-94ED-6B36ECD6C8B7}	Oak (Laurel)	No	Quercus laurifolia	2.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	35.00000000000	24.00000000000	65.00000000000	50.00000000000	28.39253765030	-80.78116790440	Excellent	2.00000000000	ItΓÇÖs trees off the right away but it has overhang to the road and some sidewalk heaving. See pictures	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{21A68C77-D1A7-459A-8C7B-5DFADB0C39DB}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	35.00000000000	26.00000000000	50.00000000000	60.00000000000	28.39486497000	-80.78064495730	Excellent	2.00000000000	This tree overhangs the road. And has been well-maintained. See pictures.	Tree Is Undamaged	<Null>	Pruning	No	No	{D24EC6F3-2957-4E43-B3ED-3B6148B196B6}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	20.00000000000	14.00000000000	20.00000000000	15.00000000000	28.37878477970	-80.81780999710	Excellent	2.00000000000	Two trees in Woodland. Both trees need pruning.	Tree is Undamaged	<Null>	Pruning	No	Yes	{39ADE92E-0255-4506-ACBA-456E43D8AE5F}	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	25.00000000000	10.00000000000	28.37879617040	-80.81668319980	Excellent	2.00000000000	Tree slightly leaning over road.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{C1E95EFA-57C7-4D20-AB95-489706508196}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	40.00000000000	25.00000000000	28.38792414420	-80.78776113970	Excellent	2.00000000000	Three trees in Woodland. All three trees have overhanging branches.	Tree is Undamaged	<Null>	Pruning	No	Yes	{9F8C03D3-CA61-4BBE-BA7F-473015167EB4}	Pine (Slash)	No	Pinus elliottii	3.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	40.00000000000	35.00000000000	28.38690346720	-80.78775884540	Excellent	2.00000000000	Two trees in Woodland. South most tree has limbs overhanging.	Tree is Undamaged	<Null>	Pruning	No	Yes	{06439857-B7C4-445A-8100-50233A876FDF}	Oak (Laurel)	No	Quercus laurifolia	2.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	35.00000000000	24.00000000000	65.00000000000	50.00000000000	28.39253765030	-80.78116790440	Excellent	2.00000000000	ItΓÇÖs trees off the right away but it has overhang to the road and some sidewalk heaving. See pictures	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{913ECB82-4C7B-4C30-BBB9-0750FD0222F0}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	35.00000000000	26.00000000000	50.00000000000	60.00000000000	28.39486497000	-80.78064495730	Excellent	2.00000000000	This tree overhangs the road. And has been well-maintained. See pictures.	Tree is Undamaged	<Null>	Pruning	No	No	{86E6E6C9-D86A-4B41-9AC5-A269CE902F8B}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	14.00000000000	20.00000000000	15.00000000000	28.37878477970	-80.81780999710	Excellent	2.00000000000	Two trees in Woodland. Both trees need pruning.	Tree is Undamaged	<Null>	Pruning	No	Yes	{BEA1E8E8-81AE-4CF7-8D8D-F9024BF4E7B7}	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	25.00000000000	10.00000000000	28.37879617040	-80.81668319980	Excellent	2.00000000000	Tree slightly leaning over road.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{78DD229F-2A95-4698-8E5B-3EA67B5EAE48}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	16.00000000000	30.00000000000	40.00000000000	28.36291782140	-80.81522215820	Excellent	2.00000000000	Overhanging limbs	Tree is Undamaged	<Null>	Pruning	No	No	{F8905BFA-DC64-4A04-A094-4077E9E851A8}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	16.00000000000	35.00000000000	40.00000000000	28.36311621550	-80.81539859180	Excellent	2.00000000000	Overhanging branches.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{F08C807F-AAC7-4863-B2F6-B5E51D79964A}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	18.00000000000	30.00000000000	45.00000000000	28.36355197110	-80.81520110980	Excellent	2.00000000000	Overhanging limbs.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{C40207B0-887F-4EAE-9C43-1FF746875267}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	12.00000000000	35.00000000000	30.00000000000	28.36358574410	-80.81538537040	Excellent	2.00000000000	Overhanging limbs.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{8CD70BAA-7027-4D56-B770-5A3090221979}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	16.00000000000	35.00000000000	30.00000000000	28.36372571780	-80.81537397260	Excellent	2.00000000000	Overhanging limbs.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{B32D3244-CA21-456F-A1E5-AE929CABCE74}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	18.00000000000	40.00000000000	35.00000000000	28.36416175160	-80.81580196240	Excellent	2.00000000000	Overhanging limbs.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{190E2E9D-ECC5-41B0-A0EC-766B287CB0A4}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	12.00000000000	30.00000000000	30.00000000000	28.36415611080	-80.81593134940	Excellent	2.00000000000	Overhanging limbs.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{DFC4ADF6-A0B1-47DC-886C-A2DBC7BACC8C}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	16.00000000000	35.00000000000	35.00000000000	28.36399630400	-80.81616331690	Excellent	2.00000000000	Two trees in Woodland. Both trees overhanging branches.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{AF837D48-F28B-4AD7-ABC3-AAF79B26BB1F}	Oak (Live)	No	Quercus virginiana	2.00000000000
2-4 Ft ROW	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	14.00000000000	35.00000000000	35.00000000000	28.36377845570	-80.81633293230	Excellent	2.00000000000	Overhanging branches.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{44438D5B-8C7E-45E7-A4D5-814D9581C26E}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	12.00000000000	25.00000000000	30.00000000000	28.36363487280	-80.81634709690	Excellent	2.00000000000	Overhanging branches.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{11D9B3DC-8EFE-4AEA-99A0-123E2BA22514}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	10.00000000000	30.00000000000	25.00000000000	28.36246066400	-80.81637940840	Excellent	2.00000000000	Overhanging branches.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{FC7E7187-D163-46AB-9251-7DDAA0AC5A0B}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	10.00000000000	30.00000000000	35.00000000000	28.36228697770	-80.81656308510	Excellent	2.00000000000	Overhanging branches.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{B01A88D8-19F7-4B4F-91FD-F16F59BAC384}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	16.00000000000	35.00000000000	40.00000000000	28.36224706860	-80.81637039380	Excellent	2.00000000000	Overhanging branches.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{81394FA5-BB46-4DB0-9EF1-D3BD65C92A7C}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	12.00000000000	30.00000000000	35.00000000000	28.36146583920	-80.81657876700	Excellent	2.00000000000	Overhanging limbs.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{F788D1A6-9363-4D5B-9543-0DB086E2854D}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	12.00000000000	35.00000000000	35.00000000000	28.36118467770	-80.81658580800	Excellent	2.00000000000	Overhanging branches.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{B6846DA0-E435-4448-AC87-94048963CE03}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	25.00000000000	20.00000000000	35.00000000000	35.00000000000	28.36105696830	-80.81659867910	Excellent	2.00000000000	Overhanging branches.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{9D50DE64-A80F-4601-AE5E-87394AD13DE2}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	18.00000000000	35.00000000000	40.00000000000	28.36051748140	-80.81652763310	Excellent	2.00000000000	Overhanging branches.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{1DF3DE89-CD68-476B-B170-35CFC27E228A}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	14.00000000000	30.00000000000	35.00000000000	28.36039170550	-80.81625241270	Excellent	2.00000000000	Overhanging limbs.	Tree is Undamaged	<Null>	Pruning	No	No	{AD1A4C5A-DE56-4ACC-83EC-903EB5FB81FB}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	8.00000000000	30.00000000000	35.00000000000	28.36076119500	-80.81639936000	Excellent	2.00000000000	Overhanging limbs.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{89B27DBB-D3E9-48ED-9E72-36D894730A8C}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	16.00000000000	40.00000000000	35.00000000000	28.36097451360	-80.81640696150	Excellent	2.00000000000	Overhanging branches.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{5FC57271-5DAD-4737-A740-BA95BD78CA5A}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	10.00000000000	35.00000000000	30.00000000000	28.36181637300	-80.81638317230	Excellent	2.00000000000	Overhanging branches.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{2E9B72EA-78F9-42C6-A897-95610D2ED3D3}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	10.00000000000	35.00000000000	35.00000000000	28.36197352240	-80.81637887300	Excellent	2.00000000000	Limbs overhanging.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{47F2DB3B-9FA3-4035-B4EC-FE3DF4FB07E4}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	8.00000000000	35.00000000000	35.00000000000	28.36201563150	-80.81626831290	Excellent	2.00000000000	Overhanging limbs.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{D13209F5-89BE-45A1-98ED-9782D07306E2}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	10.00000000000	40.00000000000	35.00000000000	28.36218655310	-80.81624309360	Excellent	2.00000000000	Overhanging limbs.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{F4FFA771-7F1B-4D17-9EA2-A019D57606C2}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	8.00000000000	35.00000000000	30.00000000000	28.36217272920	-80.81594490320	Excellent	2.00000000000	Overhanging limbs.	Tree is Undamaged	<Null>	Pruning	No	No	{581F5457-E2A0-480F-8E53-4F9EB9F82D34}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	25.00000000000	18.00000000000	40.00000000000	40.00000000000	28.36217154500	-80.81583625820	Excellent	2.00000000000	Overhanging limbs.	Tree is Undamaged	<Null>	Pruning	No	No	{6620DB2D-A56A-4AE1-8744-6306471AD805}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	25.00000000000	20.00000000000	40.00000000000	35.00000000000	28.36199928030	-80.81584834960	Excellent	2.00000000000	Overhanging limbs.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{6260A4F4-87AC-4DFB-AB0E-35A5669BD64E}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	18.00000000000	40.00000000000	40.00000000000	28.36216962490	-80.81570420500	Excellent	2.00000000000	Overhanging limbs.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{C7333AE0-60A4-4D3F-A080-E07B802DA074}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	12.00000000000	35.00000000000	25.00000000000	28.36201672790	-80.81565762290	Excellent	2.00000000000	Overhanging limbs.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{0CAFE96A-A159-4FD9-9258-310121CC3369}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	18.00000000000	40.00000000000	35.00000000000	28.36216374530	-80.81557771770	Excellent	2.00000000000	Overhanging limbs.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{DA0FFC76-3FFD-40D9-9202-2415FBC1220C}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	18.00000000000	40.00000000000	45.00000000000	28.36220961000	-80.81543012180	Excellent	2.00000000000	Overhanging limbs.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{949899DF-D7A9-47E8-91C2-C1798DCB528A}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	16.00000000000	35.00000000000	40.00000000000	28.36227770380	-80.81524443830	Excellent	2.00000000000	Overhanging limbs.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{04C46FB9-852F-45C9-8C90-67D5FBE791DA}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	12.00000000000	40.00000000000	35.00000000000	28.36245395280	-80.81442243930	Excellent	2.00000000000	Overhanging limbs.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{52A2E1EB-35A7-4C1E-8095-7267436F51BA}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	12.00000000000	40.00000000000	35.00000000000	28.36210863750	-80.81461463570	Excellent	2.00000000000	Overhanging limbs.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{B46C0165-F694-47F7-B7FB-87543B8F9F9F}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	14.00000000000	35.00000000000	40.00000000000	28.36171800800	-80.81431844950	Excellent	2.00000000000	Over hanging limbs.	Tree is Undamaged	<Null>	Pruning	No	No	{6BB81900-F177-462D-AB01-AD61A947ACE1}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	14.00000000000	40.00000000000	30.00000000000	28.36163388910	-80.81431062060	Excellent	2.00000000000	Overhanging limbs.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{C3F2A6E3-3900-4D49-9AF9-389AF373DD88}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	10.00000000000	8.00000000000	35.00000000000	30.00000000000	28.36128030100	-80.81433364720	Excellent	2.00000000000	Overhanging limbs.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{002ADAFF-A04F-4212-B16B-6B4436BEF9F7}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	10.00000000000	35.00000000000	30.00000000000	28.36109683910	-80.81439570820	Excellent	2.00000000000	Overhanging limbs.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{E5D8616E-4BE0-4414-AD53-046F4B8FB2F5}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	12.00000000000	35.00000000000	40.00000000000	28.36093742210	-80.81446424960	Excellent	2.00000000000	Overhanging limbs.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{877C8458-4290-41EF-A8FB-5F1FAABE91C6}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	8.00000000000	35.00000000000	30.00000000000	28.36078844650	-80.81446217810	Excellent	2.00000000000	Overhanging limbs.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{3A5290A0-C7B2-4303-8003-D2E4B26A8E2D}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	10.00000000000	30.00000000000	35.00000000000	28.36046154830	-80.81416671140	Excellent	2.00000000000	Overhanging limbs.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{C7EB162D-6BF7-4CCB-8700-F0ACE456CD9B}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	8.00000000000	30.00000000000	25.00000000000	28.36061454870	-80.81390372420	Excellent	2.00000000000	Overhanging limbs.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{47619853-2F2C-4C5B-95DB-D5F8E2F35FD9}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	12.00000000000	40.00000000000	35.00000000000	28.36062690020	-80.81365245020	Excellent	2.00000000000	Two trees in Woodland. Overhanging limbs on both trees.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{DA422396-3788-4916-8B77-5BAF515AB8DD}	Oak (Live)	No	Quercus virginiana	2.00000000000
2-4 Ft ROW	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	14.00000000000	35.00000000000	40.00000000000	28.36058241980	-80.81319239150	Excellent	2.00000000000	Overhanging limbs.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{BBF04D0B-DFF4-4C45-BCD3-0EE24E15A860}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	16.00000000000	40.00000000000	25.00000000000	28.36069933560	-80.81333912050	Excellent	2.00000000000	Overhanging limbs.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{90C3BE27-77AF-4C81-9441-4C97DB2031A1}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	14.00000000000	35.00000000000	35.00000000000	28.36076389610	-80.81318108170	Excellent	2.00000000000	Overhanging limbs.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{78ECA5B1-E976-41B8-88F7-F89C1AA38C60}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	12.00000000000	35.00000000000	30.00000000000	28.36103846050	-80.81315054710	Excellent	2.00000000000	Overhanging limbs.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{E10E169A-48BB-4BF2-915A-E22A21543F80}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	8.00000000000	40.00000000000	25.00000000000	28.36127532250	-80.81332361830	Excellent	2.00000000000	Overhanging limbs.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{C0C7CBAE-DF78-4454-8486-D428A1D3AB53}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	10.00000000000	35.00000000000	30.00000000000	28.36152057340	-80.81315035390	Excellent	2.00000000000	Overhanging limbs.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{42A62262-7CD5-459A-A0C2-383492A411FC}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	8.00000000000	35.00000000000	25.00000000000	28.36185819050	-80.81332115780	Excellent	2.00000000000	Overhanging limbs.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{1302E16F-950F-4350-8CF3-D988030367D6}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	12.00000000000	35.00000000000	35.00000000000	28.36226503870	-80.81331786640	Excellent	2.00000000000	Overhanging limbs.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{2509AFF7-27AF-4A42-A26E-2114CF806C50}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	8.00000000000	35.00000000000	30.00000000000	28.36246775390	-80.81331423900	Excellent	2.00000000000	Overhanging limbs.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{E7C0F4FD-B75A-45FD-B797-47A3566B4DE4}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	8.00000000000	30.00000000000	35.00000000000	28.36261500390	-80.81328970330	Excellent	2.00000000000	Overhanging limbs.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{A3E4FE24-948D-428B-B069-32C778F92A73}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Building	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	20.00000000000	8.00000000000	25.00000000000	15.00000000000	28.36061474000	-80.73457219720	Very Poor	7.00000000000	Completely dead	Tree is Damaged	Tree is Dead	Removal	No	No	380d956b-567b-48f5-9a70-79ea56e063ca	Holly (East Palatka)	No	Ilex x attenuata	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	20.00000000000	8.00000000000	15.00000000000	0.00000000000	28.39002635800	-80.74369412080	Very Poor	7.00000000000	Dead palm, needs removal	Tree is Damaged	Tree Is Dead	Removal	No	No	9d1bf111-5d79-49ce-8d7e-23a1a8281ce8	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	20.00000000000	6.00000000000	35.00000000000	0.00000000000	28.39044569030	-80.74287065860	Very Poor	7.00000000000	Dead, needs removal	Tree is Damaged	Tree Is Dead	Removal	No	No	63320dae-df76-49d6-94c0-317aa338cb65	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	16.00000000000	15.00000000000	10.00000000000	28.38811917220	-80.75545490770	Very Poor	7.00000000000	See pics, Tree Is Dead	Tree Is Damaged	Stump/Trunk	Removal	No	No	bde7f7c8-b406-4740-98ea-e4afe5a316a0	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	8.00000000000	15.00000000000	5.00000000000	28.38811179650	-80.75583988790	Very Poor	7.00000000000	Trunk Damage, Signs of Decay	Tree is Damaged	Trunk has decay, only 20% of canopy alive	Removal	No	No	1ec8cd33-6e1b-49b4-8b5c-08e338f08f04	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	4.00000000000	20.00000000000	15.00000000000	28.38111007130	-80.75043034640	Very Poor	7.00000000000	Dead, Neds Removal	Tree is Damaged	Dead, Needs Removal	Removal	No	No	{B33DF877-BE37-4AE2-A174-B6C36DBF6CD5}	Red Cedar	No	Juniperus virginiana	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	10.00000000000	6.00000000000	5.00000000000	5.00000000000	28.39251547890	-80.78256999220	Very Poor	7.00000000000	Poor condition, consider replacement	Tree Is Damaged	Previously taken to just stump, resprouting	No Maintenance Required	No	No	{0A2DB9BD-0037-4CD7-8F52-2BC20845E1EF}	Golden Raintree	No	Koelreuteria paniculata	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	5.00000000000	8.00000000000	10.00000000000	10.00000000000	28.35366975970	-80.73520389430	Very Poor	6.00000000000	Dead cabbage palm	Tree is Damaged	Dead, brown fronds and trunk	Removal	No	No	4ef806b9-e874-40b8-b918-a37f76dfb7a9	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	20.00000000000	10.00000000000	30.00000000000	15.00000000000	28.37441256170	-80.73508941830	Very Poor	6.00000000000	Poor Shape, Nearly Dead; Leaning into Roadway	Tree is Damaged	Rot and decay	Removal	No	No	64cce7b8-a526-414e-85b7-90ea8d68558e	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	40.00000000000	22.00000000000	45.00000000000	30.00000000000	28.39349752110	-80.74494572830	Very Poor	6.00000000000	In yard but mostly dead, overhanging road	Tree is Damaged	Tree is Dead	Removal	No	No	3c6fff81-c9e5-4fc0-a24c-a31250ed8b13	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	12.00000000000	10.00000000000	15.00000000000	28.39630519010	-80.75949179910	Very Poor	6.00000000000	Tree is Dead, Top Snapped Off, Just Trunk	Tree is Damaged	Stump/Trunk	Remove Trunk	No	No	{92A6AB4D-4442-48D9-9A42-83918A223759}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	12.00000000000	20.00000000000	10.00000000000	28.39546529150	-80.77771919830	Very Poor	6.00000000000	Two dead trees in Woodland.	Tree is Damaged	Stump/Trunk	Remove Trunks	No	Yes	{71FB3AC6-090C-432D-82B1-989025C76E55}	Palm (Queen)	No	Syagrus romanzoffiana	2.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	15.00000000000	20.00000000000	30.00000000000	10.00000000000	28.39654017710	-80.77215492750	Very Poor	5.00000000000	Dead Tree, Needs Removal.	Tree Is Damaged	Stump/Trunk	Removal	No	No	{90F49D7A-131D-4681-A0D4-30C3A6650F80}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	14.00000000000	10.00000000000	0.00000000000	28.35970917560	-80.73356772260	Very Poor	5.00000000000	Dead Tree With Debris on Ground, Needs Removal	Tree is Damaged	Tree is Dead	Removal	Yes	No	{5D5B6D97-BA02-4D4D-BB9A-204665A5946F}	Pine (Australian)	No	Casuarina equisetifolia	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	25.00000000000	12.00000000000	0.00000000000	0.00000000000	28.35465994530	-80.73038683670	Very Poor	4.00000000000	See pic; dead stump, needs removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	37cea1c0-ea25-4473-a27f-ef602c1ea2ef	Red Cedar	No	Juniperus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	16.00000000000	10.00000000000	0.00000000000	28.39199010250	-80.75872301100	Very Poor	4.00000000000	Stump That Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{BAAB84BD-2DA2-46C1-A220-4AF39FF0EE37}	N/A (Stump)	No	N/A (Stump)	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	12.00000000000	40.00000000000	5.00000000000	28.40082534120	-80.76887391530	Very Poor	4.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{B3016B6E-7653-4251-9F36-3F5C670A749D}	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	14.00000000000	35.00000000000	15.00000000000	28.40072983500	-80.76886922250	Very Poor	4.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{3753AAE0-AF6F-44AD-9FDC-63D37B8CE09D}	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	14.00000000000	20.00000000000	10.00000000000	28.39545492520	-80.77698497380	Very Poor	4.00000000000	Dead Trunk, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{A2B29C06-54B6-4511-A0AE-4AE144866251}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	15.00000000000	12.00000000000	15.00000000000	0.00000000000	28.36028379310	-80.74511496280	Very Poor	3.00000000000	Dead palm trunk. Directly under power lines, needs removal	Tree Is Damaged	Stump	Remove Stump	No	No	102a501f-485a-4869-935d-7599fd845db5	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	10.00000000000	8.00000000000	20.00000000000	20.00000000000	28.38850520070	-80.78777619640	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{950C8A8C-E95D-4C3D-9BB1-88CB78773C06}	Pine (Slash)	No	Pinus elliottii	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	8.00000000000	30.00000000000	20.00000000000	28.38802106560	-80.78773675040	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{E7B29CFB-B138-494D-BC3A-6544126508D3}	Pine (Slash)	No	Pinus elliottii	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	20.00000000000	15.00000000000	28.38729850230	-80.78772135240	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{A6F520AA-BE5B-4F33-AA30-C028F250066C}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	acarroll_sfc	9/29/2020	acarroll_sfc	9/29/2020	15.00000000000	8.00000000000	15.00000000000	10.00000000000	28.35750346390	-80.73363002340	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{5BEBB25C-5D3A-4F51-B4AC-916BA29AFBEB}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Median	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.38273778120	-80.77264493330	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree is Dead	Removal	No	No	{7356D8DC-9EEF-4BCD-9C37-AF34A528B318}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	8.00000000000	15.00000000000	0.00000000000	28.36806211650	-80.75455653490	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree Is Dead	Removal	No	No	{B0AA3A91-74ED-4EC5-B6B9-9C55DC00EFD4}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	30.00000000000	28.00000000000	10.00000000000	0.00000000000	28.36940032900	-80.75550067230	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{980EB6CB-8C9C-46A5-BE14-C58E1DC6B7E2}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	15.00000000000	12.00000000000	5.00000000000	5.00000000000	28.40107568520	-80.74431573080	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{29508705-86F4-4831-AB68-2CB1FC0730A6}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	20.00000000000	14.00000000000	15.00000000000	10.00000000000	28.40210622400	-80.74257587820	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{F12D774F-FACC-4548-883C-2B4B33DED582}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	12.00000000000	5.00000000000	0.00000000000	28.39095154290	-80.78079465800	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{A8EBBB7F-C43F-42C4-B97E-D8C7EF0A23AA}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	30.00000000000	18.00000000000	35.00000000000	15.00000000000	28.35545871610	-80.73228686420	Very Poor	2.00000000000	Bizmark stump	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	f5b6bc90-b19d-47b1-9d94-803c94c27919	Palm (Bismarck)	No	Bismarckia nobilis	1.00000000000
City Park	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	20.00000000000	10.00000000000	0.00000000000	0.00000000000	28.35888270100	-80.73130859620	Very Poor	2.00000000000	3 stumps and 1 BP. To be removed	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	b11484c9-65d7-4d53-9461-416912340a10	Hickory (Pignut)	No	Carya glabra	1.00000000000
2-4 Ft ROW	shendley_sfc	9/13/2020	shendley_sfc	9/13/2020	20.00000000000	8.00000000000	5.00000000000	0.00000000000	28.35087389180	-80.73356707580	Very Poor	2.00000000000	Tree is cut; stump needs removal	Tree Is Damaged	Stump/Trunk	Remove Stump	No	No	7148642b-82af-4f80-a4ad-74d5e933ea8a	Sycamore	No	Platanus occidentalis	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/16/2020	sbourgoin_sfc	9/16/2020	20.00000000000	14.00000000000	25.00000000000	15.00000000000	28.36619344110	-80.74705959530	Very Poor	2.00000000000	Completely dead needs removal	Tree is Damaged	Tree is Dead	Removal	No	No	1c15f2d9-a065-4aab-8ccf-5cd17f805c7a	Pine (Longleaf)	No	Pinus palustris	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	20.00000000000	10.00000000000	5.00000000000	0.00000000000	28.38738969540	-80.76376179260	Very Poor	2.00000000000	Stump	Tree Is Undamaged	<Null>	Remove Stump	No	No	{57F1FA2A-BD75-400B-8276-6ED829F7A80C}	Bottlebrush (Weeping)	No	Melaleuca viminalis	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	16.00000000000	0.00000000000	0.00000000000	28.39889285130	-80.76775526670	Very Poor	2.00000000000	Stump That Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{20ACB205-116A-418E-A68F-74403C577CD5}	N/A (Stump)	No	N/A (Stump)	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	35.00000000000	18.00000000000	10.00000000000	5.00000000000	28.35695927990	-80.73346942710	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{F6DC1A1A-AB89-41C0-8372-8E2460A0F823}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	55.00000000000	28.00000000000	50.00000000000	60.00000000000	28.36019909440	-80.73430334220	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{C9E5553C-5EC9-4DA4-9A4E-6D214065BBD5}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	25.00000000000	16.00000000000	40.00000000000	20.00000000000	28.35963514510	-80.73353318230	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree is dead, see picture.	Removal	Yes	No	{6EE83020-5AB6-449A-ADA6-8EA7F2292927}	Pine (Australian)	No	Casuarina equisetifolia	1.00000000000
Cemetary	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	30.00000000000	18.00000000000	0.00000000000	0.00000000000	28.36875127660	-80.75586536950	Very Poor	2.00000000000	Old stump. Rotting	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{35627E43-0723-448B-BD9B-8911F4A8D205}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	16.00000000000	10.00000000000	5.00000000000	28.36835598580	-80.75473439860	Very Poor	2.00000000000	Stump	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{15DA5336-B17B-479C-929E-A36072E8D6D0}	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	10.00000000000	4.00000000000	15.00000000000	5.00000000000	28.38348674870	-80.77803819550	Very Poor	2.00000000000		Tree is Damaged	Tree is Dead	Removal	No	No	{1BAEAF65-A73A-4AAD-B2B5-156CBE656BE0}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	12.00000000000	0.00000000000	0.00000000000	28.39103175120	-80.78077820530	Very Poor	2.00000000000	Two stumps in Woodland.	Tree is Damaged	Stump/Trunk	Remove Stump	No	Yes	{E37E5873-D334-4D04-8F44-04B030B00B88}	N/A (Stump)	No	N/A (Stump)	2.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	12.00000000000	15.00000000000	0.00000000000	28.39120392220	-80.78055795280	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{88B0584D-929C-4C3A-B4CE-733862991F2F}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	10.00000000000	20.00000000000	0.00000000000	28.39127525250	-80.78042099290	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{63356FB1-094E-4FD5-9573-2F45BA64F029}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	12.00000000000	25.00000000000	10.00000000000	28.39152758910	-80.77998370830	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{B19D23DB-8B93-431A-ACD0-7BE247CC2E33}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.39102319340	-80.77973278460	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{EC4E220A-D753-48A0-B655-12FD268FB25D}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	8.00000000000	30.00000000000	25.00000000000	28.39072632140	-80.78034228610	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{66C46A3C-08E9-491C-B001-175D6B738570}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.39078610070	-80.78101954130	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{CBF7C1CA-BA64-4423-B044-09F778651EDE}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	5.00000000000	4.00000000000	15.00000000000	5.00000000000	28.39078144680	-80.78100083840	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{8C262DC2-611C-4171-875C-EE4247717BF5}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35702616760	-80.73350831880	Very Poor	1.00000000000	Stump that has resprouted	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{B77C4B93-AF85-4AD0-9BD7-C050A6AD16C9}	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
City Park	acarroll_sfc	9/15/2020	acarroll_sfc	9/15/2020	20.00000000000	10.00000000000	25.00000000000	10.00000000000	28.35420867420	-80.74326518970	Poor	6.00000000000	See pic	Tree is Undamaged	<Null>	Removal	No	No	cdb648ac-bce2-4124-b380-995ad4b2eee9	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
													tree not completely dead, but 50 percent of branches without leaves; seems to have a web										

City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	30.00000000000	22.00000000000	40.00000000000	40.00000000000	28.35341617250	-80.74454846360	Excellent	2.00000000000	Overhang road	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{A416B933-442D-4288-BCF7-950E211282FD}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	40.00000000000	22.00000000000	50.00000000000	45.00000000000	28.35338879420	-80.74449042700	Excellent	2.00000000000	Overhang road	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{2C34A609-1015-41FC-A7CB-F369729755ED}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	40.00000000000	22.00000000000	40.00000000000	45.00000000000	28.35314824010	-80.74466957450	Excellent	2.00000000000	Overhang road	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{FBC0C5A2-670A-42C1-A017-B6C9E80A3A96}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	40.00000000000	32.00000000000	50.00000000000	55.00000000000	28.35315368550	-80.74548485130	Excellent	2.00000000000	Overhang road	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{32375711-999C-4302-96F9-1E841E881918}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	40.00000000000	30.00000000000	55.00000000000	60.00000000000	28.35396038340	-80.74551701190	Excellent	2.00000000000	Overhang structure	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{391D93B4-396B-4B9D-8459-D5579CD10A09}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	75.00000000000	40.00000000000	55.00000000000	60.00000000000	28.35381345820	-80.74540152440	Excellent	2.00000000000	Overhang structure	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{4A4D1EB8-0DDD-4157-9E48-408EF71C1666}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	40.00000000000	38.00000000000	60.00000000000	60.00000000000	28.35364048020	-80.74557229240	Excellent	2.00000000000	Limbs overhanging building.	Tree is Undamaged	<Null>	Pruning	No	No	{89F2135B-8D1C-4CB3-B8BA-76552D8C721F}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	5.00000000000	4.00000000000	15.00000000000	10.00000000000	28.35429526870	-80.74564773200	Excellent	2.00000000000	Lots of overhang from other side	Tree is Undamaged	<Null>	No Maintenance Required	Yes	Yes	{600861D2-410D-4216-B0FA-16D7E538230D}	Brazilian Pepper	No	Schinus terebinthifolia	6.00000000000
City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	15.00000000000	20.00000000000	20.00000000000	25.00000000000	28.35344442670	-80.74593604990	Excellent	2.00000000000	Multiple Brazilian pepper trees overhanging Fenceline.	Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	{24D38295-6603-464C-B726-423DC3F51A4A}	Brazilian Pepper	No	Schinus terebinthifolia	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	18.00000000000	60.00000000000	35.00000000000	28.39134782500	-80.77986854790	Excellent	2.00000000000	Crack in Base of Tree	Tree is Damaged	Trunk Crack	No Maintenance Required	No	No	{D08367EE-CCCB-4ED5-9837-428B70105194}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	16.00000000000	45.00000000000	45.00000000000	28.39133514120	-80.77979536750	Excellent	2.00000000000	Deadwood on tree.	Tree is Undamaged	<Null>	Pruning	No	No	{C717C7DF-C704-4874-AF7A-D99DF621E08C}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	14.00000000000	35.00000000000	35.00000000000	28.39104524110	-80.77985534810	Excellent	2.00000000000	Tree leaning over sidewalk. Deadwood on tree, Overhanging sidewalk.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{D24DDD70-CE06-48C1-8233-C7F974377BF6}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	25.00000000000	18.00000000000	40.00000000000	30.00000000000	28.39091464840	-80.77985445420	Excellent	2.00000000000	Three trees in woodland. Two trees closest to sidewalk have overhanging limbs.	Tree is Undamaged	<Null>	Pruning	No	Yes	{FC6103A8-3729-43A4-9BE3-AF63C1EC8971}	Pine (Slash)	No	Pinus elliottii	3.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	6.00000000000	30.00000000000	15.00000000000	28.39110280900	-80.78045617280	Excellent	2.00000000000	Tree has weak canopies with a little foliage on bottom 2/3 of tree.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{6935A92E-1323-405C-B433-A90257A10F4C}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	14.00000000000	40.00000000000	35.00000000000	28.39083063400	-80.78008152590	Excellent	2.00000000000	Limbs overhanging grill.	Tree is Undamaged	<Null>	Pruning	No	No	{8273BFA8-326C-4D02-B518-E1790C36A71F}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	10.00000000000	40.00000000000	35.00000000000	28.39072078950	-80.78015327430	Excellent	2.00000000000	Dead limbs on the tree.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{7C5CEDF8-ED1C-4C7B-9DA0-75D0C93C7EFC}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	4.00000000000	25.00000000000	25.00000000000	28.39040908800	-80.78157183180	Excellent	2.00000000000	Two trees in the Woodland both with overhanging branches.	Tree is Undamaged	<Null>	Pruning	Yes	Yes	{D4620D56-EE55-4956-A493-3B8D4BC2EDFD}	Chinese Tallow	No	Triadica sebifera	2.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	10.00000000000	35.00000000000	20.00000000000	28.39073252430	-80.78106128600	Excellent	2.00000000000	Limbs hanging over sidewalk.	Tree is Undamaged	<Null>	Pruning	No	No	{E8404EAD-ECE5-4D06-947A-E89F629206BE}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	10.00000000000	40.00000000000	25.00000000000	28.39077669650	-80.78112398300	Excellent	2.00000000000	Canker approximately 25 feet up	Tree is Damaged	Canker present	No Maintenance Required	No	No	{0E5138DC-61C1-40D9-AE0F-BA3CD9F52AD7}	Pine (Slash)	No	Pinus elliottii	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	12.00000000000	40.00000000000	25.00000000000	28.39080783550	-80.78102298100	Excellent	2.00000000000	Limbs overhanging sidewalk.	Tree is Undamaged	<Null>	Pruning	No	No	{6C45AA77-03BF-4F59-A332-5C57189D38DF}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	8.00000000000	35.00000000000	15.00000000000	28.39060651390	-80.78081210950	Excellent	2.00000000000	Limbs overhanging sidewalk.	Tree is Undamaged	<Null>	Pruning	No	No	{9427EB44-AAB6-4FCC-8658-51E81DC4A06A}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	14.00000000000	40.00000000000	30.00000000000	28.39055118150	-80.78082500040	Excellent	2.00000000000	Limbs overhanging Sidewalk.	Tree is Undamaged	<Null>	Pruning	No	No	{A282AF4E-AEBD-44EE-B664-E120F0B9E6DB}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	10.00000000000	40.00000000000	25.00000000000	28.39055897670	-80.78077470910	Excellent	2.00000000000	Deadwood on tree.	Tree is Undamaged	<Null>	Pruning	No	No	{9C895C86-E560-49A1-8A3A-F5D12C747D57}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	8.00000000000	35.00000000000	20.00000000000	28.39053043600	-80.78077680390	Excellent	2.00000000000	Deadwood on tree.	Tree is Undamaged	<Null>	Pruning	No	No	{E6B74655-301A-4BF3-94AA-33F807389A29}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	15.00000000000	12.00000000000	25.00000000000	35.00000000000	28.35480057580	-80.72417983110	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	e4e30586-6e14-4460-854a-4db074390866	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	10.00000000000	14.00000000000	25.00000000000	30.00000000000	28.35482011000	-80.72431509670	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	5682c412-7b62-4fe7-bd50-0db348dbede2	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	20.00000000000	20.00000000000	25.00000000000	35.00000000000	28.35481996850	-80.72462492560	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	c47a4dc1-38b7-4ef7-b177-238f240028db	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	10.00000000000	10.00000000000	25.00000000000	15.00000000000	28.35473674930	-80.72466239260	Excellent	1.00000000000	Foxtail palm	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	23a56489-06f1-45f1-9b3c-563eb13f5749	Palm (Foxtail)	No	Wodyetia bifurcata	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	30.00000000000	12.00000000000	30.00000000000	10.00000000000	28.35464997500	-80.72483710950	Excellent	1.00000000000	15 cabbage palms	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	bf96f350-7b38-40e3-a6bb-4d9ba877de03	Palm (Cabbage)	No	Sabal palmetto	15.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	15.00000000000	8.00000000000	20.00000000000	15.00000000000	28.35466990130	-80.72488617010	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	b12199a4-c979-4a3e-802c-eb5f7d0289ec	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	60.00000000000	34.00000000000	35.00000000000	45.00000000000	28.35457874650	-80.72484722090	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	60a24e43-2fdd-465a-bfc8-bfb5890db890	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	10.00000000000	14.00000000000	25.00000000000	20.00000000000	28.35440091910	-80.72483522210	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	a35eff1f-2d8b-4b08-bc20-32c6240b3b3e	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	15.00000000000	6.00000000000	20.00000000000	15.00000000000	28.35462116610	-80.72494771730	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	dc4da660-986b-4e6f-b207-20437c5c1c54	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	10.00000000000	14.00000000000	15.00000000000	10.00000000000	28.35457500410	-80.72497473140	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	53049ec6-232d-4e10-975c-0773b96b6934	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	30.00000000000	32.00000000000	45.00000000000	55.00000000000	28.35452092010	-80.72506346520	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	a54fb333-73b7-4964-8289-109f9bd64b58	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	3.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35434449810	-80.72489844920	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	1001bdb7-3c17-4e43-980d-74f5e78570e4	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	3.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35432743900	-80.72497275600	Excellent	1.00000000000	3 crepe myrtle	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	3b95288e-bdb1-456c-8f6b-422f4345459d	Crepe Myrtle	No	Lagerstroemia spp.	3.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	3.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35432743900	-80.72497275600	Excellent	1.00000000000	3 crepe myrtle	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	8a75a313-8e8f-41f4-afcb-c3196320330b	Crepe Myrtle	No	Lagerstroemia spp.	3.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	40.00000000000	26.00000000000	50.00000000000	45.00000000000	28.35473358720	-80.72499593250	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	ad8535b3-3603-4728-b75b-9e5ffffe1199	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	20.00000000000	20.00000000000	40.00000000000	45.00000000000	28.35439678380	-80.72520000010	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	02306552-0857-4a0a-93cc-c5d2dd052dd3	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	30.00000000000	20.00000000000	35.00000000000	55.00000000000	28.35443027030	-80.72528528620	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	56371ed5-71b6-4907-82fc-5f153c3f1256	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	30.00000000000	12.00000000000	25.00000000000	10.00000000000	28.35441392030	-80.72533804330	Excellent	1.00000000000	2 cabbage palms	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	494e5e67-b9b7-4093-971a-cc55cca10599	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	10.00000000000	10.00000000000	20.00000000000	20.00000000000	28.35455826680	-80.72530641730	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	ea7d8f9e-e778-483f-a248-2a12675b23ee	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	10.00000000000	12.00000000000	15.00000000000	10.00000000000	28.35467514420	-80.72511675150	Excellent	1.00000000000	Irrigation	Tree Is Damaged	Lion-tailing, chlorotic leaves	Watering	No	No	c08f580f-ecbc-4f2e-b93d-4f6d78ee2255	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	10.00000000000	10.00000000000	20.00000000000	20.00000000000	28.35455826680	-80.72530641730	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	c0847218-5eae-4b08-875f-a617bd3b5d63	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	30.00000000000	10.00000000000	35.00000000000	10.00000000000	28.35468203450	-80.72516281260	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	1d2dd502-67e5-4693-abc2-214b43540c34	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	30.00000000000	26.00000000000	45.00000000000	40.00000000000	28.35464176050	-80.72530277280	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	c2ba5221-2c67-4f11-98ef-9e300d54483d	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	20.00000000000	20.00000000000	35.00000000000	30.00000000000	28.35464612900	-80.72520013490	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	d9abf8d1-7f2b-4d8a-a85d-9d1e4022cbf0	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	30.00000000000	14.00000000000	30.00000000000	10.00000000000	28.35464892120	-80.72523968590	Excellent	1.00000000000	2 cabbage	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	717b6929-0c63-4848-8aeb-9afb92632670	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	20.00000000000	16.00000000000	30.00000000000	25.00000000000	28.35472736480	-80.72524914880	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	a4bcfaa3-10c4-4cb7-ae9a-858f4d2c3bf1	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	10.00000000000	10.00000000000	25.00000000000	20.00000000000	28.35459447430	-80.72529304220	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	d289ac68-b263-4130-9ec7-9b16b0502c65	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	30.00000000000	12.00000000000	25.00000000000	10.00000000000	28.35472691820	-80.72524593460	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	5f70c2c9-f0ff-46a5-9fd4-d57a74b3e666	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	30.00000000000	12.00000000000	40.00000000000	5.00000000000	28.35465440520	-80.72520924830	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	bacf15e2-b316-403d-bdaf-6e84555e6288	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	35.00000000000	22.00000000000	60.00000000000	45.00000000000	28.35470846940	-80.72521083650	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	7858543a-2554-4aad-ae86-38f37c6f1b17	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	10.00000000000	6.00000000000	15.00000000000	10.00000000000	28.35430881780	-80.72522038380	Excellent	1.00000000000	5 fan palms	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	886971b2-5d21-415e-9706-5c75dc4a4393	Palm (Chinese Fan)	No	Livistona chiensis	5.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	30.00000000000	20.00000000000	45.00000000000	40.00000000000	28.35433705830	-80.72519066390	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	656a8f43-616a-4463-b3d1-7ddd36fff3f6	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	20.00000000000	12.00000000000	35.00000000000	10.00000000000	28.35432787300	-80.72517273360	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	0bef09a3-d117-4604-90cd-ba44f7b9d4ae	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	30.00000000000	12.00000000000	35.00000000000	10.00000000000	28.35429696520	-80.72505407690	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	c346d556-fba8-463b-af5f-91e5739dbd68	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	5.00000000000	4.00000000000	15.00000000000	10.00000000000	28.35432131230	-80.72479924100	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	427dffdf-7a5b-42bd-822e-1ac395cb3d3a	Oak (Bluejack)	No	Quercus incana	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	35.00000000000	26.00000000000	35.00000000000	55.00000000000	28.35435542260	-80.72479425990	Excellent	1.00000000000		Tree Is Undamaged	<Null>	Pruning	No	No	29278296-113e-4bcb-b283-78307622f506	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	30.00000000000	18.00000000000	35.00000000000	15.00000000000	28.35438650520	-80.72465222540	Excellent	1.00000000000	Bismarck palm	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	1588fcde-6c70-4eaa-ab33-6f4af22cb221	Palm (Bismarck)	No	Bismarckia nobilis	1.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	5.00000000000	6.00000000000	15.00000000000	5.00000000000	28.35435088570	-80.72479682550	Excellent	1.00000000000	Foxtail Palm	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	f666e6be-12ce-4fd9-ac12-6c8a02951c7b	Palm (Foxtail)	No	Wodyetia bifurcata	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	6.00000000000	10.00000000000	20.00000000000	25.00000000000	28.35463824570	-80.72450652050	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	28d9e82b-d871-4b3d-a9d0-2c441ebe2dd5	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	10.00000000000	12.00000000000	20.00000000000	30.00000000000	28.35461259350	-80.72437782070	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	4ce508fd-549b-4476-9ce7-8ae4c836b4a2	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	15.00000000000	10.00000000000	30.00000000000	25.00000000000	28.35444909310	-80.72448154640	Excellent	1.00000000000	Foxtail	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	30b4162b-08ab-42c1-815e-f0691864874c	Palm (Foxtail)	No	Wodyetia bifurcata	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	20.00000000000	10.00000000000	25.00000000000	10.00000000000	28.35454399200	-80.72421670600	Excellent	1.00000000000	Foxtail palm	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	0c4fca72-4108-46fe-af69-a94fddc16502	Palm (Foxtail)	No	Wodyetia bifurcata	1.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	20.00000000000	10.00000000000	25.00000000000	10.00000000000	28.35449822370	-80.72430471940	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	8d27db3e-c3d2-4a84-9da9-c708c30be115	Palm (Foxtail)	No	Wodyetia bifurcata	1.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	15.00000000000	10.00000000000	25.00000000000	10.00000000000	28.35449822370	-80.72430471940	Excellent	1.00000000000	Foxtail Palm	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	ba5f2911-31a5-48b3-a1e2-815d95b07f44	Palm (Foxtail)	No	Wodyetia bifurcata	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	10.00000000000	12.00000000000	25.00000000000	30.00000000000	28.35452210590	-80.72414266780	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	14ed611b-3402-4a73-809d-a47a59d66df6	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	10.00000000000	10.00000000000	20.00000000000	30.00000000000	28.35449154280	-80.72405269880	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	2b5cef6e-e986-4352-9e12-d07dbf90e813	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	15.00000000000	12.00000000000	30.00000000000	25.00000000000	28.35442872170	-80.72397680190	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	c970d7e5-0135-473e-9c2e-d81d1c181992	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	10.00000000000	12.00000000000	25.00000000000	35.00000000000	28.35479492900	-80.72404821350	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	2e49200e-21d2-4da1-a31f-7c767f558c48	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	20.00000000000	10.00000000000	20.00000000000	10.00000000000	28.35474803110	-80.72382949350	Excellent	1.00000000000	Foxtail palm	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	d4348664-058d-42ec-b861-927231ecb0b4	Palm (Foxtail)	No	Wodyetia bifurcata	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	6.00000000000	10.00000000000	20.00000000000	10.00000000000	28.35465996110	-80.72382699620	Excellent	1.00000000000	Foxtail palm	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	c2ef4848-75c5-4359-b856-2e92e8d1e5d1	Palm (Foxtail)	No	Wodyetia bifurcata	1.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	15.00000000000	6.00000000000	20.00000000000	15.00000000000	28.35398568000	-80.72382733400	Excellent	1.00000000000		Tree Is Damaged	Slightly wind thrown	No Maintenance Required	No	Yes	e9336116-ab1a-4309-baa5-b35b21ac64cd	Cypress (Bald)	No	Taxodium distichum	2.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	6.00000000000	10.00000000000	10.00000000000	15.00000000000	28.35398875760	-80.72388497620	Excellent	1.00000000000	Multi stemmed bush	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	41f40325-3826-4e80-84e0-3882908880bc	Seagrape	No	Coccoloba uvifera	1.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	10.00000000000	12.00000000000	20.00000000000	10.00000000000	28.35386748480	-80.72388567410	Excellent	1.00000000000	Fishtail palms	Tree Is Undamaged	<Null>	Pruning	No	Yes	6056912e-2d36-44b5-9bc8-5b55f4f34c94	Palm (Fishtail)	No	Caryota spp.	2.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	10.00000000000	10.00000000000	20.00000000000	30.00000000000	28.35380723260	-80.72405235560	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	30d9825b-5956-46e6-a97f-a84a99b049cd	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	20.00000000000	20.00000000000	40.00000000000	40.00000000000	28.35382655350	-80.72399268420	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	2a910da2-9a15-4ea5-afd8-1134f24de911	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	15.00000000000	18.00000000000	30.00000000000	40.00000000000	28.35370792810	-80.72412342320	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	1a0e5001-ae29-44c7-83c3-9b31e0753963	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	10.00000000000	6.00000000000	10.00000000000	10.00000000000	28.35373019860	-80.72434145960	Excellent	1.00000000000	Screw pine	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	71671c8a-ceb0-46c2-81a9-fdf2ff2e4c84	Screw Pine	No	Pandanus spp.	1.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	15.00000000000	18.00000000000	25.00000000000	10.00000000000	28.35369993570	-80.72421747140	Excellent	1.00000000000	Biz mark palm	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	a85e0f26-43af-4441-a9d9-456f756166aa	Palm (Bismarck)	No	Bismarckia nobilis	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	10.00000000000	12.00000000000	30.00000000000	30.00000000000	28.35373780210	-80.72438198440	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	db9cc1b0-4c8c-485e-96ac-3be3b2464a6b	Oak (Live)	No	Quercus virginiana	1.00000000000
City Building	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	10.00000000000	12.00000000000	35.00000000000	40.00000000000	28.35382783190	-80.72450655370	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	62e23b15-2e78-4375-bbab-8b46e808b17e	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	15.00000000000	14.00000000000	35.00000000000	30.00000000000	28.35376804360	-80.72447860710	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	8c7669c6-bcee-4b28-9c5d-81fce5f65333	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	20.00000000000	12.00000000000	15.00000000000	10.00000000000	28.35375845910	-80.72469029240	Excellent	1.00000000000	2 crepe	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	2c472308-5920-4a80-90e7-1bdda36219ca	Crepe Myrtle	No	Lagerstroemia spp.	2.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	20.00000000000	8.00000000000	40.00000000000	10.00000000000	28.35370999070	-80.72470284010	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	43f23a90-0e3d-4206-a7ed-d190ea175cba	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Building	cgwaltney_sfc	9/10/2020	acarroll_sfc	9/14/2020	10.00000000000	20.00000000000	10.00000000000	20.00000000000	28.35377638470	-80.72475596830	Excellent	1.00000000000	Traveller palm multi stocked	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	64e339ed-196e-42fb-86fa-2385357e0723	Palm (Traveller's)	No	Ravenala madagascariensis	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35396542550	-80.72463679690	Excellent	1.00000000000	2	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	ef4e13e5-a535-48c4-8bc9-3a11405ae915	Cypress (Italian)	No	Cupressus sempervirens	2.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	20.00000000000	6.00000000000	20.00000000000	15.00000000000	28.35389601800	-80.72465719310	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	85656f13-5420-47d4-857d-bb8ea8142568	Magnolia (Southern)	No	Magnolia grandiflora	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	5.00000000000	6.00000000000	10.00000000000	10.00000000000	28.35398772910	-80.72456022090	Excellent	1.00000000000	Leyland	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	22bd2333-29c9-49b3-8f09-612c1af49c6a	Cypress (Leyland)	No	Cupressus x leylandii	1.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	15.00000000000	26.00000000000	20.00000000000	20.00000000000	28.35390701050	-80.72450264340	Excellent	1.00000000000	Traveler palm 5 stemmed	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	df482565-a25b-48d7-9f9c-81102f8adaed	Palm (Traveller's)	No	Ravenala madagascariensis	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	10.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35396744060	-80.72454907550	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	82ffeb57-daad-4780-b9a6-0782df1b87cf	Cypress (Italian)	No	Cupressus sempervirens	1.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	10.00000000000	6.00000000000	15.00000000000	10.00000000000	28.35387494920	-80.72439785130	Excellent	1.00000000000	3 stemmed crape	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	648287ec-3584-43ca-b720-1203310dab10	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	15.00000000000	18.00000000000	40.00000000000	40.00000000000	28.35393340680	-80.72416596920	Excellent	1.00000000000	5	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	6c9e74d8-f244-44ce-9338-ea32bec609b1	Oak (Live)	No	Quercus virginiana	5.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	5.00000000000	6.00000000000	10.00000000000	5.00000000000	28.35383675950	-80.72433963420	Excellent	1.00000000000	4 stemmed crape	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	06b7ad57-1c82-4050-af56-010e1aa3dd44	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
City Building	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	10.00000000000	6.00000000000	10.00000000000	10.00000000000	28.35383670490	-80.72429077210	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	2fcf4026-4274-4751-ae82-604129468040	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35380707370	-80.72419594860	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	34ba851a-709d-465c-8ca4-2f09b99f8d33	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35386790620	-80.72409748070	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	6fa2a384-7cf2-42db-a6c8-de0288d0a972	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	15.00000000000	6.00000000000	25.00000000000	15.00000000000	28.35384083320	-80.72414050280	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	0d941a06-3207-4b10-8784-6235f0971b89	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35439070610	-80.72410384710	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	7c06a4ca-8229-4a57-8b3d-15e4cd4ce8ce	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	5.00000000000	6.00000000000	15.00000000000	10.00000000000	28.35441942490	-80.72414958390	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	81270e0b-fc53-46b9-ad70-449e0949d786	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	20.00000000000	10.00000000000	30.00000000000	25.00000000000	28.35427512490	-80.72416057660	Excellent	1.00000000000	5 oaks all similar	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	4514f65b-7512-41ac-87ef-1b3319ab859c	Oak (Live)	No	Quercus virginiana	5.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	20.00000000000	30.00000000000	15.00000000000	15.00000000000	28.35439897040	-80.72420696470	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	3a5499cf-33f4-4e6e-9a58-e4bc63e00f56	Palm (Canary Island Date)	No	Phoenix canariensis	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	20.00000000000	30.00000000000	15.00000000000	15.00000000000	28.35438693600	-80.72427040730	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	7fcf36c1-6370-4276-a476-78e43aaea962	Palm (Canary Island Date)	No	Phoenix canariensis	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	20.00000000000	30.00000000000	20.00000000000	15.00000000000	28.35438693600	-80.72427040730	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	5b799476-b530-421c-aa1d-a946799670fe	Palm (Canary Island Date)	No	Phoenix canariensis	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.35441475040	-80.72432106870	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	e51b5190-aba0-4ae2-9db5-48aea2768ffa	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.35434682470	-80.72437738860	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	2c67e1cb-1916-44d5-943a-8cfd567e2f37	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	30.00000000000	24.00000000000	25.00000000000	25.00000000000	28.35430699090	-80.72441669800	Excellent	1.00000000000	Multi stem	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	f483694d-603e-4f26-92cf-ea2212354081	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	10.00000000000	6.00000000000	20.00000000000	5.00000000000	28.35429482130	-80.72448881830	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	ae3708c0-4d76-4479-8d4e-67317d17da57	Cypress (Italian)	No	Cupressus sempervirens	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	20.00000000000	8.00000000000	10.00000000000	15.00000000000	28.35423495900	-80.72456548770	Excellent	1.00000000000	Leyland Cypress	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	8c63975c-0450-4c99-b4c8-e54773e74e12	Cypress (Leyland)	No	Cupressus x leylandii	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	7.00000000000	12.00000000000	25.00000000000	30.00000000000	28.35361164420	-80.72380528480	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	44219d41-5af5-405f-b2f3-717eda471087	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	15.00000000000	8.00000000000	25.00000000000	10.00000000000	28.35350955610	-80.72379699160	Excellent	1.00000000000	Foxtail palm	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	8a2ef38e-898a-46f2-8fa0-5a232820d305	Palm (Foxtail)	No	Wodyetia bifurcata	1.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	15.00000000000	18.00000000000	35.00000000000	25.00000000000	28.35507216260	-80.72331472290	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	a862eda1-5ac1-4a10-a213-2f398169db9f	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	10.00000000000	16.00000000000	25.00000000000	30.00000000000	28.35509155130	-80.72329103070	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	bf833f6b-929d-413d-b989-08709f792d21	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	12.00000000000	16.00000000000	25.00000000000	30.00000000000	28.35517008320	-80.72319344950	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	2026f028-b509-4beb-93f3-0bebc42d8c93	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	10.00000000000	12.00000000000	20.00000000000	10.00000000000	28.35543360960	-80.72283869130	Excellent	1.00000000000	4 palms similar	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	f2fbd1e4-6993-4966-9e83-aeeec7d6888f	Palm (Cabbage)	No	Sabal palmetto	4.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	20.00000000000	26.00000000000	30.00000000000	50.00000000000	28.35540522780	-80.72272286700	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	fa21b493-174d-4205-a2cc-899431f40d9e	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	20.00000000000	20.00000000000	35.00000000000	50.00000000000	28.35520324140	-80.72232276990	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	7aa6c394-aa00-403f-8517-aaa1227c2048	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	40.00000000000	28.00000000000	50.00000000000	60.00000000000	28.35528082460	-80.72219980670	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	5532855d-f612-4aa1-839a-11275cb2e3db	Indian Rosewood	No	Dalbergia sissoo	1.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	20.00000000000	20.00000000000	40.00000000000	30.00000000000	28.35518355950	-80.72241848180	Excellent	1.00000000000		Tree Is Damaged	Lightning strike repaired with tree scar paint	No Maintenance Required	No	No	ba5be6b5-5d44-4247-b83f-1eb09d351a1f	Indian Rosewood	No	Dalbergia sissoo	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	5.00000000000	8.00000000000	15.00000000000	10.00000000000	28.35522446100	-80.72185711560	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	0d57ed0c-ac07-4c9e-89cb-6febba92e206	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	10.00000000000	14.00000000000	35.00000000000	45.00000000000	28.35523023580	-80.72169779310	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	de325bba-adcb-4189-b367-979104f405dc	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	20.00000000000	4.00000000000	10.00000000000	10.00000000000	28.35505291540	-80.72267013320	Excellent	1.00000000000	And white mangroves previous pruning occurred	Tree Is Undamaged	<Null>	No Maintenance Required	Yes	Yes	cb0653a2-d58f-41ed-ae06-0c4097b26a4c	Mangrove (Black)	No	Avicennia germinans	2.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	10.00000000000	8.00000000000	20.00000000000	30.00000000000	28.35525271470	-80.72155987030	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	0bc5a128-f027-472f-ac03-f528ee165a7b	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	10.00000000000	6.00000000000	20.00000000000	10.00000000000	28.35512668440	-80.72235835850	Excellent	1.00000000000	And white mangroves previous pruning occurred	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	1a44087c-cd2d-4ef1-8de6-a077b607ed7c	Mangrove (Red)	No	Rhizophora mangle	2.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	20.00000000000	20.00000000000	35.00000000000	50.00000000000	28.35571438070	-80.72128691630	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	b2ef9d42-e3a2-4945-b32e-f85c54f3b4c3	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	20.00000000000	10.00000000000	20.00000000000	10.00000000000	28.35573995050	-80.72108167640	Excellent	1.00000000000	7	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	491aa9bc-bed0-41ca-9db4-a93ff52e3418	Palm (Cabbage)	No	Sabal palmetto	7.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	20.00000000000	10.00000000000	20.00000000000	10.00000000000	28.35567339400	-80.72094021240	Excellent	1.00000000000	2	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	a9c008f9-28ac-48ca-8c6b-b0b8a4d6c005	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	20.00000000000	10.00000000000	20.00000000000	10.00000000000	28.35581257340	-80.72082524780	Excellent	1.00000000000	5	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	be11f1b7-4507-41c2-bf7b-4d3cb07ecf35	Palm (Cabbage)	No	Sabal palmetto	5.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	20.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35510448930	-80.72202779190	Excellent	1.00000000000	4 white mangroves, not red pruned to 6ΓÇÖ	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	e9e52a2c-709e-4311-8ada-8808c449caf4	Mangrove (Red)	No	Rhizophora mangle	4.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	10.00000000000	12.00000000000	20.00000000000	30.00000000000	28.35593364160	-80.72070289460	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	700bc78d-b5cd-4113-a978-561d0c7e7a6a	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	20.00000000000	6.00000000000	10.00000000000	5.00000000000	28.35517151880	-80.72162309730	Excellent	1.00000000000	4 white and 5 red mangroves previous pruning occurred	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	cd1bda03-8e2d-4838-b9dc-d0eb639ca11e	Mangrove (Red)	No	Rhizophora mangle	9.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	15.00000000000	14.00000000000	50.00000000000	40.00000000000	28.35598257150	-80.72065729070	Excellent	1.00000000000	3	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	dc0820a1-1349-48ea-af51-b077924c8b69	Pine (Longleaf)	No	Pinus palustris	3.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	10.00000000000	6.00000000000	30.00000000000	10.00000000000	28.35602083940	-80.72072342560	Excellent	1.00000000000	2	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	5286d0a3-ac96-4230-bded-a50942766122	Pine (Longleaf)	No	Pinus palustris	2.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	20.00000000000	16.00000000000	25.00000000000	25.00000000000	28.35589798950	-80.72080234710	Excellent	1.00000000000	Multi stem	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	8b4eea3d-bee1-4a7e-914c-bc0f76bff158	Seagrape	No	Coccoloba uvifera	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	20.00000000000	10.00000000000	20.00000000000	10.00000000000	28.35591095810	-80.72086495960	Excellent	1.00000000000	2	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	9cdf880e-7c1b-4332-b358-bb772788fd42	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	10.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35565041720	-80.72084316650	Excellent	1.00000000000	14 white mangroves and 3 red scattered buttonwood less than 2ΓÇ¥ DBH all within rock wall	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	57dc80c0-d880-49ab-8fe0-ae59a4a2fae1	Mangrove (Red)	No	Rhizophora mangle	17.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	15.00000000000	12.00000000000	45.00000000000	25.00000000000	28.35601286380	-80.72090600820	Excellent	1.00000000000	4	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	f0a17896-6832-40bf-ba4f-2196f45ef0bf	Pine (Longleaf)	No	Pinus palustris	4.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	15.00000000000	10.00000000000	40.00000000000	20.00000000000	28.35603008230	-80.72094212760	Excellent	1.00000000000	3	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	8df3ab74-12e1-4069-8ad4-544d3e54951c	Pine (Longleaf)	No	Pinus palustris	3.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	15.00000000000	10.00000000000	30.00000000000	20.00000000000	28.35585450000	-80.72107744000	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	c1c188e4-725b-4598-8db4-86495bef8ea1	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	30.00000000000	22.00000000000	50.00000000000	40.00000000000	28.35597408830	-80.72114438060	Excellent	1.00000000000	2	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	6be5f527-8f21-451a-bf83-bcfa84362363	Pine (Slash)	No	Pinus elliottii	2.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	10.00000000000	12.00000000000	25.00000000000	30.00000000000	28.35579724030	-80.72109815960	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	daaceba2-6127-456e-84f6-0a05911b9423	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	10.00000000000	6.00000000000	30.00000000000	20.00000000000	28.35603468080	-80.72115103350	Excellent	1.00000000000	3	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	4b7d4f09-4b40-4f51-bee1-1fb1f6e1bea5	Pine (Slash)	No	Pinus elliottii	3.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	25.00000000000	14.00000000000	50.00000000000	25.00000000000	28.35604332210	-80.72116183940	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	000febba-1c29-4405-a83b-c49b92ff8742	Pine (Slash)	No	Pinus elliottii	1.00000000000

City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	20.00000000000	10.00000000000	45.00000000000	15.00000000000	28.35600991270	-80.72114384160	Excellent	1.00000000000	2	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	1d613c55-5240-4600-a875-98823444a30c	Pine (Slash)	No	Pinus elliottii	2.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	10.00000000000	8.00000000000	25.00000000000	25.00000000000	28.35590346790	-80.72113057260	Excellent	1.00000000000		Tree Is Damaged	Roots being damaged by mowing, see picture	No Maintenance Required	No	No	86a2fd66-cf1f-4133-bac2-9415d3c020d4	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	20.00000000000	12.00000000000	20.00000000000	10.00000000000	28.35596258770	-80.72134033460	Excellent	1.00000000000	3	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	6419688f-1bae-4cab-9949-a20c06664192	Palm (Cabbage)	No	Sabal palmetto	3.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	25.00000000000	16.00000000000	50.00000000000	30.00000000000	28.35606166160	-80.72148896630	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	ad7cae4f-dc8e-4187-b037-ec0be2445421	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	3.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35607153840	-80.72108211030	Excellent	1.00000000000	8 peppers along rocked sea wall needs to be addressed from maintenance to improve sea wall and allow low growing sea grapes to proliferate. Adlai, reeds and brush can be cleared to improve area and will make a big difference. Thank	Tree Is Undamaged	<Null>	No Maintenance Required	Yes	Yes	13fce339-b2ca-47f6-8300-75aa5724131a	Brazilian Pepper	No	Schinus terebinthifolia	8.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	15.00000000000	10.00000000000	20.00000000000	10.00000000000	28.35586955330	-80.72134028250	Excellent	1.00000000000	5	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	dde74721-d6cf-4fc1-941f-7e70c1c1f8bf	Palm (Cabbage)	No	Sabal palmetto	5.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	10.00000000000	6.00000000000	15.00000000000	20.00000000000	28.35613702110	-80.72138042820	Excellent	1.00000000000	3 white mangroves	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	f2ac3aaa-57e6-4cf5-b2b8-5a1baefa387c	Mangrove (White)	No	Laguncularia racemosa	3.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	15.00000000000	10.00000000000	25.00000000000	10.00000000000	28.35580055020	-80.72161192500	Excellent	1.00000000000	4	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	0adc5a97-2be0-495d-9ce3-71ded0b16e4f	Palm (Cabbage)	No	Sabal palmetto	4.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	15.00000000000	16.00000000000	25.00000000000	30.00000000000	28.35582245430	-80.72190036680	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	f717b26d-8480-421e-a8e4-346d4186fd4f	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	15.00000000000	16.00000000000	40.00000000000	25.00000000000	28.35607924610	-80.72162072580	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	007819d0-4dc7-4042-93a6-e9d7bcad1a61	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	15.00000000000	10.00000000000	20.00000000000	25.00000000000	28.35581071250	-80.72205835800	Excellent	1.00000000000	3	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	ef619aa9-5e91-4b31-9129-72ace4f420b7	Oak (Live)	No	Quercus virginiana	3.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	15.00000000000	24.00000000000	35.00000000000	30.00000000000	28.35604654270	-80.72169538030	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	82a0ff3c-bb77-4511-8136-19f2ae989b6a	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	10.00000000000	8.00000000000	25.00000000000	25.00000000000	28.35578999270	-80.72222819980	Excellent	1.00000000000		Tree Is Damaged	Bark ripped off	No Maintenance Required	No	No	ab945fe0-dd14-4085-bf1c-0c72c00d384f	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	15.00000000000	14.00000000000	30.00000000000	25.00000000000	28.35609502030	-80.72169799790	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	11826a0b-4bc6-45c0-a596-716a4401291b	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	7.00000000000	6.00000000000	20.00000000000	20.00000000000	28.35578361860	-80.72237475280	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	3d3af7d2-dbc2-4bb8-a878-1ac9e38abbfe	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	10.00000000000	12.00000000000	30.00000000000	30.00000000000	28.35576094150	-80.72241464510	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	c287a3b3-0e59-459d-8596-b4dcc2420095	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	20.00000000000	12.00000000000	20.00000000000	10.00000000000	28.35568795170	-80.72263517350	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	265ad4cb-e2bb-4e98-a275-8f0747a38a85	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	20.00000000000	12.00000000000	20.00000000000	10.00000000000	28.35576379370	-80.72275474370	Excellent	1.00000000000	4 tree from 15-20 ft	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	c154c32b-2d91-438e-8ef8-19cedfaaf834	Palm (Cabbage)	No	Sabal palmetto	4.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	20.00000000000	12.00000000000	20.00000000000	10.00000000000	28.35558936830	-80.72287029850	Excellent	1.00000000000	3	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	38d26821-1c67-41ca-ba1c-6b5e057e81fa	Palm (Cabbage)	No	Sabal palmetto	3.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	15.00000000000	14.00000000000	20.00000000000	10.00000000000	28.35610407270	-80.72174161300	Excellent	1.00000000000	20 palms similar condition	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	1269da6b-4b79-400a-be49-28a8fc632836	Palm (Cabbage)	No	Sabal palmetto	20.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	20.00000000000	16.00000000000	15.00000000000	20.00000000000	28.35558974460	-80.72272483790	Excellent	1.00000000000	2 multi stemmed trees	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	ab1cb145-ccdc-4faa-ad57-98b4fbfb4a8b	Seagrape	No	Coccoloba uvifera	2.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	10.00000000000	18.00000000000	20.00000000000	10.00000000000	28.35600125960	-80.72191105320	Excellent	1.00000000000	6 palms similar in condition	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	67711e2b-289e-4b02-a6f4-24b7e0c2ca3b	Palm (Cabbage)	No	Sabal palmetto	6.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	20.00000000000	16.00000000000	25.00000000000	20.00000000000	28.35564160200	-80.72253688610	Excellent	1.00000000000	4 multi stemmed trees	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	04709bb1-6bb6-4677-9aaf-947bbba4d0ea	Seagrape	No	Coccoloba uvifera	4.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	15.00000000000	10.00000000000	20.00000000000	10.00000000000	28.35574783290	-80.72246194230	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	c58dd1cd-e7c6-4959-852d-710ff407d2c5	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	20.00000000000	20.00000000000	20.00000000000	30.00000000000	28.35559361670	-80.72238576970	Excellent	1.00000000000	Multi stemmed tree	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	47363700-c56c-41de-8adf-ae54187f3803	Seagrape	No	Coccoloba uvifera	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	20.00000000000	16.00000000000	10.00000000000	20.00000000000	28.35554556410	-80.72242622890	Excellent	1.00000000000	Multi stemmed	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	f7f923cb-a9f8-4a69-b117-2eef45b2ebd3	Seagrape	No	Coccoloba uvifera	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	15.00000000000	10.00000000000	20.00000000000	10.00000000000	28.35550465320	-80.72238369370	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	24acd436-73d6-4810-82d1-3bcbeef61baf	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	25.00000000000	30.00000000000	35.00000000000	25.00000000000	28.35603800100	-80.72218829030	Excellent	1.00000000000	See picture	Tree Is Damaged	Some carpenter ant decay, see photo	No Maintenance Required	No	No	072d5909-6b33-4086-9cc9-d3d216e3c643	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	15.00000000000	10.00000000000	20.00000000000	10.00000000000	28.35545158550	-80.72224423290	Excellent	1.00000000000	2	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	f643e2f4-9a2f-43ea-bd3f-5ac05e2c488c	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	15.00000000000	14.00000000000	10.00000000000	20.00000000000	28.35547998940	-80.72214103450	Excellent	1.00000000000	Multi stemmed	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	e99cfd2b-b860-479c-9486-5a27e15b978b	Seagrape	No	Coccoloba uvifera	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	15.00000000000	10.00000000000	20.00000000000	10.00000000000	28.35557991990	-80.72225281900	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	89d0e232-42dc-42fd-98f0-b30f93d876c0	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35602295570	-80.72229736290	Excellent	1.00000000000	Blue jack oak previously stumped and regrown. Regrowth is healthy. May consider restumping	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	e2265192-5863-4321-83d2-552bca7a3e4a	Oak (Bluejack)	No	Quercus incana	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	15.00000000000	10.00000000000	20.00000000000	10.00000000000	28.35550829760	-80.72208742660	Excellent	1.00000000000	2	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	676b4c8a-b5f3-4ef8-b2cb-944b38b3a839	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	10.00000000000	12.00000000000	20.00000000000	30.00000000000	28.35553335040	-80.72197938710	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	649154bb-0dc1-40ef-95f1-b423ca3855cf	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	10.00000000000	8.00000000000	20.00000000000	25.00000000000	28.35551974210	-80.72188831680	Excellent	1.00000000000	3	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	43229aad-4d7d-4c45-aded-19756a46a063	Oak (Live)	No	Quercus virginiana	3.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	20.00000000000	22.00000000000	35.00000000000	45.00000000000	28.35563663740	-80.72180996400	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	07ce3178-4bb4-4534-9b29-87b093725f35	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	20.00000000000	18.00000000000	25.00000000000	10.00000000000	28.35606181490	-80.72244576100	Excellent	1.00000000000	3 palms all similar. Needs irrigation.	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	770951cb-3507-4412-9a2c-9fae4cfc599c	Palm (Cabbage)	No	Sabal palmetto	3.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	20.00000000000	16.00000000000	25.00000000000	10.00000000000	28.35556629900	-80.72168726400	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	9f8cbf49-a186-4631-955d-2c2e12278d45	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	10.00000000000	8.00000000000	15.00000000000	10.00000000000	28.35559159920	-80.72159425240	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	c24bb596-4207-480a-8aa5-cbaaaf463f29	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	15.00000000000	10.00000000000	20.00000000000	10.00000000000	28.35559159920	-80.72159425240	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	21f41f17-3607-4a08-904e-f9b54ee9454d	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	20.00000000000	12.00000000000	25.00000000000	10.00000000000	28.35557147230	-80.72146910540	Excellent	1.00000000000	2	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	8d4c695f-4469-430d-adb3-97b9f56aec3f	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	15.00000000000	12.00000000000	25.00000000000	15.00000000000	28.35598935180	-80.72253488280	Excellent	1.00000000000	2 sea grapes near and similar	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	20f0d4cb-46c1-4961-b078-978dd8bd1a09	Seagrape	No	Coccoloba uvifera	2.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	15.00000000000	12.00000000000	15.00000000000	20.00000000000	28.35555964190	-80.72145405410	Excellent	1.00000000000	Multi stemmed	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	41b393c9-a394-4223-9167-ee7ab5c7fbdb	Seagrape	No	Coccoloba uvifera	1.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	15.00000000000	12.00000000000	25.00000000000	25.00000000000	28.35588460260	-80.72287370850	Excellent	1.00000000000	4 oaks and 3 cabbage palms (12ΓÇ¥DBH) and 20ΓÇÖ in height and 10ΓÇÖ spread	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	a789c170-7397-490e-a2e5-02c6ef0991c4	Oak (Live)	No	Quercus virginiana	7.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	15.00000000000	10.00000000000	20.00000000000	10.00000000000	28.35560018840	-80.72303139160	Excellent	1.00000000000	4	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	585304e3-afb7-42ee-a0fa-235d5f47eaa7	Palm (Cabbage)	No	Sabal palmetto	4.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	10.00000000000	22.00000000000	15.00000000000	10.00000000000	28.35587752110	-80.72321153520	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	e2ad40db-c0c9-436e-81d6-c1d8f95aa554	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	15.00000000000	14.00000000000	20.00000000000	20.00000000000	28.35577172590	-80.72324158480	Excellent	1.00000000000	2 multi stemmed	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	e14b652e-13f9-4c33-a947-b45f40681d96	Seagrape	No	Coccoloba uvifera	2.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	15.00000000000	12.00000000000	35.00000000000	20.00000000000	28.35573537490	-80.72325984120	Excellent	1.00000000000	Superficial damage and soil compaction	Tree Is Damaged	Tree damaged by construction and soil compaction	No Maintenance Required	No	No	cbcbb145-818c-4dac-99b2-bb05d4ff9672	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	20.00000000000	12.00000000000	65.00000000000	10.00000000000	28.35504880780	-80.72367235840	Excellent	1.00000000000		Tree Is Undamaged	<Null>	Pruning	No	No	fb5a00e0-38a3-4e4d-849f-2ba8763342ae	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.35582506860	-80.72357309460	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	Yes	No	7900b2d7-04d9-4c37-b357-a1145bb4144a	Orchid Tree	No	Bauhinia variegata	1.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	15.00000000000	18.00000000000	30.00000000000	25.00000000000	28.35580172180	-80.72370806820	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	4d27f906-58d7-4498-89bc-bab2d24f8973	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	20.00000000000	24.00000000000	30.00000000000	45.00000000000	28.35609835160	-80.72371701450	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	178d8c91-f976-4abd-a065-791fe69db4b5	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	20.00000000000	10.00000000000	30.00000000000	30.00000000000	28.35614100770	-80.72379421130	Excellent	1.00000000000	?species	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	36621c75-4b50-4077-9378-77531cd1bc08	Golden Raintree	No	Koelreuteria paniculata	1.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	15.00000000000	14.00000000000	25.00000000000	10.00000000000	28.35606134850	-80.72382951960	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	cfab829d-a9b0-4dda-98ef-32d8439307b5	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	15.00000000000	14.00000000000	25.00000000000	10.00000000000	28.35606134850	-80.72382951960	Excellent	1.00000000000	18 palms all similar in size. Ranging from 15-30ΓÇÖ tall	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	af687d80-16be-4ed3-bfe5-36e5c22b2c4f	Palm (Cabbage)	No	Sabal palmetto	18.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	10.00000000000	10.00000000000	25.00000000000	30.00000000000	28.35612773630	-80.72381311180	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	e7f57106-3c7c-4bb4-a1cb-145c0657f3a0	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	15.00000000000	10.00000000000	20.00000000000	15.00000000000	28.35630566840	-80.72378332550	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	cc7cfd39-0c66-4e5c-9c2e-7299b6e51c04	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	20.00000000000	10.00000000000	20.00000000000	20.00000000000	28.35625739010	-80.72376645240	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	ad6e0b6f-da95-4740-978d-7273bfd5f53b	Golden Raintree	No	Koelreuteria paniculata	1.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	15.00000000000	16.00000000000	25.00000000000	15.00000000000	28.35638549660	-80.72365323960	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	b5c9c541-eb37-4631-8136-dbf381ecdff6	Seagrape	No	Coccoloba uvifera	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	40.00000000000	30.00000000000	40.00000000000	65.00000000000	28.35627299980	-80.72369646020	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	cb66dc7c-c6cd-4c17-9ebf-8130e33f60ed	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	20.00000000000	12.00000000000	60.00000000000	10.00000000000	28.35614809800	-80.72323834280	Excellent	1.00000000000	6 palms all together and similar	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	24fefdee-211f-4968-a4fb-39906d9ea643	Palm (Washingtonia)	No	Washingtonia robusta	6.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	15.00000000000	12.00000000000	30.00000000000	25.00000000000	28.35616527220	-80.72329519350	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	837b077c-af36-4060-a31b-f6f67b8e183a	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35640259100	-80.72323195750	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	be06da8b-efaf-4fc4-8289-8a6303e9dae6	Crepe Myrtle	No	Lagerstroemia spp.	2.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	15.00000000000	6.00000000000	10.00000000000	15.00000000000	28.35612604700	-80.72332186540	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	a1eb4ddb-f88d-45b4-a76e-787bfe1e6f57	Seagrape	No	Coccoloba uvifera	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	20.00000000000	18.00000000000	30.00000000000	30.00000000000	28.35633095340	-80.72327054740	Excellent	1.00000000000		Tree Is Damaged	Bark	No Maintenance Required	No	No	87a19b93-ae57-4365-a289-67be19cc6c73	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	15.00000000000	12.00000000000	25.00000000000	30.00000000000	28.35641387180	-80.72308801690	Excellent	1.00000000000		Tree Is Damaged	Bark	No Maintenance Required	No	No	345c8214-7e65-4521-bb93-f423806e4db4	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	15.00000000000	8.00000000000	20.00000000000	15.00000000000	28.35618683620	-80.72322196020	Excellent	1.00000000000	Chapman oak	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	0a2ffcd4-819b-4ad6-a4e2-cfea64e0f213	Oak (Chapman's)	No	Quercus chapmanii	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	6.00000000000	8.00000000000	20.00000000000	20.00000000000	28.35628694710	-80.72310205490	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	69869294-ca1b-4e20-9fb8-23c7d4f3334b	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	20.00000000000	12.00000000000	55.00000000000	10.00000000000	28.35630689840	-80.72304988790	Excellent	1.00000000000	10	Tree Is Undamaged	<Null>	Pruning	No	Yes	6973b719-2b58-4425-95c0-8c340ac73ae2	Palm (Washingtonia)	No	Washingtonia robusta	10.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	20.00000000000	18.00000000000	35.00000000000	30.00000000000	28.35617103040	-80.72313997000	Excellent	1.00000000000	See picture	Tree Is Damaged	Roots cut by mower	No Maintenance Required	No	No	7294d295-49b9-42d0-b9cd-4c58b0b113c9	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	15.00000000000	12.00000000000	20.00000000000	10.00000000000	28.35627491210	-80.72298382760	Excellent	1.00000000000		Tree Is Undamaged	<Null>	Pruning	No	No	e619077d-674a-4334-abf7-bbccf6a6bc70	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	20.00000000000	14.00000000000	20.00000000000	10.00000000000	28.35619209640	-80.72304399940	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	05c90cfe-1ff8-4819-9360-bc9fb874947b	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	14.00000000000	16.00000000000	30.00000000000	35.00000000000	28.35634950790	-80.72297347900	Excellent	1.00000000000		Tree Is Damaged	Bark	No Maintenance Required	No	No	47dabbf8-c7dd-4e92-a8b3-6bb612d3019b	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	15.00000000000	24.00000000000	35.00000000000	50.00000000000	28.35637854150	-80.72257784390	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	4d0daddd-891c-4778-814c-45841ede3150	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	15.00000000000	12.00000000000	25.00000000000	10.00000000000	28.35635706770	-80.72187101080	Excellent	1.00000000000	43 cabbage between 12-14ΓÇÖ DBH and height 20-30ΓÇÖ tall between roads, median	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	817a93c5-5cac-4cfb-9b92-3785c65a4396	Palm (Cabbage)	No	Sabal palmetto	43.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	25.00000000000	18.00000000000	30.00000000000	35.00000000000	28.35642069010	-80.72261386720	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	06fc161c-532e-40af-930a-86eec2b1b0fd	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	15.00000000000	8.00000000000	15.00000000000	20.00000000000	28.35639747940	-80.72250203860	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	ae3b8fca-36ad-4108-af50-18aee79fb7d7	Golden Raintree	No	Koelreuteria paniculata	1.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	20.00000000000	26.00000000000	40.00000000000	30.00000000000	28.35639180970	-80.72236023240	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	f27130f4-dfc1-4a27-ae88-cf0fe42761fd	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	5.00000000000	4.00000000000	10.00000000000	20.00000000000	28.35638705550	-80.72211344360	Excellent	1.00000000000	Silverthorn	Tree Is Undamaged	<Null>	No Maintenance Required	Yes	No	5ed0af9a-c78e-489e-a07b-be22c4583714	Silverthorn	No	Elaeagnus pungens	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35643775520	-80.72189238710	Excellent	1.00000000000	Silverthorn	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	08d55fc3-e4cb-4dbb-8ce5-90a24f8d9d4b	Silverthorn	No	Elaeagnus pungens	1.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	15.00000000000	16.00000000000	35.00000000000	30.00000000000	28.35649195760	-80.72183917180	Excellent	1.00000000000	Chapman oak. Close to bridge. Will need pruning away from bridge eventually	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	e38597db-fb2a-4ac1-a9fd-0e84dda76185	Oak (Chapman's)	No	Quercus chapmanii	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	5.00000000000	4.00000000000	5.00000000000	10.00000000000	28.35645509220	-80.72190004700	Excellent	1.00000000000	Florida privet	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	80b360cd-52f4-4cdd-a910-ec5615c09a5e	Privet (Florida)	No	Forestiera segregata	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	9.00000000000	10.00000000000	15.00000000000	25.00000000000	28.35635424390	-80.72178933600	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	759af99f-3810-4bc0-87fb-e2a167707d8a	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	15.00000000000	12.00000000000	30.00000000000	25.00000000000	28.35635142490	-80.72165597120	Excellent	1.00000000000	3 Chapman oaks similar in sizes and health	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	6d66b1d2-f062-463b-ae99-e9dc7d5cedb1	Oak (Chapman's)	No	Quercus chapmanii	3.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	20.00000000000	18.00000000000	30.00000000000	40.00000000000	28.35630878780	-80.72180741630	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	96421868-dd38-47a5-a3b8-a8c709acfe8c	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	10.00000000000	10.00000000000	20.00000000000	10.00000000000	28.35623848620	-80.72194808800	Excellent	1.00000000000	Multi stem	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	e99833c7-845c-4cf2-914e-7f935593c327	Red Cedar	No	Juniperus virginiana	1.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	20.00000000000	16.00000000000	40.00000000000	35.00000000000	28.35628729650	-80.72193374460	Excellent	1.00000000000	Chapman oak	Tree Is Undamaged	<Null>	Pruning	No	No	78ae5653-6b45-4cd2-af66-318ec297badb	Oak (Chapman's)	No	Quercus chapmanii	1.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	20.00000000000	18.00000000000	40.00000000000	30.00000000000	28.35627842360	-80.72227258380	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	16f09d11-8208-4fb8-8142-4d8605d5fec5	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	20.00000000000	22.00000000000	45.00000000000	35.00000000000	28.35625316550	-80.72261874780	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	3fb23d74-b70e-4a2e-8f89-eb68f1a0456a	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	cgwaltney_sfc	9/10/2020	cgwaltney_sfc	9/10/2020	20.00000000000	16.00000000000	30.00000000000	35.00000000000	28.35618838810	-80.72269694340	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	0283810a-c322-44ac-8e0b-ca412914e01c	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	5.00000000000	4.00000000000	15.00000000000	5.00000000000	28.35666513480	-80.72181105090	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	aa375ae9-0961-413a-a7ad-b905dbbbb80a	Oak (Sand Live)	No	Quercus geminata	1.00000000000
City Building	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	20.00000000000	8.00000000000	25.00000000000	15.00000000000	28.36061474000	-80.73457219720	Very Poor	7.00000000000	Completely dead	Tree is Damaged	Tree is Dead	Removal	No	No	380d956b-567b-48f5-9a70-79ea56e063ca	Holly (East Palatka)	No	Ilex x attenuata	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	20.00000000000	8.00000000000	15.00000000000	0.00000000000	28.39002635800	-80.74369412080	Very Poor	7.00000000000	Dead palm, needs removal	Tree is Damaged	Tree Is Dead	Removal	No	No	9d1bf111-5d79-49ce-8d7e-23a1a8281ce8	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	20.00000000000	6.00000000000	35.00000000000	0.00000000000	28.39044569030	-80.74287065860	Very Poor	7.00000000000	Dead, needs removal	Tree is Damaged	Tree Is Dead	Removal	No	No	63320dae-df76-49d6-94c0-317aa338cb65	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	16.00000000000	15.00000000000	10.00000000000	28.38811917220	-80.75545490770	Very Poor	7.00000000000	See pics, Tree Is Dead	Tree Is Damaged	Stump/Trunk	Removal	No	No	bde7f7c8-b406-4740-98ea-e4afe5a316a0	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	8.00000000000	15.00000000000	5.00000000000	28.38811179650	-80.75583988790	Very Poor	7.00000000000	Trunk Damage, Signs of Decay	Tree is Damaged	Trunk has decay, only 20% of canopy alive	Removal	No	No	1ec8cd33-6e1b-49b4-8b5c-08e338f08f04	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	4.00000000000	20.00000000000	15.00000000000	28.38111007130	-80.75043034640	Very Poor	7.00000000000	Dead, Neds Removal	Tree is Damaged	Dead, Needs Removal	Removal	No	No	{B33DF877-BE37-4AE2-A174-B6C36DBF6CD5}	Red Cedar	No	Juniperus virginiana	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	10.00000000000	6.00000000000	5.00000000000	5.00000000000	28.39251547890	-80.78256999220	Very Poor	7.00000000000	Poor condition, consider replacement	Tree Is Damaged	Previously taken to just stump, resprouting	No Maintenance Required	No	No	{0A2DB9BD-0037-4CD7-8F52-2BC20845E1EF}	Golden Raintree	No	Koelreuteria paniculata	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	5.00000000000	8.00000000000	10.00000000000	10.00000000000	28.35366975970	-80.73520389430	Very Poor	6.00000000000	Dead cabbage palm	Tree is Damaged	Dead, brown fronds and trunk	Removal	No	No	4ef806b9-e874-40b8-b918-a37f76dfb7a9	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	20.00000000000	10.00000000000	30.00000000000	15.00000000000	28.37441256170	-80.73508941830	Very Poor	6.00000000000	Poor Shape, Nearly Dead; Leaning into Roadway	Tree is Damaged	Rot and decay	Removal	No	No	64cce7b8-a526-414e-85b7-90ea8d68558e	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	40.00000000000	22.00000000000	45.00000000000	30.00000000000	28.39349752110	-80.74494572830	Very Poor	6.00000000000	In yard but mostly dead, overhanging road	Tree is Damaged	Tree is Dead	Removal	No	No	3c6fff81-c9e5-4fc0-a24c-a31250ed8b13	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	12.00000000000	10.00000000000	15.00000000000	28.39630519010	-80.75949179910	Very Poor	6.00000000000	Tree is Dead, Top Snapped Off, Just Trunk	Tree is Damaged	Stump/Trunk	Remove Trunk	No	No	{92A6AB4D-4442-48D9-9A42-83918A223759}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	12.00000000000	20.00000000000	10.00000000000	28.39546529150	-80.77771919830	Very Poor	6.00000000000	Two dead trees in Woodland.	Tree is Damaged	Stump/Trunk	Remove Trunks	No	Yes	{71FB3AC6-090C-432D-82B1-989025C76E55}	Palm (Queen)	No	Syagrus romanzoffiana	2.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	15.00000000000	20.00000000000	30.00000000000	10.00000000000	28.39654017710	-80.77215492750	Very Poor	5.00000000000	Dead Tree, Needs Removal	Tree Is Damaged	Stump/Trunk	Removal	No	No	{90F49D7A-131D-4681-A0D4-30C3A6650F80}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	14.00000000000	10.00000000000	0.00000000000	28.35970917560	-80.73356772260	Very Poor	5.00000000000	Dead Tree With Debris on Ground, Needs Removal	Tree is Damaged	Tree is Dead	Removal	Yes	No	{5D5B6D97-BA02-4D4D-BB9A-204665A5946F}	Pine (Australian)	No	Casuarina equisetifolia	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	25.00000000000	12.00000000000	0.00000000000	0.00000000000	28.35465994530	-80.73038683670	Very Poor	4.00000000000	See pic; dead stump, needs removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	37cea1c0-ea25-4473-a27f-ef602c1ea2ef	Red Cedar	No	Juniperus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	16.00000000000	10.00000000000	0.00000000000	28.39199010250	-80.75872301100	Very Poor	4.00000000000	Stump That Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{BAAB84BD-2DA2-46C1-A220-4AF39FF0EE37}	N/A (Stump)	No	N/A (Stump)	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	12.00000000000	40.00000000000	5.00000000000	28.40082534120	-80.76887391530	Very Poor	4.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{B3016B6E-7653-4251-9F36-3F5C670A749D}	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	14.00000000000	35.00000000000	15.00000000000	28.40072983500	-80.76886922250	Very Poor	4.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{3753AAE0-AF6F-44AD-9FDC-63D37B8CE09D}	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	14.00000000000	20.00000000000	10.00000000000	28.39545492520	-80.77698497380	Very Poor	4.00000000000	Dead Trunk, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{A2B29C06-54B6-4511-A0AE-4AE144866251}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	15.00000000000	12.00000000000	15.00000000000	0.00000000000	28.36028379310	-80.74511496280	Very Poor	3.00000000000	Dead palm trunk. Directly under power lines, needs removal	Tree Is Damaged	Stump	Remove Stump	No	No	102a501f-485a-4869-935d-7599fd845db5	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	10.00000000000	8.00000000000	20.00000000000	20.00000000000	28.38850520070	-80.78777619640	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{950C8A8C-E95D-4C3D-9BB1-88CB78773C06}	Pine (Slash)	No	Pinus elliottii	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	8.00000000000	30.00000000000	20.00000000000	28.38802106560	-80.78773675040	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{E7B29CFB-B138-494D-BC3A-6544126508D3}	Pine (Slash)	No	Pinus elliottii	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	20.00000000000	15.00000000000	28.38729850230	-80.78772135240	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{A6F520AA-BE5B-4F33-AA30-C028F250066C}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	acarroll_sfc	9/29/2020	acarroll_sfc	9/29/2020	15.00000000000	8.00000000000	15.00000000000	10.00000000000	28.35750346390	-80.73363002340	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{5BEBB25C-5D3A-4F51-B4AC-916BA29AFBEB}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Median	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.38273778120	-80.77264493330	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree is Dead	Removal	No	No	{7356D8DC-9EEF-4BCD-9C37-AF34A528B318}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	8.00000000000	15.00000000000	0.00000000000	28.36806211650	-80.75455653490	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree Is Dead	Removal	No	No	{B0AA3A91-74ED-4EC5-B6B9-9C55DC00EFD4}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	30.00000000000	28.00000000000	10.00000000000	0.00000000000	28.36940032900	-80.75550067230	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{980EB6CB-8C9C-46A5-BE14-C58E1DC6B7E2}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	15.00000000000	12.00000000000	5.00000000000	5.00000000000	28.40107568520	-80.74431573080	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{29508705-86F4-4831-AB68-2CB1FC0730A6}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	20.00000000000	14.00000000000	15.00000000000	10.00000000000	28.40210622400	-80.74257587820	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{F12D774F-FACC-4548-883C-2B4B33DED582}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	12.00000000000	5.00000000000	0.00000000000	28.39095154290	-80.78079465800	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{A8EBBB7F-C43F-42C4-B97E-D8C7EF0A23AA}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	30.00000000000	18.00000000000	35.00000000000	15.00000000000	28.35545871610	-80.73228686420	Very Poor	2.00000000000	Bizmark stump	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	f5b6bc90-b19d-47b1-9d94-803c94c27919	Palm (Bismarck)	No	Bismarckia nobilis	1.00000000000
City Park	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	20.00000000000	10.00000000000	0.00000000000	0.00000000000	28.35888270100	-80.73130859620	Very Poor	2.00000000000	3 stumps and 1 BP. To be removed	Tree Is Damaged	Stump/Trunk	Remove Stump	No	No	b11484c9-65d7-4d53-9461-416912340a10	Hickory (Pignut)	No	Carya glabra	1.00000000000
2-4 Ft ROW	shendley_sfc	9/13/2020	shendley_sfc	9/13/2020	20.00000000000	8.00000000000	5.00000000000	0.00000000000	28.35087389180	-80.73356707580	Very Poor	2.00000000000	Tree is cut; stump needs removal	Tree Is Damaged	Stump/Trunk	Remove Stump	No	No	7148642b-82af-4f80-a4ad-74d5e933ea8a	Sycamore	No	Platanus occidentalis	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/16/2020	sbourgoin_sfc	9/16/2020	20.00000000000	14.00000000000	25.00000000000	15.00000000000	28.36619344110	-80.74705959530	Very Poor	2.00000000000	Completely dead needs removal	Tree is Damaged	Tree is Dead	Removal	No	No	1c15f2d9-a065-4aab-8ccf-5cd17f805c7a	Pine (Longleaf)	No	Pinus palustris	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	20.00000000000	10.00000000000	5.00000000000	0.00000000000	28.38738969540	-80.76376179260	Very Poor	2.00000000000	Stump	Tree Is Undamaged	<Null>	Remove Stump	No	No	{57F1FA2A-BD75-400B-8276-6ED829F7A80C}	Bottlebrush (Weeping)	No	Melaleuca viminalis	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	16.00000000000	0.00000000000	0.00000000000	28.39889285130	-80.76775526670	Very Poor	2.00000000000	Stump That Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{20ACB205-116A-418E-A68F-74403C577CD5}	N/A (Stump)	No	N/A (Stump)	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	35.00000000000	18.00000000000	10.00000000000	5.00000000000	28.35695927990	-80.73346942710	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{F6DC1A1A-AB89-41C0-8372-8E2460A0F823}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	55.00000000000	28.00000000000	50.00000000000	60.00000000000	28.36019909440	-80.73430334220	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{C9E5553C-5EC9-4DA4-9A4E-6D214065BBD5}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	25.00000000000	16.00000000000	40.00000000000	20.00000000000	28.35963514510	-80.73353318230	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree is dead, see picture.	Removal	Yes	No	{6EE83020-5AB6-449A-ADA6-8EA7F2292927}	Pine (Australian)	No	Casuarina equisetifolia	1.00000000000
Cemetary	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	30.00000000000	18.00000000000	0.00000000000	0.00000000000	28.36875127660	-80.75586536950	Very Poor	2.00000000000	Old stump. Rotting	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{35627E43-0723-448B-BD9B-8911F4A8D205}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	16.00000000000	10.00000000000	5.00000000000	28.36835598580	-80.75473439860	Very Poor	2.00000000000	Stump	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{15DA5336-B17B-479C-929E-A36072E8D6D0}	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	10.00000000000	4.00000000000	15.00000000000	5.00000000000	28.38348674870	-80.77803819550	Very Poor	2.00000000000		Tree is Damaged	Tree is Dead	Removal	No	No	{1BAEAF65-A73A-4AAD-B2B5-156CBE656BE0}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	12.00000000000	0.00000000000	0.00000000000	28.39103175120	-80.78077820530	Very Poor	2.00000000000	Two stumps in Woodland.	Tree is Damaged	Stump/Trunk	Remove Stump	No	Yes	{E37E5873-D334-4D04-8F44-04B030B00B88}	N/A (Stump)	No	N/A (Stump)	2.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	12.00000000000	15.00000000000	0.00000000000	28.39120392220	-80.78055795280	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{88B0584D-929C-4C3A-B4CE-733862991F2F}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	10.00000000000	20.00000000000	0.00000000000	28.39127525250	-80.78042099290	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{63356FB1-094E-4FD5-9573-2F45BA64F029}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	12.00000000000	25.00000000000	10.00000000000	28.39152758910	-80.77998370830	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{B19D23DB-8B93-431A-ACD0-7BE247CC2E33}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.39102319340	-80.77973278460	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{EC4E220A-D753-48A0-B655-12FD268FB25D}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	8.00000000000	30.00000000000	25.00000000000	28.39072632140	-80.78034228610	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{66C46A3C-08E9-491C-B001-175D6B738570}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.39078610070	-80.78101954130	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{CBF7C1CA-BA64-4423-B044-09F778651EDE}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	5.00000000000	4.00000000000	15.00000000000	5.00000000000	28.39078144680	-80.78100083840	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{8C262DC2-611C-4171-875C-EE4247717BF5}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35702616760	-80.73350831880	Very Poor	1.00000000000	Stump that has resprouted	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{B77C4B93-AF85-4AD0-9BD7-C050A6AD16C9}	Cherry Laurel	No	Prunus laurocerasus	1.00000000000

2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	10.00000000000	12.00000000000	25.00000000000	25.00000000000	28.35290728150	-80.72534292660	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	2071aaa0-ea6e-475d-922c-b5df90ba90f8	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	15.00000000000	12.00000000000	25.00000000000	20.00000000000	28.35284956090	-80.72537430200	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	2c567cfa-a51d-4e49-9090-33ba19b9d57e	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	6.00000000000	15.00000000000	5.00000000000	28.35261990340	-80.72536512580	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	246e4a41-119b-4a66-891d-c3ee7ad6e964	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	10.00000000000	12.00000000000	25.00000000000	20.00000000000	28.35279570680	-80.72532715400	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	ab417d4b-c55a-4699-b0e7-ffd4ca575e33	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	10.00000000000	12.00000000000	35.00000000000	25.00000000000	28.35276735130	-80.72533343770	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	992ba293-7851-477f-bf3f-c3c9c83b6bbe	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	10.00000000000	10.00000000000	25.00000000000	25.00000000000	28.35268778440	-80.72535816920	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	f55b835b-8fb2-48b7-8905-2fb1b2bfcf6f	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	6.00000000000	10.00000000000	5.00000000000	28.35204332810	-80.72530859570	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	7b41f30b-d1e5-4cda-bbda-c6d58335e43c	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	5.00000000000	6.00000000000	10.00000000000	10.00000000000	28.35255002620	-80.72529464390	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	11986a8b-dafd-43af-a861-27b3e3986e61	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	10.00000000000	6.00000000000	10.00000000000	10.00000000000	28.35227441930	-80.72520999660	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	6c540fea-48d0-4ce8-af50-88583c83f1dd	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	10.00000000000	10.00000000000	20.00000000000	10.00000000000	28.35185139280	-80.72524704580	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	c21be454-af30-406d-8cc9-6f811e3c8818	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	5.00000000000	6.00000000000	10.00000000000	10.00000000000	28.35207372270	-80.72516065840	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	d6e3d455-8b05-4d05-84cf-84592d07bfb9	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	10.00000000000	8.00000000000	15.00000000000	10.00000000000	28.35163346510	-80.72507754630	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	48673a48-e0dc-4396-9738-abbe8e736fca	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35192732530	-80.72516937120	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	f6bea134-b838-4575-ba1a-3ddd1349e5db	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35101873250	-80.72599299690	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	966bc1ac-a71d-4731-b493-4a066fca3d1a	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.35103221320	-80.72604050520	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	312aa937-18ad-47b5-94eb-240bdf9c9b1a	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35099648040	-80.72614829320	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	2b093c16-f35a-4b75-916c-6acddcbd666b	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	35.00000000000	28.00000000000	55.00000000000	60.00000000000	28.35100932470	-80.72577921860	Excellent	1.00000000000	Overhangs road, see pic	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	156a6a74-2b2b-4253-b0a8-fa75bfa0a52c	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	20.00000000000	22.00000000000	30.00000000000	30.00000000000	28.35038990270	-80.72627521800	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	109c6e36-46b8-46b1-be2b-18f805cb708b	Elm (Florida)	No	Ulmus americana var. floridana	1.00000000000
4+ Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	10.00000000000	10.00000000000	15.00000000000	15.00000000000	28.35035496820	-80.72628314650	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	72f9ddd7-d1c9-445a-87dd-afff4c37c753	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	20.00000000000	18.00000000000	35.00000000000	30.00000000000	28.35024119700	-80.72626537690	Excellent	1.00000000000	Co-dom, see picture.	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	55791589-b8bb-4ecd-ac19-85081301d750	Elm (Florida)	No	Ulmus americana var. floridana	1.00000000000
4+ Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	10.00000000000	8.00000000000	10.00000000000	10.00000000000	28.35030524750	-80.72631278280	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	b1c0c8e9-3533-4ec2-9060-6e6ea40ff254	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
4+ Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	10.00000000000	8.00000000000	15.00000000000	10.00000000000	28.35035299100	-80.72636336780	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	62f76683-1717-48b6-864d-ec5c423b26b8	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	15.00000000000	14.00000000000	20.00000000000	15.00000000000	28.35023537830	-80.72630500160	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	4e0b0374-504a-4166-9c86-9ca6ab24564b	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
4+ Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35026807090	-80.72642669640	Excellent	1.00000000000	Chapman	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	34d88a98-92ff-403a-ac83-310f7cf7e88b	Oak (Chapman's)	No	Quercus chapmanii	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	8.00000000000	15.00000000000	10.00000000000	28.35028023150	-80.72638215340	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	7c1f1257-b76f-48c9-8f2c-62cff5c704d9	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	50.00000000000	28.00000000000	60.00000000000	45.00000000000	28.35006931050	-80.72559462550	Excellent	1.00000000000	Hickory over hangs road	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	6226f4a3-c2ac-4ee4-862a-b0bbb5d99469	Hickory (Pignut)	No	Carya glabra	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	10.00000000000	10.00000000000	10.00000000000	10.00000000000	28.34962259820	-80.72499820890	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	df40e658-82b0-4493-907b-31b95f1e7c43	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	10.00000000000	6.00000000000	10.00000000000	10.00000000000	28.34949700870	-80.72500336790	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	2b235efb-303f-44c3-a738-396d82c31224	Bradford Pear	No	Pyrus calleryana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	20.00000000000	10.00000000000	35.00000000000	20.00000000000	28.34991579290	-80.72505781660	Excellent	1.00000000000	Single trunk	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	3ccba574-268e-42d2-8827-a8015def1f43	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	17.00000000000	12.00000000000	30.00000000000	10.00000000000	28.34933229790	-80.72497354920	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	79c39b81-0459-44ad-8857-eb692f47e64c	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	10.00000000000	10.00000000000	20.00000000000	15.00000000000	28.34880206690	-80.72495925610	Excellent	1.00000000000	Foxtail palm	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	3190b13d-df97-4d2e-8f1b-757d2f8d55df	Palm (Foxtail)	No	Wodyetia bifurcata	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	20.00000000000	16.00000000000	35.00000000000	25.00000000000	28.34992015050	-80.72508585120	Excellent	1.00000000000	Co-dom growing into power lines, see pic	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	ae35862e-67d6-4571-91d3-08271cc6d3e4	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	10.00000000000	8.00000000000	15.00000000000	15.00000000000	28.34875847890	-80.72497752610	Excellent	1.00000000000	Foxtail palm	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	fb0c5ce4-91c2-4fee-8a49-d1fce1a12c35	Palm (Foxtail)	No	Wodyetia bifurcata	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	10.00000000000	12.00000000000	15.00000000000	10.00000000000	28.34909923020	-80.72507962860	Excellent	1.00000000000	In power line , 2 trees	Tree Is Undamaged	<Null>	Pruning	No	Yes	b49e5c8f-0af5-4f10-aabf-fbe205736a8d	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	50.00000000000	42.00000000000	35.00000000000	55.00000000000	28.34997903090	-80.72641892950	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	2d9cb532-8230-431b-bac4-15cbaa09bc2b	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	40.00000000000	32.00000000000	50.00000000000	45.00000000000	28.34995251740	-80.72645850120	Excellent	1.00000000000	Thin crown	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	30d9ec6a-ac02-4f2f-8af4-73ac33c51a14	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35108061800	-80.72619691000	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	597f0cb6-1063-4c17-8862-1e3d1e801404	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35125380400	-80.72615483020	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	2a7d808f-89ae-49c1-8cc1-823e76851629	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35142303780	-80.72622421790	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	8fac84b8-0658-471f-a694-cbc4224adb39	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	10.00000000000	10.00000000000	15.00000000000	20.00000000000	28.35165869270	-80.72621164870	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	eb42e78b-acc3-44a9-b5e4-7390203fbd21	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	10.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35206448260	-80.72627102100	Excellent	1.00000000000	?species see photo	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	6aab33ec-3c08-447c-9d5a-2ba86ae4cce9	Cypress (Arizona)	No	Cupressus arizonica	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	10.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35222285760	-80.72619061910	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	6afb524b-03ef-4194-a282-d1692ae5b347	Cypress (Arizona)	No	Cupressus arizonica	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	25.00000000000	18.00000000000	40.00000000000	35.00000000000	28.35148457760	-80.72625179800	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	62e6d7c1-671f-40ab-ba20-12450e321a18	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	15.00000000000	14.00000000000	25.00000000000	25.00000000000	28.35223453960	-80.72624313730	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	e87092ba-b652-46ad-b0ab-f4f2e60f949f	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	10.00000000000	8.00000000000	15.00000000000	20.00000000000	28.35238744600	-80.72613605630	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	df9c8e3e-b6d0-446c-91c0-7a7805314bb1	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	10.00000000000	8.00000000000	25.00000000000	10.00000000000	28.35154776340	-80.72627057370	Excellent	1.00000000000	2 crapes similar in same bed	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	eeb6d73b-e88d-41f1-96d6-dcf7c9497fa8	Crepe Myrtle	No	Lagerstroemia spp.	2.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	10.00000000000	10.00000000000	20.00000000000	20.00000000000	28.35243167850	-80.72594400730	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	910b6c99-9bce-4aa0-b22f-e6aad8bf1040	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35236818100	-80.72556202660	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	e0e08cea-ab91-40a7-b73f-118bea0a58fb	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	2.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35234996100	-80.72545462490	Excellent	1.00000000000	See photo	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	dc619de8-2db2-4e0d-b473-0f6b712d6b15	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	10.00000000000	6.00000000000	10.00000000000	10.00000000000	28.35246559960	-80.72541470110	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	cb8fbd65-1ab6-4ab3-8765-9d2a41d13a59	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	20.00000000000	18.00000000000	30.00000000000	30.00000000000	28.35242409780	-80.72615110580	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	fda367b3-b6a9-452b-b2b0-6992e2b265b4	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	5.00000000000	6.00000000000	10.00000000000	10.00000000000	28.35242335790	-80.72621319020	Excellent	1.00000000000	Co-dom see photo	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	84355640-fe07-4239-a9bd-7a9b95a6d40b	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	5.00000000000	6.00000000000	10.00000000000	5.00000000000	28.35246425090	-80.72620812010	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	bb1b4d36-b535-4ff2-81c3-41bccd28820a	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	20.00000000000	14.00000000000	25.00000000000	25.00000000000	28.35251395000	-80.72625695340	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	a6df8cc0-21ca-4d13-ad99-b91e177cc9ad	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	20.00000000000	18.00000000000	25.00000000000	25.00000000000	28.35256629900	-80.72620345510	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	909c5941-ff63-416b-b2cc-3e333d0d9e33	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	20.00000000000	16.00000000000	30.00000000000	25.00000000000	28.35272726700	-80.72617548160	Excellent	1.00000000000	Heaving in sidewalk	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	a13b12f5-033b-4d6a-80f5-bbbf2e154772	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	20.00000000000	18.00000000000	25.00000000000	30.00000000000	28.35279159360	-80.72622446490	Excellent	1.00000000000	Heaving see photo	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	9b50acc2-5a35-4f78-a7a4-c90b3b33169f	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	15.00000000000	16.00000000000	25.00000000000	25.00000000000	28.35302189260	-80.72615959130	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	555b927c-ec3c-4526-b4f7-27bc9b5e83cd	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	20.00000000000	16.00000000000	25.00000000000	25.00000000000	28.35312661860	-80.72620535960	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	6d6a50d3-ca7e-48fd-b6f3-661989f9e5b0	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	15.00000000000	8.00000000000	25.00000000000	25.00000000000	28.35350683810	-80.72625768100	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	3b634329-70ef-4c78-8009-3d24a7d3e17e	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	20.00000000000	18.00000000000	25.00000000000	30.00000000000	28.35350683810	-80.72625768100	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	78c5cb0f-e9dc-40a8-99fe-5ed0493fed3d	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	6.00000000000	15.00000000000	10.00000000000	28.35187666940	-80.72625677640	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	48fe3f25-ded9-43fb-9e7e-ad8216ca8508	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	10.00000000000	8.00000000000	20.00000000000	10.00000000000	28.35344552560	-80.72620200530	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	f91ac6d5-615d-4cfe-a7f2-e5e14f5060e6	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	15.00000000000	14.00000000000	20.00000000000	10.00000000000	28.35188745820	-80.72628749610	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	cc2870a4-4f37-4dc3-9361-6ef13b9606b6	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	10.00000000000	8.00000000000	20.00000000000	10.00000000000	28.35338435290	-80.72624372390	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	7aca566a-5760-4717-b95d-d38dd89538c9	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	12.00000000000	10.00000000000	15.00000000000	10.00000000000	28.35330186300	-80.72624839520	Excellent	1.00000000000	2	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	8e3b0204-5af5-4df6-8e45-f0b52f29882a	Crepe Myrtle	No	Lagerstroemia spp.	2.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	10.00000000000	14.00000000000	20.00000000000	20.00000000000	28.35311826090	-80.72629154030	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	e7ef746c-3ee1-40a2-95eb-7548ef6ed43a	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	20.00000000000	16.00000000000	35.00000000000	30.00000000000	28.35202109520	-80.72628106960	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	6ddf7b24-ce62-4375-9848-c9870c8efd3f	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	15.00000000000	14.00000000000	25.00000000000	25.00000000000	28.35295692270	-80.72627770090	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	5495cbc4-3285-4423-a581-6227a6f63c23	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	20.00000000000	16.00000000000	35.00000000000	25.00000000000	28.35205840720	-80.72630493600	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	09c5fe32-127f-4885-baf8-cf2f62c34d5f	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	10.00000000000	12.00000000000	25.00000000000	20.00000000000	28.35280870040	-80.72624007410	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	a534cb18-ef82-4f03-9d92-60852fa061e1	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	20.00000000000	16.00000000000	35.00000000000	35.00000000000	28.35219465920	-80.72628631030	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	929330aa-dd39-4f7e-b0d0-99cddba38e88	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	15.00000000000	12.00000000000	25.00000000000	25.00000000000	28.35273412660	-80.72625650420	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	e3d96e65-0a00-4644-967f-3257a2d1f0b2	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	10.00000000000	6.00000000000	15.00000000000	5.00000000000	28.35262644050	-80.72636610770	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	443fdbfd-fd0e-4192-8f69-fed0e6b20977	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	10.00000000000	10.00000000000	20.00000000000	10.00000000000	28.35262644050	-80.72636610770	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	17658872-84a1-4a0c-9e36-60b72914f8b1	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	15.00000000000	14.00000000000	30.00000000000	20.00000000000	28.35224230770	-80.72630825440	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	9c671e91-f780-4fce-b10d-d12bcef03884	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	10.00000000000	10.00000000000	20.00000000000	10.00000000000	28.35252356480	-80.72635029550	Excellent	1.00000000000	4 see photo	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	d0101fee-8aa8-4663-867f-2b8ba3beda5a	Palm (Cabbage)	No	Sabal palmetto	4.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	15.00000000000	16.00000000000	30.00000000000	30.00000000000	28.35230815710	-80.72634305510	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	55ee20ac-7781-4079-bffd-f47320583b40	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	20.00000000000	18.00000000000	35.00000000000	30.00000000000	28.35238065990	-80.72634066020	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	c525109c-9b8d-4956-b17b-edce0cc754ba	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	20.00000000000	12.00000000000	15.00000000000	20.00000000000	28.35256272330	-80.72649577680	Excellent	1.00000000000	?species. 2 trees	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	33b08fa5-3cd6-4da8-b51e-0b8521c9d913	Tabebuia	No	Tabebuia spp.	2.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	20.00000000000	18.00000000000	45.00000000000	45.00000000000	28.35241977350	-80.72633156840	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	9d6af70e-015d-4c8d-80ae-5ff7fb5c500b	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	10.00000000000	4.00000000000	10.00000000000	10.00000000000	28.35376752820	-80.72621913340	Excellent	1.00000000000	Multi stalk	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	636de850-1fff-4331-9e5d-cc23fb01f838	Palm (Paurotis)	No	Acoelorrhaphe wrightii	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	6.00000000000	20.00000000000	10.00000000000	28.35364497920	-80.72627245200	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	d48b7ead-eebd-4fe4-99b2-13a34de9424e	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	30.00000000000	24.00000000000	35.00000000000	50.00000000000	28.35384013200	-80.72618066850	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	1022fac4-4dbc-4774-b91c-7083d51bdbd7	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	15.00000000000	12.00000000000	35.00000000000	10.00000000000	28.35383393330	-80.72630622240	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	84b73e25-0d0f-4627-82aa-c20566be76f9	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	15.00000000000	12.00000000000	25.00000000000	10.00000000000	28.35395000510	-80.72629381760	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	79e7bd9a-60e4-4673-8de7-51b9679e4151	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	20.00000000000	18.00000000000	35.00000000000	25.00000000000	28.35421575750	-80.72626187440	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	14e796fc-6985-4e29-9681-2aed3867e1e9	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	35.00000000000	24.00000000000	35.00000000000	25.00000000000	28.35424172290	-80.72624612870	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	9baaa598-4057-4fd6-9a97-7b4480e27d99	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	10.00000000000	4.00000000000	15.00000000000	10.00000000000	28.35464849030	-80.72629678380	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	48f70d49-8ed0-4d73-a401-4274dcaba587	Tabebuia	No	Tabebuia spp.	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	10.00000000000	6.00000000000	10.00000000000	10.00000000000	28.35475970660	-80.72629203260	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	d37a633c-84ed-4226-a060-2d13f0ad90ed	Nettlespurge	No	Jatropha spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	15.00000000000	10.00000000000	35.00000000000	10.00000000000	28.35439628490	-80.72622519890	Excellent	1.00000000000		Tree Is Undamaged	<Null>	Pruning	No	No	4f9d5607-e7bb-4128-bfbc-493a6de7b95a	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	10.00000000000	8.00000000000	20.00000000000	10.00000000000	28.35491768620	-80.72625738370	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	05a87857-b939-4441-b04b-a524a287c196	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	15.00000000000	10.00000000000	30.00000000000	10.00000000000	28.35445214700	-80.72625102540	Excellent	1.00000000000		Tree Is Undamaged	<Null>	Pruning	No	No	098f59dc-c01e-4dc8-9983-264463571d07	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	10.00000000000	10.00000000000	25.00000000000	20.00000000000	28.35474552980	-80.72635020300	Excellent	1.00000000000	See photo 6 trees	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	ac150e33-1ec4-4d5f-a6e9-974814e46f52	Oak (Live)	No	Quercus virginiana	6.00000000000
City Park	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	15.00000000000	10.00000000000	25.00000000000	15.00000000000	28.35478485120	-80.72655172480	Excellent	1.00000000000	Foxtail palm	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	4c65b3fe-0ad5-441c-8a24-f96471fb461b	Palm (Foxtail)	No	Wodyetia bifurcata	1.00000000000
City Park	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	7.00000000000	4.00000000000	10.00000000000	10.00000000000	28.35476351060	-80.72656716230	Excellent	1.00000000000	3	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	61b21cde-d509-4b2d-a328-09e5aceaec3f	Magnolia (Southern)	No	Magnolia grandiflora	3.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	50.00000000000	24.00000000000	50.00000000000	45.00000000000	28.35460463910	-80.72622722820	Excellent	1.00000000000	Encroaching nearby building	Tree Is Undamaged	<Null>	Pruning	No	No	fd9704a4-c0d5-451c-92ac-ebb5620b9f5e	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	15.00000000000	14.00000000000	25.00000000000	30.00000000000	28.35494811950	-80.72538941620	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	449e60ff-688c-4462-8640-b64902906df1	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	15.00000000000	10.00000000000	20.00000000000	10.00000000000	28.35495324930	-80.72544799350	Excellent	1.00000000000	3	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	6a32f2df-6919-476f-a9ec-091945813b6d	Palm (Cabbage)	No	Sabal palmetto	3.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	20.00000000000	18.00000000000	35.00000000000	35.00000000000	28.35488302270	-80.72545857300	Excellent	1.00000000000	See photo	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	68c994a6-bb83-477b-b745-582fea8cf66e	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	15.00000000000	10.00000000000	20.00000000000	10.00000000000	28.35493785120	-80.72570229940	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	3b8ffc7f-5c92-4459-aad2-6971968115d3	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	15.00000000000	8.00000000000	15.00000000000	10.00000000000	28.35492511170	-80.72545996090	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	347fae66-1f18-48ec-8433-fbbefd99cefb	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	15.00000000000	12.00000000000	30.00000000000	10.00000000000	28.35497270440	-80.72552538160	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	d087c1ce-7751-4633-9db7-14b28b47250d	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	10.00000000000	8.00000000000	15.00000000000	20.00000000000	28.35491297850	-80.72587368990	Excellent	1.00000000000	Co-dom	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	31660e56-e0fd-4a39-88af-bee14777caab	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	15.00000000000	12.00000000000	25.00000000000	10.00000000000	28.35492012340	-80.72559993190	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	3ac6c306-46de-4601-a064-f7533a493284	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	15.00000000000	10.00000000000	20.00000000000	10.00000000000	28.35496150250	-80.72600456450	Excellent	1.00000000000	3	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	4231791a-f222-4545-a2a4-9a8ac5e42308	Palm (Cabbage)	No	Sabal palmetto	3.00000000000
2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35493128020	-80.72628685380	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	05092725-8fb3-4bff-93e5-0c7e8c2f80f2	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	15.00000000000	10.00000000000	20.00000000000	10.00000000000	28.35494135090	-80.72613111650	Excellent	1.00000000000	6	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	e8d06ec7-10cb-4dfc-bb55-0f06a9aa9df9	Palm (Cabbage)	No	Sabal palmetto	6.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	40.00000000000	20.00000000000	45.00000000000	40.00000000000	28.35495695220	-80.72576324020	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	d6efb5c0-6d9a-44aa-bdad-389db2f7dee2	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	10.00000000000	8.00000000000	20.00000000000	15.00000000000	28.35500483970	-80.72538112390	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	1ff71ca6-085f-4fc1-8052-4d1d441eac2f	Holly (East Palatka)	No	Ilex x attenuata	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	6.00000000000	10.00000000000	10.00000000000	28.35506298530	-80.72543167830	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	72af4449-2962-4863-99d6-066e2a0546e3	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	10.00000000000	6.00000000000	15.00000000000	10.00000000000	28.35522339690	-80.72537897060	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	785dcbf9-961e-42ba-a8f9-406ee85d971d	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	10.00000000000	8.00000000000	20.00000000000	10.00000000000	28.35533097370	-80.72537562440	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	c6806973-4fcb-4ba0-a5fb-6c79be18ac1e	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	10.00000000000	6.00000000000	15.00000000000	10.00000000000	28.35639509360	-80.72627695350	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	74a1bb3d-9801-4e9e-8d96-db83dad4ab9d	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
4+ Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	15.00000000000	8.00000000000	10.00000000000	10.00000000000	28.35718384660	-80.72637092180	Excellent	1.00000000000	14	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	6d29e51b-57c9-4d49-91a7-68606108a45c	Seagrape	No	Coccoloba uvifera	14.00000000000
4+ Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	15.00000000000	10.00000000000	20.00000000000	10.00000000000	28.35717778090	-80.72641634240	Excellent	1.00000000000	6	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	0b63226b-2547-457f-ae1e-973100a04fbe	Palm (Cabbage)	No	Sabal palmetto	6.00000000000
4+ Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	2.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35721775200	-80.72645188960	Excellent	1.00000000000	See photo	Tree Is Undamaged	<Null>	No Maintenance Required	Yes	No	cc012d56-5817-4460-b8cd-dd1513416379	Brazilian Pepper	No	Schinus terebinthifolia	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	15.00000000000	12.00000000000	35.00000000000	10.00000000000	28.35756170770	-80.72686483530	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	a6da8516-b302-4c21-9708-fef38956a388	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	15.00000000000	14.00000000000	30.00000000000	10.00000000000	28.35769746410	-80.72693130970	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	932433bf-a93b-47c6-92cd-817bdef9cea9	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	35.00000000000	22.00000000000	40.00000000000	35.00000000000	28.35917654040	-80.72827782950	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	8287c615-5a0d-421a-a83e-57792874e2bd	Magnolia (Southern)	No	Magnolia grandiflora	1.00000000000
2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	35.00000000000	20.00000000000	30.00000000000	20.00000000000	28.35916604950	-80.72936470030	Excellent	1.00000000000	Heaving some root constriction	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	d48abccf-a128-4658-8691-ff66d8914aad	Maple (Florida)	No	Acer saccharum subs. floridanum	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	20.00000000000	24.00000000000	20.00000000000	5.00000000000	28.35912313220	-80.72964437370	Excellent	1.00000000000	Chlorotic palms, night blooming cerus on trunk	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	9c2320d7-3113-47b5-8b44-91cebfaf212d	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	10.00000000000	8.00000000000	20.00000000000	20.00000000000	28.35915730810	-80.72984234980	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	6062f9cc-b648-43fe-b8a2-d045a2201e94	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	25.00000000000	18.00000000000	40.00000000000	40.00000000000	28.35920150610	-80.73018504630	Excellent	1.00000000000		Tree Is Damaged	Unnatural form in crown due to power line pruning	No Maintenance Required	No	No	4a8d8827-d6df-4871-8c96-9628c393a247	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	15.00000000000	12.00000000000	15.00000000000	10.00000000000	28.35653095900	-80.72768435570	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	af1ddd64-494e-4273-8ff5-bfd48bb7296d	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35625021370	-80.72778104500	Excellent	1.00000000000	3	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	3f85867a-e1e9-45ca-b297-c31c4dfa8b01	Holly (American)	No	Ilex opaca	3.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	6.00000000000	10.00000000000	10.00000000000	28.35633327990	-80.72783765950	Excellent	1.00000000000	Triangle palm. See pic	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	462203f8-30bb-4605-9981-8c719838cd68	Palm (Triangle)	No	Dypsis decaryi	1.00000000000
2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35602564190	-80.72777383780	Excellent	1.00000000000	3	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	24386424-57f1-4e28-813e-1572b8cbf114	Holly (American)	No	Ilex opaca	3.00000000000
2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	10.00000000000	10.00000000000	10.00000000000	10.00000000000	28.35594415170	-80.72782549540	Excellent	1.00000000000	Triangle palm	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	48510c9d-a15b-4ffb-b249-1f020746d1b5	Palm (Triangle)	No	Dypsis decaryi	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	6.00000000000	15.00000000000	10.00000000000	28.35577195830	-80.72773065130	Excellent	1.00000000000	2 crapes, see photo	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	f72da342-f3f9-4453-bdee-74ae0ebe1c69	Crepe Myrtle	No	Lagerstroemia spp.	2.00000000000
2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	5.00000000000	6.00000000000	10.00000000000	10.00000000000	28.35541913960	-80.72776539630	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	b6712e1c-57d4-4574-a6fe-0cb732e9bdd3	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
Median	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35553494330	-80.72785857050	Excellent	1.00000000000	In cocoa beach welcome sign (round about)	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	1c825d3f-79d2-4f0c-97af-ad147a7248ff	Oak (Sand Live)	No	Quercus geminata	1.00000000000
2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	5.00000000000	4.00000000000	15.00000000000	5.00000000000	28.35530344650	-80.72761849840	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	3645ffae-4f59-4c04-bdba-454790858b77	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35525282220	-80.72770990560	Excellent	1.00000000000	Unidentified tree, see pic	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	207a802d-6b63-40b0-b325-7350378e2f9b	Cypress (Arizona)	No	Cupressus arizonica	1.00000000000
2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	5.00000000000	6.00000000000	15.00000000000	10.00000000000	28.35533890520	-80.72711486970	Excellent	1.00000000000		Tree Is Undamaged	<Null>	Pruning	No	No	1b7eff59-403e-4589-803c-25a3358a7817	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	7.00000000000	6.00000000000	15.00000000000	15.00000000000	28.35531151630	-80.72692515890	Excellent	1.00000000000		Tree Is Undamaged	<Null>	Pruning	No	No	28712dd8-72c4-4fa8-8056-cc1be63b0895	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	7.00000000000	6.00000000000	15.00000000000	10.00000000000	28.35530650430	-80.72674623250	Excellent	1.00000000000		Tree Is Undamaged	<Null>	Pruning	No	No	d7e7e164-76bd-4774-99aa-61c7463cb20d	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	5.00000000000	6.00000000000	15.00000000000	15.00000000000	28.35533477700	-80.72656546630	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	5b535786-7609-4f96-8e8a-a53df2127129	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.35531361910	-80.72711172730	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	88bc6963-6f39-471a-96e3-deffdb06f429	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	5.00000000000	6.00000000000	15.00000000000	15.00000000000	28.35531867770	-80.72642921080	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	2b27036a-d196-43b6-a110-4bc57710de60	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	5.00000000000	4.00000000000	15.00000000000	10.00000000000	28.35529801400	-80.72635986710	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	d05963d8-c974-4262-bda4-505395bbe6a3	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	10.00000000000	8.00000000000	20.00000000000	15.00000000000	28.35525637810	-80.72691423630	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	1db32252-9c71-42ec-9208-803d5eecc49f	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	4.00000000000	4.00000000000	10.00000000000	10.00000000000	28.35533146940	-80.72646189510	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	bf819326-1db2-4465-9979-f73a6a14f92a	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	5.00000000000	8.00000000000	15.00000000000	10.00000000000	28.35465398140	-80.72661699370	Excellent	1.00000000000	2	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	1dbc7af5-35f8-4b07-84dd-a9bfc1dd6929	Crepe Myrtle	No	Lagerstroemia spp.	2.00000000000
2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35467471730	-80.72678241660	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	576426fa-2602-46fb-8f4e-c831e2814416	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	10.00000000000	8.00000000000	15.00000000000	20.00000000000	28.35471950370	-80.72686902320	Excellent	1.00000000000		Tree Is Undamaged	<Null>	Pruning	No	No	38403711-9c12-43d9-8c95-3f87a30d9bf3	Elm (Drake)	No	Ulmus parvifolia	1.00000000000

2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	10.00000000000	8.00000000000	20.00000000000	15.00000000000	28.35473121630	-80.72706199390	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	0f9df72a-41c5-41b9-abbc-6b019d39bce4	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	6.00000000000	15.00000000000	10.00000000000	28.35472651340	-80.72730299300	Excellent	1.00000000000	See pic	Tree Is Undamaged	<Null>	Pruning	No	No	c60a1fbd-e54c-48af-aaa4-7c7375268a2c	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	25.00000000000	18.00000000000	30.00000000000	30.00000000000	28.35464019920	-80.72723804660	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	a3b160e3-4828-4d8d-8bb2-4897182651f2	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35462686750	-80.72739711940	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	a72508cb-c8e2-48e5-b800-760ff1032067	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	10.00000000000	6.00000000000	15.00000000000	10.00000000000	28.35482442160	-80.72780763960	Excellent	1.00000000000	2 crapes completes block	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	291be8ed-7eb5-4e6e-8e9a-4accb910583b	Crepe Myrtle	No	Lagerstroemia spp.	2.00000000000
2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	10.00000000000	8.00000000000	20.00000000000	15.00000000000	28.35463351990	-80.72753633490	Excellent	1.00000000000		Tree Is Undamaged	<Null>	Pruning	No	No	edca99f0-2964-4003-8511-6a35a09006c5	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	20.00000000000	14.00000000000	25.00000000000	25.00000000000	28.35429186230	-80.72772467030	Excellent	1.00000000000	2	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	d9dbae49-3447-41cf-aa69-528f61e75b66	Oak (Live)	No	Quercus virginiana	2.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	4.00000000000	15.00000000000	10.00000000000	28.35433301160	-80.72774254590	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	7c50f50f-c91d-4128-8714-cd3328f22ecc	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	5.00000000000	6.00000000000	10.00000000000	10.00000000000	28.35402822950	-80.72760096780	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	9a78fcbf-4913-4a3c-9e14-98e02b915fd5	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.35397311190	-80.72776112760	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	a2e98484-2112-469e-9ea2-47454a63d1a7	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	5.00000000000	6.00000000000	10.00000000000	10.00000000000	28.35381040980	-80.72764011910	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	c4c38b2a-83b2-446f-9803-c34304b916e6	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.35373582890	-80.72776760710	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	63f01d80-2ddb-4b13-b6d0-9e3b870e1f66	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	8.00000000000	6.00000000000	15.00000000000	10.00000000000	28.35355562600	-80.72640270420	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	a9752c25-80f6-4aaf-9224-4b5e9afa4538	Holly (East Palatka)	No	Ilex x attenuata	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	4.00000000000	15.00000000000	10.00000000000	28.35343609200	-80.72781149610	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	4744bc39-c291-433a-b6aa-362666ca399a	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.35344510740	-80.72773751710	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	c0ef3547-5187-4728-b52c-023dcff6e1e5	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	4.00000000000	15.00000000000	10.00000000000	28.35327326730	-80.72772826180	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	80d4b841-421f-4881-baaf-ee0b6e3ced65	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.35291023430	-80.72772175350	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	4224b125-e578-496f-be04-d94efd72a73d	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	4.00000000000	15.00000000000	10.00000000000	28.35327326730	-80.72772826180	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	483fb032-b416-45fe-a346-d718d4321396	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35283662670	-80.72775731960	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	fc3216be-6c6e-4244-9e6a-32a446c8d23b	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.35283620060	-80.72767335770	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	eaa12968-4400-45f8-ba5f-689b509c3e4b	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35273582160	-80.72771829590	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	6a47b15d-1e64-41a0-9e22-e905b4e151d5	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	10.00000000000	6.00000000000	15.00000000000	10.00000000000	28.35241101880	-80.72776727290	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	35bb00c2-d55d-4852-bd59-4ff204d6757c	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.35243299080	-80.72766693200	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	b4ca5920-bee1-4fa8-8726-c083c05555bd	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	7.00000000000	6.00000000000	15.00000000000	10.00000000000	28.35205765380	-80.72757142130	Excellent	1.00000000000		Tree Is Undamaged	<Null>	Pruning	No	No	3de49395-3613-4568-8311-242f97fb787d	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	4.00000000000	15.00000000000	10.00000000000	28.35199967890	-80.72773181820	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	0b867ce0-3184-4844-b946-ec88baeda344	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	5.00000000000	6.00000000000	15.00000000000	10.00000000000	28.35187831530	-80.72765277460	Excellent	1.00000000000		Tree Is Undamaged	<Null>	Pruning	No	No	bfe25b27-baa2-4a50-880d-8cc74b105ee6	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	4.00000000000	15.00000000000	10.00000000000	28.35174228200	-80.72773253060	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	a642c1d0-940a-46fc-b742-139afbf7dcc6	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	5.00000000000	4.00000000000	15.00000000000	10.00000000000	28.35163568970	-80.72763409410	Excellent	1.00000000000		Tree Is Undamaged	<Null>	Pruning	No	No	18e2ecb9-ae36-4bfe-aee2-f72af1cd5dcd	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	4.00000000000	15.00000000000	5.00000000000	28.35159173370	-80.72775013670	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	c04af4ac-c258-4c36-a7f0-9088deb4fd8d	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	5.00000000000	4.00000000000	15.00000000000	10.00000000000	28.35132764910	-80.72761787680	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	8c0cdcf1-d9fc-4d75-a340-b4e9a2ae575f	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.35104793040	-80.72772464250	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	73a0450b-afe7-4bb3-84e5-90b596be30a3	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	5.00000000000	4.00000000000	15.00000000000	10.00000000000	28.35115467350	-80.72759709340	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	ac65e86f-dfba-4cf5-8586-c40a0561ca9d	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.35077956440	-80.72772321680	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	34b06a3b-02f1-4dea-bd2e-8566fb1aec16	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	5.00000000000	4.00000000000	15.00000000000	10.00000000000	28.35065335240	-80.72761973180	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	041bb7de-b02d-4d01-b1ad-16419ba10c51	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.35062938550	-80.72772856180	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	f98da476-a2f0-4ba2-8cde-255cf8642c54	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	5.00000000000	6.00000000000	15.00000000000	10.00000000000	28.35058210710	-80.72768439350	Excellent	1.00000000000	2	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	ff1d3838-c2b8-49f0-a2a6-9dbe16831903	Crepe Myrtle	No	Lagerstroemia spp.	2.00000000000
2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	5.00000000000	6.00000000000	15.00000000000	10.00000000000	28.35035668210	-80.72764436450	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	aed973bf-091b-4cc4-9cae-f72b0cfbc33c	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	5.00000000000	6.00000000000	15.00000000000	10.00000000000	28.35023492220	-80.72762829550	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	ae4064b3-30a5-4cdc-9eba-0db38578a268	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	5.00000000000	6.00000000000	15.00000000000	10.00000000000	28.35012951590	-80.72762626440	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	c4e23277-9375-4369-9d51-ea2c67e757a1	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	5.00000000000	6.00000000000	15.00000000000	10.00000000000	28.34978019020	-80.72752379620	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	f7b827cd-e742-4afb-aac2-76f49b249981	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.35028683670	-80.72774795650	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	4994c942-cd4e-4f2a-867a-7c5a37213da5	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.34992219490	-80.72773597470	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	c4e791f9-e712-49ff-8bf0-646160823c13	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.34960706020	-80.72770449600	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	5af170bf-5384-433a-a553-64a6a201a4d7	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	5.00000000000	6.00000000000	15.00000000000	10.00000000000	28.34972469020	-80.72772922570	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	eb7504a5-66b3-4fc9-b0fc-80b4ae9d42ab	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	35.00000000000	24.00000000000	45.00000000000	40.00000000000	28.35203796410	-80.72914043050	Excellent	1.00000000000	Off ROW, but overhangs street, see pic	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	cb17c70e-21f7-4f26-833a-7aeb1c38a739	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35365374560	-80.72926282230	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	be008e18-72dc-45e7-b9cb-46ec9f03e6af	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	6.00000000000	10.00000000000	15.00000000000	28.35407246910	-80.72923339620	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	0d7992a6-a131-48fd-981d-03c136da389d	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	1.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35402308780	-80.72924570410	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	d9d55d39-ce61-482f-93fd-60c8be8e19c3	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
4+ Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	30.00000000000	16.00000000000	25.00000000000	20.00000000000	28.35526743050	-80.72904304410	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	f5aef758-d91b-4dcc-8e4d-e3dc2d960704	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	17.00000000000	12.00000000000	15.00000000000	10.00000000000	28.35531182380	-80.72834260790	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	47193e28-e290-440c-b01c-ff4ff161b1a9	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35489978520	-80.72768181440	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	cce744ae-bb60-4a95-a8ad-4174880508f6	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
4+ Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	5.00000000000	6.00000000000	15.00000000000	10.00000000000	28.35524020530	-80.72772069350	Excellent	1.00000000000	4	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	15d54090-7d5c-4190-bb66-48e1752dbd5d	Crepe Myrtle	No	Lagerstroemia spp.	4.00000000000
4+ Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	6.00000000000	15.00000000000	10.00000000000	28.35478532400	-80.72766683680	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	c042b2e3-c2d5-40e1-b9ed-fba08bca958a	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
4+ Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	5.00000000000	6.00000000000	15.00000000000	10.00000000000	28.35448703350	-80.72782235940	Excellent	1.00000000000	3 co-dom	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	57a971f9-9919-428d-8852-686a57f065c7	Crepe Myrtle	No	Lagerstroemia spp.	3.00000000000
4+ Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35463746860	-80.72766266230	Excellent	1.00000000000	2 crapes in beds	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	3734a91b-e9f5-4892-9ddf-6c4eb94091b4	Crepe Myrtle	No	Lagerstroemia spp.	2.00000000000
4+ Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	8.00000000000	6.00000000000	15.00000000000	10.00000000000	28.35427616520	-80.72778292790	Excellent	1.00000000000	2, co-don	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	bf34649b-dc0b-4714-944f-afaeef3964d9	Crepe Myrtle	No	Lagerstroemia spp.	2.00000000000
4+ Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	10.00000000000	6.00000000000	15.00000000000	10.00000000000	28.35404037860	-80.72768480220	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	1f64ddde-7897-49da-ac13-02fd6a3bb966	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
City Building	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	5.00000000000	6.00000000000	15.00000000000	10.00000000000	28.35374672100	-80.72762467800	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	76f2954a-deac-412b-983b-075377fa2053	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
4+ Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	5.00000000000	6.00000000000	15.00000000000	10.00000000000	28.35374672100	-80.72762467800	Excellent	1.00000000000	2	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	b5cf809b-44c9-4d11-849d-be9a0d17afd1	Crepe Myrtle	No	Lagerstroemia spp.	2.00000000000
4+ Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	5.00000000000	6.00000000000	15.00000000000	10.00000000000	28.35374672100	-80.72762467800	Excellent	1.00000000000	2	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	678c6c45-56a2-4298-95fa-f46afa14da58	Crepe Myrtle	No	Lagerstroemia spp.	2.00000000000
4+ Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	10.00000000000	6.00000000000	10.00000000000	10.00000000000	28.35366161000	-80.72742764150	Excellent	1.00000000000	Silver buttonwood	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	d6fab78c-d96d-4a01-a03f-c82e43ffd00b	Silver Buttonwood	No	Conocarpus erectus var. sericeus	1.00000000000
City Building	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	20.00000000000	8.00000000000	25.00000000000	15.00000000000	28.36061474000	-80.73457219720	Very Poor	7.00000000000	Completely dead	Tree is Damaged	Tree is Dead	Removal	No	No	380d956b-567b-48f5-9a70-79ea56e063ca	Holly (East Palatka)	No	Ilex x attenuata	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	20.00000000000	8.00000000000	15.00000000000	0.00000000000	28.39002635800	-80.74369412080	Very Poor	7.00000000000	Dead palm, needs removal	Tree Is Damaged	Tree Is Dead	Removal	No	No	9d1bf111-5d79-49ce-8d7e-23a1a8281ce8	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	20.00000000000	6.00000000000	35.00000000000	0.00000000000	28.39044569030	-80.74287065860	Very Poor	7.00000000000	Dead, needs removal	Tree Is Damaged	Tree Is Dead	Removal	No	No	63320dae-df76-49d6-94c0-317aa338cb65	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	16.00000000000	15.00000000000	10.00000000000	28.38811917220	-80.75545490770	Very Poor	7.00000000000	See pics, Tree Is Dead	Tree Is Damaged	Stump/Trunk	Removal	No	No	bde7f7c8-b406-4740-98ea-e4afe5a316a0	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	8.00000000000	15.00000000000	5.00000000000	28.38811179650	-80.75583988790	Very Poor	7.00000000000	Trunk Damage, Signs of Decay	Tree is Damaged	Trunk has decay, only 20% of canopy alive	Removal	No	No	1ec8cd33-6e1b-49b4-8b5c-08e338f08f04	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	4.00000000000	20.00000000000	15.00000000000	28.38111007130	-80.75043034640	Very Poor	7.00000000000	Dead, Neds Removal	Tree is Damaged	Dead, Needs Removal	Removal	No	No	{B33DF877-BE37-4AE2-A174-B6C36DBF6CD5}	Red Cedar	No	Juniperus virginiana	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	10.00000000000	6.00000000000	5.00000000000	5.00000000000	28.39251547890	-80.78256999220	Very Poor	7.00000000000	Poor condition, consider replacement	Tree Is Damaged	Previously taken to just stump, resprouting	No Maintenance Required	No	No	{0A2DB9BD-0037-4CD7-8F52-2BC20845E1EF}	Golden Raintree	No	Koelreuteria paniculata	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	5.00000000000	8.00000000000	10.00000000000	10.00000000000	28.35366975970	-80.73520389430	Very Poor	6.00000000000	Dead cabbage palm	Tree is Damaged	Dead, brown fronds and trunk	Removal	No	No	4ef806b9-e874-40b8-b918-a37f76dfb7a9	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	20.00000000000	10.00000000000	30.00000000000	15.00000000000	28.37441256170	-80.73508941830	Very Poor	6.00000000000	Poor Shape, Nearly Dead; Leaning into Roadway	Tree is Damaged	Rot and decay	Removal	No	No	64cce7b8-a526-414e-85b7-90ea8d68558e	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	40.00000000000	22.00000000000	45.00000000000	30.00000000000	28.39349752110	-80.74494572830	Very Poor	6.00000000000	In yard but mostly dead, overhanging road	Tree is Damaged	Tree is Dead	Removal	No	No	3c6fff81-c9e5-4fc0-a24c-a31250ed8b13	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	12.00000000000	10.00000000000	15.00000000000	28.39630519010	-80.75949179910	Very Poor	6.00000000000	Tree is Dead, Top Snapped Off, Just Trunk	Tree is Damaged	Stump/Trunk	Remove Trunk	No	No	{92A6AB4D-4442-48D9-9A42-83918A223759}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	12.00000000000	20.00000000000	10.00000000000	28.39546529150	-80.77771919830	Very Poor	6.00000000000	Two dead trees in Woodland.	Tree is Damaged	Stump/Trunk	Remove Trunks	No	Yes	{71FB3AC6-090C-432D-82B1-989025C76E55}	Palm (Queen)	No	Syagrus romanzoffiana	2.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	15.00000000000	20.00000000000	30.00000000000	10.00000000000	28.39654017710	-80.77215492750	Very Poor	5.00000000000	Dead Tree, Needs Removal	Tree Is Damaged	Stump/Trunk	Removal	No	No	{90F49D7A-131D-4681-A0D4-30C3A6650F80}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	14.00000000000	10.00000000000	0.00000000000	28.35970917560	-80.73356772260	Very Poor	5.00000000000	Dead Tree With Debris on Ground, Needs Removal	Tree is Damaged	Tree is Dead	Removal	Yes	No	{5D5B6D97-BA02-4D4D-BB9A-204665A5946F}	Pine (Australian)	No	Casuarina equisetifolia	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	25.00000000000	12.00000000000	0.00000000000	0.00000000000	28.35465994530	-80.73038683670	Very Poor	4.00000000000	See pic; dead stump, needs removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	37cea1c0-ea25-4473-a27f-ef602c1ea2ef	Red Cedar	No	Juniperus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	16.00000000000	10.00000000000	0.00000000000	28.39199010250	-80.75872301100	Very Poor	4.00000000000	Stump That Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{BAAB84BD-2DA2-46C1-A220-4AF39FF0EE37}	N/A (Stump)	No	N/A (Stump)	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	12.00000000000	40.00000000000	5.00000000000	28.40082534120	-80.76887391530	Very Poor	4.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{B3016B6E-7653-4251-9F36-3F5C670A749D}	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	14.00000000000	35.00000000000	15.00000000000	28.40072983500	-80.76886922250	Very Poor	4.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{3753AAE0-AF6F-44AD-9FDC-63D37B8CE09D}	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	14.00000000000	20.00000000000	10.00000000000	28.39545492520	-80.77698497380	Very Poor	4.00000000000	Dead Trunk, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{A2B29C06-54B6-4511-A0AE-4AE144866251}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	15.00000000000	12.00000000000	15.00000000000	0.00000000000	28.36028379310	-80.74511496280	Very Poor	3.00000000000	Dead palm trunk. Directly under power lines, needs removal	Tree Is Damaged	Stump	Remove Stump	No	No	102a501f-485a-4869-935d-7599fd845db5	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	10.00000000000	8.00000000000	20.00000000000	20.00000000000	28.38850520070	-80.78777619640	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{950C8A8C-E95D-4C3D-9BB1-88CB78773C06}	Pine (Slash)	No	Pinus elliottii	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	8.00000000000	30.00000000000	20.00000000000	28.38802106560	-80.78773675040	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{E7B29CFB-B138-494D-BC3A-6544126508D3}	Pine (Slash)	No	Pinus elliottii	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	20.00000000000	15.00000000000	28.38729850230	-80.78772135240	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{A6F520AA-BE5B-4F33-AA30-C028F250066C}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	acarroll_sfc	9/29/2020	acarroll_sfc	9/29/2020	15.00000000000	8.00000000000	15.00000000000	10.00000000000	28.35750346390	-80.73363002340	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{5BEBB25C-5D3A-4F51-B4AC-916BA29AFBEB}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Median	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.38273778120	-80.77264493330	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree is Dead	Removal	No	No	{7356D8DC-9EEF-4BCD-9C37-AF34A528B318}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	8.00000000000	15.00000000000	0.00000000000	28.36806211650	-80.75455653490	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree Is Dead	Removal	No	No	{B0AA3A91-74ED-4EC5-B6B9-9C55DC00EFD4}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	30.00000000000	28.00000000000	10.00000000000	0.00000000000	28.36940032900	-80.75550067230	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{980EB6CB-8C9C-46A5-BE14-C58E1DC6B7E2}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	15.00000000000	12.00000000000	5.00000000000	5.00000000000	28.40107568520	-80.74431573080	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{29508705-86F4-4831-AB68-2CB1FC0730A6}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	20.00000000000	14.00000000000	15.00000000000	10.00000000000	28.40210622400	-80.74257587820	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{F12D774F-FACC-4548-883C-2B4B33DED582}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	12.00000000000	5.00000000000	0.00000000000	28.39095154290	-80.78079465800	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{A8EBBB7F-C43F-42C4-B97E-D8C7EF0A23AA}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	30.00000000000	18.00000000000	35.00000000000	15.00000000000	28.35545871610	-80.73228686420	Very Poor	2.00000000000	Bizmark stump	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	f5b6bc90-b19d-47b1-9d94-803c94c27919	Palm (Bismarck)	No	Bismarckia nobilis	1.00000000000
City Park	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	20.00000000000	10.00000000000	0.00000000000	0.00000000000	28.35888270100	-80.73130859620	Very Poor	2.00000000000	3 stumps and 1 BP. To be removed	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	b11484c9-65d7-4d53-9461-416912340a10	Hickory (Pignut)	No	Carya glabra	1.00000000000
2-4 Ft ROW	shendley_sfc	9/13/2020	shendley_sfc	9/13/2020	20.00000000000	8.00000000000	5.00000000000	0.00000000000	28.35087389180	-80.73356707580	Very Poor	2.00000000000	Tree is cut; stump needs removal	Tree Is Damaged	Stump/Trunk	Remove Stump	No	No	7148642b-82af-4f80-a4ad-74d5e933ea8a	Sycamore	No	Platanus occidentalis	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/16/2020	sbourgoin_sfc	9/16/2020	20.00000000000	14.00000000000	25.00000000000	15.00000000000	28.36619344110	-80.74705959530	Very Poor	2.00000000000	Completely dead needs removal	Tree is Damaged	Tree is Dead	Removal	No	No	1c15f2d9-a065-4aab-8ccf-5cd17f805c7a	Pine (Longleaf)	No	Pinus palustris	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	20.00000000000	10.00000000000	5.00000000000	0.00000000000	28.38738969540	-80.76376179260	Very Poor	2.00000000000	Stump	Tree Is Undamaged	<Null>	Remove Stump	No	No	{57F1FA2A-BD75-400B-8276-6ED829F7A80C}	Bottlebrush (Weeping)	No	Melaleuca viminalis	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	16.00000000000	0.00000000000	0.00000000000	28.39889285130	-80.76775526670	Very Poor	2.00000000000	Stump That Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{20ACB205-116A-418E-A68F-74403C577CD5}	N/A (Stump)	No	N/A (Stump)	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	35.00000000000	18.00000000000	10.00000000000	5.00000000000	28.35695927990	-80.73346942710	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{F6DC1A1A-AB89-41C0-8372-8E2460A0F823}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	55.00000000000	28.00000000000	50.00000000000	60.00000000000	28.36019909440	-80.73430334220	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{C9E5553C-5EC9-4DA4-9A4E-6D214065BBD5}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	25.00000000000	16.00000000000	40.00000000000	20.00000000000	28.35963514510	-80.73353318230	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree is dead, see picture.	Removal	Yes	No	{6EE83020-5AB6-449A-ADA6-8EA7F2292927}	Pine (Australian)	No	Casuarina equisetifolia	1.00000000000
Cemetary	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	30.00000000000	18.00000000000	0.00000000000	0.00000000000	28.36875127660	-80.75586536950	Very Poor	2.00000000000	Old stump. Rotting	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{35627E43-0723-448B-BD9B-8911F4A8D205}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	16.00000000000	10.00000000000	5.00000000000	28.36835598580	-80.75473439860	Very Poor	2.00000000000	Stump	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{15DA5336-B17B-479C-929E-A36072E8D6D0}	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	10.00000000000	4.00000000000	15.00000000000	5.00000000000	28.38348674870	-80.77803819550	Very Poor	2.00000000000		Tree is Damaged	Tree is Dead	Removal	No	No	{1BAEAF65-A73A-4AAD-B2B5-156CBE656BE0}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	12.00000000000	0.00000000000	0.00000000000	28.39103175120	-80.78077820530	Very Poor	2.00000000000	Two stumps in Woodland.	Tree is Damaged	Stump/Trunk	Remove Stump	No	Yes	{E37E5873-D334-4D04-8F44-04B030B00B88}	N/A (Stump)	No	N/A (Stump)	2.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	12.00000000000	15.00000000000	0.00000000000	28.39120392220	-80.78055795280	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{88B0584D-929C-4C3A-B4CE-733862991F2F}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	10.00000000000	20.00000000000	0.00000000000	28.39127525250	-80.78042099290	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{63356FB1-094E-4FD5-9573-2F45BA64F029}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	12.00000000000	25.00000000000	10.00000000000	28.39152758910	-80.77998370830	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{B19D23DB-8B93-431A-ACD0-7BE247CC2E33}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.39102319340	-80.77973278460	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{EC4E220A-D753-48A0-B655-12FD268FB25D}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	8.00000000000	30.00000000000	25.00000000000	28.39072632140	-80.78034228610	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{66C46A3C-08E9-491C-B001-175D6B738570}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.39078610070	-80.78101954130	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{CBF7C1CA-BA64-4423-B044-09F778651EDE}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	5.00000000000	4.00000000000	15.00000000000	5.00000000000	28.39078144680	-80.78100083840	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{8C262DC2-611C-4171-875C-EE4247717BF5}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35702616760	-80.73350831880	Very Poor	1.00000000000	Stump that has resprouted	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{B77C4B93-AF85-4AD0-9BD7-C050A6AD16C9}	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
City Park	acarroll_sfc	9/15/2020	acarroll_sfc	9/15/2020	20.00000000000	10.00000000000	25.00000000000	10.00000000000	28.35420867420	-80.74326518970	Poor	6.00000000000	See pic	Tree is Undamaged	<Null>	Removal	No	No	cdb648ac-bce2-4124-b380-995ad4b2eee9	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
City Park	sbourgoin_sfc	9/18/2020	sbourgoin_sfc	9/18/2020	5.00000000000	8.00000000000	15.00000000000	10.00000000000	28.37679872970	-80.76179704140	Poor	6.00000000000	tree not completely dead, but 50 percent of branches without leaves; seems to have a web work infestation see pics	Tree Is Damaged	Large chunk of middle bark missing	Removal	No	No	e8617e60-7f0e-4fef-8965-1e60586e0c86	Oak (Live)	No	Quercus virginiana	1.00000000000
City Building	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	20.00000000000	10.00000000000	25.00000000000	10.00000000000	28.36120423840	-80.73457651270	Poor	5.00000000000	Majority of tree is dead. Recommend removal	Tree Is Damaged	Tree Is Dead	Removal	No	No	b7742f99-fba6-40f2-996f-ae824c895a11	Holly (East Palatka)	No	Ilex x attenuata	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	15.00000000000	6.00000000000	20.00000000000	10.00000000000	28.37505849060	-80.76122660220	Poor	5.00000000000	Severe leaf loss	Tree is Damaged	Severe leaf loss, obvious damage to tree	Removal	No	No	1b4a0557-5f26-41f9-9019-11038d4fee85	Holly (American)	No	Ilex opaca	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	14.00000000000	20.00000000000	15.00000000000	28.38814578530	-80.75573913770	Poor	5.00000000000	High percentage of deadwood in canopy, multiple limb breaks	Tree is Damaged	Recent limb breaks, copious deadwood	Pruning	No	No	bb7b3673-838d-4293-95a6-0bfced1b9db4	Box Elder	No	Acer negundo	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	20.00000000000	16.00000000000	35.00000000000	20.00000000000	28.38825967710	-80.78775262730	Poor	5.00000000000	Severe damage to trunk, wood rot	Tree is Damaged	Wood rot in trunk	Removal	No	No	{0E823A48-2112-4497-9276-C59EF128FB03}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	16.00000000000	20.00000000000	15.00000000000	28.35703777640	-80.73279946090	Poor	5.00000000000	Try cleaning deadwood first before removing. Co dom w included bark	Tree Is Damaged	Tree Is Dead	Removal	No	No	{AE4C2C59-5208-4610-B8B3-58DC8CCBB65E}	Hickory (Pignut)	No	Carya glabra	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	8.00000000000	6.00000000000	20.00000000000	10.00000000000	28.39916023430	-80.77080259110	Poor	4.00000000000	Remove	Tree is Damaged	Cambium layer weed whacked repeatedly	Removal	No	No	{E356A27F-155E-41C7-AE39-BE2D3B1F3306}	Holly (Dahoon)	No	Ilex cassine	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35120694720	-80.72616601960	Poor	3.00000000000	Canopy broken and mostly leafless	Tree Is Damaged	Canopy topped	No Maintenance Required	No	No	cd35ada1-bbfe-4763-97e7-f10ed59cf265	Tabebuia	No	Tabebuia spp.	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	5.00000000000	8.00000000000	10.00000000000	10.00000000000	28.35114616070	-80.72621493110	Poor	3.00000000000	Canopy broken and mostly leafless	Tree Is Damaged	Crown broke	No Maintenance Required	No	No	bf3469ee-9835-42d5-b45e-81997412c6ae	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	20.00000000000	14.00000000000	20.00000000000	10.00000000000	28.37552867380	-80.76525779480	Poor	2.00000000000	See pic	Tree Is Damaged	Needs pruning of multiple dead limbs for a chance	Pruning	Yes	No	7c237f9f-a267-4710-92e8-f4454a1b5c7f	Indian Rosewood	No	Dalbergia sissoo	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	30.00000000000	12.00000000000	35.00000000000	15.00000000000	28.36061274170	-80.73415800010	Poor	2.00000000000	Unnatural form. Fine for SLO.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{AB73F2B7-444C-4EB9-9B64-0ED15E67861B}	Oak (Sand Live)	No	Quercus geminata	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	40.00000000000	18.00000000000	25.00000000000	40.00000000000	28.36486055300	-80.73437332990	Fair	7.00000000000		Tree Is Damaged	Missing mult limbs due to rot and pruning. Central leader still intact but rotting likely to fall	Removal	No	No	035599b7-6ba4-4a35-bf49-3b2cb056e780	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	60.00000000000	32.00000000000	45.00000000000	25.00000000000	28.38155051730	-80.73657843430	Fair	7.00000000000	Lg oak directly next to road. Evidence of prev pruning. Lg dead limbs overhanging road, needs additional consult	Tree is Damaged	Multiple large dead limbs	Pruning	No	No	788c2f34-9024-4f34-aeb1-4b0ff7cb1825	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	40.00000000000	24.00000000000	45.00000000000	25.00000000000	28.37482115740	-80.76184862270	Fair	7.00000000000	Remove. Co Dom and over pruned. Trunk rot. See pictures	Tree is Damaged	Trunk Rot	Removal	No	No	042c8a89-8f42-45a7-932d-209dbeb2a45b	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	18.00000000000	50.00000000000	35.00000000000	28.37785729230	-80.74507031560	Fair	7.00000000000	Water oak, dead branch over road way	Tree is Damaged	Crown broke	Pruning	No	No	{BC25B713-2163-4046-9747-9A4FC6AC84A3}	Oak (Water)	No	Quercus nigra	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	30.00000000000	26.00000000000	40.00000000000	35.00000000000	28.39283805840	-80.76054104570	Fair	7.00000000000	Tree has sparse canopy with many bare branches, see pictures.	Tree is Damaged	Bare branches/canopy	Pruning	No	No	{03C14FE5-C859-4706-923E-676D89DB62A9}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	6.00000000000	10.00000000000	5.00000000000	28.35700282350	-80.73356992610	Fair	7.00000000000	See pic	Tree Is Damaged	Tree Is Dead	Removal	No	No	{58F800C4-0AC0-464A-80AB-BBA329198225}	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	6.00000000000	10.00000000000	5.00000000000	28.35528643810	-80.72750413570	Fair	6.00000000000	See pic	Tree is Damaged	Dying, needs H2O	Removal	No	No	060c3393-62c2-403b-bd0f-860973469609	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	15.00000000000	12.00000000000	15.00000000000	20.00000000000	28.35402286250	-80.72669429640	Fair	6.00000000000	See picture	Tree Is Damaged	Crown broken	No Maintenance Required	No	No	3b083e80-5b3e-4bd5-bd2b-7af3cfdbe027	Red Cedar	No	Juniperus virginiana	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	10.00000000000	10.00000000000	20.00000000000	20.00000000000	28.36394391950	-80.74302337130	Fair	6.00000000000	Large trunk damage	Tree Is Damaged	Trunk is Cracked and Split for Its Entirety	Removal	No	No	63aa69e1-249e-489e-8fec-7ee7362c9bda	Sycamore	No	Platanus occidentalis	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/16/2020	sbourgoin_sfc	9/16/2020	20.00000000000	10.00000000000	30.00000000000	25.00000000000	28.37128400850	-80.74462001170	Fair	6.00000000000	Tree is nearly dead, probably 40 percent of branches with leaves; needs at least pruning, possibly removal	Tree is Damaged	High Proportion of Branches Dead	Pruning	No	No	f91261d9-9f85-42e9-9f78-aa7a782adf5e	Green Ash	No	Fraxinus pennsylvanica	1.00000000000
4+ Ft ROW	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	40.00000000000	24.00000000000	40.00000000000	45.00000000000	28.39816863550	-80.74960865740	Fair	6.00000000000	Overhang	Tree is Damaged	Hit by vehicle	No Maintenance Required	No	No	4a56135e-24de-4fba-b0f3-08359e5707ef	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	20.00000000000	16.00000000000	35.00000000000	40.00000000000	28.37463553980	-80.76391794760	Fair	6.00000000000	This tree has a co-dominance stem with included bark also overhangs the road also has soil heaving. Also has bark beetles. Minor bark beetles. See pictures	Tree is Damaged	Minor bark beetles	No Maintenance Required	No	No	b5b0fef6-9771-4532-b50e-4d81cd696a64	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	10.00000000000	6.00000000000	20.00000000000	10.00000000000	28.38810714400	-80.75727310950	Fair	6.00000000000	Heavy signs of bark beetle infestation	Tree is Damaged	Pest Infestation	No Maintenance Required	No	No	d601b313-3efe-42d1-82f5-832a90f6c213	Green Ash	No	Fraxinus pennsylvanica	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	16.00000000000	15.00000000000	20.00000000000	28.39544013590	-80.75904185900	Fair	6.00000000000	Tree appears to be dying with bare branches. See picture.	Tree is Damaged	Branches are Dying Off	Pruning	No	No	{50398963-9B6C-42E0-9FE6-AF91BDD37434}	Bottlebrush (Weeping)	No	Melaleuca viminalis	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	8.00000000000	15.00000000000	15.00000000000	28.39721316040	-80.77160247610	Fair	6.00000000000	Trim back hard	Tree Is Undamaged	<Null>	Pruning	Yes	No	{06490509-BE0F-44E0-AF4B-31F9569E62B2}	Camphor Tree	No	Cinnamomum camphora	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	8.00000000000	20.00000000000	15.00000000000	28.35712084050	-80.73344344240	Fair	6.00000000000	The canopy has been broken off. Bark beetles present in the canopy. Deadwood throughout. See picture	Tree is Damaged	Canopy has been broken off	Pruning	No	No	{BACA6C9D-F7F4-44F3-A16B-E6E6525412DA}	Sugarberry	No	Celtis laevigata	1.00000000000
													Deadwood at the top of the canopy. Sparse canopy. Bark peeling. Decay in lowest point of										

2-4 Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	30.00000000000	18.00000000000	45.00000000000	30.00000000000	28.34940044030	-80.74162023070	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	1bb70f6a-4324-4b66-b65b-ebb481916927	Sycamore	No	Platanus occidentalis	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	10.00000000000	12.00000000000	15.00000000000	10.00000000000	28.34941510320	-80.74162290580	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	2330100a-f51e-495e-88f4-5a3c19d17469	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	10.00000000000	12.00000000000	20.00000000000	10.00000000000	28.34940067590	-80.74162157270	Excellent	1.00000000000	BP growing too, see pic	Tree Is Undamaged	<Null>	Remove Stump	No	No	8359c401-94e4-43d5-b5cf-b413b87f30a4	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	20.00000000000	18.00000000000	35.00000000000	20.00000000000	28.35550198840	-80.73212343280	Excellent	1.00000000000	Phoenix sylvestris palm	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	35c6df86-0dff-444d-863b-f8432a5ea58c	Palm (Silver Date)	No	Phoenix sylvestris	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	20.00000000000	18.00000000000	35.00000000000	20.00000000000	28.35588190300	-80.73216791920	Excellent	1.00000000000	Phoenix sylvestris	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	0e644d9e-146a-42e4-8af0-9d9cfee28913	Palm (Silver Date)	No	Phoenix sylvestris	1.00000000000
Median	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	60.00000000000	40.00000000000	50.00000000000	70.00000000000	28.34933682080	-80.74289167920	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	bb0821ed-06bb-44e7-b3ee-fd744395dd8c	Oak (Live)	No	Quercus virginiana	1.00000000000
Median	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	20.00000000000	12.00000000000	30.00000000000	15.00000000000	28.34930031740	-80.74298941770	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	7f9c1ec5-0e54-49fd-8e29-36b2bc977a69	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Median	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	20.00000000000	12.00000000000	25.00000000000	10.00000000000	28.34931286870	-80.74325391220	Excellent	1.00000000000		Tree Is Undamaged	<Null>	Pruning	No	No	0ad8945e-7eb1-4ed0-8417-aab3943f4af7	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Median	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	20.00000000000	12.00000000000	30.00000000000	10.00000000000	28.34930817970	-80.74339871170	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	bb31b576-e71c-437a-8dcd-f260165b4024	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Median	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	10.00000000000	14.00000000000	20.00000000000	10.00000000000	28.34933637570	-80.74359210820	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	3c8ad12d-d40c-4fca-b2e7-4f00050c7e59	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Median	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	20.00000000000	14.00000000000	25.00000000000	10.00000000000	28.34934347280	-80.74362940170	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	54be3f57-b111-439a-a1ff-ee8234022455	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Median	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	20.00000000000	12.00000000000	25.00000000000	10.00000000000	28.34929870150	-80.74365611940	Excellent	1.00000000000	Strangler. See pic	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	baa11546-d5db-48b4-996d-9b8d6edfd367	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Median	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	35.00000000000	14.00000000000	40.00000000000	30.00000000000	28.34931689270	-80.74416167870	Excellent	1.00000000000	See pics	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	0810b1cb-3cbd-497a-8ff4-33667864be7d	Cypress (Bald)	No	Taxodium distichum	1.00000000000
Median	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	10.00000000000	6.00000000000	15.00000000000	10.00000000000	28.34930371220	-80.74427577100	Excellent	1.00000000000	Unknown, See Pics	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	63224ed0-f723-41ef-84f3-eb79e9e45a1e	Mango	No	Mangifera indica	1.00000000000
Median	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	15.00000000000	8.00000000000	15.00000000000	15.00000000000	28.34934484050	-80.74435541290	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	d62ded46-437f-4d78-b20f-55a3211a7052	Bottlebrush (Weeping)	No	Melaleuca viminalis	1.00000000000
Median	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	15.00000000000	12.00000000000	25.00000000000	10.00000000000	28.34929396910	-80.74449762880	Excellent	1.00000000000	3 palms. Middle one 15ΓÇÖ. 2 outside have stranglers	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	2ab7a6a1-de0a-43cf-b0e3-3e3b9e4de7dc	Palm (Cabbage)	No	Sabal palmetto	3.00000000000
Median	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	10.00000000000	8.00000000000	15.00000000000	10.00000000000	28.34933564130	-80.74508328280	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	884a8288-441c-41bb-9a3a-53e0c5f7ec63	Bottlebrush (Weeping)	No	Melaleuca viminalis	1.00000000000
Median	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	20.00000000000	14.00000000000	25.00000000000	10.00000000000	28.34927135220	-80.74518758620	Excellent	1.00000000000	2 palms	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	fceea43e-b2f6-456d-ae0a-34073206cd4b	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
Median	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	25.00000000000	14.00000000000	35.00000000000	30.00000000000	28.34927334130	-80.74543845240	Excellent	1.00000000000	See pics	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	deacdf0c-43e9-4ebe-bb4f-3e9c25a9ebe7	Cypress (Bald)	No	Taxodium distichum	1.00000000000
Median	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	30.00000000000	16.00000000000	45.00000000000	35.00000000000	28.34928326220	-80.74551867910	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	e802d554-fcc0-4453-8bce-0cfaa2352577	Cypress (Bald)	No	Taxodium distichum	1.00000000000
Median	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	20.00000000000	12.00000000000	35.00000000000	35.00000000000	28.34927554620	-80.74560939010	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	c05dac48-2c87-440c-a411-bcbee7b365e0	Cypress (Bald)	No	Taxodium distichum	1.00000000000
Median	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	25.00000000000	12.00000000000	40.00000000000	35.00000000000	28.34927053310	-80.74575346640	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	02382227-2b18-45b2-85b3-7690820af67a	Cypress (Bald)	No	Taxodium distichum	1.00000000000
Median	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	30.00000000000	14.00000000000	45.00000000000	30.00000000000	28.34929090400	-80.74586722010	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	c243d67b-2e44-48b1-9bc6-ff12bb915c34	Cypress (Bald)	No	Taxodium distichum	1.00000000000
Median	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	20.00000000000	12.00000000000	30.00000000000	25.00000000000	28.34928336580	-80.74604458880	Excellent	1.00000000000	Crown broke. Regrowth positive. Other, is median for this area	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	ecd97e9e-947a-45ea-b3f9-cd441b15d713	Cypress (Bald)	No	Taxodium distichum	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	5.00000000000	6.00000000000	10.00000000000	15.00000000000	28.34930367820	-80.74700129550	Excellent	1.00000000000	Leyland cypress	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	34a254db-930b-4bd3-92f2-35e4d5b88a13	Cypress (Leyland)	No	Cupressus x leylandii	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	40.00000000000	26.00000000000	30.00000000000	60.00000000000	28.34927898920	-80.74731365140	Excellent	1.00000000000	Co-dom. See pics. Road overhang	Tree Is Undamaged	<Null>	Pruning	No	No	8b46c605-c18b-4664-8af0-8c6718237017	Golden Raintree	No	Koelreuteria paniculata	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	30.00000000000	22.00000000000	35.00000000000	50.00000000000	28.34951468990	-80.74885393780	Excellent	1.00000000000	Street overhangs	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	6229fb5f-e4ce-41f0-8610-6752999aa05c	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	40.00000000000	26.00000000000	45.00000000000	40.00000000000	28.35011528400	-80.74883205940	Excellent	1.00000000000	Soil heaving. Sidewalk	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	04901825-e54f-4602-a2a7-141d6e2958a7	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	35.00000000000	24.00000000000	35.00000000000	40.00000000000	28.35026083640	-80.74871920850	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	c0b76feb-f8b7-4e7a-b0fa-07baace6cc08	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	20.00000000000	14.00000000000	30.00000000000	35.00000000000	28.35029677660	-80.74869131850	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	146c399b-678b-4c67-9ad7-abe20929393d	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	30.00000000000	28.00000000000	40.00000000000	50.00000000000	28.35045412870	-80.74882853620	Excellent	1.00000000000	Co-Dom see pic	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	70edfeec-1044-49c4-8955-c4a7746c84bb	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	25.00000000000	18.00000000000	40.00000000000	35.00000000000	28.35056407180	-80.74875351250	Excellent	1.00000000000	See pic	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	8d9ba778-5f85-40dd-a656-341682fd637d	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	40.00000000000	28.00000000000	45.00000000000	45.00000000000	28.35057406940	-80.74880028240	Excellent	1.00000000000	Vehicle on drip line	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	d8ca6465-10f6-4611-bee7-764b1988cdb3	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	25.00000000000	18.00000000000	35.00000000000	40.00000000000	28.35099724330	-80.74880807880	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	d8acf4af-9b68-4d2b-896d-353e55c184ac	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/13/2020	shendley_sfc	9/13/2020	40.00000000000	32.00000000000	50.00000000000	50.00000000000	28.35126046530	-80.74883286870	Excellent	1.00000000000	Co dom tree	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	31e262d5-76dd-4a72-a836-0149b41000e3	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/13/2020	shendley_sfc	9/13/2020	35.00000000000	20.00000000000	20.00000000000	30.00000000000	28.35139453400	-80.74883177910	Excellent	1.00000000000	Soil heaving	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	b8155439-fe59-48ea-8f98-1cb24a485b92	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/13/2020	shendley_sfc	9/13/2020	20.00000000000	14.00000000000	15.00000000000	20.00000000000	28.35176975000	-80.74882783910	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	a2d72064-05ac-49f3-ac87-dfc4245a0e39	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	40.00000000000	26.00000000000	35.00000000000	35.00000000000	28.35179164850	-80.74876466600	Excellent	1.00000000000	Co-dom.	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	15b850aa-337f-4fa2-a0a0-0b39f0ea51ca	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	15.00000000000	6.00000000000	10.00000000000	10.00000000000	28.35303393670	-80.75077642420	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	a9f02c85-3aa8-4b0a-a481-6bc1a4e66a9f	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	5.00000000000	6.00000000000	10.00000000000	10.00000000000	28.35303393670	-80.75077642420	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	81ef39e2-bff3-4ea6-be8c-a184e9075862	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	15.00000000000	6.00000000000	10.00000000000	10.00000000000	28.35307521220	-80.75057984850	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	fc4dd80b-2886-4430-aad8-548b94c3ce51	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	15.00000000000	6.00000000000	10.00000000000	10.00000000000	28.35304141060	-80.75027093770	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	bbb50d66-e28f-4335-a407-f7ecef864b17	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	5.00000000000	6.00000000000	15.00000000000	10.00000000000	28.35311061620	-80.75015742830	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	c9c729c8-97b2-44d0-8eaf-1e5ba0e23d97	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	5.00000000000	6.00000000000	15.00000000000	10.00000000000	28.35306407810	-80.74972620380	Excellent	1.00000000000	5 crapes on block. Similar	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	20826c55-dd74-43a1-be39-2be0557cd525	Crepe Myrtle	No	Lagerstroemia spp.	5.00000000000
4+ Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	5.00000000000	6.00000000000	20.00000000000	15.00000000000	28.35557782660	-80.74814934870	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	4ec4f3c5-a6bb-44b4-a804-73658d4a9cfa	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	5.00000000000	6.00000000000	20.00000000000	15.00000000000	28.35552940560	-80.74818170870	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	58647696-67ad-463c-9f77-db65371aa238	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35550421530	-80.74818868420	Excellent	1.00000000000	8 see pics	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	0161d979-a419-4399-9a77-96a34afd41f0	Oleander	No	Nerium oleander	8.00000000000
4+ Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	15.00000000000	18.00000000000	25.00000000000	15.00000000000	28.35545898890	-80.74817157840	Excellent	1.00000000000	3 bizmark palms. 1 near powerline	Tree Is Undamaged	<Null>	Pruning	No	Yes	0773030c-caa3-43d0-ae66-cb76a08452f8	Palm (Bismarck)	No	Bismarckia nobilis	3.00000000000
4+ Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	20.00000000000	20.00000000000	25.00000000000	15.00000000000	28.35554039800	-80.74816636460	Excellent	1.00000000000	Unidentified palm. Date palm.	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	1fd7bc2d-6235-4249-9d09-ec4a94ebaf70	Palm (Date)	No	Phoenix dactylifera	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.35556099450	-80.74810448600	Excellent	1.00000000000	4 stemmed	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	064c3fc2-3569-4ba9-b94f-e020f4787030	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.35551838640	-80.74810907910	Excellent	1.00000000000	6 stems	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	321fe57f-134c-4c4d-943f-663342dc6956	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	10.00000000000	6.00000000000	20.00000000000	15.00000000000	28.35306665370	-80.74516323460	Excellent	1.00000000000	Powerline. 5 crapes on block	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	b1aa10aa-8389-4fc8-8121-decece4791df	Crepe Myrtle	No	Lagerstroemia spp.	5.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	2.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35304174420	-80.74571930080	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	56825838-d825-4709-ac27-ffef634d09db	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	10.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35304308100	-80.74619240660	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	c0f8d40a-8fce-4f6a-add6-bc4a1fb353ee	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.35303240930	-80.74639932190	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	cd780c89-8667-449d-bf08-919b816e7e7a	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.35303844440	-80.74654698240	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	d5e28a82-d480-4b3c-890d-e71bffa999ef	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.35303723650	-80.74670541020	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	0df498b0-e6d6-4d42-a643-97b992151524	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.35303977810	-80.74686918390	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	f217dda9-7614-4977-9ddc-df6d68914814	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35305105690	-80.74723504430	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	a1570f0d-2156-4736-9d18-f5424f841093	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	5.00000000000	4.00000000000	15.00000000000	10.00000000000	28.35311014430	-80.74753725830	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	3f986318-ec90-41fe-ad90-5746ea9e6718	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	5.00000000000	4.00000000000	15.00000000000	10.00000000000	28.35308810690	-80.74781289280	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	a45890fc-ab23-4ac1-96e0-c0bef6490a0f	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	10.00000000000	6.00000000000	15.00000000000	10.00000000000	28.35308566720	-80.74803943900	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	f5de2304-c2a8-44e7-b335-32c8ff319515	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.35308566720	-80.74803943900	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	98f6958d-5fc2-4dd0-8401-5f0cfc44fd40	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	10.00000000000	6.00000000000	15.00000000000	10.00000000000	28.35309282490	-80.74816826990	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	cfaf0e5a-f903-460e-933a-7ee03d58701f	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35303742140	-80.74835504140	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	7d55ad0a-13da-47c9-96a7-11f575da05e4	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	10.00000000000	6.00000000000	15.00000000000	10.00000000000	28.35303634080	-80.74847719160	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	646a3d86-ab1a-490a-95f0-3e1e4893b63a	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	10.00000000000	4.00000000000	10.00000000000	10.00000000000	28.35306785370	-80.74866435560	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	d62d991f-be11-4a71-bbb7-d880f3d8bdb1	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	15.00000000000	14.00000000000	30.00000000000	10.00000000000	28.35268067250	-80.74620158470	Excellent	1.00000000000		Tree Is Undamaged	<Null>	Pruning	No	No	4001776e-3732-4a9a-8227-694a39acbe75	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	2.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35044087560	-80.74632114690	Excellent	1.00000000000	Small cabbage still sprouting. See pic	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	2b173bf1-4251-4509-98f6-30f06b5d21d5	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	15.00000000000	12.00000000000	30.00000000000	15.00000000000	28.34969987630	-80.74723650860	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	a712e2e9-b339-438f-8065-1189eede1e35	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	2.00000000000	4.00000000000	5.00000000000	5.00000000000	28.34973650060	-80.74720632430	Excellent	1.00000000000	2 small Unidentified palm. Bamboo palm, maybe.	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	1279dc9a-72ce-44f6-b98c-7171b1172b3c	Palm (Bamboo)	No	Chamaedorea seifrizii	2.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	10.00000000000	12.00000000000	15.00000000000	15.00000000000	28.34993364480	-80.74723597590	Excellent	1.00000000000		Tree Is Undamaged	<Null>	Pruning	No	No	fef2a660-5129-4d0a-9f98-b090d19358a0	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	15.00000000000	12.00000000000	30.00000000000	10.00000000000	28.35001974470	-80.74718386730	Excellent	1.00000000000	2 palms	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	60563648-f8a4-41cf-a835-f2db8c39d042	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	10.00000000000	10.00000000000	15.00000000000	10.00000000000	28.35002037240	-80.74721586260	Excellent	1.00000000000		Tree Is Undamaged	<Null>	Pruning	No	No	f4f07f5c-824a-423a-a331-c71683d1bd56	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	2.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35070905830	-80.74720813260	Excellent	1.00000000000	2 unidentified palms. Maybe bamboo palm	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	be6b09c9-b828-4213-b51c-71705c5c69eb	Palm (Bamboo)	No	Chamaedorea seifrizii	2.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	10.00000000000	12.00000000000	10.00000000000	10.00000000000	28.35046846580	-80.74795978530	Excellent	1.00000000000	Fishtail palm 8 stemmed	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	aedc6da4-0a9f-4a89-987d-acbb08d0e602	Palm (Fishtail)	No	Caryota spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	15.00000000000	14.00000000000	35.00000000000	15.00000000000	28.35028030810	-80.74796808760	Excellent	1.00000000000	3 14ΓÇÖ DBH, 2 10ΓÇÖ DBH. 2 25ΓÇÖ. 5 royals	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	109ab78d-3a8b-415c-94f2-573ce6466615	Palm (Royal)	No	Roystonea regia	5.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	15.00000000000	12.00000000000	20.00000000000	10.00000000000	28.35148731530	-80.74532370790	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	86372fbd-139e-47c5-8d74-4a78db01db66	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	15.00000000000	12.00000000000	20.00000000000	10.00000000000	28.35174226610	-80.74536225910	Excellent	1.00000000000	1 palm and 1 BP. SEE Pic	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	895d52a6-044a-4c89-ad41-3dbf4dc28d1a	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	20.00000000000	14.00000000000	40.00000000000	20.00000000000	28.35186086060	-80.74537515530	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	c3574437-4637-4a3c-897c-5a134d63c72f	Pine (Slash)	No	Pinus elliottii	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	25.00000000000	24.00000000000	35.00000000000	40.00000000000	28.35294507710	-80.74449579090	Excellent	1.00000000000	Soil heaving sidewalk	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	fa038b26-89b3-42d3-8802-16260f86e2f1	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	25.00000000000	20.00000000000	35.00000000000	30.00000000000	28.35281153850	-80.74446922860	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	67d2914b-2f03-45f6-a6dd-7d43b1ccdbbd	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	25.00000000000	26.00000000000	50.00000000000	55.00000000000	28.35272418700	-80.74448808960	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	92dbc813-6a6f-4453-b659-a965775e5d26	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	45.00000000000	42.00000000000	45.00000000000	65.00000000000	28.35245510110	-80.74443989950	Excellent	1.00000000000	See pic	Tree Is Damaged	Sidewalk impacting tree growth	No Maintenance Required	No	No	1ac8cf9f-01d1-43cc-b98f-7a89e893bc77	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	20.00000000000	18.00000000000	30.00000000000	25.00000000000	28.35197182280	-80.74444753250	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	4f45cc70-1a9f-49d6-938c-e794201f4064	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	25.00000000000	18.00000000000	40.00000000000	30.00000000000	28.35179895330	-80.74444760790	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	1141e67c-36ff-4b80-a8ee-cad180d9dcf4	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	20.00000000000	20.00000000000	40.00000000000	20.00000000000	28.35130659160	-80.74454671280	Excellent	1.00000000000	Co-Dom	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	a528037f-1e0f-4e49-831e-571ac7dfd354	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	30.00000000000	20.00000000000	45.00000000000	30.00000000000	28.35112712700	-80.74441491560	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	45fe1ce8-c94a-43a2-a3f7-5ea48fade34b	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	15.00000000000	12.00000000000	25.00000000000	30.00000000000	28.35119552040	-80.74438660330	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	f8149bbe-6aca-4a9a-bbba-6d4d34d22c31	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	5.00000000000	4.00000000000	15.00000000000	10.00000000000	28.35116618730	-80.74441692150	Excellent	1.00000000000	Sensitive home owner, often reports about tree care issues	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	3fdfde2e-0552-412b-9c42-95a7fac50133	Maple (Red)	No	Acer rubrum	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	30.00000000000	20.00000000000	50.00000000000	40.00000000000	28.35074543870	-80.74447820820	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	3348baa7-7d95-4328-b337-2ae7ddf25c49	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	30.00000000000	22.00000000000	45.00000000000	45.00000000000	28.35063678530	-80.74443709050	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	34371b4f-534c-4c7b-9fa4-6e47a50db13c	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	30.00000000000	26.00000000000	45.00000000000	50.00000000000	28.35026605180	-80.74444369670	Excellent	1.00000000000	See pics. Root pruning	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	7b7f6955-758c-4d1c-a2ba-ea711ed8939a	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	30.00000000000	18.00000000000	60.00000000000	25.00000000000	28.35026074540	-80.74440465050	Excellent	1.00000000000	See pic	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	d84ecf96-529a-4201-b393-350848ae2777	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	30.00000000000	22.00000000000	50.00000000000	35.00000000000	28.35010566740	-80.74443198620	Excellent	1.00000000000	Soil heaving. Root pruning. See pics	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	6a1a1fcc-bba2-4da8-93a3-6f0d3dfefed0	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	25.00000000000	18.00000000000	40.00000000000	40.00000000000	28.34994561810	-80.74444660450	Excellent	1.00000000000	See pic	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	fa965d5d-ffe3-491e-ad4a-c82667882c9b	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/13/2020	shendley_sfc	9/13/2020	2.00000000000	4.00000000000	10.00000000000	10.00000000000	28.35478991700	-80.74152125070	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	5a7809a8-4925-41c6-afba-d81380659947	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	shendley_sfc	9/13/2020	shendley_sfc	9/13/2020	2.00000000000	4.00000000000	10.00000000000	10.00000000000	28.35480793810	-80.74182827960	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	f7511322-f335-4240-a9d2-3e4837fe1211	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	shendley_sfc	9/13/2020	shendley_sfc	9/13/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35485869070	-80.74199809710	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	300464b4-df53-48b7-a861-1cfd82ae0ff5	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	2.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35393399740	-80.73936250020	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	44016bf4-4314-4cdd-b454-b205d8cf50ca	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	shendley_sfc	9/13/2020	shendley_sfc	9/13/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.35484465150	-80.74041333060	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	209faae8-9ec0-4df6-9987-5eb77c475af7	Crepe Myrtle	No	Lagerstroemia spp.	4.00000000000
2-4 Ft ROW	shendley_sfc	9/13/2020	shendley_sfc	9/13/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.35492314800	-80.74031308310	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	c7fae09a-e150-4c54-a0c2-ecc4e9776161	Crepe Myrtle	No	Lagerstroemia spp.	2.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	15.00000000000	8.00000000000	20.00000000000	15.00000000000	28.35446058840	-80.74006462350	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	8f2c014e-7f7a-48a2-a22e-240b4fe641bd	Maple (Silver)	No	Acer saccharinum	1.00000000000
2-4 Ft ROW	shendley_sfc	9/13/2020	shendley_sfc	9/13/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35481837400	-80.73978016200	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	7675c9cb-32c0-4bfa-831f-eb9ca43dd7ca	Crepe Myrtle	No	Lagerstroemia spp.	2.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	4.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35451717610	-80.74003096000	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	c16334bd-9cd8-4c91-9335-851997873af9	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	shendley_sfc	9/13/2020	shendley_sfc	9/13/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35492277090	-80.73953784060	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	f2f9ea35-425d-4949-8bb7-eeafbdc57d64	Crepe Myrtle	No	Lagerstroemia spp.	2.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	3.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35466668780	-80.74003297940	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	04aae473-c4cd-4c9f-90c2-d6b8d4b14e87	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35473625680	-80.74003267400	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	b8561e92-c7d9-4a54-9778-4e5d7005c5b2	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	shendley_sfc	9/13/2020	shendley_sfc	9/13/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35486204340	-80.73908555320	Excellent	1.00000000000	3 crepes in row on block	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	cfb69d30-118f-49bb-9d7e-c4c6534b2f32	Crepe Myrtle	No	Lagerstroemia spp.	3.00000000000
2-4 Ft ROW	shendley_sfc	9/13/2020	shendley_sfc	9/13/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35494665940	-80.73910156300	Excellent	1.00000000000	2 crepes in row on block	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	fc76c09d-174d-4cef-85a3-7c937332a865	Crepe Myrtle	No	Lagerstroemia spp.	2.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	20.00000000000	16.00000000000	20.00000000000	25.00000000000	28.35385392140	-80.73841477040	Excellent	1.00000000000	5 stemmed	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	15945f36-0695-4428-a9b8-e6ce3f2a7881	Seagrape	No	Coccoloba uvifera	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	30.00000000000	26.00000000000	45.00000000000	40.00000000000	28.35365555760	-80.73838289820	Excellent	1.00000000000	See pics. Soil heaving	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	57fc3cb9-a559-4177-abf5-16517dafe85d	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/13/2020	shendley_sfc	9/13/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35485018290	-80.73816102960	Excellent	1.00000000000	4 crepes in row on block	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	4873f315-23a9-4c13-867d-8145c59d28dd	Crepe Myrtle	No	Lagerstroemia spp.	4.00000000000
2-4 Ft ROW	shendley_sfc	9/13/2020	shendley_sfc	9/13/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.35492595600	-80.73805868630	Excellent	1.00000000000	4 crepes in row on block	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	58cd45d5-735e-44ac-9308-6fab5c621dd1	Crepe Myrtle	No	Lagerstroemia spp.	4.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	15.00000000000	12.00000000000	20.00000000000	15.00000000000	28.35159423110	-80.73847984800	Excellent	1.00000000000	See pic. Near utility.	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	85572bdc-d46a-40d6-89b8-4f55ba1f3aa2	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/13/2020	shendley_sfc	9/13/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35486765930	-80.73549566800	Excellent	1.00000000000	4 crepes in row on block	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	9c2f835b-7ff9-4415-bfb6-212a14d30478	Crepe Myrtle	No	Lagerstroemia spp.	4.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	20.00000000000	18.00000000000	30.00000000000	35.00000000000	28.35101500020	-80.73842500040	Excellent	1.00000000000	Heaving curb see pic	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	d08f3b6a-1b0c-4268-b82d-e8df596bf44f	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/13/2020	shendley_sfc	9/13/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35494494070	-80.73608801710	Excellent	1.00000000000	5 crepes in row on block	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	32b5a7a9-468a-45e2-94cc-854a0146570c	Crepe Myrtle	No	Lagerstroemia spp.	5.00000000000
2-4 Ft ROW	shendley_sfc	9/13/2020	shendley_sfc	9/13/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35486384580	-80.73523390160	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	00db96f2-125b-47b2-bda6-a159b669c79c	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	25.00000000000	22.00000000000	35.00000000000	40.00000000000	28.35064471940	-80.73842846430	Excellent	1.00000000000	See pic. Heaving	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	1750ae91-46e1-48cf-b0cc-203b284eefb6	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/13/2020	shendley_sfc	9/13/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35489177310	-80.73464880190	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	25d27b7f-d27d-43b2-b4fa-bac5ff2e84b2	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	shendley_sfc	9/13/2020	shendley_sfc	9/13/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35487226980	-80.73421105730	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	9b879ec6-8557-4c07-83d1-79eec4349581	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	25.00000000000	20.00000000000	40.00000000000	40.00000000000	28.35033673290	-80.73837354940	Excellent	1.00000000000	COC target near	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	78af4ce9-c1c6-4ad2-a6d4-e374548cb7a1	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/13/2020	shendley_sfc	9/13/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35491409550	-80.73427191010	Excellent	1.00000000000	2 crepes in row on block	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	26f46830-9707-4f5d-917c-81366b6d9e81	Crepe Myrtle	No	Lagerstroemia spp.	2.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	35.00000000000	28.00000000000	30.00000000000	35.00000000000	28.35009635530	-80.73839022400	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	b5714fa2-5c65-4b58-ad66-d52c9395d6c9	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	20.00000000000	14.00000000000	35.00000000000	40.00000000000	28.34982085190	-80.73839254610	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	2d4c5f18-6dcf-4001-bba4-886266d596c2	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	25.00000000000	16.00000000000	35.00000000000	35.00000000000	28.34962256740	-80.73838160460	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	836543a7-9e61-486e-a591-6c25b22a96db	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	2.00000000000	4.00000000000	5.00000000000	5.00000000000	28.34947458870	-80.73847074000	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	Yes	No	9d418919-e0d1-4a17-9d70-77e011c0241e	Schefflera	No	Schefflera arboricola	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	3.00000000000	4.00000000000	5.00000000000	5.00000000000	28.34956363540	-80.73850292570	Excellent	1.00000000000	□	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	f78a20ec-5610-4930-b38d-523e5db25788	Palm (Coconut)	No	Cocos nucifera	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	1.00000000000	4.00000000000	5.00000000000	5.00000000000	28.34978349800	-80.73847054680	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	Yes	No	4a0a2ca9-56cd-4d40-84b9-87d576cd6eb1	Schefflera	No	Schefflera arboricola	1.00000000000
2-4 Ft ROW	shendley_sfc	9/13/2020	shendley_sfc	9/13/2020	10.00000000000	18.00000000000	15.00000000000	10.00000000000	28.35490650950	-80.73354880310	Excellent	1.00000000000	By railroad	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	d053634b-a012-4981-868b-6ebd35597303	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/13/2020	shendley_sfc	9/13/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35481996620	-80.73352390900	Excellent	1.00000000000	By railroad	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	38828ef6-3af3-4ec0-a582-3d928010aea1	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/13/2020	shendley_sfc	9/13/2020	25.00000000000	16.00000000000	25.00000000000	5.00000000000	28.35476343080	-80.73311227400	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	9c89b6d9-0840-4885-923b-549af662f825	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	50.00000000000	42.00000000000	50.00000000000	70.00000000000	28.35125209090	-80.73741160470	Excellent	1.00000000000	See pic	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	bdbf55a2-d7f0-4637-9143-a78eb30092ff	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/13/2020	shendley_sfc	9/13/2020	25.00000000000	16.00000000000	20.00000000000	5.00000000000	28.35476460400	-80.73300892460	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	9350e4da-9b87-438a-a9d3-1850f3298f19	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	5.00000000000	6.00000000000	10.00000000000	5.00000000000	28.35344499990	-80.73680500020	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	b316cc1b-4f55-4054-8416-4e9958b834f4	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35381999990	-80.73680500020	Excellent	1.00000000000	2 crapes	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	d0f7599a-2294-4caa-8f78-07626c16f3c3	Crepe Myrtle	No	Lagerstroemia spp.	2.00000000000
2-4 Ft ROW	shendley_sfc	9/13/2020	shendley_sfc	9/13/2020	35.00000000000	28.00000000000	20.00000000000	20.00000000000	28.35477713480	-80.73687574790	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	eb91033d-338f-47d9-bc88-aa3f492d256b	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	10.00000000000	8.00000000000	15.00000000000	10.00000000000	28.35422120120	-80.73681757660	Excellent	1.00000000000	2 crapes. Powerline	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	25a796d4-62a8-49e7-8b92-1e579b0da586	Crepe Myrtle	No	Lagerstroemia spp.	2.00000000000
2-4 Ft ROW	shendley_sfc	9/13/2020	shendley_sfc	9/13/2020	30.00000000000	20.00000000000	15.00000000000	15.00000000000	28.35468283850	-80.73684901050	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	aab32beb-c3a7-42dd-b912-830b101c34c1	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/13/2020	shendley_sfc	9/13/2020	5.00000000000	14.00000000000	10.00000000000	5.00000000000	28.35452178020	-80.73685881650	Excellent	1.00000000000	Coppice rooting see picture	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	5cb980f9-69a5-43c0-aa92-985b84706ba3	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	10.00000000000	16.00000000000	15.00000000000	10.00000000000	28.35239664730	-80.73443790350	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	2bdfa5a9-3f12-4b9e-8ced-74581e87bf79	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/13/2020	shendley_sfc	9/13/2020	7.00000000000	6.00000000000	15.00000000000	10.00000000000	28.35244910310	-80.73390469860	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	9c41630d-ec2d-41cb-be12-2fe40bca39e5	Sycamore	No	Platanus occidentalis	1.00000000000
2-4 Ft ROW	shendley_sfc	9/13/2020	shendley_sfc	9/13/2020	7.00000000000	6.00000000000	15.00000000000	10.00000000000	28.35238678350	-80.73370277890	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	45849d82-997f-488c-a17e-4df242f08dd0	Sycamore	No	Platanus occidentalis	1.00000000000
2-4 Ft ROW	shendley_sfc	9/13/2020	shendley_sfc	9/13/2020	7.00000000000	6.00000000000	15.00000000000	10.00000000000	28.35088596220	-80.73390293880	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	a34a1878-c2c4-4604-80a7-3ecbdcd639cb	Sycamore	No	Platanus occidentalis	1.00000000000
2-4 Ft ROW	shendley_sfc	9/13/2020	shendley_sfc	9/13/2020	30.00000000000	18.00000000000	25.00000000000	15.00000000000	28.35083822690	-80.73329751380	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	88d953b4-5e98-4aec-a4f1-246c61c3a34f	Sycamore	No	Platanus occidentalis	1.00000000000

2-4 Ft ROW	shendley_sfc	9/13/2020	shendley_sfc	9/13/2020	15.00000000000	14.00000000000	20.00000000000	20.00000000000	28.35083273720	-80.73298201920	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	f16361a4-7053-4152-b595-90265545a64f	Sycamore	No	Platanus occidentalis	1.00000000000
2-4 Ft ROW	shendley_sfc	9/13/2020	shendley_sfc	9/13/2020	15.00000000000	12.00000000000	20.00000000000	15.00000000000	28.35091496340	-80.73361820520	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	0d2b9c42-462c-4550-b11c-68fecd4b5847	Sycamore	No	Platanus occidentalis	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	45.00000000000	42.00000000000	40.00000000000	55.00000000000	28.35028208850	-80.73251934910	Excellent	1.00000000000	See pics	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	6019484c-4dc7-499f-9c8f-13a8f36d39e0	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/13/2020	shendley_sfc	9/13/2020	17.00000000000	12.00000000000	15.00000000000	15.00000000000	28.35094098970	-80.73384677970	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	1dd7146f-6266-47c1-aa21-40829e224ddb	Sycamore	No	Platanus occidentalis	1.00000000000
2-4 Ft ROW	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	28.00000000000	18.00000000000	20.00000000000	35.00000000000	28.35612507070	-80.73449176740	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	023cec53-5ec6-4659-b94f-f881a6836ae6	Oak (Live)	No	Quercus virginiana	1.00000000000
Median	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	10.00000000000	6.00000000000	15.00000000000	15.00000000000	28.35566882630	-80.75073344610	Excellent	1.00000000000	Median; 3 trees	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	322f8d24-991c-4dfc-8e19-9533e5961a6c	Crepe Myrtle	No	Lagerstroemia spp.	3.00000000000
Median	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	10.00000000000	6.00000000000	15.00000000000	15.00000000000	28.35570799170	-80.74966440600	Excellent	1.00000000000	Median; 3 sim trees	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	048d2806-7158-4bf1-b2cf-321a86e5699b	Crepe Myrtle	No	Lagerstroemia spp.	3.00000000000
2-4 Ft ROW	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	7.00000000000	6.00000000000	10.00000000000	15.00000000000	28.35596774270	-80.74247812890	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	97ac36f4-4c65-4da9-a5f5-3f9477e00056	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	7.00000000000	6.00000000000	15.00000000000	10.00000000000	28.35634258130	-80.74244694750	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	e9963f8e-ef4e-44d4-9f41-6b1b63e442a5	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	7.00000000000	6.00000000000	15.00000000000	10.00000000000	28.35654479470	-80.74247477550	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	bed70878-83da-4f75-8cb6-48aaa04adaa8	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
Median	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	15.00000000000	16.00000000000	35.00000000000	30.00000000000	28.35575281010	-80.74650316080	Excellent	1.00000000000	Median; this and subsequent 3 trees going east down 520 part of woodland; Phoenix Sylvester	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	c5d26e81-7969-42f6-87ae-f54738728490	Palm (Silver Date)	No	Phoenix sylvestris	4.00000000000
2-4 Ft ROW	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	7.00000000000	8.00000000000	10.00000000000	10.00000000000	28.35663695340	-80.74250302300	Excellent	1.00000000000	Fork at 3 ft	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	b2a841bd-16da-436c-8398-b52f897ef9fc	Holly (East Palatka)	No	Ilex x attenuata	1.00000000000
2-4 Ft ROW	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	7.00000000000	4.00000000000	10.00000000000	10.00000000000	28.35689700180	-80.74250562100	Excellent	1.00000000000	Has been pruned	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	98f5e8f1-ac04-4504-9eec-5bea0fc40778	Holly (East Palatka)	No	Ilex x attenuata	1.00000000000
Median	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	10.00000000000	16.00000000000	25.00000000000	20.00000000000	28.35571610490	-80.74353912280	Excellent	1.00000000000	Median; phenomenon syl	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	4600602a-77a9-4449-a05c-da0176dc5656	Palm (Silver Date)	No	Phoenix sylvestris	1.00000000000
Median	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	20.00000000000	16.00000000000	30.00000000000	25.00000000000	28.35567529760	-80.74065984270	Excellent	1.00000000000	4phoenix Sylvestris in median	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	0b2f87ff-4218-4ef5-8044-4d7744980db4	Palm (Silver Date)	No	Phoenix sylvestris	4.00000000000
2-4 Ft ROW	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	23.00000000000	14.00000000000	15.00000000000	35.00000000000	28.35600160500	-80.74451451180	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	9dd89642-a0b9-438e-ba68-d5992a7d48f4	Oak (Live)	No	Quercus virginiana	1.00000000000
Median	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	10.00000000000	6.00000000000	15.00000000000	10.00000000000	28.35567864080	-80.73763958900	Excellent	1.00000000000	Median; 5 crepes in row on median	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	22ad179a-76de-4b8d-a953-9972ae38f813	Crepe Myrtle	No	Lagerstroemia spp.	5.00000000000
2-4 Ft ROW	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	28.00000000000	14.00000000000	40.00000000000	15.00000000000	28.35588019310	-80.74463848020	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	940a580d-4d5c-4739-beae-9b37855b8df9	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	20.00000000000	18.00000000000	30.00000000000	20.00000000000	28.35584233610	-80.73290592290	Excellent	1.00000000000	Phoenix sylv; outside of row potentially but seems to be planted by city	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	b3aa234e-8608-48a3-a874-712b41719810	Palm (Silver Date)	No	Phoenix sylvestris	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	15.00000000000	14.00000000000	35.00000000000	10.00000000000	28.35495047290	-80.73260122870	Excellent	1.00000000000	3 palm	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	09caa52a-6d5d-4d6e-be9a-5fd26b0c1b04	Palm (Washingtonia)	No	Washingtonia robusta	3.00000000000
2-4 Ft ROW	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	35.00000000000	20.00000000000	20.00000000000	40.00000000000	28.35858775800	-80.74577414470	Excellent	1.00000000000	Over hang on road	Tree Is Undamaged	<Null>	Pruning	No	No	34b3b370-efe0-473c-8c1a-b3a364c2c5ab	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	35.00000000000	22.00000000000	15.00000000000	40.00000000000	28.35858620700	-80.74548094540	Excellent	1.00000000000	Overhang on street	Tree Is Undamaged	<Null>	Pruning	No	No	e45230f3-00e3-42f3-92d7-5822d96a484e	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	38.00000000000	24.00000000000	25.00000000000	40.00000000000	28.35860749700	-80.74402978620	Excellent	1.00000000000	Has been pruned	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	d5231f31-8181-48ef-90f1-3cb07c2ce9c1	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	35.00000000000	16.00000000000	20.00000000000	35.00000000000	28.35859873820	-80.74358973660	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	058ad644-6df6-4116-ae12-a1f821fa0ba9	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	30.00000000000	14.00000000000	25.00000000000	30.00000000000	28.35858767420	-80.74326803910	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	ea532485-3a80-409f-8498-57968e879640	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	10.00000000000	24.00000000000	15.00000000000	20.00000000000	28.35949057230	-80.74310568210	Excellent	1.00000000000	Coppice sprouting	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	31432e38-5746-4597-afe9-e365fe5c84e8	Red Cedar	No	Juniperus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	10.00000000000	16.00000000000	20.00000000000	15.00000000000	28.36132183730	-80.73448972550	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	52814549-1401-4217-bd10-a30c0b85f283	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	10.00000000000	18.00000000000	15.00000000000	20.00000000000	28.35951349690	-80.74323283500	Excellent	1.00000000000	Some brownage coppice sprouting	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	e9256deb-8460-4383-a318-0970cf0e25c3	Red Cedar	No	Juniperus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	28.00000000000	16.00000000000	25.00000000000	40.00000000000	28.35951957350	-80.74331413980	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	1327b184-3018-4769-910f-687c45e4e923	Sycamore	No	Platanus occidentalis	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	20.00000000000	12.00000000000	40.00000000000	10.00000000000	28.36143218960	-80.73449233960	Excellent	1.00000000000	4 wash palms in a row moving N	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	498377ff-fd0c-490f-bc84-4e15b7732be2	Palm (Washingtonia)	No	Washingtonia robusta	4.00000000000
2-4 Ft ROW	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	25.00000000000	16.00000000000	25.00000000000	40.00000000000	28.35944220850	-80.74339703630	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	dd2cad2e-0a04-4d82-8f05-25896cbe764a	Sycamore	No	Platanus occidentalis	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	10.00000000000	20.00000000000	15.00000000000	10.00000000000	28.36158517050	-80.73451350480	Excellent	1.00000000000	One of 4 going n up road	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	40e58006-de5c-4051-9c82-c62b870cf2a9	Palm (Cabbage)	No	Sabal palmetto	4.00000000000
2-4 Ft ROW	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	28.00000000000	16.00000000000	55.00000000000	25.00000000000	28.35942598980	-80.74353299090	Excellent	1.00000000000	Unidentifiable	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	2ddaeca1-a234-4971-8ae4-375176b19a13	Pine (Norfolk Island)	No	Araucaria heterophylla	1.00000000000
City Building	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	20.00000000000	8.00000000000	25.00000000000	15.00000000000	28.36061474000	-80.73457219720	Very Poor	7.00000000000	Completely dead	Tree is Damaged	Tree is Dead	Removal	No	No	380d956b-567b-48f5-9a70-79ea56e063ca	Holly (East Palatka)	No	Ilex x attenuata	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	20.00000000000	8.00000000000	15.00000000000	0.00000000000	28.39002635800	-80.74369412080	Very Poor	7.00000000000	Dead palm, needs removal	Tree is Damaged	Tree Is Dead	Removal	No	No	9d1bf111-5d79-49ce-8d7e-23a1a8281ce8	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	20.00000000000	6.00000000000	35.00000000000	0.00000000000	28.39044569030	-80.74287065860	Very Poor	7.00000000000	Dead, needs removal	Tree is Damaged	Tree Is Dead	Removal	No	No	63320dae-df76-49d6-94c0-317aa338cb65	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	16.00000000000	15.00000000000	10.00000000000	28.38811917220	-80.75545490770	Very Poor	7.00000000000	See pics, Tree Is Dead	Tree is Damaged	Stump/Trunk	Removal	No	No	bde7f7c8-b406-4740-98ea-e4afe5a316a0	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	8.00000000000	15.00000000000	5.00000000000	28.38811179650	-80.75583988790	Very Poor	7.00000000000	Trunk Damage, Signs of Decay	Tree is Damaged	Trunk has decay, only 20% of canopy alive	Removal	No	No	1ec8cd33-6e1b-49b4-8b5c-08e338f08f04	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	4.00000000000	20.00000000000	15.00000000000	28.38111007130	-80.75043034640	Very Poor	7.00000000000	Dead, Neds Removal	Tree is Damaged	Dead, Needs Removal	Removal	No	No	{B33DF877-BE37-4AE2-A174-B6C36DBF6CD5}	Red Cedar	No	Juniperus virginiana	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	10.00000000000	6.00000000000	5.00000000000	5.00000000000	28.39251547890	-80.78256999220	Very Poor	7.00000000000	Poor condition, consider replacement	Tree Is Damaged	Previously taken to just stump, resprouting	No Maintenance Required	No	No	{0A2DB9BD-0037-4CD7-8F52-2BC20845E1EF}	Golden Raintree	No	Koelreuteria paniculata	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	5.00000000000	8.00000000000	10.00000000000	10.00000000000	28.35366975970	-80.73520389430	Very Poor	6.00000000000	Dead cabbage palm	Tree is Damaged	Dead, brown fronds and trunk	Removal	No	No	4ef806b9-e874-40b8-b918-a37f76dfb7a9	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	20.00000000000	10.00000000000	30.00000000000	15.00000000000	28.37441256170	-80.73508941830	Very Poor	6.00000000000	Poor Shape, Nearly Dead; Leaning into Roadway	Tree is Damaged	Rot and decay	Removal	No	No	64cce7b8-a526-414e-85b7-90ea8d68558e	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	40.00000000000	22.00000000000	45.00000000000	30.00000000000	28.39349752110	-80.74494572830	Very Poor	6.00000000000	In yard but mostly dead, overhanging road	Tree is Damaged	Tree is Dead	Removal	No	No	3c6fff81-c9e5-4fc0-a24c-a31250ed8b13	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	12.00000000000	10.00000000000	15.00000000000	28.39630519010	-80.75949179910	Very Poor	6.00000000000	Tree is Dead, Top Snapped Off, Just Trunk	Tree is Damaged	Stump/Trunk	Remove Trunk	No	No	{92A6AB4D-4442-48D9-9A42-83918A223759}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	12.00000000000	20.00000000000	10.00000000000	28.39546529150	-80.77771919830	Very Poor	6.00000000000	Two dead trees in Woodland.	Tree is Damaged	Stump/Trunk	Remove Trunks	No	Yes	{71FB3AC6-090C-432D-82B1-989025C76E55}	Palm (Queen)	No	Syagrus romanzoffiana	2.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	15.00000000000	20.00000000000	30.00000000000	10.00000000000	28.39654017710	-80.77215492750	Very Poor	5.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{90F49D7A-131D-4681-A0D4-30C3A6650F80}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	14.00000000000	10.00000000000	0.00000000000	28.35970917560	-80.73356772260	Very Poor	5.00000000000	Dead Tree With Debris on Ground, Needs Removal	Tree is Damaged	Tree is Dead	Removal	Yes	No	{5D5B6D97-BA02-4D4D-BB9A-204665A5946F}	Pine (Australian)	No	Casuarina equisetifolia	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	25.00000000000	12.00000000000	0.00000000000	0.00000000000	28.35465994530	-80.73038683670	Very Poor	4.00000000000	See pic; dead stump, needs removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	37cea1c0-ea25-4473-a27f-ef602c1ea2ef	Red Cedar	No	Juniperus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	16.00000000000	10.00000000000	0.00000000000	28.39199010250	-80.75872301100	Very Poor	4.00000000000	Stump That Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{BAAB84BD-2DA2-46C1-A220-4AF39FF0EE37}	N/A (Stump)	No	N/A (Stump)	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	12.00000000000	40.00000000000	5.00000000000	28.40082534120	-80.76887391530	Very Poor	4.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{B3016B6E-7653-4251-9F36-3F5C670A749D}	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	14.00000000000	35.00000000000	15.00000000000	28.40072983500	-80.76886922250	Very Poor	4.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{3753AAE0-AF6F-44AD-9FDC-63D37B8CE09D}	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	14.00000000000	20.00000000000	10.00000000000	28.39545492520	-80.77698497380	Very Poor	4.00000000000	Dead Trunk, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{A2B29C06-54B6-4511-A0AE-4AE144866251}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	15.00000000000	12.00000000000	15.00000000000	0.00000000000	28.36028379310	-80.74511496280	Very Poor	3.00000000000	Dead palm trunk. Directly under power lines, needs removal	Tree Is Damaged	Stump	Remove Stump	No	No	102a501f-485a-4869-935d-7599fd845db5	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	10.00000000000	8.00000000000	20.00000000000	20.00000000000	28.38850520070	-80.78777619640	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{950C8A8C-E95D-4C3D-9BB1-88CB78773C06}	Pine (Slash)	No	Pinus elliottii	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	8.00000000000	30.00000000000	20.00000000000	28.38802106560	-80.78773675040	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{E7B29CFB-B138-494D-BC3A-6544126508D3}	Pine (Slash)	No	Pinus elliottii	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	20.00000000000	15.00000000000	28.38729850230	-80.78772135240	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{A6F520AA-BE5B-4F33-AA30-C028F250066C}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	acarroll_sfc	9/29/2020	acarroll_sfc	9/29/2020	15.00000000000	8.00000000000	15.00000000000	10.00000000000	28.35750346390	-80.73363002340	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{5BEBB25C-5D3A-4F51-B4AC-916BA29AFBEB}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Median	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.38273778120	-80.77264493330	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree is Dead	Removal	No	No	{7356D8DC-9EEF-4BCD-9C37-AF34A528B318}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	8.00000000000	15.00000000000	0.00000000000	28.36806211650	-80.75455653490	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree Is Dead	Removal	No	No	{B0AA3A91-74ED-4EC5-B6B9-9C55DC00EFD4}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	30.00000000000	28.00000000000	10.00000000000	0.00000000000	28.36940032900	-80.75550067230	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{980EB6CB-8C9C-46A5-BE14-C58E1DC6B7E2}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	15.00000000000	12.00000000000	5.00000000000	5.00000000000	28.40107568520	-80.74431573080	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{29508705-86F4-4831-AB68-2CB1FC0730A6}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	20.00000000000	14.00000000000	15.00000000000	10.00000000000	28.40210622400	-80.74257587820	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{F12D774F-FACC-4548-883C-2B4B33DED582}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	12.00000000000	5.00000000000	0.00000000000	28.39095154290	-80.78079465800	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{A8EBBB7F-C43F-42C4-B97E-D8C7EF0A23AA}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	30.00000000000	18.00000000000	35.00000000000	15.00000000000	28.35545871610	-80.73228686420	Very Poor	2.00000000000	Bizmark stump	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	f5b6bc90-b19d-47b1-9d94-803c94c27919	Palm (Bismarck)	No	Bismarckia nobilis	1.00000000000
City Park	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	20.00000000000	10.00000000000	0.00000000000	0.00000000000	28.35888270100	-80.73130859620	Very Poor	2.00000000000	3 stumps and 1 BP. To be removed	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	b11484c9-65d7-4d53-9461-416912340a10	Hickory (Pignut)	No	Carya glabra	1.00000000000
2-4 Ft ROW	shendley_sfc	9/13/2020	shendley_sfc	9/13/2020	20.00000000000	8.00000000000	5.00000000000	0.00000000000	28.35087389180	-80.73356707580	Very Poor	2.00000000000	Tree is cut; stump needs removal	Tree Is Damaged	Stump/Trunk	Remove Stump	No	No	7148642b-82af-4f80-a4ad-74d5e933ea8a	Sycamore	No	Platanus occidentalis	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/16/2020	sbourgoin_sfc	9/16/2020	20.00000000000	14.00000000000	25.00000000000	15.00000000000	28.36619344110	-80.74705959530	Very Poor	2.00000000000	Completely dead needs removal	Tree is Damaged	Tree is Dead	Removal	No	No	1c15f2d9-a065-4aab-8ccf-5cd17f805c7a	Pine (Longleaf)	No	Pinus palustris	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	20.00000000000	10.00000000000	5.00000000000	0.00000000000	28.38738969540	-80.76376179260	Very Poor	2.00000000000	Stump	Tree Is Undamaged	<Null>	Remove Stump	No	No	{57F1FA2A-BD75-400B-8276-6ED829F7A80C}	Bottlebrush (Weeping)	No	Melaleuca viminalis	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	16.00000000000	0.00000000000	0.00000000000	28.39889285130	-80.76775526670	Very Poor	2.00000000000	Stump That Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{20ACB205-116A-418E-A68F-74403C577CD5}	N/A (Stump)	No	N/A (Stump)	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	35.00000000000	18.00000000000	10.00000000000	5.00000000000	28.35695927990	-80.73346942710	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{F6DC1A1A-AB89-41C0-8372-8E2460A0F823}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	55.00000000000	28.00000000000	50.00000000000	60.00000000000	28.36019909440	-80.73430334220	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{C9E5553C-5EC9-4DA4-9A4E-6D214065BBD5}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	25.00000000000	16.00000000000	40.00000000000	20.00000000000	28.35963514510	-80.73353318230	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree is dead, see picture.	Removal	Yes	No	{6EE83020-5AB6-449A-ADA6-8EA7F2292927}	Pine (Australian)	No	Casuarina equisetifolia	1.00000000000
Cemetary	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	30.00000000000	18.00000000000	0.00000000000	0.00000000000	28.36875127660	-80.75586536950	Very Poor	2.00000000000	Old stump. Rotting	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{35627E43-0723-448B-BD9B-8911F4A8D205}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	16.00000000000	10.00000000000	5.00000000000	28.36835598580	-80.75473439860	Very Poor	2.00000000000	Stump	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{15DA5336-B17B-479C-929E-A36072E8D6D0}	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	10.00000000000	4.00000000000	15.00000000000	5.00000000000	28.38348674870	-80.77803819550	Very Poor	2.00000000000		Tree is Damaged	Tree is Dead	Removal	No	No	{1BAEAF65-A73A-4AAD-B2B5-156CBE656BE0}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	12.00000000000	0.00000000000	0.00000000000	28.39103175120	-80.78077820530	Very Poor	2.00000000000	Two stumps in Woodland.	Tree is Damaged	Stump/Trunk	Remove Stump	No	Yes	{E37E5873-D334-4D04-8F44-04B030B00B88}	N/A (Stump)	No	N/A (Stump)	2.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	12.00000000000	15.00000000000	0.00000000000	28.39120392220	-80.78055795280	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{88B0584D-929C-4C3A-B4CE-733862991F2F}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	10.00000000000	20.00000000000	0.00000000000	28.39127525250	-80.78042099290	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{63356FB1-094E-4FD5-9573-2F45BA64F029}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	12.00000000000	25.00000000000	10.00000000000	28.39152758910	-80.77998370830	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{B19D23DB-8B93-431A-ACD0-7BE247CC2E33}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.39102319340	-80.77973278460	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{EC4E220A-D753-48A0-B655-12FD268FB25D}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	8.00000000000	30.00000000000	25.00000000000	28.39072632140	-80.78034228610	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{66C46A3C-08E9-491C-B001-175D6B738570}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.39078610070	-80.78101954130	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{CBF7C1CA-BA64-4423-B044-09F778651EDE}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	5.00000000000	4.00000000000	15.00000000000	5.00000000000	28.39078144680	-80.78100083840	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{8C262DC2-611C-4171-875C-EE4247717BF5}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35702616760	-80.73350831880	Very Poor	1.00000000000	Stump that has resprouted	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{B77C4B93-AF85-4AD0-9BD7-C050A6AD16C9}	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
City Park	acarroll_sfc	9/15/2020	acarroll_sfc	9/15/2020	20.00000000000	10.00000000000	25.00000000000	10.00000000000	28.35420867420	-80.74326518970	Poor	6.00000000000	See pic	Tree Is Undamaged	<Null>	Removal	No	No	cdb648ac-bce2-4124-b380-995ad4b2eee9	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
City Park	sbourgoin_sfc	9/18/2020	sbourgoin_sfc	9/18/2020	5.00000000000	8.00000000000	15.00000000000	10.00000000000	28.37679872970	-80.76179704140	Poor	6.00000000000	tree not completely dead, but 50 percent of branches without leaves; seems to have a web work infestation see pics	Tree is Damaged	Large chunk of middle bark missing	Removal	No	No	e8617e60-7f0e-4fef-8965-1e60586e0c86	Oak (Live)	No	Quercus virginiana	1.00000000000
City Building	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	20.00000000000	10.00000000000	25.00000000000	10.00000000000	28.36120423840	-80.73457651270	Poor	5.00000000000	Majority of tree is dead. Recommend removal	Tree is Damaged	Tree is Dead	Removal	No	No	b7742f99-fba6-40f2-996f-ae824c895a11	Holly (East Palatka)	No	Ilex x attenuata	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	15.00000000000	6.00000000000	20.00000000000	10.00000000000	28.37505849060	-80.76122660220	Poor	5.00000000000	Severe leaf loss	Tree is Damaged	Severe leaf loss, obvious damage to tree	Removal	No	No	1b4a0557-5f26-41f9-9019-11038d4fee85	Holly (American)	No	Ilex opaca	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	14.00000000000	20.00000000000	15.00000000000	28.38814578530	-80.75573913730	Poor	5.00000000000	High percentage of deadwood in canopy, multiple limb breaks	Tree is Damaged	Recent limb breaks, copious deadwood	Pruning	No	No	bb7b3673-838d-4293-95a6-0bfced1b9db4	Box Elder	No	Acer negundo	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	20.00000000000	16.00000000000	35.00000000000	20.00000000000	28.38825967710	-80.78775262730	Poor	5.00000000000	Severe damage to trunk, wood rot	Tree is Damaged	Wood rot in trunk	Removal	No	No	{0E823A48-2112-4497-9276-C59EF128FB03}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	16.00000000000	20.00000000000	15.00000000000	28.35703777640	-80.73279946090	Poor	5.00000000000	Try cleaning deadwood first before removing. Co dom w included bark	Tree is Damaged	Tree Is Dead	Removal	No	No	{AE4C2C59-5208-4610-B8B3-58DC8CCBB65E}	Hickory (Pignut)	No	Carya glabra	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	8.00000000000	6.00000000000	20.00000000000	10.00000000000	28.39916023430	-80.77080259110	Poor	4.00000000000	Remove	Tree is Damaged	Cambium layer weed whacked repeatedly	Removal	No	No	{E356A27F-155E-41C7-AE39-BE2D3B1F3306}	Holly (Dahoon)	No	Ilex cassine	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35120694720	-80.72616601960	Poor	3.00000000000	Canopy broken and mostly leafless	Tree Is Damaged	Canopy topped	No Maintenance Required	No	No	cd35ada1-bbfe-4763-97e7-f10ed59cf265	Tabebuia	No	Tabebuia spp.	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	5.00000000000	8.00000000000	10.00000000000	10.00000000000	28.35114616070	-80.72621493110	Poor	3.00000000000	Canopy broken and mostly leafless	Tree Is Damaged	Crown broke	No Maintenance Required	No	No	bf3469ee-9835-42d5-b45e-81997412c6ae	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	20.00000000000	14.00000000000	20.00000000000	10.00000000000	28.37552867380	-80.76525779480	Poor	2.00000000000	See pic	Tree is Damaged	Needs pruning of multiple dead limbs for a chance	Pruning	Yes	No	7c237f9f-a267-4710-92e8-f4454a1b5c7f	Indian Rosewood	No	Dalbergia sissoo	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	30.00000000000	12.00000000000	35.00000000000	15.00000000000	28.36061274170	-80.73415800010	Poor	2.00000000000	Unnatural form. Fine for SLO.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{AB73F2B7-444C-4EB9-9B64-0ED15E67861B}	Oak (Sand Live)	No	Quercus geminata	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	40.00000000000	18.00000000000	25.00000000000	40.00000000000	28.36486055300	-80.73437332990	Fair	7.00000000000		Tree Is Damaged	Missing mult limbs due to rot and pruning. Central leader still intact but rotting likely to fall	Removal	No	No	035599b7-6ba4-4a35-bf49-3b2cb056e780	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	60.00000000000	32.00000000000	45.00000000000	25.00000000000	28.38155051730	-80.73657843430	Fair	7.00000000000	Lg oak directly next to road. Evidence of prev pruning. Lg dead limbs overhanging road, needs additional consult	Tree is Damaged	Multiple large dead limbs	Pruning	No	No	788c2f34-9024-4f34-aeb1-4b0ff7cb1825	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	40.00000000000	24.00000000000	45.00000000000	25.00000000000	28.37482115740	-80.76184862270	Fair	7.00000000000	Remove. Co Dom and over pruned. Trunk rot. See pictures	Tree is Damaged	Trunk Rot	Removal	No	No	042c8a89-8f42-45a7-932d-209dbeb2a45b	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	18.00000000000	50.00000000000	35.00000000000	28.37785729230	-80.74507031560	Fair	7.00000000000	Water oak, dead branch over road way	Tree is Damaged	Crown broke	Pruning	No	No	{BC25B713-2163-4046-9747-9A4FC6AC84A3}	Oak (Water)	No	Quercus nigra	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	30.00000000000	26.00000000000	40.00000000000	35.00000000000	28.39283805840	-80.76054104570	Fair	7.00000000000	Tree has sparse canopy with many bare branches, see pictures.	Tree is Damaged	Bare branches/canopy	Pruning	No	No	{03C14FE5-C859-4706-923E-676D89DB62A9}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	6.00000000000	10.00000000000	5.00000000000	28.35700282350	-80.73356992610	Fair	7.00000000000	See pic	Tree is Damaged	Tree Is Dead	Removal	No	No	{58F800C4-0AC0-464A-80AB-BBA329198225}	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	6.00000000000	10.00000000000	5.00000000000	28.35528643810	-80.72750413570	Fair	6.00000000000	See pic	Tree is Damaged	Dying, needs H2O	Removal	No	No	060c3393-62c2-403b-bd0f-860973469609	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	15.00000000000	12.00000000000	15.00000000000	20.00000000000	28.35402286250	-80.72669429640	Fair	6.00000000000	See picture	Tree is Damaged	Crown broken	No Maintenance Required	No	No	3b083e80-5b3e-4bd5-bd2b-7af3cfdbe027	Red Cedar	No	Juniperus virginiana	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	10.00000000000	10.00000000000	20.00000000000	20.00000000000	28.36394391950	-80.74302337130	Fair	6.00000000000	Large trunk damage	Tree Is Damaged	Trunk is Cracked and Split for Its Entirety	Removal	No	No	63aa69e1-249e-489e-8fec-7ee7362c9bda	Sycamore	No	Platanus occidentalis	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/16/2020	sbourgoin_sfc	9/16/2020	20.00000000000	10.00000000000	30.00000000000	25.00000000000	28.37128400850	-80.74462001170	Fair	6.00000000000	Tree is nearly dead, probably 40 percent of branches with leaves; needs at least pruning, possibly removal	Tree is Damaged	High Proportion of Branches Dead	Pruning	No	No	f91261d9-9f85-42e9-9f78-aa7a782adf5e	Green Ash	No	Fraxinus pennsylvanica	1.00000000000
4+ Ft ROW	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	40.00000000000	24.00000000000	40.00000000000	45.00000000000	28.39816863550	-80.74960865740	Fair	6.00000000000	Overhang	Tree is Damaged	Hit by vehicle	No Maintenance Required	No	No	4a56135e-24de-4fba-b0f3-08359e5707ef	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	20.00000000000	16.00000000000	35.00000000000	40.00000000000	28.37463553980	-80.76391794760	Fair	6.00000000000	This tree has a co-dominance stem with included bark also overhangs the road also has soil heaving. Also has bark beetles. Minor bark beetles. See pictures	Tree is Damaged	Minor bark beetles	No Maintenance Required	No	No	b5b0fef6-9771-4532-b50e-4d81cd696a64	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	10.00000000000	6.00000000000	20.00000000000	10.00000000000	28.38810714400	-80.75727310950	Fair	6.00000000000	Heavy signs of bark beetle infestation	Tree is Damaged	Pest Infestation	No Maintenance Required	No	No	d601b313-3efe-42d1-82f5-832a90f6c213	Green Ash	No	Fraxinus pennsylvanica	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	16.00000000000	15.00000000000	20.00000000000	28.39544013590	-80.75904185900	Fair	6.00000000000	Tree appears to be dying with bare branches. See picture.	Tree is Damaged	Branches are Dying Off	Pruning	No	No	{50398963-9B6C-42E0-9FE6-AF91BDD37434}	Bottlebrush (Weeping)	No	Melaleuca viminalis	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	8.00000000000	15.00000000000	15.00000000000	28.39721316040	-80.77160247610	Fair	6.00000000000	Trim back hard	Tree Is Undamaged	<Null>	Pruning	Yes	No	{06490509-BE0F-44E0-AF4B-31F9569E62B2}	Camphor Tree	No	Cinnamomum camphora	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	8.00000000000	20.00000000000	15.00000000000	28.35712084050	-80.73344344240	Fair	6.00000000000	The canopy has been broken off. Bark beetles present in the canopy. Deadwood throughout. See picture	Tree is Damaged	Canopy has been broken off	Pruning	No	No	{BACA6C9D-F7F4-44F3-A16B-E6E6525412DA}	Sugarberry	No	Celtis laevigata	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	40.00000000000	20.00000000000	50.00000000000	20.00000000000	28.36061601040	-80.73421910450	Fair	6.00000000000	Deadwood at the top of the canopy. Sparse canopy. Bark peeling. Decay in lowest point of trunk.	Tree is Damaged	Deadwood and Peeling Bark	Pruning	No	No	{8EAFBCE8-3712-4061-B595-38C4579F5B35}	Oak (Sand Live)	No	Quercus geminata	1.00000000000
Median	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	35.00000000000	18.00000000000	40.00000000000	20.00000000000	28.34926456580	-80.74507902570	Fair	5.00000000000	See pics. Damaged	Tree is Damaged	Mechanical Damage and Potential Rot at Base	Pruning	No	No	6d9dc418-0830-4fa2-9284-ac99e520e57f	Maple (Red)	No	Acer rubrum	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	20.00000000000	16.00000000000	25.00000000000	25.00000000000	28.36483498630	-80.73419860670	Fair	5.00000000000		Tree Is Damaged	Mechanical damage at base see pics	No Maintenance Required	Yes	No	4ab213a9-17a8-45e9-b82b-090433acb0a2	Chinaberry	No	Melia azedarach	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	15.00000000000	10.00000000000	30.00000000000	20.00000000000	28.38431299220	-80.73913266000	Fair	5.00000000000	Overhang	Tree is Damaged	Lightning	No Maintenance Required	No	No	5bae7c63-65bc-4b4c-aba4-c7d31271810f	Sugarberry	No	Celtis laevigata	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	10.00000000000	20.00000000000	15.00000000000	28.38812960800	-80.75560444030	Fair	5.00000000000	High percentage of deadwood in canopy, multiple limb breaks	Tree is Damaged	Recent limb breaks, copious deadwood	Pruning	No	No	2ee43f2d-8efc-48d3-b90b-e8b67ccfb9bb	Box Elder	No	Acer negundo	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	30.00000000000	18.00000000000	25.00000000000	25.00000000000	28.39032768990	-80.78335793950	Fair	5.00000000000	Minor soil heaving on curb and sidewalk. The crown was broken in this tree. And the sides are now growing out to make it fall in the canopy. Minor bark beetles present. See pictures. Multiple stems extending from a central location.	Tree Is Undamaged	<Null>	Pruning	No	No	{898CAFB2-3ECE-424E-ABBE-EA0929457A2D}	Maple (Red)	No	Acer rubrum	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	30.00000000000	20.00000000000	35.00000000000	20.00000000000	28.35699553170	-80.73361485270	Fair	5.00000000000	Lots of vines on canopy. Deadwood within canopy. Lots of decaying scaffolding. Toward the back of the cemetery and not much risk of injury. There is a fence target nearby. And graves.	Tree is Damaged	Branches contain decay	Pruning	No	No	{110D2DD3-E453-460D-8C91-DC008B59B80E}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35702268850	-80.73344126310	Fair	5.00000000000	Lots of deadwood. Vines growing. See picture. Florida privet	Tree Is Undamaged	<Null>	Pruning	No	No	{3DF41125-9937-4B2F-B841-F77FE19B0300}	Privet (Florida)	No	Forestiera segregata	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	10.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35761562420	-80.73307111860	Fair	5.00000000000	Species is red bay	Tree is Damaged	Chlorotic leaves, dead branches	No Maintenance Required	No	No	{973AD2BD-CF5F-4C63-8953-1831FFB6A0DA}	Bay	No	Persea palustris	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	12.00000000000	15.00000000000	10.00000000000	28.35950482670	-80.73428338070	Fair	5.00000000000		Tree is Damaged	Half of tree is dead, see picture.	No Maintenance Required	No	No	{A5A80953-7423-4830-B4B9-CB49F9CE4AC8}	Arborvitae	No	Thuja occidentalis	1.00000000000
2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	3.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35366966090	-80.72927017420	Fair	4.00000000000	See photo	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	2328ded0-bb32-4338-ac3d-cd2e428802ae	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
Median	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	15.00000000000	8.00000000000	15.00000000000	5.00000000000	28.34927533190	-80.74307763490	Fair	4.00000000000	2 palms. Unhealthy. See pics	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	976b9498-f2da-4078-98a6-c1ac74f54e39	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
4+ Ft ROW	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	22.00000000000	16.00000000000	25.00000000000	30.00000000000	28.35478254130	-80.72673213700	Fair	4.00000000000	Parking lot very little foliage	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	3140e591-9ff6-4f6e-8467-8c1008accedd	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	5.00000000000	6.00000000000	10.00000000000	10.00000000000	28.36371706370	-80.74298053960	Fair	4.00000000000	Small hole in trunk	Tree Is Damaged	Small Hole in Trunk, May Close Up	No Maintenance Required	No	No	e37d9b02-14f7-4b57-b8a2-e98aa0f61b75	Sycamore	No	Platanus occidentalis	1.00000000000
City Building	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	25.00000000000	16.00000000000	35.00000000000	30.00000000000	28.36080468400	-80.73807965300	Fair	4.00000000000		Tree is Damaged	Either mech or lightning damage to trunk; many branches seem dead, remaining leaves are suffering	Removal	No	No	ea477734-34a4-47f6-b6f3-594844e3dbb6	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	20.00000000000	14.00000000000	10.00000000000	10.00000000000	28.37271717360	-80.74467862950	Fair	4.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	34c90256-657b-4d10-b2d4-179390fc1c84	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
City Park	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	12.00000000000	10.00000000000	20.00000000000	15.00000000000	28.38168577190	-80.76364231310	Fair	4.00000000000	Some bark loss and multiple dead branches	Tree is Damaged	Bark and branch loss	No Maintenance Required	No	No	3e2839ae-30c5-4e17-a96d-193921f8edd8	Maple (Red)	No	Acer rubrum	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	20.00000000000	20.00000000000	25.00000000000	15.00000000000	28.37414888640	-80.76223058630	Fair	4.00000000000	Some large limbs previously pruned	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	41806838-1739-42ca-9f71-98e778c556cd	Bottlebrush (Weeping)	No	Melaleuca viminalis	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	15.00000000000	14.00000000000	20.00000000000	25.00000000000	28.37414067260	-80.76261808180	Fair	4.00000000000	Co-dominant tree, weak attachement of trunks at base; needs removal of a trunk	Tree is Damaged	Tree has Unnatural growth and weak base attachment	Pruning	No	No	936de601-7b68-49d8-bc42-d5e8fffb5f7c	Maple (Red)	No	Acer rubrum	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	30.00000000000	24.00000000000	50.00000000000	45.00000000000	28.38520645320	-80.76522934600	Fair	4.00000000000	Tree has 3 inch deep cut in trunk of the tree, see pictures. Tree has another 3 inch hole, see picture. Tree has overhanging branches over road, see picture.	Tree is Damaged	Cut In Trunk	No Maintenance Required	No	No	fa9e59b3-f768-4517-93ce-585e20b8f6ea	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	35.00000000000	16.00000000000	30.00000000000	15.00000000000	28.38963604470	-80.78271833460	Fair	4.00000000000	This tree looks owner maintained and owner pruned. It is near green electrical box target and a waterline see pictures.	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{218B0157-AFEA-4D39-900E-009981AD5C6F}	Maple (Red)	No	Acer rubrum	1.00000000000

4+ Ft ROW	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	15.00000000000	10.00000000000	20.00000000000	10.00000000000	28.35498194660	-80.72673121450	Excellent	1.00000000000	Parking lot	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	d1f71456-bb76-4346-9e7a-01ee6efe5c1c	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	17.00000000000	12.00000000000	25.00000000000	15.00000000000	28.35507527890	-80.72676700510	Excellent	1.00000000000	Parking lot	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	74fae45e-78ab-4c88-840e-b5ab99ec5cab	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	17.00000000000	12.00000000000	20.00000000000	25.00000000000	28.35511467450	-80.72671445100	Excellent	1.00000000000	Parking lot	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	1ed0785c-d720-4544-b418-25ac35524ec2	Oak (Sand Live)	No	Quercus geminata	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	15.00000000000	12.00000000000	35.00000000000	10.00000000000	28.35485452450	-80.72435367300	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	6e3fe0ea-a566-4370-9323-e875351665bd	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	15.00000000000	12.00000000000	40.00000000000	15.00000000000	28.38986264980	-80.74344716050	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	55446cb1-9d54-4968-b5ed-2fba1321d09b	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	19.00000000000	12.00000000000	30.00000000000	20.00000000000	28.38978038190	-80.74335973740	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	7cd404c7-8396-48e6-8685-9553b13e6588	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	10.00000000000	10.00000000000	15.00000000000	15.00000000000	28.38966106570	-80.74329502900	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	29b2f30b-7295-471f-8d33-a936c1c6d4cf	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	15.00000000000	12.00000000000	35.00000000000	10.00000000000	28.38976533580	-80.74341120180	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	536d8512-d1a9-4208-b913-62ea476f7196	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	20.00000000000	12.00000000000	40.00000000000	35.00000000000	28.38972011610	-80.74342603840	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	565c80b8-2342-4fe2-aeba-66f531e0765a	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	10.00000000000	10.00000000000	30.00000000000	15.00000000000	28.38963751220	-80.74336267120	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	3494a471-d733-4bd7-a9b9-2301bead5d6e	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	10.00000000000	12.00000000000	20.00000000000	15.00000000000	28.38960997730	-80.74337851300	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	f3b87219-b5b9-4e07-bdc7-128f8fd7b4c5	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.38945570840	-80.74324884480	Excellent	1.00000000000	Coppice sprouting of 4 hickory	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	731a24f7-94d1-44d5-9e13-64aa330be755	Hickory (Pignut)	No	Carya glabra	4.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	10.00000000000	8.00000000000	20.00000000000	15.00000000000	28.38959849450	-80.74332579090	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	2446059b-9255-4475-aea4-49030123f85e	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	18.00000000000	12.00000000000	30.00000000000	15.00000000000	28.38944376490	-80.74322135190	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	b4adedb6-0d0c-4164-b67b-45f65f1bdf0d	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	27.00000000000	18.00000000000	35.00000000000	30.00000000000	28.38916242620	-80.74335864770	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	a700c41d-899b-4fef-b37d-6d4ad27714c6	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	5.00000000000	6.00000000000	5.00000000000	5.00000000000	28.38924268250	-80.74328664680	Excellent	1.00000000000	See pic	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	def31520-3105-4fdd-96a0-15d2b044585e	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	24.00000000000	20.00000000000	25.00000000000	35.00000000000	28.38912835320	-80.74339485700	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	2bfefb9e-a886-43b1-a652-b8aac4457767	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	15.00000000000	12.00000000000	35.00000000000	15.00000000000	28.38779730700	-80.75948031590	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	f84cd152-6a31-4cf0-a3a1-47893c24e0db	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	15.00000000000	10.00000000000	30.00000000000	10.00000000000	28.38773695790	-80.75944611800	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	04f3e8a2-2152-4db7-80ec-1cc7f8778ec9	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	15.00000000000	14.00000000000	25.00000000000	15.00000000000	28.38796205370	-80.75926590690	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	f577e8d0-a843-4d92-816b-1550b35319e1	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	25.00000000000	26.00000000000	35.00000000000	25.00000000000	28.38773062920	-80.75944175940	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	62c34ca0-9d46-46be-8537-09e8a2a615e5	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	10.00000000000	10.00000000000	20.00000000000	10.00000000000	28.38794269160	-80.75923330170	Excellent	1.00000000000		Tree Is Undamaged	<Null>	Pruning	No	No	70b14efe-8f6d-4936-911e-64020e3c84e4	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	15.00000000000	10.00000000000	25.00000000000	10.00000000000	28.38791071480	-80.75922592560	Excellent	1.00000000000		Tree Is Undamaged	<Null>	Pruning	No	No	af953cb1-5829-4c0f-b0d1-fc5dc1335a32	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.38770116710	-80.75948241170	Excellent	1.00000000000	Silver button	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	6f81a66e-d0ec-41f7-a43c-82b9f0c4cbc3	Silver Buttonwood	No	Conocarpus erectus var. sericeus	1.00000000000
City Park	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	7.00000000000	6.00000000000	15.00000000000	5.00000000000	28.38752665590	-80.75944796220	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	b0f80287-1ab1-4e91-b0ff-1549f3c880d8	Holly (East Palatka)	No	Ilex x attenuata	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.38794654740	-80.75914680020	Excellent	1.00000000000	2. 1 is 1 yr. SEE PIC	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	e202db75-a67e-49ca-ac5c-d3ad91eb7bbc	Crepe Myrtle	No	Lagerstroemia spp.	2.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	15.00000000000	12.00000000000	30.00000000000	10.00000000000	28.38793728520	-80.75910614790	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	ecb1271d-b8f6-4642-b056-0573dc45649d	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	12.00000000000	8.00000000000	20.00000000000	15.00000000000	28.38749991710	-80.75950722230	Excellent	1.00000000000	5 queens in row by play ground	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	132d1cb6-35ef-4c81-9ec1-36beb6255e37	Palm (Queen)	No	Syagrus romanzoffiana	5.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	15.00000000000	12.00000000000	20.00000000000	15.00000000000	28.38795958090	-80.75906901600	Excellent	1.00000000000		Tree Is Undamaged	<Null>	Pruning	No	No	ecbd4f24-67b3-48b6-9d6f-f20af1e62750	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	15.00000000000	12.00000000000	30.00000000000	15.00000000000	28.38793661420	-80.75910782410	Excellent	1.00000000000		Tree Is Undamaged	<Null>	Pruning	No	No	22200971-deba-487b-8f8e-40f28647c03c	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	15.00000000000	12.00000000000	20.00000000000	15.00000000000	28.38724913090	-80.75962004260	Excellent	1.00000000000	See pic	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	f60f12e7-513b-4cf3-9714-b82eb4ac20b3	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	18.00000000000	10.00000000000	35.00000000000	15.00000000000	28.38727209690	-80.75945357760	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	9e9e6414-7c68-42fe-b630-24121a3fa893	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	10.00000000000	14.00000000000	20.00000000000	10.00000000000	28.38814834110	-80.75886877250	Excellent	1.00000000000	2 palms. 1 is 10ΓÇ¥ DBH	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	cc7d887a-c7e0-437c-9baa-ef8d92ba3644	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
City Park	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	18.00000000000	10.00000000000	30.00000000000	15.00000000000	28.38729066340	-80.75941518900	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	04edf2ae-4f71-4492-a2ec-2b8d04683d1d	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	15.00000000000	12.00000000000	25.00000000000	15.00000000000	28.38783297220	-80.75898134130	Excellent	1.00000000000	2 see pic	Tree Is Undamaged	<Null>	Pruning	No	Yes	769a6fd8-8b63-4984-a902-f276f7a29d4e	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
City Park	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.38737314110	-80.75930002140	Excellent	1.00000000000	4 date palms inside fence	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	8a90f7b6-ae23-40b6-b9d0-1a35ed0cf810	Palm (Pygmy Date)	No	Phoenix roebelenii	4.00000000000
City Park	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.38737314110	-80.75930002140	Excellent	1.00000000000	4 palm dates inside fence	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	ee7cef2f-616d-4146-9f35-1feaf08a1f40	Palm (Pygmy Date)	No	Phoenix roebelenii	4.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.38778167510	-80.75898595150	Excellent	1.00000000000	3 One small. Prune allow growth	Tree Is Undamaged	<Null>	Pruning	No	Yes	5be929ce-e857-4cf6-85a1-c5153c1f6d7a	Palm (Cabbage)	No	Sabal palmetto	3.00000000000
City Park	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	9.00000000000	14.00000000000	15.00000000000	15.00000000000	28.38737460790	-80.75927965390	Excellent	1.00000000000	Coppice sprouting	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	405053b8-f871-41e3-a9c9-48b0e67ba603	Magnolia (Southern)	No	Magnolia grandiflora	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	5.00000000000	6.00000000000	5.00000000000	5.00000000000	28.38774454310	-80.75891311250	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	2b67fc2b-6a66-4549-b844-dacfa11a0190	Palm (Pygmy Date)	No	Phoenix roebelenii	1.00000000000
City Park	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	19.00000000000	14.00000000000	35.00000000000	15.00000000000	28.38732838190	-80.75914839290	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	b67682c9-4b2e-4930-a873-065d8ba45ddb	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.38760699650	-80.75891395150	Excellent	1.00000000000		Tree Is Undamaged	<Null>	Pruning	No	No	9f51445b-1d37-40f2-a880-f9ee73bbfcb3	Palm (Pygmy Date)	No	Phoenix roebelenii	1.00000000000
City Park	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	5.00000000000	8.00000000000	15.00000000000	10.00000000000	28.38742192370	-80.75903096250	Excellent	1.00000000000	Two in one	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	e622d71f-8e2e-49b0-94b9-770dea709e6d	Holly (East Palatka)	No	Ilex x attenuata	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	10.00000000000	12.00000000000	20.00000000000	10.00000000000	28.38816891860	-80.75868956760	Excellent	1.00000000000	2 palms	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	e3f3cea4-ab6d-4b6d-8480-1a40ce9f51c0	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
City Park	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	19.00000000000	14.00000000000	20.00000000000	15.00000000000	28.38747954960	-80.75872016150	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	843422d4-48f8-462f-89d7-e4e8df575613	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	19.00000000000	14.00000000000	20.00000000000	15.00000000000	28.38747954960	-80.75872016150	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	cd008376-e85a-4c55-a1af-b479ed06737d	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	15.00000000000	18.00000000000	15.00000000000	15.00000000000	28.38813907960	-80.75854556680	Excellent	1.00000000000		Tree Is Undamaged	<Null>	Pruning	No	No	4759b140-9284-4bb5-be62-aabddfa09bed	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	19.00000000000	14.00000000000	20.00000000000	15.00000000000	28.38748286020	-80.75870029620	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	24df82be-3770-400c-9353-4c9382abd84d	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	10.00000000000	12.00000000000	10.00000000000	10.00000000000	28.38813153550	-80.75854347100	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	03431bed-0773-492e-9c59-b9e15ae373ba	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	19.00000000000	14.00000000000	20.00000000000	15.00000000000	28.38768247510	-80.75865319030	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	674865f2-cca5-4466-a7fa-60d6dbbb37eb	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	15.00000000000	20.00000000000	15.00000000000	10.00000000000	28.38811569420	-80.75854950590	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	60d22a1a-5bbd-4a6b-bf3d-3674f2b5c358	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	3.00000000000	12.00000000000	10.00000000000	10.00000000000	28.38768364870	-80.75862301500	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	fffd1555-0c6a-4ef1-a7e4-7d2afdb45785	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	15.00000000000	18.00000000000	25.00000000000	10.00000000000	28.38797776940	-80.75858764390	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	33059536-78aa-4e3c-9f40-30129c5a456c	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	5.00000000000	8.00000000000	10.00000000000	10.00000000000	28.38792366450	-80.75860080330	Excellent	1.00000000000		Tree Is Undamaged	<Null>	Pruning	No	No	5b898b11-185f-4e42-86bf-f62ab1b2be28	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	15.00000000000	18.00000000000	15.00000000000	10.00000000000	28.38779238270	-80.75861524910	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	5d759dc1-c4f2-45d4-8394-e92a763ada8e	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	17.00000000000	12.00000000000	20.00000000000	15.00000000000	28.38776126490	-80.75858999030	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	da1a6758-1072-4b33-9b7d-e35b85a626f9	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	15.00000000000	18.00000000000	15.00000000000	15.00000000000	28.38783175670	-80.75861329260	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	f0bb4a17-ac4b-4375-88bc-c65781a6c107	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	2.00000000000	8.00000000000	5.00000000000	5.00000000000	28.38780376140	-80.75861731520	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	be41f677-33c4-4ca9-9d9a-2dfeb3a653f6	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	10.00000000000	18.00000000000	20.00000000000	10.00000000000	28.38789131000	-80.75857079600	Excellent	1.00000000000	3 palms	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	23febcd0-3a9e-4aef-86cd-95a4589fa78c	Palm (Cabbage)	No	Sabal palmetto	3.00000000000
City Park	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	8.00000000000	8.00000000000	25.00000000000	15.00000000000	28.36390150680	-80.74320727080	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	d74d138d-4191-41cd-ab68-a87aa4e81ba4	Sycamore	No	Platanus occidentalis	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	15.00000000000	20.00000000000	20.00000000000	10.00000000000	28.36399923980	-80.74331682210	Excellent	1.00000000000		Tree Is Undamaged	<Null>	Pruning	No	No	72f7c90d-8c7b-4105-9517-972a3b7fae33	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	16.00000000000	10.00000000000	20.00000000000	20.00000000000	28.36379597890	-80.74321120990	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	c197b8db-b93a-403b-a787-078ca7fe5c59	Sycamore	No	Platanus occidentalis	1.00000000000
City Park	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	12.00000000000	14.00000000000	25.00000000000	30.00000000000	28.36375038130	-80.74329695680	Excellent	1.00000000000	4 oaks in row	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	7da6c6d6-5681-4f14-adec-89628205926c	Oak (Live)	No	Quercus virginiana	4.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	10.00000000000	16.00000000000	20.00000000000	10.00000000000	28.36394383570	-80.74323132680	Excellent	1.00000000000	See pic 3 palms	Tree Is Undamaged	<Null>	Pruning	No	Yes	23b628d2-c580-4eaa-b97d-88efe623ad23	Palm (Cabbage)	No	Sabal palmetto	3.00000000000
City Park	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	12.00000000000	10.00000000000	20.00000000000	30.00000000000	28.36345642810	-80.74313376080	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	2056b414-4eb8-4828-94ab-59fc67da0bc6	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	15.00000000000	16.00000000000	30.00000000000	10.00000000000	28.36391537880	-80.74301239120	Excellent	1.00000000000	6palms north boundary of park vary from 15-30ΓÇÖ	Tree Is Undamaged	<Null>	Pruning	No	Yes	68122b48-4739-48ec-a396-5ae60e033118	Palm (Cabbage)	No	Sabal palmetto	6.00000000000
City Park	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	17.00000000000	14.00000000000	25.00000000000	30.00000000000	28.36340961550	-80.74305765370	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	1571dd95-17a1-42b5-9b08-a74e96ced6b2	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	13.00000000000	10.00000000000	20.00000000000	15.00000000000	28.36344062820	-80.74281583530	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	821924df-83c0-48a5-ac7b-cc47662a9c89	Sycamore	No	Platanus occidentalis	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	25.00000000000	14.00000000000	50.00000000000	30.00000000000	28.36390682990	-80.74272916670	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	f08be140-99dc-4259-b5b4-e6db6987076f	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	20.00000000000	18.00000000000	30.00000000000	25.00000000000	28.36349414640	-80.74270133870	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	04d62614-8023-437d-a09a-0d38b7fcc552	Red Cedar	No	Juniperus virginiana	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	20.00000000000	8.00000000000	35.00000000000	25.00000000000	28.36386525500	-80.74269832130	Excellent	1.00000000000		Tree Is Undamaged	<Null>	Pruning	No	No	ae686dd1-2b2f-4292-b404-9057898e686c	Sycamore	No	Platanus occidentalis	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	30.00000000000	18.00000000000	35.00000000000	35.00000000000	28.36379866100	-80.74270024910	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	00256b0c-0b80-4a80-8b5a-19b3cb1faa36	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	25.00000000000	16.00000000000	30.00000000000	20.00000000000	28.36364682320	-80.74276495740	Excellent	1.00000000000	Swamp mahogany gum	Tree Is Undamaged	<Null>	Pruning	No	No	80440fff-be56-4c04-bc8a-f150ae1b926a	Swamp Mahogany	No	Eucalyptus robusta	1.00000000000
City Park	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	15.00000000000	10.00000000000	25.00000000000	25.00000000000	28.36379304550	-80.74301389940	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	f6d03ea9-cbb3-487d-9c66-1c13f687516a	Sycamore	No	Platanus occidentalis	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	30.00000000000	18.00000000000	40.00000000000	45.00000000000	28.36391194260	-80.74292111250	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	b8462f9d-c940-4dad-b08f-6be99520ae3f	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	12.00000000000	10.00000000000	20.00000000000	15.00000000000	28.36391148180	-80.74315102820	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	c306354c-5d57-40a5-b936-4e8dc163557b	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	15.00000000000	12.00000000000	35.00000000000	10.00000000000	28.35367022060	-80.73462512320	Excellent	1.00000000000		Tree Is Undamaged	<Null>	Pruning	No	No	38414fbd-8d03-4ceb-8289-3aca57a1080d	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	10.00000000000	6.00000000000	15.00000000000	20.00000000000	28.35372830680	-80.73453834770	Excellent	1.00000000000	Ficus spp; 5 clustered around same base	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	1468450a-3aee-4821-aa53-bb802a24e3d5	Fig	No	Ficus spp.	5.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	15.00000000000	12.00000000000	30.00000000000	10.00000000000	28.35365756400	-80.73463124250	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	ce2c5196-f8d9-43f3-bafc-bef0050fad45	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	15.00000000000	14.00000000000	30.00000000000	15.00000000000	28.35375650480	-80.73461735010	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	78768c5c-7c58-40c0-ba5a-258667dbf361	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	10.00000000000	4.00000000000	10.00000000000	10.00000000000	28.35366389230	-80.73470835570	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	6dcab538-b557-4dfc-954b-a9c968a2df0b	Pine (Plum)	No	Podocarpus spp.	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35364159650	-80.73479192330	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	09e494e1-7bc4-415b-bbc2-3020f61a9071	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	15.00000000000	12.00000000000	35.00000000000	10.00000000000	28.35366162970	-80.73484900400	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	1fb235b0-ae7f-4f64-a96b-cdbef28fb172	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	10.00000000000	6.00000000000	15.00000000000	15.00000000000	28.35366515010	-80.73523289550	Excellent	1.00000000000		Tree Is Undamaged	<Null>	Pruning	No	No	5393d7c1-c896-49d5-9e4a-80897b717add	Oak (Sand Live)	No	Quercus geminata	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35365873790	-80.73530883550	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	050a91ef-2689-42c1-9914-716d37f50662	Pine (Plum)	No	Podocarpus spp.	1.00000000000
City Park	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	2.00000000000	4.00000000000	15.00000000000	5.00000000000	28.35383436570	-80.73528945970	Excellent	1.00000000000	3.5 duh; newly planted; parking lot not visible on aerial; 3trees to north same duh and kind, see points	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	c1f19548-b225-458e-97a2-4e54549235b3	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	5.00000000000	6.00000000000	10.00000000000	15.00000000000	28.35358195920	-80.73536717380	Excellent	1.00000000000	Unidentified tree	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	18a0ead7-1748-4107-b9c3-4354d9801852	Powderpuff	No	Calliandra haematocephala	1.00000000000
City Park	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	2.00000000000	4.00000000000	15.00000000000	5.00000000000	28.35411024840	-80.73529924590	Excellent	1.00000000000	See pt to south	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	9aa32c15-8d8e-426c-be97-cc5ee583ab11	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	25.00000000000	20.00000000000	40.00000000000	45.00000000000	28.35361925880	-80.73546742130	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	e9cc40a9-8198-410a-813c-13e2c7f21ce8	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35358367780	-80.73539474940	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	0658f69f-1371-4c6a-be98-f787c575567c	Pine (Plum)	No	Podocarpus spp.	1.00000000000
City Park	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	2.00000000000	4.00000000000	15.00000000000	5.00000000000	28.35412975350	-80.73525038840	Excellent	1.00000000000	See pt to s	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	0284a740-27f4-497b-a799-57e66e60ad69	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	15.00000000000	16.00000000000	15.00000000000	10.00000000000	28.35353921190	-80.73542132070	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	a7d8d4c0-fde1-41f9-ac0b-ebd1c19df560	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	2.00000000000	4.00000000000	15.00000000000	5.00000000000	28.35426771510	-80.73521348920	Excellent	1.00000000000	See pts to south	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	a1a60d0c-2b2a-4105-b582-d9aae6064152	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	5.00000000000	8.00000000000	10.00000000000	10.00000000000	28.35351787970	-80.73543950890	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	32add3b8-03df-4cad-a516-0c0e5df27576	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	15.00000000000	16.00000000000	20.00000000000	10.00000000000	28.35350400800	-80.73544973530	Excellent	1.00000000000	2 together	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	e969e22e-a2fc-4c24-bfb7-db7e9619a3f6	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	20.00000000000	14.00000000000	35.00000000000	30.00000000000	28.35337882380	-80.73518981230	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	99cb4657-bee3-4981-b2fa-7684bce62e93	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	30.00000000000	18.00000000000	35.00000000000	45.00000000000	28.35340019310	-80.73536631600	Excellent	1.00000000000	Same as tree to E, part of woodland	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	407b9b03-3e29-422c-8022-0f8f275bb4df	Oak (Live)	No	Quercus virginiana	2.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	15.00000000000	12.00000000000	30.00000000000	25.00000000000	28.35337048430	-80.73507464470	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	c4d1506b-bf60-4791-945c-f1eb791a02f3	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	50.00000000000	32.00000000000	55.00000000000	70.00000000000	28.35341720500	-80.73488595260	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	7bb949b0-601a-4fbb-b46d-63a324c7119e	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	30.00000000000	32.00000000000	50.00000000000	40.00000000000	28.35342530180	-80.73465278410	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	7b96eae0-4866-4e59-88e5-f60e1fab938b	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	1.00000000000	3.00000000000	10.00000000000	5.00000000000	28.35481394940	-80.73522556430	Excellent	1.00000000000	Duh 3; recently planted; next 5 or 6 to E are same	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	02e1ecfb-4a6c-4c17-9bcc-71ea8c561f78	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
City Park	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	1.00000000000	3.00000000000	10.00000000000	5.00000000000	28.35487314410	-80.73515926690	Excellent	1.00000000000	See pt to w	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	311960c5-8b87-4caa-a048-5dcd8672b8bc	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
City Park	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	1.00000000000	3.00000000000	10.00000000000	5.00000000000	28.35485477200	-80.73489557450	Excellent	1.00000000000	See pt to w	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	041cd091-0c3e-44cb-b384-ae1876e89644	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
City Park	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	1.00000000000	3.00000000000	10.00000000000	5.00000000000	28.35485024060	-80.73470912910	Excellent	1.00000000000	See pt to w	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	c8b183ad-7488-446d-8dfb-87cd8fd55b41	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
City Park	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	1.00000000000	3.00000000000	10.00000000000	5.00000000000	28.35487274490	-80.73461275250	Excellent	1.00000000000	See pt to w	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	cb9b610d-0671-497f-a3f9-d10f1808c56a	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
City Park	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	1.00000000000	3.00000000000	10.00000000000	5.00000000000	28.35486010020	-80.73457569970	Excellent	1.00000000000	See pt to w	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	9c37450b-16d4-42e0-8db9-b5ca651b7dd8	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
City Park	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	1.00000000000	3.00000000000	10.00000000000	5.00000000000	28.35474956400	-80.73447700990	Excellent	1.00000000000	Same as pts to nw	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	76cb2ab6-9cec-4402-a8ff-bb60969f4230	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
City Park	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	1.00000000000	3.00000000000	10.00000000000	5.00000000000	28.35465955630	-80.73449043160	Excellent	1.00000000000	Same as pt to n	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	35564fbb-9ffa-4e95-8cc8-3c65ebf1f958	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
City Park	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	1.00000000000	3.00000000000	10.00000000000	5.00000000000	28.35448500030	-80.73449551970	Excellent	1.00000000000	Same as pt to n	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	f887bada-e894-4b9e-9192-4f9bbfb6b1ef	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	15.00000000000	14.00000000000	25.00000000000	20.00000000000	28.39508097160	-80.74743971200	Excellent	1.00000000000	Pineapple date, strangler fig	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	f076370e-136b-4ffe-92d4-8064329cd58c	Palm (Canary Island Date)	No	Phoenix canariensis	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.37418970630	-80.76174443610	Excellent	1.00000000000	Hibiscus	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	5aba7242-95b0-4ad2-b1bf-948c2cb13706	Hibiscus Tree	No	Hibiscus spp.	1.00000000000
City Park	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	15.00000000000	10.00000000000	20.00000000000	30.00000000000	28.35408944840	-80.74406013310	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	4ad4e20b-b1b7-4950-b645-f72d68c2d5cd	Hickory (Pignut)	No	Carya glabra	1.00000000000
City Park	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	35.00000000000	26.00000000000	30.00000000000	40.00000000000	28.35396689830	-80.74426992840	Excellent	1.00000000000		Tree is Damaged	Holes in tree	Pruning	No	No	491099d4-edc7-40e2-b86d-0100482a447e	Maple (Red)	No	Acer rubrum	1.00000000000
City Park	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	20.00000000000	10.00000000000	35.00000000000	25.00000000000	28.35402815910	-80.74393637490	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	de601647-123d-4e97-8968-e43d03ca1d85	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	acarroll_sfc	9/15/2020	acarroll_sfc	9/15/2020	25.00000000000	18.00000000000	45.00000000000	40.00000000000	28.35388630610	-80.74401553720	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	c9e5ef48-8c48-4196-b4d0-c7219ebf6e36	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	28.00000000000	22.00000000000	25.00000000000	35.00000000000	28.35372516440	-80.74431150240	Excellent	1.00000000000		Tree is Damaged	Holes in tree	No Maintenance Required	No	No	daa91351-4c3a-4c8f-823b-94c9e49df366	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	acarroll_sfc	9/15/2020	acarroll_sfc	9/15/2020	15.00000000000	12.00000000000	20.00000000000	10.00000000000	28.35382650140	-80.74395887590	Excellent	1.00000000000	6 palms	Tree is Undamaged	<Null>	No Maintenance Required	No	No	3290c18c-063d-4a38-9963-827193bbb6a4	Palm (Cabbage)	No	Sabal palmetto	6.00000000000
City Park	acarroll_sfc	9/15/2020	acarroll_sfc	9/15/2020	25.00000000000	18.00000000000	40.00000000000	30.00000000000	28.35377583290	-80.74384521660	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	39d7930b-03f4-444b-beb4-b7d2a901e50b	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	29.00000000000	18.00000000000	25.00000000000	35.00000000000	28.35370165280	-80.74431208900	Excellent	1.00000000000	Limbs over building	Tree is Undamaged	<Null>	Pruning	No	No	ccd21148-b6a1-476d-ace1-540886f9e104	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	30.00000000000	14.00000000000	45.00000000000	40.00000000000	28.35382017940	-80.74412489630	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	4485c7be-3684-4019-92f0-dbc2d504df60	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
City Park	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	18.00000000000	10.00000000000	20.00000000000	15.00000000000	28.35365169650	-80.74434905290	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	d720164b-682a-48de-a33e-d3b0923051ba	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	18.00000000000	8.00000000000	25.00000000000	15.00000000000	28.35361280480	-80.74434486220	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	0aa53b30-464b-4c3c-96c3-a3d229f6f205	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	acarroll_sfc	9/15/2020	acarroll_sfc	9/15/2020	30.00000000000	16.00000000000	40.00000000000	25.00000000000	28.35350589340	-80.74412684920	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	9cc7ab65-63e1-48db-aca6-a8980674a765	Elm (Florida)	No	Ulmus americana var. floridana	1.00000000000
City Park	acarroll_sfc	9/15/2020	acarroll_sfc	9/15/2020	20.00000000000	16.00000000000	35.00000000000	35.00000000000	28.35336063560	-80.74425299690	Excellent	1.00000000000	3 oaks	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	09bb587c-bb9f-463a-884f-6e210aec9ce8	Oak (Live)	No	Quercus virginiana	3.00000000000
City Park	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	29.00000000000	18.00000000000	25.00000000000	30.00000000000	28.35353154200	-80.74432357220	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	354ae669-eb74-4022-bda0-a7ca55fa0a39	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	acarroll_sfc	9/15/2020	acarroll_sfc	9/15/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35335300760	-80.74425433810	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	bbe9ee89-c5e6-4faf-87c7-2404e59fac66	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
City Park	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	28.00000000000	16.00000000000	20.00000000000	20.00000000000	28.35309966470	-80.74405434530	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	55d310ac-b2e4-4ae6-839a-dde2ee788468	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	acarroll_sfc	9/15/2020	acarroll_sfc	9/15/2020	15.00000000000	14.00000000000	35.00000000000	15.00000000000	28.35317359310	-80.74351195240	Excellent	1.00000000000	6 slash	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	81bf8239-4fda-4d6c-b528-978f82761a1b	Pine (Slash)	No	Pinus elliottii	6.00000000000
City Park	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	20.00000000000	16.00000000000	30.00000000000	35.00000000000	28.35339454940	-80.74366359790	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	045708c0-c786-45cf-b605-40ef39daa1a2	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	18.00000000000	12.00000000000	35.00000000000	15.00000000000	28.35319245250	-80.74300342240	Excellent	1.00000000000	4 pines in clump	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	6a63c31f-1807-464d-ac51-f5d07a7ec1e3	Pine (Slash)	No	Pinus elliottii	4.00000000000
City Park	acarroll_sfc	9/15/2020	acarroll_sfc	9/15/2020	10.00000000000	10.00000000000	20.00000000000	10.00000000000	28.35303554310	-80.74286654610	Excellent	1.00000000000	6 palms	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	adda7c70-32a2-4a9b-9503-c8a3480f293f	Palm (Cabbage)	No	Sabal palmetto	6.00000000000
City Park	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	9.00000000000	8.00000000000	15.00000000000	15.00000000000	28.35320506730	-80.74286805440	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	d0324e46-106b-49ca-8249-d7cb212f849a	Holly (East Palatka)	No	Ilex x attenuata	1.00000000000
City Park	acarroll_sfc	9/15/2020	acarroll_sfc	9/15/2020	25.00000000000	16.00000000000	35.00000000000	30.00000000000	28.35350610290	-80.74278306210	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	096526b3-bb2a-405e-80c9-85fc903cb9bc	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	15.00000000000	10.00000000000	15.00000000000	15.00000000000	28.35371028630	-80.74284039430	Excellent	1.00000000000	Strangler fig on both sabal	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	3dee119f-d38d-47cc-a01b-62f4e284f6dd	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
City Park	acarroll_sfc	9/15/2020	acarroll_sfc	9/15/2020	10.00000000000	12.00000000000	20.00000000000	15.00000000000	28.35399765990	-80.74283821500	Excellent	1.00000000000	2 palms	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	f44df56d-15e4-4829-a1fe-75f5006a9f29	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
City Park	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	15.00000000000	10.00000000000	20.00000000000	15.00000000000	28.35409665030	-80.74318463950	Excellent	1.00000000000	15 sabals in area	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	5a4bd708-a1a2-4abe-8ff9-a2e9024ac9a3	Palm (Cabbage)	No	Sabal palmetto	15.00000000000
City Park	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	15.00000000000	10.00000000000	25.00000000000	15.00000000000	28.35455044910	-80.74307248220	Excellent	1.00000000000	Part of cluster of 3 trees	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	285b6db4-0691-414d-99c5-c63525d4ceed	Palm (Cabbage)	No	Sabal palmetto	3.00000000000
City Park	acarroll_sfc	9/15/2020	acarroll_sfc	9/15/2020	15.00000000000	6.00000000000	15.00000000000	10.00000000000	28.35425200860	-80.74319545170	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	1cd31bc8-dc27-49dc-8b6f-bb2806230c1b	Magnolia (Southern)	No	Magnolia grandiflora	1.00000000000
City Park	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	10.00000000000	8.00000000000	20.00000000000	15.00000000000	28.35418369620	-80.74326879370	Excellent	1.00000000000	4 pines in group	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	498f24eb-c081-430b-862a-5bcdc767cf88	Pine (Slash)	No	Pinus elliottii	4.00000000000
City Park	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	15.00000000000	10.00000000000	25.00000000000	15.00000000000	28.35472059620	-80.74323167620	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	dd6cdc68-0a41-4185-b803-510de8fec296	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	15.00000000000	10.00000000000	25.00000000000	15.00000000000	28.35410859460	-80.74347306070	Excellent	1.00000000000	7 sabals in row	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	48801d16-230c-4de1-bcb5-08293b5599b3	Palm (Cabbage)	No	Sabal palmetto	7.00000000000
City Park	acarroll_sfc	9/15/2020	acarroll_sfc	9/15/2020	20.00000000000	12.00000000000	30.00000000000	30.00000000000	28.35426110300	-80.74381554520	Excellent	1.00000000000	See pic. Leans, natural correction	Tree is Undamaged	<Null>	No Maintenance Required	No	No	e6731ab1-3a54-4746-a591-bc9ccd68d109	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
City Park	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	20.00000000000	16.00000000000	25.00000000000	20.00000000000	28.35470863460	-80.74301040590	Excellent	1.00000000000	Group of 5 unknown in woodland; see pics for id; swamp mahogany	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	49619a50-2706-4971-b875-bff6a8add228	Swamp Mahogany	No	Eucalyptus robusta	5.00000000000
City Park	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	45.00000000000	26.00000000000	45.00000000000	60.00000000000	28.35481493600	-80.74293675750	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	2e19425a-c542-4e5a-982d-5308b623d884	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	32.00000000000	22.00000000000	25.00000000000	30.00000000000	28.35505201980	-80.74284316020	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	ed0cffb5-f385-4159-b85c-f8f82a091d0b	Oak (Laurel)	No	Quercus laurifolia	1.00000000000

City Building	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	25.00000000000	18.00000000000	35.00000000000	40.00000000000	28.35503596790	-80.74293368530	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	323e7e80-8185-4507-98a9-70cdca0296a1	Oak (Live)	No	Quercus virginiana	1.00000000000
City Building	sbourgoin_sfc	9/15/2020 sbourgoin_sfc	9/15/2020	40.00000000000	26.00000000000	50.00000000000	60.00000000000	28.35508269180	-80.74303269310	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	d72af4ab-effe-4144-b60c-3c60cc92b38a	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	10.00000000000	14.00000000000	25.00000000000	25.00000000000	28.35865963280	-80.74057996270	Excellent	1.00000000000	2	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	d66bac45-9549-477d-b653-fc98f2bec925	Sycamore	No	Platanus occidentalis	2.00000000000
City Park	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	10.00000000000	14.00000000000	20.00000000000	25.00000000000	28.35845461150	-80.74061893880	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	cc9610b7-2f93-4d7c-9cbb-d5f7a0dd04ef	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	9/15/2020 sbourgoin_sfc	9/15/2020	3.00000000000	4.00000000000	10.00000000000	10.00000000000	28.35848476390	-80.74070856640	Excellent	1.00000000000	Same as other tree on opposite side of park entrance	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	6987bddf-d458-4571-8329-76f328ba7805	Holly (Dahoon)	No	Ilex cassine	2.00000000000
City Park	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	7.00000000000	6.00000000000	15.00000000000	15.00000000000	28.35838328120	-80.74064073190	Excellent	1.00000000000	2	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	f458ceb3-6f3f-4670-991c-494804b12d77	Hickory (Pignut)	No	Carya glabra	2.00000000000
City Park	shendley_sfc	9/15/2020 shendley_sfc	9/15/2020	28.00000000000	24.00000000000	25.00000000000	25.00000000000	28.35889294280	-80.74009221970	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	61412383-20bc-4152-869a-08f9387f2727	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	9/15/2020 sbourgoin_sfc	9/15/2020	5.00000000000	4.00000000000	15.00000000000	10.00000000000	28.35836054290	-80.74051949350	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	26e57b5e-753f-4691-91ed-bb9fe997db88	Hickory (Pignut)	No	Carya glabra	1.00000000000
City Park	shendley_sfc	9/15/2020 shendley_sfc	9/15/2020	24.00000000000	12.00000000000	25.00000000000	30.00000000000	28.35880732200	-80.74005785380	Excellent	1.00000000000	5 live oaks in row	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	07085c23-182e-4f31-8e76-85e5ce9fee1d	Oak (Live)	No	Quercus virginiana	5.00000000000
City Park	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	20.00000000000	20.00000000000	20.00000000000	15.00000000000	28.35791795960	-80.73160126820	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	0fc6c906-babd-46cf-a96c-ed867ee65a80	Palm (Bismarck)	No	Bismarckia nobilis	1.00000000000
City Park	shendley_sfc	9/15/2020 shendley_sfc	9/15/2020	35.00000000000	24.00000000000	25.00000000000	40.00000000000	28.35816279540	-80.73157981010	Excellent	1.00000000000	Next to water tower	Tree is Undamaged	<Null>	No Maintenance Required	No	No	e00733fb-d37a-484f-ad7a-57b6f093755f	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	9/15/2020 sbourgoin_sfc	9/15/2020	35.00000000000	16.00000000000	50.00000000000	50.00000000000	28.35808179220	-80.73156242230	Excellent	1.00000000000	Next to water tower	Tree is Undamaged	<Null>	No Maintenance Required	No	No	2f6b8101-edc8-4318-b3db-2d903b233030	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
City Park	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	10.00000000000	8.00000000000	25.00000000000	20.00000000000	28.35784725830	-80.73167444230	Excellent	1.00000000000	Winged elm	Tree is Undamaged	<Null>	No Maintenance Required	No	No	895cfc8d-8e0f-424e-81f1-867cf7b2c8cb	Elm (Winged)	No	Ulmus alata	1.00000000000
City Park	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	10.00000000000	8.00000000000	25.00000000000	20.00000000000	28.35783196180	-80.73169682200	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	f55571e1-e512-4ffb-97cf-2ac68c5d9ea9	Magnolia (Southern)	No	Magnolia grandiflora	1.00000000000
City Park	shendley_sfc	9/15/2020 shendley_sfc	9/15/2020	13.00000000000	6.00000000000	20.00000000000	25.00000000000	28.35812520250	-80.73168123170	Excellent	1.00000000000	Ironwood Next to water tower	Tree is Undamaged	<Null>	No Maintenance Required	No	No	4815c6d5-d69f-45b2-9a49-ae0dea5c6f40	Ironwood	No	Carpinus caroliniana	1.00000000000
City Park	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	10.00000000000	10.00000000000	25.00000000000	20.00000000000	28.35784222900	-80.73184291860	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	72dadb3d-1e55-46fb-9f58-56a5cd7e8092	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	8.00000000000	14.00000000000	15.00000000000	15.00000000000	28.35787320060	-80.73179799110	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	b15b8b22-6515-45cf-ade5-dc1ce3bd4202	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	9/15/2020 sbourgoin_sfc	9/15/2020	35.00000000000	20.00000000000	55.00000000000	60.00000000000	28.35800568390	-80.73161914920	Excellent	1.00000000000	Next to water tower	Tree is Undamaged	<Null>	No Maintenance Required	No	No	efa6955a-34a0-4396-b021-2be74bbd52b0	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
City Park	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	10.00000000000	14.00000000000	20.00000000000	15.00000000000	28.35786511210	-80.73181274330	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	71b89ec4-78b3-47ee-a6ca-15ac8507a1b7	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	8.00000000000	12.00000000000	30.00000000000	30.00000000000	28.35787311680	-80.73187049510	Excellent	1.00000000000	Co-dom	Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	a65e10f4-c378-462b-8e69-bab9c45828e0	Chinaberry	No	Melia azedarach	1.00000000000
City Park	sbourgoin_sfc	9/15/2020 sbourgoin_sfc	9/15/2020	20.00000000000	10.00000000000	50.00000000000	30.00000000000	28.35800651070	-80.73176901060	Excellent	1.00000000000	Next to water tower; other 1 cypress just s off point	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	cf855a10-feeb-4650-8105-c5b54e2199d8	Cypress (Bald)	No	Taxodium distichum	2.00000000000
City Park	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	15.00000000000	24.00000000000	30.00000000000	40.00000000000	28.35794293750	-80.73191776890	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	8e972b7c-f6b7-4279-80f4-a71324571e7d	Chinaberry	No	Melia azedarach	1.00000000000
City Park	shendley_sfc	9/15/2020 shendley_sfc	9/15/2020	28.00000000000	22.00000000000	25.00000000000	25.00000000000	28.35808798670	-80.73176563740	Excellent	1.00000000000	Next to water tower	Tree is Undamaged	<Null>	No Maintenance Required	No	No	2da79099-0b1e-476f-a56d-8bc60d4b2ab5	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
City Park	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	30.00000000000	14.00000000000	35.00000000000	25.00000000000	28.35805098030	-80.73191215260	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	3b0fe5d1-fe37-471d-96e2-a0eb917d518f	Red Cedar	No	Juniperus virginiana	1.00000000000
City Park	sbourgoin_sfc	9/15/2020 sbourgoin_sfc	9/15/2020	25.00000000000	10.00000000000	40.00000000000	25.00000000000	28.35802380250	-80.73191253350	Excellent	1.00000000000	Next to water tower	Tree is Undamaged	<Null>	No Maintenance Required	No	No	f7d6b2c4-226a-464f-9c00-766b104d34aa	Holly (East Palatka)	No	Ilex x attenuata	1.00000000000
City Park	shendley_sfc	9/15/2020 shendley_sfc	9/15/2020	10.00000000000	6.00000000000	15.00000000000	10.00000000000	28.35807864120	-80.73186772920	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	b00d45b1-bb92-4237-b87b-90e354e28b29	Bottlebrush (Upright)	No	Callistemon citrinus	1.00000000000
City Park	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	10.00000000000	12.00000000000	35.00000000000	20.00000000000	28.35807369580	-80.73191625970	Excellent	1.00000000000	3	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	425f27ed-69f9-4952-9aa5-d4c6e097b95c	Pine (Slash)	No	Pinus elliottii	3.00000000000
City Park	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	5.00000000000	4.00000000000	15.00000000000	15.00000000000	28.35809951160	-80.73188918630	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	4d5ac1bb-92c9-45af-8289-84a554cf7b43	Chinaberry	No	Melia azedarach	1.00000000000
City Park	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	10.00000000000	10.00000000000	30.00000000000	20.00000000000	28.35814636690	-80.73191584110	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	daaf9207-c6d5-4e50-9887-9255911b623a	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	shendley_sfc	9/15/2020 shendley_sfc	9/15/2020	14.00000000000	14.00000000000	20.00000000000	15.00000000000	28.35825373920	-80.73178349050	Excellent	1.00000000000	2 pines Next to water tower pine looks sick	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	200ee5cb-871f-448b-85de-7f904c462ee2	Pine (Slash)	No	Pinus elliottii	2.00000000000
City Park	sbourgoin_sfc	9/15/2020 sbourgoin_sfc	9/15/2020	25.00000000000	10.00000000000	40.00000000000	40.00000000000	28.35814373610	-80.73193530670	Excellent	1.00000000000	Next to water tower; other cedar 20 ft north; eastern red cedar	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	326c9357-fec4-409f-a262-dcfdc5cdb0b5	Eastern Red Cedar	No	Juniperus virginiana	2.00000000000
City Park	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	10.00000000000	6.00000000000	15.00000000000	15.00000000000	28.35819519140	-80.73191625970	Excellent	1.00000000000	Co-dom / privet	Tree is Undamaged	<Null>	No Maintenance Required	No	No	3ed3f0ba-e873-4f3a-a944-c03f4bc60571	Privet (Florida)	No	Forestiera segregata	1.00000000000
City Park	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	10.00000000000	10.00000000000	20.00000000000	20.00000000000	28.35822209730	-80.73189907680	Excellent	1.00000000000	Co-dom	Tree is Undamaged	<Null>	No Maintenance Required	No	No	0c0aced1-3f18-4e9c-b56e-728e5209de59	Hawthorn	No	Crataegus spp.	1.00000000000
City Park	shendley_sfc	9/15/2020 shendley_sfc	9/15/2020	19.00000000000	14.00000000000	20.00000000000	20.00000000000	28.35830968770	-80.73183931450	Excellent	1.00000000000	Hercules club Next to water tower	Tree is Undamaged	<Null>	No Maintenance Required	No	No	94052056-f87e-4b9a-a9a9-550d6aab71f1	Hercules club	No	Zanthoxylum clava-herculis	1.00000000000
City Park	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	8.00000000000	8.00000000000	25.00000000000	20.00000000000	28.35829858180	-80.73190360340	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	eaa6fa81-631d-4457-8c4d-f99fb6158200	Pine (Slash)	No	Pinus elliottii	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/15/2020 sbourgoin_sfc	9/15/2020	40.00000000000	24.00000000000	55.00000000000	50.00000000000	28.35784890490	-80.73228830240	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	b06a3a87-cba9-4a96-a4a6-83fbc7bd4ad0	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	10.00000000000	14.00000000000	15.00000000000	15.00000000000	28.35824879370	-80.73180838470	Excellent	1.00000000000	Fishtail	Tree is Undamaged	<Null>	No Maintenance Required	No	No	b501ed1d-3631-43bc-a758-3583a0d6f3cb	Palm (Fishtail)	No	Caryota spp.	1.00000000000
City Park	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	5.00000000000	6.00000000000	10.00000000000	15.00000000000	28.35824485380	-80.73175507590	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	b0946052-6da0-4add-a254-df82fa1dcd34	Brazilian Pepper	No	Schinus terebinthifolia	1.00000000000
City Park	shendley_sfc	9/15/2020 shendley_sfc	9/15/2020	27.00000000000	18.00000000000	25.00000000000	30.00000000000	28.35824066330	-80.73171735750	Excellent	1.00000000000	Next to water tower	Tree is Undamaged	<Null>	No Maintenance Required	No	No	01d0f4c9-e520-44b6-9ff5-496c42f37d1f	Basswood	No	Tilia americana	1.00000000000
City Park	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	10.00000000000	12.00000000000	10.00000000000	10.00000000000	28.35827796290	-80.73168416470	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	2784a841-3ab8-4a28-bfae-293dff168d12	Palm (Bismarck)	No	Bismarckia nobilis	1.00000000000
City Building	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	20.00000000000	24.00000000000	35.00000000000	40.00000000000	28.35835285520	-80.73128904250	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	926b736c-3cc2-435b-8953-2fbf3be8e0e7	Oak (Live)	No	Quercus virginiana	1.00000000000
City Building	shendley_sfc	9/15/2020 shendley_sfc	9/15/2020	37.00000000000	24.00000000000	25.00000000000	25.00000000000	28.35842372380	-80.73145190260	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	aa1276df-5d62-494d-b05a-fcaeea0d773b	Oak (Live)	No	Quercus virginiana	1.00000000000
City Building	sbourgoin_sfc	9/15/2020 sbourgoin_sfc	9/15/2020	10.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35828846800	-80.73132784980	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	283b2c1b-3f09-4597-b550-c70b6a129ba1	Palm (Pygmy Date)	No	Phoenix roebelenii	1.00000000000
City Building	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	20.00000000000	18.00000000000	30.00000000000	25.00000000000	28.35852950370	-80.73144888520	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	2dee29b9-47df-4c88-8903-1e441696b71f	Orchid Tree	No	Bauhinia variegata	1.00000000000
City Building	shendley_sfc	9/15/2020 shendley_sfc	9/15/2020	36.00000000000	20.00000000000	25.00000000000	35.00000000000	28.35794134540	-80.73146900200	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	3a4784c8-b07a-4f4a-a484-e5849cfde1c8	Oak (Live)	No	Quercus virginiana	1.00000000000
City Building	shendley_sfc	9/15/2020 shendley_sfc	9/15/2020	19.00000000000	14.00000000000	25.00000000000	20.00000000000	28.35790278880	-80.73145190260	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	da522c64-5b97-4eb5-af6d-f1e5e379ab3f	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Building	sbourgoin_sfc	9/15/2020 sbourgoin_sfc	9/15/2020	15.00000000000	12.00000000000	20.00000000000	20.00000000000	28.35827777310	-80.73101566630	Excellent	1.00000000000	3 eastern red cedars	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	dc6c5703-175e-4745-a5e6-2506d6d7dd8d	Eastern Red Cedar	No	Juniperus virginiana	3.00000000000
City Building	shendley_sfc	9/15/2020 shendley_sfc	9/15/2020	15.00000000000	14.00000000000	25.00000000000	15.00000000000	28.35784025980	-80.73148031720	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	3a4b76b6-406b-497b-a522-10eadc90ccd2	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Building	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	20.00000000000	18.00000000000	35.00000000000	30.00000000000	28.35787035080	-80.73135450460	Excellent	1.00000000000	4	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	7a106d78-aca1-40a9-92f6-247aeb12896c	Oak (Live)	No	Quercus virginiana	4.00000000000
City Building	sbourgoin_sfc	9/15/2020 sbourgoin_sfc	9/15/2020	50.00000000000	26.00000000000	60.00000000000	60.00000000000	28.35809136610	-80.73110772480	Excellent	1.00000000000	2 live oaks, had to take point thru fence no access	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	9f1a615a-25c0-4edd-acad-d9678a0ab844	Oak (Live)	No	Quercus virginiana	2.00000000000
City Building	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	3.00000000000	6.00000000000	5.00000000000	10.00000000000	28.35794842770	-80.73102149190	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	84e828c8-33ff-4279-91ff-e19c88355eb2	Brazilian Pepper	No	Schinus terebinthifolia	1.00000000000
City Building	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	10.00000000000	6.00000000000	10.00000000000	10.00000000000	28.35797877080	-80.73104244690	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	0e42b548-2a6b-4206-9300-7168b4f2a8b0	Viburnum	No	Viburnum spp.	1.00000000000
City Building	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	3.00000000000	6.00000000000	5.00000000000	10.00000000000	28.35808375350	-80.73104890040	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	bdbe40ab-b2d0-46f6-8ca6-9a670ec524ce	Brazilian Pepper	No	Schinus terebinthifolia	1.00000000000
City Building	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	10.00000000000	6.00000000000	10.00000000000	10.00000000000	28.35813048310	-80.73100858400	Excellent	1.00000000000	Co-dom/.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	be2afaae-8161-4911-8ac7-34dc72d2eef8	Tabebuia	No	Tabebuia spp.	1.00000000000
2-4 Ft ROW	shendley_sfc	9/15/2020 shendley_sfc	9/15/2020	15.00000000000	24.00000000000	15.00000000000	15.00000000000	28.35955666400	-80.73153044140	Excellent	1.00000000000	9 sabals, 3 of them across road	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	533608e6-7b42-4775-87f5-151e4143b899	Palm (Cabbage)	No	Sabal palmetto	9.00000000000
City Building	sbourgoin_sfc	9/15/2020 sbourgoin_sfc	9/15/2020	2.00000000000	4.00000000000	15.00000000000	10.00000000000	28.36057909190	-80.73235220770	Excellent	1.00000000000	4 planted live oaks along side of fire station	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	c73c1ed5-6592-48d6-be6e-4de7c9cf1ebf	Oak (Live)	No	Quercus virginiana	4.00000000000
City Building	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.36007613230	-80.73134738000	Excellent	1.00000000000	Co-dom	Tree is Undamaged	<Null>	No Maintenance Required	No	No	8ba71ad9-affd-4171-a4bb-f39c351d1805	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
City Building	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.36035189690	-80.73133505870	Excellent	1.00000000000	Co-dom	Tree is Undamaged	<Null>	No Maintenance Required	No	No	ba0f28cc-ce57-413e-b141-5c06de77d06c	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
City Building	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.36041044420	-80.73131578090	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	09d87de7-8428-4591-aecc-6b8f460c628b	Oak (Live)	No	Quercus virginiana	1.00000000000
City Building	shendley_sfc	9/15/2020 shendley_sfc	9/15/2020	30.00000000000	18.00000000000	30.00000000000	25.00000000000	28.36059094850	-80.73170780210	Excellent	1.00000000000	3	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	88638333-2936-45a6-bb92-e9f51c8740de	Palm (Silver Date)	No	Phoenix sylvestris	3.00000000000
City Building	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	10.00000000000	6.00000000000	10.00000000000	10.00000000000	28.35926987690	-80.73711496750	Excellent	1.00000000000	7	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	bc862c5e-282b-4611-bf32-99ad935c74f1	Crepe Myrtle	No	Lagerstroemia spp.	7.00000000000
City Building	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	25.00000000000	14.00000000000	15.00000000000	15.00000000000	28.35921141350	-80.73712016430	Excellent	1.00000000000	Co- dom, 3	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	51a85c62-8b40-4250-b3b4-04d248060312	Crepe Myrtle	No	Lagerstroemia spp.	3.00000000000
City Building	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	20.00000000000	10.00000000000	25.00000000000	10.00000000000	28.35933944690	-80.73713248640	Excellent	1.00000000000	3	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	8cf22a48-d8cd-43b2-bf5d-16e644516757	Palm (Cabbage)	No	Sabal palmetto	3.00000000000
City Building	sbourgoin_sfc	9/15/2020 sbourgoin_sfc	9/15/2020	3.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35898855150	-80.73678850180	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	20c6c80d-08b0-46d7-8089-5be853db20e6	Oak (Sand Live)	No	Quercus geminata	1.00000000000
City Building	sbourgoin_sfc	9/15/2020 sbourgoin_sfc	9/15/2020	20.00000000000	12.00000000000	25.00000000000	15.00000000000	28.35909893080	-80.73671217280	Excellent	1.00000000000	4 in Woodland	Tree is Undamaged	<Null>	No Maintenance Required	No	No	abf1c9c7-67a9-4006-8f7e-5a2cfcffd8d5	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Building	sbourgoin_sfc	9/15/2020 sbourgoin_sfc	9/15/2020	5.00000000000	6.00000000000	10.00000000000	10.00000000000	28.35909893080	-80.73671217280	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	67ec8a3b-de11-4d7a-8ce8-82b15531b66a	Palm (Bismarck)	No	Bismarckia nobilis	1.00000000000
City Building	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	20.00000000000	18.00000000000	40.00000000000	30.00000000000	28.35946882160	-80.73736583820	Excellent	1.00000000000	4	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	df514b3d-162f-4092-868c-389bd38a50de	Cypress (Pond)	No	Taxodium ascendens	4.00000000000
City Building	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	5.00000000000	6.00000000000	10.00000000000	15.00000000000	28.35958696470	-80.73752123870	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	4025f9d4-fe23-4f42-b041-d8ca95573a9a	Brazilian Pepper	No	Schinus terebinthifolia	1.00000000000
City Building	sbourgoin_sfc	9/15/2020 sbourgoin_sfc	9/15/2020	15.00000000000	8.00000000000	25.00000000000	25.00000000000	28.35903971000	-80.73727196430	Excellent	1.00000000000	1 of 3 crepe myrtles by building entrance	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	b6c9aabe-4ee7-4d0d-a9dc-1271c82eeae7	Crepe Myrtle	No	Lagerstroemia spp.	3.00000000000
City Building	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	10.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35961081100	-80.73750933600	Excellent	1.00000000000	14 , banana	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	0a15c083-97bc-4345-ae4f-c8ee5c942a23	Banana Tree	No	Musa spp.	14.00000000000
City Building	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	15.00000000000	10.00000000000	25.00000000000	30.00000000000	28.35966571220	-80.73800319830	Excellent	1.00000000000	5	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	06bc6f0d-0e24-42f0-809f-d38b68f82144	Oak (Live)	No	Quercus virginiana	5.00000000000
City Building	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	20.00000000000	14.00000000000	35.00000000000	30.00000000000	28.36016204690	-80.73786464480	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	1a9cddf2-c250-4dcd-a03e-41732b524456	Sugarberry	No	Celtis laevigata	1.00000000000
City Building	sbourgoin_sfc	9/15/2020 sbourgoin_sfc	9/15/2020	30.00000000000	14.00000000000	35.00000000000	40.00000000000	28.35894929970	-80.73735143910	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	5625e27d-940f-4606-aa9f-7b3f9d6411cc	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
City Building	sbourgoin_sfc	9/15/2020 sbourgoin_sfc	9/15/2020	40.00000000000	22.00000000000	65.00000000000	55.00000000000	28.35893511160	-80.73732435220	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	57f461ec-a397-4cf6-9ad7-a927bd3e211d	Pine (Longleaf)	No	Pinus palustris	1.00000000000
City Building	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	3.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35969877890	-80.73843671000	Excellent	1.00000000000	4	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	f826eaa9-dfd1-410e-9a28-52928208b414	Oak (Live)	No	Quercus virginiana	4.00000000000
City Building	sbourgoin_sfc	9/15/2020 sbourgoin_sfc	9/15/2020	25.00000000000	12.00000000000	35.00000000000	40.00000000000	28.35893592110	-80.73796118950	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	fec54972-fd77-45dd-b837-ed86022b30b3	Oak (Live)	No	Quercus virginiana	1.00000000000
City Building	sbourgoin_sfc	9/15/2020 sbourgoin_sfc	9/15/2020	20.00000000000	12.00000000000	25.00000000000	15.00000000000	28.35943927810	-80.73746740620	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	cba68f8a-02ac-49b2-a339-d326b7dd0f4c	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Building	sbourgoin_sfc	9/15/2020 sbourgoin_sfc	9/15/2020	15.00000000000	12.00000000000	25.00000000000	15.00000000000	28.36054326900	-80.73850313860	Excellent	1.00000000000	4 trees in cluster	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	7c62ab7b-7e13-45b6-be29-9aee39f8c16d	Palm (Cabbage)	No	Sabal palmetto	4.00000000000
City Building	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	6.00000000000	6.00000000000	15.00000000000	10.00000000000	28.36080079010	-80.73877098030	Excellent	1.00000000000	6 along wall	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	046cdcc9-1254-41fb-b06f-7aac55226ed5	Holly (East Palatka)	No	Ilex x attenuata	6.00000000000
City Building	sbourgoin_sfc	9/15/2020 sbourgoin_sfc	9/15/2020	5.00000000000	6.00000000000	15.00000000000	15.00000000000	28.36058679370	-80.73861319930	Excellent	1.00000000000	7 Brazilian pepper close together	Tree is Undamaged	<Null>	No Maintenance Required	Yes	Yes	27c24c74-2ade-42f4-b4bb-8023159515a3	Brazilian Pepper	No	Schinus terebinthifolia	7.00000000000
City Building	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	10.00000000000	20.00000000000	25.00000000000	10.00000000000	28.36167841720	-80.73870979240	Excellent	1.00000000000	Small Brazilian pepper growing at base	Tree is Undamaged	<Null>	No Maintenance Required	No	No	5aa86925-c43d-40e6-9360-c1a145ccc9cd	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
City Building	sbourgoin_sfc	9/15/2020 sbourgoin_sfc	9/15/2020	15.00000000000	12.00000000000	25.00000000000	15.00000000000	28.36090000810	-80.73860355320	Excellent	1.00000000000	4 cabbage palms together	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	98a97528-6fe9-4d29-a717-7be9c17c0294	Palm (Cabbage)	No	Sabal palmetto	4.00000000000
City Building	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	10.00000000000	6.00000000000	15.00000000000	10.00000000000	28.36200866420	-80.73886251050	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	c63eff39-23f8-469f-8628-26da750736bf	Holly (East Palatka)	No	Ilex x attenuata	1.00000000000
City Building	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	6.00000000000	6.00000000000	15.00000000000	10.00000000000	28.36192819750	-80.73842170630	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	97af6cd0-98de-4af2-bbd6-c4a1cae31cc8	Holly (East Palatka)	No	Ilex x attenuata	1.00000000000
City Building	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	6.00000000000	4.00000000000	10.00000000000	10.00000000000	28.36177728110	-80.73845288680	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	57ecaa25-3f94-4ee1-80f8-6f9f5a135d21	Holly (East Palatka)	No	Ilex x attenuata	1.00000000000
City Building	sbourgoin_sfc	9/15/2020 sbourgoin_sfc	9/15/2020	15.00000000000	12.00000000000	25.00000000000	15.00000000000	28.36136560510	-80.73846561870	Excellent	1.00000000000	6 cabbage palms in a row	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	08fbc42d-1f08-45b7-82ef-7470c789156b	Palm (Cabbage)	No	Sabal palmetto	6.00000000000
City Building	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	20.00000000000	10.00000000000	20.00000000000	10.00000000000	28.36167225620	-80.73842120330	Excellent	1.00000000000	3	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	79e7bb11-d605-4e1a-ab16-7b817b25317f	Palm (Cabbage)	No	Sabal palmetto	3.00000000000
City Building	sbourgoin_sfc	9/15/2020 sbourgoin_sfc	9/15/2020	15.00000000000	12.00000000000	25.00000000000	15.00000000000	28.36124389260	-80.73827115050	Excellent	1.00000000000	2 clusters of 3 cabbage palms bordering dumpster	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	a424d582-3e4d-4397-ab06-458626e23876	Palm (Cabbage)	No	Sabal palmetto	6.00000000000
City Building	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	8.00000000000	6.00000000000	15.00000000000	15.00000000000	28.36131828880	-80.73803823440	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	5ce676cf-d013-464d-9276-fc609d076041	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
City Building	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	8.00000000000	8.00000000000	20.00000000000	20.00000000000	28.36131242100	-80.73746566710	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	7d379191-fbc5-4671-a63d-34e94bc8a137	Oak (Live)	No	Quercus virginiana	1.00000000000
City Building	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	8.00000000000	6.00000000000	15.00000000000	15.00000000000	28.36152444130	-80.73742669100	Excellent	1.00000000000	2	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	5b3ee122-a657-436a-8de4-45509b3d6ff1	Crepe Myrtle	No	Lagerstroemia spp.	2.00000000000
City Building	sbourgoin_sfc	9/15/2020 sbourgoin_sfc	9/15/2020	15.00000000000	12.00000000000	25.00000000000	15.00000000000	28.36088650960	-80.73818602970	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	abad5c5b-1ddf-457a-b1da-b81901b7b1b9	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Building	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	15.00000000000	8.00000000000	15.00000000000	15.00000000000	28.36186755460	-80.73746625370	Excellent	1.00000000000	3	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	c05ad719-0d04-4a34-91ae-148bf513f833	Palm (Queen)	No	Syagrus romanzoffiana	3.00000000000
City Building	sbourgoin_sfc	9/15/2020 sbourgoin_sfc	9/15/2020	15.00000000000	12.00000000000	25.00000000000	15.00000000000	28.36080523100	-80.73807152060	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	98bf9815-d094-4f83-98a8-9fe9801825d2	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Building	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	20.00000000000	18.00000000000	15.00000000000	20.00000000000	28.36148580060	-80.73649554500	Excellent	1.00000000000	Co-dom	Tree is Undamaged	<Null>	No Maintenance Required	No	No	0535d35f-76e3-46b9-a2e9-6295a90bc0a3	Red Cedar	No	Juniperus virginiana	1.00000000000
City Building	sbourgoin_sfc	9/15/2020 sbourgoin_sfc	9/15/2020	20.00000000000	16.00000000000	35.00000000000	40.00000000000	28.36071373130	-80.73807387770	Excellent	1.00000000000	4 in median landscaping	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	d01028dc-931f-4533-a930-a609d16468db	Box Elder	No	Acer negundo	4.00000000000
City Building	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	25.00000000000	20.00000000000	50.00000000000	30.00000000000	28.36145642210	-80.73646260470	Excellent	1.00000000000	2	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	398e97ad-ea98-4182-877c-ae9fb35e4d1f	Sweetgum	No	Liquidambar styraciflua	2.00000000000
City Building	sbourgoin_sfc	9/15/2020 sbourgoin_sfc	9/15/2020	15.00000000000	12.00000000000	20.00000000000	15.00000000000	28.36068103410	-80.73795908200	Excellent	1.00000000000	2 cabbage palms in median	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	77178d55-adf3-4e7e-904a-1f58e9618cbe	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
City Building	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	35.00000000000	22.00000000000	30.00000000000	45.00000000000	28.36126221380	-80.73660803020	Excellent	1.00000000000	2	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	599b63a0-d22a-4df8-a827-be6fe0a95ac6	Oak (Live)	No	Quercus virginiana	2.00000000000
City Building	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	30.00000000000	20.00000000000	55.00000000000	30.00000000000	28.36123333790	-80.73656142650	Excellent	1.00000000000	8	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	ba3dc08d-dcd3-4880-b36d-3d01b1b8210d	Cypress (Bald)	No	Taxodium distichum	8.00000000000
City Building	sbourgoin_sfc	9/15/2020 sbourgoin_sfc	9/15/2020	15.00000000000	12.00000000000	25.00000000000	15.00000000000	28.36069522350	-80.73764379310	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	6f72c537-aa75-4dcc-a6de-b6e752d8e59a	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Building	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	20.00000000000	14.00000000000	40.00000000000	25.00000000000	28.36115408730	-80.73654742900	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	201168e6-7064-4574-a93b-89695f02656e	Sweetgum	No	Liquidambar styraciflua	1.00000000000
City Building	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	10.00000000000	8.00000000000	20.00000000000	15.00000000000	28.36129305870	-80.73651029710	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	935380f4-45b3-4dad-a9a1-f9d465614839	Palm (Chinese Fan)	No	Livistona chiensis	1.00000000000
City Building	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	30.00000000000	20.00000000000	50.00000000000	20.00000000000	28.36127537310	-80.73645682040	Excellent	1.00000000000	Co-dom	Tree is Undamaged	<Null>	No Maintenance Required	No	No	f4ca75ab-dfba-4b00-8d4a-53c4ce67f995	Pine (Norfolk Island)	No	Araucaria heterophylla	1.00000000000
City Building	sbourgoin_sfc	9/15/2020 sbourgoin_sfc	9/15/2020	10.00000000000	6.00000000000	15.00000000000	15.00000000000	28.36045233580	-80.73670546150	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	a78a6e41-c611-498b-9982-fcbb9bc7da4f	Oak (Sand Live)	No	Quercus geminata	1.00000000000
City Building	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	3.00000000000	4.00000000000	15.00000000000	15.00000000000	28.36123191270	-80.73642974700	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	6563f589-732e-40ea-98ce-76be92d90e8d	Palm (Chinese Fan)	No	Livistona chiensis	1.00000000000
City Building	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	5.00000000000	8.00000000000	15.00000000000	15.00000000000	28.36115961910	-80.73647266220	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	c3eaa3e4-8a3e-4cb8-8625-3cdf41aa32d5	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
City Building	sbourgoin_sfc	9/15/2020 sbourgoin_sfc	9/15/2020	15.00000000000	12.00000000000	40.00000000000	15.00000000000	28.36052962030	-80.73646392250	Excellent	1.00000000000	2 palms along inside fence	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	6b925e14-0a6a-4cc6-ace0-7e287d8e7fae	Palm (Washingtonia)	No	Washingtonia robusta	2.00000000000
City Building	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	8.00000000000	8.00000000000	20.00000000000	20.00000000000	28.36092811090	-80.73648062580	Excellent	1.00000000000	2	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	9512a5d4-8134-4a1a-bbc5-8cda016d0fc6	Oak (Live)	No	Quercus virginiana	2.00000000000
City Building	sbourgoin_sfc	9/15/2020 sbourgoin_sfc	9/15/2020	20.00000000000	12.00000000000	35.00000000000	40.00000000000	28.36101657730	-80.73692863090	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	46035f34-9ada-4268-8a2e-c287952ed845	Sycamore	No	Platanus occidentalis	1.00000000000
4+ Ft ROW	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	20.00000000000	10.00000000000	55.00000000000	15.00000000000	28.36197094540	-80.73710130500	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	77370b00-3528-4a96-8bcd-d8de8de9aae6	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
4+ Ft ROW	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	25.00000000000	10.00000000000	60.00000000000	15.00000000000	28.36192086340	-80.73665765140	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	41930896-7c05-416a-bdf2-e80e2a051e67	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/15/2020 sbourgoin_sfc	9/15/2020	10.00000000000	6.00000000000	15.00000000000	10.00000000000	28.36035693230	-80.73653247740	Excellent	1.00000000000	11 crepes in a row along ROW	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	9cabc78a-c1b0-44b2-87c4-cd92d041d641	Crepe Myrtle	No	Lagerstroemia spp.	11.00000000000
4+ Ft ROW	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	25.00000000000	10.00000000000	60.00000000000	15.00000000000	28.36173394660	-80.73641734210	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	1d67db0d-fddd-4bd9-ac6e-bd48e02d2807	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/15/2020 sbourgoin_sfc	9/15/2020	25.00000000000	12.00000000000	60.00000000000	15.00000000000	28.36045182830	-80.73638938030	Excellent	1.00000000000	7 total Washingtonian along n and w ROW	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	7ad2813d-710f-47ee-aef6-fed75a2dae63	Palm (Washingtonia)	No	Washingtonia robusta	7.00000000000
4+ Ft ROW	sbourgoin_sfc	9/15/2020 sbourgoin_sfc	9/15/2020	15.00000000000	12.00000000000	25.00000000000	15.00000000000	28.36033498180	-80.73829723840	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	eec15e4c-0bcb-4ebc-8923-648736c601eb	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Building	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	10.00000000000	16.00000000000	25.00000000000	25.00000000000	28.36184140220	-80.73460950600	Excellent	1.00000000000	Co-dom	Tree is Undamaged	<Null>	No Maintenance Required	No	No	5688a428-a3bb-4d2e-918a-365907ec8e8f	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
City Building	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	25.00000000000	22.00000000000	35.00000000000	40.00000000000	28.36197526220	-80.73455278730	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	1c067f0d-d150-44f5-8f32-2e774d727783	Oak (Live)	No	Quercus virginiana	1.00000000000
City Building	sbourgoin_sfc	9/15/2020 sbourgoin_sfc	9/15/2020	20.00000000000	18.00000000000	45.00000000000	30.00000000000	28.36162660320	-80.73473551900	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	47ccd9b3-9717-4663-82dc-e7cd6a301208	Cypress (Bald)	No	Taxodium distichum	1.00000000000
City Building	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	25.00000000000	20.00000000000	35.00000000000	40.00000000000	28.36211561670	-80.73454164010	Excellent	1.00000000000	4	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	90443727-7997-46b1-8d09-0217596eb524	Oak (Live)	No	Quercus virginiana	4.00000000000
City Building	sbourgoin_sfc	9/15/2020 sbourgoin_sfc	9/15/2020	40.00000000000	22.00000000000	60.00000000000	60.00000000000	28.36147113860	-80.73460886730	Excellent	1.00000000000	4 large live oaks on inside boundary of water reclemation	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	4acb7227-da92-45cd-b825-32748c2d3898	Oak (Live)	No	Quercus virginiana	4.00000000000
City Building	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	15.00000000000	12.00000000000	15.00000000000	20.00000000000	28.36266400260	-80.73460182180	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	400713f5-561d-49e0-825f-e915e253641f	Red Cedar	No	Juniperus virginiana	1.00000000000
City Building	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	20.00000000000	20.00000000000	30.00000000000	35.00000000000	28.36273076810	-80.73501984560	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	48ee4b30-f59e-49ff-888e-3f10b035bcc2	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	20.00000000000	12.00000000000	20.00000000000	10.00000000000	28.36278227170	-80.73462738700	Excellent	1.00000000000	3 ; 2 of which are small	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	84723192-1154-48e6-95c8-685b252fc0db	Palm (Cabbage)	No	Sabal palmetto	3.00000000000
City Building	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	25.00000000000	20.00000000000	35.00000000000	35.00000000000	28.36301259580	-80.73551272160	Excellent	1.00000000000	6, all is approximate as no access was granted	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	564ecb99-f58e-4715-a334-1654e6c6ed15	Oak (Live)	No	Quercus virginiana	6.00000000000
City Building	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	10.00000000000	22.00000000000	15.00000000000	10.00000000000	28.36342956390	-80.73590319590	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	6873b9b3-8766-45ae-97f7-c15773e983f7	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Building	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	23.00000000000	14.00000000000	30.00000000000	30.00000000000	28.36331470400	-80.73618645710	Excellent	1.00000000000	4, approximate	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	1538355e-8b90-4525-8759-3836e16889f8	Oak (Live)	No	Quercus virginiana	4.00000000000
City Building	sbourgoin_sfc	9/15/2020 sbourgoin_sfc	9/15/2020	25.00000000000	14.00000000000	45.00000000000	30.00000000000	28.36016774090	-80.73497886000	Excellent	1.00000000000	Estimated through fence, no entry	Tree is Undamaged	<Null>	No Maintenance Required	No	No	78d11f5f-8934-4891-bce1-f5211c9d3086	Oak (Live)	No	Quercus virginiana	1.00000000000
City Building	sbourgoin_sfc	9/15/2020 sbourgoin_sfc	9/15/2020	30.00000000000	22.00000000000	65.00000000000	65.00000000000	28.36138385590	-80.73543798530	Excellent	1.00000000000	Approximated thru fence, no entry	Tree is Undamaged	<Null>	No Maintenance Required	No	No	68ba0b7c-4f07-436d-9bc1-e68613506900	Oak (Live)	No	Quercus virginiana	1.00000000000
City Building	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	20.00000000000	20.00000000000	30.00000000000	30.00000000000	28.36313553630	-80.73612542110	Excellent	1.00000000000	Approximate	Tree is Undamaged	<Null>	No Maintenance Required	No	No	2d7b4765-f1af-4f42-992f-558798678f9f	Oak (Live)	No	Quercus virginiana	1.00000000000
City Building	acarroll_sfc	9/15/2020 acarroll_sfc	9/15/2020	10.00000000000	20.00000000000	15.00000000000	10.00000000000	28.36345504480	-80.73519316480	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	1a12c4b0-9740-43b1-98d3-db7b27ce2e18	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Building	sbourgoin_sfc	9/15/2020 sbourgoin_sfc	9/15/2020	30.00000000000	16.00000000000	70.00000000000	50.00000000000	28.36197082210	-80.73564210320	Excellent	1.00000000000	Approximated thru fence, no entry	Tree is Undamaged	<Null>	No Maintenance Required	No	No	bcfc8863-4732-49ce-806f-b52b550eec4e	Cypress (Bald)	No	Taxodium distichum	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/15/2020 sbourgoin_sfc	9/15/2020	5.00000000000	6.00000000000	10.00000000000	10.00000000000	28.36302843300	-80.74111241660	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	7ea5afd6-88b2-4e4b-baf4-2d3367608277	Palm (Sago)	No	Cycas revoluta	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/15/2020 sbourgoin_sfc	9/15/2020	5.00000000000	6.00000000000	15.00000000000	10.00000000000	28.36376643350	-80.74135541630	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	687e2b9f-3bb0-485d-bcb8-f41637caafe4	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/15/2020 sbourgoin_sfc	9/15/2020	15.00000000000	14.00000000000	25.00000000000	15.00000000000	28.36395803340	-80.74180424960	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	c3a4ad25-1639-4ceb-97b5-908f87dbafad	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/15/2020 shendley_sfc	9/15/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.36335232500	-80.74182776660	Excellent	1.00000000000	Reclanata	Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	1d217037-7516-4212-bc97-ed33a7fc1229	Palm (Senegal Date)	No	Phoenix reclinata	1.00000000000
4+ Ft ROW	shendley_sfc	9/15/2020 shendley_sfc	9/15/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.36322650900	-80.74181833970	Excellent	1.00000000000	Coconut	Tree is Undamaged	<Null>	No Maintenance Required	No	No	092317af-4377-431a-9a92-09b6eb7671f5	Palm (Coconut)	No	Cocos nucifera	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/15/2020 sbourgoin_sfc	9/15/2020	30.00000000000	22.00000000000	35.00000000000	30.00000000000	28.36298823090	-80.74107809830	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	afe888ea-677b-4a17-9dd2-913a2c0ce00a	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/15/2020 shendley_sfc	9/15/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.36302724730	-80.74185713880	Excellent	1.00000000000	Lead tree	Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	67d8c5a8-69d0-469a-8afa-1927a3678813	Lead Tree	No	Leucaena leucocephala	1.00000000000
4+ Ft ROW	shendley_sfc	9/15/2020 shendley_sfc	9/15/2020	10.00000000000	14.00000000000	10.00000000000	10.00000000000	28.36287797820	-80.74179932870	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	713b0167-1d7c-421a-98da-7cf1f2bd1633	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/15/2020 sbourgoin_sfc	9/15/2020	20.00000000000	14.00000000000	30.00000000000	15.00000000000	28.36276100310	-80.74176948120	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	3e304c37-3a58-43e0-ba96-1a7df7402b42	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/15/2020 shendley_sfc	9/15/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.36173953930	-80.74122664370	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	9e46ab7c-9726-4741-ba75-7622a97dc721	Palm (Pygmy Date)	No	Phoenix roebelenii	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/15/2020 sbourgoin_sfc	9/15/2020	5.00000000000	6.00000000000	10.00000000000	5.00000000000	28.36176194010	-80.74120540390	Excellent	1.00000000000	2 palms	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	148e47d5-e52d-4dc2-91a4-1ae04099a474	Palm (Pygmy Date)	No	Phoenix roebelenii	2.00000000000
4+ Ft ROW	shendley_sfc	9/15/2020 shendley_sfc	9/15/2020	10.00000000000	6.00000000000	10.00000000000	10.00000000000	28.36194471080	-80.74103774510	Excellent	1.00000000000	Co dom	Tree is Undamaged	<Null>	No Maintenance Required	No	No	a8800f89-3e9e-4389-9d54-ee0ec67e8d9d	Red Cedar	No	Juniperus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/15/2020 sbourgoin_sfc	9/15/2020	5.00000000000	4.00000000000	15.00000000000	10.00000000000	28.36183726950	-80.74206382950	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	671ce95f-ddd1-400a-8ead-e01f4503462a	Oak (Sand Live)	No	Quercus geminata	1.00000000000
4+ Ft ROW	shendley_sfc	9/15/2020 shendley_sfc	9/15/2020	10.00000000000	8.00000000000	10.00000000000	10.00000000000	28.36432074400	-80.74172768350	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	b255da19-5723-43ae-9520-8491be329108	Palm (Cabbage)	No	Sabal palmetto	1.00000000000

2-4 Ft ROW	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	10.00000000000	20.00000000000	20.00000000000	15.00000000000	28.36433273860	-80.74197276820	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	622b9f2f-d913-4329-9812-4b411a404c9d	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	20.00000000000	8.00000000000	20.00000000000	15.00000000000	28.36514528240	-80.74101395680	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	45678a9d-53f5-4224-a2d8-20885d2ea979	Chinese Tallow	No	Triadica sebifera	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	20.00000000000	18.00000000000	50.00000000000	25.00000000000	28.36506223090	-80.74108076000	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	f74b7a63-7ef3-4ffc-9df9-5250f75d8f79	Pine (Slash)	No	Pinus elliottii	1.00000000000
4+ Ft ROW	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	5.00000000000	6.00000000000	15.00000000000	15.00000000000	28.36525031570	-80.74102966650	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	1e79a34e-22b1-44bc-8dc3-7c6c8909d27b	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
4+ Ft ROW	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.36530931570	-80.74106841620	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	33fc7148-8cb5-4dd4-b432-44b0fe669968	Brazilian Pepper	No	Schinus terebinthifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	40.00000000000	26.00000000000	55.00000000000	20.00000000000	28.36532941710	-80.74104949770	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	ceeb9d1b-4425-4425-bf72-daa57a13baac	Pine (Norfolk Island)	No	Araucaria heterophylla	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	15.00000000000	24.00000000000	25.00000000000	15.00000000000	28.36690299110	-80.74097996270	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	cc602b10-435d-462f-b348-49160db64322	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	30.00000000000	24.00000000000	30.00000000000	45.00000000000	28.36767357750	-80.74104418600	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	cbc7c09f-0cf0-40ea-999f-6aface184573	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	15.00000000000	10.00000000000	15.00000000000	10.00000000000	28.36759117540	-80.74106281970	Excellent	1.00000000000	2 , co-dom	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	5d7de28a-1575-4644-a47a-0def6be8143f	Red Cedar	No	Juniperus virginiana	2.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	5.00000000000	4.00000000000	15.00000000000	10.00000000000	28.36730245450	-80.74113745270	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	336e8fd1-08f3-48fb-ad21-dd86fe0a7f54	Pine (Plum)	No	Podocarpus spp.	1.00000000000
4+ Ft ROW	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	5.00000000000	6.00000000000	10.00000000000	10.00000000000	28.36746862650	-80.74104149640	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	16ee74b8-6bdc-4c6a-a325-d40d8688ebb2	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
2-4 Ft ROW	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	10.00000000000	12.00000000000	30.00000000000	25.00000000000	28.36714035770	-80.74182042560	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	99f75af7-f944-43aa-ac77-306cc0e07342	Sycamore	No	Platanus occidentalis	1.00000000000
2-4 Ft ROW	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	10.00000000000	10.00000000000	25.00000000000	20.00000000000	28.36699629790	-80.74184011220	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	8de517c7-c54a-4cad-b996-4bbfdc4da84b	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	25.00000000000	16.00000000000	30.00000000000	35.00000000000	28.36713358750	-80.74169652190	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	b8905f57-3cdb-4b06-b6a3-0f780a74f8e9	Sycamore	No	Platanus occidentalis	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	25.00000000000	12.00000000000	25.00000000000	25.00000000000	28.36683328300	-80.74178141630	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	cc2ef8cd-76b4-4c7e-b7e8-e9d5b0dc9c6f	Sycamore	No	Platanus occidentalis	1.00000000000
2-4 Ft ROW	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	30.00000000000	30.00000000000	35.00000000000	60.00000000000	28.36628869700	-80.74184821050	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	77d1bae4-1c55-4cf2-b3f0-f249890ada95	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	5.00000000000	10.00000000000	10.00000000000	5.00000000000	28.36591929080	-80.74179070930	Excellent	1.00000000000	3	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	7436b8ca-3c9d-45ff-a50e-ad2c1a647c74	Palm (Sago)	No	Cycas revoluta	3.00000000000
4+ Ft ROW	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	15.00000000000	14.00000000000	20.00000000000	10.00000000000	28.36190286640	-80.74552908340	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	9556d0ff-7192-4553-82da-6fc0bac39ee9	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	15.00000000000	18.00000000000	30.00000000000	30.00000000000	28.36339699000	-80.74554319240	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	943bcedd-3609-47fc-b4b0-2ed289b43ecb	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	2.00000000000	4.00000000000	10.00000000000	10.00000000000	28.36342206700	-80.74628013340	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	f0a720b5-07eb-4b46-96da-9543118e96f5	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	40.00000000000	22.00000000000	50.00000000000	65.00000000000	28.36408806650	-80.74552633370	Excellent	1.00000000000	earpod tree	Tree is Undamaged	<Null>	No Maintenance Required	No	No	4b826ef2-b737-4585-ad4f-ebba0d66a38a	Earpod Tree	No	Enterolobium cyclocarpum	1.00000000000
4+ Ft ROW	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	10.00000000000	12.00000000000	15.00000000000	10.00000000000	28.36433443340	-80.74584194600	Excellent	1.00000000000	2	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	a95697f8-7bcb-4425-afc5-340887849fca	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
4+ Ft ROW	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	10.00000000000	8.00000000000	10.00000000000	10.00000000000	28.36464349470	-80.74616272270	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	b3e195a6-8d95-4b90-b854-74092d7ca791	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	20.00000000000	20.00000000000	30.00000000000	35.00000000000	28.36493313180	-80.74618179030	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	ff29cd46-7419-4793-8754-ba2e18ea439a	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	40.00000000000	30.00000000000	40.00000000000	60.00000000000	28.36503038320	-80.74617278290	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	94f66c6a-4ab7-49cf-847d-3e73ef5ec047	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	20.00000000000	20.00000000000	35.00000000000	35.00000000000	28.36550040460	-80.74624369770	Excellent	1.00000000000	2	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	17031eab-51d8-40e0-8986-ec39442e8c29	Oak (Live)	No	Quercus virginiana	2.00000000000
4+ Ft ROW	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	5.00000000000	6.00000000000	10.00000000000	10.00000000000	28.36590620720	-80.74624753440	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	49d62915-25c1-436b-936f-fd5ceaae150b	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	40.00000000000	32.00000000000	40.00000000000	60.00000000000	28.36632671700	-80.74618273360	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	3d084c14-843d-4044-b5c4-dcf1abec9b6c	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	20.00000000000	20.00000000000	35.00000000000	40.00000000000	28.36669324300	-80.74625588160	Excellent	1.00000000000	Overhanging Roadway	Tree is Undamaged	<Null>	No Maintenance Required	No	No	a511ccce-10e2-4d15-81c3-1b0408f3ff8d	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	20.00000000000	24.00000000000	40.00000000000	35.00000000000	28.36675972690	-80.74624752630	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	901e868f-d253-4296-91db-3d6fa13fc181	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	2.00000000000	4.00000000000	10.00000000000	5.00000000000	28.36697980840	-80.74627188780	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	732da70a-4f15-4103-8a93-c6b15f2c9938	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	40.00000000000	18.00000000000	45.00000000000	40.00000000000	28.36680558330	-80.74623273290	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	1f3f6a3b-4b65-40a0-a9d3-96eca1e846ed	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	20.00000000000	26.00000000000	30.00000000000	40.00000000000	28.36721555210	-80.74657941790	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	e44a01c3-c77b-48e5-910f-c003a0bff48f	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	30.00000000000	18.00000000000	35.00000000000	55.00000000000	28.36726726700	-80.74646448300	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	fea25417-7d3c-40b1-ac82-54d9dab91516	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	7.00000000000	18.00000000000	15.00000000000	10.00000000000	28.36727391780	-80.74662168810	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	3f31d033-eba4-4339-b9af-8468586e0445	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	10.00000000000	4.00000000000	20.00000000000	15.00000000000	28.36728751660	-80.74638508360	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	8b5e698c-5cd9-4ecc-b0f0-3f830f7e2114	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	15.00000000000	8.00000000000	15.00000000000	15.00000000000	28.36724993410	-80.74630768650	Excellent	1.00000000000	2	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	99c80653-3d99-456b-8b80-b4f8e2cba6e3	Oak (Sand Live)	No	Quercus geminata	2.00000000000
4+ Ft ROW	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	15.00000000000	10.00000000000	30.00000000000	25.00000000000	28.36727185000	-80.74632088370	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	ec7be2a3-a22b-4ded-8a80-b1bc1af6a964	Oak (Sand Live)	No	Quercus geminata	1.00000000000
4+ Ft ROW	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	20.00000000000	20.00000000000	35.00000000000	30.00000000000	28.36728585040	-80.74591112340	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	46dd7812-91c9-43b9-a5d6-386e7191b35d	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	20.00000000000	12.00000000000	25.00000000000	15.00000000000	28.36728043580	-80.74582738070	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	4bac7ff3-efb7-4fcf-a45e-969f0590de82	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	25.00000000000	20.00000000000	35.00000000000	40.00000000000	28.36721120460	-80.74544571890	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	57cffc62-37b8-418d-a2fe-cd605b15170a	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	50.00000000000	38.00000000000	60.00000000000	60.00000000000	28.36727333370	-80.74547908320	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	ef05f17c-60c0-4844-b291-f9bb0c0c4630	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	20.00000000000	20.00000000000	35.00000000000	40.00000000000	28.36718983250	-80.74524486630	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	6bd8a463-06df-45f5-bf34-f5c2def420e9	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	45.00000000000	26.00000000000	60.00000000000	55.00000000000	28.36730685020	-80.74547658320	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	c45da060-0cb0-4956-9d67-826f3c04d9d3	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	40.00000000000	30.00000000000	45.00000000000	70.00000000000	28.36729960180	-80.74493902410	Excellent	1.00000000000	Co dom	Tree is Undamaged	<Null>	No Maintenance Required	No	No	414d11e6-2c64-42e6-8bc8-fef932981500	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	30.00000000000	26.00000000000	35.00000000000	45.00000000000	28.36727369100	-80.74451577840	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	6d731f0c-3368-4f84-9c2a-6ee5b8e0573f	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	20.00000000000	12.00000000000	25.00000000000	15.00000000000	28.36723039980	-80.74445328350	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	396d21f1-8086-4bdf-a95c-b06994414ae4	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
4+ Ft ROW	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	7.00000000000	12.00000000000	10.00000000000	15.00000000000	28.36732787680	-80.74430394760	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	237e0612-3cc1-4ab2-a323-f2c08f2b2ffe	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	15.00000000000	18.00000000000	25.00000000000	30.00000000000	28.36715319930	-80.74383264820	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	c50d7815-9fbc-4a76-8725-cd6f1b9c771e	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	20.00000000000	6.00000000000	15.00000000000	10.00000000000	28.36725853340	-80.74402345040	Excellent	1.00000000000	eastern red cedar on each side of driveway	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	9386f52e-fc7e-49cd-a134-2a4bda89db02	Eastern Red Cedar	No	Juniperus virginiana	2.00000000000
4+ Ft ROW	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	20.00000000000	20.00000000000	30.00000000000	25.00000000000	28.36707349540	-80.74381149470	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	5ad2cf0a-fe38-4d18-a8ca-2b79be21bf8c	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	10.00000000000	10.00000000000	20.00000000000	25.00000000000	28.36695631630	-80.74383971710	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	1ecd1de2-d8d1-4204-befd-4935f60e3330	Oak (Sand Live)	No	Quercus geminata	1.00000000000
4+ Ft ROW	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	7.00000000000	6.00000000000	15.00000000000	15.00000000000	28.36658538680	-80.74385722790	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	d138ef86-f9a0-4fbd-8c58-0a05883eb4b9	Brazilian Pepper	No	Schinus terebinthifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	10.00000000000	8.00000000000	25.00000000000	15.00000000000	28.36661288580	-80.74385191800	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	5ed52b6b-650e-4026-b225-63bbf3636a3e	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
4+ Ft ROW	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	10.00000000000	12.00000000000	30.00000000000	35.00000000000	28.36604118610	-80.74389410380	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	b1071227-6ad4-4c29-b34c-422f697e5f3c	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	25.00000000000	24.00000000000	30.00000000000	35.00000000000	28.36603728370	-80.74384031630	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	a3f5c465-7152-4cc6-b353-dd8441ae03d6	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	20.00000000000	18.00000000000	30.00000000000	30.00000000000	28.36595179590	-80.74390757220	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	cebbbaab-63e9-4b45-97dd-368aeead9c34	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.36584319120	-80.74415509850	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	40cfeefe-7b6f-4b17-bc98-e3d536d2b77a	Oleander	No	Nerium oleander	1.00000000000
4+ Ft ROW	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	20.00000000000	22.00000000000	40.00000000000	40.00000000000	28.36583608980	-80.74459865430	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	1be48fd5-7671-4c91-89ee-681bcfd52c78	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	10.00000000000	6.00000000000	20.00000000000	15.00000000000	28.36647251670	-80.74513018290	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	2aa43690-108a-48fa-b4e1-14c3c8813e32	Arborvitae	No	Thuja occidentalis	1.00000000000
4+ Ft ROW	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	20.00000000000	24.00000000000	40.00000000000	45.00000000000	28.36579128510	-80.74482050220	Excellent	1.00000000000	2	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	56de80f1-6ecb-40ba-a6ae-0665c08eceab	Oak (Live)	No	Quercus virginiana	2.00000000000
4+ Ft ROW	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	20.00000000000	20.00000000000	35.00000000000	40.00000000000	28.36578957540	-80.74497185580	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	24a652b6-338b-41fb-bf1a-d973ffa1cbe9	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	10.00000000000	10.00000000000	30.00000000000	20.00000000000	28.36650073350	-80.74549908330	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	a06c35cb-a1b6-4363-bdd8-dc8e7d993afd	Palm (Silver Date)	No	Phoenix sylvestris	1.00000000000
4+ Ft ROW	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	25.00000000000	20.00000000000	35.00000000000	40.00000000000	28.36580521530	-80.74533966560	Excellent	1.00000000000	8	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	3330f8d0-ab45-4689-88c7-d3a1108fa34c	Oak (Live)	No	Quercus virginiana	8.00000000000
4+ Ft ROW	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	15.00000000000	14.00000000000	20.00000000000	10.00000000000	28.36577020360	-80.74595242080	Excellent	1.00000000000	4	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	0028d58a-be8e-44c5-a6dc-59be0c2b6879	Palm (Cabbage)	No	Sabal palmetto	4.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	15.00000000000	14.00000000000	30.00000000000	25.00000000000	28.36599750010	-80.74595948330	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	c1e73aa4-2b74-4fd3-8500-b582379965f0	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	3.00000000000	4.00000000000	10.00000000000	10.00000000000	28.36510284330	-80.74309947920	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	0e7618de-463a-4be6-9e8c-e7a07c98f26a	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	3.00000000000	4.00000000000	10.00000000000	10.00000000000	28.36505431210	-80.74414738470	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	9125526d-4883-4b70-aaa9-df6440d6dc27	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/16/2020	sbourgoin_sfc	9/16/2020	30.00000000000	18.00000000000	40.00000000000	45.00000000000	28.36510370410	-80.74382629000	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	7d31ee0c-ddb5-4f06-a69e-a8359461156a	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	25.00000000000	26.00000000000	35.00000000000	35.00000000000	28.36506558570	-80.74456145050	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	22ad11e3-b872-454d-8bd9-dc933f6eed5a	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/16/2020	sbourgoin_sfc	9/16/2020	10.00000000000	10.00000000000	20.00000000000	25.00000000000	28.36603509650	-80.74677916730	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	0f6086b1-1889-4d5b-a751-8abe64fab262	Oak (Sand Live)	No	Quercus geminata	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	15.00000000000	16.00000000000	30.00000000000	25.00000000000	28.36625854040	-80.74861820820	Excellent	1.00000000000	4	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	b287c55e-b9ce-4267-98b7-263435798e17	Sycamore	No	Platanus occidentalis	4.00000000000
4+ Ft ROW	sbourgoin_sfc	9/16/2020	sbourgoin_sfc	9/16/2020	15.00000000000	12.00000000000	35.00000000000	15.00000000000	28.36620778540	-80.74707766220	Excellent	1.00000000000	Cluster of 3 palms bunched	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	c26fa54a-01ad-45d2-9dfa-efb83044f725	Palm (Cabbage)	No	Sabal palmetto	3.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	20.00000000000	16.00000000000	30.00000000000	20.00000000000	28.36717929190	-80.74987675060	Excellent	1.00000000000	Co-dom	Tree is Undamaged	<Null>	No Maintenance Required	No	No	a91aaf2c-8d56-44ed-843e-7567d02bc835	Maple (Red)	No	Acer rubrum	1.00000000000
2-4 Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	10.00000000000	8.00000000000	20.00000000000	10.00000000000	28.36718884770	-80.74928976630	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	66b61328-a949-4c76-9eba-eba41f9e4b57	Holly (East Palatka)	No	Ilex x attenuata	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	20.00000000000	12.00000000000	15.00000000000	10.00000000000	28.36679317950	-80.74672347890	Excellent	1.00000000000	2	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	801696cf-968b-48f2-927d-64e639a10253	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	10.00000000000	14.00000000000	10.00000000000	10.00000000000	28.36657038880	-80.74672875920	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	c160f5f4-2665-44c3-b994-d34979480a74	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	10.00000000000	18.00000000000	15.00000000000	25.00000000000	28.36991925280	-80.74939789290	Excellent	1.00000000000	Co-dom	Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	6a005f84-53cb-4e26-89f6-860c426ef5f2	Brazilian Pepper	No	Schinus terebinthifolia	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/16/2020	sbourgoin_sfc	9/16/2020	15.00000000000	10.00000000000	30.00000000000	20.00000000000	28.36963578670	-80.74718801390	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	9d7549ad-21f0-4c7d-aab7-4c8fb685e1f5	Camphor Tree	No	Cinnamomum camphora	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	5.00000000000	8.00000000000	10.00000000000	10.00000000000	28.37035184250	-80.74866263170	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	26e8466c-e6ee-44cc-8e84-7e16947d381c	Palm (Areca)	No	Dypsis lutescens	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/16/2020	sbourgoin_sfc	9/16/2020	5.00000000000	6.00000000000	10.00000000000	5.00000000000	28.36966533130	-80.74831761310	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	967bff06-872d-44c1-8b5a-707ddb5623c9	Palm (Pygmy Date)	No	Phoenix roebelenii	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.37033759360	-80.74814588750	Excellent	1.00000000000	2	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	615067c8-4fd4-498c-be0e-7084b464843a	Palm (Pygmy Date)	No	Phoenix roebelenii	2.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	20.00000000000	20.00000000000	30.00000000000	25.00000000000	28.37036713960	-80.74775244160	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	dc5b5afa-8ab4-4dcc-8fc0-5ecdd4692e64	Chinese Tallow	No	Triadica sebifera	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/16/2020	sbourgoin_sfc	9/16/2020	25.00000000000	16.00000000000	40.00000000000	35.00000000000	28.36967876220	-80.74851120720	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	356f01f9-9d07-43c6-95fa-d814d4b4a6e9	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	5.00000000000	6.00000000000	20.00000000000	10.00000000000	28.37041931690	-80.74773643180	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	9cff88a1-0f81-4bc3-aa80-bb5327130719	Chinaberry	No	Melia azedarach	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/16/2020	sbourgoin_sfc	9/16/2020	10.00000000000	8.00000000000	20.00000000000	10.00000000000	28.37016950840	-80.75013908830	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	3b6ff008-8a83-4b3d-bdcb-734da3ef9ce9	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.37099129810	-80.74689539130	Excellent	1.00000000000	3	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	d9aaedb5-3e42-454f-9888-52a542e3bc4c	Pine (Slash)	No	Pinus elliottii	3.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	3.00000000000	4.00000000000	10.00000000000	10.00000000000	28.37099905130	-80.74718255580	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	e2173d51-047f-4367-8971-1e30e701571d	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/16/2020	sbourgoin_sfc	9/16/2020	25.00000000000	18.00000000000	45.00000000000	30.00000000000	28.37201540930	-80.75042942560	Excellent	1.00000000000	Co dominant stems	Tree is Undamaged	<Null>	No Maintenance Required	No	No	c49d6547-9d6f-4958-9acb-dfa60a0dba1a	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	10.00000000000	8.00000000000	10.00000000000	10.00000000000	28.37041386860	-80.74886036080	Excellent	1.00000000000	13	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	c470ad8a-26c9-4eea-872c-9ea620ae5a6b	Palm (Queen)	No	Syagrus romanzoffiana	13.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	5.00000000000	6.00000000000	10.00000000000	10.00000000000	28.37089503150	-80.74964499070	Excellent	1.00000000000	3, co-dom	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	2ceb1b85-7302-4c78-9767-1afd14170383	Palm (Pygmy Date)	No	Phoenix roebelenii	3.00000000000
4+ Ft ROW	sbourgoin_sfc	9/16/2020	sbourgoin_sfc	9/16/2020	25.00000000000	20.00000000000	35.00000000000	25.00000000000	28.37146341930	-80.74954756480	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	5d444133-6ae3-4766-8a1f-28405d3e4828	Camphor Tree	No	Cinnamomum camphora	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/16/2020	sbourgoin_sfc	9/16/2020	20.00000000000	12.00000000000	30.00000000000	15.00000000000	28.37142180000	-80.74919969400	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	0789877f-bdf8-4484-9d41-76b5a541bca4	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	5.00000000000	6.00000000000	10.00000000000	10.00000000000	28.37093765400	-80.74963342400	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	bb506e72-6cb5-478a-ae9b-0e7e1eed7e8d	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
City Building	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	20.00000000000	8.00000000000	25.00000000000	15.00000000000	28.36061474000	-80.73457219720	Very Poor	7.00000000000	Completely dead	Tree is Damaged	Tree is Dead	Removal	No	No	380d956b-567b-48f5-9a70-79ea56e063ca	Holly (East Palatka)	No	Ilex x attenuata	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	20.00000000000	8.00000000000	15.00000000000	0.00000000000	28.39002635800	-80.74369412080	Very Poor	7.00000000000	Dead palm, needs removal	Tree is Damaged	Tree Is Dead	Removal	No	No	9d1bf111-5d79-49ce-8d7e-23a1a8281ce8	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	20.00000000000	6.00000000000	35.00000000000	0.00000000000	28.39044569030	-80.74287065860	Very Poor	7.00000000000	Dead, needs removal	Tree is Damaged	Tree Is Dead	Removal	No	No	63320dae-df76-49d6-94c0-317aa338cb65	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	16.00000000000	15.00000000000	10.00000000000	28.38811917220	-80.75545490770	Very Poor	7.00000000000	See pics, Tree Is Dead	Tree Is Damaged	Stump/Trunk	Removal	No	No	bde7f7c8-b406-4740-98ea-e4afe5a316a0	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	8.00000000000	15.00000000000	5.00000000000	28.38811179650	-80.75583988790	Very Poor	7.00000000000	Trunk Damage, Signs of Decay	Tree is Damaged	Trunk has decay, only 20% of canopy alive	Removal	No	No	1ec8cd33-6e1b-49b4-8b5c-08e338f08f04	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	4.00000000000	20.00000000000	15.00000000000	28.38111007130	-80.75043034640	Very Poor	7.00000000000	Dead, Neds Removal	Tree is Damaged	Dead, Needs Removal	Removal	No	No	{B33DF877-BE37-4AE2-A174-B6C36DBF6CD5}	Red Cedar	No	Juniperus virginiana	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	10.00000000000	6.00000000000	5.00000000000	5.00000000000	28.39251547890	-80.78256999220	Very Poor	7.00000000000	Poor condition, consider replacement	Tree Is Damaged	Previously taken to just stump, resprouting	No Maintenance Required	No	No	{0A2DB9BD-0037-4CD7-8F52-2BC20845E1EF}	Golden Raintree	No	Koelreuteria paniculata	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	5.00000000000	8.00000000000	10.00000000000	10.00000000000	28.35366975970	-80.73520389430	Very Poor	6.00000000000	Dead cabbage palm	Tree is Damaged	Dead, brown fronds and trunk	Removal	No	No	4ef806b9-e874-40b8-b918-a37f76dfb7a9	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	20.00000000000	10.00000000000	30.00000000000	15.00000000000	28.37441256170	-80.73508941830	Very Poor	6.00000000000	Poor Shape, Nearly Dead; Leaning into Roadway	Tree is Damaged	Rot and decay	Removal	No	No	64cce7b8-a526-414e-85b7-90ea8d68558e	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	40.00000000000	22.00000000000	45.00000000000	30.00000000000	28.39349752110	-80.74494572830	Very Poor	6.00000000000	In yard but mostly dead, overhanging road	Tree is Damaged	Tree is Dead	Removal	No	No	3c6fff81-c9e5-4fc0-a24c-a31250ed8b13	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	12.00000000000	10.00000000000	15.00000000000	28.39630519010	-80.75949179910	Very Poor	6.00000000000	Tree is Dead, Top Snapped Off, Just Trunk	Tree is Damaged	Stump/Trunk	Remove Trunk	No	No	{92A6AB4D-4442-48D9-9A42-83918A223759}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	12.00000000000	20.00000000000	10.00000000000	28.39546529150	-80.77771919830	Very Poor	6.00000000000	Two dead trees in Woodland.	Tree is Damaged	Stump/Trunk	Remove Trunks	No	Yes	{71FB3AC6-090C-432D-82B1-989025C76E55}	Palm (Queen)	No	Syagrus romanzoffiana	2.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	15.00000000000	20.00000000000	30.00000000000	10.00000000000	28.39654017710	-80.77215492750	Very Poor	5.00000000000	Dead Tree, Needs Removal	Tree Is Damaged	Stump/Trunk	Removal	No	No	{90F49D7A-131D-4681-A0D4-30C3A6650F80}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	14.00000000000	10.00000000000	0.00000000000	28.35970917560	-80.73356772260	Very Poor	5.00000000000	Dead Tree With Debris on Ground, Needs Removal	Tree is Damaged	Tree is Dead	Removal	Yes	No	{5D5B6D97-BA02-4D4D-BB9A-204665A5946F}	Pine (Australian)	No	Casuarina equisetifolia	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	25.00000000000	12.00000000000	0.00000000000	0.00000000000	28.35465994530	-80.73038683670	Very Poor	4.00000000000	See pic; dead stump, needs removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	37cea1c0-ea25-4473-a27f-ef602c1ea2ef	Red Cedar	No	Juniperus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	16.00000000000	10.00000000000	0.00000000000	28.39199010250	-80.75872301100	Very Poor	4.00000000000	Stump That Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{BAAB84BD-2DA2-46C1-A220-4AF39FF0EE37}	N/A (Stump)	No	N/A (Stump)	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	12.00000000000	40.00000000000	5.00000000000	28.40082534120	-80.76887391530	Very Poor	4.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{B3016B6E-7653-4251-9F36-3F5C670A749D}	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	14.00000000000	35.00000000000	15.00000000000	28.40072983500	-80.76886922250	Very Poor	4.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{3753AAE0-AF6F-44AD-9FDC-63D37B8CE09D}	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	14.00000000000	20.00000000000	10.00000000000	28.39545492520	-80.77698497380	Very Poor	4.00000000000	Dead Trunk, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{A2B29C06-54B6-4511-A0AE-4AE144866251}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	15.00000000000	12.00000000000	15.00000000000	0.00000000000	28.36028379310	-80.74511496280	Very Poor	3.00000000000	Dead palm trunk. Directly under power lines, needs removal	Tree Is Damaged	Stump	Remove Stump	No	No	102a501f-485a-4869-935d-7599fd845db5	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	10.00000000000	8.00000000000	20.00000000000	20.00000000000	28.38850520070	-80.78777619640	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{950C8A8C-E95D-4C3D-9BB1-88CB78773C06}	Pine (Slash)	No	Pinus elliottii	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	8.00000000000	30.00000000000	20.00000000000	28.38802106560	-80.78773675040	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{E7B29CFB-B138-494D-BC3A-6544126508D3}	Pine (Slash)	No	Pinus elliottii	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	20.00000000000	15.00000000000	28.38729850230	-80.78772135240	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{A6F520AA-BE5B-4F33-AA30-C028F250066C}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	acarroll_sfc	9/29/2020	acarroll_sfc	9/29/2020	15.00000000000	8.00000000000	15.00000000000	10.00000000000	28.35750346390	-80.73363002340	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{5BEBB25C-5D3A-4F51-B4AC-916BA29AFBEB}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Median	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.38273778120	-80.77264493330	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree is Dead	Removal	No	No	{7356D8DC-9EEF-4BCD-9C37-AF34A528B318}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	8.00000000000	15.00000000000	0.00000000000	28.36806211650	-80.75455653490	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree Is Dead	Removal	No	No	{B0AA3A91-74ED-4EC5-B6B9-9C55DC00EFD4}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	30.00000000000	28.00000000000	10.00000000000	0.00000000000	28.36940032900	-80.75550067230	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{980EB6CB-8C9C-46A5-BE14-C58E1DC6B7E2}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	15.00000000000	12.00000000000	5.00000000000	5.00000000000	28.40107568520	-80.74431573080	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{29508705-86F4-4831-AB68-2CB1FC0730A6}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	20.00000000000	14.00000000000	15.00000000000	10.00000000000	28.40210622400	-80.74257587820	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{F12D774F-FACC-4548-883C-2B4B33DED582}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	12.00000000000	5.00000000000	0.00000000000	28.39095154290	-80.78079465800	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{A8EBBB7F-C43F-42C4-B97E-D8C7EF0A23AA}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	30.00000000000	18.00000000000	35.00000000000	15.00000000000	28.35545871610	-80.73228686420	Very Poor	2.00000000000	Bizmark stump	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	f5b6bc90-b19d-47b1-9d94-803c94c27919	Palm (Bismarck)	No	Bismarckia nobilis	1.00000000000
City Park	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	20.00000000000	10.00000000000	0.00000000000	0.00000000000	28.35888270100	-80.73130859620	Very Poor	2.00000000000	3 stumps and 1 BP. To be removed	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	b11484c9-65d7-4d53-9461-416912340a10	Hickory (Pignut)	No	Carya glabra	1.00000000000
2-4 Ft ROW	shendley_sfc	9/13/2020	shendley_sfc	9/13/2020	20.00000000000	8.00000000000	5.00000000000	0.00000000000	28.35087389180	-80.73356707580	Very Poor	2.00000000000	Tree is cut; stump needs removal	Tree Is Damaged	Stump/Trunk	Remove Stump	No	No	7148642b-82af-4f80-a4ad-74d5e933ea8a	Sycamore	No	Platanus occidentalis	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/16/2020	sbourgoin_sfc	9/16/2020	20.00000000000	14.00000000000	25.00000000000	15.00000000000	28.36619344110	-80.74705959530	Very Poor	2.00000000000	Completely dead needs removal	Tree is Damaged	Tree is Dead	Removal	No	No	1c15f2d9-a065-4aab-8ccf-5cd17f805c7a	Pine (Longleaf)	No	Pinus palustris	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	20.00000000000	10.00000000000	5.00000000000	0.00000000000	28.38738969540	-80.76376179260	Very Poor	2.00000000000	Stump	Tree Is Undamaged	<Null>	Remove Stump	No	No	{57F1FA2A-BD75-400B-8276-6ED829F7A80C}	Bottlebrush (Weeping)	No	Melaleuca viminalis	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	16.00000000000	0.00000000000	0.00000000000	28.39889285130	-80.76775526670	Very Poor	2.00000000000	Stump That Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{20ACB205-116A-418E-A68F-74403C577CD5}	N/A (Stump)	No	N/A (Stump)	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	35.00000000000	18.00000000000	10.00000000000	5.00000000000	28.35695927990	-80.73346942710	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{F6DC1A1A-AB89-41C0-8372-8E2460A0F823}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	55.00000000000	28.00000000000	50.00000000000	60.00000000000	28.36019909440	-80.73430334220	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{C9E5553C-5EC9-4DA4-9A4E-6D214065BBD5}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	25.00000000000	16.00000000000	40.00000000000	20.00000000000	28.35963514510	-80.73353318230	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree is dead, see picture.	Removal	Yes	No	{6EE83020-5AB6-449A-ADA6-8EA7F2292927}	Pine (Australian)	No	Casuarina equisetifolia	1.00000000000
Cemetary	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	30.00000000000	18.00000000000	0.00000000000	0.00000000000	28.36875127660	-80.75586536950	Very Poor	2.00000000000	Old stump. Rotting	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{35627E43-0723-448B-BD9B-8911F4A8D205}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	16.00000000000	10.00000000000	5.00000000000	28.36835598580	-80.75473439860	Very Poor	2.00000000000	Stump	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{15DA5336-B17B-479C-929E-A36072E8D6D0}	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	10.00000000000	4.00000000000	15.00000000000	5.00000000000	28.38348674870	-80.77803819550	Very Poor	2.00000000000		Tree is Damaged	Tree is Dead	Removal	No	No	{1BAEAF65-A73A-4AAD-B2B5-156CBE656BE0}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	12.00000000000	0.00000000000	0.00000000000	28.39103175120	-80.78077820530	Very Poor	2.00000000000	Two stumps in Woodland.	Tree is Damaged	Stump/Trunk	Remove Stump	No	Yes	{E37E5873-D334-4D04-8F44-04B030B00B88}	N/A (Stump)	No	N/A (Stump)	2.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	12.00000000000	15.00000000000	0.00000000000	28.39120392220	-80.78055795280	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{88B0584D-929C-4C3A-B4CE-733862991F2F}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	10.00000000000	20.00000000000	0.00000000000	28.39127525250	-80.78042099290	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{63356FB1-094E-4FD5-9573-2F45BA64F029}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	12.00000000000	25.00000000000	10.00000000000	28.39152758910	-80.77998370830	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{B19D23DB-8B93-431A-ACD0-7BE247CC2E33}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.39102319340	-80.77973278460	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{EC4E220A-D753-48A0-B655-12FD268FB25D}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	8.00000000000	30.00000000000	25.00000000000	28.39072632140	-80.78034228610	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{66C46A3C-08E9-491C-B001-175D6B738570}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.39078610070	-80.78101954130	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{CBF7C1CA-BA64-4423-B044-09F778651EDE}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	5.00000000000	4.00000000000	15.00000000000	5.00000000000	28.39078144680	-80.78100083840	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{8C262DC2-611C-4171-875C-EE4247717BF5}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35702616760	-80.73350831880	Very Poor	1.00000000000	Stump that has resprouted	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{B77C4B93-AF85-4AD0-9BD7-C050A6AD16C9}	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
City Park	acarroll_sfc	9/15/2020	acarroll_sfc	9/15/2020	20.00000000000	10.00000000000	25.00000000000	10.00000000000	28.35420867420	-80.74326518970	Poor	6.00000000000	See pic	Tree is Undamaged	<Null>	Removal	No	No	cdb648ac-bce2-4124-b380-995ad4b2eee9	Elm (Drake)	No	Ulmus parvifolia	1.00000000000

City Building	shendley_sfc	9/16/2020 shendley_sfc	9/16/2020	10.00000000000	10.00000000000	10.00000000000	10.00000000000	28.35606895420	-80.74753526580 Excellent	1.00000000000	2	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	1202b9b2-e755-4458-b7da-5b0911a9625a	Palm (Areca)	No	Dypsis lutescens	2.00000000000
City Building	sbourgoin_sfc	9/16/2020 sbourgoin_sfc	9/16/2020	10.00000000000	4.00000000000	25.00000000000	10.00000000000	28.35606296750	-80.74708731910 Excellent	1.00000000000	2 clusters in landscaping each with 6 similar palms	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	3576db1b-ec22-4c67-a1fb-e4d2d87c1cca	Palm (Christmas)	No	Adonidia merrillii	12.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/16/2020 sbourgoin_sfc	9/16/2020	5.00000000000	14.00000000000	10.00000000000	10.00000000000	28.37589582870	-80.74326714260 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	8bf4d2da-caf4-43cf-8035-f3d0ba324278	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/16/2020 shendley_sfc	9/16/2020	20.00000000000	16.00000000000	30.00000000000	30.00000000000	28.37689266100	-80.74359308910 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	278c0f29-9d38-4539-9dec-acc281e7fc17	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/16/2020 shendley_sfc	9/16/2020	5.00000000000	6.00000000000	10.00000000000	10.00000000000	28.37666303890	-80.74299797410 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	33ef862f-42f0-47e3-bbf7-988bd1947936	Strangler Fig	No	Ficus spp.	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020 shendley_sfc	9/16/2020	20.00000000000	10.00000000000	25.00000000000	20.00000000000	28.37943686180	-80.74165712090 Excellent	1.00000000000	Co dom	Tree is Undamaged	<Null>	No Maintenance Required	No	No	2240f444-f291-4a51-832b-e0d704db1fc7	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/16/2020 sbourgoin_sfc	9/16/2020	25.00000000000	24.00000000000	40.00000000000	25.00000000000	28.37963161770	-80.74092690730 Excellent	1.00000000000	Water oak	Tree is Undamaged	<Null>	No Maintenance Required	No	No	3fbee61b-f0c6-4ae8-96f2-702f940c1042	Oak (Water)	No	Quercus nigra	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/16/2020 sbourgoin_sfc	9/16/2020	5.00000000000	6.00000000000	25.00000000000	10.00000000000	28.37929327240	-80.74073282090 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	f58fed3c-ade2-4353-99a3-dafc7307301e	Hickory (Pignut)	No	Carya glabra	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020 shendley_sfc	9/16/2020	35.00000000000	16.00000000000	25.00000000000	30.00000000000	28.37819864480	-80.74018266030 Excellent	1.00000000000	2	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	381f18ac-edd9-4c58-abcd-3a765ce00a2b	Red Cedar	No	Juniperus virginiana	2.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/16/2020 sbourgoin_sfc	9/16/2020	15.00000000000	8.00000000000	20.00000000000	15.00000000000	28.37921578900	-80.74058776370 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	47cf2447-29a1-4a49-ba17-c087f9be087f	Arborvitae	No	Thuja occidentalis	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020 shendley_sfc	9/16/2020	10.00000000000	10.00000000000	10.00000000000	10.00000000000	28.37867033630	-80.74023471230 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	d033c58c-69a3-41ef-b5d0-605d74b20992	Red Cedar	No	Juniperus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020 shendley_sfc	9/16/2020	25.00000000000	18.00000000000	30.00000000000	25.00000000000	28.37641874770	-80.74153927180 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	e71dea4a-a5e9-45d1-9f9c-d04f1fda8177	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/16/2020 sbourgoin_sfc	9/16/2020	30.00000000000	22.00000000000	35.00000000000	40.00000000000	28.37633986560	-80.74159131570 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	f64cf8c2-8d21-4775-bd98-b47c0e83c3db	Hickory (Pignut)	No	Carya glabra	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/16/2020 sbourgoin_sfc	9/16/2020	10.00000000000	6.00000000000	25.00000000000	15.00000000000	28.37566356220	-80.74213453320 Excellent	1.00000000000	2 trees in close vicinity	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	f7d267b0-a39e-4b05-ab83-406738d7505c	Arborvitae	No	Thuja occidentalis	2.00000000000
4+ Ft ROW	sbourgoin_sfc	9/16/2020 sbourgoin_sfc	9/16/2020	15.00000000000	10.00000000000	30.00000000000	15.00000000000	28.36349022410	-80.73302194210 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	57941d19-ca46-4fe5-8338-0966a3b0ae73	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/16/2020 shendley_sfc	9/16/2020	10.00000000000	6.00000000000	10.00000000000	10.00000000000	28.36421809150	-80.73382037730 Excellent	1.00000000000	Overhang sidewalk	Tree is Undamaged	<Null>	Pruning	No	No	7c128b18-a0ed-4b41-a754-5a9db6e63a9d	Spanish Bayonet	No	Yucca aloifolia	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/16/2020 sbourgoin_sfc	9/16/2020	20.00000000000	10.00000000000	30.00000000000	20.00000000000	28.36343115190	-80.73341443490 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	9f10c7af-ca69-4553-b962-91ba2e9ef6a3	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020 shendley_sfc	9/16/2020	30.00000000000	14.00000000000	30.00000000000	10.00000000000	28.36408092140	-80.73445245620 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	3c802511-81b7-4ffb-85bf-2679ca870cb0	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/16/2020 sbourgoin_sfc	9/16/2020	20.00000000000	10.00000000000	25.00000000000	15.00000000000	28.36344772340	-80.73342253860 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	1b6b9e64-7a36-40d9-bc3e-193d47d23c33	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020 shendley_sfc	9/16/2020	10.00000000000	14.00000000000	15.00000000000	10.00000000000	28.36404425070	-80.73447525550 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	df893ff2-a5d7-4de4-8ff2-226c3884918c	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/16/2020 sbourgoin_sfc	9/16/2020	20.00000000000	12.00000000000	35.00000000000	15.00000000000	28.36343478340	-80.73345945490 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	a036f4c0-7243-4240-9b20-9a5a95e41cc7	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/16/2020 sbourgoin_sfc	9/16/2020	20.00000000000	12.00000000000	30.00000000000	15.00000000000	28.36346022870	-80.73358914380 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	c1b2f776-411c-4b87-847c-b65d360bae85	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020 shendley_sfc	9/16/2020	25.00000000000	14.00000000000	30.00000000000	10.00000000000	28.36385444300	-80.73437676780 Excellent	1.00000000000	Large fig in palm,2 palms	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	3946cb1c-27f4-4e71-989d-e73e26bda62c	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020 shendley_sfc	9/16/2020	10.00000000000	16.00000000000	25.00000000000	35.00000000000	28.36353886430	-80.73441247490 Excellent	1.00000000000	Co dom	Tree is Undamaged	<Null>	No Maintenance Required	No	No	71305841-9171-40e1-82c2-758b324f7cb4	Seagrape	No	Coccoloba uvifera	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/16/2020 sbourgoin_sfc	9/16/2020	20.00000000000	12.00000000000	30.00000000000	15.00000000000	28.36344307700	-80.73372024480 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	8784acf4-284c-42e7-9a3b-8275af44ab77	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/16/2020 sbourgoin_sfc	9/16/2020	35.00000000000	20.00000000000	40.00000000000	50.00000000000	28.36419931550	-80.73240612720 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	43650c4f-14f3-44f5-a06a-4a7281e984f0	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/16/2020 sbourgoin_sfc	9/16/2020	20.00000000000	14.00000000000	25.00000000000	15.00000000000	28.36408021160	-80.73115091490 Excellent	1.00000000000	4 cab palms clumped	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	9b03dbd6-dd80-42ac-a92d-84e473d900f0	Palm (Cabbage)	No	Sabal palmetto	4.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/16/2020 sbourgoin_sfc	9/16/2020	20.00000000000	12.00000000000	30.00000000000	15.00000000000	28.36409137060	-80.73081019560 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	554ea0ae-53b5-4abb-84b0-886f0f51bf65	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020 shendley_sfc	9/16/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.36483290420	-80.73117186360 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	d31671ef-ed4d-456a-9ccc-d88c35f0ba62	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020 shendley_sfc	9/16/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.36483290420	-80.73117186360 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	20c7e229-1cf1-47ed-a97d-9b87c81923c5	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020 shendley_sfc	9/16/2020	5.00000000000	6.00000000000	10.00000000000	10.00000000000	28.36487959130	-80.73115409400 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	5de054ac-4d7b-4f2c-962a-ae1afc628f73	Brazilian Pepper	No	Schinus terebinthifolia	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/16/2020 sbourgoin_sfc	9/16/2020	20.00000000000	14.00000000000	30.00000000000	15.00000000000	28.36560510950	-80.73156968160 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	d78530a1-558a-4cb6-8638-90b2910b781c	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/16/2020 sbourgoin_sfc	9/16/2020	20.00000000000	14.00000000000	30.00000000000	15.00000000000	28.36568698190	-80.73160851580 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	b275d054-5289-43e6-bc9b-319cf54af4a2	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020 shendley_sfc	9/16/2020	10.00000000000	8.00000000000	20.00000000000	10.00000000000	28.36595477990	-80.73170612580 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	8f0de7b1-6758-49dc-bb57-ec136717b53b	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/16/2020 sbourgoin_sfc	9/16/2020	20.00000000000	12.00000000000	30.00000000000	15.00000000000	28.36627146280	-80.73182723490 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	6892c61d-4493-48ff-a947-3afdc79e799a	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/16/2020 sbourgoin_sfc	9/16/2020	20.00000000000	12.00000000000	30.00000000000	15.00000000000	28.36708711640	-80.73213501210 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	f91af7d0-040b-49d4-8414-e9533408722c	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020 shendley_sfc	9/16/2020	15.00000000000	14.00000000000	15.00000000000	10.00000000000	28.36836348780	-80.73274958910 Excellent	1.00000000000	2	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	ba8ea837-14d0-47d6-8b86-6ef7c4de3a0b	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020 shendley_sfc	9/16/2020	20.00000000000	10.00000000000	25.00000000000	15.00000000000	28.36870676880	-80.73284313070 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	62860378-cc05-45a5-b2c8-8cbb9b22f8d6	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/16/2020 sbourgoin_sfc	9/16/2020	20.00000000000	12.00000000000	30.00000000000	15.00000000000	28.36845762420	-80.73273890360 Excellent	1.00000000000	3 cabbage in a row, 2 to the n of this point and then a queens palm (other point)	Tree is Undamaged	<Null>	No Maintenance Required	No	No	bc9409aa-0af2-4e5f-aa30-7c69c27a7c2f	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020 shendley_sfc	9/16/2020	6.00000000000	16.00000000000	10.00000000000	10.00000000000	28.38066867120	-80.73585344810 Excellent	1.00000000000	Co-dom trimmed	Tree is Undamaged	<Null>	No Maintenance Required	No	No	9e116c3d-451c-47cb-862e-fc6b2460730d	Seagrape	No	Coccoloba uvifera	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020 shendley_sfc	9/16/2020	15.00000000000	10.00000000000	20.00000000000	10.00000000000	28.38065072950	-80.73576534220 Excellent	1.00000000000	3	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	861755e7-895a-46a1-990e-9b6c448e48fb	Palm (Cabbage)	No	Sabal palmetto	3.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020 shendley_sfc	9/16/2020	20.00000000000	10.00000000000	20.00000000000	10.00000000000	28.37982484720	-80.73508427100 Excellent	1.00000000000	13 trees	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	13428901-f236-4922-a448-5a9826b76cab	Palm (Cabbage)	No	Sabal palmetto	13.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020 shendley_sfc	9/16/2020	15.00000000000	10.00000000000	20.00000000000	10.00000000000	28.37943172050	-80.73524901660 Excellent	1.00000000000	7	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	44bd9102-f5b7-435b-af92-aa8da1d954c6	Palm (Cabbage)	No	Sabal palmetto	7.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020 shendley_sfc	9/16/2020	18.00000000000	12.00000000000	35.00000000000	30.00000000000	28.37925245990	-80.73535346560 Excellent	1.00000000000	Co-dom	Tree is Undamaged	<Null>	No Maintenance Required	No	No	69c52ec5-bca1-4737-9bb4-6069e3275a55	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020 shendley_sfc	9/16/2020	15.00000000000	10.00000000000	20.00000000000	10.00000000000	28.37920794390	-80.73539245330 Excellent	1.00000000000	2	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	84ed0f8f-7af5-4f73-af67-c07de85cc85a	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020 shendley_sfc	9/16/2020	15.00000000000	10.00000000000	20.00000000000	10.00000000000	28.37901417430	-80.73552144690 Excellent	1.00000000000	3	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	59144be5-8aee-4997-b09c-b3381dd4164d	Palm (Cabbage)	No	Sabal palmetto	3.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020 shendley_sfc	9/16/2020	20.00000000000	12.00000000000	30.00000000000	20.00000000000	28.37901006600	-80.73553765700 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	5cea5a99-d95f-4127-94bb-d83f02bca612	Hickory (Pignut)	No	Carya glabra	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020 shendley_sfc	9/16/2020	30.00000000000	22.00000000000	40.00000000000	20.00000000000	28.37890379520	-80.73560231510 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	679f70ec-626e-4024-83b6-4c30d962b884	Hickory (Pignut)	No	Carya glabra	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/16/2020 sbourgoin_sfc	9/16/2020	20.00000000000	12.00000000000	25.00000000000	15.00000000000	28.37884371680	-80.73561865000 Excellent	1.00000000000	this point and additional 2 cabbage palms closed to road going s comprise woodland	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	bc4d177b-a5c3-4f01-b62f-24c8226c37eb	Palm (Cabbage)	No	Sabal palmetto	3.00000000000
4+ Ft ROW	sbourgoin_sfc	9/16/2020 sbourgoin_sfc	9/16/2020	20.00000000000	10.00000000000	30.00000000000	15.00000000000	28.37790768370	-80.73601778320 Excellent	1.00000000000	this and palm to the direct s part of woodland	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	288f97cf-1bde-4063-a31d-c0d4ced745b2	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/16/2020 sbourgoin_sfc	9/16/2020	10.00000000000	16.00000000000	15.00000000000	10.00000000000	28.37771386670	-80.73608228310 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	f8b996cf-9bab-4153-a838-2b44dd67acd5	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020 shendley_sfc	9/16/2020	5.00000000000	6.00000000000	15.00000000000	10.00000000000	28.37745473320	-80.73614125300 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	3120591f-5ed1-489f-a459-6f03582cb995	Oak (Sand Live)	No	Quercus geminata	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020 shendley_sfc	9/16/2020	10.00000000000	10.00000000000	20.00000000000	20.00000000000	28.37739392610	-80.73616228530 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	897212e1-7036-4414-8657-6bfbf345e278	Oak (Sand Live)	No	Quercus geminata	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020 shendley_sfc	9/16/2020	20.00000000000	10.00000000000	30.00000000000	10.00000000000	28.37738946200	-80.73621104940 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	54aa897d-ef53-4cb3-b8c2-8cfa5589edd8	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020 shendley_sfc	9/16/2020	20.00000000000	10.00000000000	30.00000000000	10.00000000000	28.37635979030	-80.73608812580 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	8dd7d066-0486-499e-8e41-6f9cea9bfaa7	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020 shendley_sfc	9/16/2020	20.00000000000	10.00000000000	30.00000000000	10.00000000000	28.37610024250	-80.73595396150 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	67bb9709-2f81-42a8-b61a-c32cb93d772e	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020 shendley_sfc	9/16/2020	20.00000000000	10.00000000000	30.00000000000	10.00000000000	28.37527477360	-80.73560574570 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	99e8c6fa-7012-47af-8602-00c7b762ed89	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020 shendley_sfc	9/16/2020	40.00000000000	26.00000000000	40.00000000000	50.00000000000	28.37511643230	-80.73544079170 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	ba8d8806-94ec-4e50-89be-46006e43de6d	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/16/2020 sbourgoin_sfc	9/16/2020	80.00000000000	40.00000000000	90.00000000000	100.00000000000	28.37519185020	-80.73552460000 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	508bb38c-db22-4644-b910-2beebb484bb7	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020 shendley_sfc	9/16/2020	40.00000000000	30.00000000000	40.00000000000	40.00000000000	28.37493100570	-80.73539577800 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	3edf4a3b-634c-4906-95d6-63cc0e695f3f	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/16/2020 sbourgoin_sfc	9/16/2020	70.00000000000	26.00000000000	60.00000000000	60.00000000000	28.37488106660	-80.73535543380 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	778935ae-1c6a-48de-b2f3-35e9062183ec	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020 shendley_sfc	9/16/2020	20.00000000000	10.00000000000	25.00000000000	10.00000000000	28.37474813330	-80.73527676560 Excellent	1.00000000000	3	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	78f6b0b8-53cc-4eb1-a4d5-00eca1fc1e5a	Palm (Cabbage)	No	Sabal palmetto	3.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/16/2020 sbourgoin_sfc	9/16/2020	60.00000000000	28.00000000000	60.00000000000	65.00000000000	28.37450436650	-80.73518416640 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	95a5086d-2823-485c-867e-3108cafa20c1	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/16/2020 sbourgoin_sfc	9/16/2020	20.00000000000	12.00000000000	30.00000000000	15.00000000000	28.37426734990	-80.73505896640 Excellent	1.00000000000	woodland is this and 2 trees to the south	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	375b34e6-4fee-4410-8917-0d458fc6e5bc	Palm (Cabbage)	No	Sabal palmetto	3.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/17/2020 sbourgoin_sfc	9/17/2020	20.00000000000	14.00000000000	30.00000000000	15.00000000000	28.37366982880	-80.73471845460 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	ffd3c008-e532-4361-8876-fe3e071588be	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020 shendley_sfc	9/17/2020	20.00000000000	10.00000000000	30.00000000000	10.00000000000	28.37342083420	-80.73455161410 Excellent	1.00000000000	5	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	df9cde11-1c1c-48c2-a591-f2e6166f9e58	Palm (Cabbage)	No	Sabal palmetto	5.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020 shendley_sfc	9/17/2020	20.00000000000	8.00000000000	25.00000000000	10.00000000000	28.37308845000	-80.73442689110 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	f5e3f799-3ae3-4ac8-af70-9772cce8fd84	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020 shendley_sfc	9/17/2020	20.00000000000	10.00000000000	30.00000000000	10.00000000000	28.37272450780	-80.73427786150 Excellent	1.00000000000	3	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	e05cc1f5-b32e-4a0e-97db-f9194849df49	Palm (Cabbage)	No	Sabal palmetto	3.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020 sbourgoin_sfc	9/17/2020	25.00000000000	12.00000000000	30.00000000000	15.00000000000	28.37291238140	-80.73439117490 Excellent	1.00000000000	2	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	97bdfa17-4a4a-4350-89a5-42c39818b6cd	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020 shendley_sfc	9/17/2020	20.00000000000	10.00000000000	30.00000000000	10.00000000000	28.37235951790	-80.73411994660 Excellent	1.00000000000	6	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	ac537c37-56e2-4f6a-b2e9-f6669590b3a5	Palm (Cabbage)	No	Sabal palmetto	6.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020 shendley_sfc	9/17/2020	20.00000000000	8.00000000000	30.00000000000	10.00000000000	28.37178795580	-80.73385172490 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	bf3b6b42-3ecd-4ff7-9290-0f5af0adf18e	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/17/2020 sbourgoin_sfc	9/17/2020	15.00000000000	12.00000000000	25.00000000000	15.00000000000	28.37187072860	-80.73389677640 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	e8fa884b-a603-49ac-bf9a-5997d1b8fa8a	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020 shendley_sfc	9/17/2020	20.00000000000	12.00000000000	30.00000000000	10.00000000000	28.37150628190	-80.73378014360 Excellent	1.00000000000	3	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	1f8de97c-982f-43d9-8472-c5bd9e4a71e4	Palm (Cabbage)	No	Sabal palmetto	3.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020 shendley_sfc	9/17/2020	100.00000000000	44.00000000000	45.00000000000	60.00000000000	28.37106153860	-80.73374653220 Excellent	1.00000000000	3 tree ,overhang	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	5e86be56-b9fb-42eb-a608-7480a9138002	Oak (Live)	No	Quercus virginiana	3.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020 sbourgoin_sfc	9/17/2020	20.00000000000	14.00000000000	25.00000000000	15.00000000000	28.37061916080	-80.73356493330 Excellent	1.00000000000	This and 3 other palms moving s	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	5aec94c2-fddd-4a6c-a6e6-c4c1faa76cba	Palm (Cabbage)	No	Sabal palmetto	4.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/17/2020 sbourgoin_sfc	9/17/2020	20.00000000000	12.00000000000	25.00000000000	15.00000000000	28.36940258010	-80.73321825280 Excellent	1.00000000000	2	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	df784c5b-8eb9-4fa1-8eb8-4b5e17e4e683	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020 sbourgoin_sfc	9/17/2020	10.00000000000	14.00000000000	15.00000000000	10.00000000000	28.36926023940	-80.73313222920 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	a2947462-7646-4b0e-983a-814a34fbfe19	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020 shendley_sfc	9/17/2020	10.00000000000	10.00000000000	10.00000000000	10.00000000000	28.36899011880	-80.73299861560 Excellent	1.00000000000	3	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	86abee86-36e7-4f81-8eda-416d49662b4c	Palm (Cabbage)	No	Sabal palmetto	3.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020 shendley_sfc	9/17/2020	30.00000000000	20.00000000000	30.00000000000	20.00000000000	28.36890785050	-80.73297464310 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	9d1121a9-9806-43b5-8981-313869d591c3	Bay	No	Persea palustris	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/17/2020 sbourgoin_sfc	9/17/2020	20.00000000000	12.00000000000	25.00000000000	15.00000000000	28.38116079310	-80.73628568330 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	717da08b-1bfa-48a0-a34c-44ad90b71aa0	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/17/2020 sbourgoin_sfc	9/17/2020	15.00000000000	14.00000000000	20.00000000000	15.00000000000	28.38141487520	-80.73648002480 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	ef192c14-d60a-46be-9244-ee8bddb9e793	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020 shendley_sfc	9/17/2020	20.00000000000	10.00000000000	30.00000000000	10.00000000000	28.38177185080	-80.73670526030 Excellent	1.00000000000	6	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	ecffb6ff-06ba-4b66-b134-6f2606e0fa93	Palm (Cabbage)	No	Sabal palmetto	6.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020 shendley_sfc	9/17/2020	20.00000000000	10.00000000000	30.00000000000	10.00000000000	28.38225506680	-80.73685496090 Excellent	1.00000000000	2	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	633511ea-18bb-4133-a666-132ece30fe75	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020 shendley_sfc	9/17/2020	20.00000000000	12.00000000000	30.00000000000	10.00000000000	28.38241683780	-80.73693400280 Excellent	1.00000000000	12	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	682222c9-3217-4701-bcd9-cb9c1681af0f	Palm (Cabbage)	No	Sabal palmetto	12.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020 sbourgoin_sfc	9/17/2020	20.00000000000	12.00000000000	25.00000000000	15.00000000000	28.38283000250	-80.73715100340 Excellent	1.00000000000	Woodland includes this and the next 6 trees to the n	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	0e89dc74-53b0-434e-8a67-938e9c5a46a1	Palm (Cabbage)	No	Sabal palmetto	7.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020 shendley_sfc	9/17/2020	20.00000000000	10.00000000000	30.00000000000	10.00000000000	28.38324903530	-80.73744982530 Excellent	1.00000000000	5	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	d5de22ce-4b98-43e1-9e99-9a4fd5039c85	Palm (Cabbage)	No	Sabal palmetto	5.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020 shendley_sfc	9/17/2020	20.00000000000	10.00000000000	30.00000000000	10.00000000000	28.38350300640	-80.73786581890 Excellent	1.00000000000	5	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	8fdbc65d-061c-4ab0-ae2c-ad1bcca3e752	Palm (Cabbage)	No	Sabal palmetto	5.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020 sbourgoin_sfc	9/17/2020	20.00000000000	12.00000000000	30.00000000000	15.00000000000	28.38344251970	-80.73775244710 Excellent	1.00000000000	Woodland is clump of 4 trees	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	6ec9f67b-64a4-4b8e-88ba-a3274fca9bb1	Palm (Cabbage)	No	Sabal palmetto	4.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020 shendley_sfc	9/17/2020	20.00000000000	10.00000000000	30.00000000000	10.00000000000	28.38364575080	-80.73814753420 Excellent	1.00000000000	4	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	723f3e42-7077-45a2-bdf8-2bb4487b1b57	Palm (Cabbage)	No	Sabal palmetto	4.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020 shendley_sfc	9/17/2020	3.00000000000	4.00000000000	10.00000000000	10.00000000000	28.38403320400	-80.73875815590 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	d9149243-3c4d-4e12-9596-f9754df73b54	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020 sbourgoin_sfc	9/17/2020	20.00000000000	12.00000000000	30.00000000000	15.00000000000	28.38393335950	-80.73861887220 Excellent	1.00000000000	Woodland includes the 3 taller cabbage palms to the N	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	211f8e84-d7c3-4635-a80a-b40a8b97835e	Palm (Cabbage)	No	Sabal palmetto	3.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020 shendley_sfc	9/17/2020	20.00000000000	10.00000000000	30.00000000000	10.00000000000	28.38409078750	-80.73884205860 Excellent	1.00000000000	5	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	4c9f6107-043c-4d74-aad6-8dbea7713746	Palm (Cabbage)	No	Sabal palmetto	5.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/17/2020 sbourgoin_sfc	9/17/2020	50.00000000000	26.00000000000	40.00000000000	90.00000000000	28.38407494160	-80.73890533050 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	b462ceb7-db53-4268-8674-c7c5172c0380	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/17/2020 sbourgoin_sfc	9/17/2020	20.00000000000	12.00000000000	35.00000000000	15.00000000000	28.38412984590	-80.73891810190 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	30a8b763-5ed7-4d28-88b3-8ec7fa5b3d1e	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020 shendley_sfc	9/17/2020	20.00000000000	10.00000000000	30.00000000000	10.00000000000	28.38480773370	-80.73986875840 Excellent	1.00000000000	3	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	059c9df0-4d34-4a89-a2ca-51838d60bcc9	Palm (Cabbage)	No	Sabal palmetto	3.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/17/2020 sbourgoin_sfc	9/17/2020	20.00000000000	12.00000000000	40.00000000000	15.00000000000	28.38472091830	-80.73995768440 Excellent	1.00000000000	2 cabbage palms directly adj	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	380c5add-3cf0-4af0-975d-4a3a01167c2f	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020 sbourgoin_sfc	9/17/2020	20.00000000000	12.00000000000	30.00000000000	15.00000000000	28.38517615890	-80.74013281820 Excellent	1.00000000000	5 palms closest to road going n	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	36db0bc6-9dbc-4c9b-9b1a-00c9db804bb9	Palm (Cabbage)	No	Sabal palmetto	5.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020 shendley_sfc	9/17/2020	20.00000000000	10.00000000000	30.00000000000	10.00000000000	28.38568582220	-80.74040637400 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	5a82411b-63c5-43f1-9492-da5a46d74939	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020 shendley_sfc	9/17/2020	20.00000000000	10.00000000000	30.00000000000	10.00000000000	28.38675761570	-80.74105010410 Excellent	1.00000000000	2	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	da4dcab7-8a28-4753-92bc-48bf55759218	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/17/2020 sbourgoin_sfc	9/17/2020	20.00000000000	10.00000000000	40.00000000000	15.00000000000	28.38676809120	-80.74112663960 Excellent	1.00000000000	2 in a row btw sidewalk and road	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	8ef99553-38d6-4c52-8a12-dc44e3316751	Palm (Queen)	No	Syagrus romanzoffiana	2.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020 shendley_sfc	9/17/2020	10.00000000000	8.00000000000	15.00000000000	15.00000000000	28.38738483350	-80.74215332960 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	6b693425-dbb9-4d6b-8923-801abd582d88	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020 shendley_sfc	9/17/2020	5.00000000000	6.00000000000	10.00000000000	10.00000000000	28.38736601650	-80.74223706510 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	e7ef562a-acf1-4980-a8bf-797f7d392400	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020 shendley_sfc	9/17/2020	5.00000000000	6.00000000000	10.00000000000	10.00000000000	28.38733877500	-80.74237938970 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	e53b34ab-b579-4205-be3f-bdee8a847c3c	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/17/2020 sbourgoin_sfc	9/17/2020	20.00000000000	8.00000000000	30.00000000000	15.00000000000	28.38523939420	-80.74052597210 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	92e9d735-7eab-4bd5-90e6-b921ac7cad39	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020 shendley_sfc	9/17/2020	20.00000000000	8.00000000000	30.00000000000	20.00000000000	28.38732293360	-80.74248542060 Excellent	1.00000000000	5	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	6b2ed1bf-ca2b-4776-9d62-88bd12a87057	Palm (Queen)	No	Syagrus romanzoffiana	5.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020 shendley_sfc	9/17/2020	5.00000000000	6.00000000000	10.00000000000	10.00000000000	28.38733127360	-80.74246304080 Excellent	1.00000000000	2	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	681fe999-1156-418b-8b77-56c601e2e5a8	Palm (Christmas)	No	Adonidia merrillii	2.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/17/2020 sbourgoin_sfc	9/17/2020	10.00000000000	6.00000000000	20.00000000000	25.00000000000	28.38518438920	-80.74073579700 Excellent	1.00000000000	Seems to be landowners planted; appears to be a dwarf, stunted tree. Almost a large bonsai, see pics	Tree is Undamaged	<Null>	No Maintenance Required	No	No	eacbb5bd-50c0-4211-b28b-704648493ca9	Ligustrum	No	Ligustrum spp.	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020 shendley_sfc	9/17/2020	20.00000000000	14.00000000000	35.00000000000	25.00000000000	28.38747707680	-80.74257820840 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	83778501-d1fc-4139-aaed-28b84a27a7db	Maple (Red)	No	Acer rubrum	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020 sbourgoin_sfc	9/17/2020	20.00000000000	8.00000000000	30.00000000000	15.00000000000	28.38507519100	-80.74110499740 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	63df6eb3-3095-4dbb-934c-69974e3e678d	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020 shendley_sfc	9/17/2020	20.00000000000	16.00000000000	20.00000000000	30.00000000000	28.38758147310	-80.74267585800 Excellent	1.00000000000	co-dom	Tree is Undamaged	<Null>	No Maintenance Required	No	No	8bdd1820-bfd0-456b-a990-e2ecb0e23f01	Seagrape	No	Coccoloba uvifera	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020 shendley_sfc	9/17/2020	20.00000000000	10.00000000000	30.00000000000	10.00000000000	28.38773138400	-80.74277987750 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	71699209-45b6-4e8a-bb6a-80dd64f76cc9	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020 sbourgoin_sfc	9/17/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.38505685810	-80.74120113060 Excellent	1.00000000000	6 oleanders from point to the e	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	a8e76226-7ec6-49f8-9970-de13e32c9287	Oleander	No	Nerium oleander	6.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020 shendley_sfc	9/17/2020	10.00000000000	4.00000000000	10.00000000000	10.00000000000	28.38791113360	-80.74282706690 Excellent	1.00000000000	2	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	09a1559f-dc2c-4fbd-8bdf-77f01d065cf4	Palm (Queen)	No	Syagrus romanzoffiana	2.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020 sbourgoin_sfc	9/17/2020	15.00000000000	12.00000000000	25.00000000000	15.00000000000	28.38497475000	-80.74151778950 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	6cd408a0-1197-4b6e-8150-f5fc5395f0f2	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020 shendley_sfc	9/17/2020	20.00000000000	10.00000000000	30.00000000000	20.00000000000	28.38810479760	-80.74276680170 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	1121db0d-0200-4199-8603-a2e8c09a7e74	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020 shendley_sfc	9/17/2020	6.00000000000	6.00000000000	10.00000000000	10.00000000000	28.38831006990	-80.74286931200 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	d5a66389-159d-4b6b-835f-ad05fe5a9fa0	Seagrape	No	Coccoloba uvifera	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/17/2020 sbourgoin_sfc	9/17/2020	40.00000000000	22.00000000000	50.00000000000	55.00000000000	28.38498894560	-80.74182638500 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	44fbe60f-b98f-4930-a0fe-37634e24e8d2	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020 shendley_sfc	9/17/2020	20.00000000000	10.00000000000	25.00000000000	10.00000000000	28.38829418660	-80.74296528440 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	2f32cd11-df14-4a74-8d29-b710e073b6d4	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020 shendley_sfc	9/17/2020	10.00000000000	12.00000000000	25.00000000000	20.00000000000	28.38833944880	-80.74295396920 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	0f135865-0226-4140-a428-cf8459cd413b	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020 sbourgoin_sfc	9/17/2020	20.00000000000	12.00000000000	30.00000000000	15.00000000000	28.38525103070	-80.74214254980 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	1baa1196-8ce2-4699-8e09-2b9f14531e59	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020 shendley_sfc	9/17/2020	20.00000000000	12.00000000000	30.00000000000	10.00000000000	28.38867174890	-80.74294391080 Excellent	1.00000000000	2	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	ceef0baa-5600-47b1-b094-10f780aa6107	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020 shendley_sfc	9/17/2020	15.00000000000	14.00000000000	30.00000000000	25.00000000000	28.38885929470	-80.74308732500 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	9aa64ca6-4d84-4590-8830-be47d618072d	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020 sbourgoin_sfc	9/17/2020	20.00000000000	10.00000000000	25.00000000000	25.00000000000	28.38520553170	-80.74151231600 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	faede549-b3ce-41f7-919f-d25df7897bc7	Orchid Tree	No	Bauhinia variegata	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020 shendley_sfc	9/17/2020	10.00000000000	8.00000000000	15.00000000000	20.00000000000	28.38897433560	-80.74319830200 Excellent	1.00000000000	2	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	4582227b-4047-43ee-bd73-9b8cce6df7cf	Oak (Laurel)	No	Quercus laurifolia	2.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020 sbourgoin_sfc	9/17/2020	10.00000000000	4.00000000000	25.00000000000	15.00000000000	28.38562590570	-80.74173217780 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	231c5822-2b2c-41e9-afc2-644b91cd4368	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020 sbourgoin_sfc	9/17/2020	20.00000000000	6.00000000000	25.00000000000	10.00000000000	28.38574407580	-80.74177567690 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	e7dc8c79-b17f-4bbd-84fa-7e331e52b3e9	Palm (Christmas)	No	Adonidia merrillii	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020 shendley_sfc	9/17/2020	10.00000000000	4.00000000000	10.00000000000	10.00000000000	28.38908728220	-80.74389299350 Excellent	1.00000000000	Bamboo growing in 3 distinct clumps	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	a329bc7b-3d1c-4f31-9fbb-8d226827a9c1	Bamboo	No	Bambusa spp.	4.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020 sbourgoin_sfc	9/17/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.38582523880	-80.74183800920 Excellent	1.00000000000	2 palms in landscaping	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	71602f30-4416-4e47-821f-97c9915b4b0b	Palm (Pygmy Date)	No	Phoenix roebelenii	2.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020 shendley_sfc	9/17/2020	25.00000000000	20.00000000000	30.00000000000	25.00000000000	28.38899872700	-80.74412232260 Excellent	1.00000000000	3	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	d648441d-9d9d-4b2d-b3a0-6e1ddc317ab2	Oak (Live)	No	Quercus virginiana	3.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020 sbourgoin_sfc	9/17/2020	20.00000000000	14.00000000000	40.00000000000	25.00000000000	28.38588973190	-80.74188684610 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	795a2f65-9927-424a-981b-6ad2ab6ee612	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020 shendley_sfc	9/17/2020	5.00000000000	6.00000000000	10.00000000000	10.00000000000	28.38904717450	-80.74479572490 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	d1b82442-32dd-40b6-bf80-86e33be949cd	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020 sbourgoin_sfc	9/17/2020	10.00000000000	6.00000000000	20.00000000000	15.00000000000	28.38619745880	-80.74204333360 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	fb5ea27b-9ba3-44fb-8982-be7f5879fe36	Oak (Sand Live)	No	Quercus geminata	1.00000000000
Median	shendley_sfc	9/17/2020 shendley_sfc	9/17/2020	25.00000000000	12.00000000000	30.00000000000	20.00000000000	28.38878957890	-80.74553541030 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	a28f16e8-1645-4ba7-a8ec-6dc231ab25c5	Palm (Silver Date)	No	Phoenix sylvestris	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020 sbourgoin_sfc	9/17/2020	40.00000000000	22.00000000000	40.00000000000	55.00000000000	28.38634595140	-80.74219862170 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	1b1a53b4-d785-4555-a47c-203030d8b288	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020 sbourgoin_sfc	9/17/2020	5.00000000000	4.00000000000	15.00000000000	10.00000000000	28.38646464780	-80.74220045430 Excellent	1.00000000000	2 in front of yard	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	4285ee70-02ad-4820-8bc1-4732f817ad91	Crepe Myrtle	No	Lagerstroemia spp.	2.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020 sbourgoin_sfc	9/17/2020	10.00000000000	14.00000000000	25.00000000000	20.00000000000	28.38665139140	-80.74228116070 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	42d36946-e9ff-470c-99d7-bc1ddacda9db	Magnolia (Southern)	No	Magnolia grandiflora	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020 shendley_sfc	9/17/2020	5.00000000000	6.00000000000	15.00000000000	15.00000000000	28.38808061550	-80.74338848700 Excellent	1.00000000000	Co-dom	Tree is Undamaged	<Null>	No Maintenance Required	No	No	6c1a374a-f8a2-44c0-aeb3-37640b8a1f17	Oak (Sand Live)	No	Quercus geminata	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020 sbourgoin_sfc	9/17/2020	20.00000000000	18.00000000000	40.00000000000	30.00000000000	28.38628181110	-80.74268314420 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	feb979e4-a377-494b-8584-88abf87667fb	Sweetgum	No	Liquidambar styraciflua	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020 shendley_sfc	9/17/2020	30.00000000000	24.00000000000	40.00000000000	40.00000000000	28.38727335430	-80.74280745400 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	3e61b7ab-0f1b-46d1-907f-dc3a61bd084e	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020 shendley_sfc	9/17/2020	10.00000000000	14.00000000000	20.00000000000	25.00000000000	28.38723974300	-80.74303024430 Excellent	1.00000000000	Co-dom	Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	5ec76ec8-3103-4eb3-9feb-c0bb89692e65	Camphor Tree	No	Cinnamomum camphora	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020 sbourgoin_sfc	9/17/2020	10.00000000000	6.00000000000	15.00000000000	10.00000000000	28.38632657080	-80.74283210740 Excellent	1.00000000000	2 Christmas palms, one at point and one to w	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	c9dcbf20-60f3-4c4b-a557-ef07e82fedd9	Palm (Christmas)	No	Adonidia merrillii	2.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020 shendley_sfc	9/17/2020	20.00000000000	16.00000000000	35.00000000000	30.00000000000	28.38718190830	-80.74318497460 Excellent	1.00000000000	3	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	73ac2adc-775c-4f3a-8d73-640ef9931321	Oak (Live)	No	Quercus virginiana	3.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020 sbourgoin_sfc	9/17/2020	10.00000000000	10.00000000000	20.00000000000	10.00000000000	28.38626572130	-80.74294776910 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	66161513-a9c3-4218-9c56-694e9c211c0d	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020 shendley_sfc	9/17/2020	20.00000000000	10.00000000000	30.00000000000	10.00000000000	28.38725541690	-80.74330885950 Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	c4356959-53e7-4459-9739-1df07ba27b08	Palm (Cabbage)	No	Sabal palmetto	1.00000000000

4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	30.00000000000	18.00000000000	45.00000000000	25.00000000000	28.38715831310	-80.74382216670	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	dd85788f-8155-4cee-8bb6-6d0a51a7664f	Pine (Norfolk Island)	No	Araucaria heterophylla	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	15.00000000000	6.00000000000	20.00000000000	10.00000000000	28.38631152260	-80.74329750930	Excellent	1.00000000000	2 queen palms together	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	7769d0ce-aa2d-498b-b00c-de388d4d8b89	Palm (Queen)	No	Syagrus romanzoffiana	2.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	20.00000000000	12.00000000000	30.00000000000	10.00000000000	28.38717335800	-80.74408384950	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	ad8103ac-a736-482b-abc3-7d8b5a3fdcb0	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	10.00000000000	4.00000000000	10.00000000000	15.00000000000	28.38633147540	-80.74326703210	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	6cc54f37-0805-463a-ae43-4f6a8cbd81e1	Oleander	No	Nerium oleander	1.00000000000
Median	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	40.00000000000	20.00000000000	50.00000000000	55.00000000000	28.38588500500	-80.74203945190	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	f15afa80-c8ef-4474-9b8b-c389ba63ad6f	Oak (Live)	No	Quercus virginiana	1.00000000000
Median	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	20.00000000000	10.00000000000	30.00000000000	10.00000000000	28.38593799190	-80.74202701480	Excellent	1.00000000000	2	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	258fa21b-491c-4c16-9ac0-a1557e5b4f62	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
Median	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	20.00000000000	12.00000000000	20.00000000000	10.00000000000	28.38578150160	-80.74205333360	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	5208ad42-390a-4dc1-a1ab-32d03f34b5d9	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Median	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	10.00000000000	14.00000000000	15.00000000000	15.00000000000	28.38562117020	-80.74184352940	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	916ac743-f81b-4fad-badb-d4d57f3890fe	Palm (Bismarck)	No	Bismarckia nobilis	1.00000000000
Median	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	30.00000000000	24.00000000000	35.00000000000	40.00000000000	28.38557601900	-80.74199097260	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	5adc1468-844d-4462-8452-9086bc982aeb	Oak (Live)	No	Quercus virginiana	1.00000000000
Median	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	15.00000000000	10.00000000000	25.00000000000	15.00000000000	28.38564320010	-80.74196331250	Excellent	1.00000000000	Co-dom	Tree is Undamaged	<Null>	No Maintenance Required	No	No	edde5a7d-be5a-4ef3-96b2-8efa284c9208	Seagrape	No	Coccoloba uvifera	1.00000000000
Median	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	20.00000000000	12.00000000000	35.00000000000	15.00000000000	28.38562854610	-80.74183914380	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	e8d3f268-14a4-4857-b10a-4e98f3257832	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Median	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	40.00000000000	34.00000000000	55.00000000000	30.00000000000	28.38551784830	-80.74190254330	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	527ee1af-ef71-4df7-af9c-da095b122b1f	Hickory (Pignut)	No	Carya glabra	1.00000000000
Median	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	20.00000000000	12.00000000000	25.00000000000	15.00000000000	28.38551261960	-80.74190089040	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	a33d759d-bf3c-4782-a185-fc653d5387d6	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Median	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	15.00000000000	10.00000000000	25.00000000000	25.00000000000	28.38548377650	-80.74200656280	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	6bcce6d5-2529-4055-8330-dc0e12f720cf	Oak (Live)	No	Quercus virginiana	1.00000000000
Median	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	5.00000000000	4.00000000000	15.00000000000	10.00000000000	28.38544002100	-80.74181242790	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	b4775290-bf11-42a0-a244-e887ee908a85	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
Median	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	10.00000000000	6.00000000000	15.00000000000	30.00000000000	28.38543230670	-80.74184479870	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	2154802d-df9d-4e2b-84be-62fff4e0c854	Powderpuff	No	Calliandra haematocephala	1.00000000000
Median	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	30.00000000000	20.00000000000	45.00000000000	45.00000000000	28.38537418260	-80.74199072100	Excellent	1.00000000000	Royal poinciana	Tree is Undamaged	<Null>	No Maintenance Required	No	No	5e627954-f205-46e3-8b20-d71d53736eb8	Royal Poinciana	No	Delonix regia	1.00000000000
Median	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	5.00000000000	6.00000000000	20.00000000000	20.00000000000	28.38532011970	-80.74187044020	Excellent	1.00000000000	Co-dom	Tree is Undamaged	<Null>	No Maintenance Required	No	No	deb1e2ab-ba0c-491b-977b-55c6c9a132b8	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
Median	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	15.00000000000	12.00000000000	20.00000000000	15.00000000000	28.38538818530	-80.74177566970	Excellent	1.00000000000	Mult codom trunks	Tree is Undamaged	<Null>	No Maintenance Required	Yes	Yes	1f668e5c-ccec-4a8b-919f-eb2e32345c9b	Palm (Senegal Date)	No	Phoenix reclinata	2.00000000000
Median	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	20.00000000000	10.00000000000	30.00000000000	10.00000000000	28.38529560270	-80.74191519970	Excellent	1.00000000000	9	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	3996d024-791e-40f0-b19d-c54348e6b173	Palm (Cabbage)	No	Sabal palmetto	9.00000000000
Median	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	6.00000000000	8.00000000000	10.00000000000	10.00000000000	28.38527875490	-80.74192157050	Excellent	1.00000000000	Co-dom	Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	e4781bbe-1d50-47ed-87ed-faf5a9ee6d35	Camphor Tree	No	Cinnamomum camphora	1.00000000000
Median	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	60.00000000000	40.00000000000	60.00000000000	90.00000000000	28.38535330490	-80.74167012490	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	858b69d4-9934-4ea1-9f9b-d3e8b4e3ab3e	Hickory (Pignut)	No	Carya glabra	1.00000000000
Median	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	20.00000000000	16.00000000000	30.00000000000	20.00000000000	28.38521040080	-80.74195501390	Excellent	1.00000000000	Co - dom	Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	76622d25-1665-4cc4-8d63-db437215e0db	Schefflera	No	Schefflera arboricola	1.00000000000
City Building	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	20.00000000000	8.00000000000	25.00000000000	15.00000000000	28.36061474000	-80.73457219720	Very Poor	7.00000000000	Completely dead	Tree is Damaged	Tree is Dead	Removal	No	No	380d956b-567b-48f5-9a70-79ea56e063ca	Holly (East Palatka)	No	Ilex x attenuata	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	20.00000000000	8.00000000000	15.00000000000	0.00000000000	28.39002635800	-80.74369412080	Very Poor	7.00000000000	Dead palm, needs removal	Tree is Damaged	Tree Is Dead	Removal	No	No	9d1bf111-5d79-49ce-8d7e-23a1a8281ce8	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	20.00000000000	6.00000000000	35.00000000000	0.00000000000	28.39044569030	-80.74287065860	Very Poor	7.00000000000	Dead, needs removal	Tree is Damaged	Tree Is Dead	Removal	No	No	63320dae-df76-49d6-94c0-317aa338cb65	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	16.00000000000	15.00000000000	10.00000000000	28.38811917220	-80.75545490770	Very Poor	7.00000000000	See pics, Tree Is Dead	Tree Is Damaged	Stump/Trunk	Removal	No	No	bde7f7c8-b406-4740-98ea-e4afe5a316a0	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	8.00000000000	15.00000000000	5.00000000000	28.38811179650	-80.75583988790	Very Poor	7.00000000000	Trunk Damage, Signs of Decay	Tree is Damaged	Trunk has decay, only 20% of canopy alive	Removal	No	No	1ec8cd33-6e1b-49b4-8b5c-08e338f08f04	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	4.00000000000	20.00000000000	15.00000000000	28.38111007130	-80.75043034640	Very Poor	7.00000000000	Dead, Neds Removal	Tree is Damaged	Dead, Needs Removal	Removal	No	No	{B33DF877-BE37-4AE2-A174-B6C36DBF6CD5}	Red Cedar	No	Juniperus virginiana	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	10.00000000000	6.00000000000	5.00000000000	5.00000000000	28.39251547890	-80.78256999220	Very Poor	7.00000000000	Poor condition, consider replacement	Tree Is Damaged	Previously taken to just stump, resprouting	No Maintenance Required	No	No	{0A2DB9BD-0037-4CD7-8F52-2BC20845E1EF}	Golden Raintree	No	Koelreuteria paniculata	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	5.00000000000	8.00000000000	10.00000000000	10.00000000000	28.35366975970	-80.73520389430	Very Poor	6.00000000000	Dead cabbage palm	Tree is Damaged	Dead, brown fronds and trunk	Removal	No	No	4ef806b9-e874-40b8-b918-a37f76dfb7a9	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	20.00000000000	10.00000000000	30.00000000000	15.00000000000	28.37441256170	-80.73508941830	Very Poor	6.00000000000	Poor Shape, Nearly Dead; Leaning into Roadway	Tree is Damaged	Rot and decay	Removal	No	No	64cce7b8-a526-414e-85b7-90ea8d68558e	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	40.00000000000	22.00000000000	45.00000000000	30.00000000000	28.39349752110	-80.74494572830	Very Poor	6.00000000000	In yard but mostly dead, overhanging road	Tree is Damaged	Tree is Dead	Removal	No	No	3c6fff81-c9e5-4fc0-a24c-a31250ed8b13	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	12.00000000000	10.00000000000	15.00000000000	28.39630519010	-80.75949179910	Very Poor	6.00000000000	Tree is Dead, Top Snapped Off, Just Trunk	Tree is Damaged	Stump/Trunk	Remove Trunk	No	No	{92A6AB4D-4442-48D9-9A42-83918A223759}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	12.00000000000	20.00000000000	10.00000000000	28.39546529150	-80.77771919830	Very Poor	6.00000000000	Two dead trees in Woodland.	Tree is Damaged	Stump/Trunk	Remove Trunks	No	Yes	{71FB3AC6-090C-432D-82B1-989025C76E55}	Palm (Queen)	No	Syagrus romanzoffiana	2.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	15.00000000000	20.00000000000	30.00000000000	10.00000000000	28.39654017710	-80.77215492750	Very Poor	5.00000000000	Dead Tree, Needs Removal	Tree Is Damaged	Stump/Trunk	Removal	No	No	{90F49D7A-131D-4681-A0D4-30C3A6650F80}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	14.00000000000	10.00000000000	0.00000000000	28.35970917560	-80.73356772260	Very Poor	5.00000000000	Dead Tree With Debris on Ground, Needs Removal	Tree is Damaged	Tree is Dead	Removal	Yes	No	{5D5B6D97-BA02-4D4D-BB9A-204665A5946F}	Pine (Australian)	No	Casuarina equisetifolia	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	25.00000000000	12.00000000000	0.00000000000	0.00000000000	28.35465994530	-80.73038683670	Very Poor	4.00000000000	See pic; dead stump, needs removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	37cea1c0-ea25-4473-a27f-ef602c1ea2ef	Red Cedar	No	Juniperus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	16.00000000000	10.00000000000	0.00000000000	28.39199010250	-80.75872301100	Very Poor	4.00000000000	Stump That Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{BAAB84BD-2DA2-46C1-A220-4AF39FF0EE37}	N/A (Stump)	No	N/A (Stump)	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	12.00000000000	40.00000000000	5.00000000000	28.40082534120	-80.76887391530	Very Poor	4.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{B3016B6E-7653-4251-9F36-3F5C670A749D}	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	14.00000000000	35.00000000000	15.00000000000	28.40072983500	-80.76886922250	Very Poor	4.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{3753AAE0-AF6F-44AD-9FDC-63D37B8CE09D}	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	14.00000000000	20.00000000000	10.00000000000	28.39545492520	-80.77698497380	Very Poor	4.00000000000	Dead Trunk, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{A2B29C06-54B6-4511-A0AE-4AE144866251}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	15.00000000000	12.00000000000	15.00000000000	0.00000000000	28.36028379310	-80.74511496280	Very Poor	3.00000000000	Dead palm trunk. Directly under power lines, needs removal	Tree Is Damaged	Stump	Remove Stump	No	No	102a501f-485a-4869-935d-7599fd845db5	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	10.00000000000	8.00000000000	20.00000000000	20.00000000000	28.38850520070	-80.78777619640	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{950C8A8C-E95D-4C3D-9BB1-88CB78773C06}	Pine (Slash)	No	Pinus elliottii	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	8.00000000000	30.00000000000	20.00000000000	28.38802106560	-80.78773675040	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{E7B29CFB-B138-494D-BC3A-6544126508D3}	Pine (Slash)	No	Pinus elliottii	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	20.00000000000	15.00000000000	28.38729850230	-80.78772135240	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{A6F520AA-BE5B-4F33-AA30-C028F250066C}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	acarroll_sfc	9/29/2020	acarroll_sfc	9/29/2020	15.00000000000	8.00000000000	15.00000000000	10.00000000000	28.35750346390	-80.73363002340	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{5BEBB25C-5D3A-4F51-B4AC-916BA29AFBEB}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Median	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.38273778120	-80.77264493330	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree is Dead	Removal	No	No	{7356D8DC-9EEF-4BCD-9C37-AF34A528B318}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	8.00000000000	15.00000000000	0.00000000000	28.36806211650	-80.75455653490	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree Is Dead	Removal	No	No	{B0AA3A91-74ED-4EC5-B6B9-9C55DC00EFD4}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	30.00000000000	28.00000000000	10.00000000000	0.00000000000	28.36940032900	-80.75550067230	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{980EB6CB-8C9C-46A5-BE14-C58E1DC6B7E2}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	15.00000000000	12.00000000000	5.00000000000	5.00000000000	28.40107568520	-80.74431573080	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{29508705-86F4-4831-AB68-2CB1FC0730A6}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	20.00000000000	14.00000000000	15.00000000000	10.00000000000	28.40210622400	-80.74257587820	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{F12D774F-FACC-4548-883C-2B4B33DED582}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	12.00000000000	5.00000000000	0.00000000000	28.39095154290	-80.78079465800	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{A8EBBB7F-C43F-42C4-B97E-D8C7EF0A23AA}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	30.00000000000	18.00000000000	35.00000000000	15.00000000000	28.35545871610	-80.73228686420	Very Poor	2.00000000000	Bizmark stump	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	f5b6bc90-b19d-47b1-9d94-803c94c27919	Palm (Bismarck)	No	Bismarckia nobilis	1.00000000000
City Park	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	20.00000000000	10.00000000000	0.00000000000	0.00000000000	28.35888270100	-80.73130859620	Very Poor	2.00000000000	3 stumps and 1 BP. To be removed	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	b11484c9-65d7-4d53-9461-416912340a10	Hickory (Pignut)	No	Carya glabra	1.00000000000
2-4 Ft ROW	shendley_sfc	9/13/2020	shendley_sfc	9/13/2020	20.00000000000	8.00000000000	5.00000000000	0.00000000000	28.35087389180	-80.73356707580	Very Poor	2.00000000000	Tree is cut; stump needs removal	Tree Is Damaged	Stump/Trunk	Remove Stump	No	No	7148642b-82af-4f80-a4ad-74d5e933ea8a	Sycamore	No	Platanus occidentalis	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/16/2020	sbourgoin_sfc	9/16/2020	20.00000000000	14.00000000000	25.00000000000	15.00000000000	28.36619344110	-80.74705959530	Very Poor	2.00000000000	Completely dead needs removal	Tree is Damaged	Tree is Dead	Removal	No	No	1c15f2d9-a065-4aab-8ccf-5cd17f805c7a	Pine (Longleaf)	No	Pinus palustris	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	20.00000000000	10.00000000000	5.00000000000	0.00000000000	28.38738969540	-80.76376179260	Very Poor	2.00000000000	Stump	Tree Is Undamaged	<Null>	Remove Stump	No	No	{57F1FA2A-BD75-400B-8276-6ED829F7A80C}	Bottlebrush (Weeping)	No	Melaleuca viminalis	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	16.00000000000	0.00000000000	0.00000000000	28.39889285130	-80.76775526670	Very Poor	2.00000000000	Stump That Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{20ACB205-116A-418E-A68F-74403C577CD5}	N/A (Stump)	No	N/A (Stump)	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	35.00000000000	18.00000000000	10.00000000000	5.00000000000	28.35695927990	-80.73346942710	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{F6DC1A1A-AB89-41C0-8372-8E2460A0F823}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	55.00000000000	28.00000000000	50.00000000000	60.00000000000	28.36019909440	-80.73430334220	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{C9E5553C-5EC9-4DA4-9A4E-6D214065BBD5}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	25.00000000000	16.00000000000	40.00000000000	20.00000000000	28.35963514510	-80.73353318230	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree is dead, see picture.	Removal	Yes	No	{6EE83020-5AB6-449A-ADA6-8EA7F2292927}	Pine (Australian)	No	Casuarina equisetifolia	1.00000000000
Cemetary	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	30.00000000000	18.00000000000	0.00000000000	0.00000000000	28.36875127660	-80.75586536950	Very Poor	2.00000000000	Old stump. Rotting	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{35627E43-0723-448B-BD9B-8911F4A8D205}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	16.00000000000	10.00000000000	5.00000000000	28.36835598580	-80.75473439860	Very Poor	2.00000000000	Stump	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{15DA5336-B17B-479C-929E-A36072E8D6D0}	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	10.00000000000	4.00000000000	15.00000000000	5.00000000000	28.38348674870	-80.77803819550	Very Poor	2.00000000000		Tree is Damaged	Tree is Dead	Removal	No	No	{1BAEAF65-A73A-4AAD-B2B5-156CBE656BE0}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	12.00000000000	0.00000000000	0.00000000000	28.39103175120	-80.78077820530	Very Poor	2.00000000000	Two stumps in Woodland.	Tree is Damaged	Stump/Trunk	Remove Stump	No	Yes	{E37E5873-D334-4D04-8F44-04B030B00B88}	N/A (Stump)	No	N/A (Stump)	2.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	12.00000000000	15.00000000000	0.00000000000	28.39120392220	-80.78055795280	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{88B0584D-929C-4C3A-B4CE-733862991F2F}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	10.00000000000	20.00000000000	0.00000000000	28.39127525250	-80.78042099290	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{63356FB1-094E-4FD5-9573-2F45BA64F029}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	12.00000000000	25.00000000000	10.00000000000	28.39152758910	-80.77998370830	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{B19D23DB-8B93-431A-ACD0-7BE247CC2E33}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.39102319340	-80.77973278460	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{EC4E220A-D753-48A0-B655-12FD268FB25D}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	8.00000000000	30.00000000000	25.00000000000	28.39072632140	-80.78034228610	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{66C46A3C-08E9-491C-B001-175D6B738570}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.39078610070	-80.78101954130	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{CBF7C1CA-BA64-4423-B044-09F778651EDE}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	5.00000000000	4.00000000000	15.00000000000	5.00000000000	28.39078144680	-80.78100083840	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{8C262DC2-611C-4171-875C-EE4247717BF5}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35702616760	-80.73350831880	Very Poor	1.00000000000	Stump that has resprouted	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{B77C4B93-AF85-4AD0-9BD7-C050A6AD16C9}	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
City Park	acarroll_sfc	9/15/2020	acarroll_sfc	9/15/2020	20.00000000000	10.00000000000	25.00000000000	10.00000000000	28.35420867420	-80.74326518970	Poor	6.00000000000	See pic	Tree is Undamaged	<Null>	Removal	No	No	cdb648ac-bce2-4124-b380-995ad4b2eee9	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
City Park	sbourgoin_sfc	9/18/2020	sbourgoin_sfc	9/18/2020	5.00000000000	8.00000000000	15.00000000000	10.00000000000	28.37679872970	-80.76179704140	Poor	6.00000000000	tree not completely dead, but 50 percent of branches without leaves; seems to have a web work infestation see pics	Tree is Damaged	Large chunk of middle bark missing	Removal	No	No	e8617e60-7f0e-4fef-8965-1e60586e0c86	Oak (Live)	No	Quercus virginiana	1.00000000000
City Building	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	20.00000000000	10.00000000000	25.00000000000	10.00000000000	28.36120423840	-80.73457651270	Poor	5.00000000000	Majority of tree is dead. Recommend removal	Tree is Damaged	Tree is Dead	Removal	No	No	b7742f99-fba6-40f2-996f-ae824c895a11	Holly (East Palatka)	No	Ilex x attenuata	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	15.00000000000	6.00000000000	20.00000000000	10.00000000000	28.37505849060	-80.76122660220	Poor	5.00000000000	Severe leaf loss	Tree is Damaged	Severe leaf loss, obvious damage to tree	Removal	No	No	1b4a0557-5f26-41f9-9019-11038d4fee85	Holly (American)	No	Ilex opaca	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	14.00000000000	20.00000000000	15.00000000000	28.38814578530	-80.75573913730	Poor	5.00000000000	High percentage of deadwood in canopy, multiple limb breaks	Tree is Damaged	Recent limb breaks, copious deadwood	Pruning	No	No	bb7b3673-838d-4293-95a6-0bfced1b9db4	Box Elder	No	Acer negundo	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	20.00000000000	16.00000000000	35.00000000000	20.00000000000	28.38825967710	-80.78775262730	Poor	5.00000000000	Severe damage to trunk, wood rot	Tree is Damaged	Wood rot in trunk	Removal	No	No	{0E823A48-2112-4497-9276-C59EF128FB03}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	16.00000000000	20.00000000000	15.00000000000	28.35703777640	-80.73279946090	Poor	5.00000000000	Try cleaning deadwood first before removing. Co dom w included bark	Tree is Damaged	Tree Is Dead	Removal	No	No	{AE4C2C59-5208-4610-B8B3-58DC8CCBB65E}	Hickory (Pignut)	No	Carya glabra	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	8.00000000000	6.00000000000	20.00000000000	10.00000000000	28.39916023430	-80.77080259110	Poor	4.00000000000	Remove	Tree is Damaged	Cambium layer weed whacked repeatedly	Removal	No	No	{E356A27F-155E-41C7-AE39-BE2D3B1F3306}	Holly (Dahoon)	No	Ilex cassine	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35120694720	-80.72616601960	Poor	3.00000000000	Canopy broken and mostly leafless	Tree Is Damaged	Canopy topped	No Maintenance Required	No	No	cd35ada1-bbfe-4763-97e7-f10ed59cf265	Tabebuia	No	Tabebuia spp.	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	5.00000000000	8.00000000000	10.00000000000	10.00000000000	28.35114616070	-80.72621493110	Poor	3.00000000000	Canopy broken and mostly leafless	Tree Is Damaged	Crown broke	No Maintenance Required	No	No	bf3469ee-9835-42d5-b45e-81997412c6ae	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	20.00000000000	14.00000000000	20.00000000000	10.00000000000	28.37552867380	-80.76525779480	Poor	2.00000000000	See pic	Tree is Damaged	Needs pruning of multiple dead limbs for a chance	Pruning	Yes	No	7c237f9f-a267-4710-92e8-f4454a1b5c7f	Indian Rosewood	No	Dalbergia sissoo	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	30.00000000000	12.00000000000	35.00000000000	15.00000000000	28.36061274170	-80.73415800010	Poor	2.00000000000	Unnatural form. Fine for SLO.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{AB73F2B7-444C-4EB9-9B64-0ED15E67861B}	Oak (Sand Live)	No	Quercus geminata	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	40.00000000000	18.00000000000	25.00000000000	40.00000000000	28.36486055300	-80.73437332990	Fair	7.00000000000		Tree Is Damaged	Missing mult limbs due to rot and pruning. Central leader still intact but rotting likely to fall	Removal	No	No	035599b7-6ba4-4a35-bf49-3b2cb056e780	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	60.00000000000	32.00000000000	45.00000000000	25.00000000000	28.38155051730	-80.73657843430	Fair	7.00000000000	Lg oak directly next to road. Evidence of prev pruning. Lg dead limbs overhanging road, needs additional consult	Tree is Damaged	Multiple large dead limbs	Pruning	No	No	788c2f34-9024-4f34-aeb1-4b0ff7cb1825	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	40.00000000000	24.00000000000	45.00000000000	25.00000000000	28.37482115740	-80.76184862270	Fair	7.00000000000	Remove. Co Dom and over pruned. Trunk rot. See pictures	Tree is Damaged	Trunk Rot	Removal	No	No	042c8a89-8f42-45a7-932d-209dbeb2a45b	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	18.00000000000	50.00000000000	35.00000000000	28.37785729230	-80.74507031560	Fair	7.00000000000	Water oak, dead branch over road way	Tree is Damaged	Crown broke	Pruning	No	No	{BC25B713-2163-4046-9747-9A4FC6AC84A3}	Oak (Water)	No	Quercus nigra	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	30.00000000000	26.00000000000	40.00000000000	35.00000000000	28.39283805840	-80.76054104570	Fair	7.00000000000	Tree has sparse canopy with many bare branches, see pictures.	Tree is Damaged	Bare branches/canopy	Pruning	No	No	{03C14FE5-C859-4706-923E-676D89DB62A9}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	6.00000000000	10.00000000000	5.00000000000	28.35700282350	-80.73356992610	Fair	7.00000000000	See pic	Tree is Damaged	Tree Is Dead	Removal	No	No	{58F800C4-0AC0-464A-80AB-BBA329198225}	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	6.00000000000	10.00000000000	5.00000000000	28.35528643810	-80.72750413570	Fair	6.00000000000	See pic	Tree is Damaged	Dying, needs H2O	Removal	No	No	060c3393-62c2-403b-bd0f-860973469609	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	15.00000000000	12.00000000000	15.00000000000	20.00000000000	28.35402286250	-80.72669429640	Fair	6.00000000000	See picture	Tree Is Damaged	Crown broken	No Maintenance Required	No	No	3b083e80-5b3e-4bd5-bd2b-7af3cfdbe027	Red Cedar	No	Juniperus virginiana	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	10.00000000000	10.00000000000	20.00000000000	20.00000000000	28.36394391950	-80.74302337130	Fair	6.00000000000	Large trunk damage	Tree Is Damaged	Trunk is Cracked and Split for Its Entirety	Removal	No	No	63aa69e1-249e-489e-8fec-7ee7362c9bda	Sycamore	No	Platanus occidentalis	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/16/2020	sbourgoin_sfc	9/16/2020	20.00000000000	10.00000000000	30.00000000000	25.00000000000	28.37128400850	-80.74462001170	Fair	6.00000000000	Tree is nearly dead, probably 40 percent of branches with leaves; needs at least pruning, possibly removal	Tree is Damaged	High Proportion of Branches Dead	Pruning	No	No	f91261d9-9f85-42e9-9f78-aa7a782adf5e	Green Ash	No	Fraxinus pennsylvanica	1.00000000000
4+ Ft ROW	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	40.00000000000	24.00000000000	40.00000000000	45.00000000000	28.39816863550	-80.74960865740	Fair	6.00000000000	Overhang	Tree is Damaged	Hit by vehicle	No Maintenance Required	No	No	4a56135e-24de-4fba-b0f3-08359e5707ef	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	20.00000000000	16.00000000000	35.00000000000	40.00000000000	28.37463553980	-80.76391794760	Fair	6.00000000000	This tree has a co-dominance stem with included bark also overhangs the road also has soil heaving. Also has bark beetles. Minor bark beetles. See pictures	Tree is Damaged	Minor bark beetles	No Maintenance Required	No	No	b5b0fef6-9771-4532-b50e-4d81cd696a64	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	10.00000000000	6.00000000000	20.00000000000	10.00000000000	28.38810714400	-80.75727310950	Fair	6.00000000000	Heavy signs of bark beetle infestation	Tree is Damaged	Pest Infestation	No Maintenance Required	No	No	d601b313-3efe-42d1-82f5-832a90f6c213	Green Ash	No	Fraxinus pennsylvanica	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	16.00000000000	15.00000000000	20.00000000000	28.39544013590	-80.75904185900	Fair	6.00000000000	Tree appears to be dying with bare branches. See picture.	Tree is Damaged	Branches are Dying Off	Pruning	No	No	{50398963-9B6C-42E0-9FE6-AF91BDD37434}	Bottlebrush (Weeping)	No	Melaleuca viminalis	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	8.00000000000	15.00000000000	15.00000000000	28.39721316040	-80.77160247610	Fair	6.00000000000	Trim back hard	Tree Is Undamaged	<Null>	Pruning	Yes	No	{06490509-BE0F-44E0-AF4B-31F9569E62B2}	Camphor Tree	No	Cinnamomum camphora	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	8.00000000000	20.00000000000	15.00000000000	28.35712084050	-80.73344344240	Fair	6.00000000000	The canopy has been broken off. Bark beetles present in the canopy. Deadwood throughout. See picture	Tree is Damaged	Canopy has been broken off	Pruning	No	No	{BACA6C9D-F7F4-44F3-A16B-E6E6525412DA}	Sugarberry	No	Celtis laevigata	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	40.00000000000	20.00000000000	50.00000000000	20.00000000000	28.36061601040	-80.73421910450	Fair	6.00000000000	Deadwood at the top of the canopy. Sparse canopy. Bark peeling. Decay in lowest point of trunk.	Tree is Damaged	Deadwood and Peeling Bark	Pruning	No	No	{8EAFBCE8-3712-4061-B595-38C4579F5B35}	Oak (Sand Live)	No	Quercus geminata	1.00000000000
Median	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	35.00000000000	18.00000000000	40.00000000000	20.00000000000	28.34926456580	-80.74507902570	Fair	5.00000000000	See pics. Damaged	Tree is Damaged	Mechanical Damage and Potential Rot at Base	Pruning	No	No	6d9dc418-0830-4fa2-9284-ac99e520e57f	Maple (Red)	No	Acer rubrum	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	20.00000000000	16.00000000000	25.00000000000	25.00000000000	28.36483498630	-80.73419860670	Fair	5.00000000000		Tree Is Damaged	Mechanical damage at base see pics	No Maintenance Required	Yes	No	4ab213a9-17a8-45e9-b82b-090433acb0a2	Chinaberry	No	Melia azedarach	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	15.00000000000	10.00000000000	30.00000000000	20.00000000000	28.38431299220	-80.73913266000	Fair	5.00000000000	Overhang	Tree Is Damaged	Lightning	No Maintenance Required	No	No	5bae7c63-65bc-4b4c-aba4-c7d31271810f	Sugarberry	No	Celtis laevigata	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	10.00000000000	20.00000000000	15.00000000000	28.38812960800	-80.75560444030	Fair	5.00000000000	High percentage of deadwood in canopy, multiple limb breaks	Tree is Damaged	Recent limb breaks, copious deadwood	Pruning	No	No	2ee43f2d-8efc-48d3-b90b-e8b67ccfb9bb	Box Elder	No	Acer negundo	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	30.00000000000	18.00000000000	25.00000000000	25.00000000000	28.39032768990	-80.78335793950	Fair	5.00000000000	Minor soil heaving on curb and sidewalk. The crown was broken in this tree. And the sides are now growing out to make it fall in the canopy. Minor bark beetles present. See pictures. Multiple stems extending from a central location.	Tree Is Undamaged	<Null>	Pruning	No	No	{898CAFB2-3ECE-424E-ABBE-EA0929457A2D}	Maple (Red)	No	Acer rubrum	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	30.00000000000	20.00000000000	35.00000000000	20.00000000000	28.35699553170	-80.73361485270	Fair	5.00000000000	Lots of vines on canopy. Deadwood within canopy. Lots of decaying scaffolding. Toward the back of the cemetery and not much risk of injury. There is a fence target nearby. And graves.	Tree is Damaged	Branches contain decay	Pruning	No	No	{110D2DD3-E453-460D-8C91-DC008B59B80E}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35702268850	-80.73344126310	Fair	5.00000000000	Lots of deadwood. Vines growing. See picture. Florida privet	Tree is Undamaged	<Null>	Pruning	No	No	{3DF41125-9937-4B2F-B841-F77FE19B0300}	Privet (Florida)	No	Forestiera segregata	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	10.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35761562420	-80.73307111860	Fair	5.00000000000	Species is red bay	Tree is Damaged	Chlorotic leaves, dead branches	No Maintenance Required	No	No	{973AD2BD-CF5F-4C63-8953-1831FFB6A0DA}	Bay	No	Persea palustris	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	12.00000000000	15.00000000000	10.00000000000	28.35950482670	-80.73428338070	Fair	5.00000000000		Tree is Damaged	Half of tree is dead, see picture.	No Maintenance Required	No	No	{A5A80953-7423-4830-B4B9-CB49F9CE4AC8}	Arborvitae	No	Thuja occidentalis	1.00000000000
2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	3.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35366966090	-80.72927017420	Fair	4.00000000000	See photo	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	2328ded0-bb32-4338-ac3d-cd2e428802ae	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
Median	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	15.00000000000	8.00000000000	15.00000000000	5.00000000000	28.34927533190	-80.74307763490	Fair	4.00000000000	2 palms. Unhealthy. See pics	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	976b9498-f2da-4078-98a6-c1ac74f54e39	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
4+ Ft ROW	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	22.00000000000	16.00000000000	25.00000000000	30.00000000000	28.35478254130	-80.72673213700	Fair	4.00000000000	Parking lot very little foliage	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	3140e591-9ff6-4f6e-8467-8c1008accedd	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	5.00000000000	6.00000000000	10.00000000000	10.00000000000	28.36371706370	-80.74298053960	Fair	4.00000000000	Small hole in trunk	Tree Is Damaged	Small Hole in Trunk, May Close Up	No Maintenance Required	No	No	e37d9b02-14f7-4b57-b8a2-e98aa0f61b75	Sycamore	No	Platanus occidentalis	1.00000000000
City Building	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	25.00000000000	16.00000000000	35.00000000000	30.00000000000	28.36080468400	-80.73807965300	Fair	4.00000000000		Tree is Damaged	Either mech or lightning damage to trunk; many branches seem dead, remaining leaves are suffering	Removal	No	No	ea477734-34a4-47f6-b6f3-594844e3dbb6	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	20.00000000000	14.00000000000	10.00000000000	10.00000000000	28.37271717360	-80.74467862950	Fair	4.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	34c90256-657b-4d10-b2d4-179390fc1c84	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
City Park	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	12.00000000000	10.00000000000	20.00000000000	15.00000000000	28.38168577190	-80.76364231310	Fair	4.00000000000	Some bark loss and multiple dead branches	Tree is Damaged	Bark and branch loss	No Maintenance Required	No	No	3e2839ae-30c5-4e17-a96d-193921f8edd8	Maple (Red)	No	Acer rubrum	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	20.00000000000	20.00000000000	25.00000000000	15.00000000000	28.37414888640	-80.76223058630	Fair	4.00000000000	Some large limbs previously pruned	Tree is Undamaged	<Null>	No Maintenance Required	No	No	41806838-1739-42ca-9f71-98e778c556cd	Bottlebrush (Weeping)	No	Melaleuca viminalis	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	15.00000000000	14.00000000000	20.00000000000	25.00000000000	28.37414067260	-80.76261808180	Fair	4.00000000000	Co-dominant tree, weak attachement of trunks at base; needs removal of a trunk	Tree is Damaged	Tree has Unnatural growth and weak base attachment	Pruning	No	No	936de601-7b68-49d8-bc42-d5e8fffb5f7c	Maple (Red)	No	Acer rubrum	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	30.00000000000	24.00000000000	50.00000000000	45.00000000000	28.38520645320	-80.76522934600	Fair	4.00000000000	Tree has 3 inch deep cut in trunk of the tree, see pictures. Tree has another 3 inch hole, see picture. Tree has overhanging branches over road, see picture.	Tree is Damaged	Cut In Trunk	No Maintenance Required	No	No	fa9e59b3-f768-4517-93ce-585e20b8f6ea	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	35.00000000000	16.00000000000	30.00000000000	15.00000000000	28.38963604470	-80.78271833460	Fair	4.00000000000	This tree looks owner maintained and owner pruned. It is near green electrical box target and a waterline see pictures.	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{218B0157-AFEA-4D39-900E-009981AD5C6F}	Maple (Red)	No	Acer rubrum	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	40.00000000000	20.00000000000	25.00000000000	25.00000000000	28.39473146360	-80.78195103140	Fair	4.00000000000	See pics. Bark beetles.	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{9312E47A-59A9-41C9-9F8F-3227B9192533}	Maple (Silver)	No	Acer saccharinum	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	25.00000000000	20.00000000000	30.00000000000	25.00000000000	28.39472408110	-80.78189990470	Fair	4.00000000000	Over hang and bark beetles.	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{E319197A-63C9-45BE-ADF7-4177771F351B}	Maple (Silver)	No	Acer saccharinum	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	25.00000000000	16.00000000000	35.00000000000	45.00000000000	28.35724955860	-80.73296058630	Fair	4.00000000000		Tree is Damaged	Crown damage, broken/dead limbs	No Maintenance Required	No	No	{D25BA6E7-8490-4715-822D-1D32F903A435}	Jacaranda	No	Jacaranda mimosifolia	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	30.00000000000	20.00000000000	35.00000000000	40.00000000000	28.35952643120	-80.73343624150	Fair	4.00000000000	Bark missing from base of trunk	Tree is Damaged	Trunk Damage	No Maintenance Required	No	No	{1BA03A16-9A32-4194-835F-65A608A6ECA0}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	50.00000000000	30.00000000000	45.00000000000	30.00000000000	28.36878933130	-80.75475628880	Fair	4.00000000000	Co-dom forks. Many stems coming from a central location. Deadwood In canopy. Prune, reduce co-dominant forks	Tree is Undamaged	<Null>	Pruning	No	No	{7C1C9E25-7AE3-423C-9355-7A3AB1516E84}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
City Park	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	10.00000000000	14.00000000000	25.00000000000	15.00000000000	28.38966730970	-80.74328153360	Fair	3.00000000000		Tree Is Damaged	Mistletoe	No Maintenance Required	No	No	1d5ee857-5f30-4e30-8acb-e0ab5d5591af	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
City Park	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	12.00000000000	10.00000000000	30.00000000000	10.00000000000	28.38724854370	-80.75966270630	Fair	3.00000000000	See pic	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	7db372bd-ad65-4bf2-a99c-c40b9744adbd	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	20.00000000000	14.00000000000	25.00000000000	15.00000000000	28.35827905770	-80.73213278520	Fair	3.00000000000	Next to water tower; tough to measure duh covered with vines	Tree is Damaged	Covered with vines, restricting sunlight and nutrients to tree	Vine Removal	No	No	09c19dff-648b-4bc3-acc3-4d259f7d5b33	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	25.00000000000	8.00000000000	30.00000000000	10.00000000000	28.40263694950	-80.74600148860	Fair	3.00000000000		Tree is Damaged	Insect	No Maintenance Required	No	No	80efa2df-be1f-4bfb-8e62-28eba8f4e3e5	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	10.00000000000	4.00000000000	10.00000000000	5.00000000000	28.37326120090	-80.75323873240	Fair	3.00000000000	See pics	Tree is Undamaged	<Null>	No Maintenance Required	No	No	fbbb878b-7740-4321-a348-117f795b8045	Red Cedar	No	Juniperus virginiana	1.00000000000

4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	5.00000000000	16.00000000000	15.00000000000	10.00000000000	28.39140163900	-80.74366057770	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	5e1bf397-1f97-42ca-b6fa-03ab5d1a507d	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
Median	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	20.00000000000	14.00000000000	30.00000000000	20.00000000000	28.39554068630	-80.74964735860	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	16c1b0ab-9ebb-4121-b837-6cfa0790d8df	Palm (Silver Date)	No	Phoenix sylvestris	1.00000000000
Median	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	10.00000000000	6.00000000000	15.00000000000	10.00000000000	28.39535922760	-80.74953238780	Excellent	1.00000000000	6 , co-dom	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	f12a8301-7e49-4615-ac36-04cbe312d066	Crepe Myrtle	No	Lagerstroemia spp.	6.00000000000
Median	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	20.00000000000	12.00000000000	25.00000000000	20.00000000000	28.40097887530	-80.75318424960	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	ab25292e-b29e-40b6-ad9b-a4b9404a653e	Palm (Silver Date)	No	Phoenix sylvestris	1.00000000000
Median	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	10.00000000000	4.00000000000	10.00000000000	5.00000000000	28.40071282200	-80.75302416260	Excellent	1.00000000000	2 n of palm in median, 3 south	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	5406c66e-f7a8-424c-aa83-1a80d6a2708b	Crepe Myrtle	No	Lagerstroemia spp.	5.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	20.00000000000	12.00000000000	25.00000000000	20.00000000000	28.40341790570	-80.75069675260	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	ffcd8eec-5b2a-4e93-a1c8-aeadb1aa3a41	Palm (Silver Date)	No	Phoenix sylvestris	1.00000000000
2-4 Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.40254652340	-80.74930703280	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	8e85b539-6155-4ed9-a21a-1a8455df60b5	Palm (Pygmy Date)	No	Phoenix roebelenii	1.00000000000
2-4 Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	20.00000000000	14.00000000000	40.00000000000	15.00000000000	28.40233400040	-80.74908843320	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	5179493c-b973-4297-b4c5-965ae1b705d5	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	10.00000000000	8.00000000000	25.00000000000	20.00000000000	28.40205912650	-80.74826584320	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	ba92b78a-e1b7-4fa4-8d39-9c859c01aed9	Avocado	No	Persea americana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	20.00000000000	12.00000000000	20.00000000000	20.00000000000	28.40168188770	-80.74793131050	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	6da7569e-a8eb-4b2d-8b3e-fe93a8b62d11	Oak (Sand Live)	No	Quercus geminata	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	10.00000000000	4.00000000000	10.00000000000	10.00000000000	28.40256301690	-80.74828380410	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	62cb0691-c858-43c9-8d5c-45d52cab13e7	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	50.00000000000	40.00000000000	30.00000000000	60.00000000000	28.40255888660	-80.74833297160	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	fa7a5734-58d6-4b81-93a4-4bab884fa8ab	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	35.00000000000	22.00000000000	40.00000000000	35.00000000000	28.40265221340	-80.74837488430	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	43e720e0-923a-4f3e-9bbf-4021e05560b9	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	20.00000000000	12.00000000000	25.00000000000	10.00000000000	28.40154233780	-80.75013030910	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	9723be7e-03b1-4b25-aab7-4a605d5eebcf	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	10.00000000000	4.00000000000	10.00000000000	10.00000000000	28.40173756280	-80.75087107070	Excellent	1.00000000000	Fire bush	Tree is Undamaged	<Null>	No Maintenance Required	No	No	0bc58086-1d21-472c-89f6-401a0934ccd2	Firebush	No	Hamelia patens	1.00000000000
4+ Ft ROW	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	15.00000000000	10.00000000000	30.00000000000	20.00000000000	28.40188020130	-80.75094082930	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	d65da979-5763-485b-b23c-fc394611577f	Hickory (Pignut)	No	Carya glabra	1.00000000000
4+ Ft ROW	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	20.00000000000	10.00000000000	30.00000000000	25.00000000000	28.40197266030	-80.75104581630	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	5ca83c16-26f3-430c-83a0-3ded818d60d3	Orchid Tree	No	Bauhinia variegata	1.00000000000
4+ Ft ROW	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	10.00000000000	8.00000000000	15.00000000000	20.00000000000	28.40163984330	-80.74802030570	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	c91dc16a-0df3-46b0-8a7f-ecdaaaa84555	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	20.00000000000	10.00000000000	25.00000000000	10.00000000000	28.40189876120	-80.74734187470	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	e738a964-e0a6-4344-878a-356c0496be23	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	30.00000000000	26.00000000000	50.00000000000	60.00000000000	28.40267775530	-80.74709083960	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	b1b88033-5fe2-44b8-b986-5a27c44a7bc9	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	25.00000000000	10.00000000000	35.00000000000	10.00000000000	28.40234558130	-80.74627460610	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	292ac464-611e-4e27-9175-719c0b3527a3	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	25.00000000000	12.00000000000	30.00000000000	10.00000000000	28.40210453530	-80.74641208600	Excellent	1.00000000000	2	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	1c3ffd88-33f6-4a83-b731-e47257c00c1c	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
4+ Ft ROW	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	30.00000000000	28.00000000000	30.00000000000	30.00000000000	28.39925176640	-80.74571769730	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	2e042653-3150-4e8e-8d2b-c7325006b7ee	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	20.00000000000	12.00000000000	30.00000000000	10.00000000000	28.40163090860	-80.74647823170	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	c95a13e4-f1a7-4af7-8591-dc5006632de1	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	20.00000000000	8.00000000000	25.00000000000	10.00000000000	28.40348998560	-80.74605428790	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	6cdde78c-5b4c-45d9-9e78-20282c93766c	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/18/2020	sbourgoin_sfc	9/18/2020	20.00000000000	12.00000000000	30.00000000000	15.00000000000	28.40344516680	-80.74610466640	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	4c5d042b-2194-4e91-bc6e-408aa741a038	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	20.00000000000	10.00000000000	30.00000000000	10.00000000000	28.40381443990	-80.74634246120	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	393749b6-c9fe-40e4-85a9-b4247d4cc9ab	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/18/2020	sbourgoin_sfc	9/18/2020	20.00000000000	12.00000000000	30.00000000000	15.00000000000	28.40405051660	-80.74651226700	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	8b78be19-7448-4ce0-b3a5-90fef8533d8c	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	5.00000000000	4.00000000000	15.00000000000	5.00000000000	28.40349272270	-80.74711913560	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	ec6772c9-12d8-43fa-bc50-b3e7e035814c	Hickory (Pignut)	No	Carya glabra	1.00000000000
4+ Ft ROW	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	10.00000000000	8.00000000000	20.00000000000	20.00000000000	28.40379769770	-80.74754494420	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	ef793e13-126d-4deb-b28f-2c9f3c15b2e5	Tabebuia	No	Tabebuia spp.	1.00000000000
4+ Ft ROW	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	10.00000000000	8.00000000000	20.00000000000	20.00000000000	28.40378117200	-80.74780398240	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	732a15d9-95da-48c6-b5cf-47bef56e2f7d	Wax Myrtle	No	Morella cerifera	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/18/2020	sbourgoin_sfc	9/18/2020	50.00000000000	26.00000000000	65.00000000000	80.00000000000	28.40302306650	-80.74778518340	Excellent	1.00000000000	leaves look like hickory, bark like shagbark...see pics	Tree is Undamaged	<Null>	No Maintenance Required	No	No	18dee6e5-1599-48d0-802b-8d97041b5a3d	Mahogany	No	Swietenia mahagoni	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/18/2020	sbourgoin_sfc	9/18/2020	5.00000000000	6.00000000000	15.00000000000	20.00000000000	28.40304261640	-80.74781328360	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	89d447c7-c071-4445-9be2-05a78a84fc61	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/18/2020	sbourgoin_sfc	9/18/2020	30.00000000000	20.00000000000	40.00000000000	40.00000000000	28.40308344960	-80.74783816690	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	3baa9063-9e43-418f-8e3d-da7b09f575f1	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/18/2020	sbourgoin_sfc	9/18/2020	15.00000000000	14.00000000000	25.00000000000	15.00000000000	28.40337104980	-80.74804375000	Excellent	1.00000000000	2 in close prox	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	6849fdce-36a5-40c8-b38c-de81f5c338ab	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
City Park	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	10.00000000000	8.00000000000	20.00000000000	20.00000000000	28.37977480600	-80.76365909360	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	7b7d348b-54db-4be9-80f2-1dd9533608b6	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	10.00000000000	6.00000000000	10.00000000000	10.00000000000	28.37977958680	-80.76347333910	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	df70e62b-09e9-4304-a28f-e61a21eee8cb	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	9/18/2020	sbourgoin_sfc	9/18/2020	20.00000000000	12.00000000000	25.00000000000	20.00000000000	28.37969281640	-80.76396313290	Excellent	1.00000000000	6 trees around outfield	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	1a0734e2-3294-4c24-9d7e-8dbe4a35ca13	Oak (Live)	No	Quercus virginiana	6.00000000000
City Park	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	10.00000000000	10.00000000000	20.00000000000	25.00000000000	28.38036634370	-80.76254561290	Excellent	1.00000000000	5	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	e452462e-f3d8-4a26-9bca-cb7c6298ce3d	Oak (Live)	No	Quercus virginiana	5.00000000000
City Park	sbourgoin_sfc	9/18/2020	sbourgoin_sfc	9/18/2020	20.00000000000	8.00000000000	25.00000000000	20.00000000000	28.38174695040	-80.76480614970	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	f0157653-e394-4c0c-81b0-045f1f92e812	Chinese Tallow	No	Triadica sebifera	1.00000000000
City Park	sbourgoin_sfc	9/18/2020	sbourgoin_sfc	9/18/2020	5.00000000000	6.00000000000	10.00000000000	15.00000000000	28.38167111660	-80.76480471690	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	94cc91f8-afba-4632-9e31-2506438889b0	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	9/18/2020	sbourgoin_sfc	9/18/2020	25.00000000000	14.00000000000	35.00000000000	25.00000000000	28.38167226660	-80.76468138360	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	41382ae8-1c2e-4809-bf39-1734e6123b4f	Chinese Tallow	No	Triadica sebifera	1.00000000000
City Park	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	10.00000000000	12.00000000000	20.00000000000	25.00000000000	28.38056642730	-80.76182521890	Excellent	1.00000000000	5 trees some are slightly smaller	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	fdad2d83-6caf-4fa8-8758-c4b9c8d1a6ea	Oak (Live)	No	Quercus virginiana	5.00000000000
City Park	sbourgoin_sfc	9/18/2020	sbourgoin_sfc	9/18/2020	10.00000000000	20.00000000000	25.00000000000	15.00000000000	28.38176278320	-80.76464698350	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	1a33ea20-8ba7-4c47-a9ed-e509de04ce8d	Palm (Canary Island Date)	No	Phoenix canariensis	1.00000000000
City Park	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.38064730810	-80.76166863350	Excellent	1.00000000000	Co-dom	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	c94bd3d3-c7f7-4eac-845f-af2693c65b1c	Privet (Florida)	No	Forestiera segregata	3.00000000000
City Park	sbourgoin_sfc	9/18/2020	sbourgoin_sfc	9/18/2020	15.00000000000	12.00000000000	25.00000000000	15.00000000000	28.38198746650	-80.76474078380	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	75d8acd7-8d61-4264-b1a3-0e30981d24d6	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	20.00000000000	20.00000000000	20.00000000000	15.00000000000	28.38074472060	-80.76156788660	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	c28d563d-6c52-4646-b093-ef0894fcaf38	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	9/18/2020	sbourgoin_sfc	9/18/2020	10.00000000000	4.00000000000	25.00000000000	10.00000000000	28.38198416690	-80.76471281650	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	ba4841c4-0845-4805-95e5-a5fad1091625	Brazilian Pepper	No	Schinus terebinthifolia	1.00000000000
City Park	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	20.00000000000	20.00000000000	20.00000000000	15.00000000000	28.38091035080	-80.76138115200	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	29461f0b-496d-4aa4-a8b6-ee91646f9fff	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	9/18/2020	sbourgoin_sfc	9/18/2020	5.00000000000	6.00000000000	10.00000000000	10.00000000000	28.38193676640	-80.76458871700	Excellent	1.00000000000	1 by light pole, 1 by road	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	527fe2a1-5263-41ad-a1db-a8a12b493f56	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
City Park	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	20.00000000000	16.00000000000	30.00000000000	20.00000000000	28.38131466080	-80.76199939320	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	eeb2c10c-53af-4071-8d0a-c6a352c90d10	Maple (Silver)	No	Acer saccharinum	1.00000000000
City Park	sbourgoin_sfc	9/18/2020	sbourgoin_sfc	9/18/2020	20.00000000000	10.00000000000	40.00000000000	30.00000000000	28.38182156690	-80.76455208370	Excellent	1.00000000000	3 trees in close prox	Tree is Undamaged	<Null>	No Maintenance Required	Yes	Yes	c1b1aac0-53c3-402f-a048-f247813e2569	Indian Rosewood	No	Dalbergia sissoo	3.00000000000
City Park	sbourgoin_sfc	9/18/2020	sbourgoin_sfc	9/18/2020	10.00000000000	6.00000000000	20.00000000000	40.00000000000	28.38183796640	-80.76454148350	Excellent	1.00000000000	2 trees close	Tree is Undamaged	<Null>	No Maintenance Required	Yes	Yes	c7226823-de6a-49c8-aead-617f7df6db99	Brazilian Pepper	No	Schinus terebinthifolia	2.00000000000
City Park	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	20.00000000000	22.00000000000	35.00000000000	40.00000000000	28.38148415400	-80.76270038190	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	21f3ec8a-9350-4762-8692-39365e585935	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	15.00000000000	14.00000000000	30.00000000000	30.00000000000	28.38154043100	-80.76268502700	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	9024887f-a824-499c-8c48-812e854de8b9	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	10.00000000000	6.00000000000	10.00000000000	10.00000000000	28.38158353130	-80.76264637250	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	8aca0a57-ab82-464d-8212-2f8d624d5d36	Magnolia (Southern)	No	Magnolia grandiflora	1.00000000000
City Park	sbourgoin_sfc	9/18/2020	sbourgoin_sfc	9/18/2020	20.00000000000	8.00000000000	30.00000000000	25.00000000000	28.38170398370	-80.76455688340	Excellent	1.00000000000	3 trees close prox	Tree is Undamaged	<Null>	No Maintenance Required	Yes	Yes	880b31e2-7886-41b4-9b1a-77833414aa9b	Indian Rosewood	No	Dalbergia sissoo	3.00000000000
City Park	sbourgoin_sfc	9/18/2020	sbourgoin_sfc	9/18/2020	15.00000000000	4.00000000000	15.00000000000	15.00000000000	28.38173083300	-80.76454888300	Excellent	1.00000000000	3 trees close prox	Tree is Undamaged	<Null>	No Maintenance Required	Yes	Yes	f00baa92-f764-4a9a-818b-40ca20a6c3c7	Brazilian Pepper	No	Schinus terebinthifolia	3.00000000000
City Park	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	20.00000000000	18.00000000000	40.00000000000	30.00000000000	28.38154887810	-80.76282104900	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	dd696722-b44b-4a33-b9f2-d1353732f844	Sycamore	No	Platanus occidentalis	1.00000000000
City Park	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	10.00000000000	6.00000000000	10.00000000000	15.00000000000	28.38158445680	-80.76286108960	Excellent	1.00000000000	2	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	886187cb-57d7-4979-bddf-c305bf05ba6b	Viburnum	No	Viburnum spp.	2.00000000000
City Park	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	10.00000000000	8.00000000000	20.00000000000	20.00000000000	28.38169547170	-80.76298251310	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	55aec237-b955-46ff-9ec9-140757229ae2	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	8.00000000000	6.00000000000	15.00000000000	15.00000000000	28.38162983020	-80.76305177050	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	e10df4c0-892e-4d19-bee4-87106d2ebf4d	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	20.00000000000	16.00000000000	20.00000000000	25.00000000000	28.38163267700	-80.76316067050	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	9904f9b3-cf3f-4301-9568-abfbaaad8223	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	9/18/2020	sbourgoin_sfc	9/18/2020	30.00000000000	18.00000000000	40.00000000000	45.00000000000	28.38168863370	-80.76449560030	Excellent	1.00000000000	6 trees in a row around roadside, 5 n and 1 s on e end	Tree is Undamaged	<Null>	No Maintenance Required	Yes	Yes	a4b1a07d-0388-4093-a172-d4675e1650a2	Indian Rosewood	No	Dalbergia sissoo	6.00000000000
City Park	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	5.00000000000	6.00000000000	15.00000000000	15.00000000000	28.38167928160	-80.76341519020	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	b082841e-7c3a-4862-9618-5091368abd49	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	9/18/2020	sbourgoin_sfc	9/18/2020	10.00000000000	18.00000000000	25.00000000000	25.00000000000	28.38163744980	-80.76449186690	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	f5f0c940-d63f-4b96-8234-2d233b02ad8c	Palm (Canary Island Date)	No	Phoenix canariensis	1.00000000000
City Park	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	15.00000000000	12.00000000000	25.00000000000	25.00000000000	28.38170515570	-80.76377120240	Excellent	1.00000000000	Co-dom	Tree is Undamaged	<Null>	No Maintenance Required	No	No	f32e5443-a467-4727-9153-df2de8b69c26	Maple (Red)	No	Acer rubrum	1.00000000000
City Park	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	15.00000000000	18.00000000000	10.00000000000	10.00000000000	28.38175615150	-80.76388982500	Excellent	1.00000000000	3 trees 2 are smaller	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	8f7a0b0b-27ad-4c10-8ada-d67d543e5858	Palm (Cabbage)	No	Sabal palmetto	3.00000000000
City Park	sbourgoin_sfc	9/18/2020	sbourgoin_sfc	9/18/2020	10.00000000000	6.00000000000	10.00000000000	10.00000000000	28.38165903320	-80.76434916680	Excellent	1.00000000000	3 in a row along road under rosewood	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	1fde9de1-e2fd-4f7c-8ce2-190bc61475ec	Palm (Cabbage)	No	Sabal palmetto	3.00000000000
City Park	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	15.00000000000	12.00000000000	15.00000000000	15.00000000000	28.38180142990	-80.76405614710	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	c714f693-96f3-40a8-a448-0ce2df65d248	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	5.00000000000	6.00000000000	10.00000000000	10.00000000000	28.38184657160	-80.76428012140	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	1a75d55b-bb4e-4c9d-b018-e419e909ec56	Wax Myrtle	No	Morella cerifera	2.00000000000
City Park	sbourgoin_sfc	9/18/2020	sbourgoin_sfc	9/18/2020	10.00000000000	12.00000000000	20.00000000000	15.00000000000	28.38178821630	-80.76422056670	Excellent	1.00000000000	6 in a row on s side of ditch	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	358c27b9-7d30-41d3-9e8c-04a3db5ae6d7	Palm (Cabbage)	No	Sabal palmetto	6.00000000000
City Park	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.38139117840	-80.76132204190	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	2a1ae511-d4eb-4b23-9295-42e05ee71138	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
City Park	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	10.00000000000	10.00000000000	25.00000000000	25.00000000000	28.38028366540	-80.76183974370	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	66eb4f5a-f261-4d2a-80d9-9245cf315c0e	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	5.00000000000	6.00000000000	15.00000000000	15.00000000000	28.38015286650	-80.76174214540	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	ea182b5a-309c-41ba-88f5-6e694e1ec14c	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	9/18/2020	sbourgoin_sfc	9/18/2020	15.00000000000	14.00000000000	25.00000000000	20.00000000000	28.38026488350	-80.76180705040	Excellent	1.00000000000	7 cypress from left field to center field; DBH range from 12 to one with 8	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	eeab32b8-04e1-4023-b2ff-a560bad0dd82	Cypress (Pond)	No	Taxodium ascendens	7.00000000000
City Park	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	10.00000000000	10.00000000000	30.00000000000	25.00000000000	28.37994535920	-80.76155587880	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	4e1a6dce-5a2e-4637-8bec-e9c01e4b8a4c	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	15.00000000000	12.00000000000	30.00000000000	30.00000000000	28.37983604010	-80.76147621980	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	ecdd6e32-2249-48e5-a1ec-cafcaa08566d	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	9/18/2020	sbourgoin_sfc	9/18/2020	20.00000000000	10.00000000000	25.00000000000	20.00000000000	28.37984724970	-80.76138723360	Excellent	1.00000000000	2 cypress together	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	d60cdc26-b288-4b0b-b693-71e6bb980d81	Cypress (Pond)	No	Taxodium ascendens	2.00000000000
City Park	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	20.00000000000	14.00000000000	30.00000000000	30.00000000000	28.37972519870	-80.76139665510	Excellent	1.00000000000	3	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	42f71aa4-f338-4128-a14a-9e5804f9cc28	Oak (Live)	No	Quercus virginiana	3.00000000000
City Park	sbourgoin_sfc	9/18/2020	sbourgoin_sfc	9/18/2020	20.00000000000	14.00000000000	35.00000000000	25.00000000000	28.37917140020	-80.76137306620	Excellent	1.00000000000	3 trees together	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	b35a2d25-e6af-4d31-8c06-29a693a35a6f	Cypress (Bald)	No	Taxodium distichum	3.00000000000
City Park	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	20.00000000000	22.00000000000	45.00000000000	30.00000000000	28.37888160900	-80.76138625530	Excellent	1.00000000000	2	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	4a7b6e6e-7ae8-49dd-ae32-58c4c6af041b	Cypress (Bald)	No	Taxodium distichum	2.00000000000
City Park	sbourgoin_sfc	9/18/2020	sbourgoin_sfc	9/18/2020	20.00000000000	16.00000000000	40.00000000000	35.00000000000	28.37869483360	-80.76166633290	Excellent	1.00000000000	6 trees along edge of road; 4 on interior in separate point	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	b205d6fe-f356-45dd-b229-5c2a948a670c	Cypress (Bald)	No	Taxodium distichum	6.00000000000
City Park	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	20.00000000000	16.00000000000	40.00000000000	25.00000000000	28.37877497290	-80.76190699520	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	43e19e64-8f13-4867-9c55-906be18ab4b1	Cypress (Bald)	No	Taxodium distichum	4.00000000000
City Park	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	5.00000000000	6.00000000000	10.00000000000	15.00000000000	28.37934661350	-80.76337462860	Excellent	1.00000000000	2	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	5a6385fa-7c9f-45b0-b752-820f4c4d7457	Pine (Plum)	No	Podocarpus spp.	2.00000000000
City Park	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.37959417550	-80.76350335180	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	305ed2b6-1cef-4842-bc74-3424a011aa97	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	5.00000000000	6.00000000000	10.00000000000	10.00000000000	28.37958980800	-80.76341389300	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	9ae91c1c-1d6c-4a1a-9183-29b9fa2d547f	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	25.00000000000	24.00000000000	40.00000000000	55.00000000000	28.37474706150	-80.76719929480	Excellent	1.00000000000	Slight curb heaving	Tree is Undamaged	<Null>	No Maintenance Required	No	No	5980ddb6-1f83-443d-9226-03acacac3bbb	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	30.00000000000	28.00000000000	45.00000000000	55.00000000000	28.37472329850	-80.76697415640	Excellent	1.00000000000	Slight sidewalk heaving	Tree is Undamaged	<Null>	No Maintenance Required	No	No	828215fe-3c06-455b-86a6-445a1571dffb	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	35.00000000000	28.00000000000	50.00000000000	55.00000000000	28.37480481220	-80.76672521430	Excellent	1.00000000000	Sidewalk cracks and road heaving	Tree is Undamaged	<Null>	No Maintenance Required	No	No	9568e5b2-35c9-48f2-b8ae-2a7195b45730	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	15.00000000000	10.00000000000	30.00000000000	15.00000000000	28.37636485260	-80.76403906570	Excellent	1.00000000000	2 slash	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	7d1a2ab0-5af8-439a-9dfb-ba66058b0f2e	Pine (Slash)	No	Pinus elliottii	2.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	35.00000000000	20.00000000000	35.00000000000	30.00000000000	28.37612567450	-80.76392255690	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	465bb02b-1d4c-4cca-84be-9ad2c1452139	Pine (Slash)	No	Pinus elliottii	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.37599240220	-80.76388584450	Excellent	1.00000000000	1 sg and 1 salt bush. Same specs	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	ca6bba96-d78a-4bc3-a0db-460bafb708f6	Seagrape	No	Coccoloba uvifera	2.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	15.00000000000	10.00000000000	15.00000000000	20.00000000000	28.37556278830	-80.76420393800	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	95b1c040-ea04-4db9-9151-cba8ca546997	Bottlebrush (Weeping)	No	Melaleuca viminalis	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.37562716110	-80.76423545360	Excellent	1.00000000000	2 crepes	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	fe5c2ba1-51db-4de3-a6c0-843b3153a2ce	Crepe Myrtle	No	Lagerstroemia spp.	2.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	10.00000000000	6.00000000000	10.00000000000	10.00000000000	28.37480062150	-80.76562735270	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	ce80da03-d770-4aee-ac33-087c13e8a3bb	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	15.00000000000	8.00000000000	15.00000000000	20.00000000000	28.37482321090	-80.76481497830	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	1c55820a-f524-428a-a355-0dc87dd14314	Indian Rosewood	No	Dalbergia sissoo	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	35.00000000000	24.00000000000	50.00000000000	60.00000000000	28.37478930630	-80.76462680460	Excellent	1.00000000000	See picture. Vehicle within drip line	Tree is Undamaged	<Null>	Pruning	No	No	dacf4d1d-077d-4c02-a4bc-2ac4afd15d07	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	5.00000000000	4.00000000000	15.00000000000	5.00000000000	28.37533601590	-80.76389883690	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	d9ac1951-c2c1-4b27-b48c-a38e9680f1da	Camphor Tree	No	Cinnamomum camphora	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	15.00000000000	12.00000000000	25.00000000000	10.00000000000	28.37535328260	-80.76378685470	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	c891ef2a-1bde-4bfb-9500-3d31334e98a7	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	5.00000000000	12.00000000000	10.00000000000	10.00000000000	28.37531648540	-80.76375944530	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	80eef988-e65c-4891-9d5a-cd71404ab14c	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	5.00000000000	8.00000000000	5.00000000000	10.00000000000	28.37458847520	-80.76382172280	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	52c6dcea-65f6-497e-ba96-be738e3910a1	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	10.00000000000	10.00000000000	25.00000000000	25.00000000000	28.37457452010	-80.76388232400	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	01f5569f-5583-41bd-b586-45d03a7eb9a0	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	20.00000000000	14.00000000000	35.00000000000	40.00000000000	28.37428643390	-80.76385441250	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	d355ecbf-1b8c-4350-ad0b-30c44ffeb4b2	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	15.00000000000	16.00000000000	25.00000000000	20.00000000000	28.37395019370	-80.76547220380	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	2fa09d20-7842-439f-b2ed-4072cfc5a8fa	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	15.00000000000	8.00000000000	25.00000000000	15.00000000000	28.37398292480	-80.76554277900	Excellent	1.00000000000	3 palmsin row	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	a7d437a1-3867-47c7-a9bd-e35d82247178	Palm (Queen)	No	Syagrus romanzoffiana	3.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	15.00000000000	6.00000000000	15.00000000000	15.00000000000	28.37389881240	-80.76551788490	Excellent	1.00000000000	See hibiscus tree. Slightly overhangs road. See picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	8e1998b6-e65d-45f3-b2c5-3aa4188018c4	Hibiscus Tree	No	Hibiscus spp.	1.00000000000
City Building	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	20.00000000000	8.00000000000	25.00000000000	15.00000000000	28.36061474000	-80.73457219720	Very Poor	7.00000000000	Completely dead	Tree is Damaged	Tree is Dead	Removal	No	No	380d956b-567b-48f5-9a70-79ea56e063ca	Holly (East Palatka)	No	Ilex x attenuata	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	20.00000000000	8.00000000000	15.00000000000	0.00000000000	28.39002635800	-80.74369412080	Very Poor	7.00000000000	Dead palm, needs removal	Tree is Damaged	Tree Is Dead	Removal	No	No	9d1bf111-5d79-49ce-8d7e-23a1a8281ce8	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	20.00000000000	6.00000000000	35.00000000000	0.00000000000	28.39044569030	-80.74287065860	Very Poor	7.00000000000	Dead, needs removal	Tree is Damaged	Tree Is Dead	Removal	No	No	63320dae-df76-49d6-94c0-317aa338cb65	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	16.00000000000	15.00000000000	10.00000000000	28.38811917220	-80.75545490770	Very Poor	7.00000000000	See pics, Tree Is Dead	Tree Is Damaged	Stump/Trunk	Removal	No	No	bde7f7c8-b406-4740-98ea-e4afe5a316a0	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	8.00000000000	15.00000000000	5.00000000000	28.38811179650	-80.75583988790	Very Poor	7.00000000000	Trunk Damage, Signs of Decay	Tree is Damaged	Trunk has decay, only 20% of canopy alive	Removal	No	No	1ec8cd33-6e1b-49b4-8b5c-08e338f08f04	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	4.00000000000	20.00000000000	15.00000000000	28.38111007130	-80.75043034640	Very Poor	7.00000000000	Dead, Neds Removal	Tree is Damaged	Dead, Needs Removal	Removal	No	No	{B33DF877-BE37-4AE2-A174-B6C36DBF6CD5}	Red Cedar	No	Juniperus virginiana	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	10.00000000000	6.00000000000	5.00000000000	5.00000000000	28.39251547890	-80.78256999220	Very Poor	7.00000000000	Poor condition, consider replacement	Tree Is Damaged	Previously taken to just stump, resprouting	No Maintenance Required	No	No	{0A2DB9BD-0037-4CD7-8F52-2BC20845E1EF}	Golden Raintree	No	Koelreuteria paniculata	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	5.00000000000	8.00000000000	10.00000000000	10.00000000000	28.35366975970	-80.73520389430	Very Poor	6.00000000000	Dead cabbage palm	Tree Is Damaged	Dead, brown fronds and trunk	Removal	No	No	4ef806b9-e874-40b8-b918-a37f76dfb7a9	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	20.00000000000	10.00000000000	30.00000000000	15.00000000000	28.37441256170	-80.73508941830	Very Poor	6.00000000000	Poor Shape, Nearly Dead; Leaning into Roadway	Tree is Damaged	Rot and decay	Removal	No	No	64cce7b8-a526-414e-85b7-90ea8d68558e	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	40.00000000000	22.00000000000	45.00000000000	30.00000000000	28.39349752110	-80.74494572830	Very Poor	6.00000000000	In yard but mostly dead, overhanging road	Tree is Damaged	Tree is Dead	Removal	No	No	3c6fff81-c9e5-4fc0-a24c-a31250ed8b13	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	12.00000000000	10.00000000000	15.00000000000	28.39630519010	-80.75949179910	Very Poor	6.00000000000	Tree is Dead, Top Snapped Off, Just Trunk	Tree is Damaged	Stump/Trunk	Remove Trunk	No	No	{92A6AB4D-4442-48D9-9A42-83918A223759}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	12.00000000000	20.00000000000	10.00000000000	28.39546529150	-80.77771919830	Very Poor	6.00000000000	Two dead trees in Woodland.	Tree is Damaged	Stump/Trunk	Remove Trunks	No	Yes	{71FB3AC6-090C-432D-82B1-989025C76E55}	Palm (Queen)	No	Syagrus romanzoffiana	2.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	15.00000000000	20.00000000000	30.00000000000	10.00000000000	28.39654017710	-80.77215492750	Very Poor	5.00000000000	Dead Tree, Needs Removal	Tree Is Damaged	Stump/Trunk	Removal	No	No	{90F49D7A-131D-4681-A0D4-30C3A6650F80}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	14.00000000000	10.00000000000	0.00000000000	28.35970917560	-80.73356772260	Very Poor	5.00000000000	Dead Tree With Debris on Ground, Needs Removal	Tree is Damaged	Tree is Dead	Removal	Yes	No	{5D5B6D97-BA02-4D4D-BB9A-204665A5946F}	Pine (Australian)	No	Casuarina equisetifolia	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	25.00000000000	12.00000000000	0.00000000000	0.00000000000	28.35465994530	-80.73038683670	Very Poor	4.00000000000	See pic; dead stump, needs removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	37cea1c0-ea25-4473-a27f-ef602c1ea2ef	Red Cedar	No	Juniperus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	16.00000000000	10.00000000000	0.00000000000	28.39199010250	-80.75872301100	Very Poor	4.00000000000	Stump That Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{BAAB84BD-2DA2-46C1-A220-4AF39FF0EE37}	N/A (Stump)	No	N/A (Stump)	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	12.00000000000	40.00000000000	5.00000000000	28.40082534120	-80.76887391530	Very Poor	4.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{B3016B6E-7653-4251-9F36-3F5C670A749D}	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	14.00000000000	35.00000000000	15.00000000000	28.40072983500	-80.76886922250	Very Poor	4.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{3753AAE0-AF6F-44AD-9FDC-63D37B8CE09D}	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	14.00000000000	20.00000000000	10.00000000000	28.39545492520	-80.77698497380	Very Poor	4.00000000000	Dead Trunk, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{A2B29C06-54B6-4511-A0AE-4AE144866251}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	15.00000000000	12.00000000000	15.00000000000	0.00000000000	28.36028379310	-80.74511496280	Very Poor	3.00000000000	Dead palm trunk. Directly under power lines, needs removal	Tree Is Damaged	Stump	Remove Stump	No	No	102a501f-485a-4869-935d-7599fd845db5	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	10.00000000000	8.00000000000	20.00000000000	20.00000000000	28.38850520070	-80.78777619640	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{950C8A8C-E95D-4C3D-9BB1-88CB78773C06}	Pine (Slash)	No	Pinus elliottii	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	8.00000000000	30.00000000000	20.00000000000	28.38802106560	-80.78773675040	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{E7B29CFB-B138-494D-BC3A-6544126508D3}	Pine (Slash)	No	Pinus elliottii	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	20.00000000000	15.00000000000	28.38729850230	-80.78772135240	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{A6F520AA-BE5B-4F33-AA30-C028F250066C}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	acarroll_sfc	9/29/2020	acarroll_sfc	9/29/2020	15.00000000000	8.00000000000	15.00000000000	10.00000000000	28.35750346390	-80.73363002340	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{5BEBB25C-5D3A-4F51-B4AC-916BA29AFBEB}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Median	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.38273778120	-80.77264493330	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree is Dead	Removal	No	No	{7356D8DC-9EEF-4BCD-9C37-AF34A528B318}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	8.00000000000	15.00000000000	0.00000000000	28.36806211650	-80.75455653490	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree Is Dead	Removal	No	No	{B0AA3A91-74ED-4EC5-B6B9-9C55DC00EFD4}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	30.00000000000	28.00000000000	10.00000000000	0.00000000000	28.36940032900	-80.75550067230	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{980EB6CB-8C9C-46A5-BE14-C58E1DC6B7E2}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	15.00000000000	12.00000000000	5.00000000000	5.00000000000	28.40107568520	-80.74431573080	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{29508705-86F4-4831-AB68-2CB1FC0730A6}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	20.00000000000	14.00000000000	15.00000000000	10.00000000000	28.40210622400	-80.74257587820	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{F12D774F-FACC-4548-883C-2B4B33DED582}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	12.00000000000	5.00000000000	0.00000000000	28.39095154290	-80.78079465800	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{A8EBBB7F-C43F-42C4-B97E-D8C7EF0A23AA}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	30.00000000000	18.00000000000	35.00000000000	15.00000000000	28.35545871610	-80.73228686420	Very Poor	2.00000000000	Bizmark stump	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	f5b6bc90-b19d-47b1-9d94-803c94c27919	Palm (Bismarck)	No	Bismarckia nobilis	1.00000000000
City Park	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	20.00000000000	10.00000000000	0.00000000000	0.00000000000	28.35888270100	-80.73130859620	Very Poor	2.00000000000	3 stumps and 1 BP. To be removed	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	b11484c9-65d7-4d53-9461-416912340a10	Hickory (Pignut)	No	Carya glabra	1.00000000000
2-4 Ft ROW	shendley_sfc	9/13/2020	shendley_sfc	9/13/2020	20.00000000000	8.00000000000	5.00000000000	0.00000000000	28.35087389180	-80.73356707580	Very Poor	2.00000000000	Tree is cut; stump needs removal	Tree Is Damaged	Stump/Trunk	Remove Stump	No	No	7148642b-82af-4f80-a4ad-74d5e933ea8a	Sycamore	No	Platanus occidentalis	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/16/2020	sbourgoin_sfc	9/16/2020	20.00000000000	14.00000000000	25.00000000000	15.00000000000	28.36619344110	-80.74705959530	Very Poor	2.00000000000	Completely dead needs removal	Tree is Damaged	Tree is Dead	Removal	No	No	1c15f2d9-a065-4aab-8ccf-5cd17f805c7a	Pine (Longleaf)	No	Pinus palustris	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	20.00000000000	10.00000000000	5.00000000000	0.00000000000	28.38738969540	-80.76376179260	Very Poor	2.00000000000	Stump	Tree Is Undamaged	<Null>	Remove Stump	No	No	{57F1FA2A-BD75-400B-8276-6ED829F7A80C}	Bottlebrush (Weeping)	No	Melaleuca viminalis	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	16.00000000000	0.00000000000	0.00000000000	28.39889285130	-80.76775526670	Very Poor	2.00000000000	Stump That Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{20ACB205-116A-418E-A68F-74403C577CD5}	N/A (Stump)	No	N/A (Stump)	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	35.00000000000	18.00000000000	10.00000000000	5.00000000000	28.35695927990	-80.73346942710	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{F6DC1A1A-AB89-41C0-8372-8E2460A0F823}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	55.00000000000	28.00000000000	50.00000000000	60.00000000000	28.36019909440	-80.73430334220	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{C9E5553C-5EC9-4DA4-9A4E-6D214065BBD5}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	25.00000000000	16.00000000000	40.00000000000	20.00000000000	28.35963514510	-80.73353318230	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree is dead, see picture.	Removal	Yes	No	{6EE83020-5AB6-449A-ADA6-8EA7F2292927}	Pine (Australian)	No	Casuarina equisetifolia	1.00000000000

2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	15.00000000000	12.00000000000	30.00000000000	10.00000000000	28.37452598840	-80.76001407600	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	fb6164cb-c162-49b3-8075-6d3b1cd41890	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	15.00000000000	12.00000000000	35.00000000000	10.00000000000	28.37451450560	-80.76047969080	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	dc42678e-f741-4f13-ab73-82f4e39f4fba	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	15.00000000000	10.00000000000	30.00000000000	10.00000000000	28.37462020070	-80.76085528360	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	b43e8596-97e9-4648-8dfc-f03b30a8aa1a	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	12.00000000000	35.00000000000	15.00000000000	28.37307482970	-80.76093717490	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	8e75f4b4-95f1-4c75-83a3-73d52077898e	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	10.00000000000	25.00000000000	20.00000000000	28.37314172620	-80.76111291140	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	b9b8d5b3-bdf6-4370-b1bd-0a7373c2182e	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	10.00000000000	10.00000000000	30.00000000000	15.00000000000	28.37316724040	-80.76009940340	Excellent	1.00000000000	Two 10 inch and two 12 inch DBH. Three 30 ft. One 20 ft. Spread 15 ft. Four trees total in woodland.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	b379dc00-c907-40d4-93c4-6c73d8f428f7	Palm (Cabbage)	No	Sabal palmetto	4.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	10.00000000000	6.00000000000	20.00000000000	10.00000000000	28.37315190110	-80.76024063830	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	13f16423-7b75-4c0e-8c47-8ad02086ce14	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	12.00000000000	30.00000000000	15.00000000000	28.37308593570	-80.76010912680	Excellent	1.00000000000	Total of 4 trees in woodland. - One 10 in. (Second tree in picture) Three 12 in. DBH. -Heights are 30, 25, 25, 30 feet respectively according to picture. -Spreads or 13, 12, 12, 12 according to picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	fcbf9851-4813-454c-b2d8-c0bc4522cf03	Palm (Cabbage)	No	Sabal palmetto	4.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	5.00000000000	6.00000000000	5.00000000000	5.00000000000	28.37294027710	-80.76038330610	Excellent	1.00000000000	Tree still in shrub form, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	32d86713-c3ae-426f-8bb0-8d15125142db	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	12.00000000000	30.00000000000	15.00000000000	28.37293217310	-80.76037273650	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	73f97e07-d7fe-4754-b038-77d7a518b8ce	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	10.00000000000	6.00000000000	15.00000000000	5.00000000000	28.37270352490	-80.76037742750	Excellent	1.00000000000	Homeowner planted. Check species.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	3bc5742a-058c-4054-97d8-f2cdb9ee0c03	Palm (Christmas)	No	Adonidia merrillii	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	12.00000000000	25.00000000000	15.00000000000	28.37235122020	-80.76048740190	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	da68caca-172e-4972-96b5-b5411d8d248d	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	14.00000000000	15.00000000000	15.00000000000	28.37183757710	-80.76042596260	Excellent	1.00000000000	Two trees in woodland. Spreads are 15 feet for each tree.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	99896568-0a46-45f1-aa7c-f40a530dd66b	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	5.00000000000	6.00000000000	5.00000000000	5.00000000000	28.37209309950	-80.76046770460	Excellent	1.00000000000	Tree still in shrub form.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	8008e9c7-36b0-414c-b334-6e010cb04927	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	5.00000000000	6.00000000000	10.00000000000	5.00000000000	28.37373226390	-80.74288783620	Excellent	1.00000000000	3 crapes	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	609c2357-11e3-4227-bd1d-e5b67ee7f017	Crepe Myrtle	No	Lagerstroemia spp.	3.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.37337226170	-80.74401780000	Excellent	1.00000000000	8 myrtles	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	e9caafbc-b30b-4c0a-ad51-132d93afc806	Crepe Myrtle	No	Lagerstroemia spp.	8.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.37188786860	-80.76012488500	Excellent	1.00000000000	Unsure of species, see picture. Two trees in woodland.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	e64ba91b-e42c-4891-8d82-e7fef9b9ff6d	Palm (Ponytail)	No	Beaucarnea recurvata	2.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	25.00000000000	22.00000000000	50.00000000000	40.00000000000	28.37199130100	-80.75994098550	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	ed280f3a-75c7-4f20-a74a-f1eb699a0fc1	Oak (Sand Live)	No	Quercus geminata	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	14.00000000000	40.00000000000	45.00000000000	28.37198061390	-80.75984518020	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	60142333-6fd1-406c-9189-7bf5d3392bb5	Oak (Sand Live)	No	Quercus geminata	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	8.00000000000	35.00000000000	15.00000000000	28.37196821310	-80.75982003360	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	1af0488a-3c73-4865-a3b0-927ee614cf31	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	14.00000000000	35.00000000000	15.00000000000	28.37188886930	-80.75978830600	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	71f5abd6-532f-4e90-bf14-66908fd84a17	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	12.00000000000	35.00000000000	10.00000000000	28.37186258570	-80.75948450660	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	0ae582bf-c576-42e5-b2de-3021bc93e9e0	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	12.00000000000	30.00000000000	10.00000000000	28.37231765630	-80.75953533240	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	5ffa437b-9125-4fba-a94c-9cafca62db1d	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	12.00000000000	35.00000000000	10.00000000000	28.37252129440	-80.75953512400	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	b9939d5e-93f7-40b3-b727-2d314d3e439f	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	10.00000000000	40.00000000000	10.00000000000	28.37252824610	-80.75964435010	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	4128c2e2-3223-4184-b96f-70548ed60579	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	12.00000000000	30.00000000000	15.00000000000	28.37272275620	-80.75965716370	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	5015578c-ee1f-4248-b416-7baf894ac578	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	12.00000000000	30.00000000000	15.00000000000	28.37291583700	-80.75966081890	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	442c90d2-3db8-4f77-9c7d-73e8e474ec89	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	10.00000000000	30.00000000000	15.00000000000	28.37291975580	-80.75954096120	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	25cdcd9e-2b66-4c2d-a365-303b1e8a8c45	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	12.00000000000	25.00000000000	15.00000000000	28.37316011570	-80.75756656030	Excellent	1.00000000000	Tree has been previously pruned away from powerline and overhanging road. Tree is being overshadowed by larger canopy trees. See pictures	Tree is Undamaged	<Null>	No Maintenance Required	No	No	03ef0598-c7f2-42b4-afa7-c647a075b6a4	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	30.00000000000	18.00000000000	35.00000000000	30.00000000000	28.37317310750	-80.75762942440	Excellent	1.00000000000	Tree overhangs Road also a sidewalk with a branch thatΓÇÖs been previously pruned away from the powerline. See photos. Soil heaving new road. Very slight	Tree is Undamaged	<Null>	No Maintenance Required	No	No	40d0e65d-840b-4d68-b929-880a07aa2b5a	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	25.00000000000	16.00000000000	35.00000000000	35.00000000000	28.37316656930	-80.75767468690	Excellent	1.00000000000	Canopy overhangs road canopy also overhang sidewalk with a branch that has been previously pruned away from the powerline. See pictures	Tree is Undamaged	<Null>	No Maintenance Required	No	No	6d601803-46f2-40b0-9980-a4f45b365b34	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	10.00000000000	8.00000000000	20.00000000000	20.00000000000	28.37316849710	-80.75793737590	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	cd9e775e-d3a4-41d4-bed3-aa57d16160fd	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	55.00000000000	26.00000000000	45.00000000000	55.00000000000	28.38548686180	-80.76685044040	Excellent	1.00000000000	Codominant tree, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	d415d3ea-f448-4bfb-aef1-63104bd54cfb	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	35.00000000000	28.00000000000	45.00000000000	50.00000000000	28.38594872030	-80.76685354140	Excellent	1.00000000000	Possible codominant tree, fork at roughly 5 foot, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	fa6f361a-e42a-498c-94df-559aef4c2603	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	18.00000000000	35.00000000000	30.00000000000	28.38624619450	-80.76706158040	Excellent	1.00000000000	Codominant tree, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	891c0606-1667-4b2e-88a3-48158dcdf920	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	12.00000000000	20.00000000000	15.00000000000	28.38600144250	-80.76698840630	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	edc09410-7a13-449f-8e88-e6f476937def	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	35.00000000000	28.00000000000	50.00000000000	40.00000000000	28.38579755280	-80.76697105540	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	cf0e6491-4445-4a90-9867-26d6a805753b	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	25.00000000000	20.00000000000	50.00000000000	50.00000000000	28.38574002860	-80.76697163120	Excellent	1.00000000000	codominant tree, see picture. Well hanging branches of a residence yard. See picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	84518322-a92d-4266-905b-632d8aad13bc	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	25.00000000000	18.00000000000	40.00000000000	35.00000000000	28.38502101100	-80.76696359580	Excellent	1.00000000000	Codominant tree, see picture. Two overhanging branches over residence yard/driveway. See picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	5659e0a8-7ffa-4622-8043-be1e0b2186e1	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	30.00000000000	22.00000000000	30.00000000000	35.00000000000	28.38817260690	-80.75597265710	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	ab322824-66a0-405b-933c-dd15720c97d5	Red Cedar	No	Juniperus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	12.00000000000	35.00000000000	10.00000000000	28.38815450220	-80.75601364450	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	439858a0-9871-4cc7-8c34-600090f60184	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	12.00000000000	25.00000000000	10.00000000000	28.38815974100	-80.75618119920	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	2d03ba77-3cb2-4a8d-823d-b61360238f85	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	30.00000000000	26.00000000000	40.00000000000	40.00000000000	28.38498291550	-80.76694867570	Excellent	1.00000000000	Codominant tree, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	21a9fe34-39a0-416f-a26c-5a75d63b614b	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	30.00000000000	24.00000000000	40.00000000000	40.00000000000	28.38485475660	-80.76697977260	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	96ba31b8-1d68-49d0-842e-8949ca8f1f5d	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	25.00000000000	20.00000000000	40.00000000000	30.00000000000	28.38811967490	-80.75634540040	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	1e8830d9-2d3a-4e55-8123-a8403452db23	Pine (Slash)	No	Pinus elliottii	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	12.00000000000	30.00000000000	10.00000000000	28.38814477920	-80.75637155220	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	f6314f4c-13a6-4173-8cb1-206d95ae1c9e	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	12.00000000000	25.00000000000	10.00000000000	28.38814691620	-80.75641337770	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	09fe6159-382f-44e9-95a6-ca2df9ebce0d	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	10.00000000000	35.00000000000	10.00000000000	28.38814364750	-80.75653273600	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	b91ea7bf-44c6-417a-9e83-dd3433c73315	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	14.00000000000	25.00000000000	10.00000000000	28.38816456020	-80.75670104520	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	ff697745-95a5-4e1e-9a42-bcafa3d58725	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	12.00000000000	25.00000000000	10.00000000000	28.38816489530	-80.75683632880	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	5d71291c-233d-4247-b0bb-b1094c6db7f4	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	10.00000000000	30.00000000000	10.00000000000	28.38818802940	-80.75715685310	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	d72d6a00-5494-430a-9656-fd82937f3f4c	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	10.00000000000	25.00000000000	10.00000000000	28.38814402450	-80.75730211070	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	a04cd2ee-464d-4d9e-9157-ce2dedba0312	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	12.00000000000	25.00000000000	10.00000000000	28.38814532370	-80.75744510630	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	ebe3f654-ee73-4e2e-8499-c27febad571f	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	25.00000000000	16.00000000000	30.00000000000	35.00000000000	28.38814829920	-80.75749036880	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	77984454-07f9-43f8-b01b-2563a1e01164	Green Ash	No	Fraxinus pennsylvanica	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	10.00000000000	6.00000000000	20.00000000000	10.00000000000	28.38812131000	-80.75760788280	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	77f05570-0d23-443b-9bf3-621b57262d53	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	12.00000000000	25.00000000000	10.00000000000	28.38812797370	-80.75759941710	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	a94914a5-8374-4473-baef-e9b6d5a1edb9	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	25.00000000000	18.00000000000	40.00000000000	30.00000000000	28.38811183830	-80.75762481430	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	1e03bafc-d74d-422a-bc13-60bd0453dd64	Pine (Slash)	No	Pinus elliottii	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	30.00000000000	22.00000000000	45.00000000000	30.00000000000	28.38813308610	-80.75765163620	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	580d1bbe-f543-4370-8cd2-69a535b543a0	Pine (Slash)	No	Pinus elliottii	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	10.00000000000	25.00000000000	10.00000000000	28.38815177800	-80.75775322490	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	f966b9b7-6bf5-4264-bba2-b21843c29519	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	25.00000000000	16.00000000000	40.00000000000	35.00000000000	28.38816112400	-80.75779035670	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	06665d17-c50e-4f4a-aa3c-e1a6bc3f4650	Sycamore	No	Platanus occidentalis	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	10.00000000000	25.00000000000	10.00000000000	28.38816556620	-80.75789999250	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	d4aa4412-6b26-4ac1-82e1-f95ddeb49c6f	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	40.00000000000	30.00000000000	35.00000000000	55.00000000000	28.38815601080	-80.75809705050	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	9284ac98-5b31-4d30-a5b2-50517d5f092b	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	10.00000000000	25.00000000000	10.00000000000	28.38817210430	-80.75822948470	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	cef69edf-efe7-474e-ab37-8c286ae4b84d	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	12.00000000000	25.00000000000	10.00000000000	28.38818056990	-80.75837943680	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	8bcb216a-a8c4-4b71-9af6-655e3d4c1bda	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	12.00000000000	30.00000000000	10.00000000000	28.38822549710	-80.75852025320	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	06f9c9c3-5c51-4465-a6c8-7916292d5296	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	12.00000000000	30.00000000000	10.00000000000	28.38825458210	-80.75862829620	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	d40bed7a-e455-439a-96b1-7a18e2dcf07f	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	12.00000000000	25.00000000000	10.00000000000	28.38826845400	-80.75880582490	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	0b33e92c-e0d3-4d2e-8b5f-10fe0a33a201	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	10.00000000000	30.00000000000	10.00000000000	28.38827029780	-80.75893390040	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	8b6992f1-8855-4c0f-8b6f-5aebe0640639	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	10.00000000000	25.00000000000	10.00000000000	28.38830277790	-80.75909441320	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	9025c05d-8495-452d-a7db-a3981d599638	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	10.00000000000	6.00000000000	10.00000000000	15.00000000000	28.38837159300	-80.75938107460	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	952684e9-a110-40ae-a560-cd9fb9f727b0	Ligustrum	No	Ligustrum spp.	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	10.00000000000	10.00000000000	15.00000000000	5.00000000000	28.38590869210	-80.76621542760	Excellent	1.00000000000	See pictures for species.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	c8b691b0-603a-4155-872e-6fd6cc627e32	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	50.00000000000	42.00000000000	35.00000000000	65.00000000000	28.38845700500	-80.75982967430	Excellent	1.00000000000	See pic. Slight sidewalk heaving due to route pushing. Multiple stems emanating from a central point. Overall trees in great shape.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	d423996d-a9a8-4a36-8732-a297c47a1b95	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	35.00000000000	28.00000000000	50.00000000000	45.00000000000	28.38492609430	-80.76612787780	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	fe497c21-315b-4f91-8ef8-23c38d941530	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	30.00000000000	20.00000000000	45.00000000000	50.00000000000	28.38438952820	-80.76592064000	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	1e7c2543-cac4-4cac-8148-86eaebd283f8	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	30.00000000000	20.00000000000	45.00000000000	50.00000000000	28.38432515040	-80.76556753660	Excellent	1.00000000000		Tree is Damaged	Small hole 8 foot up on tree, see pictures.	No Maintenance Required	No	No	cc91183a-5798-456c-a267-0ab420a847f0	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	30.00000000000	18.00000000000	35.00000000000	30.00000000000	28.38429503370	-80.76544547260	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	bbc467d6-9e6d-4180-a3db-0eed6009d020	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	30.00000000000	20.00000000000	40.00000000000	35.00000000000	28.38442084060	-80.76549516200	Excellent	1.00000000000	Roots appear to be causing uneveness on sidewalk, see picture	Tree is Undamaged	<Null>	No Maintenance Required	No	No	bbcbd871-bfc3-4556-a1a7-f81d72d543e7	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	30.00000000000	22.00000000000	40.00000000000	40.00000000000	28.38444167970	-80.76542589020	Excellent	1.00000000000	Codominant tree, see picture	Tree is Undamaged	<Null>	No Maintenance Required	No	No	a2664beb-7173-4fc2-9925-059f73ea74b3	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	35.00000000000	28.00000000000	60.00000000000	65.00000000000	28.38441399330	-80.76526601610	Excellent	1.00000000000	Causing unevenness and cracking on sidewalk, See picture. Codominant tree, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	ce724003-67a3-40d5-b4dc-a380000590b3	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	30.00000000000	20.00000000000	55.00000000000	60.00000000000	28.38452684980	-80.76523316390	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	009778f7-75f6-477a-95c6-e9bc610811f7	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	30.00000000000	24.00000000000	50.00000000000	45.00000000000	28.38454654610	-80.76535379950	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	fe8401f9-8ee0-4676-845e-fed877d2b760	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	30.00000000000	22.00000000000	45.00000000000	40.00000000000	28.38466537970	-80.76534275830	Excellent	1.00000000000	Roots causing cracking in adjacent sidewalk, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	c080248a-1e6f-463a-851a-75cd92b6fe79	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	25.00000000000	14.00000000000	35.00000000000	25.00000000000	28.38472037850	-80.76537437180	Excellent	1.00000000000	Codominant tree 5 foot up, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	5bbe179d-8a90-4bc0-a9a2-e2d502ce7b61	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	35.00000000000	26.00000000000	50.00000000000	55.00000000000	28.38481878620	-80.76524356100	Excellent	1.00000000000	Roots causing cracking and sidewalk, see picture. Codominant tree, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	2e0b1767-6e54-4bd0-84b6-6d1c844813bb	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	35.00000000000	26.00000000000	55.00000000000	50.00000000000	28.38483257330	-80.76534764340	Excellent	1.00000000000	Roots causing unevenness and sidewalk and driveway, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	1d2e50e7-f01d-4351-be6f-341afd5de6ec	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	30.00000000000	28.00000000000	55.00000000000	60.00000000000	28.38559913800	-80.76526523820	Excellent	1.00000000000	Roots causing uneveness in roadside drain, see pictures.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	2abd1db2-cf40-457f-94ac-3c41d14dd080	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	25.00000000000	16.00000000000	35.00000000000	40.00000000000	28.38578763280	-80.76531235030	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	f68f6a60-4770-4ea2-9d90-8cb45bf117ac	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	5.00000000000	6.00000000000	15.00000000000	5.00000000000	28.38602242670	-80.76540323740	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	13adfbf1-5f88-433b-a97d-7db8aed5a9b0	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.38609926020	-80.76554099220	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	62c31f82-ce3e-4c53-8ba8-27b3d6abc8d1	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	30.00000000000	24.00000000000	50.00000000000	55.00000000000	28.38650342000	-80.76556565550	Excellent	1.00000000000	Roots causing cracking in sidewalk, see picture. roots causing unevenness in roadside drain, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	7c34fc92-c7ce-425f-90ea-b5368b0fbbe6	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	16.00000000000	15.00000000000	15.00000000000	28.38614839190	-80.76576820940	Excellent	1.00000000000	Two trees in woodland, same measurements for both trees.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	b6ed6d85-3d5a-4758-94f7-dabc70b83d94	Palm (Bismarck)	No	Bismarckia nobilis	2.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	15.00000000000	16.00000000000	20.00000000000	20.00000000000	28.38842318390	-80.76159976420	Excellent	1.00000000000	Single traveler palm with nine stems	Tree Is Undamaged	<Null>	Pruning	No	No	{B3BB98BC-09FD-4FDD-B98D-FF5A9AEA53D7}	Palm (Traveller's)	No	Ravenala madagascariensis	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	20.00000000000	28.00000000000	30.00000000000	30.00000000000	28.38806116970	-80.76237131820	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{35C68EB4-48F5-4250-AF7B-D394F80BFD48}	Palm (Canary Island Date)	No	Phoenix canariensis	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	10.00000000000	8.00000000000	25.00000000000	20.00000000000	28.38480471630	-80.76373949640	Excellent	1.00000000000	Species identification, see pictures. Leaves are simple and alternate.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{C7A59C69-E287-40D4-B874-1DF57E43A7F5}	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	40.00000000000	30.00000000000	45.00000000000	30.00000000000	28.38486095900	-80.76362533490	Excellent	1.00000000000	Roots causing cracking in road, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{DD9481AC-4925-422E-B33F-2BFC5580C13C}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	20.00000000000	16.00000000000	15.00000000000	25.00000000000	28.38760033270	-80.76329156770	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{46241DA5-0E0F-496B-BFBB-6B6C20228B8A}	Bottlebrush (Weeping)	No	Melaleuca viminalis	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	25.00000000000	20.00000000000	40.00000000000	30.00000000000	28.38750477900	-80.76349332030	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{6672E60F-BD07-487B-960A-F2EE9A49A959}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	35.00000000000	26.00000000000	50.00000000000	45.00000000000	28.38531140260	-80.76367319530	Excellent	1.00000000000	Roots causing unevenness and cracking in adjacent sidewalk, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	{CCF6072C-E5E2-4038-8C91-8C09C44DB306}	Camphor Tree	No	Cinnamomum camphora	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	15.00000000000	12.00000000000	25.00000000000	10.00000000000	28.38738542070	-80.76384703640	Excellent	1.00000000000	4 Palms near one another. The shortest one is 20 feet the tallest one is 25 feet the DBH is 12 on three of them and 14 on the tallest one	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	{243497AB-CC56-4F1E-B0A6-DB76BF099957}	Palm (Cabbage)	No	Sabal palmetto	4.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	20.00000000000	14.00000000000	20.00000000000	15.00000000000	28.38485781590	-80.76373807170	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{B774983F-4BF4-429C-8E93-ED4D8868F5BE}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	35.00000000000	24.00000000000	50.00000000000	45.00000000000	28.38552084830	-80.76379116840	Excellent	1.00000000000	Roots causing unevenness in adjacent sidewalk, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{49C677D1-693D-46A8-B146-550C85BFDE89}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	10.00000000000	10.00000000000	15.00000000000	15.00000000000	28.38698925020	-80.76456150970	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{2C94743C-07C1-4A73-9D8B-2079E3FDAE20}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	20.00000000000	16.00000000000	35.00000000000	25.00000000000	28.38517230460	-80.76446042410	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	{03CFC676-D7E8-4C17-A8BC-2B9BA6A28323}	Camphor Tree	No	Cinnamomum camphora	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	25.00000000000	16.00000000000	30.00000000000	20.00000000000	28.38689411560	-80.76507942800	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{F90C8706-F359-40F7-BA52-3CDEDE4052E2}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	5.00000000000	4.00000000000	15.00000000000	5.00000000000	28.38513999270	-80.76445204190	Excellent	1.00000000000	Tree DBH is just over 3 inches, no value for two.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{8556E23A-8653-43A8-BEFF-887925DBCE96}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.38512483050	-80.76444696820	Excellent	1.00000000000	Tree recently planted by homeowners, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{A1F9677F-1346-42A3-BDDB-31534051BF03}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	40.00000000000	30.00000000000	45.00000000000	65.00000000000	28.38722256040	-80.76467650930	Excellent	1.00000000000	Sidewalk curb heaving and rode disturbance. Race soil and canopy over pruning	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{2AF66A72-9BD2-4F4D-BEC8-A420C538DE7C}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	5.00000000000	4.00000000000	15.00000000000	10.00000000000	28.38501929290	-80.76444785120	Excellent	1.00000000000	Recently planted young tree, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{FC32DA5B-921F-4319-A4BF-92A094F8C39C}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	50.00000000000	34.00000000000	75.00000000000	50.00000000000	28.38734120600	-80.76438020900	Excellent	1.00000000000	Sidewalk heaving do the roots canopy over Hanes Road. Some pruning on the lower scaffolding needs to be done. See	Tree Is Undamaged	<Null>	Pruning	No	No	{84D0B541-5952-42A9-9564-5712B60F1736}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	50.00000000000	32.00000000000	60.00000000000	55.00000000000	28.38739757460	-80.76427878830	Excellent	1.00000000000	Some sidewalk heaving. Very minor. Slight overhang on road. Some deadwood and canopy. Some pruning may be required.	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{9AEB1364-3452-466A-AE2F-257FA15A5218}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	40.00000000000	24.00000000000	40.00000000000	50.00000000000	28.38743516740	-80.76416311760	Excellent	1.00000000000	Curb heaving. Canopy over HankΓÇÖs Road. Some deadwood and canopy. Some pruning may be required.	Tree Is Undamaged	<Null>	Pruning	No	No	{194F995C-2F50-43CE-BF75-8355BCAB0AC5}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	30.00000000000	18.00000000000	50.00000000000	40.00000000000	28.38468728560	-80.76447785860	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{A018E330-1565-41A0-8795-67FBA99DD986}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	30.00000000000	28.00000000000	60.00000000000	70.00000000000	28.38760674440	-80.76376363680	Excellent	1.00000000000	See pics	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{40E6EBB2-EED1-413F-82B3-47D2A4C429E6}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.38559307630	-80.76456050360	Excellent	1.00000000000	Two trees in Woodland, see picture. For identification, see pictures.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{67800E19-5216-47B8-B9C6-0757FEF38E0A}	Palm (Pygmy Date)	No	Phoenix roebelenii	2.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	30.00000000000	20.00000000000	40.00000000000	40.00000000000	28.38579675620	-80.76427241840	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{4AF03A12-93F2-4160-BBF1-D7CECEF3A792}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	25.00000000000	18.00000000000	35.00000000000	40.00000000000	28.38590940890	-80.76419983090	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{D508CFA7-C099-477D-A551-F7A0FC119E5A}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	35.00000000000	22.00000000000	55.00000000000	45.00000000000	28.38772777940	-80.76351947110	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{B987E993-C01B-4B08-BBE0-01BE00132758}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	25.00000000000	18.00000000000	40.00000000000	35.00000000000	28.38605596730	-80.76426068370	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{7C5922E8-8687-4152-AEC1-E39CD3E1E64C}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	30.00000000000	20.00000000000	40.00000000000	50.00000000000	28.38607968750	-80.76428934980	Excellent	1.00000000000	Tree causing cracking in the road side drain and adjacent sidewalk, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{D097DEB3-1CB6-42CB-B9E2-46AA15FC24E6}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	30.00000000000	26.00000000000	45.00000000000	50.00000000000	28.38661436890	-80.76466041600	Excellent	1.00000000000	Roots causing unevenness in adjacent sidewalk and roadside drain, see pictures.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{466FA41B-850D-4624-BF12-D7C2CE65A287}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	30.00000000000	22.00000000000	45.00000000000	40.00000000000	28.38670908500	-80.76459235510	Excellent	1.00000000000	Tree causing cracking and unevenness in adjacent sidewalk, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{B8880B99-EDC9-4C7D-85F1-91CA2BECDFE0}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	30.00000000000	28.00000000000	55.00000000000	60.00000000000	28.38657321400	-80.76447090110	Excellent	1.00000000000	Roots growing on edge and partially over roadside ditch. See pictures.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{B56BC457-45CB-4F02-8C7B-D16314F78EF2}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	35.00000000000	26.00000000000	50.00000000000	40.00000000000	28.38796746010	-80.76291044210	Excellent	1.00000000000	See pic	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{E374FD19-1A47-4130-9B3F-B3270AAF805F}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	40.00000000000	32.00000000000	60.00000000000	45.00000000000	28.38801041720	-80.76282335490	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{17C0F138-05DE-4CFE-928F-478A1F9F6A36}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	15.00000000000	12.00000000000	20.00000000000	10.00000000000	28.38812512310	-80.76256234230	Excellent	1.00000000000	2	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	{27C12AE1-FB65-4A49-B8C5-AF958FC6716A}	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	15.00000000000	20.00000000000	15.00000000000	5.00000000000	28.38822608350	-80.76235924840	Excellent	1.00000000000	Butia palm	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{20D65E88-19BF-4CB7-8589-A54B116EDF54}	Palm (Butia)	No	Butia capitata	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	20.00000000000	20.00000000000	25.00000000000	15.00000000000	28.38818698230	-80.76234122730	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{85FC0A6C-B5F1-432B-B526-DBCA1BCCD2C1}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	20.00000000000	18.00000000000	25.00000000000	15.00000000000	28.38822260540	-80.76229713890	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{293880F1-AB96-4CCE-8F2B-B896DA480B91}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	35.00000000000	26.00000000000	40.00000000000	60.00000000000	28.38843684630	-80.76184644340	Excellent	1.00000000000	See pic	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{081138B6-6051-48E4-A1E6-CE82E9E309F0}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	20.00000000000	16.00000000000	20.00000000000	10.00000000000	28.38868784230	-80.76067130050	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{858E54E1-8995-4609-A162-D03A486901F5}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000

2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	30.00000000000	28.00000000000	45.00000000000	55.00000000000	28.38732708260	-80.76498454430	Excellent	1.00000000000	Branches overhanging in road and residence yard, see pictures. Roots causing unevenness and cracking along roadside drain, see pictures.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{F6F31C15-5044-49C1-A9FC-7D1F96325384}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	35.00000000000	28.00000000000	45.00000000000	50.00000000000	28.38758377840	-80.76509250290	Excellent	1.00000000000	Roots causing unevenness on road side drain, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{A0BB1495-C5D9-4BF5-A474-AE69F0DB6718}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	35.00000000000	26.00000000000	50.00000000000	60.00000000000	28.38795308470	-80.76512821010	Excellent	1.00000000000	Codominant tree, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{D8A1A815-D9F4-4D17-B3CB-9C5002CE5ABA}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	35.00000000000	30.00000000000	40.00000000000	65.00000000000	28.38866399620	-80.76026469520	Excellent	1.00000000000	See pics. The pruning on the street is an example of pruning too closely to the branches. Granted should be pruned at the branch collar. This causes deadwood within the canopy and lead to infection within the main function of the tree. See pictures	Tree Is Undamaged	<Null>	Pruning	No	No	{48F7B58B-2D34-4593-8893-C05DD6E24EA0}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	30.00000000000	22.00000000000	45.00000000000	40.00000000000	28.38813757100	-80.76474046310	Excellent	1.00000000000	Roots causing cracking in adjacent sidewalk, see picture. Roots causing unevenness in roadside drain, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{2BB7DC42-59CA-4F17-83A0-15D6856E98B1}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	30.00000000000	22.00000000000	50.00000000000	45.00000000000	28.38816988280	-80.76437149170	Excellent	1.00000000000	Roots causing unevenness in roadside drain, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{4609E909-18CF-4666-9FB5-E374312362F6}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	30.00000000000	24.00000000000	45.00000000000	40.00000000000	28.38821992310	-80.76426847830	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{66EA5A98-9288-4FDF-BFF8-ECFCC4664A5E}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	30.00000000000	18.00000000000	35.00000000000	45.00000000000	28.38827453060	-80.76412950630	Excellent	1.00000000000	Codominant tree, see pictures.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{0544162D-7554-4D49-B569-EDA852810717}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	25.00000000000	14.00000000000	35.00000000000	40.00000000000	28.38840998210	-80.76390529040	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{5AF69A6B-CFFD-464E-8CF4-04C8FFC32756}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	40.00000000000	26.00000000000	50.00000000000	40.00000000000	28.38847171540	-80.75895108250	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{7D238E0E-C25D-4361-8760-DA6F0776A63E}	Pine (Slash)	No	Pinus elliottii	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	10.00000000000	8.00000000000	15.00000000000	15.00000000000	28.38848173150	-80.76372918640	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{5390738D-0556-49A7-8A01-A2FC0A9275F7}	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	20.00000000000	14.00000000000	45.00000000000	35.00000000000	28.38854505650	-80.76346683350	Excellent	1.00000000000	Small crack in adjacent driveway, see pictures.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{1C3726FC-263D-4347-89F8-8BB74D7538CB}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	25.00000000000	14.00000000000	40.00000000000	35.00000000000	28.38899914660	-80.76341629060	Excellent	1.00000000000	Roots causing mild cracking of adjacent sidewalk, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{955EC265-1F41-4812-8075-C83E3AB7C443}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	25.00000000000	16.00000000000	40.00000000000	35.00000000000	28.38902906990	-80.76354696410	Excellent	1.00000000000	Roots causing unevenness in adjacent sidewalk, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{2BB93514-8DCC-42FE-BFB4-0ACEC3B7F2E6}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	30.00000000000	20.00000000000	40.00000000000	50.00000000000	28.38859979100	-80.75875586870	Excellent	1.00000000000	Deadwood and canopy were previously pruned but not prune back to the branch collar. This results in more work down the line. Work on pruning techniques.	Tree Is Undamaged	<Null>	Pruning	No	No	{C96556B4-41A5-4CC9-BFF5-D3358BD900B5}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	5.00000000000	10.00000000000	15.00000000000	10.00000000000	28.38885615100	-80.75877632060	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{9F3212D0-122B-433C-BCFB-386D86BC654C}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	10.00000000000	12.00000000000	25.00000000000	15.00000000000	28.38892362550	-80.75874513920	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{08731A9D-886C-47E5-AD09-DE235E8EA21B}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	15.00000000000	10.00000000000	25.00000000000	20.00000000000	28.38896553500	-80.75875796360	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{ACCA284F-AEF7-4371-B577-38C96A4C2A21}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	10.00000000000	6.00000000000	15.00000000000	15.00000000000	28.38902672280	-80.75862804470	Excellent	1.00000000000	Trumpet tree. See pic	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{EF7C206B-5A3C-43B6-B5D1-6395C993B122}	Tabebuia	No	Tabebuia spp.	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	30.00000000000	26.00000000000	45.00000000000	40.00000000000	28.38896465470	-80.76402766610	Excellent	1.00000000000	Roots causing unevenness and cracking in adjacent sidewalk. Roots causing unevenness and cracking in adjacent roadside drain. Low hanging limbs over driveway, sidewalk, and road. See pictures.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{BC0AED0E-4709-4A7B-9408-E060EF418B66}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	10.00000000000	8.00000000000	15.00000000000	15.00000000000	28.38908045100	-80.75863651040	Excellent	1.00000000000	Trumpet tree	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{5463B931-1E3F-42DA-9037-D9F5595B685A}	Tabebuia	No	Tabebuia spp.	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	35.00000000000	30.00000000000	50.00000000000	60.00000000000	28.38915241970	-80.76425435770	Excellent	1.00000000000	Low hanging limbs over Road and residence driveway and vehicle, see pictures.	Tree is Undamaged	<Null>	Pruning	No	No	{D047564B-9A2D-4C5C-8903-EF10C0E53464}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	5.00000000000	4.00000000000	15.00000000000	5.00000000000	28.38917479570	-80.76420004200	Excellent	1.00000000000	TREE too small for DBH measurement.	Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	{E46840AC-A429-4B52-81B4-97A6FEB321A6}	Camphor Tree	No	Cinnamomum camphora	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	15.00000000000	12.00000000000	35.00000000000	20.00000000000	28.38914848330	-80.76351736460	Excellent	1.00000000000	Hack marks on tree, do not appear to cause damage, see pictures.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{E34CD4FE-52FC-4D2F-A488-F9FC5AEC78D8}	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	30.00000000000	24.00000000000	55.00000000000	50.00000000000	28.38916907720	-80.76344197980	Excellent	1.00000000000	Soil up heaving under adjacent sidewalk, see pictures.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{6C4268E1-A80B-466F-B8FA-A2EC4CF82327}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	15.00000000000	10.00000000000	25.00000000000	20.00000000000	28.38889740150	-80.76318483250	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{F51CC10E-BB28-46CB-B86B-8048B24D8475}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	15.00000000000	14.00000000000	25.00000000000	20.00000000000	28.38838368680	-80.76316815530	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{0C2BDD78-81DC-4036-8E39-8D216092A759}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Building	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	20.00000000000	8.00000000000	25.00000000000	15.00000000000	28.36061474000	-80.73457219720	Very Poor	7.00000000000	Completely dead	Tree is Damaged	Tree is Dead	Removal	No	No	380d956b-567b-48f5-9a70-79ea56e063ca	Holly (East Palatka)	No	Ilex x attenuata	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	20.00000000000	8.00000000000	15.00000000000	0.00000000000	28.39002635800	-80.74369412080	Very Poor	7.00000000000	Dead palm, needs removal	Tree is Damaged	Tree Is Dead	Removal	No	No	9d1bf111-5d79-49ce-8d7e-23a1a8281ce8	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	20.00000000000	6.00000000000	35.00000000000	0.00000000000	28.39044569030	-80.74287065860	Very Poor	7.00000000000	Dead, needs removal	Tree is Damaged	Tree Is Dead	Removal	No	No	63320dae-df76-49d6-94c0-317aa338cb65	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	16.00000000000	15.00000000000	10.00000000000	28.38811917220	-80.75545490770	Very Poor	7.00000000000	See pics, Tree Is Dead	Tree Is Damaged	Stump/Trunk	Removal	No	No	bde7f7c8-b406-4740-98ea-e4afe5a316a0	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	8.00000000000	15.00000000000	5.00000000000	28.38811179650	-80.75583988790	Very Poor	7.00000000000	Trunk Damage, Signs of Decay	Tree is Damaged	Trunk has decay, only 20% of canopy alive	Removal	No	No	1ec8cd33-6e1b-49b4-8b5c-08e338f08f04	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	4.00000000000	20.00000000000	15.00000000000	28.38111007130	-80.75043034640	Very Poor	7.00000000000	Dead, Neds Removal	Tree is Damaged	Dead, Needs Removal	Removal	No	No	{B33DF877-BE37-4AE2-A174-B6C36DBF6CD5}	Red Cedar	No	Juniperus virginiana	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	10.00000000000	6.00000000000	5.00000000000	5.00000000000	28.39251547890	-80.78256999220	Very Poor	7.00000000000	Poor condition, consider replacement	Tree Is Damaged	Previously taken to just stump, resprouting	No Maintenance Required	No	No	{0A2DB9BD-0037-4CD7-8F52-2BC20845E1EF}	Golden Raintree	No	Koelreuteria paniculata	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	5.00000000000	8.00000000000	10.00000000000	10.00000000000	28.35366975970	-80.73520389430	Very Poor	6.00000000000	Dead cabbage palm	Tree is Damaged	Dead, brown fronds and trunk	Removal	No	No	4ef806b9-e874-40b8-b918-a37f76dfb7a9	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	20.00000000000	10.00000000000	30.00000000000	15.00000000000	28.37441256170	-80.73508941830	Very Poor	6.00000000000	Poor Shape, Nearly Dead; Leaning into Roadway	Tree is Damaged	Rot and decay	Removal	No	No	64cce7b8-a526-414e-85b7-90ea8d68558e	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	40.00000000000	22.00000000000	45.00000000000	30.00000000000	28.39349752110	-80.74494572830	Very Poor	6.00000000000	In yard but mostly dead, overhanging road	Tree is Damaged	Tree is Dead	Removal	No	No	3c6fff81-c9e5-4fc0-a24c-a31250ed8b13	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	12.00000000000	10.00000000000	15.00000000000	28.39630519010	-80.75949179910	Very Poor	6.00000000000	Tree is Dead, Top Snapped Off, Just Trunk	Tree is Damaged	Stump/Trunk	Remove Trunk	No	No	{92A6AB4D-4442-48D9-9A42-83918A223759}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	12.00000000000	20.00000000000	10.00000000000	28.39546529150	-80.77771919830	Very Poor	6.00000000000	Two dead trees in Woodland.	Tree is Damaged	Stump/Trunk	Remove Trunks	No	Yes	{71FB3AC6-090C-432D-82B1-989025C76E55}	Palm (Queen)	No	Syagrus romanzoffiana	2.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	15.00000000000	20.00000000000	30.00000000000	10.00000000000	28.39654017710	-80.77215492750	Very Poor	5.00000000000	Dead Tree, Needs Removal	Tree Is Damaged	Stump/Trunk	Removal	No	No	{90F49D7A-131D-4681-A0D4-30C3A6650F80}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	14.00000000000	10.00000000000	0.00000000000	28.35970917560	-80.73356772260	Very Poor	5.00000000000	Dead Tree With Debris on Ground, Needs Removal	Tree is Damaged	Tree is Dead	Removal	Yes	No	{5D5B6D97-BA02-4D4D-BB9A-204665A5946F}	Pine (Australian)	No	Casuarina equisetifolia	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	25.00000000000	12.00000000000	0.00000000000	0.00000000000	28.35465994530	-80.73038683670	Very Poor	4.00000000000	See pic; dead stump, needs removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	37cea1c0-ea25-4473-a27f-ef602c1ea2ef	Red Cedar	No	Juniperus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	16.00000000000	10.00000000000	0.00000000000	28.39199010250	-80.75872301100	Very Poor	4.00000000000	Stump That Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{BAAB84BD-2DA2-46C1-A220-4AF39FF0EE37}	N/A (Stump)	No	N/A (Stump)	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	12.00000000000	40.00000000000	5.00000000000	28.40082534120	-80.76887391530	Very Poor	4.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{B3016B6E-7653-4251-9F36-3F5C670A749D}	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	14.00000000000	35.00000000000	15.00000000000	28.40072983500	-80.76886922250	Very Poor	4.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{3753AAE0-AF6F-44AD-9FDC-63D37B8CE09D}	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	14.00000000000	20.00000000000	10.00000000000	28.39545492520	-80.77698497380	Very Poor	4.00000000000	Dead Trunk, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{A2B29C06-54B6-4511-A0AE-4AE144866251}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	15.00000000000	12.00000000000	15.00000000000	0.00000000000	28.36028379310	-80.74511496280	Very Poor	3.00000000000	Dead palm trunk. Directly under power lines, needs removal	Tree Is Damaged	Stump	Remove Stump	No	No	102a501f-485a-4869-935d-7599fd845db5	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	10.00000000000	8.00000000000	20.00000000000	20.00000000000	28.38850520070	-80.78777619640	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{950C8A8C-E95D-4C3D-9BB1-88CB78773C06}	Pine (Slash)	No	Pinus elliottii	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	8.00000000000	30.00000000000	20.00000000000	28.38802106560	-80.78773675040	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{E7B29CFB-B138-494D-BC3A-6544126508D3}	Pine (Slash)	No	Pinus elliottii	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	20.00000000000	15.00000000000	28.38729850230	-80.78772135240	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{A6F520AA-BE5B-4F33-AA30-C028F250066C}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	acarroll_sfc	9/29/2020	acarroll_sfc	9/29/2020	15.00000000000	8.00000000000	15.00000000000	10.00000000000	28.35750346390	-80.73363002340	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{5BEBB25C-5D3A-4F51-B4AC-916BA29AFBEB}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Median	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.38273778120	-80.77264493330	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree is Dead	Removal	No	No	{7356D8DC-9EEF-4BCD-9C37-AF34A528B318}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	8.00000000000	15.00000000000	0.00000000000	28.36806211650	-80.75455653490	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree Is Dead	Removal	No	No	{B0AA3A91-74ED-4EC5-B6B9-9C55DC00EFD4}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	30.00000000000	28.00000000000	10.00000000000	0.00000000000	28.36940032900	-80.75550067230	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{980EB6CB-8C9C-46A5-BE14-C58E1DC6B7E2}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	15.00000000000	12.00000000000	5.00000000000	5.00000000000	28.40107568520	-80.74431573080	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{29508705-86F4-4831-AB68-2CB1FC0730A6}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	20.00000000000	14.00000000000	15.00000000000	10.00000000000	28.40210622400	-80.74257587820	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{F12D774F-FACC-4548-883C-2B4B33DED582}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	12.00000000000	5.00000000000	0.00000000000	28.39095154290	-80.78079465800	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{A8EBBB7F-C43F-42C4-B97E-D8C7EF0A23AA}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	30.00000000000	18.00000000000	35.00000000000	15.00000000000	28.35545871610	-80.73228686420	Very Poor	2.00000000000	Bizmark stump	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	f5b6bc90-b19d-47b1-9d94-803c94c27919	Palm (Bismarck)	No	Bismarckia nobilis	1.00000000000
City Park	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	20.00000000000	10.00000000000	0.00000000000	0.00000000000	28.35888270100	-80.73130859620	Very Poor	2.00000000000	3 stumps and 1 BP. To be removed	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	b11484c9-65d7-4d53-9461-416912340a10	Hickory (Pignut)	No	Carya glabra	1.00000000000
2-4 Ft ROW	shendley_sfc	9/13/2020	shendley_sfc	9/13/2020	20.00000000000	8.00000000000	5.00000000000	0.00000000000	28.35087389180	-80.73356707580	Very Poor	2.00000000000	Tree is cut; stump needs removal	Tree Is Damaged	Stump/Trunk	Remove Stump	No	No	7148642b-82af-4f80-a4ad-74d5e933ea8a	Sycamore	No	Platanus occidentalis	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/16/2020	sbourgoin_sfc	9/16/2020	20.00000000000	14.00000000000	25.00000000000	15.00000000000	28.36619344110	-80.74705959530	Very Poor	2.00000000000	Completely dead needs removal	Tree is Damaged	Tree is Dead	Removal	No	No	1c15f2d9-a065-4aab-8ccf-5cd17f805c7a	Pine (Longleaf)	No	Pinus palustris	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	20.00000000000	10.00000000000	5.00000000000	0.00000000000	28.38738969540	-80.76376179260	Very Poor	2.00000000000	Stump	Tree Is Undamaged	<Null>	Remove Stump	No	No	{57F1FA2A-BD75-400B-8276-6ED829F7A80C}	Bottlebrush (Weeping)	No	Melaleuca viminalis	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	16.00000000000	0.00000000000	0.00000000000	28.39889285130	-80.76775526670	Very Poor	2.00000000000	Stump That Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{20ACB205-116A-418E-A68F-74403C577CD5}	N/A (Stump)	No	N/A (Stump)	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	35.00000000000	18.00000000000	10.00000000000	5.00000000000	28.35695927990	-80.73346942710	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{F6DC1A1A-AB89-41C0-8372-8E2460A0F823}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	55.00000000000	28.00000000000	50.00000000000	60.00000000000	28.36019909440	-80.73430334220	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{C9E5553C-5EC9-4DA4-9A4E-6D214065BBD5}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	25.00000000000	16.00000000000	40.00000000000	20.00000000000	28.35963514510	-80.73353318230	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree is dead, see picture.	Removal	Yes	No	{6EE83020-5AB6-449A-ADA6-8EA7F2292927}	Pine (Australian)	No	Casuarina equisetifolia	1.00000000000
Cemetary	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	30.00000000000	18.00000000000	0.00000000000	0.00000000000	28.36875127660	-80.75586536950	Very Poor	2.00000000000	Old stump. Rotting	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{35627E43-0723-448B-BD9B-8911F4A8D205}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	16.00000000000	10.00000000000	5.00000000000	28.36835598580	-80.75473439860	Very Poor	2.00000000000	Stump	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{15DA5336-B17B-479C-929E-A36072E8D6D0}	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	10.00000000000	4.00000000000	15.00000000000	5.00000000000	28.38348674870	-80.77803819550	Very Poor	2.00000000000		Tree is Damaged	Tree is Dead	Removal	No	No	{1BAEAF65-A73A-4AAD-B2B5-156CBE656BE0}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	12.00000000000	0.00000000000	0.00000000000	28.39103175120	-80.78077820530	Very Poor	2.00000000000	Two stumps in Woodland.	Tree is Damaged	Stump/Trunk	Remove Stump	No	Yes	{E37E5873-D334-4D04-8F44-04B030B00B88}	N/A (Stump)	No	N/A (Stump)	2.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	12.00000000000	15.00000000000	0.00000000000	28.39120392220	-80.78055795280	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{88B0584D-929C-4C3A-B4CE-733862991F2F}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	10.00000000000	20.00000000000	0.00000000000	28.39127525250	-80.78042099290	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{63356FB1-094E-4FD5-9573-2F45BA64F029}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	12.00000000000	25.00000000000	10.00000000000	28.39152758910	-80.77998370830	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{B19D23DB-8B93-431A-ACD0-7BE247CC2E33}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.39102319340	-80.77973278460	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{EC4E220A-D753-48A0-B655-12FD268FB25D}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	8.00000000000	30.00000000000	25.00000000000	28.39072632140	-80.78034228610	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{66C46A3C-08E9-491C-B001-175D6B738570}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.39078610070	-80.78101954130	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{CBF7C1CA-BA64-4423-B044-09F778651EDE}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	5.00000000000	4.00000000000	15.00000000000	5.00000000000	28.39078144680	-80.78100083840	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{8C262DC2-611C-4171-875C-EE4247717BF5}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35702616760	-80.73350831880	Very Poor	1.00000000000	Stump that has resprouted	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{B77C4B93-AF85-4AD0-9BD7-C050A6AD16C9}	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
City Park	acarroll_sfc	9/15/2020	acarroll_sfc	9/15/2020	20.00000000000	10.00000000000	25.00000000000	10.00000000000	28.35420867420	-80.74326518970	Poor	6.00000000000	See pic	Tree is Undamaged	<Null>	Removal	No	No	cdb648ac-bce2-4124-b380-995ad4b2eee9	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
City Park	sbourgoin_sfc	9/18/2020	sbourgoin_sfc	9/18/2020	5.00000000000	8.00000000000	15.00000000000	10.00000000000	28.37679872970	-80.76179704140	Poor	6.00000000000	tree not completely dead, but 50 percent of branches without leaves; seems to have a web work infestation see pics	Tree is Damaged	Large chunk of middle bark missing	Removal	No	No	e8617e60-7f0e-4fef-8965-1e60586e0c86	Oak (Live)	No	Quercus virginiana	1.00000000000
City Building	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	20.00000000000	10.00000000000	25.00000000000	10.00000000000	28.36120423840	-80.73457651270	Poor	5.00000000000	Majority of tree is dead. Recommend removal	Tree is Damaged	Tree is Dead	Removal	No	No	b7742f99-fba6-40f2-996f-ae824c895a11	Holly (East Palatka)	No	Ilex x attenuata	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	15.00000000000	6.00000000000	20.00000000000	10.00000000000	28.37505849060	-80.76122660220	Poor	5.00000000000	Severe leaf loss	Tree is Damaged	Severe leaf loss, obvious damage to tree	Removal	No	No	1b4a0557-5f26-41f9-9019-11038d4fee85	Holly (American)	No	Ilex opaca	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	14.00000000000	20.00000000000	15.00000000000	28.38814578530	-80.75573913730	Poor	5.00000000000	High percentage of deadwood in canopy, multiple limb breaks	Tree is Damaged	Recent limb breaks, copious deadwood	Pruning	No	No	bb7b3673-838d-4293-95a6-0bfced1b9db4	Box Elder	No	Acer negundo	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	20.00000000000	16.00000000000	35.00000000000	20.00000000000	28.38825967710	-80.78775262730	Poor	5.00000000000	Severe damage to trunk, wood rot	Tree is Damaged	Wood rot in trunk	Removal	No	No	{0E823A48-2112-4497-9276-C59EF128FB03}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	16.00000000000	20.00000000000	15.00000000000	28.35703777640	-80.73279946090	Poor	5.00000000000	Try cleaning deadwood first before removing. Co dom w included bark	Tree is Damaged	Tree Is Dead	Removal	No	No	{AE4C2C59-5208-4610-B8B3-58DC8CCBB65E}	Hickory (Pignut)	No	Carya glabra	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	8.00000000000	6.00000000000	20.00000000000	10.00000000000	28.39916023430	-80.77080259110	Poor	4.00000000000	Remove	Tree is Damaged	Cambium layer weed whacked repeatedly	Removal	No	No	{E356A27F-155E-41C7-AE39-BE2D3B1F3306}	Holly (Dahoon)	No	Ilex cassine	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35120694720	-80.72616601960	Poor	3.00000000000	Canopy broken and mostly leafless	Tree Is Damaged	Canopy topped	No Maintenance Required	No	No	cd35ada1-bbfe-4763-97e7-f10ed59cf265	Tabebuia	No	Tabebuia spp.	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	5.00000000000	8.00000000000	10.00000000000	10.00000000000	28.35114616070	-80.72621493110	Poor	3.00000000000	Canopy broken and mostly leafless	Tree Is Damaged	Crown broke	No Maintenance Required	No	No	bf3469ee-9835-42d5-b45e-81997412c6ae	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	20.00000000000	14.00000000000	20.00000000000	10.00000000000	28.37552867380	-80.76525779480	Poor	2.00000000000	See pic	Tree is Damaged	Needs pruning of multiple dead limbs for a chance	Pruning	Yes	No	7c237f9f-a267-4710-92e8-f4454a1b5c7f	Indian Rosewood	No	Dalbergia sissoo	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	30.00000000000	12.00000000000	35.00000000000	15.00000000000	28.36061274170	-80.73415800010	Poor	2.00000000000	Unnatural form. Fine for SLO.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{AB73F2B7-444C-4EB9-9B64-0ED15E67861B}	Oak (Sand Live)	No	Quercus geminata	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	40.00000000000	18.00000000000	25.00000000000	40.00000000000	28.36486055300	-80.73437332990	Fair	7.00000000000		Tree Is Damaged	Missing mult limbs due to rot and pruning. Central leader still intact but rotting likely to fall	Removal	No	No	035599b7-6ba4-4a35-bf49-3b2cb056e780	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	60.00000000000	32.00000000000	45.00000000000	25.00000000000	28.38155051730	-80.73657843430	Fair	7.00000000000	Lg oak directly next to road. Evidence of prev pruning. Lg dead limbs overhanging road, needs additional consult	Tree is Damaged	Multiple large dead limbs	Pruning	No	No	788c2f34-9024-4f34-aeb1-4b0ff7cb1825	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	40.00000000000	24.00000000000	45.00000000000	25.00000000000	28.37482115740	-80.76184862270	Fair	7.00000000000	Remove. Co Dom and over pruned. Trunk rot. See pictures	Tree is Damaged	Trunk Rot	Removal	No	No	042c8a89-8f42-45a7-932d-209dbeb2a45b	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	18.00000000000	50.00000000000	35.00000000000	28.37785729230	-80.74507031560	Fair	7.00000000000	Water oak, dead branch over road way	Tree is Damaged	Crown broke	Pruning	No	No	{BC25B713-2163-4046-9747-9A4FC6AC84A3}	Oak (Water)	No	Quercus nigra	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	30.00000000000	26.00000000000	40.00000000000	35.00000000000	28.39283805840	-80.76054104570	Fair	7.00000000000	Tree has sparse canopy with many bare branches, see pictures.	Tree is Damaged	Bare branches/canopy	Pruning	No	No	{03C14FE5-C859-4706-923E-676D89DB62A9}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	6.00000000000	10.00000000000	5.00000000000	28.35700282350	-80.73356992610	Fair	7.00000000000	See pic	Tree is Damaged	Tree Is Dead	Removal	No	No	{58F800C4-0AC0-464A-80AB-BBA329198225}	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	6.00000000000	10.00000000000	5.00000000000	28.35528643810	-80.72750413570	Fair	6.00000000000	See pic	Tree is Damaged	Dying, needs H2O	Removal	No	No	060c3393-62c2-403b-bd0f-860973469609	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	15.00000000000	12.00000000000	15.00000000000	20.00000000000	28.35402286250	-80.72669429640	Fair	6.00000000000	See picture	Tree Is Damaged	Crown broken	No Maintenance Required	No	No	3b083e80-5b3e-4bd5-bd2b-7af3cfdbe027	Red Cedar	No	Juniperus virginiana	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	10.00000000000	10.00000000000	20.00000000000	20.00000000000	28.36394391950	-80.74302337130	Fair	6.00000000000	Large trunk damage	Tree Is Damaged	Trunk is Cracked and Split for Its Entirety	Removal	No	No	63aa69e1-249e-489e-8fec-7ee7362c9bda	Sycamore	No	Platanus occidentalis	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/16/2020	sbourgoin_sfc	9/16/2020	20.00000000000	10.00000000000	30.00000000000	25.00000000000	28.37128400850	-80.74462001170	Fair	6.00000000000	Tree is nearly dead, probably 40 percent of branches with leaves; needs at least pruning, possibly removal	Tree is Damaged	High Proportion of Branches Dead	Pruning	No	No	f91261d9-9f85-42e9-9f78-aa7a782adf5e	Green Ash	No	Fraxinus pennsylvanica	1.00000000000
4+ Ft ROW	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	40.00000000000	24.00000000000	40.00000000000	45.00000000000	28.39816863550	-80.74960865740	Fair	6.00000000000	Overhang	Tree is Damaged	Hit by vehicle	No Maintenance Required	No	No	4a56135e-24de-4fba-b0f3-08359e5707ef	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	20.00000000000	16.00000000000	35.00000000000	40.00000000000	28.37463553980	-80.76391794760	Fair	6.00000000000	This tree has a co-dominance stem with included bark also overhangs the road also has soil heaving. Also has bark beetles. Minor bark beetles. See pictures	Tree is Damaged	Minor bark beetles	No Maintenance Required	No	No	b5b0fef6-9771-4532-b50e-4d81cd696a64	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	10.00000000000	6.00000000000	20.00000000000	10.00000000000	28.38810714400	-80.75727310950	Fair	6.00000000000	Heavy signs of bark beetle infestation	Tree is Damaged	Pest Infestation	No Maintenance Required	No	No	d601b313-3efe-42d1-82f5-832a90f6c213	Green Ash	No	Fraxinus pennsylvanica	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	16.00000000000	15.00000000000	20.00000000000	28.39544013590	-80.75904185900	Fair	6.00000000000	Tree appears to be dying with bare branches. See picture.	Tree is Damaged	Branches are Dying Off	Pruning	No	No	{50398963-9B6C-42E0-9FE6-AF91BDD37434}	Bottlebrush (Weeping)	No	Melaleuca viminalis	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	8.00000000000	15.00000000000	15.00000000000	28.39721316040	-80.77160247610	Fair	6.00000000000	Trim back hard	Tree Is Undamaged	<Null>	Pruning	Yes	No	{06490509-BE0F-44E0-AF4B-31F9569E62B2}	Camphor Tree	No	Cinnamomum camphora	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	8.00000000000	20.00000000000	15.00000000000	28.35712084050	-80.73344344240	Fair	6.00000000000	The canopy has been broken off. Bark beetles present in the canopy. Deadwood throughout. See picture	Tree is Damaged	Canopy has been broken off	Pruning	No	No	{BACA6C9D-F7F4-44F3-A16B-E6E6525412DA}	Sugarberry	No	Celtis laevigata	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	40.00000000000	20.00000000000	50.00000000000	20.00000000000	28.36061601040	-80.73421910450	Fair	6.00000000000	Deadwood at the top of the canopy. Sparse canopy. Bark peeling. Decay in lowest point of trunk.	Tree is Damaged	Deadwood and Peeling Bark	Pruning	No	No	{8EAFBCE8-3712-4061-B595-38C4579F5B35}	Oak (Sand Live)	No	Quercus geminata	1.00000000000
Median	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	35.00000000000	18.00000000000	40.00000000000	20.00000000000	28.34926456580	-80.74507902570	Fair	5.00000000000	See pics. Damaged	Tree Is Damaged	Mechanical Damage and Potential Rot at Base	Pruning	No	No	6d9dc418-0830-4fa2-9284-ac99e520e57f	Maple (Red)	No	Acer rubrum	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	20.00000000000	16.00000000000	25.00000000000	25.00000000000	28.36483498630	-80.73419860670	Fair	5.00000000000		Tree Is Damaged	Mechanical damage at base see pics	No Maintenance Required	Yes	No	4ab213a9-17a8-45e9-b82b-090433acb0a2	Chinaberry	No	Melia azedarach	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	15.00000000000	10.00000000000	30.00000000000	20.00000000000	28.38431299220	-80.73913266000	Fair	5.00000000000	Overhang	Tree Is Damaged	Lightning	No Maintenance Required	No	No	5bae7c63-65bc-4b4c-aba4-c7d31271810f	Sugarberry	No	Celtis laevigata	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	10.00000000000	20.00000000000	15.00000000000	28.38812960800	-80.75560444030	Fair	5.00000000000	High percentage of deadwood in canopy, multiple limb breaks	Tree is Damaged	Recent limb breaks, copious deadwood	Pruning	No	No	2ee43f2d-8efc-48d3-b90b-e8b67ccfb9bb	Box Elder	No	Acer negundo	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	30.00000000000	18.00000000000	25.00000000000	25.00000000000	28.39032768990	-80.78335793950	Fair	5.00000000000	Minor soil heaving on curb and sidewalk. The crown was broken in this tree. And the sides are now growing out to make it fall in the canopy. Minor bark beetles present. See pictures. Multiple stems extending from a central location.	Tree Is Undamaged	<Null>	Pruning	No	No	{898CAFB2-3ECE-424E-ABBE-EA0929457A2D}	Maple (Red)	No	Acer rubrum	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	30.00000000000	20.00000000000	35.00000000000	20.00000000000	28.35699553170	-80.73361485270	Fair	5.00000000000	Lots of vines on canopy. Deadwood within canopy. Lots of decaying scaffolding. Toward the back of the cemetery and not much risk of injury. There is a fence target nearby. And graves.	Tree is Damaged	Branches contain decay	Pruning	No	No	{110D2DD3-E453-460D-8C91-DC008B59B80E}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35702268850	-80.73344126310	Fair	5.00000000000	Lots of deadwood. Vines growing. See picture. Florida privet	Tree is Undamaged	<Null>	Pruning	No	No	{3DF41125-9937-4B2F-B841-F77FE19B0300}	Privet (Florida)	No	Forestiera segregata	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	10.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35761562420	-80.73307111860	Fair	5.00000000000	Species is red bay	Tree is Damaged	Chlorotic leaves, dead branches	No Maintenance Required	No	No	{973AD2BD-CF5F-4C63-8953-1831FFB6A0DA}	Bay	No	Persea palustris	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	12.00000000000	15.00000000000	10.00000000000	28.35950482670	-80.73428338070	Fair	5.00000000000		Tree is Damaged	Half of tree is dead, see picture.	No Maintenance Required	No	No	{A5A80953-7423-4830-B4B9-CB49F9CE4AC8}	Arborvitae	No	Thuja occidentalis	1.00000000000
2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	3.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35366966090	-80.72927017420	Fair	4.00000000000	See photo	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	2328ded0-bb32-4338-ac3d-cd2e428802ae	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
Median	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	15.00000000000	8.00000000000	15.00000000000	5.00000000000	28.34927533190	-80.74307763490	Fair	4.00000000000	2 palms. Unhealthy. See pics	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	976b9498-f2da-4078-98a6-c1ac74f54e39	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
4+ Ft ROW	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	22.00000000000	16.00000000000	25.00000000000	30.00000000000	28.35478254130	-80.72673213700	Fair	4.00000000000	Parking lot very little foliage	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	3140e591-9ff6-4f6e-8467-8c1008accedd	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	5.00000000000	6.00000000000	10.00000000000	10.00000000000	28.36371706370	-80.74298053960	Fair	4.00000000000	Small hole in trunk	Tree Is Damaged	Small Hole in Trunk, May Close Up	No Maintenance Required	No	No	e37d9b02-14f7-4b57-b8a2-e98aa0f61b75	Sycamore	No	Platanus occidentalis	1.00000000000
City Building	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	25.00000000000	16.00000000000	35.00000000000	30.00000000000	28.36080468400	-80.73807965300	Fair	4.00000000000		Tree is Damaged	Either mech or lightning damage to trunk; many branches seem dead, remaining leaves are suffering	Removal	No	No	ea477734-34a4-47f6-b6f3-594844e3dbb6	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	20.00000000000	14.00000000000	10.00000000000	10.00000000000	28.37271717360	-80.74467862950	Fair	4.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	34c90256-657b-4d10-b2d4-179390fc1c84	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
City Park	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	12.00000000000	10.00000000000	20.00000000000	15.00000000000	28.38168577190	-80.76364231310	Fair	4.00000000000	Some bark loss and multiple dead branches	Tree is Damaged	Bark and branch loss	No Maintenance Required	No	No	3e2839ae-30c5-4e17-a96d-193921f8edd8	Maple (Red)	No	Acer rubrum	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	20.00000000000	20.00000000000	25.00000000000	15.00000000000	28.37414888640	-80.76223058630	Fair	4.00000000000	Some large limbs previously pruned	Tree is Undamaged	<Null>	No Maintenance Required	No	No	41806838-1739-42ca-9f71-98e778c556cd	Bottlebrush (Weeping)	No	Melaleuca viminalis	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	15.00000000000	14.00000000000	20.00000000000	25.00000000000	28.37414067260	-80.76261808180	Fair	4.00000000000	Co-dominant tree, weak attachement of trunks at base; needs removal of a trunk	Tree is Damaged	Tree has Unnatural growth and weak base attachment	Pruning	No	No	936de601-7b68-49d8-bc42-d5e8fffb5f7c	Maple (Red)	No	Acer rubrum	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	30.00000000000	24.00000000000	50.00000000000	45.00000000000	28.38520645320	-80.76522934600	Fair	4.00000000000	Tree has 3 inch deep cut in trunk of the tree, see pictures. Tree has another 3 inch hole, see picture. Tree has overhanging branches over road, see picture.	Tree is Damaged	Cut In Trunk	No Maintenance Required	No	No	fa9e59b3-f768-4517-93ce-585e20b8f6ea	Oak (Live)	No	Quercus virginiana	1.00000000000
													This tree looks owner maintained and owner pruned. It is near green electrical box target										

2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	35.00000000000	30.00000000000	45.00000000000	35.00000000000	28.39272154940	-80.76003436000	Excellent	1.00000000000	Soil upheaving under roadside drain.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{872E26EB-F708-430B-83A7-83AC4B3CFA79}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	10.00000000000	8.00000000000	20.00000000000	20.00000000000	28.38212945820	-80.75021621230	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{D1180F55-847A-44D7-9C3A-749DBA90558B}	Persimmon	No	Diospyros spp.	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	18.00000000000	30.00000000000	35.00000000000	28.38216041010	-80.75027253310	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{B72C8C3D-2376-4CF4-97B1-A3ECAA5A660D}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	30.00000000000	26.00000000000	30.00000000000	45.00000000000	28.38235815880	-80.75042147020	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{8FA0B75B-6DB5-49CA-AB19-16CA43B4AD5B}	Oak (Chapman's)	No	Quercus chapmanii	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	30.00000000000	26.00000000000	45.00000000000	40.00000000000	28.39269523230	-80.75970326790	Excellent	1.00000000000	Soil up heaving adjacent sidewalk, see pictures.	Tree is Undamaged	<Null>	Pruning	No	No	{7983212C-FD9A-4655-B23D-773011FEC53E}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	10.00000000000	10.00000000000	25.00000000000	25.00000000000	28.38205522520	-80.75036658220	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{458192ED-A92C-4A57-BBF5-FFF7004B75E5}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	10.00000000000	12.00000000000	25.00000000000	25.00000000000	28.38202672010	-80.75036368690	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{5F434EB3-63EA-495F-B934-BE66B8EDFB1F}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	30.00000000000	18.00000000000	35.00000000000	40.00000000000	28.38195798220	-80.75039706020	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{10BC01AC-1CC4-45D5-A9A5-58C1828E14C0}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	35.00000000000	28.00000000000	40.00000000000	50.00000000000	28.38141127120	-80.75034201870	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{FE05866B-1E7A-47F1-8D84-025B05AD080A}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	10.00000000000	10.00000000000	25.00000000000	25.00000000000	28.38134301190	-80.75041127700	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{1B4FE180-E5B8-4326-B7BB-8D70F2C711A5}	Oak (Chapman's)	No	Quercus chapmanii	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	35.00000000000	28.00000000000	45.00000000000	55.00000000000	28.39283827330	-80.75967086030	Excellent	1.00000000000	Codominant tree see picture. Overhanging branches in residence yard and driveway, see pictures.	Tree is Undamaged	<Null>	Pruning	No	No	{0F27E869-8300-49DB-8CA2-D208F4D14B31}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	14.00000000000	35.00000000000	30.00000000000	28.38121368680	-80.75043736320	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{D0A44E72-78A0-440A-840B-3463ED60B6BF}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	25.00000000000	22.00000000000	35.00000000000	40.00000000000	28.38122987060	-80.75036901840	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{36389946-F89B-4D73-B9F0-8737953CC486}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	30.00000000000	22.00000000000	40.00000000000	35.00000000000	28.39279392340	-80.75918335000	Excellent	1.00000000000	Codominant tree, see pictures.	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{1921B007-D37B-402A-B9B9-11F04D164647}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	6.00000000000	10.00000000000	10.00000000000	28.38078723250	-80.75021343920	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{760B3D25-B772-4ED1-A388-561D7549E0AC}	Palm (Pygmy Date)	No	Phoenix roebelenii	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.38078829390	-80.75025759680	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{D6402151-0E6F-4EB6-99CF-90212BEB302F}	Palm (Pygmy Date)	No	Phoenix roebelenii	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	5.00000000000	6.00000000000	20.00000000000	15.00000000000	28.38090480970	-80.75041162550	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{6F03B80D-3B91-4FD9-9AD0-804787C44324}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	16.00000000000	25.00000000000	25.00000000000	28.38116657530	-80.75046599430	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{12A45B4F-3F99-4D89-A75C-FDBB30AC0D8A}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	16.00000000000	20.00000000000	25.00000000000	28.38102291550	-80.75043016140	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{FBAECEAC-5B40-4CE6-9CC0-7C0C9158CECF}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	30.00000000000	20.00000000000	30.00000000000	30.00000000000	28.38096244310	-80.75043282220	Excellent	1.00000000000	Heaving	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{113431ED-05C4-49B1-BACD-FB4CDE618788}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	14.00000000000	30.00000000000	35.00000000000	28.38091964840	-80.75040055380	Excellent	1.00000000000	Heaving	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{530FE212-40F0-48C9-89BB-AE58F3CE57F9}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	10.00000000000	6.00000000000	20.00000000000	20.00000000000	28.38081360550	-80.75041616830	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{E1D6F336-AE4B-4F0F-A53B-92E33C18A5AA}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	16.00000000000	30.00000000000	35.00000000000	28.38075314250	-80.75037925920	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{EF5B2F76-04C2-4BCD-82CF-A974122DA97D}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	30.00000000000	28.00000000000	35.00000000000	40.00000000000	28.38163361510	-80.75040428900	Excellent	1.00000000000	Heaving	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{D0180F4C-9FD9-4B20-8BF0-4C127D4F2B27}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	18.00000000000	30.00000000000	35.00000000000	28.37991837580	-80.75041187700	Excellent	1.00000000000	Heaving	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{2CBF739F-0217-41C0-BDE7-3430EC37FB5D}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	10.00000000000	25.00000000000	20.00000000000	28.38012140660	-80.74992301840	Excellent	1.00000000000	2 trees	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	{DD55ED11-F959-4C6E-B9DA-F48694075D23}	Palm (Queen)	No	Syagrus romanzoffiana	2.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	5.00000000000	6.00000000000	10.00000000000	10.00000000000	28.38007580900	-80.74896700970	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{8A934FD3-1983-485B-B448-4616E27AE6AF}	Strangler Fig	No	Ficus spp.	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	30.00000000000	22.00000000000	45.00000000000	40.00000000000	28.39273024300	-80.75909715660	Excellent	1.00000000000	Two trees in Woodland, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{B1A66FEB-A00E-43A5-9241-3542A8376F91}	Oak (Laurel)	No	Quercus laurifolia	2.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	30.00000000000	30.00000000000	50.00000000000	45.00000000000	28.38012098700	-80.74763102440	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{A852F6A2-0CC1-4543-8077-7C6297403827}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	14.00000000000	20.00000000000	25.00000000000	28.38014397030	-80.74755934240	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	Yes	No	{C3E79E99-32C4-4BCD-9C85-C2FAB060AD51}	Camphor Tree	No	Cinnamomum camphora	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	20.00000000000	40.00000000000	40.00000000000	28.37937653550	-80.74774833360	Excellent	1.00000000000	Pruned out of road way	Tree Is Undamaged	<Null>	Pruning	No	No	{B97BB177-73F1-4850-80C3-9D61BBC26F2D}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	35.00000000000	22.00000000000	35.00000000000	40.00000000000	28.39275835080	-80.75892081550	Excellent	1.00000000000	Codominant tree, see picture. Limbs Crossing Road. Low hanging limbs in residence yard. See picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{9790C50F-41FB-45CE-9A86-645406CFDD1D}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	35.00000000000	32.00000000000	50.00000000000	45.00000000000	28.37941941940	-80.74819547090	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{DEBE6F30-FC76-4ACC-ACB8-0ABF44EE8722}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	14.00000000000	15.00000000000	15.00000000000	28.39272209940	-80.75886590330	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{71F6F763-B5B9-4D8C-BF10-7DA53E1DE43D}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	35.00000000000	32.00000000000	50.00000000000	45.00000000000	28.37939083860	-80.74886573450	Excellent	1.00000000000	Heaving	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{7610BBA7-13D5-4C3E-B1AC-6D4C675554CE}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	20.00000000000	35.00000000000	35.00000000000	28.37935370610	-80.74902996000	Excellent	1.00000000000	Heaving	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{691FBB8F-330B-4EBB-BB0C-FB8615E9FE8E}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	5.00000000000	6.00000000000	5.00000000000	5.00000000000	28.39270265200	-80.75823191640	Excellent	1.00000000000	Young cabbage palm.	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{23D583D0-D4CF-4F27-9E24-1C355E444C27}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	18.00000000000	30.00000000000	35.00000000000	28.37936666160	-80.74951769310	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{C62F2D8E-2B68-4D35-B036-ABA28FCB695B}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	8.00000000000	20.00000000000	20.00000000000	28.37911830950	-80.74959301060	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{8ABDC58E-0B16-4321-AE1F-7A4A9BDAA42A}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	30.00000000000	28.00000000000	40.00000000000	55.00000000000	28.39273620070	-80.75808440140	Excellent	1.00000000000	Codominant tree, see picture.	Tree Is Undamaged	<Null>	Pruning	No	No	{52FD69C0-5490-4F77-8236-7F1DC1B70273}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	18.00000000000	35.00000000000	30.00000000000	28.37905962620	-80.74963846440	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{E3477FB9-0FDE-4028-9FEF-993EBCBD492D}	Sweetgum	No	Liquidambar styraciflua	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	30.00000000000	28.00000000000	45.00000000000	45.00000000000	28.39282507920	-80.75812786460	Excellent	1.00000000000		Tree Is Undamaged	<Null>	Pruning	No	No	{7009C395-D929-4E9A-981C-F18C6F165ED1}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	25.00000000000	18.00000000000	40.00000000000	30.00000000000	28.39254282490	-80.75695371440	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	Yes	No	{B08B27DA-EEA0-4550-99BB-C45E2FB7C254}	Chinaberry	No	Melia azedarach	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	10.00000000000	12.00000000000	45.00000000000	35.00000000000	28.37873948500	-80.74911933700	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{527F87D2-956F-4419-93C6-1AD167A31E64}	Sycamore	No	Platanus occidentalis	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	10.00000000000	12.00000000000	30.00000000000	20.00000000000	28.37877271250	-80.74887325430	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{02AC77E1-9DB7-4B1D-9064-B7EC7B298B58}	Sycamore	No	Platanus occidentalis	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	20.00000000000	45.00000000000	30.00000000000	28.37871297230	-80.74868328400	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{11FB9942-0CC0-4A68-8964-EBDB484BBC8C}	Sycamore	No	Platanus occidentalis	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	5.00000000000	4.00000000000	15.00000000000	25.00000000000	28.39265094870	-80.75673689340	Excellent	1.00000000000		Tree Is Undamaged	<Null>	Pruning	Yes	No	{0AC2E9EF-F788-4A56-939C-CC4F67AF8D67}	Brazilian Pepper	No	Schinus terebinthifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	18.00000000000	20.00000000000	20.00000000000	28.39273668440	-80.75647998510	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{45A9D610-E481-49F4-B65E-3B9BCC62A9EE}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	5.00000000000	6.00000000000	5.00000000000	5.00000000000	28.39272623880	-80.75650084850	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{9732D4AA-6B97-48E8-835A-44283966C1B3}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	22.00000000000	20.00000000000	20.00000000000	28.39280774180	-80.75568166220	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	Yes	No	{5B185067-0E67-44B4-B489-41478E210DC0}	Carrotwood	No	Cupaniopsis anacardioides	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	25.00000000000	20.00000000000	35.00000000000	45.00000000000	28.39272531020	-80.75523723600	Excellent	1.00000000000	Multiple stems coming from trunk.	Tree Is Undamaged	<Null>	No Maintenance Required	Yes	No	{3FD3CB22-0CC8-4121-ACAB-00DA75985A19}	Camphor Tree	No	Cinnamomum camphora	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	25.00000000000	18.00000000000	30.00000000000	20.00000000000	28.39265001860	-80.75646165230	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{36B02C7C-2E67-46B0-BD58-31B834F48BE5}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	10.00000000000	8.00000000000	15.00000000000	20.00000000000	28.39248848840	-80.75684350730	Excellent	1.00000000000	Appears to be multiple trees coming out of one stump with DBH around 2 in.	Tree Is Undamaged	<Null>	Pruning	No	No	{CB126D58-BFDD-4255-BC1F-A96BAA568D1A}	Golden Raintree	No	Koelreuteria paniculata	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	10.00000000000	6.00000000000	15.00000000000	5.00000000000	28.39218612350	-80.75733476000	Excellent	1.00000000000	Five small trees with DBH at 2 inches.	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	{6A20613E-C998-4469-9A42-0AE64A32889D}	Oak (Laurel)	No	Quercus laurifolia	5.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	10.00000000000	6.00000000000	15.00000000000	15.00000000000	28.39217919370	-80.75740797800	Excellent	1.00000000000	Two main trees in Woodland. One has multiple smaller trees coming off of it.	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	{071F7C85-D9BA-474E-BF41-5A4A8BC03C57}	Cherry Laurel	No	Prunus laurocerasus	2.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	30.00000000000	22.00000000000	45.00000000000	35.00000000000	28.37801843450	-80.74797623800	Excellent	1.00000000000	Heaving	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{BE949F40-977B-46CE-83C9-18058E61C540}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	7.00000000000	6.00000000000	10.00000000000	10.00000000000	28.37806935460	-80.74809534470	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{06A71E63-F9BD-426A-BE9C-6493ED7D6F9D}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	35.00000000000	30.00000000000	50.00000000000	40.00000000000	28.37799622210	-80.74825216990	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{AC2B2BFB-BFA7-4A38-9FAC-DC3280BBE417}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	5.00000000000	4.00000000000	15.00000000000	5.00000000000	28.39204031650	-80.75759325920	Excellent	1.00000000000	Two trees in Woodland. Tree to right in picture has DBH 4 in., tree to left has DBH 2 in.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{4ECA5FD6-EBDC-492A-99A6-77DAC50CF494}	Cherry Laurel	No	Prunus laurocerasus	2.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.39195914240	-80.75772667160	Excellent	1.00000000000	Young tree, see picture.	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{DD637A06-1FDF-4C17-93FF-142F387CDDA6}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	25.00000000000	20.00000000000	35.00000000000	35.00000000000	28.37805418270	-80.74854034050	Excellent	1.00000000000	4 tree	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	{139D26E8-F98D-43E9-B754-E2F44A13A280}	Oak (Live)	No	Quercus virginiana	4.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	16.00000000000	14.00000000000	40.00000000000	35.00000000000	28.37801713510	-80.74855861220	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{96E8581C-F7CE-40C5-BABC-E16A1FCB4887}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	40.00000000000	30.00000000000	50.00000000000	40.00000000000	28.37805632070	-80.74881459610	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{2820EEC9-7D3F-43A7-BC67-FA6DBCAEA0F7}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	16.00000000000	40.00000000000	35.00000000000	28.37802518190	-80.74888743510	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{7AFE8DFF-D913-48C9-A3C3-ECFE13EE37AE}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	12.00000000000	30.00000000000	25.00000000000	28.37797229220	-80.74899095160	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{5AD2BDF7-09CB-419D-8F5E-73042DFD07B6}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	20.00000000000	30.00000000000	30.00000000000	28.37803226430	-80.74913344320	Excellent	1.00000000000	Heaving	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{56F3AD57-D3C0-400A-B679-22BCBB31EF1B}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	25.00000000000	24.00000000000	30.00000000000	30.00000000000	28.37806883140	-80.74908958750	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{158C586A-8F94-48DB-8276-E7C643584426}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	40.00000000000	32.00000000000	40.00000000000	50.00000000000	28.37807354510	-80.74927987580	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{0A1E430F-CDB2-4194-98BC-E2BA2CD3D6F9}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	25.00000000000	24.00000000000	40.00000000000	30.00000000000	28.37802434330	-80.74923494840	Excellent	1.00000000000	Heaving	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{23878BF2-46EF-42C4-9A73-1227C037B980}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	30.00000000000	28.00000000000	30.00000000000	40.00000000000	28.37803607780	-80.74941633260	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{F26A935D-E5FE-4A61-855A-BB4CF981A49C}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	20.00000000000	35.00000000000	30.00000000000	28.37803968270	-80.74949797240	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{F9263294-E7A8-472A-BDD3-DC47D88B5D28}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	30.00000000000	26.00000000000	40.00000000000	40.00000000000	28.37813297260	-80.74974079600	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{4A11E3DB-57A5-4F70-9E47-AEB428560934}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	10.00000000000	8.00000000000	20.00000000000	20.00000000000	28.37851237950	-80.74962487470	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{51BE866B-81BE-4AA9-813F-1C93EA4F7E44}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	30.00000000000	28.00000000000	40.00000000000	40.00000000000	28.37779455370	-80.74966150350	Excellent	1.00000000000	Heaving	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{32C2321B-7B7E-43A3-BBB5-C18B373A2573}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	30.00000000000	30.00000000000	35.00000000000	40.00000000000	28.37772833670	-80.74967457940	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{104C8474-CD2B-4DE0-B83A-78414D5F9138}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	30.00000000000	32.00000000000	40.00000000000	40.00000000000	28.37756447040	-80.74967290310	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{DF0AF9F6-9013-4DBA-9407-9A96416E8AFD}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	12.00000000000	20.00000000000	20.00000000000	28.37740877630	-80.74967097530	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{D83E74A8-0D41-4C92-99BC-D539C26356EF}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	35.00000000000	32.00000000000	40.00000000000	40.00000000000	28.37733882930	-80.74966636520	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{7E60A66C-CC09-488D-B842-F4174628ACC5}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	7.00000000000	8.00000000000	20.00000000000	20.00000000000	28.37662431440	-80.74835292040	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{797729E6-ED17-4D71-88F8-B826DF7F26EE}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	30.00000000000	18.00000000000	45.00000000000	50.00000000000	28.39269317680	-80.76043786520	Excellent	1.00000000000	Soil up heaving under roadside drain, see picture.	Tree is Undamaged	<Null>	Pruning	No	No	{DFCF61C8-5926-491A-A42B-051001BFE82B}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	30.00000000000	20.00000000000	35.00000000000	40.00000000000	28.39256348460	-80.76041944980	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{8FDC0447-28AC-4E92-905F-9127566971B4}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	30.00000000000	22.00000000000	45.00000000000	40.00000000000	28.39248623620	-80.76030324460	Excellent	1.00000000000	Soil upheaving under adjacent sidewalk.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{06410F5A-4772-4338-AD66-D8BE91278A9D}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	30.00000000000	34.00000000000	50.00000000000	50.00000000000	28.37652972460	-80.74976644470	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{1F0B1868-AB38-46E8-886B-293F94CE2B94}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	30.00000000000	26.00000000000	40.00000000000	45.00000000000	28.39243149420	-80.76044557640	Excellent	1.00000000000	Codominant tree, see picture. Growing over adjacent powerline.	Tree is Undamaged	<Null>	Pruning	No	No	{752682C3-E4D3-4DDE-BF8F-9400D8DD3AD4}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	25.00000000000	28.00000000000	35.00000000000	40.00000000000	28.37625106820	-80.74965773150	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{F03E0FA9-CF6E-4EC7-B32A-8448FC4531F8}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	30.00000000000	28.00000000000	30.00000000000	40.00000000000	28.37652046210	-80.75024622500	Excellent	1.00000000000		Tree is Damaged	Bark missing	No Maintenance Required	No	No	{1654D9F5-2D5A-4AB3-8168-62FF2D5D3DFE}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	30.00000000000	28.00000000000	45.00000000000	45.00000000000	28.39224427640	-80.76031393370	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{16946F3E-463E-4F5A-980B-770158F80850}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	15.00000000000	16.00000000000	30.00000000000	30.00000000000	28.37700275690	-80.75040883360	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{4209B1C4-349F-4648-8CB2-8C4D6A838130}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	18.00000000000	45.00000000000	40.00000000000	28.39213911490	-80.76031540510	Excellent	1.00000000000	Codominant tree, see pictures.	Tree is Undamaged	<Null>	Pruning	No	No	{6F1274AC-3102-4B16-84A7-643D6337874F}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Building	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	20.00000000000	8.00000000000	25.00000000000	15.00000000000	28.36061474000	-80.73457219720	Very Poor	7.00000000000	Completely dead	Tree is Damaged	Tree is Dead	Removal	No	No	380d956b-567b-48f5-9a70-79ea56e063ca	Holly (East Palatka)	No	Ilex x attenuata	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	20.00000000000	8.00000000000	15.00000000000	0.00000000000	28.39002635800	-80.74369412080	Very Poor	7.00000000000	Dead palm, needs removal	Tree is Damaged	Tree Is Dead	Removal	No	No	9d1bf111-5d79-49ce-8d7e-23a1a8281ce8	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	20.00000000000	6.00000000000	35.00000000000	0.00000000000	28.39044569030	-80.74287065860	Very Poor	7.00000000000	Dead, needs removal	Tree is Damaged	Tree Is Dead	Removal	No	No	63320dae-df76-49d6-94c0-317aa338cb65	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	16.00000000000	15.00000000000	10.00000000000	28.38811917220	-80.75545490770	Very Poor	7.00000000000	See pics, Tree Is Dead	Tree is Damaged	Stump/Trunk	Removal	No	No	bde7f7c8-b406-4740-98ea-e4afe5a316a0	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	8.00000000000	15.00000000000	5.00000000000	28.38811179650	-80.75583988790	Very Poor	7.00000000000	Trunk Damage, Signs of Decay	Tree is Damaged	Trunk has decay, only 20% of canopy alive	Removal	No	No	1ec8cd33-6e1b-49b4-8b5c-08e338f08f04	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	4.00000000000	20.00000000000	15.00000000000	28.38111007130	-80.75043034640	Very Poor	7.00000000000	Dead, Neds Removal	Tree is Damaged	Dead, Needs Removal	Removal	No	No	{B33DF877-BE37-4AE2-A174-B6C36DBF6CD5}	Red Cedar	No	Juniperus virginiana	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	10.00000000000	6.00000000000	5.00000000000	5.00000000000	28.39251547890	-80.78256999220	Very Poor	7.00000000000	Poor condition, consider replacement	Tree Is Damaged	Previously taken to just stump, resprouting	No Maintenance Required	No	No	{0A2DB9BD-0037-4CD7-8F52-2BC20845E1EF}	Golden Raintree	No	Koelreuteria paniculata	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	5.00000000000	8.00000000000	10.00000000000	10.00000000000	28.35366975970	-80.73520389430	Very Poor	6.00000000000	Dead cabbage palm	Tree is Damaged	Dead, brown fronds and trunk	Removal	No	No	4ef806b9-e874-40b8-b918-a37f76dfb7a9	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	20.00000000000	10.00000000000	30.00000000000	15.00000000000	28.37441256170	-80.73508941830	Very Poor	6.00000000000	Poor Shape, Nearly Dead; Leaning into Roadway	Tree is Damaged	Rot and decay	Removal	No	No	64cce7b8-a526-414e-85b7-90ea8d68558e	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	40.00000000000	22.00000000000	45.00000000000	30.00000000000	28.39349752110	-80.74494572830	Very Poor	6.00000000000	In yard but mostly dead, overhanging road	Tree is Damaged	Tree is Dead	Removal	No	No	3c6fff81-c9e5-4fc0-a24c-a31250ed8b13	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	12.00000000000	10.00000000000	15.00000000000	28.39630519010	-80.75949179910	Very Poor	6.00000000000	Tree is Dead, Top Snapped Off, Just Trunk	Tree is Damaged	Stump/Trunk	Remove Trunk	No	No	{92A6AB4D-4442-48D9-9A42-83918A223759}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	12.00000000000	20.00000000000	10.00000000000	28.39546529150	-80.77771919830	Very Poor	6.00000000000	Two dead trees in Woodland.	Tree is Damaged	Stump/Trunk	Remove Trunks	No	Yes	{71FB3AC6-090C-432D-82B1-989025C76E55}	Palm (Queen)	No	Syagrus romanzoffiana	2.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	15.00000000000	20.00000000000	30.00000000000	10.00000000000	28.39654017710	-80.77215492750	Very Poor	5.00000000000	Dead Tree, Needs Removal	Tree Is Damaged	Stump/Trunk	Removal	No	No	{90F49D7A-131D-4681-A0D4-30C3A6650F80}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	14.00000000000	10.00000000000	0.00000000000	28.35970917560	-80.73356772260	Very Poor	5.00000000000	Dead Tree With Debris on Ground, Needs Removal	Tree is Damaged	Tree is Dead	Removal	Yes	No	{5D5B6D97-BA02-4D4D-BB9A-204665A5946F}	Pine (Australian)	No	Casuarina equisetifolia	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	25.00000000000	12.00000000000	0.00000000000	0.00000000000	28.35465994530	-80.73038683670	Very Poor	4.00000000000	See pic; dead stump, needs removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	37cea1c0-ea25-4473-a27f-ef602c1ea2ef	Red Cedar	No	Juniperus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	16.00000000000	10.00000000000	0.00000000000	28.39199010250	-80.75872301100	Very Poor	4.00000000000	Stump That Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{BAAB84BD-2DA2-46C1-A220-4AF39FF0EE37}	N/A (Stump)	No	N/A (Stump)	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	12.00000000000	40.00000000000	5.00000000000	28.40082534120	-80.76887391530	Very Poor	4.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{B3016B6E-7653-4251-9F36-3F5C670A749D}	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	14.00000000000	35.00000000000	15.00000000000	28.40072983500	-80.76886922250	Very Poor	4.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{3753AAE0-AF6F-44AD-9FDC-63D37B8CE09D}	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	14.00000000000	20.00000000000	10.00000000000	28.39545492520	-80.77698497380	Very Poor	4.00000000000	Dead Trunk, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{A2B29C06-54B6-4511-A0AE-4AE144866251}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	15.00000000000	12.00000000000	15.00000000000	0.00000000000	28.36028379310	-80.74511496280	Very Poor	3.00000000000	Dead palm trunk. Directly under power lines, needs removal	Tree Is Damaged	Stump	Remove Stump	No	No	102a501f-485a-4869-935d-7599fd845db5	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	10.00000000000	8.00000000000	20.00000000000	20.00000000000	28.38850520070	-80.78777619640	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{950C8A8C-E95D-4C3D-9BB1-88CB78773C06}	Pine (Slash)	No	Pinus elliottii	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	8.00000000000	30.00000000000	20.00000000000	28.38802106560	-80.78773675040	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{E7B29CFB-B138-494D-BC3A-6544126508D3}	Pine (Slash)	No	Pinus elliottii	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	20.00000000000	15.00000000000	28.38729850230	-80.78772135240	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{A6F520AA-BE5B-4F33-AA30-C028F250066C}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	acarroll_sfc	9/29/2020	acarroll_sfc	9/29/2020	15.00000000000	8.00000000000	15.00000000000	10.00000000000	28.35750346390	-80.73363002340	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{5BEBB25C-5D3A-4F51-B4AC-916BA29AFBEB}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Median	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.38273778120	-80.77264493330	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree is Dead	Removal	No	No	{7356D8DC-9EEF-4BCD-9C37-AF34A528B318}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	8.00000000000	15.00000000000	0.00000000000	28.36806211650	-80.75455653490	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree Is Dead	Removal	No	No	{B0AA3A91-74ED-4EC5-B6B9-9C55DC00EFD4}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	30.00000000000	28.00000000000	10.00000000000	0.00000000000	28.36940032900	-80.75550067230	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{980EB6CB-8C9C-46A5-BE14-C58E1DC6B7E2}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	15.00000000000	12.00000000000	5.00000000000	5.00000000000	28.40107568520	-80.74431573080	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{29508705-86F4-4831-AB68-2CB1FC0730A6}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	20.00000000000	14.00000000000	15.00000000000	10.00000000000	28.40210622400	-80.74257587820	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{F12D774F-FACC-4548-883C-2B4B33DED582}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	12.00000000000	5.00000000000	0.00000000000	28.39095154290	-80.78079465800	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{A8EBBB7F-C43F-42C4-B97E-D8C7EF0A23AA}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	30.00000000000	18.00000000000	35.00000000000	15.00000000000	28.35545871610	-80.73228686420	Very Poor	2.00000000000	Bizmark stump	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	f5b6bc90-b19d-47b1-9d94-803c94c27919	Palm (Bismarck)	No	Bismarckia nobilis	1.00000000000
City Park	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	20.00000000000	10.00000000000	0.00000000000	0.00000000000	28.35888270100	-80.73130859620	Very Poor	2.00000000000	3 stumps and 1 BP. To be removed	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	b11484c9-65d7-4d53-9461-416912340a10	Hickory (Pignut)	No	Carya glabra	1.00000000000
2-4 Ft ROW	shendley_sfc	9/13/2020	shendley_sfc	9/13/2020	20.00000000000	8.00000000000	5.00000000000	0.00000000000	28.35087389180	-80.73356707580	Very Poor	2.00000000000	Tree is cut; stump needs removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	7148642b-82af-4f80-a4ad-74d5e933ea8a	Sycamore	No	Platanus occidentalis	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/16/2020	sbourgoin_sfc	9/16/2020	20.00000000000	14.00000000000	25.00000000000	15.00000000000	28.36619344110	-80.74705959530	Very Poor	2.00000000000	Completely dead needs removal	Tree is Damaged	Tree is Dead	Removal	No	No	1c15f2d9-a065-4aab-8ccf-5cd17f805c7a	Pine (Longleaf)	No	Pinus palustris	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	20.00000000000	10.00000000000	5.00000000000	0.00000000000	28.38738969540	-80.76376179260	Very Poor	2.00000000000	Stump	Tree Is Undamaged	<Null>	Remove Stump	No	No	{57F1FA2A-BD75-400B-8276-6ED829F7A80C}	Bottlebrush (Weeping)	No	Melaleuca viminalis	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	16.00000000000	0.00000000000	0.00000000000	28.39889285130	-80.76775526670	Very Poor	2.00000000000	Stump That Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{20ACB205-116A-418E-A68F-74403C577CD5}	N/A (Stump)	No	N/A (Stump)	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	35.00000000000	18.00000000000	10.00000000000	5.00000000000	28.35695927990	-80.73346942710	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{F6DC1A1A-AB89-41C0-8372-8E2460A0F823}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	55.00000000000	28.00000000000	50.00000000000	60.00000000000	28.36019909440	-80.73430334220	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{C9E5553C-5EC9-4DA4-9A4E-6D214065BBD5}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	25.00000000000	16.00000000000	40.00000000000	20.00000000000	28.35963514510	-80.73353318230	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree is dead, see picture.	Removal	Yes	No	{6EE83020-5AB6-449A-ADA6-8EA7F2292927}	Pine (Australian)	No	Casuarina equisetifolia	1.00000000000
Cemetary	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	30.00000000000	18.00000000000	0.00000000000	0.00000000000	28.36875127660	-80.75586536950	Very Poor	2.00000000000	Old stump. Rotting	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{35627E43-0723-448B-BD9B-8911F4A8D205}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	16.00000000000	10.00000000000	5.00000000000	28.36835598580	-80.75473439860	Very Poor	2.00000000000	Stump	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{15DA5336-B17B-479C-929E-A36072E8D6D0}	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	10.00000000000	4.00000000000	15.00000000000	5.00000000000	28.38348674870	-80.77803819550	Very Poor	2.00000000000		Tree is Damaged	Tree is Dead	Removal	No	No	{1BAEAF65-A73A-4AAD-B2B5-156CBE656BE0}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	12.00000000000	0.00000000000	0.00000000000	28.39103175120	-80.78077820530	Very Poor	2.00000000000	Two stumps in Woodland.	Tree is Damaged	Stump/Trunk	Remove Stump	No	Yes	{E37E5873-D334-4D04-8F44-04B030B00B88}	N/A (Stump)	No	N/A (Stump)	2.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	12.00000000000	15.00000000000	0.00000000000	28.39120392220	-80.78055795280	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{88B0584D-929C-4C3A-B4CE-733862991F2F}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	10.00000000000	20.00000000000	0.00000000000	28.39127525250	-80.78042099290	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{63356FB1-094E-4FD5-9573-2F45BA64F029}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	12.00000000000	25.00000000000	10.00000000000	28.39152758910	-80.77998370830	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{B19D23DB-8B93-431A-ACD0-7BE247CC2E33}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.39102319340	-80.77973278460	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{EC4E220A-D753-48A0-B655-12FD268FB25D}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	8.00000000000	30.00000000000	25.00000000000	28.39072632140	-80.78034228610	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{66C46A3C-08E9-491C-B001-175D6B738570}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.39078610070	-80.78101954130	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{CBF7C1CA-BA64-4423-B044-09F778651EDE}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	5.00000000000	4.00000000000	15.00000000000	5.00000000000	28.39078144680	-80.78100083840	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{8C262DC2-611C-4171-875C-EE4247717BF5}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35702616760	-80.73350831880	Very Poor	1.00000000000	Stump that has resprouted	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{B77C4B93-AF85-4AD0-9BD7-C050A6AD16C9}	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
City Park	acarroll_sfc	9/15/2020	acarroll_sfc	9/15/2020	20.00000000000	10.00000000000	25.00000000000	10.00000000000	28.35420867420	-80.74326518970	Poor	6.00000000000	See pic	Tree is Undamaged	<Null>	Removal	No	No	cdb648ac-bce2-4124-b380-995ad4b2eee9	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
City Park	sbourgoin_sfc	9/18/2020	sbourgoin_sfc	9/18/2020	5.00000000000	8.00000000000	15.00000000000	10.00000000000	28.37679872970	-80.76179704140	Poor	6.00000000000	tree not completely dead, but 50 percent of branches without leaves; seems to have a web work infestation see pics	Tree is Damaged	Large chunk of middle bark missing	Removal	No	No	e8617e60-7f0e-4fef-8965-1e60586e0c86	Oak (Live)	No	Quercus virginiana	1.00000000000

4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	30.00000000000	28.00000000000	40.00000000000	45.00000000000	28.38897429380	-80.76045898730	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{84FD3E70-D7E2-43EF-B070-5E2AA651B9FE}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	12.00000000000	35.00000000000	20.00000000000	28.39032876780	-80.75866844550	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{12BBBD7F-1F41-46D6-B50F-5E1CD4C0B6A7}	Magnolia (Southern)	No	Magnolia grandiflora	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	30.00000000000	30.00000000000	40.00000000000	45.00000000000	28.38874869510	-80.75962431770	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{63347135-ED99-4F50-B9EA-8E2D5459C1FA}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	30.00000000000	24.00000000000	30.00000000000	40.00000000000	28.38889860590	-80.75961107380	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{542EBE69-F373-494C-BD9F-395C9A6F867A}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	30.00000000000	26.00000000000	40.00000000000	30.00000000000	28.38899910470	-80.75954586240	Excellent	1.00000000000	Heaving	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{D4E9A224-88AC-4507-8C38-D9C7EE3270B6}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	7.00000000000	6.00000000000	15.00000000000	15.00000000000	28.38931925140	-80.75959833390	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{BBDF765D-40F5-484E-B073-979A24A6A974}	Maple (Red)	No	Acer rubrum	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	5.00000000000	6.00000000000	15.00000000000	10.00000000000	28.38959690210	-80.75952834440	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{E330F6DA-E22B-4BA0-A864-D08561CF0EB3}	Elm (Florida)	No	Ulmus americana var. floridana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	25.00000000000	22.00000000000	40.00000000000	45.00000000000	28.39022291370	-80.75875536560	Excellent	1.00000000000		Tree Is Undamaged	<Null>	Pruning	No	No	{639353EE-76FA-47EB-A6AF-FAAC59D66E5B}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	7.00000000000	8.00000000000	20.00000000000	15.00000000000	28.38968193620	-80.75953052370	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{98D6158D-D542-4A02-9E11-19952330CA58}	Elm (Florida)	No	Ulmus americana var. floridana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	18.00000000000	30.00000000000	20.00000000000	28.38990568360	-80.75848906010	Excellent	1.00000000000	Two trees in woodland	Tree is Undamaged	<Null>	Pruning	No	Yes	{E83CC856-6E1F-4E2B-9B5A-5C59493B219C}	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.38981923200	-80.75865788400	Excellent	1.00000000000	Young tree.	Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	{6BC62737-ADD6-4401-8C81-BFE1BA38D237}	Orchid Tree	No	Bauhinia variegata	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	30.00000000000	24.00000000000	50.00000000000	60.00000000000	28.39172821030	-80.75959783090	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{C196D5BA-9CFE-4A1F-BBE4-06444DE80EE4}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	30.00000000000	30.00000000000	45.00000000000	50.00000000000	28.39057825540	-80.75957804910	Excellent	1.00000000000	3 trees in row over hang road	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{03EE9EF0-0275-413F-BABA-A7D763A14160}	Oak (Live)	No	Quercus virginiana	3.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	30.00000000000	22.00000000000	45.00000000000	50.00000000000	28.39142889290	-80.75959271760	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{3EE11F45-E647-4530-93F8-298D6EF03307}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	10.00000000000	8.00000000000	20.00000000000	25.00000000000	28.39106461530	-80.75953387620	Excellent	1.00000000000	Golden rain tree, co dom	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{DAB978DD-BFFC-441D-A0B3-58E1EBF78691}	Golden Raintree	No	Koelreuteria paniculata	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	30.00000000000	24.00000000000	50.00000000000	55.00000000000	28.39126414600	-80.75951275410	Excellent	1.00000000000		Tree Is Undamaged	<Null>	Pruning	No	No	{96E9E9C0-68C4-4791-B84E-FE328903222F}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	25.00000000000	16.00000000000	40.00000000000	40.00000000000	28.39754634060	-80.77008040660	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{4C3F1E26-9837-4FF4-A668-0D7E4B0791D9}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	18.00000000000	45.00000000000	35.00000000000	28.39750459880	-80.77022222820	Excellent	1.00000000000		Tree Is Undamaged	<Null>	Pruning	No	No	{31353BCC-2D4C-4785-8269-1D89D3C886B1}	Maple (Red)	No	Acer rubrum	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	10.00000000000	12.00000000000	10.00000000000	10.00000000000	28.39762689090	-80.77054761320	Excellent	1.00000000000	Three trees in Woodland.	Tree is Undamaged	<Null>	Pruning	No	Yes	{55FEC546-1A40-472F-A909-F5C5F54BEB0D}	Palm (Chinese Fan)	No	Livistona chiensis	3.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	16.00000000000	30.00000000000	25.00000000000	28.39760719310	-80.77045055120	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{558EB9E5-0DC3-414B-B042-2FE4CCD2A905}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	15.00000000000	10.00000000000	30.00000000000	15.00000000000	28.39815856900	-80.77106163460	Excellent	1.00000000000	Five trees in Woodland.	Tree Is Undamaged	<Null>	Pruning	No	Yes	{11DEE8E1-09E9-4A27-8F2E-E48F8DE8893B}	Palm (Queen)	No	Syagrus romanzoffiana	5.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	18.00000000000	40.00000000000	30.00000000000	28.39844190510	-80.77084324340	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{DA253FFA-0855-4D4F-A00A-41CC94E68122}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	15.00000000000	10.00000000000	20.00000000000	10.00000000000	28.39828621160	-80.77103359640	Excellent	1.00000000000	Three trees in Woodland.	Tree Is Undamaged	<Null>	Pruning	No	Yes	{BDB468A8-9641-4A1F-BF35-549193E802BF}	Palm (Queen)	No	Syagrus romanzoffiana	3.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	10.00000000000	8.00000000000	30.00000000000	25.00000000000	28.39901179040	-80.77080820730	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{95AB62F7-A9FA-42E0-9D80-9DB5B4ABB4D0}	Maple (Red)	No	Acer rubrum	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	35.00000000000	32.00000000000	45.00000000000	50.00000000000	28.39848913690	-80.77096243370	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{35935F12-A624-4A7A-B150-7445A0C40D04}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	15.00000000000	12.00000000000	15.00000000000	5.00000000000	28.39861272850	-80.77094768150	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{8C586E3B-FE56-44E8-A16A-EFCCC35540E8}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.39936429190	-80.77082941300	Excellent	1.00000000000	2 trees	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	{D0C34A20-BA09-4688-925B-4A9D80DF1CEA}	Crepe Myrtle	No	Lagerstroemia spp.	2.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	15.00000000000	16.00000000000	10.00000000000	5.00000000000	28.39912985000	-80.77092337400	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{B0474068-84BD-4122-821F-82128C6338DF}	Palm (Sago)	No	Cycas revoluta	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	10.00000000000	14.00000000000	5.00000000000	5.00000000000	28.39920814060	-80.77091279910	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{5DD036CB-731A-4546-9B59-CB31CB525696}	Palm (Sago)	No	Cycas revoluta	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	25.00000000000	20.00000000000	50.00000000000	45.00000000000	28.39945967770	-80.77092085960	Excellent	1.00000000000		Tree Is Undamaged	<Null>	Pruning	No	No	{80F4FBBF-10F9-4D4B-98F6-E09116158CFF}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	10.00000000000	12.00000000000	20.00000000000	25.00000000000	28.39961495220	-80.77084609290	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{DF4B48CB-59B9-4ABC-BB71-8D54F7C62A08}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	12.00000000000	40.00000000000	10.00000000000	28.39976989220	-80.77082715010	Excellent	1.00000000000	2	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	{E2DBA1FD-2CE1-4D07-819B-54117FB2421E}	Palm (Washingtonia)	No	Washingtonia robusta	2.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	15.00000000000	12.00000000000	35.00000000000	20.00000000000	28.39958167670	-80.77093301390	Excellent	1.00000000000		Tree Is Undamaged	<Null>	Pruning	No	No	{F89446CC-0C29-48B6-9E4E-FB0C44236DDB}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	10.00000000000	20.00000000000	20.00000000000	28.39998052950	-80.77082438420	Excellent	1.00000000000	See photo	Tree is Damaged	Hacked on side	No Maintenance Required	No	No	{81473949-58EC-4946-88B4-4614D55022A4}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	10.00000000000	8.00000000000	20.00000000000	10.00000000000	28.39963865360	-80.77091583090	Excellent	1.00000000000	Three trees in Woodland.	Tree Is Undamaged	<Null>	Pruning	No	Yes	{319ECBB5-CBFB-45AC-8E1F-76A111833AE5}	Palm (Queen)	No	Syagrus romanzoffiana	3.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	8.00000000000	8.00000000000	10.00000000000	10.00000000000	28.40016757170	-80.77089269660	Excellent	1.00000000000	Both co dom	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	{1CA39F7C-A0E5-4151-94CE-E7BC7C016295}	Palm (Pygmy Date)	No	Phoenix roebelenii	2.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	25.00000000000	16.00000000000	50.00000000000	40.00000000000	28.39971609360	-80.77091548950	Excellent	1.00000000000	Soil upheaving on adjacent sidewalk.	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{F2FB3D41-4B5C-417A-9524-25317E086D8D}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	10.00000000000	6.00000000000	15.00000000000	10.00000000000	28.39992331330	-80.77091744780	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{93B24B2C-B1C4-441A-91CF-512CD11ACC2E}	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.40086704140	-80.77088238660	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{ADD86092-F86F-43C6-985D-DEDFC0ADFE1F}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	10.00000000000	12.00000000000	20.00000000000	15.00000000000	28.40100810860	-80.77084324340	Excellent	1.00000000000	See photo black wood tree	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{42EEAD20-4266-43DC-AEEB-D5F118DA772E}	African Blackwood	No	Dalbergia melanoxylon	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	10.00000000000	8.00000000000	15.00000000000	5.00000000000	28.40096800150	-80.77088749980	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{75589F88-1ABF-4C71-99A9-C674EEAD081C}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	15.00000000000	8.00000000000	20.00000000000	10.00000000000	28.40083569280	-80.77033278560	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{F55D0CEC-6656-4BE6-8C8B-CFDA922A9222}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	12.00000000000	8.00000000000	15.00000000000	10.00000000000	28.40080409290	-80.77026581440	Excellent	1.00000000000	2	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	{75542835-E967-4971-9B27-6ADA2696B95D}	Palm (Queen)	No	Syagrus romanzoffiana	2.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	5.00000000000	8.00000000000	10.00000000000	10.00000000000	28.40084487090	-80.77015802290	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{3937282E-D088-41A3-8611-D8794D5A379E}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	30.00000000000	20.00000000000	50.00000000000	45.00000000000	28.40075832790	-80.77024175750	Excellent	1.00000000000	Soil upheaving under sidewalk in roadside drain.	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{58329EF7-7141-4A64-8D6D-BAC35EC2C133}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	15.00000000000	8.00000000000	20.00000000000	10.00000000000	28.40086674820	-80.77006448040	Excellent	1.00000000000	2	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	{7DB6EE3C-FBC9-4A06-A99B-46BC3B989F8D}	Palm (Queen)	No	Syagrus romanzoffiana	2.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	25.00000000000	18.00000000000	45.00000000000	40.00000000000	28.40076025590	-80.77009717010	Excellent	1.00000000000		Tree Is Undamaged	<Null>	Pruning	No	No	{9289A732-3120-4E5A-8469-38C75C3ABE05}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	8.00000000000	20.00000000000	10.00000000000	28.40102118470	-80.77000714810	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{07944B43-135B-4C10-9745-A120669BFEDA}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
Median	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	15.00000000000	12.00000000000	20.00000000000	25.00000000000	28.40093832960	-80.76989910600	Excellent	1.00000000000		Tree Is Undamaged	<Null>	Pruning	No	No	{96446CA8-3CE9-4FC3-B68D-0B0C589305B2}	Golden Raintree	No	Koelreuteria paniculata	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	4.00000000000	10.00000000000	5.00000000000	28.40105513140	-80.77002190030	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{916C1A53-D3D6-4FE9-BF18-C36BA427BFD8}	Palm (Pygmy Date)	No	Phoenix roebelenii	1.00000000000
Median	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	25.00000000000	18.00000000000	40.00000000000	40.00000000000	28.40103342160	-80.76991251690	Excellent	1.00000000000		Tree Is Undamaged	<Null>	Pruning	No	No	{756832A5-197D-417C-BD21-9BD9CCBC7156}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	15.00000000000	6.00000000000	15.00000000000	15.00000000000	28.40076352500	-80.76983959440	Excellent	1.00000000000		Tree Is Undamaged	<Null>	Pruning	No	No	{D1DC0171-E15A-4F82-9000-EF7005FD3678}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	25.00000000000	12.00000000000	40.00000000000	15.00000000000	28.40084566740	-80.76911422450	Excellent	1.00000000000	3 in row	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	{D893F5F0-2CEF-44AE-9A6E-6DB25A1F557C}	Palm (Washingtonia)	No	Washingtonia robusta	3.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	15.00000000000	12.00000000000	20.00000000000	30.00000000000	28.40076054360	-80.76954634560	Excellent	1.00000000000		Tree Is Undamaged	<Null>	Pruning	Yes	No	{296491F5-5ED9-4160-9039-94BB2019B8A6}	Chinese Tallow	No	Triadica sebifera	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	10.00000000000	10.00000000000	25.00000000000	10.00000000000	28.40067559830	-80.76853838740	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{F897E23E-A54C-4635-856D-78AB77A409E7}	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	10.00000000000	8.00000000000	15.00000000000	10.00000000000	28.40051143870	-80.76822741940	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{81BC213C-8276-441A-BBAF-E1BE4D072CBD}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	16.00000000000	40.00000000000	15.00000000000	28.40076805120	-80.76898681920	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{6774B92D-1D75-4495-8061-5D5D9A633446}	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	18.00000000000	30.00000000000	30.00000000000	28.40020826540	-80.76784118060	Excellent	1.00000000000	Heaving	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{A70A2ECB-0551-4357-80DD-FF65E9C33783}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	12.00000000000	35.00000000000	10.00000000000	28.40058939090	-80.76858071600	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{DC72A6F9-B2B0-476C-B954-6B372EA7AE3E}	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	22.00000000000	30.00000000000	25.00000000000	28.40011996210	-80.76782533880	Excellent	1.00000000000	Heaving	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{FF82C01F-E0E0-43EA-9F94-8BC0046377FF}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	5.00000000000	4.00000000000	15.00000000000	10.00000000000	28.40052925060	-80.76846999140	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{8127610A-636F-4625-BCE3-282A359A6205}	Royal Poinciana	No	Delonix regia	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	10.00000000000	8.00000000000	10.00000000000	10.00000000000	28.39969022230	-80.76774981840	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{61EA154B-9CF3-43F0-92AE-AA38DAB8EF22}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	15.00000000000	8.00000000000	25.00000000000	20.00000000000	28.40002076260	-80.76787856400	Excellent	1.00000000000		Tree Is Undamaged	<Null>	Pruning	No	No	{58D806A1-D791-4B00-BB7B-13DD0D7458B1}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	10.00000000000	8.00000000000	15.00000000000	10.00000000000	28.39960225360	-80.76776415100	Excellent	1.00000000000	2	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	{DF4F17CE-403D-4C9B-BB3F-105A46AFE19E}	Palm (Queen)	No	Syagrus romanzoffiana	2.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	16.00000000000	30.00000000000	25.00000000000	28.39995358120	-80.76789147190	Excellent	1.00000000000		Tree Is Undamaged	<Null>	Pruning	No	No	{3B1047ED-4A80-4AC5-BF4D-DF06D02BFFB2}	Red Cedar	No	Juniperus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	6.00000000000	10.00000000000	10.00000000000	10.00000000000	28.39923759960	-80.76775920580	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{9A96FF23-0E2F-40E4-982A-2AFB3E5B50B2}	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	10.00000000000	6.00000000000	15.00000000000	10.00000000000	28.39953448640	-80.76786029140	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{33BA98A6-265F-4166-B76D-6F506C15FFE5}	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	15.00000000000	10.00000000000	20.00000000000	10.00000000000	28.39921681240	-80.76777228160	Excellent	1.00000000000	2	Tree Is Undamaged	<Null>	Pruning	No	Yes	{149ED3A3-D53F-472B-8FA0-81695071E2B8}	Palm (Queen)	No	Syagrus romanzoffiana	2.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	18.00000000000	30.00000000000	25.00000000000	28.39949592910	-80.76786096240	Excellent	1.00000000000		Tree Is Undamaged	<Null>	Pruning	No	No	{69664424-5ED2-42AF-8078-F39BCE474F76}	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	25.00000000000	16.00000000000	35.00000000000	40.00000000000	28.39770903340	-80.76961202600	Excellent	1.00000000000	Soil upheaving residence driveway and sidewalk.	Tree Is Undamaged	<Null>	Pruning	No	No	{442ED4C1-FE54-4E51-A2B2-B7A045A425A3}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	15.00000000000	8.00000000000	20.00000000000	15.00000000000	28.39750195870	-80.76913467650	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{0F8F9DB8-9F7A-4D4A-A0B5-78CF2578A0BB}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	15.00000000000	6.00000000000	15.00000000000	10.00000000000	28.39758665770	-80.76875338300	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{624A172E-2012-4891-82E5-62E7319F2E8F}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	30.00000000000	22.00000000000	35.00000000000	40.00000000000	28.39819199900	-80.76773489830	Excellent	1.00000000000	Soil upheaving adjacent sidewalk and driveway.	Tree is Undamaged	<Null>	Pruning	No	No	{5A5D5EBB-6557-412A-BF09-AB61D4839D41}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	25.00000000000	16.00000000000	30.00000000000	35.00000000000	28.39834049220	-80.76774728690	Excellent	1.00000000000	Soil upheaaving adjacent driveway.	Tree Is Undamaged	<Null>	Pruning	No	No	{B362C786-DE19-44AF-B7E7-D1E38C212F44}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	15.00000000000	14.00000000000	30.00000000000	30.00000000000	28.39855971320	-80.76787680420	Excellent	1.00000000000	3 in row	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	{5FF0A746-1ADA-40D5-B699-E3BD7762B0A1}	Oak (Live)	No	Quercus virginiana	3.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	15.00000000000	14.00000000000	25.00000000000	25.00000000000	28.39844689210	-80.76779164390	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{F531D07D-FBED-407F-BEDB-D83882A1AA86}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	18.00000000000	30.00000000000	35.00000000000	28.39877512810	-80.76806212760	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{61E331A6-D5E2-447D-A913-EF0C2559ED5A}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	25.00000000000	16.00000000000	35.00000000000	40.00000000000	28.39896412580	-80.76794444920	Excellent	1.00000000000		Tree Is Undamaged	<Null>	Pruning	No	No	{07CB473F-4290-423C-8F9A-15FD73363C70}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	22.00000000000	35.00000000000	40.00000000000	28.39857056760	-80.76862472090	Excellent	1.00000000000	Needs prune near house	Tree Is Undamaged	<Null>	Pruning	No	No	{0648DE71-C621-4E97-93E6-420122238223}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	18.00000000000	30.00000000000	30.00000000000	28.39853125610	-80.76874257080	Excellent	1.00000000000	Heaving	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{FA6468EF-5B8D-4069-870C-A2DA900E1E68}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	35.00000000000	24.00000000000	35.00000000000	40.00000000000	28.39868833290	-80.76854618300	Excellent	1.00000000000	Up heaving soil under sidewalk.	Tree Is Undamaged	<Null>	Pruning	No	No	{A75D40C0-9E87-435C-8EC8-582BB96DA2D2}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	35.00000000000	26.00000000000	35.00000000000	45.00000000000	28.39862287010	-80.76864140080	Excellent	1.00000000000	Codominant tree, see picture.	Tree is Undamaged	<Null>	Pruning	No	No	{0D58B62E-35FC-46E7-BCDF-64DC703D5914}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	15.00000000000	20.00000000000	20.00000000000	20.00000000000	28.39840054060	-80.76888673970	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{01D313FC-04B7-4A38-816E-A3F6D6CFF5F5}	Palm (Canary Island Date)	No	Phoenix canariensis	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	16.00000000000	25.00000000000	30.00000000000	28.39844249220	-80.76949828310	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{D4BC2EEF-984E-4221-A6FD-5CA720C241F1}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	20.00000000000	30.00000000000	30.00000000000	28.39855774320	-80.76951060440	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{CD15C10C-1F98-4B18-BA5E-D8AB104B3367}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	5.00000000000	4.00000000000	15.00000000000	10.00000000000	28.39905064110	-80.76948235770	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{CF03C325-B1D8-4322-8116-E52F38DA5024}	Tabebuia	No	Tabebuia spp.	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.39920289840	-80.76948118360	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{574BC391-C3AA-4421-9EE3-34E1FF1AF12D}	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	8.00000000000	20.00000000000	15.00000000000	28.39948117760	-80.76946525830	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{90D4D711-957E-42CE-B657-20E8AF9CBCE8}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	10.00000000000	12.00000000000	10.00000000000	15.00000000000	28.39938650380	-80.76948403400	Excellent	1.00000000000	Tree is a princess flower	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{B4349DE0-6A45-41C9-BB6A-5F15D533B06E}	Princess Flower	No	Tibouchina urvilleana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	25.00000000000	16.00000000000	30.00000000000	40.00000000000	28.39735824910	-80.76932698870	Excellent	1.00000000000		Tree Is Undamaged	<Null>	Pruning	No	No	{54A9F2ED-E21F-49F0-9471-539A44F7C4FC}	Oak (Live)	No	Quercus virginiana	1.00000000000
Median	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	5.00000000000	6.00000000000	10.00000000000	10.00000000000	28.39711789980	-80.76924221560	Excellent	1.00000000000	2 tree co dom	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	{1044F6DB-07E9-4E17-BAF7-0A3CB26715B9}	Palm (Pygmy Date)	No	Phoenix roebelenii	2.00000000000
Median	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.39705826250	-80.76925202250	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{08464F9D-4FCC-485C-811C-3C4858C8AA2D}	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
Median	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	10.00000000000	20.00000000000	15.00000000000	28.39698940550	-80.76923115200	Excellent	1.00000000000	2	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	{4065467D-ECE9-46E4-9A77-13122767289B}	Palm (Queen)	No	Syagrus romanzoffiana	2.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	26.00000000000	45.00000000000	50.00000000000	28.39695562580	-80.76969341420	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{2BDEC9D4-2C38-4195-94B5-057E39A7A772}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	18.00000000000	35.00000000000	35.00000000000	28.39689095930	-80.76991377370	Excellent	1.00000000000	Two trees in Woodland.	Tree is Undamaged	<Null>	Pruning	No	Yes	{BC9C53A1-EE8E-4B7A-B254-5D5D26665952}	Oak (Live)	No	Quercus virginiana	2.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	15.00000000000	14.00000000000	30.00000000000	30.00000000000	28.39683454990	-80.77028584690	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{D1D3B55C-FBA6-4D2A-95E5-E45CD918364A}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	30.00000000000	20.00000000000	30.00000000000	40.00000000000	28.39670944930	-80.77043278160	Excellent	1.00000000000		Tree Is Undamaged	<Null>	Pruning	No	No	{0741DA62-CE0D-4881-B2BA-E846690CA39E}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	15.00000000000	16.00000000000	30.00000000000	35.00000000000	28.39676766210	-80.77059086440	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{31E0EB32-4BEF-4ACA-9C57-8602A21D0110}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	8.00000000000	20.00000000000	10.00000000000	28.39682147400	-80.77105756890	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{715A1D44-3268-4C14-8E5D-9EBE257505C5}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Median	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	30.00000000000	30.00000000000	40.00000000000	28.39699443450	-80.77134490040	Excellent	1.00000000000	EarPod tree	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{07F8BC7D-2775-4417-87E0-4078411A0F19}	Earpod Tree	No	Enterolobium cyclocarpum	1.00000000000
Median	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	12.00000000000	25.00000000000	10.00000000000	28.39723160030	-80.77134364280	Excellent	1.00000000000	Five trees in Woodland.	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	{8AEDEC5C-BB6E-4F0D-AF68-CE6BEB6161C4}	Palm (Cabbage)	No	Sabal palmetto	5.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	14.00000000000	15.00000000000	15.00000000000	28.39745866570	-80.77138354050	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{C9184E2D-3A3D-470F-BFAE-2AB005968FEC}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	35.00000000000	34.00000000000	50.00000000000	55.00000000000	28.39812520050	-80.77158260360	Excellent	1.00000000000		Tree Is Undamaged	<Null>	Pruning	No	No	{01641B5D-47FB-4476-92EC-1DBAE5DED338}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	30.00000000000	24.00000000000	45.00000000000	40.00000000000	28.39825119090	-80.77165002040	Excellent	1.00000000000		Tree Is Undamaged	<Null>	Pruning	No	No	{BCF9AFF6-8E16-40F5-B9F6-1534AD46FAC6}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	28.00000000000	24.00000000000	45.00000000000	40.00000000000	28.39837516050	-80.77171843430	Excellent	1.00000000000		Tree Is Undamaged	<Null>	Pruning	No	No	{0E34A0CE-7212-45F5-8915-9CEC730CFA31}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	30.00000000000	26.00000000000	45.00000000000	40.00000000000	28.39857967480	-80.77187314390	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{43984129-A163-4794-9AAF-638EA87B0792}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	25.00000000000	28.00000000000	30.00000000000	30.00000000000	28.39651318770	-80.77162007770	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{9D8A15D0-3A57-40FB-9967-EA0DB5B705C6}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	35.00000000000	30.00000000000	50.00000000000	50.00000000000	28.39865588680	-80.77196437140	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{4BAE6DE2-ADC8-412B-BD87-3F0EE1CAA3A4}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	25.00000000000	28.00000000000	30.00000000000	30.00000000000	28.39649361530	-80.77170012570	Excellent	1.00000000000	6 trees in row	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	{41CD76C0-F940-4DEC-ACC2-45B795BC6D18}	Oak (Laurel)	No	Quercus laurifolia	6.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	20.00000000000	30.00000000000	30.00000000000	28.39660924380	-80.77178671070	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{FEE61DA5-84FE-4398-93B9-A9D4D75D25D5}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	30.00000000000	28.00000000000	35.00000000000	60.00000000000	28.39874042910	-80.77215381800	Excellent	1.00000000000		Tree Is Undamaged	<Null>	Pruning	No	No	{017C70C4-9425-46FE-9D89-773294B50686}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	30.00000000000	26.00000000000	40.00000000000	45.00000000000	28.39887107700	-80.77230726920	Excellent	1.00000000000		Tree Is Undamaged	<Null>	Pruning	No	No	{E8007690-FCB1-4035-88E6-D098E333BCB6}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	30.00000000000	22.00000000000	35.00000000000	45.00000000000	28.39888174640	-80.77238799980	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{195AE0D6-B6D0-4CDA-BA13-FBC7A84FA596}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	50.00000000000	40.00000000000	60.00000000000	60.00000000000	28.39679653770	-80.77214386290	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{F0FE11A0-8892-48CA-BC92-D27527C990CF}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	10.00000000000	25.00000000000	10.00000000000	28.39693764660	-80.77232834900	Excellent	1.00000000000	Three in triangle	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	{75AE08F0-74FD-4961-85F6-BEF25D95D31D}	Palm (Cabbage)	No	Sabal palmetto	3.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	30.00000000000	26.00000000000	50.00000000000	55.00000000000	28.39905373240	-80.77278728120	Excellent	1.00000000000	Two trees in Woodland.	Tree Is Undamaged	<Null>	Pruning	No	Yes	{94F08DDC-2157-4AB9-8F0D-444B21C9FD81}	Oak (Live)	No	Quercus virginiana	2.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	50.00000000000	38.00000000000	50.00000000000	45.00000000000	28.39679787870	-80.77204923170	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{EED227CA-6F46-4F3B-8D68-19D1ACCD943A}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	14.00000000000	35.00000000000	30.00000000000	28.39916936510	-80.77295663970	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{5A663ACA-3936-435B-B161-C670BC3289F8}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	30.00000000000	24.00000000000	35.00000000000	45.00000000000	28.39928792710	-80.77323180990	Excellent	1.00000000000		Tree Is Undamaged	<Null>	Pruning	No	No	{BF792147-3979-4640-A247-B6ECCBA901E2}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	35.00000000000	32.00000000000	40.00000000000	60.00000000000	28.39873518450	-80.77301188250	Excellent	1.00000000000		Tree Is Undamaged	<Null>	Pruning	No	No	{8CA872CC-F502-4B1D-A703-5F8596D0EAA8}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	8.00000000000	20.00000000000	10.00000000000	28.39679075400	-80.77153567200	Excellent	1.00000000000	5	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	{94B7AE8F-7EF7-408F-8807-D97D0C9B0615}	Palm (Cabbage)	No	Sabal palmetto	5.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	30.00000000000	10.00000000000	40.00000000000	10.00000000000	28.39670831840	-80.77149284120	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{6309D9C4-5074-4103-BD5E-8D0E66EB6D4A}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	30.00000000000	10.00000000000	40.00000000000	10.00000000000	28.39668887180	-80.77144799730	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{D9635807-4395-40CF-8513-E9AEF2F0DBB8}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Median	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	25.00000000000	20.00000000000	15.00000000000	20.00000000000	28.39872225980	-80.77321641540	Excellent	1.00000000000	Two trees in Woodland.	Tree Is Undamaged	<Null>	Pruning	No	Yes	{775964FA-7742-4297-B6DA-F2450CEE2BD5}	Bottlebrush (Weeping)	No	Melaleuca viminalis	2.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	25.00000000000	8.00000000000	25.00000000000	10.00000000000	28.39667961030	-80.77148881770	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{080B8CF8-0F8A-49E1-8E47-A6DAF79FC6A3}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	30.00000000000	32.00000000000	45.00000000000	60.00000000000	28.39850233980	-80.77291212640	Excellent	1.00000000000		Tree Is Undamaged	<Null>	Pruning	No	No	{E12CC596-7AE6-4597-95D7-902BD3934951}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Building	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	20.00000000000	8.00000000000	25.00000000000	15.00000000000	28.36061474000	-80.73457219720	Very Poor	7.00000000000	Completely dead	Tree is Damaged	Tree is Dead	Removal	No	No	380d956b-567b-48f5-9a70-79ea56e063ca	Holly (East Palatka)	No	Ilex x attenuata	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	20.00000000000	8.00000000000	15.00000000000	0.00000000000	28.39002635800	-80.74369412080	Very Poor	7.00000000000	Dead palm, needs removal	Tree is Damaged	Tree Is Dead	Removal	No	No	9d1bf111-5d79-49ce-8d7e-23a1a8281ce8	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	20.00000000000	6.00000000000	35.00000000000	0.00000000000	28.39044569030	-80.74287065860	Very Poor	7.00000000000	Dead, needs removal	Tree Is Damaged	Tree Is Dead	Removal	No	No	63320dae-df76-49d6-94c0-317aa338cb65	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	16.00000000000	15.00000000000	10.00000000000	28.38811917220	-80.75545490770	Very Poor	7.00000000000	See pics, Tree Is Dead	Tree is Damaged	Stump/Trunk	Removal	No	No	bde7f7c8-b406-4740-98ea-e4afe5a316a0	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	8.00000000000	15.00000000000	5.00000000000	28.38811179650	-80.75583988790	Very Poor	7.00000000000	Trunk Damage, Signs of Decay	Tree is Damaged	Trunk has decay, only 20% of canopy alive	Removal	No	No	1ec8cd33-6e1b-49b4-8b5c-08e338f08f04	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	4.00000000000	20.00000000000	15.00000000000	28.38111007130	-80.75043034640	Very Poor	7.00000000000	Dead, Neds Removal	Tree is Damaged	Dead, Needs Removal	Removal	No	No	{B33DF877-BE37-4AE2-A174-B6C36DBF6CD5}	Red Cedar	No	Juniperus virginiana	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	10.00000000000	6.00000000000	5.00000000000	5.00000000000	28.39251547890	-80.78256999220	Very Poor	7.00000000000	Poor condition, consider replacement	Tree Is Damaged	Previously taken to just stump, resprouting	No Maintenance Required	No	No	{0A2DB9BD-0037-4CD7-8F52-2BC20845E1EF}	Golden Raintree	No	Koelreuteria paniculata	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	5.00000000000	8.00000000000	10.00000000000	10.00000000000	28.35366975970	-80.73520389430	Very Poor	6.00000000000	Dead cabbage palm	Tree is Damaged	Dead, brown fronds and trunk	Removal	No	No	4ef806b9-e874-40b8-b918-a37f76dfb7a9	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	20.00000000000	10.00000000000	30.00000000000	15.00000000000	28.37441256170	-80.73508941830	Very Poor	6.00000000000	Poor Shape, Nearly Dead; Leaning into Roadway	Tree is Damaged	Rot and decay	Removal	No	No	64cce7b8-a526-414e-85b7-90ea8d68558e	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	40.00000000000	22.00000000000	45.00000000000	30.00000000000	28.39349752110	-80.74494572830	Very Poor	6.00000000000	In yard but mostly dead, overhanging road	Tree is Damaged	Tree is Dead	Removal	No	No	3c6fff81-c9e5-4fc0-a24c-a31250ed8b13	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	12.00000000000	10.00000000000	15.00000000000	28.39630519010	-80.75949179910	Very Poor	6.00000000000	Tree is Dead, Top Snapped Off, Just Trunk	Tree is Damaged	Stump/Trunk	Remove Trunk	No	No	{92A6AB4D-4442-48D9-9A42-83918A223759}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	12.00000000000	20.00000000000	10.00000000000	28.39546529150	-80.77771919830	Very Poor	6.00000000000	Two dead trees in Woodland.	Tree is Damaged	Stump/Trunk	Remove Trunks	No	Yes	{71FB3AC6-090C-432D-82B1-989025C76E55}	Palm (Queen)	No	Syagrus romanzoffiana	2.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	15.00000000000	20.00000000000	30.00000000000	10.00000000000	28.39654017710	-80.77215492750	Very Poor	5.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{90F49D7A-131D-4681-A0D4-30C3A6650F80}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	14.00000000000	10.00000000000	0.00000000000	28.35970917560	-80.73356772260	Very Poor	5.00000000000	Dead Tree With Debris on Ground, Needs Removal	Tree is Damaged	Tree is Dead	Removal	Yes	No	{5D5B6D97-BA02-4D4D-BB9A-204665A5946F}	Pine (Australian)	No	Casuarina equisetifolia	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	25.00000000000	12.00000000000	0.00000000000	0.00000000000	28.35465994530	-80.73038683670	Very Poor	4.00000000000	See pic; dead stump, needs removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	37cea1c0-ea25-4473-a27f-ef602c1ea2ef	Red Cedar	No	Juniperus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	16.00000000000	10.00000000000	0.00000000000	28.39199010250	-80.75872301100	Very Poor	4.00000000000	Stump That Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{BAAB84BD-2DA2-46C1-A220-4AF39FF0EE37}	N/A (Stump)	No	N/A (Stump)	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	12.00000000000	40.00000000000	5.00000000000	28.40082534120	-80.76887391530	Very Poor	4.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{B3016B6E-7653-4251-9F36-3F5C670A749D}	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	14.00000000000	35.00000000000	15.00000000000	28.40072983500	-80.76886922250	Very Poor	4.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{3753AAE0-AF6F-44AD-9FDC-63D37B8CE09D}	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	14.00000000000	20.00000000000	10.00000000000	28.39545492520	-80.77698497380	Very Poor	4.00000000000	Dead Trunk, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{A2B29C06-54B6-4511-A0AE-4AE144866251}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	15.00000000000	12.00000000000	15.00000000000	0.00000000000	28.36028379310	-80.74511496280	Very Poor	3.00000000000	Dead palm trunk. Directly under power lines, needs removal	Tree Is Damaged	Stump	Remove Stump	No	No	102a501f-485a-4869-935d-7599fd845db5	Palm (Cabbage)	No	Sabal palmetto	1.00000000000

4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	35.00000000000	28.00000000000	35.00000000000	40.00000000000	28.39809069580	-80.77308740390	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{2D534EF4-29BF-434D-BA42-8250011B05CB}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	35.00000000000	28.00000000000	35.00000000000	50.00000000000	28.39814765850	-80.77316788030	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{C4DB1621-52D3-4B39-8D3B-93EF0E3E4A4D}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	35.00000000000	26.00000000000	45.00000000000	45.00000000000	28.39814066820	-80.77334508650	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{6CCB8019-AC2A-4F1F-921D-DE2AE961FDA4}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	35.00000000000	30.00000000000	40.00000000000	45.00000000000	28.39819648270	-80.77346149830	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{F9DAA26E-C98D-4AF1-BD2B-D5ECBC6B4550}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	35.00000000000	28.00000000000	40.00000000000	50.00000000000	28.39822667920	-80.77359253910	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{DD273EDC-C891-4B75-87C0-8E4AED87D147}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	35.00000000000	26.00000000000	45.00000000000	50.00000000000	28.39820202920	-80.77383770020	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{7123F8E1-3D9B-45AC-87B2-660538ACA5A9}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	20.00000000000	45.00000000000	35.00000000000	28.39820279650	-80.77372683550	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{156C7650-AA5C-4AD5-8B10-A35993ABC483}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	10.00000000000	10.00000000000	10.00000000000	5.00000000000	28.39779643950	-80.77394801870	Excellent	1.00000000000	Five trees in Woodland.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{4479A447-C8B9-48B8-B86D-B13C10A0E05E}	Palm (Sago)	No	Cycas revoluta	5.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	10.00000000000	10.00000000000	5.00000000000	5.00000000000	28.39768168790	-80.77407560730	Excellent	1.00000000000	Seven trees in Woodland.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{66C00061-E96D-4444-A653-D88FE580009F}	Palm (Sago)	No	Cycas revoluta	7.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	10.00000000000	8.00000000000	15.00000000000	15.00000000000	28.39715862240	-80.77395123550	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{146B9A21-BF9F-4CEF-85DC-443956B10C4D}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	7.00000000000	6.00000000000	10.00000000000	10.00000000000	28.39690805510	-80.77394518450	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{C4C2A9D6-904D-45D2-AD49-4307015E82CD}	Palm (Canary Island Date)	No	Phoenix canariensis	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	10.00000000000	12.00000000000	10.00000000000	5.00000000000	28.39689892240	-80.77395225870	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{3B35D455-3E12-4B4C-8199-84CBF2C6A2CF}	Palm (Pygmy Date)	No	Phoenix roebelenii	1.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	25.00000000000	22.00000000000	40.00000000000	30.00000000000	28.39819482560	-80.77386491820	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{E7EB9C13-DD73-45D7-992C-5A01ED946188}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	22.00000000000	40.00000000000	45.00000000000	28.39823455370	-80.77393413340	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{55C57BC1-B443-40C7-A544-5723578D50C9}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	25.00000000000	20.00000000000	45.00000000000	35.00000000000	28.39819729900	-80.77410158480	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{FD32EA52-0A54-42D5-8FB2-DF30FC7CF0C8}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	10.00000000000	40.00000000000	10.00000000000	28.39804837490	-80.77403741900	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{CC642798-2A95-402C-8A9F-9432C0161299}	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	18.00000000000	35.00000000000	25.00000000000	28.39817033770	-80.77428242910	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{B3B56416-31E7-433D-BAEE-C5ABC7D94A02}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	10.00000000000	10.00000000000	5.00000000000	28.39802041950	-80.77416716180	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{CD014BE7-A2C6-42A4-871A-532FE961800B}	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	16.00000000000	30.00000000000	25.00000000000	28.39817503940	-80.77437676570	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{EDC2420A-9A3D-49CB-9736-7289C3328633}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	20.00000000000	35.00000000000	30.00000000000	28.39815395250	-80.77447401100	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{E03E3218-1CCF-43D2-8CE1-95D4B1C21B41}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	25.00000000000	12.00000000000	40.00000000000	10.00000000000	28.39804829120	-80.77472356120	Excellent	1.00000000000	Two trees in Woodland.	Tree Is Undamaged	<Null>	Pruning	No	Yes	{293E12BF-2BDE-48F2-A8DF-45CA18F8DEBB}	Palm (Washingtonia)	No	Washingtonia robusta	2.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	22.00000000000	30.00000000000	35.00000000000	28.39819125780	-80.77481801280	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{D5BA19EA-E082-450A-8469-01DEE13FE040}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	16.00000000000	40.00000000000	35.00000000000	28.39800811660	-80.77467564870	Excellent	1.00000000000	Two trees in Woodland.	Tree Is Undamaged	<Null>	Pruning	No	Yes	{575D438B-D9C5-453F-872A-945E6645CFF0}	Cherry Laurel	No	Prunus laurocerasus	2.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	10.00000000000	8.00000000000	25.00000000000	20.00000000000	28.39816794490	-80.77491789190	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{B4A556A4-E910-4596-87F1-9B5B0B42C144}	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	35.00000000000	28.00000000000	40.00000000000	45.00000000000	28.39806036090	-80.77515992320	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{9A76C64C-98FD-4647-B4B4-176C925D19B0}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	24.00000000000	40.00000000000	40.00000000000	28.39817031470	-80.77497394500	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{FC1ABB94-1753-4EA2-B2A2-1EE9F6748FB7}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	24.00000000000	30.00000000000	40.00000000000	28.39806488730	-80.77524541860	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{F4C70243-46AC-4818-B953-E3F727406BD7}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	15.00000000000	10.00000000000	20.00000000000	25.00000000000	28.39794447010	-80.77562261850	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{62347B64-BAF5-428C-9740-C17B1E47EC34}	Magnolia (Southern)	No	Magnolia grandiflora	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	26.00000000000	50.00000000000	50.00000000000	28.39775179610	-80.77579534570	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{56C42AAE-4B72-4DBC-B269-00C520413536}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	35.00000000000	34.00000000000	35.00000000000	55.00000000000	28.39781795630	-80.77574833320	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{8F113B87-F0DB-43B7-A01E-BCCDD1074A34}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	15.00000000000	14.00000000000	30.00000000000	20.00000000000	28.39725578030	-80.77565863640	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{C9424D6B-56BA-4DD3-B33F-77026FA6BF49}	Sycamore	No	Platanus occidentalis	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	16.00000000000	40.00000000000	20.00000000000	28.39764303900	-80.77561909530	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{2FEBFC6B-9B19-4987-BF22-14BB73F8746D}	Sycamore	No	Platanus occidentalis	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	14.00000000000	35.00000000000	35.00000000000	28.39749785110	-80.77556267390	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{29758746-7DB0-4A00-B53B-27D3BABE7D3E}	Sycamore	No	Platanus occidentalis	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	22.00000000000	35.00000000000	35.00000000000	28.39726269710	-80.77558497010	Excellent	1.00000000000	Soil upheaving under adjacent sidewalk.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{5C4E0F3B-C45A-4ECD-B03F-F6C7A58FB21D}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	35.00000000000	30.00000000000	40.00000000000	45.00000000000	28.39707904930	-80.77558069500	Excellent	1.00000000000	Soil up heaving under adjacent sidewalk.	Tree is Undamaged	<Null>	Pruning	No	No	{FBCCE3AF-4DF8-43CC-B5FA-76464D250BDE}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	35.00000000000	28.00000000000	35.00000000000	40.00000000000	28.39696132570	-80.77571690120	Excellent	1.00000000000	Codominant tree, see picture.	Tree is Undamaged	<Null>	Pruning	No	No	{621491BA-FB37-41C3-9B9B-EB94B049F192}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	26.00000000000	35.00000000000	45.00000000000	28.39694548170	-80.77597436280	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{558F0814-ED83-4BB5-A0BA-0BF685BD509D}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	28.00000000000	50.00000000000	30.00000000000	28.39702635400	-80.77735600590	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{8A6A4433-7C2F-44EA-A9BA-CDBC6817F869}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	15.00000000000	16.00000000000	40.00000000000	20.00000000000	28.39700023790	-80.77769388740	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{1376979B-5906-4EB5-B5F8-164BD40FF194}	Sycamore	No	Platanus occidentalis	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	16.00000000000	45.00000000000	35.00000000000	28.39696182910	-80.77683077170	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{A5FFF7E3-845A-47B3-9930-D545EAF802E5}	Sycamore	No	Platanus occidentalis	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	25.00000000000	20.00000000000	35.00000000000	25.00000000000	28.39700166350	-80.77858137170	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{3E88F226-9E98-4706-9230-76E7DE8C2757}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	26.00000000000	40.00000000000	45.00000000000	28.39694753790	-80.77700587040	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{2273251F-6BB1-47DE-8BB1-8149CBC552C7}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	28.00000000000	45.00000000000	40.00000000000	28.39691488970	-80.77710301600	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{D1D09D4C-E9B4-4339-BEEF-B745E0A24633}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	24.00000000000	40.00000000000	45.00000000000	28.39692272720	-80.77726663070	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{05909E30-E22B-4A8A-8184-1542EF15CA7A}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	25.00000000000	16.00000000000	30.00000000000	40.00000000000	28.39702365150	-80.77895984450	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{19421120-1BBA-4AD6-9F0E-4F4376485B2E}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	26.00000000000	40.00000000000	45.00000000000	28.39692149050	-80.77750982980	Excellent	1.00000000000	Soil up heaving under adjacent driveway.	Tree is Undamaged	<Null>	Pruning	No	No	{FDA9778A-C5C7-4961-81FF-57504BEF452F}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	26.00000000000	40.00000000000	40.00000000000	28.39693898840	-80.77755857240	Excellent	1.00000000000	Possible codominant tree, see picture.	Tree is Undamaged	<Null>	Pruning	No	No	{BCE27938-A4C2-4314-A651-A81F384BE7A1}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	24.00000000000	35.00000000000	40.00000000000	28.39694628460	-80.77820679220	Excellent	1.00000000000	Codominant tree, see picture.	Tree is Undamaged	<Null>	Pruning	No	No	{A9CDEED9-A9F4-4234-9C8F-4DB30FF15298}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	25.00000000000	18.00000000000	40.00000000000	35.00000000000	28.39693253390	-80.77840648590	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{F978CDFA-E2DB-421D-AE5A-4031F3897C10}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	28.00000000000	45.00000000000	40.00000000000	28.39694213900	-80.77863758200	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{7A930168-F31F-4468-86A4-657628E098B6}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	20.00000000000	50.00000000000	50.00000000000	28.39808031150	-80.77906590140	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{F0BB8722-C505-4C98-BD58-F6CE42FFBCF8}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	28.00000000000	45.00000000000	45.00000000000	28.39729563200	-80.77919585800	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{D6DAAC52-8F11-4E08-8991-D9219E43C760}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	22.00000000000	40.00000000000	45.00000000000	28.39790617230	-80.77923597400	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{6AE50DB4-76D0-46DB-9FBA-69B32B33DA22}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	24.00000000000	40.00000000000	45.00000000000	28.39802134950	-80.77868964740	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{D357B897-A442-4606-B640-5113E13920AE}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	8.00000000000	20.00000000000	15.00000000000	28.39794637850	-80.77856504030	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{78D0BDB6-C898-42D4-832B-BCF22D35AA70}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	22.00000000000	35.00000000000	40.00000000000	28.39783564300	-80.77922942440	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{25966041-673C-4A41-9D8D-D0CD484E007E}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	22.00000000000	40.00000000000	35.00000000000	28.39774408510	-80.77922858180	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{19D51FD5-9DE1-46F8-A6EE-F2C58B64CF4A}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	25.00000000000	18.00000000000	35.00000000000	30.00000000000	28.39779214620	-80.77826360430	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{F45699C0-D8FA-46B7-ABBB-364113DB5F41}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	26.00000000000	40.00000000000	45.00000000000	28.39747563960	-80.77923339860	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{72E4DB48-7EB0-4E32-BCBF-69DA64DDF2C1}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	26.00000000000	40.00000000000	45.00000000000	28.39819588690	-80.77879236080	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{E579851D-6CD8-4970-9832-7D8FD29D7F61}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	25.00000000000	22.00000000000	40.00000000000	45.00000000000	28.39813975950	-80.77867156880	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{269C2E8B-21C4-4B27-833F-CF04B98222B3}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	10.00000000000	4.00000000000	10.00000000000	15.00000000000	28.39812913270	-80.77856132760	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{393819FB-D2FE-48AC-B264-F35C8CA42B0E}	Oleander	No	Nerium oleander	1.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	25.00000000000	12.00000000000	30.00000000000	15.00000000000	28.39762201920	-80.77693822010	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	{2805C10D-454C-40FB-848E-DEC94008992E}	Palm (Washingtonia)	No	Washingtonia robusta	2.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	25.00000000000	20.00000000000	35.00000000000	40.00000000000	28.39800022070	-80.77840346840	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{A9F7D106-B0C1-4EE4-8700-31737F683C7C}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	25.00000000000	22.00000000000	30.00000000000	35.00000000000	28.39780286870	-80.77805268620	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{9B98CC3F-009B-4100-A618-8F554FD34379}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	16.00000000000	25.00000000000	30.00000000000	28.39769924500	-80.77636390650	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{23D68D98-30FB-496C-A5C3-9ED8C092E521}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	25.00000000000	22.00000000000	40.00000000000	45.00000000000	28.39777654970	-80.77796878270	Excellent	1.00000000000		Tree is Undamaged	<Null>	Remove Stump	No	No	{C96D0AB6-C470-49BD-869A-FDFA7B343A43}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	18.00000000000	35.00000000000	35.00000000000	28.39782890320	-80.77611698920	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{872DAE61-9B7D-4080-8B4B-9005E74696B8}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	22.00000000000	50.00000000000	15.00000000000	28.39780664040	-80.77781472340	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{54EF394B-FA63-4996-8D47-4B375C278F7E}	Pine (Norfolk Island)	No	Araucaria heterophylla	1.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	25.00000000000	20.00000000000	40.00000000000	35.00000000000	28.39778132730	-80.77764440370	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{5A7A29E5-B104-4742-9CBD-7B44630C26FE}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	26.00000000000	50.00000000000	50.00000000000	28.39785568370	-80.77764247950	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{38E1EDA7-D988-4E74-B28D-B52A57596035}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	25.00000000000	18.00000000000	45.00000000000	40.00000000000	28.39779691750	-80.77758153870	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{351891F4-ED74-4B1C-87B3-02CC1312B220}	Maple (Red)	No	Acer rubrum	1.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	25.00000000000	18.00000000000	35.00000000000	40.00000000000	28.39776758070	-80.77747433470	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{40B8FB82-D96C-4CD7-8F65-218F01FE78A2}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	12.00000000000	25.00000000000	30.00000000000	28.39775998350	-80.77732502210	Excellent	1.00000000000	Codominant tree, see picture.	Tree is Undamaged	<Null>	Pruning	No	No	{4EF9F8BB-6656-43A4-8612-14F0C3692608}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	25.00000000000	20.00000000000	30.00000000000	30.00000000000	28.39867327220	-80.77596583600	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{C341D40C-5E2B-4323-B77A-9475BDD44BD3}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	24.00000000000	40.00000000000	45.00000000000	28.39829936320	-80.77640011220	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{6472AAA5-E715-4A41-ABB6-934A7807B62B}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	10.00000000000	20.00000000000	15.00000000000	28.39835112930	-80.77654687710	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{7502A1C9-114D-4C21-B4B2-909107322754}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	18.00000000000	35.00000000000	40.00000000000	28.39836889880	-80.77662793030	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{0F0D4CBA-A49F-4B56-9740-E5A0E69EB413}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	25.00000000000	18.00000000000	35.00000000000	30.00000000000	28.39831194420	-80.77703621280	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{2CEE9B09-68E5-4899-8BA8-BA2C95D8B537}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	24.00000000000	35.00000000000	40.00000000000	28.39835655250	-80.77714157710	Excellent	1.00000000000	Codominant tree, see picture.	Tree is Undamaged	<Null>	Pruning	No	No	{84B84521-8526-40AA-B530-133DCEE0BB56}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	26.00000000000	35.00000000000	60.00000000000	28.39833970200	-80.77735667600	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{0A3B9590-2F51-4B8A-B571-AA356C400B69}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	20.00000000000	35.00000000000	40.00000000000	28.39841184620	-80.77749628860	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{1776837B-49CB-4EDE-8973-6EF44322DE14}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	20.00000000000	35.00000000000	40.00000000000	28.39851634000	-80.77741422570	Excellent	1.00000000000	Codominant tree, see picture.	Tree is Undamaged	<Null>	Pruning	No	No	{6F97F291-000D-4C8F-B61A-128303C84CAB}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	22.00000000000	40.00000000000	50.00000000000	28.39848808910	-80.77733938610	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{180963AF-7904-4141-9CFD-16F47297B4D9}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	25.00000000000	20.00000000000	30.00000000000	30.00000000000	28.39845498080	-80.77713545420	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{957A6E80-F29F-4A79-B85B-A44CB205DE0E}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	18.00000000000	40.00000000000	30.00000000000	28.39988530690	-80.77639653060	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{35D0B839-8DA6-4FE9-A4EE-57FB5D74FBF6}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	24.00000000000	30.00000000000	40.00000000000	28.39973040180	-80.77645752620	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{5B2D9322-B535-4852-907B-12AC83CA52C7}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	24.00000000000	40.00000000000	40.00000000000	28.39846734440	-80.77687041880	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{FDA91BC1-781E-44F3-B0BB-941DD350D152}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	32.00000000000	40.00000000000	50.00000000000	28.39852678500	-80.77689192990	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{FFA1B26B-12ED-4A17-A4CD-25D06AF4BCFB}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	40.00000000000	22.00000000000	50.00000000000	40.00000000000	28.39973320310	-80.77705480520	Excellent	1.00000000000	Lift bottom of canopy, heaving ,2 tree	Tree Is Undamaged	<Null>	Pruning	No	Yes	{4BE36A2F-1862-4782-8492-6E60310ED456}	Oak (Live)	No	Quercus virginiana	2.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	25.00000000000	16.00000000000	35.00000000000	40.00000000000	28.39844839270	-80.77619742080	Excellent	1.00000000000	Codominant tree, see picture.	Tree is Undamaged	<Null>	Pruning	No	No	{B5F1982E-A77F-4B7D-BC32-C9C884A6AF17}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	35.00000000000	32.00000000000	45.00000000000	55.00000000000	28.39848216330	-80.77609087430	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{78900A48-F153-4F88-A3B9-FA8BF11FEB2C}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	24.00000000000	35.00000000000	40.00000000000	28.39904186500	-80.77658490910	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{C7354B94-2812-43A6-ABC8-5EB25187D23B}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	10.00000000000	10.00000000000	25.00000000000	25.00000000000	28.39975321820	-80.77804297630	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{5731AF93-ABFE-4E62-9861-67A632985F46}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	22.00000000000	40.00000000000	35.00000000000	28.39904282830	-80.77736125380	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{E88EE573-77FA-4724-B3E2-E1ADDD1B7A6C}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	20.00000000000	50.00000000000	45.00000000000	28.39905235900	-80.77761406130	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{23FF1EE3-36B2-4DE8-8473-B06A49377E5C}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	40.00000000000	22.00000000000	45.00000000000	40.00000000000	28.39984131710	-80.77869957560	Excellent	1.00000000000	Heaving	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{6D7EDBC9-DF60-48C6-A20E-7FCBBB982FB9}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	24.00000000000	35.00000000000	40.00000000000	28.39904589270	-80.77787934820	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{3F74AA7E-1614-4DDC-869F-575A00B0620B}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	14.00000000000	30.00000000000	30.00000000000	28.39904464810	-80.77805394290	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{E77FA36E-BF19-4342-B60F-B2274974C5D1}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	35.00000000000	32.00000000000	40.00000000000	50.00000000000	28.39900825980	-80.77812812310	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{F4E45E6C-4F6E-404D-96A8-75AB65194C71}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	20.00000000000	40.00000000000	40.00000000000	28.39922151250	-80.77917439450	Excellent	1.00000000000	In sidewalk path	Tree Is Undamaged	<Null>	Pruning	No	No	{6BBC11CD-7D54-49D1-A26F-84AC1EBD571C}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	25.00000000000	20.00000000000	35.00000000000	50.00000000000	28.39901999830	-80.77832516140	Excellent	1.00000000000	Two trees in Woodland.	Tree is Undamaged	<Null>	Pruning	No	Yes	{2FE86719-2948-4C7E-A7B6-5D1FFB921BBD}	Oak (Live)	No	Quercus virginiana	2.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	24.00000000000	35.00000000000	45.00000000000	28.39921132200	-80.77833255720	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{8FCC7622-2CF8-4386-BACA-3A7FBC74D106}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	18.00000000000	40.00000000000	45.00000000000	28.39875346920	-80.77916414740	Excellent	1.00000000000	In sidewalk path, 3 tree in row	Tree Is Undamaged	<Null>	Pruning	No	Yes	{9ABB6584-6494-4032-8285-E10103C08E15}	Oak (Live)	No	Quercus virginiana	3.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	26.00000000000	40.00000000000	35.00000000000	28.39915000500	-80.77761129270	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{9781CBD5-5C25-4A67-98B5-552930E02F76}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	16.00000000000	20.00000000000	30.00000000000	28.39914782880	-80.77748883530	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{902E3B5E-4ACD-4190-B25C-B745DDBB5FBB}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	40.00000000000	24.00000000000	40.00000000000	40.00000000000	28.39819602200	-80.77949209270	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{BE0CB5DB-0653-40AA-B97A-6A71944334E6}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	18.00000000000	25.00000000000	35.00000000000	28.39914414010	-80.77738152430	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{105D3D15-0AE4-4497-A2D3-ADD3075087AA}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	24.00000000000	35.00000000000	40.00000000000	28.39919992720	-80.77729579270	Excellent	1.00000000000	Two trees in Woodland	Tree is Undamaged	<Null>	Pruning	No	Yes	{81E875A0-61BA-45F8-B498-E94E16962F31}	Oak (Live)	No	Quercus virginiana	2.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	26.00000000000	40.00000000000	45.00000000000	28.39915711530	-80.77711269630	Excellent	1.00000000000	Codominant tree, see picture.	Tree is Undamaged	<Null>	Pruning	No	No	{979F9430-CFD5-4A9A-A1CC-6AB788B65F48}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	25.00000000000	16.00000000000	35.00000000000	35.00000000000	28.39914896280	-80.77664010070	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{DA2CE848-A286-4301-B05D-2D01FE47B3F5}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	14.00000000000	30.00000000000	35.00000000000	28.39915514060	-80.77638235250	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{499A2B31-955A-4BC7-A6DE-BCD331BF86C1}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	24.00000000000	35.00000000000	50.00000000000	28.39914703310	-80.77626147340	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{15521EC1-1284-445B-A625-2FF987F875A0}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	25.00000000000	20.00000000000	35.00000000000	40.00000000000	28.39338740830	-80.77670403740	Excellent	1.00000000000	Soil repeating adjacent road.	Tree is Undamaged	<Null>	Pruning	No	No	{BB81F897-3F02-4E36-8541-84B375431DC3}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	15.00000000000	8.00000000000	10.00000000000	10.00000000000	28.39279757520	-80.77762623800	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{8C4770CD-3FEA-44F0-B700-BCA8A666576C}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	24.00000000000	35.00000000000	25.00000000000	28.39263461330	-80.77698901440	Excellent	1.00000000000	Three trees in Woodland.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{CF7DE823-09BE-41E6-A076-6C2DAEC56AE2}	Pine (Slash)	No	Pinus elliottii	3.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	10.00000000000	30.00000000000	15.00000000000	28.39253522030	-80.77781204100	Excellent	1.00000000000	Two trees in Woodland.	Tree is Undamaged	<Null>	Pruning	No	Yes	{C7539677-955D-4AA4-AFD3-C6C6172241B5}	Palm (Queen)	No	Syagrus romanzoffiana	2.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	8.00000000000	20.00000000000	15.00000000000	28.39210462080	-80.77845991590	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{CD17C1B0-5F52-49DE-BCB4-E66D6514C6C0}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	25.00000000000	22.00000000000	30.00000000000	50.00000000000	28.39172252990	-80.77903937770	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{24AAE663-BC98-4E3B-8F0E-2B10B2948D1B}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.39159208810	-80.77926286510	Excellent	1.00000000000	Tree name is spineless yucca. Two trees in Woodland. DBH itΓÇÖs two and four.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{DC864F58-85FD-42B7-A97C-19D495DEB3AB}	Spineless Yucca	No	Yucca gigantea	2.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	10.00000000000	12.00000000000	5.00000000000	5.00000000000	28.39155445340	-80.77932438800	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{000D97D7-5101-488A-9408-2A3ADB03B9EE}	Palm (Sago)	No	Cycas revoluta	1.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	28.00000000000	40.00000000000	50.00000000000	28.39177920990	-80.77919674910	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{440D50C5-E539-4D03-9C89-2CCF31EB6DCA}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	10.00000000000	35.00000000000	20.00000000000	28.39207559850	-80.77870002030	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{E5544578-F338-46B8-8BB5-62571103076E}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	8.00000000000	20.00000000000	5.00000000000	28.39211586940	-80.77861263220	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{CD54BEE5-9148-4E78-8FF3-EDD916084490}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	10.00000000000	20.00000000000	15.00000000000	28.39227723730	-80.77839006290	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{8FF083E0-EFAA-41EE-AA8E-7334AEBA9268}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	10.00000000000	20.00000000000	10.00000000000	28.39257867730	-80.77792952000	Excellent	1.00000000000	Two trees in Woodland.	Tree is Undamaged	<Null>	Pruning	No	Yes	{45D41D3D-B932-4966-A3A9-1E8C597064F3}	Palm (Queen)	No	Syagrus romanzoffiana	2.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	25.00000000000	18.00000000000	45.00000000000	35.00000000000	28.39284165800	-80.77775464670	Excellent	1.00000000000	Predominant tree, see picture.	Tree is Undamaged	<Null>	Pruning	No	No	{C6838A3F-FBD1-4713-B63D-A04718794B60}	Maple (Red)	No	Acer rubrum	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	25.00000000000	16.00000000000	40.00000000000	35.00000000000	28.39289185100	-80.77779080930	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{E808A91D-D8F2-435B-BB15-0B0F46D9B0FD}	Maple (Red)	No	Acer rubrum	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	25.00000000000	22.00000000000	40.00000000000	40.00000000000	28.39295673010	-80.77789020610	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{532935F8-B1E5-4FF4-A642-BBF26DDFD33D}	Maple (Red)	No	Acer rubrum	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	12.00000000000	25.00000000000	15.00000000000	28.39297870310	-80.77804245620	Excellent	1.00000000000	Five trees in Woodland.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{FF56123C-119B-4879-9BD0-4951A6C01F55}	Palm (Queen)	No	Syagrus romanzoffiana	5.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	35.00000000000	28.00000000000	50.00000000000	45.00000000000	28.39338509840	-80.77835199950	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{147062F9-3C45-47F6-8595-C6A116CB86B8}	Sweetgum	No	Liquidambar styraciflua	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	20.00000000000	50.00000000000	35.00000000000	28.39320638700	-80.77976322130	Excellent	1.00000000000	Two trees in Woodland	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{751AB66F-BBF2-4D04-9D48-C24AB2DD5063}	Sycamore	No	Platanus occidentalis	2.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	22.00000000000	40.00000000000	45.00000000000	28.39325056280	-80.78063649250	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{6FD541C7-783D-4D6A-A249-ACED2DD74F05}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	26.00000000000	40.00000000000	45.00000000000	28.39322588640	-80.78042175560	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{A1929242-073B-4BC9-8131-0676ABC57F6B}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	40.00000000000	34.00000000000	50.00000000000	60.00000000000	28.39325111840	-80.78022058150	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{BC80210C-2C5F-4919-AE0B-03140FB5270B}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	24.00000000000	40.00000000000	45.00000000000	28.39331730510	-80.78002207090	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{FF8EC4DA-ADF7-4EA1-8EE6-35567B8333D1}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	22.00000000000	35.00000000000	10.00000000000	28.39339566010	-80.77975263650	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{9D143EAD-0927-4EC7-A7EA-09712BFCCA3D}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	18.00000000000	30.00000000000	45.00000000000	28.39354941600	-80.77891559980	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{ADBDFEFA-9BDC-4F06-886D-60663FC475DA}	Royal Poinciana	No	Delonix regia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	30.00000000000	40.00000000000	40.00000000000	28.39357903300	-80.77843793140	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{CE8B4C66-224A-422F-88F1-7D49B899D1A7}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	22.00000000000	40.00000000000	40.00000000000	28.39363793190	-80.77837662140	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{9D392A1D-3B97-4C0C-ABDE-DFA224ECB6D6}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	26.00000000000	40.00000000000	50.00000000000	28.39528671470	-80.77855982470	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{1BB11584-10A1-4CF6-9E99-AE92DA07F8F2}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	26.00000000000	35.00000000000	45.00000000000	28.39531586020	-80.77861619580	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{F9C332B9-4DC3-493D-A1A8-4F1594D92D1B}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	24.00000000000	40.00000000000	30.00000000000	28.39560953630	-80.77918971440	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{D20379D0-338B-4480-B97B-F9401BB5A517}	Sweetgum	No	Liquidambar styraciflua	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	25.00000000000	18.00000000000	40.00000000000	30.00000000000	28.39567918830	-80.77918759530	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{73142407-7D05-49E2-B698-A4B58859121A}	Sweetgum	No	Liquidambar styraciflua	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	25.00000000000	24.00000000000	35.00000000000	40.00000000000	28.39601253220	-80.77983304110	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{72B25029-8F14-4D45-BE42-160407343556}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	30.00000000000	45.00000000000	40.00000000000	28.39611570320	-80.77987320840	Excellent	1.00000000000	Soil upheaving under adjacent sidewalk	Tree is Undamaged	<Null>	Pruning	No	No	{AF702828-4CDD-4642-91C2-8AB01D06BE55}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000

2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	15.00000000000	6.00000000000	15.00000000000	10.00000000000	28.39614402820	-80.77947718160	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{1E428F84-77DA-4B45-9DE8-6A15F58A3EC1}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	25.00000000000	18.00000000000	40.00000000000	30.00000000000	28.39613513970	-80.77939823580	Excellent	1.00000000000	Codominant tree, see Picture.	Tree is Undamaged	<Null>	Pruning	No	No	{6C23D421-D6E0-4BA0-8D42-5C43F401DDFB}	Maple (Red)	No	Acer rubrum	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	25.00000000000	14.00000000000	35.00000000000	30.00000000000	28.39613316880	-80.77911631580	Excellent	1.00000000000	Two trees in woodland.	Tree is Undamaged	<Null>	Pruning	No	Yes	{FD2E5D14-E4A1-4C72-B05E-0FD167F20AAB}	Maple (Red)	No	Acer rubrum	2.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	28.00000000000	35.00000000000	35.00000000000	28.39616282380	-80.77782051210	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	Yes	No	{92815EA2-1F45-4E85-9AAA-46D2D5688AC9}	Camphor Tree	No	Cinnamomum camphora	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	18.00000000000	30.00000000000	30.00000000000	28.39616591680	-80.77773580550	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	Yes	No	{9E6C4ABC-375D-40C4-AA50-5DC4B770A32E}	Camphor Tree	No	Cinnamomum camphora	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	15.00000000000	10.00000000000	25.00000000000	20.00000000000	28.39621919170	-80.77711508580	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{64F81F69-4D96-4995-8416-EBF4ED273563}	Sweetgum	No	Liquidambar styraciflua	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	30.00000000000	40.00000000000	45.00000000000	28.39603059840	-80.77773952900	Excellent	1.00000000000	Codominant tree	Tree is Undamaged	<Null>	Pruning	No	No	{21E47EE3-7BCC-487A-AED9-1F6B310F4096}	Maple (Red)	No	Acer rubrum	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	30.00000000000	20.00000000000	35.00000000000	40.00000000000	28.39602648530	-80.77854889220	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{74DDAB1C-6E91-482E-8D2D-DFBBADF43376}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	15.00000000000	8.00000000000	20.00000000000	15.00000000000	28.39554082060	-80.77904588420	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{9B3D3984-38CA-4532-8C10-87D6665F2D1F}	Maple (Red)	No	Acer rubrum	1.00000000000
City Building	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	20.00000000000	8.00000000000	25.00000000000	15.00000000000	28.36061474000	-80.73457219720	Very Poor	7.00000000000	Completely dead	Tree is Damaged	Tree is Dead	Removal	No	No	380d956b-567b-48f5-9a70-79ea56e063ca	Holly (East Palatka)	No	Ilex x attenuata	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	20.00000000000	8.00000000000	15.00000000000	0.00000000000	28.39002635800	-80.74369412080	Very Poor	7.00000000000	Dead palm, needs removal	Tree is Damaged	Tree Is Dead	Removal	No	No	9d1bf111-5d79-49ce-8d7e-23a1a8281ce8	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	20.00000000000	6.00000000000	35.00000000000	0.00000000000	28.39044569030	-80.74287065860	Very Poor	7.00000000000	Dead, needs removal	Tree is Damaged	Tree Is Dead	Removal	No	No	63320dae-df76-49d6-94c0-317aa338cb65	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	16.00000000000	15.00000000000	10.00000000000	28.38811917220	-80.75545490770	Very Poor	7.00000000000	See pics, Tree Is Dead	Tree Is Damaged	Stump/Trunk	Removal	No	No	bde7f7c8-b406-4740-98ea-e4afe5a316a0	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	8.00000000000	15.00000000000	5.00000000000	28.38811179650	-80.75583988790	Very Poor	7.00000000000	Trunk Damage, Signs of Decay	Tree is Damaged	Trunk has decay, only 20% of canopy alive	Removal	No	No	1ec8cd33-6e1b-49b4-8b5c-08e338f08f04	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	4.00000000000	20.00000000000	15.00000000000	28.38111007130	-80.75043034640	Very Poor	7.00000000000	Dead, Neds Removal	Tree is Damaged	Dead, Needs Removal	Removal	No	No	{B33DF877-BE37-4AE2-A174-B6C36DBF6CD5}	Red Cedar	No	Juniperus virginiana	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	10.00000000000	6.00000000000	5.00000000000	5.00000000000	28.39251547890	-80.78256999220	Very Poor	7.00000000000	Poor condition, consider replacement	Tree Is Damaged	Previously taken to just stump, resprouting	No Maintenance Required	No	No	{0A2DB9BD-0037-4CD7-8F52-2BC20845E1EF}	Golden Raintree	No	Koelreuteria paniculata	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	5.00000000000	8.00000000000	10.00000000000	10.00000000000	28.35366975970	-80.73520389430	Very Poor	6.00000000000	Dead cabbage palm	Tree is Damaged	Dead, brown fronds and trunk	Removal	No	No	4ef806b9-e874-40b8-b918-a37f76dfb7a9	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	20.00000000000	10.00000000000	30.00000000000	15.00000000000	28.37441256170	-80.73508941830	Very Poor	6.00000000000	Poor Shape, Nearly Dead; Leaning into Roadway	Tree is Damaged	Rot and decay	Removal	No	No	64cce7b8-a526-414e-85b7-90ea8d68558e	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	40.00000000000	22.00000000000	45.00000000000	30.00000000000	28.39349752110	-80.74494572830	Very Poor	6.00000000000	In yard but mostly dead, overhanging road	Tree is Damaged	Tree is Dead	Removal	No	No	3c6fff81-c9e5-4fc0-a24c-a31250ed8b13	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	12.00000000000	10.00000000000	15.00000000000	28.39630519010	-80.75949179910	Very Poor	6.00000000000	Tree is Dead, Top Snapped Off, Just Trunk	Tree is Damaged	Stump/Trunk	Remove Trunk	No	No	{92A6AB4D-4442-48D9-9A42-83918A223759}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	12.00000000000	20.00000000000	10.00000000000	28.39546529150	-80.77771919830	Very Poor	6.00000000000	Two dead trees in Woodland.	Tree is Damaged	Stump/Trunk	Remove Trunks	No	Yes	{71FB3AC6-090C-432D-82B1-989025C76E55}	Palm (Queen)	No	Syagrus romanzoffiana	2.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	15.00000000000	20.00000000000	30.00000000000	10.00000000000	28.39654017710	-80.77215492750	Very Poor	5.00000000000	Dead Tree, Needs Removal	Tree Is Damaged	Stump/Trunk	Removal	No	No	{90F49D7A-131D-4681-A0D4-30C3A6650F80}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	14.00000000000	10.00000000000	0.00000000000	28.35970917560	-80.73356772260	Very Poor	5.00000000000	Dead Tree With Debris on Ground, Needs Removal	Tree is Damaged	Tree is Dead	Removal	Yes	No	{5D5B6D97-BA02-4D4D-BB9A-204665A5946F}	Pine (Australian)	No	Casuarina equisetifolia	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	25.00000000000	12.00000000000	0.00000000000	0.00000000000	28.35465994530	-80.73038683670	Very Poor	4.00000000000	See pic; dead stump, needs removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	37cea1c0-ea25-4473-a27f-ef602c1ea2ef	Red Cedar	No	Juniperus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	16.00000000000	10.00000000000	0.00000000000	28.39199010250	-80.75872301100	Very Poor	4.00000000000	Stump That Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{BAAB84BD-2DA2-46C1-A220-4AF39FF0EE37}	N/A (Stump)	No	N/A (Stump)	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	12.00000000000	40.00000000000	5.00000000000	28.40082534120	-80.76887391530	Very Poor	4.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{B3016B6E-7653-4251-9F36-3F5C670A749D}	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	14.00000000000	35.00000000000	15.00000000000	28.40072983500	-80.76886922250	Very Poor	4.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{3753AAE0-AF6F-44AD-9FDC-63D37B8CE09D}	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	14.00000000000	20.00000000000	10.00000000000	28.39545492520	-80.77698497380	Very Poor	4.00000000000	Dead Trunk, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{A2B29C06-54B6-4511-A0AE-4AE144866251}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	15.00000000000	12.00000000000	15.00000000000	0.00000000000	28.36028379310	-80.74511496280	Very Poor	3.00000000000	Dead palm trunk. Directly under power lines, needs removal	Tree Is Damaged	Stump	Remove Stump	No	No	102a501f-485a-4869-935d-7599fd845db5	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	10.00000000000	8.00000000000	20.00000000000	20.00000000000	28.38850520070	-80.78777619640	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{950C8A8C-E95D-4C3D-9BB1-88CB78773C06}	Pine (Slash)	No	Pinus elliottii	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	8.00000000000	30.00000000000	20.00000000000	28.38802106560	-80.78773675040	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{E7B29CFB-B138-494D-BC3A-6544126508D3}	Pine (Slash)	No	Pinus elliottii	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	20.00000000000	15.00000000000	28.38729850230	-80.78772135240	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{A6F520AA-BE5B-4F33-AA30-C028F250066C}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	acarroll_sfc	9/29/2020	acarroll_sfc	9/29/2020	15.00000000000	8.00000000000	15.00000000000	10.00000000000	28.35750346390	-80.73363002340	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{5BEBB25C-5D3A-4F51-B4AC-916BA29AFBEB}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Median	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.38273778120	-80.77264493330	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree is Dead	Removal	No	No	{7356D8DC-9EEF-4BCD-9C37-AF34A528B318}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	8.00000000000	15.00000000000	0.00000000000	28.36806211650	-80.75455653490	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree Is Dead	Removal	No	No	{B0AA3A91-74ED-4EC5-B6B9-9C55DC00EFD4}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	30.00000000000	28.00000000000	10.00000000000	0.00000000000	28.36940032900	-80.75550067230	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{980EB6CB-8C9C-46A5-BE14-C58E1DC6B7E2}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	15.00000000000	12.00000000000	5.00000000000	5.00000000000	28.40107568520	-80.74431573080	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{29508705-86F4-4831-AB68-2CB1FC0730A6}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	20.00000000000	14.00000000000	15.00000000000	10.00000000000	28.40210622400	-80.74257587820	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{F12D774F-FACC-4548-883C-2B4B33DED582}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	12.00000000000	5.00000000000	0.00000000000	28.39095154290	-80.78079465800	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{A8EBBB7F-C43F-42C4-B97E-D8C7EF0A23AA}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	30.00000000000	18.00000000000	35.00000000000	15.00000000000	28.35545871610	-80.73228686420	Very Poor	2.00000000000	Bizmark stump	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	f5b6bc90-b19d-47b1-9d94-803c94c27919	Palm (Bismarck)	No	Bismarckia nobilis	1.00000000000
City Park	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	20.00000000000	10.00000000000	0.00000000000	0.00000000000	28.35888270100	-80.73130859620	Very Poor	2.00000000000	3 stumps and 1 BP. To be removed	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	b11484c9-65d7-4d53-9461-416912340a10	Hickory (Pignut)	No	Carya glabra	1.00000000000
2-4 Ft ROW	shendley_sfc	9/13/2020	shendley_sfc	9/13/2020	20.00000000000	8.00000000000	5.00000000000	0.00000000000	28.35087389180	-80.73356707580	Very Poor	2.00000000000	Tree is cut; stump needs removal	Tree Is Damaged	Stump/Trunk	Remove Stump	No	No	7148642b-82af-4f80-a4ad-74d5e933ea8a	Sycamore	No	Platanus occidentalis	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/16/2020	sbourgoin_sfc	9/16/2020	20.00000000000	14.00000000000	25.00000000000	15.00000000000	28.36619344110	-80.74705959530	Very Poor	2.00000000000	Completely dead needs removal	Tree is Damaged	Tree is Dead	Removal	No	No	1c15f2d9-a065-4aab-8ccf-5cd17f805c7a	Pine (Longleaf)	No	Pinus palustris	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	20.00000000000	10.00000000000	5.00000000000	0.00000000000	28.38738969540	-80.76376179260	Very Poor	2.00000000000	Stump	Tree Is Undamaged	<Null>	Remove Stump	No	No	{57F1FA2A-BD75-400B-8276-6ED829F7A80C}	Bottlebrush (Weeping)	No	Melaleuca viminalis	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	16.00000000000	0.00000000000	0.00000000000	28.39889285130	-80.76775526670	Very Poor	2.00000000000	Stump That Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{20ACB205-116A-418E-A68F-74403C577CD5}	N/A (Stump)	No	N/A (Stump)	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	35.00000000000	18.00000000000	10.00000000000	5.00000000000	28.35695927990	-80.73346942710	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{F6DC1A1A-AB89-41C0-8372-8E2460A0F823}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	55.00000000000	28.00000000000	50.00000000000	60.00000000000	28.36019909440	-80.73430334220	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{C9E5553C-5EC9-4DA4-9A4E-6D214065BBD5}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	25.00000000000	16.00000000000	40.00000000000	20.00000000000	28.35963514510	-80.73353318230	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree is dead, see picture.	Removal	Yes	No	{6EE83020-5AB6-449A-ADA6-8EA7F2292927}	Pine (Australian)	No	Casuarina equisetifolia	1.00000000000
Cemetary	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	30.00000000000	18.00000000000	0.00000000000	0.00000000000	28.36875127660	-80.75586536950	Very Poor	2.00000000000	Old stump. Rotting	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{35627E43-0723-448B-BD9B-8911F4A8D205}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	16.00000000000	10.00000000000	5.00000000000	28.36835598580	-80.75473439860	Very Poor	2.00000000000	Stump	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{15DA5336-B17B-479C-929E-A36072E8D6D0}	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	10.00000000000	4.00000000000	15.00000000000	5.00000000000	28.38348674870	-80.77803819550	Very Poor	2.00000000000		Tree is Damaged	Tree is Dead	Removal	No	No	{1BAEAF65-A73A-4AAD-B2B5-156CBE656BE0}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	12.00000000000	0.00000000000	0.00000000000	28.39103175120	-80.78077820530	Very Poor	2.00000000000	Two stumps in Woodland.	Tree is Damaged	Stump/Trunk	Remove Stump	No	Yes	{E37E5873-D334-4D04-8F44-04B030B00B88}	N/A (Stump)	No	N/A (Stump)	2.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	12.00000000000	15.00000000000	0.00000000000	28.39120392220	-80.78055795280	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{88B0584D-929C-4C3A-B4CE-733862991F2F}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	10.00000000000	20.00000000000	0.00000000000	28.39127525250	-80.78042099290	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{63356FB1-094E-4FD5-9573-2F45BA64F029}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	12.00000000000	25.00000000000	10.00000000000	28.39152758910	-80.77998370830	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{B19D23DB-8B93-431A-ACD0-7BE247CC2E33}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.39102319340	-80.77973278460	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{EC4E220A-D753-48A0-B655-12FD268FB25D}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	8.00000000000	30.00000000000	25.00000000000	28.39072632140	-80.78034228610	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{66C46A3C-08E9-491C-B001-175D6B738570}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.39078610070	-80.78101954130	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{CBF7C1CA-BA64-4423-B044-09F778651EDE}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	5.00000000000	4.00000000000	15.00000000000	5.00000000000	28.39078144680	-80.78100083840	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{8C262DC2-611C-4171-875C-EE4247717BF5}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35702616760	-80.73350831880	Very Poor	1.00000000000	Stump that has resprouted	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{B77C4B93-AF85-4AD0-9BD7-C050A6AD16C9}	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
City Park	acarroll_sfc	9/15/2020	acarroll_sfc	9/15/2020	20.00000000000	10.00000000000	25.00000000000	10.00000000000	28.35420867420	-80.74326518970	Poor	6.00000000000	See pic	Tree is Undamaged	<Null>	Removal	No	No	cdb648ac-bce2-4124-b380-995ad4b2eee9	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
City Park	sbourgoin_sfc	9/18/2020	sbourgoin_sfc	9/18/2020	5.00000000000	8.00000000000	15.00000000000	10.00000000000	28.37679872970	-80.76179704140	Poor	6.00000000000	tree not completely dead, but 50 percent of branches without leaves; seems to have a web work infestation see pics	Tree is Damaged	Large chunk of middle bark missing	Removal	No	No	e8617e60-7f0e-4fef-8965-1e60586e0c86	Oak (Live)	No	Quercus virginiana	1.00000000000
City Building	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	20.00000000000	10.00000000000	25.00000000000	10.00000000000	28.36120423840	-80.73457651270	Poor	5.00000000000	Majority of tree is dead. Recommend removal	Tree is Damaged	Tree is Dead	Removal	No	No	b7742f99-fba6-40f2-996f-ae824c895a11	Holly (East Palatka)	No	Ilex x attenuata	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	15.00000000000	6.00000000000	20.00000000000	10.00000000000	28.37505849060	-80.76122660220	Poor	5.00000000000	Severe leaf loss	Tree is Damaged	Severe leaf loss, obvious damage to tree	Removal	No	No	1b4a0557-5f26-41f9-9019-11038d4fee85	Holly (American)	No	Ilex opaca	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	14.00000000000	20.00000000000	15.00000000000	28.38814578530	-80.75573913730	Poor	5.00000000000	High percentage of deadwood in canopy, multiple limb breaks	Tree is Damaged	Recent limb breaks, copious deadwood	Pruning	No	No	bb7b3673-838d-4293-95a6-0bfced1b9db4	Box Elder	No	Acer negundo	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	20.00000000000	16.00000000000	35.00000000000	20.00000000000	28.38825967710	-80.78775262730	Poor	5.00000000000	Severe damage to trunk, wood rot	Tree is Damaged	Wood rot in trunk	Removal	No	No	{0E823A48-2112-4497-9276-C59EF128FB03}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	16.00000000000	20.00000000000	15.00000000000	28.35703777640	-80.73279946090	Poor	5.00000000000	Try cleaning deadwood first before removing. Co dom w included bark	Tree is Damaged	Tree Is Dead	Removal	No	No	{AE4C2C59-5208-4610-B8B3-58DC8CCBB65E}	Hickory (Pignut)	No	Carya glabra	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	8.00000000000	6.00000000000	20.00000000000	10.00000000000	28.39916023430	-80.77080259110	Poor	4.00000000000	Remove	Tree is Damaged	Cambium layer weed whacked repeatedly	Removal	No	No	{E356A27F-155E-41C7-AE39-BE2D3B1F3306}	Holly (Dahoon)	No	Ilex cassine	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35120694720	-80.72616601960	Poor	3.00000000000	Canopy broken and mostly leafless	Tree Is Damaged	Canopy topped	No Maintenance Required	No	No	cd35ada1-bbfe-4763-97e7-f10ed59cf265	Tabebuia	No	Tabebuia spp.	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	5.00000000000	8.00000000000	10.00000000000	10.00000000000	28.35114616070	-80.72621493110	Poor	3.00000000000	Canopy broken and mostly leafless	Tree Is Damaged	Crown broke	No Maintenance Required	No	No	bf3469ee-9835-42d5-b45e-81997412c6ae	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	20.00000000000	14.00000000000	20.00000000000	10.00000000000	28.37552867380	-80.76525779480	Poor	2.00000000000	See pic	Tree is Damaged	Needs pruning of multiple dead limbs for a chance	Pruning	Yes	No	7c237f9f-a267-4710-92e8-f4454a1b5c7f	Indian Rosewood	No	Dalbergia sissoo	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	30.00000000000	12.00000000000	35.00000000000	15.00000000000	28.36061274170	-80.73415800010	Poor	2.00000000000	Unnatural form. Fine for SLO.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{AB73F2B7-444C-4EB9-9B64-0ED15E67861B}	Oak (Sand Live)	No	Quercus geminata	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	40.00000000000	18.00000000000	25.00000000000	40.00000000000	28.36486055300	-80.73437332990	Fair	7.00000000000		Tree Is Damaged	Missing mult limbs due to rot and pruning. Central leader still intact but rotting likely to fall	Removal	No	No	035599b7-6ba4-4a35-bf49-3b2cb056e780	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	60.00000000000	32.00000000000	45.00000000000	25.00000000000	28.38155051730	-80.73657843430	Fair	7.00000000000	Lg oak directly next to road. Evidence of prev pruning. Lg dead limbs overhanging road, needs additional consult	Tree is Damaged	Multiple large dead limbs	Pruning	No	No	788c2f34-9024-4f34-aeb1-4b0ff7cb1825	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	40.00000000000	24.00000000000	45.00000000000	25.00000000000	28.37482115740	-80.76184862270	Fair	7.00000000000	Remove. Co Dom and over pruned. Trunk rot. See pictures	Tree is Damaged	Trunk Rot	Removal	No	No	042c8a89-8f42-45a7-932d-209dbeb2a45b	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	18.00000000000	50.00000000000	35.00000000000	28.37785729230	-80.74507031560	Fair	7.00000000000	Water oak, dead branch over road way	Tree is Damaged	Crown broke	Pruning	No	No	{BC25B713-2163-4046-9747-9A4FC6AC84A3}	Oak (Water)	No	Quercus nigra	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	30.00000000000	26.00000000000	40.00000000000	35.00000000000	28.39283805840	-80.76054104570	Fair	7.00000000000	Tree has sparse canopy with many bare branches, see pictures.	Tree is Damaged	Bare branches/canopy	Pruning	No	No	{03C14FE5-C859-4706-923E-676D89DB62A9}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	6.00000000000	10.00000000000	5.00000000000	28.35700282350	-80.73356992610	Fair	7.00000000000	See pic	Tree is Damaged	Tree Is Dead	Removal	No	No	{58F800C4-0AC0-464A-80AB-BBA329198225}	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	6.00000000000	10.00000000000	5.00000000000	28.35528643810	-80.72750413570	Fair	6.00000000000	See pic	Tree is Damaged	Dying, needs H2O	Removal	No	No	060c3393-62c2-403b-bd0f-860973469609	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	15.00000000000	12.00000000000	15.00000000000	20.00000000000	28.35402286250	-80.72669429640	Fair	6.00000000000	See picture	Tree Is Damaged	Crown broken	No Maintenance Required	No	No	3b083e80-5b3e-4bd5-bd2b-7af3cfdbe027	Red Cedar	No	Juniperus virginiana	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	10.00000000000	10.00000000000	20.00000000000	20.00000000000	28.36394391950	-80.74302337130	Fair	6.00000000000	Large trunk damage	Tree Is Damaged	Trunk is Cracked and Split for Its Entirety	Removal	No	No	63aa69e1-249e-489e-8fec-7ee7362c9bda	Sycamore	No	Platanus occidentalis	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/16/2020	sbourgoin_sfc	9/16/2020	20.00000000000	10.00000000000	30.00000000000	25.00000000000	28.37128400850	-80.74462001170	Fair	6.00000000000	Tree is nearly dead, probably 40 percent of branches with leaves; needs at least pruning, possibly removal	Tree is Damaged	High Proportion of Branches Dead	Pruning	No	No	f91261d9-9f85-42e9-9f78-aa7a782adf5e	Green Ash	No	Fraxinus pennsylvanica	1.00000000000
4+ Ft ROW	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	40.00000000000	24.00000000000	40.00000000000	45.00000000000	28.39816863550	-80.74960865740	Fair	6.00000000000	Overhang	Tree is Damaged	Hit by vehicle	No Maintenance Required	No	No	4a56135e-24de-4fba-b0f3-08359e5707ef	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	20.00000000000	16.00000000000	35.00000000000	40.00000000000	28.37463553980	-80.76391794760	Fair	6.00000000000	This tree has a co-dominance stem with included bark also overhangs the road also has soil heaving. Also has bark beetles. Minor bark beetles. See pictures	Tree is Damaged	Minor bark beetles	No Maintenance Required	No	No	b5b0fef6-9771-4532-b50e-4d81cd696a64	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	10.00000000000	6.00000000000	20.00000000000	10.00000000000	28.38810714400	-80.75727310950	Fair	6.00000000000	Heavy signs of bark beetle infestation	Tree is Damaged	Pest Infestation	No Maintenance Required	No	No	d601b313-3efe-42d1-82f5-832a90f6c213	Green Ash	No	Fraxinus pennsylvanica	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	16.00000000000	15.00000000000	20.00000000000	28.39544013590	-80.75904185900	Fair	6.00000000000	Tree appears to be dying with bare branches. See picture.	Tree is Damaged	Branches are Dying Off	Pruning	No	No	{50398963-9B6C-42E0-9FE6-AF91BDD37434}	Bottlebrush (Weeping)	No	Melaleuca viminalis	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	8.00000000000	15.00000000000	15.00000000000	28.39721316040	-80.77160247610	Fair	6.00000000000	Trim back hard	Tree Is Undamaged	<Null>	Pruning	Yes	No	{06490509-BE0F-44E0-AF4B-31F9569E62B2}	Camphor Tree	No	Cinnamomum camphora	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	8.00000000000	20.00000000000	15.00000000000	28.35712084050	-80.73344344240	Fair	6.00000000000	The canopy has been broken off. Bark beetles present in the canopy. Deadwood throughout. See picture	Tree is Damaged	Canopy has been broken off	Pruning	No	No	{BACA6C9D-F7F4-44F3-A16B-E6E6525412DA}	Sugarberry	No	Celtis laevigata	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	40.00000000000	20.00000000000	50.00000000000	20.00000000000	28.36061601040	-80.73421910450	Fair	6.00000000000	Deadwood at the top of the canopy. Sparse canopy. Bark peeling. Decay in lowest point of trunk.	Tree is Damaged	Deadwood and Peeling Bark	Pruning	No	No	{8EAFBCE8-3712-4061-B595-38C4579F5B35}	Oak (Sand Live)	No	Quercus geminata	1.00000000000
Median	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	35.00000000000	18.00000000000	40.00000000000	20.00000000000	28.34926456580	-80.74507902570	Fair	5.00000000000	See pics. Damaged	Tree is Damaged	Mechanical Damage and Potential Rot at Base	Pruning	No	No	6d9dc418-0830-4fa2-9284-ac99e520e57f	Maple (Red)	No	Acer rubrum	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	20.00000000000	16.00000000000	25.00000000000	25.00000000000	28.36483498630	-80.73419860670	Fair	5.00000000000		Tree Is Damaged	Mechanical damage at base see pics	No Maintenance Required	Yes	No	4ab213a9-17a8-45e9-b82b-090433acb0a2	Chinaberry	No	Melia azedarach	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	15.00000000000	10.00000000000	30.00000000000	20.00000000000	28.38431299220	-80.73913266000	Fair	5.00000000000	Overhang	Tree Is Damaged	Lightning	No Maintenance Required	No	No	5bae7c63-65bc-4b4c-aba4-c7d31271810f	Sugarberry	No	Celtis laevigata	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	10.00000000000	20.00000000000	15.00000000000	28.38812960800	-80.75560444030	Fair	5.00000000000	High percentage of deadwood in canopy, multiple limb breaks	Tree is Damaged	Recent limb breaks, copious deadwood	Pruning	No	No	2ee43f2d-8efc-48d3-b90b-e8b67ccfb9bb	Box Elder	No	Acer negundo	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	30.00000000000	18.00000000000	25.00000000000	25.00000000000	28.39032768990	-80.78335793950	Fair	5.00000000000	Minor soil heaving on curb and sidewalk. The crown was broken in this tree. And the sides are now growing out to make it fall in the canopy. Minor bark beetles present. See pictures. Multiple stems extending from a central location.	Tree Is Undamaged	<Null>	Pruning	No	No	{898CAFB2-3ECE-424E-ABBE-EA0929457A2D}	Maple (Red)	No	Acer rubrum	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	30.00000000000	20.00000000000	35.00000000000	20.00000000000	28.35699553170	-80.73361485270	Fair	5.00000000000	Lots of vines on canopy. Deadwood within canopy. Lots of decaying scaffolding. Toward the back of the cemetery and not much risk of injury. There is a fence target nearby. And graves.	Tree is Damaged	Branches contain decay	Pruning	No	No	{110D2DD3-E453-460D-8C91-DC008B59B80E}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35702268850	-80.73344126310	Fair	5.00000000000	Lots of deadwood. Vines growing. See picture. Florida privet	Tree is Undamaged	<Null>	Pruning	No	No	{3DF41125-9937-4B2F-B841-F77FE19B0300}	Privet (Florida)	No	Forestiera segregata	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	10.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35761562420	-80.73307111860	Fair	5.00000000000	Species is red bay	Tree is Damaged	Chlorotic leaves, dead branches	No Maintenance Required	No	No	{973AD2BD-CF5F-4C63-8953-1831FFB6A0DA}	Bay	No	Persea palustris	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	12.00000000000	15.00000000000	10.00000000000	28.35950482670	-80.73428338070	Fair	5.00000000000		Tree is Damaged	Half of tree is dead, see picture.	No Maintenance Required	No	No	{A5A80953-7423-4830-B4B9-CB49F9CE4AC8}	Arborvitae	No	Thuja occidentalis	1.00000000000
2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	3.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35366966090	-80.72927017420	Fair	4.00000000000	See photo	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	2328ded0-bb32-4338-ac3d-cd2e428802ae	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
Median	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	15.00000000000	8.00000000000	15.00000000000	5.00000000000	28.34927533190	-80.74307763490	Fair	4.00000000000	2 palms. Unhealthy. See pics	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	976b9498-f2da-4078-98a6-c1ac74f54e39	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
4+ Ft ROW	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	22.00000000000	16.00000000000	25.00000000000	30.00000000000	28.35478254130	-80.72673213700	Fair	4.00000000000	Parking lot very little foliage	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	3140e591-9ff6-4f6e-8467-8c1008accedd	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	5.00000000000	6.00000000000	10.00000000000	10.00000000000	28.36371706370	-80.74298053960	Fair	4.00000000000	Small hole in trunk	Tree Is Damaged	Small Hole in Trunk, May Close Up	No Maintenance Required	No	No	e37d9b02-14f7-4b57-b8a2-e98aa0f61b75	Sycamore	No	Platanus occidentalis	1.00000000000
City Building	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	25.00000000000	16.00000000000	35.00000000000	30.00000000000	28.36080468400	-80.73807965300	Fair	4.00000000000		Tree is Damaged	Either mech or lightning damage to trunk; many branches seem dead, remaining leaves are suffering	Removal	No	No	ea477734-34a4-47f6-b6f3-594844e3dbb6	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	20.00000000000	14.00000000000	10.00000000000	10.00000000000	28.37271717360	-80.74467862950	Fair	4.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	34c90256-657b-4d10-b2d4-179390fc1c84	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
City Park	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	12.00000000000	10.00000000000	20.00000000000	15.00000000000	28.38168577190	-80.76364231310	Fair	4.00000000000	Some bark loss and multiple dead branches	Tree is Damaged	Bark and branch loss	No Maintenance Required	No	No	3e2839ae-30c5-4e17-a96d-193921f8edd8	Maple (Red)	No	Acer rubrum	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	20.00000000000	20.00000000000	25.00000000000	15.00000000000	28.37414888640	-80.76223058630	Fair	4.00000000000	Some large limbs previously pruned	Tree is Undamaged	<Null>	No Maintenance Required	No	No	41806838-1739-42ca-9f71-98e778c556cd	Bottlebrush (Weeping)	No	Melaleuca viminalis	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	15.00000000000	14.00000000000	20.00000000000	25.00000000000	28.37414067260	-80.76261808180	Fair	4.00000000000	Co-dominant tree, weak attachement of trunks at base; needs removal of a trunk	Tree is Damaged	Tree has Unnatural growth and weak base attachment	Pruning	No	No	936de601-7b68-49d8-bc42-d5e8fffb5f7c	Maple (Red)	No	Acer rubrum	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	30.00000000000	24.00000000000	50.00000000000	45.00000000000	28.38520645320	-80.76522934600	Fair	4.00000000000	Tree has 3 inch deep cut in trunk of the tree, see pictures. Tree has another 3 inch hole, see picture. Tree has overhanging branches over road, see picture.	Tree is Damaged	Cut In Trunk	No Maintenance Required	No	No	fa9e59b3-f768-4517-93ce-585e20b8f6ea	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	35.00000000000	16.00000000000	30.00000000000	15.00000000000	28.38963604470	-80.78271833460	Fair	4.00000000000	This tree looks owner maintained and owner pruned. It is near green electrical box target and a waterline see pictures.	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{218B0157-AFEA-4D39-900E-009981AD5C6F}	Maple (Red)	No	Acer rubrum	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	40.00000000000	20.00000000000	25.00000000000	25.00000000000	28.39473146360	-80.78195103140	Fair	4.00000000000	See pics. Bark beetles.	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{9312E47A-59A9-41C9-9F8F-3227B9192533}	Maple (Silver)	No	Acer saccharinum	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	25.00000000000	20.00000000000	30.00000000000	25.00000000000	28.39472408110	-80.78189990470	Fair	4.00000000000	Over hang and bark beetles.	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{E319197A-63C9-45BE-ADF7-4177771F351B}	Maple (Silver)	No	Acer saccharinum	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	25.00000000000	16.00000000000	35.00000000000	45.00000000000	28.35724955860	-80.73296058630	Fair	4.00000000000		Tree is Damaged	Crown damage, broken/dead limbs	No Maintenance Required	No	No	{D25BA6E7-8490-4715-822D-1D32F903A435}	Jacaranda	No	Jacaranda mimosifolia	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	30.00000000000	20.00000000000	35.00000000000	40.00000000000	28.35952643120	-80.73343624150	Fair	4.00000000000	Bark missing from base of trunk	Tree is Damaged	Trunk Damage	No Maintenance Required	No	No	{1BA03A16-9A32-4194-835F-65A608A6ECA0}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	50.00000000000	30.00000000000	45.00000000000	30.00000000000	28.36878933130	-80.75475628880	Fair	4.00000000000	Co-dom forks. Many stems coming from a central location. Deadwood In canopy. Prune, reduce co-dominant forks	Tree Is Undamaged	<Null>	Pruning	No	No	{7C1C9E25-7AE3-423C-9355-7A3AB1516E84}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
City Park	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	10.00000000000	14.00000000000	25.00000000000	15.00000000000	28.38966730970	-80.74328153360	Fair	3.00000000000		Tree is Damaged	Mistletoe	No Maintenance Required	No	No	1d5ee857-5f30-4e30-8acb-e0ab5d5591af	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
City Park	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	12.00000000000	10.00000000000	30.00000000000	10.00000000000	28.38724854370	-80.75966270630	Fair	3.00000000000	See pic	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	7db372bd-ad65-4bf2-a99c-c40b9744adbd	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	20.00000000000	14.00000000000	25.00000000000	15.00000000000	28.35827905770	-80.73213278520	Fair	3.00000000000	Next to water tower; tough to measure duh covered with vines	Tree is Damaged	Covered with vines, restricting sunlight and nutrients to tree	Vine Removal	No	No	09c19dff-648b-4bc3-acc3-4d259f7d5b33	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	25.00000000000	8.00000000000	30.00000000000	10.00000000000	28.40263694950	-80.74600148860	Fair	3.00000000000		Tree is Damaged	Insect	No Maintenance Required	No	No	80efa2df-be1f-4bfb-8e62-28eba8f4e3e5	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	10.00000000000	4.00000000000	10.00000000000	5.00000000000	28.37326120090	-80.75323873240	Fair	3.00000000000	See pics	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	fbbb878b-7740-4321-a348-117f795b8045	Red Cedar	No	Juniperus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	14.00000000000	25.00000000000	30.00000000000	28.37313945380	-80.75703305180	Fair	3.00000000000	Signs of previous pruning	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	7fccc4d2-66ee-4495-b220-9848e1c3dc68	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	8.00000000000	30.00000000000	15.00000000000	28.36064853210	-80.73380302640	Fair	3.00000000000	This tree has an extreme amount of deadwood. The tree is dying.	Tree is Damaged	Copious Deadwood	Removal	No	No	{564840C7-715F-4CF5-9C66-78D79D368402}	Sugarberry	No	Celtis laevigata	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	15.00000000000	6.00000000000	20.00000000000	5.00000000000	28.36780439560	-80.75477134000	Fair	3.00000000000	Tree form.	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{EB3EA535-6587-411A-88CB-557D656FFBDF}	Pine (Plum)	No	Podocarpus spp.	1.00000000000
4+ Ft ROW	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	30.00000000000	12.00000000000	15.00000000000	30.00000000000	28.40094754960	-80.74489991150	Fair	3.00000000000	Button wood	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{04FAB51D-B7D4-40AC-99B6-5670CE7226E3}	Silver Buttonwood	No	Conocarpus erectus var. sericeus	1.00000000000
4+ Ft ROW	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.40176428220	-80.74471509120	Fair	3.00000000000	Lead tree	Tree Is Undamaged	<Null>	No Maintenance Required	Yes	No	{535573ED-CDF9-499B-91E8-7E250837CE92}	Lead Tree	No	Leucaena leucocephala	1.00000000000
4+ Ft ROW	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	10.00000000000	6.00000000000	10.00000000000	10.00000000000	28.36430683890	-80.74567686980	Fair	2.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	3fea2f21-f5db-482d-8647-a1d185db20d6	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	10.00000000000	4.00000000000	5.00000000000	10.00000000000	28.35691992690	-80.73309249220	Good	10.00000000000	Shrub form. 1 dead. Needs replace. Remove NE	Tree is Damaged	Tree Is Dead	Removal	No	Yes	{B2786299-994D-439E-A3DD-73E68708224D}	Viburnum	No	Viburnum spp.	2.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	20.00000000000	25.00000000000	15.00000000000	28.36064258130	-80.73415649100	Good	10.00000000000	Chinaberry is been previously pruned and has grown back. Tree needs to be removed. And the stump ground	Tree is Damaged	Tree Is Dead	Removal	Yes	No	{7C128A9D-F237-4B67-A4AA-388C4C0DC979}	Chinaberry	No	Melia azedarach	1.00000000000
City Park	sbourgoin_sfc	9/10/2020	sbourgoin_sfc	9/10/2020	25.00000000000	12.00000000000	30.00000000000	20.00000000000	28.35433934780	-80.72505430150	Good	7.00000000000	Red cedar	Tree Is Damaged	Thinning in crown.	Pruning	No	No	abaa5aa9-5a78-4a8c-9135-d9a84bd4d9a7	Red cedar	No	Juniperus virginiana	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	40.00000000000	20.00000000000	60.00000000000	40.00000000000	28.36485755400	-80.73384140240	Good	7.00000000000	Potential for damage with weak codominant attachment at trunk; limbs over power lines	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	f3a5c676-a1b1-42d0-bdb4-f607f55f2be7	Oak (Bluejack)	No	Quercus incana	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	25.00000000000	16.00000000000	40.00000000000	25.00000000000	28.36395930050	-80.74300895420	Good	7.00000000000	See pics. Power line near tree	Tree Is Damaged	Severe lean off property	Pruning	No	No	51389bfd-5f81-4d77-a9a3-5f842d8c5f06	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
													This tree has a double codominant forks and an unnatural form in the crown. See pictures.										

2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	20.00000000000	14.00000000000	30.00000000000	15.00000000000	28.38860552530	-80.78774156540	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{F376CA05-2C23-4660-84F4-9B1BDAA832C5}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	25.00000000000	18.00000000000	50.00000000000	30.00000000000	28.38855796500	-80.78772732980	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{572D4A5C-C126-490E-BF40-C430AABC5601}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	8.00000000000	30.00000000000	25.00000000000	28.38853349620	-80.78776479140	Excellent	1.00000000000	Two trees in Woodland. Measurements given for smaller tree. Larger tree has DBH a 14 height 45 foot spread 30 foot.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{73DFD8D2-B125-4003-AEA0-31BC05082089}	Pine (Slash)	No	Pinus elliottii	2.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	20.00000000000	12.00000000000	20.00000000000	15.00000000000	28.38849330850	-80.78771620240	Excellent	1.00000000000	Three trees in Woodland.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{B9F3AD1C-DF2A-49FB-92B3-EE54D2B9FC3B}	Palm (Cabbage)	No	Sabal palmetto	3.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	20.00000000000	16.00000000000	45.00000000000	40.00000000000	28.38851672630	-80.78780008530	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{5C7D2088-9C33-4FDA-A951-2897A544F436}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	10.00000000000	40.00000000000	25.00000000000	28.38847318690	-80.78775534830	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{A514FE64-32B3-4DC0-96CA-264BEFBC81BB}	Pine (Slash)	No	Pinus elliottii	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	35.00000000000	35.00000000000	28.38840624880	-80.78776444370	Excellent	1.00000000000	Two trees in Woodlands, they are both live oaks.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{091E1104-3F86-4281-A127-82B67FA31FB5}	Oak (Live)	No	Quercus virginiana	2.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	25.00000000000	20.00000000000	25.00000000000	20.00000000000	28.38819772940	-80.78766998760	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{A47CD9F4-E120-4849-947F-B6F363375A86}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	20.00000000000	35.00000000000	30.00000000000	28.38813968340	-80.78776986050	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{B1E5892D-D65C-42F7-9773-F7AF3707D7E6}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	45.00000000000	30.00000000000	28.38807269450	-80.78778801460	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{A16CBE03-01DC-419A-A253-534E845F71E2}	Pine (Slash)	No	Pinus elliottii	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	20.00000000000	14.00000000000	25.00000000000	20.00000000000	28.38807051560	-80.78776052260	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{431E73EA-C91D-4867-BBB2-8FD49A07F754}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	25.00000000000	18.00000000000	25.00000000000	20.00000000000	28.38797039370	-80.78773386770	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{85D93462-CDB9-47D6-A97F-F1CBC6DB79B3}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	25.00000000000	20.00000000000	28.38784336210	-80.78770688240	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{B28345EA-0052-441D-94C6-FF38B21E8176}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	30.00000000000	28.00000000000	55.00000000000	50.00000000000	28.38781999400	-80.78777236680	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{430438F8-45CA-4F16-9008-4F1D0176A90F}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	30.00000000000	26.00000000000	40.00000000000	45.00000000000	28.38779206820	-80.78778390750	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{24941404-5C45-4A16-93B1-2F93F80A2458}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	20.00000000000	16.00000000000	40.00000000000	45.00000000000	28.38775430800	-80.78777125110	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{05A52B52-EB2F-4C5B-82CD-B0E09057BCBD}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	25.00000000000	18.00000000000	50.00000000000	45.00000000000	28.38766864890	-80.78777733000	Excellent	1.00000000000	Two trees in Woodland.	Tree is Undamaged	<Null>	Pruning	No	Yes	{30D45FA9-6347-45FC-B6C7-AABECC20A004}	Oak (Live)	No	Quercus virginiana	2.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	30.00000000000	26.00000000000	45.00000000000	50.00000000000	28.38758884900	-80.78775792370	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{9E48298E-169D-464A-95A4-56F47C0F6F74}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	20.00000000000	16.00000000000	25.00000000000	15.00000000000	28.38754281350	-80.78768553930	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{B22A3A91-DCA0-47F1-B150-BF57C1D10269}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	25.00000000000	18.00000000000	45.00000000000	45.00000000000	28.38750947260	-80.78777250880	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{8DF60616-6D68-4858-9EDC-E26720B6764A}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	20.00000000000	18.00000000000	30.00000000000	35.00000000000	28.38747267640	-80.78778374040	Excellent	1.00000000000	Codominant tree, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{8FFAD2CA-D615-4CB9-AC17-03CD1E2B978B}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	30.00000000000	25.00000000000	28.38737712970	-80.78773128240	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{3A6D6934-5C97-4BD0-A49A-38D8E883FE2A}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	30.00000000000	22.00000000000	60.00000000000	30.00000000000	28.38731886830	-80.78776395860	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{4BBEEACC-2F1B-4F54-B52C-AA3BE280E28E}	Pine (Slash)	No	Pinus elliottii	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	25.00000000000	20.00000000000	40.00000000000	45.00000000000	28.38726697900	-80.78776436380	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{9A125CF5-8104-4782-A44A-D45AC1F671F7}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	25.00000000000	18.00000000000	30.00000000000	40.00000000000	28.38723757520	-80.78777677040	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{EB5580BE-3DCE-4547-BD57-78B8266EE845}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	25.00000000000	18.00000000000	35.00000000000	35.00000000000	28.38718953540	-80.78777024500	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{92B3E5FC-A2CD-484F-A668-111E4D0D3EB1}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	25.00000000000	20.00000000000	35.00000000000	40.00000000000	28.38707378130	-80.78780670670	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{CDB81CB4-D56B-4C71-8D8E-9A21C1D53615}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	45.00000000000	40.00000000000	28.38674216770	-80.78772869520	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{D1512123-78B8-41F9-9939-66F7B07568AB}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	20.00000000000	14.00000000000	45.00000000000	35.00000000000	28.38671950670	-80.78775359470	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{0A5BCDC9-49DD-48C3-B58E-CE46C15408CF}	Pine (Slash)	No	Pinus elliottii	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	20.00000000000	14.00000000000	45.00000000000	35.00000000000	28.38667787520	-80.78774497090	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{2C58242A-5BC9-4EF9-85F5-3BB12E192C7D}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	30.00000000000	24.00000000000	50.00000000000	40.00000000000	28.38663712650	-80.78774451280	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{CCCADAE6-D487-47C5-8760-8894E0B5547A}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	20.00000000000	14.00000000000	25.00000000000	20.00000000000	28.38661083630	-80.78773537960	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{B6A55FEA-CCC2-4D1D-83F0-1E0999053211}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	40.00000000000	35.00000000000	28.38658056930	-80.78773428550	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{15517E2B-9B62-4E0A-8BBB-EE0C44FF400F}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	20.00000000000	16.00000000000	35.00000000000	30.00000000000	28.38655150830	-80.78774902140	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{F3EE1B05-CD64-4D77-814B-2BDEB936A5DA}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	10.00000000000	30.00000000000	35.00000000000	28.38652244100	-80.78771475160	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{8D091BAB-4614-4CB5-BFFA-F0CA0CEBD5FA}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	30.00000000000	26.00000000000	50.00000000000	45.00000000000	28.38648505730	-80.78773570840	Excellent	1.00000000000	Codominant tree.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{01E9E2A6-E6E1-4CB1-A0BE-92ACEEE19F2A}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	5.00000000000	8.00000000000	10.00000000000	5.00000000000	28.39303545210	-80.78112482120	Excellent	1.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{DCD7CB59-5C16-4FB9-86BD-9179CBF0153E}	Palm (Pygmy Date)	No	Phoenix roebelenii	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	10.00000000000	15.00000000000	10.00000000000	28.38162326880	-80.81684871800	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{3C4A86CA-6C91-4A2B-97BE-AFD3A4F8D2A4}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Building	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	20.00000000000	8.00000000000	25.00000000000	15.00000000000	28.36061474000	-80.73457219720	Very Poor	7.00000000000	Completely dead	Tree is Damaged	Tree is Dead	Removal	No	No	380d956b-567b-48f5-9a70-79ea56e063ca	Holly (East Palatka)	No	Ilex x attenuata	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	20.00000000000	8.00000000000	15.00000000000	0.00000000000	28.39002635800	-80.74369412080	Very Poor	7.00000000000	Dead palm, needs removal	Tree is Damaged	Tree Is Dead	Removal	No	No	9d1bf111-5d79-49ce-8d7e-23a1a8281ce8	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	20.00000000000	6.00000000000	35.00000000000	0.00000000000	28.39044569030	-80.74287065860	Very Poor	7.00000000000	Dead, needs removal	Tree is Damaged	Tree Is Dead	Removal	No	No	63320dae-df76-49d6-94c0-317aa338cb65	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	16.00000000000	15.00000000000	10.00000000000	28.38811917220	-80.75545490770	Very Poor	7.00000000000	See pics, Tree Is Dead	Tree Is Damaged	Stump/Trunk	Removal	No	No	bde7f7c8-b406-4740-98ea-e4afe5a316a0	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	8.00000000000	15.00000000000	5.00000000000	28.38811179650	-80.75583988790	Very Poor	7.00000000000	Trunk Damage, Signs of Decay	Tree is Damaged	Trunk has decay, only 20% of canopy alive	Removal	No	No	1ec8cd33-6e1b-49b4-8b5c-08e338f08f04	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	4.00000000000	20.00000000000	15.00000000000	28.38111007130	-80.75043034640	Very Poor	7.00000000000	Dead, Neds Removal	Tree is Damaged	Dead, Needs Removal	Removal	No	No	{B33DF877-BE37-4AE2-A174-B6C36DBF6CD5}	Red Cedar	No	Juniperus virginiana	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	10.00000000000	6.00000000000	5.00000000000	5.00000000000	28.39251547890	-80.78256999220	Very Poor	7.00000000000	Poor condition, consider replacement	Tree Is Damaged	Previously taken to just stump, resprouting	No Maintenance Required	No	No	{0A2DB9BD-0037-4CD7-8F52-2BC20845E1EF}	Golden Raintree	No	Koelreuteria paniculata	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	5.00000000000	8.00000000000	10.00000000000	10.00000000000	28.35366975970	-80.73520389430	Very Poor	6.00000000000	Dead cabbage palm	Tree is Damaged	Dead, brown fronds and trunk	Removal	No	No	4ef806b9-e874-40b8-b918-a37f76dfb7a9	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	20.00000000000	10.00000000000	30.00000000000	15.00000000000	28.37441256170	-80.73508941830	Very Poor	6.00000000000	Poor Shape, Nearly Dead; Leaning into Roadway	Tree is Damaged	Rot and decay	Removal	No	No	64cce7b8-a526-414e-85b7-90ea8d68558e	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	40.00000000000	22.00000000000	45.00000000000	30.00000000000	28.39349752110	-80.74494572830	Very Poor	6.00000000000	In yard but mostly dead, overhanging road	Tree is Damaged	Tree is Dead	Removal	No	No	3c6fff81-c9e5-4fc0-a24c-a31250ed8b13	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	12.00000000000	10.00000000000	15.00000000000	28.39630519010	-80.75949179910	Very Poor	6.00000000000	Tree is Dead, Top Snapped Off, Just Trunk	Tree is Damaged	Stump/Trunk	Remove Trunk	No	No	{92A6AB4D-4442-48D9-9A42-83918A223759}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	12.00000000000	20.00000000000	10.00000000000	28.39546529150	-80.77771919830	Very Poor	6.00000000000	Two dead trees in Woodland.	Tree is Damaged	Stump/Trunk	Remove Trunks	No	Yes	{71FB3AC6-090C-432D-82B1-989025C76E55}	Palm (Queen)	No	Syagrus romanzoffiana	2.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	15.00000000000	20.00000000000	30.00000000000	10.00000000000	28.39654017710	-80.77215492750	Very Poor	5.00000000000	Dead Tree, Needs Removal	Tree Is Damaged	Stump/Trunk	Removal	No	No	{90F49D7A-131D-4681-A0D4-30C3A6650F80}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	14.00000000000	10.00000000000	0.00000000000	28.35970917560	-80.73356772260	Very Poor	5.00000000000	Dead Tree With Debris on Ground, Needs Removal	Tree is Damaged	Tree is Dead	Removal	Yes	No	{5D5B6D97-BA02-4D4D-BB9A-204665A5946F}	Pine (Australian)	No	Casuarina equisetifolia	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	25.00000000000	12.00000000000	0.00000000000	0.00000000000	28.35465994530	-80.73038683670	Very Poor	4.00000000000	See pic; dead stump, needs removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	37cea1c0-ea25-4473-a27f-ef602c1ea2ef	Red Cedar	No	Juniperus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	16.00000000000	10.00000000000	0.00000000000	28.39199010250	-80.75872301100	Very Poor	4.00000000000	Stump That Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{BAAB84BD-2DA2-46C1-A220-4AF39FF0EE37}	N/A (Stump)	No	N/A (Stump)	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	12.00000000000	40.00000000000	5.00000000000	28.40082534120	-80.76887391530	Very Poor	4.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{B3016B6E-7653-4251-9F36-3F5C670A749D}	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	14.00000000000	35.00000000000	15.00000000000	28.40072983500	-80.76886922250	Very Poor	4.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{3753AAE0-AF6F-44AD-9FDC-63D37B8CE09D}	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	14.00000000000	20.00000000000	10.00000000000	28.39545492520	-80.77698497380	Very Poor	4.00000000000	Dead Trunk, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{A2B29C06-54B6-4511-A0AE-4AE144866251}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	15.00000000000	12.00000000000	15.00000000000	0.00000000000	28.36028379310	-80.74511496280	Very Poor	3.00000000000	Dead palm trunk. Directly under power lines, needs removal	Tree Is Damaged	Stump	Remove Stump	No	No	102a501f-485a-4869-935d-7599fd845db5	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	10.00000000000	8.00000000000	20.00000000000	20.00000000000	28.38850520070	-80.77777619640	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{950C8A8C-E95D-4C3D-9BB1-88CB78773C06}	Pine (Slash)	No	Pinus elliottii	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	8.00000000000	30.00000000000	20.00000000000	28.38802106560	-80.78773675040	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{E7B29CFB-B138-494D-BC3A-6544126508D3}	Pine (Slash)	No	Pinus elliottii	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	20.00000000000	15.00000000000	28.38729850230	-80.78772135240	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{A6F520AA-BE5B-4F33-AA30-C028F250066C}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	acarroll_sfc	9/29/2020	acarroll_sfc	9/29/2020	15.00000000000	8.00000000000	15.00000000000	10.00000000000	28.35750346390	-80.73363002340	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{5BEBB25C-5D3A-4F51-B4AC-916BA29AFBEB}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Median	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.38273778120	-80.77264493330	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree is Dead	Removal	No	No	{7356D8DC-9EEF-4BCD-9C37-AF34A528B318}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	8.00000000000	15.00000000000	0.00000000000	28.36806211650	-80.75455653490	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree Is Dead	Removal	No	No	{B0AA3A91-74ED-4EC5-B6B9-9C55DC00EFD4}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	30.00000000000	28.00000000000	10.00000000000	0.00000000000	28.36940032900	-80.75550067230	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{980EB6CB-8C9C-46A5-BE14-C58E1DC6B7E2}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	15.00000000000	12.00000000000	5.00000000000	5.00000000000	28.40107568520	-80.74431573080	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{29508705-86F4-4831-AB68-2CB1FC0730A6}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	20.00000000000	14.00000000000	15.00000000000	10.00000000000	28.40210622400	-80.74257587820	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{F12D774F-FACC-4548-883C-2B4B33DED582}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	12.00000000000	5.00000000000	0.00000000000	28.39095154290	-80.78079465800	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{A8EBBB7F-C43F-42C4-B97E-D8C7EF0A23AA}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	30.00000000000	18.00000000000	35.00000000000	15.00000000000	28.35545871610	-80.73228686420	Very Poor	2.00000000000	Bizmark stump	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	f5b6bc90-b19d-47b1-9d94-803c94c27919	Palm (Bismarck)	No	Bismarckia nobilis	1.00000000000
City Park	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	20.00000000000	10.00000000000	0.00000000000	0.00000000000	28.35888270100	-80.73130859620	Very Poor	2.00000000000	3 stumps and 1 BP. To be removed	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	b11484c9-65d7-4d53-9461-416912340a10	Hickory (Pignut)	No	Carya glabra	1.00000000000
2-4 Ft ROW	shendley_sfc	9/13/2020	shendley_sfc	9/13/2020	20.00000000000	8.00000000000	5.00000000000	0.00000000000	28.35087389180	-80.73356707580	Very Poor	2.00000000000	Tree is cut; stump needs removal	Tree Is Damaged	Stump/Trunk	Remove Stump	No	No	7148642b-82af-4f80-a4ad-74d5e933ea8a	Sycamore	No	Platanus occidentalis	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/16/2020	sbourgoin_sfc	9/16/2020	20.00000000000	14.00000000000	25.00000000000	15.00000000000	28.36619344110	-80.74705959530	Very Poor	2.00000000000	Completely dead needs removal	Tree is Damaged	Tree is Dead	Removal	No	No	1c15f2d9-a065-4aab-8ccf-5cd17f805c7a	Pine (Longleaf)	No	Pinus palustris	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	20.00000000000	10.00000000000	5.00000000000	0.00000000000	28.38738969540	-80.76376179260	Very Poor	2.00000000000	Stump	Tree Is Undamaged	<Null>	Remove Stump	No	No	{57F1FA2A-BD75-400B-8276-6ED829F7A80C}	Bottlebrush (Weeping)	No	Melaleuca viminalis	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	16.00000000000	0.00000000000	0.00000000000	28.39889285130	-80.76775526670	Very Poor	2.00000000000	Stump That Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{20ACB205-116A-418E-A68F-74403C577CD5}	N/A (Stump)	No	N/A (Stump)	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	35.00000000000	18.00000000000	10.00000000000	5.00000000000	28.35695927990	-80.73346942710	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{F6DC1A1A-AB89-41C0-8372-8E2460A0F823}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	55.00000000000	28.00000000000	50.00000000000	60.00000000000	28.36019909440	-80.73430334220	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{C9E5553C-5EC9-4DA4-9A4E-6D214065BBD5}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	25.00000000000	16.00000000000	40.00000000000	20.00000000000	28.35963514510	-80.73353318230	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree is dead, see picture.	Removal	Yes	No	{6EE83020-5AB6-449A-ADA6-8EA7F2292927}	Pine (Australian)	No	Casuarina equisetifolia	1.00000000000
Cemetary	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	30.00000000000	18.00000000000	0.00000000000	0.00000000000	28.36875127660	-80.75586536950	Very Poor	2.00000000000	Old stump. Rotting	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{35627E43-0723-448B-BD9B-8911F4A8D205}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	16.00000000000	10.00000000000	5.00000000000	28.36835598580	-80.75473439860	Very Poor	2.00000000000	Stump	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{15DA5336-B17B-479C-929E-A36072E8D6D0}	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	10.00000000000	4.00000000000	15.00000000000	5.00000000000	28.38348674870	-80.77803819550	Very Poor	2.00000000000		Tree is Damaged	Tree is Dead	Removal	No	No	{1BAEAF65-A73A-4AAD-B2B5-156CBE656BE0}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	12.00000000000	0.00000000000	0.00000000000	28.39103175120	-80.78077820530	Very Poor	2.00000000000	Two stumps in Woodland.	Tree is Damaged	Stump/Trunk	Remove Stump	No	Yes	{E37E5873-D334-4D04-8F44-04B030B00B88}	N/A (Stump)	No	N/A (Stump)	2.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	12.00000000000	15.00000000000	0.00000000000	28.39120392220	-80.78055795280	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{88B0584D-929C-4C3A-B4CE-733862991F2F}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	10.00000000000	20.00000000000	0.00000000000	28.39127525250	-80.78042099290	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{63356FB1-094E-4FD5-9573-2F45BA64F029}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	12.00000000000	25.00000000000	10.00000000000	28.39152758910	-80.77998370830	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{B19D23DB-8B93-431A-ACD0-7BE247CC2E33}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.39102319340	-80.77973278460	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{EC4E220A-D753-48A0-B655-12FD268FB25D}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	8.00000000000	30.00000000000	25.00000000000	28.39072632140	-80.78034228610	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{66C46A3C-08E9-491C-B001-175D6B738570}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.39078610070	-80.78101954130	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{CBF7C1CA-BA64-4423-B044-09F778651EDE}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	5.00000000000	4.00000000000	15.00000000000	5.00000000000	28.39078144680	-80.78100083840	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{8C262DC2-611C-4171-875C-EE4247717BF5}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35702616760	-80.73350831880	Very Poor	1.00000000000	Stump that has resprouted	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{B77C4B93-AF85-4AD0-9BD7-C050A6AD16C9}	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
City Park	acarroll_sfc	9/15/2020	acarroll_sfc	9/15/2020	20.00000000000	10.00000000000	25.00000000000	10.00000000000	28.35420867420	-80.74326518970	Poor	6.00000000000	See pic	Tree is Undamaged	<Null>	Removal	No	No	cdb648ac-bce2-4124-b380-995ad4b2eee9	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
City Park	sbourgoin_sfc	9/18/2020	sbourgoin_sfc	9/18/2020	5.00000000000	8.00000000000	15.00000000000	10.00000000000	28.37679872970	-80.76179704140	Poor	6.00000000000	tree not completely dead, but 50 percent of branches without leaves; seems to have a web work infestation see pics	Tree is Damaged	Large chunk of middle bark missing	Removal	No	No	e8617e60-7f0e-4fef-8965-1e60586e0c86	Oak (Live)	No	Quercus virginiana	1.00000000000
City Building	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	20.00000000000	10.00000000000	25.00000000000	10.00000000000	28.36120423840	-80.73457651270	Poor	5.00000000000	Majority of tree is dead. Recommend removal	Tree is Damaged	Tree is Dead	Removal	No	No	b7742f99-fba6-40f2-996f-ae824c895a11	Holly (East Palatka)	No	Ilex x attenuata	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	15.00000000000	6.00000000000	20.00000000000	10.00000000000	28.37505849060	-80.76122660220	Poor	5.00000000000	Severe leaf loss	Tree is Damaged	Severe leaf loss, obvious damage to tree	Removal	No	No	1b4a0557-5f26-41f9-9019-11038d4fee85	Holly (American)	No	Ilex opaca	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	14.00000000000	20.00000000000	15.00000000000	28.38814578530	-80.75573913730	Poor	5.00000000000	High percentage of deadwood in canopy, multiple limb breaks	Tree is Damaged	Recent limb breaks, copious deadwood	Pruning	No	No	bb7b3673-838d-4293-95a6-0bfced1b9db4	Box Elder	No	Acer negundo	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	20.00000000000	16.00000000000	35.00000000000	20.00000000000	28.38825967710	-80.78775262730	Poor	5.00000000000	Severe damage to trunk, wood rot	Tree is Damaged	Wood rot in trunk	Removal	No	No	{0E823A48-2112-4497-9276-C59EF128FB03}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	16.00000000000	20.00000000000	15.00000000000	28.35703777640	-80.73279946090	Poor	5.00000000000	Try cleaning deadwood first before removing. Co dom w included bark	Tree is Damaged	Tree Is Dead	Removal	No	No	{AE4C2C59-5208-4610-B8B3-58DC8CCBB65E}	Hickory (Pignut)	No	Carya glabra	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	8.00000000000	6.00000000000	20.00000000000	10.00000000000	28.39916023430	-80.77080259110	Poor	4.00000000000	Remove	Tree is Damaged	Cambium layer weed whacked repeatedly	Removal	No	No	{E356A27F-155E-41C7-AE39-BE2D3B1F3306}	Holly (Dahoon)	No	Ilex cassine	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35120694720	-80.72616601960	Poor	3.00000000000	Canopy broken and mostly leafless	Tree Is Damaged	Canopy topped	No Maintenance Required	No	No	cd35ada1-bbfe-4763-97e7-f10ed59cf265	Tabebuia	No	Tabebuia spp.	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	5.00000000000	8.00000000000	10.00000000000	10.00000000000	28.35114616070	-80.72621493110	Poor	3.00000000000	Canopy broken and mostly leafless	Tree Is Damaged	Crown broke	No Maintenance Required	No	No	bf3469ee-9835-42d5-b45e-81997412c6ae	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	20.00000000000	14.00000000000	20.00000000000	10.00000000000	28.37552867380	-80.76525779480	Poor	2.00000000000	See pic	Tree is Damaged	Needs pruning of multiple dead limbs for a chance	Pruning	Yes	No	7c237f9f-a267-4710-92e8-f4454a1b5c7f	Indian Rosewood	No	Dalbergia sissoo	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	30.00000000000	12.00000000000	35.00000000000	15.00000000000	28.36061274170	-80.73415800010	Poor	2.00000000000	Unnatural form. Fine for SLO.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{AB73F2B7-444C-4EB9-9B64-0ED15E67861B}	Oak (Sand Live)	No	Quercus geminata	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	40.00000000000	18.00000000000	25.00000000000	40.00000000000	28.36486055300	-80.73437332990	Fair	7.00000000000		Tree Is Damaged	Missing mult limbs due to rot and pruning. Central leader still intact but rotting likely to fall	Removal	No	No	035599b7-6ba4-4a35-bf49-3b2cb056e780	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	60.00000000000	32.00000000000	45.00000000000	25.00000000000	28.38155051730	-80.73657843430	Fair	7.00000000000	Lg oak directly next to road. Evidence of prev pruning. Lg dead limbs overhanging road, needs additional consult	Tree is Damaged	Multiple large dead limbs	Pruning	No	No	788c2f34-9024-4f34-aeb1-4b0ff7cb1825	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	40.00000000000	24.00000000000	45.00000000000	25.00000000000	28.37482115740	-80.76184862270	Fair	7.00000000000	Remove. Co Dom and over pruned. Trunk rot. See pictures	Tree is Damaged	Trunk Rot	Removal	No	No	042c8a89-8f42-45a7-932d-209dbeb2a45b	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	18.00000000000	50.00000000000	35.00000000000	28.37785729230	-80.74507031560	Fair	7.00000000000	Water oak, dead branch over road way	Tree is Damaged	Crown broke	Pruning	No	No	{BC25B713-2163-4046-9747-9A4FC6AC84A3}	Oak (Water)	No	Quercus nigra	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	30.00000000000	26.00000000000	40.00000000000	35.00000000000	28.39283805840	-80.76054104570	Fair	7.00000000000	Tree has sparse canopy with many bare branches, see pictures.	Tree is Damaged	Bare branches/canopy	Pruning	No	No	{03C14FE5-C859-4706-923E-676D89DB62A9}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	6.00000000000	10.00000000000	5.00000000000	28.35700282350	-80.73356992610	Fair	7.00000000000	See pic	Tree is Damaged	Tree Is Dead	Removal	No	No	{58F800C4-0AC0-464A-80AB-BBA329198225}	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	6.00000000000	10.00000000000	5.00000000000	28.35528643810	-80.72750413570	Fair	6.00000000000	See pic	Tree is Damaged	Dying, needs H2O	Removal	No	No	060c3393-62c2-403b-bd0f-860973469609	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	15.00000000000	12.00000000000	15.00000000000	20.00000000000	28.35402286250	-80.72669429640	Fair	6.00000000000	See picture	Tree Is Damaged	Crown broken	No Maintenance Required	No	No	3b083e80-5b3e-4bd5-bd2b-7af3cfdbe027	Red Cedar	No	Juniperus virginiana	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	10.00000000000	10.00000000000	20.00000000000	20.00000000000	28.36394391950	-80.74302337130	Fair	6.00000000000	Large trunk damage	Tree Is Damaged	Trunk is Cracked and Split for Its Entirety	Removal	No	No	63aa69e1-249e-489e-8fec-7ee7362c9bda	Sycamore	No	Platanus occidentalis	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/16/2020	sbourgoin_sfc	9/16/2020	20.00000000000	10.00000000000	30.00000000000	25.00000000000	28.37128400850	-80.74462001170	Fair	6.00000000000	Tree is nearly dead, probably 40 percent of branches with leaves; needs at least pruning, possibly removal	Tree is Damaged	High Proportion of Branches Dead	Pruning	No	No	f91261d9-9f85-42e9-9f78-aa7a782adf5e	Green Ash	No	Fraxinus pennsylvanica	1.00000000000
4+ Ft ROW	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	40.00000000000	24.00000000000	40.00000000000	45.00000000000	28.39816863550	-80.74960865740	Fair	6.00000000000	Overhang	Tree is Damaged	Hit by vehicle	No Maintenance Required	No	No	4a56135e-24de-4fba-b0f3-08359e5707ef	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	20.00000000000	16.00000000000	35.00000000000	40.00000000000	28.37463553980	-80.76391794760	Fair	6.00000000000	This tree has a co-dominance stem with included bark also overhangs the road also has soil heaving. Also has bark beetles. Minor bark beetles. See pictures	Tree is Damaged	Minor bark beetles	No Maintenance Required	No	No	b5b0fef6-9771-4532-b50e-4d81cd696a64	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	10.00000000000	6.00000000000	20.00000000000	10.00000000000	28.38810714400	-80.75727310950	Fair	6.00000000000	Heavy signs of bark beetle infestation	Tree is Damaged	Pest Infestation	No Maintenance Required	No	No	d601b313-3efe-42d1-82f5-832a90f6c213	Green Ash	No	Fraxinus pennsylvanica	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	16.00000000000	15.00000000000	20.00000000000	28.39544013590	-80.75904185900	Fair	6.00000000000	Tree appears to be dying with bare branches. See picture.	Tree is Damaged	Branches are Dying Off	Pruning	No	No	{50398963-9B6C-42E0-9FE6-AF91BDD37434}	Bottlebrush (Weeping)	No	Melaleuca viminalis	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	8.00000000000	15.00000000000	15.00000000000	28.39721316040	-80.77160247610	Fair	6.00000000000	Trim back hard	Tree Is Undamaged	<Null>	Pruning	Yes	No	{06490509-BE0F-44E0-AF4B-31F9569E62B2}	Camphor Tree	No	Cinnamomum camphora	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	8.00000000000	20.00000000000	15.00000000000	28.35712084050	-80.73344344240	Fair	6.00000000000	The canopy has been broken off. Bark beetles present in the canopy. Deadwood throughout. See picture	Tree is Damaged	Canopy has been broken off	Pruning	No	No	{BACA6C9D-F7F4-44F3-A16B-E6E6525412DA}	Sugarberry	No	Celtis laevigata	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	40.00000000000	20.00000000000	50.00000000000	20.00000000000	28.36061601040	-80.73421910450	Fair	6.00000000000	Deadwood at the top of the canopy. Sparse canopy. Bark peeling. Decay in lowest point of trunk.	Tree is Damaged	Deadwood and Peeling Bark	Pruning	No	No	{8EAFBCE8-3712-4061-B595-38C4579F5B35}	Oak (Sand Live)	No	Quercus geminata	1.00000000000
Median	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	35.00000000000	18.00000000000	40.00000000000	20.00000000000	28.34926456580	-80.74507902570	Fair	5.00000000000	See pics. Damaged	Tree Is Damaged	Mechanical Damage and Potential Rot at Base	Pruning	No	No	6d9dc418-0830-4fa2-9284-ac99e520e57f	Maple (Red)	No	Acer rubrum	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	20.00000000000	16.00000000000	25.00000000000	25.00000000000	28.36483498630	-80.73419860670	Fair	5.00000000000		Tree Is Damaged	Mechanical damage at base see pics	No Maintenance Required	Yes	No	4ab213a9-17a8-45e9-b82b-090433acb0a2	Chinaberry	No	Melia azedarach	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	15.00000000000	10.00000000000	30.00000000000	20.00000000000	28.38431299220	-80.73913266000	Fair	5.00000000000	Overhang	Tree is Damaged	Lightning	No Maintenance Required	No	No	5bae7c63-65bc-4b4c-aba4-c7d31271810f	Sugarberry	No	Celtis laevigata	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	10.00000000000	20.00000000000	15.00000000000	28.38812960800	-80.75560444030	Fair	5.00000000000	High percentage of deadwood in canopy, multiple limb breaks	Tree is Damaged	Recent limb breaks, copious deadwood	Pruning	No	No	2ee43f2d-8efc-48d3-b90b-e8b67ccfb9bb	Box Elder	No	Acer negundo	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	30.00000000000	18.00000000000	25.00000000000	25.00000000000	28.39032768990	-80.78335793950	Fair	5.00000000000	Minor soil heaving on curb and sidewalk. The crown was broken in this tree. And the sides are now growing out to make it fall in the canopy. Minor bark beetles present. See pictures. Multiple stems extending from a central location.	Tree Is Undamaged	<Null>	Pruning	No	No	{898CAFB2-3ECE-424E-ABBE-EA0929457A2D}	Maple (Red)	No	Acer rubrum	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	30.00000000000	20.00000000000	35.00000000000	20.00000000000	28.35699553170	-80.73361485270	Fair	5.00000000000	Lots of vines on canopy. Deadwood within canopy. Lots of decaying scaffolding. Toward the back of the cemetery and not much risk of injury. There is a fence target nearby. And graves.	Tree is Damaged	Branches contain decay	Pruning	No	No	{110D2DD3-E453-460D-8C91-DC008B59B80E}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35702268850	-80.73344126310	Fair	5.00000000000	Lots of deadwood. Vines growing. See picture. Florida privet	Tree is Undamaged	<Null>	Pruning	No	No	{3DF41125-9937-4B2F-B841-F77FE19B0300}	Privet (Florida)	No	Forestiera segregata	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	10.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35761562420	-80.73307111860	Fair	5.00000000000	Species is red bay	Tree is Damaged	Chlorotic leaves, dead branches	No Maintenance Required	No	No	{973AD2BD-CF5F-4C63-8953-1831FFB6A0DA}	Bay	No	Persea palustris	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	12.00000000000	15.00000000000	10.00000000000	28.35950482670	-80.73428338070	Fair	5.00000000000		Tree is Damaged	Half of tree is dead, see picture.	No Maintenance Required	No	No	{A5A80953-7423-4830-B4B9-CB49F9CE4AC8}	Arborvitae	No	Thuja occidentalis	1.00000000000
2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	3.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35366966090	-80.72927017420	Fair	4.00000000000	See photo	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	2328ded0-bb32-4338-ac3d-cd2e428802ae	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
Median	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	15.00000000000	8.00000000000	15.00000000000	5.00000000000	28.34927533190	-80.74307763490	Fair	4.00000000000	2 palms. Unhealthy. See pics	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	976b9498-f2da-4078-98a6-c1ac74f54e39	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
4+ Ft ROW	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	22.00000000000	16.00000000000	25.00000000000	30.00000000000	28.35478254130	-80.72673213700	Fair	4.00000000000	Parking lot very little foliage	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	3140e591-9ff6-4f6e-8467-8c1008accedd	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	5.00000000000	6.00000000000	10.00000000000	10.00000000000	28.36371706370	-80.74298053960	Fair	4.00000000000	Small hole in trunk	Tree is Damaged	Small Hole in Trunk, May Close Up	No Maintenance Required	No	No	e37d9b02-14f7-4b57-b8a2-e98aa0f61b75	Sycamore	No	Platanus occidentalis	1.00000000000
City Building	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	25.00000000000	16.00000000000	35.00000000000	30.00000000000	28.36080468400	-80.73807965300	Fair	4.00000000000		Tree is Damaged	Either mech or lightning damage to trunk; many branches seem dead, remaining leaves are suffering	Removal	No	No	ea477734-34a4-47f6-b6f3-594844e3dbb6	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	20.00000000000	14.00000000000	10.00000000000	10.00000000000	28.37271717360	-80.74467862950	Fair	4.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	34c90256-657b-4d10-b2d4-179390fc1c84	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
City Park	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	12.00000000000	10.00000000000	20.00000000000	15.00000000000	28.38168577190	-80.76364231310	Fair	4.00000000000	Some bark loss and multiple dead branches	Tree is Damaged	Bark and branch loss	No Maintenance Required	No	No	3e2839ae-30c5-4e17-a96d-193921f8edd8	Maple (Red)	No	Acer rubrum	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	20.00000000000	20.00000000000	25.00000000000	15.00000000000	28.37414888640	-80.76223058630	Fair	4.00000000000	Some large limbs previously pruned	Tree is Undamaged	<Null>	No Maintenance Required	No	No	41806838-1739-42ca-9f71-98e778c556cd	Bottlebrush (Weeping)	No	Melaleuca viminalis	1.00000000000

4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	20.00000000000	14.00000000000	45.00000000000	35.00000000000	28.38667787520	-80.78774497090	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{3FE59F5D-73B4-43ED-A613-B87AE0BFA11F}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	30.00000000000	24.00000000000	50.00000000000	40.00000000000	28.38663712650	-80.78774451280	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{D5B1D493-F178-4FB9-A996-D3AA8B0BB96F}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	20.00000000000	14.00000000000	25.00000000000	20.00000000000	28.38661083630	-80.78773537960	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{39B60FA5-7981-48B5-A155-AECD3589CAEB}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	40.00000000000	35.00000000000	28.38658056930	-80.78773428550	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{60128420-E9C8-42E3-BE58-4361E8C47547}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	20.00000000000	16.00000000000	35.00000000000	30.00000000000	28.38655150830	-80.78774902140	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{71137765-3195-49A6-AF25-26E1C0D2C279}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	10.00000000000	30.00000000000	35.00000000000	28.38652244100	-80.78771475160	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{6A7D72CC-9380-4975-9C0D-1C343C73D17F}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	30.00000000000	26.00000000000	50.00000000000	45.00000000000	28.38648505730	-80.78773570840	Excellent	1.00000000000	Codominant tree.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{CF6B0560-74F1-4BF9-B9F0-3BB89828AA29}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	5.00000000000	8.00000000000	10.00000000000	5.00000000000	28.39303545210	-80.78112482120	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{32CF101E-9500-4EEF-8DC6-FAACAB35A163}	Palm (Pygmy Date)	No	Phoenix roebelenii	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	10.00000000000	15.00000000000	10.00000000000	28.38162326880	-80.81684871800	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{3259A787-1920-418C-95E0-C5DC1D387B20}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	10.00000000000	15.00000000000	10.00000000000	28.38161924120	-80.81710744620	Excellent	1.00000000000	Two trees in woodland	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{BE197D9A-53BB-4C49-BB10-E4AB0449AC8D}	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	10.00000000000	15.00000000000	10.00000000000	28.38153148670	-80.81716293610	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{B4639BB7-2166-4838-825C-077F9BF6EA73}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	10.00000000000	15.00000000000	10.00000000000	28.38147563420	-80.81741072110	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{5ECE23AD-1C34-4ACC-9308-51C5DD9511B0}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	15.00000000000	10.00000000000	28.38142762500	-80.81761924340	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{275106CF-2320-4C38-8AE3-135F46264F63}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	30.00000000000	15.00000000000	28.38150948760	-80.81764184770	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{E04B6DD8-1EF8-4B0A-B5C1-F777492FDF71}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	10.00000000000	15.00000000000	10.00000000000	28.38116115350	-80.81803582810	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{20451220-660F-4147-9AF6-F82573DB2A8B}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	14.00000000000	20.00000000000	15.00000000000	28.38101298320	-80.81821144970	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{F636A2CE-AB29-49DF-B85A-4927331DFDF6}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	10.00000000000	25.00000000000	15.00000000000	28.38092557990	-80.81819447240	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{173EA966-CF71-44F0-839B-72C3945A4D0B}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	10.00000000000	15.00000000000	10.00000000000	28.38097899290	-80.81829804370	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{E99BC5D2-4F4A-473D-A241-BA16BB172E60}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	14.00000000000	20.00000000000	10.00000000000	28.38082912470	-80.81856345180	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{A0604382-16D2-4DEF-867B-2FBC76C93475}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	8.00000000000	25.00000000000	15.00000000000	28.38069345880	-80.81862709480	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{E02B9F81-865D-45DB-BF98-A74E27E63CBE}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	8.00000000000	20.00000000000	10.00000000000	28.38062874210	-80.81881629070	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{66AEC997-BE54-473A-A71D-1A38D54F36BF}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	25.00000000000	15.00000000000	28.38053571670	-80.81945707430	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{EE64B454-004D-430A-8DAD-F960B3920409}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	10.00000000000	20.00000000000	10.00000000000	28.38060944340	-80.81962116240	Excellent	1.00000000000	Two trees in Woodland.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{CFA314A3-C4AB-4F17-88FE-77A565E5EEF3}	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	20.00000000000	10.00000000000	28.38057055370	-80.81982454180	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{593BA6D7-6257-43CC-983F-BE7C4E866A60}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	10.00000000000	20.00000000000	10.00000000000	28.38054191230	-80.82003337320	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{5FDDCF17-F494-45CA-8752-05351DE8CF08}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	14.00000000000	30.00000000000	15.00000000000	28.38038596090	-80.82015366120	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{FF558C60-2768-4D53-AD7C-266495584C6D}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	8.00000000000	15.00000000000	5.00000000000	28.38036779640	-80.82002542220	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{DD983A1F-B295-42DD-84F1-F6808FB3EBC0}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	10.00000000000	20.00000000000	10.00000000000	28.38027282650	-80.82015065280	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{01966B74-2E48-40D6-B611-8BA8C36B1E57}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	20.00000000000	10.00000000000	28.37982091360	-80.82005004050	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{F72E31E3-70DC-47ED-9E51-19C3C24F94DD}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	20.00000000000	15.00000000000	28.37957733540	-80.82015746740	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{1D81ECA9-8CCC-4C26-9AAB-64CD01FC2A24}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	25.00000000000	5.00000000000	28.37951732460	-80.82015689160	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{D7594B9B-A6AC-4D1F-B7AD-CEE87B8B8C7A}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	20.00000000000	10.00000000000	28.37930761810	-80.82012930160	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{847DE3A3-32A6-4B08-B1B4-C1F50922B2DF}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	20.00000000000	10.00000000000	28.37915984830	-80.82001067460	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{5B50E513-D649-4720-8B80-AB5CC4DC7B7E}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	20.00000000000	10.00000000000	28.37902648020	-80.82003755400	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{91AA4621-0D47-4E35-9197-D09F42229B84}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Median	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	20.00000000000	10.00000000000	28.37883768010	-80.82047197830	Excellent	1.00000000000	Four trees in Woodland.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{B29094D2-CAC4-44D0-92BC-A81A0E4A1BC5}	Palm (Cabbage)	No	Sabal palmetto	4.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	20.00000000000	5.00000000000	28.37848754470	-80.82005827270	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{088D38BC-789A-444C-94C5-E42D421D8F2C}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	14.00000000000	25.00000000000	5.00000000000	28.37870608510	-80.82002975660	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{173C36A5-6E51-4FFC-8D6A-5C7C523FA645}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	14.00000000000	20.00000000000	10.00000000000	28.37888827180	-80.81983779290	Excellent	1.00000000000	Two trees in Woodland.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{A9153F7E-AE4E-4C88-9A4A-8A5437F179E2}	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	14.00000000000	15.00000000000	10.00000000000	28.37879906070	-80.81962328240	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{9EEB6351-3835-4445-B14E-384B9E7F887C}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	20.00000000000	10.00000000000	28.37887801530	-80.81953450640	Excellent	1.00000000000	Two trees in Woodland.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{FBCDF4FC-5733-4239-880E-3B413F8A36F7}	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	15.00000000000	10.00000000000	28.37881065530	-80.81946362210	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{ECAC8769-10A1-4492-A079-D118A3DCEF14}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	10.00000000000	4.00000000000	10.00000000000	5.00000000000	28.37881496590	-80.81933702610	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{F1D381AC-CF51-4990-A426-8A5027E09539}	Palm (Christmas)	No	Adonidia merrillii	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	20.00000000000	15.00000000000	28.37879647230	-80.81916237210	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{7FB74970-829D-453C-A521-242EDBF5368A}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	14.00000000000	25.00000000000	15.00000000000	28.37879642090	-80.81902229960	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{664FDC00-6801-4171-859D-68510F93571A}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	20.00000000000	10.00000000000	28.37888859660	-80.81891855670	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{5618458F-F8F8-43A2-97DB-6EAAC4854C5C}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	20.00000000000	10.00000000000	28.37879478170	-80.81875095900	Excellent	1.00000000000	Two trees in Woodland.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{2CE8E5E0-D01E-4B39-997B-783A0BFF715B}	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	14.00000000000	25.00000000000	10.00000000000	28.37889768420	-80.81859215390	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{7E1FC975-702E-45D9-8882-DB0488A5E097}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	10.00000000000	25.00000000000	10.00000000000	28.37878820430	-80.81841914910	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{4B5D9B20-BAC1-4CFA-A1B0-87AF7682F8AD}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	25.00000000000	15.00000000000	28.37900147720	-80.81832052310	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{709EBB0A-48E5-4B16-871D-71BB9FABEBEA}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	18.00000000000	20.00000000000	15.00000000000	28.37914939030	-80.81833179790	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{C9B8086D-8D43-4975-ACE6-5CA5BE8228CF}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	25.00000000000	10.00000000000	28.37935640840	-80.81832232870	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{DB8FC15A-1A4C-400A-BB1F-E379016A3EF0}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	10.00000000000	20.00000000000	15.00000000000	28.37941100530	-80.81834105050	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{711BBA09-0923-44CF-BB19-569237575DEA}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	10.00000000000	20.00000000000	10.00000000000	28.37961074370	-80.81833192900	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{B1F1B7BE-E268-4732-8E55-C294F3C3289E}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	10.00000000000	8.00000000000	5.00000000000	5.00000000000	28.37977592280	-80.81830993560	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{2DBAA372-ECD2-4EE5-B4E9-095A069375C1}	Palm (Canary Island Date)	No	Phoenix canariensis	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	20.00000000000	14.00000000000	20.00000000000	10.00000000000	28.37986730570	-80.81832057880	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{B420B2B2-4DC3-4F6B-BEE4-64E7231DF8B2}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	14.00000000000	20.00000000000	10.00000000000	28.38002699220	-80.81831937870	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{522BE113-6BB5-46B5-9F6F-69BE16B00C4D}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	20.00000000000	10.00000000000	28.38021357480	-80.81832676820	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{534935F9-D712-4DCC-B82D-5824064B0713}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	20.00000000000	10.00000000000	28.38045070620	-80.81827343790	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{D4ADC36B-2E14-49CC-898D-59EF34A0CD5D}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	20.00000000000	10.00000000000	28.38033346360	-80.81823632400	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{76B54B8C-F8A7-4CA5-8280-6481C62E8DD1}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	20.00000000000	10.00000000000	28.38013395740	-80.81823334340	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{B3C717B7-385F-4A0B-B788-52D55E1D86F6}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Building	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	20.00000000000	8.00000000000	25.00000000000	15.00000000000	28.36061474000	-80.73457219720	Very Poor	7.00000000000	Completely dead	Tree is Damaged	Tree is Dead	Removal	No	No	380d956b-567b-48f5-9a70-79ea56e063ca	Holly (East Palatka)	No	Ilex x attenuata	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	20.00000000000	8.00000000000	15.00000000000	0.00000000000	28.39002635800	-80.74369412080	Very Poor	7.00000000000	Dead palm, needs removal	Tree is Damaged	Tree Is Dead	Removal	No	No	9d1bf111-5d79-49ce-8d7e-23a1a8281ce8	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	20.00000000000	6.00000000000	35.00000000000	0.00000000000	28.39044569030	-80.74287065860	Very Poor	7.00000000000	Dead, needs removal	Tree is Damaged	Tree Is Dead	Removal	No	No	63320dae-df76-49d6-94c0-317aa338cb65	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	16.00000000000	15.00000000000	10.00000000000	28.38811917220	-80.75545490770	Very Poor	7.00000000000	See pics, Tree Is Dead	Tree Is Damaged	Stump/Trunk	Removal	No	No	bde7f7c8-b406-4740-98ea-e4afe5a316a0	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	8.00000000000	15.00000000000	5.00000000000	28.38811179650	-80.75583988790	Very Poor	7.00000000000	Trunk Damage, Signs of Decay	Tree is Damaged	Trunk has decay, only 20% of canopy alive	Removal	No	No	1ec8cd33-6e1b-49b4-8b5c-08e338f08f04	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	4.00000000000	20.00000000000	15.00000000000	28.38111007130	-80.75043034640	Very Poor	7.00000000000	Dead, Neds Removal	Tree is Damaged	Dead, Needs Removal	Removal	No	No	{B33DF877-BE37-4AE2-A174-B6C36DBF6CD5}	Red Cedar	No	Juniperus virginiana	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	10.00000000000	6.00000000000	5.00000000000	5.00000000000	28.39251547890	-80.78256999220	Very Poor	7.00000000000	Poor condition, consider replacement	Tree Is Damaged	Previously taken to just stump, resprouting	No Maintenance Required	No	No	{0A2DB9BD-0037-4CD7-8F52-2BC20845E1EF}	Golden Raintree	No	Koelreuteria paniculata	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	5.00000000000	8.00000000000	10.00000000000	10.00000000000	28.35366975970	-80.73520389430	Very Poor	6.00000000000	Dead cabbage palm	Tree is Damaged	Dead, brown fronds and trunk	Removal	No	No	4ef806b9-e874-40b8-b918-a37f76dfb7a9	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	20.00000000000	10.00000000000	30.00000000000	15.00000000000	28.37441256170	-80.73508941830	Very Poor	6.00000000000	Poor Shape, Nearly Dead; Leaning into Roadway	Tree is Damaged	Rot and decay	Removal	No	No	64cce7b8-a526-414e-85b7-90ea8d68558e	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	40.00000000000	22.00000000000	45.00000000000	30.00000000000	28.39349752110	-80.74494572830	Very Poor	6.00000000000	In yard but mostly dead, overhanging road	Tree is Damaged	Tree is Dead	Removal	No	No	3c6fff81-c9e5-4fc0-a24c-a31250ed8b13	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	12.00000000000	10.00000000000	15.00000000000	28.39630519010	-80.75949179910	Very Poor	6.00000000000	Tree is Dead, Top Snapped Off, Just Trunk	Tree is Damaged	Stump/Trunk	Remove Trunk	No	No	{92A6AB4D-4442-48D9-9A42-83918A223759}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	12.00000000000	20.00000000000	10.00000000000	28.39546529150	-80.77771919830	Very Poor	6.00000000000	Two dead trees in Woodland.	Tree is Damaged	Stump/Trunk	Remove Trunks	No	Yes	{71FB3AC6-090C-432D-82B1-989025C76E55}	Palm (Queen)	No	Syagrus romanzoffiana	2.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	15.00000000000	20.00000000000	30.00000000000	10.00000000000	28.39654017710	-80.77215492750	Very Poor	5.00000000000	Dead Tree, Needs Removal	Tree Is Damaged	Stump/Trunk	Removal	No	No	{90F49D7A-131D-4681-A0D4-30C3A6650F80}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	14.00000000000	10.00000000000	0.00000000000	28.35970917560	-80.73356772260	Very Poor	5.00000000000	Dead Tree With Debris on Ground, Needs Removal	Tree is Damaged	Tree is Dead	Removal	Yes	No	{5D5B6D97-BA02-4D4D-BB9A-204665A5946F}	Pine (Australian)	No	Casuarina equisetifolia	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	25.00000000000	12.00000000000	0.00000000000	0.00000000000	28.35465994530	-80.73038683670	Very Poor	4.00000000000	See pic; dead stump, needs removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	37cea1c0-ea25-4473-a27f-ef602c1ea2ef	Red Cedar	No	Juniperus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	16.00000000000	10.00000000000	0.00000000000	28.39199010250	-80.75872301100	Very Poor	4.00000000000	Stump That Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{BAAB84BD-2DA2-46C1-A220-4AF39FF0EE37}	N/A (Stump)	No	N/A (Stump)	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	12.00000000000	40.00000000000	5.00000000000	28.40082534120	-80.76887391530	Very Poor	4.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{B3016B6E-7653-4251-9F36-3F5C670A749D}	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	14.00000000000	35.00000000000	15.00000000000	28.40072983500	-80.76886922250	Very Poor	4.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{3753AAE0-AF6F-44AD-9FDC-63D37B8CE09D}	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	14.00000000000	20.00000000000	10.00000000000	28.39545492520	-80.77698497380	Very Poor	4.00000000000	Dead Trunk, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{A2B29C06-54B6-4511-A0AE-4AE144866251}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	15.00000000000	12.00000000000	15.00000000000	0.00000000000	28.36028379310	-80.74511496280	Very Poor	3.00000000000	Dead palm trunk. Directly under power lines, needs removal	Tree Is Damaged	Stump	Remove Stump	No	No	102a501f-485a-4869-935d-7599fd845db5	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	10.00000000000	8.00000000000	20.00000000000	20.00000000000	28.38850520070	-80.78777619640	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{950C8A8C-E95D-4C3D-9BB1-88CB78773C06}	Pine (Slash)	No	Pinus elliottii	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	8.00000000000	30.00000000000	20.00000000000	28.38802106560	-80.78773675040	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{E7B29CFB-B138-494D-BC3A-6544126508D3}	Pine (Slash)	No	Pinus elliottii	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	20.00000000000	15.00000000000	28.38729850230	-80.78772135240	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{A6F520AA-BE5B-4F33-AA30-C028F250066C}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	acarroll_sfc	9/29/2020	acarroll_sfc	9/29/2020	15.00000000000	8.00000000000	15.00000000000	10.00000000000	28.35750346390	-80.73363002340	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{5BEBB25C-5D3A-4F51-B4AC-916BA29AFBEB}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Median	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.38273778120	-80.77264493330	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree is Dead	Removal	No	No	{7356D8DC-9EEF-4BCD-9C37-AF34A528B318}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	8.00000000000	15.00000000000	0.00000000000	28.36806211650	-80.75455653490	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree Is Dead	Removal	No	No	{B0AA3A91-74ED-4EC5-B6B9-9C55DC00EFD4}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	30.00000000000	28.00000000000	10.00000000000	0.00000000000	28.36940032900	-80.75550067230	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{980EB6CB-8C9C-46A5-BE14-C58E1DC6B7E2}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	15.00000000000	12.00000000000	5.00000000000	5.00000000000	28.40107568520	-80.74431573080	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{29508705-86F4-4831-AB68-2CB1FC0730A6}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	20.00000000000	14.00000000000	15.00000000000	10.00000000000	28.40210622400	-80.74257587820	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{F12D774F-FACC-4548-883C-2B4B33DED582}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	12.00000000000	5.00000000000	0.00000000000	28.39095154290	-80.78079465800	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{A8EBBB7F-C43F-42C4-B97E-D8C7EF0A23AA}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	30.00000000000	18.00000000000	35.00000000000	15.00000000000	28.35545871610	-80.73228686420	Very Poor	2.00000000000	Bizmark stump	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	f5b6bc90-b19d-47b1-9d94-803c94c27919	Palm (Bismarck)	No	Bismarckia nobilis	1.00000000000
City Park	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	20.00000000000	10.00000000000	0.00000000000	0.00000000000	28.35888270100	-80.73130859620	Very Poor	2.00000000000	3 stumps and 1 BP. To be removed	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	b11484c9-65d7-4d53-9461-416912340a10	Hickory (Pignut)	No	Carya glabra	1.00000000000
2-4 Ft ROW	shendley_sfc	9/13/2020	shendley_sfc	9/13/2020	20.00000000000	8.00000000000	5.00000000000	0.00000000000	28.35087389180	-80.73356707580	Very Poor	2.00000000000	Tree is cut; stump needs removal	Tree Is Damaged	Stump/Trunk	Remove Stump	No	No	7148642b-82af-4f80-a4ad-74d5e933ea8a	Sycamore	No	Platanus occidentalis	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/16/2020	sbourgoin_sfc	9/16/2020	20.00000000000	14.00000000000	25.00000000000	15.00000000000	28.36619344110	-80.74705959530	Very Poor	2.00000000000	Completely dead needs removal	Tree is Damaged	Tree is Dead	Removal	No	No	1c15f2d9-a065-4aab-8ccf-5cd17f805c7a	Pine (Longleaf)	No	Pinus palustris	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	20.00000000000	10.00000000000	5.00000000000	0.00000000000	28.38738969540	-80.76376179260	Very Poor	2.00000000000	Stump	Tree Is Undamaged	<Null>	Remove Stump	No	No	{57F1FA2A-BD75-400B-8276-6ED829F7A80C}	Bottlebrush (Weeping)	No	Melaleuca viminalis	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	16.00000000000	0.00000000000	0.00000000000	28.39889285130	-80.76775526670	Very Poor	2.00000000000	Stump That Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{20ACB205-116A-418E-A68F-74403C577CD5}	N/A (Stump)	No	N/A (Stump)	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	35.00000000000	18.00000000000	10.00000000000	5.00000000000	28.35695927990	-80.73346942710	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{F6DC1A1A-AB89-41C0-8372-8E2460A0F823}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	55.00000000000	28.00000000000	50.00000000000	60.00000000000	28.36019909440	-80.73430334220	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{C9E5553C-5EC9-4DA4-9A4E-6D214065BBD5}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	25.00000000000	16.00000000000	40.00000000000	20.00000000000	28.35963514510	-80.73353318230	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree is dead, see picture.	Removal	Yes	No	{6EE83020-5AB6-449A-ADA6-8EA7F2292927}	Pine (Australian)	No	Casuarina equisetifolia	1.00000000000
Cemetary	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	30.00000000000	18.00000000000	0.00000000000	0.00000000000	28.36875127660	-80.75586536950	Very Poor	2.00000000000	Old stump. Rotting	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{35627E43-0723-448B-BD9B-8911F4A8D205}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	16.00000000000	10.00000000000	5.00000000000	28.36835598580	-80.75473439860	Very Poor	2.00000000000	Stump	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{15DA5336-B17B-479C-929E-A36072E8D6D0}	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	10.00000000000	4.00000000000	15.00000000000	5.00000000000	28.38348674870	-80.77803819550	Very Poor	2.00000000000		Tree is Damaged	Tree is Dead	Removal	No	No	{1BAEAF65-A73A-4AAD-B2B5-156CBE656BE0}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	12.00000000000	0.00000000000	0.00000000000	28.39103175120	-80.78077820530	Very Poor	2.00000000000	Two stumps in Woodland.	Tree is Damaged	Stump/Trunk	Remove Stump	No	Yes	{E37E5873-D334-4D04-8F44-04B030B00B88}	N/A (Stump)	No	N/A (Stump)	2.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	12.00000000000	15.00000000000	0.00000000000	28.39120392220	-80.78055795280	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{88B0584D-929C-4C3A-B4CE-733862991F2F}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	10.00000000000	20.00000000000	0.00000000000	28.39127525250	-80.78042099290	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{63356FB1-094E-4FD5-9573-2F45BA64F029}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	12.00000000000	25.00000000000	10.00000000000	28.39152758910	-80.77998370830	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{B19D23DB-8B93-431A-ACD0-7BE247CC2E33}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.39102319340	-80.77973278460	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{EC4E220A-D753-48A0-B655-12FD268FB25D}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	8.00000000000	30.00000000000	25.00000000000	28.39072632140	-80.78034228610	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{66C46A3C-08E9-491C-B001-175D6B738570}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.39078610070	-80.78101954130	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{CBF7C1CA-BA64-4423-B044-09F778651EDE}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	5.00000000000	4.00000000000	15.00000000000	5.00000000000	28.39078144680	-80.78100083840	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{8C262DC2-611C-4171-875C-EE4247717BF5}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35702616760	-80.73350831880	Very Poor	1.00000000000	Stump that has resprouted	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{B77C4B93-AF85-4AD0-9BD7-C050A6AD16C9}	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
City Park	acarroll_sfc	9/15/2020	acarroll_sfc	9/15/2020	20.00000000000	10.00000000000	25.00000000000	10.00000000000	28.35420867420	-80.74326518970	Poor	6.00000000000	See pic	Tree is Undamaged	<Null>	Removal	No	No	cdb648ac-bce2-4124-b380-995ad4b2eee9	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
City Park	sbourgoin_sfc	9/18/2020	sbourgoin_sfc	9/18/2020	5.00000000000	8.00000000000	15.00000000000	10.00000000000	28.37679872970	-80.76179704140	Poor	6.00000000000	tree not completely dead, but 50 percent of branches without leaves; seems to have a web work infestation see pics	Tree is Damaged	Large chunk of middle bark missing	Removal	No	No	e8617e60-7f0e-4fef-8965-1e60586e0c86	Oak (Live)	No	Quercus virginiana	1.00000000000
City Building	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	20.00000000000	10.00000000000	25.00000000000	10.00000000000	28.36120423840	-80.73457651270	Poor	5.00000000000	Majority of tree is dead. Recommend removal	Tree is Damaged	Tree is Dead	Removal	No	No	b7742f99-fba6-40f2-996f-ae824c895a11	Holly (East Palatka)	No	Ilex x attenuata	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	15.00000000000	6.00000000000	20.00000000000	10.00000000000	28.37505849060	-80.76122660220	Poor	5.00000000000	Severe leaf loss	Tree is Damaged	Severe leaf loss, obvious damage to tree	Removal	No	No	1b4a0557-5f26-41f9-9019-11038d4fee85	Holly (American)	No	Ilex opaca	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	14.00000000000	20.00000000000	15.00000000000	28.38814578530	-80.75573913730	Poor	5.00000000000	High percentage of deadwood in canopy, multiple limb breaks	Tree is Damaged	Recent limb breaks, copious deadwood	Pruning	No	No	bb7b3673-838d-4293-95a6-0bfced1b9db4	Box Elder	No	Acer negundo	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	20.00000000000	16.00000000000	35.00000000000	20.00000000000	28.38825967710	-80.78775262730	Poor	5.00000000000	Severe damage to trunk, wood rot	Tree is Damaged	Wood rot in trunk	Removal	No	No	{0E823A48-2112-4497-9276-C59EF128FB03}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	16.00000000000	20.00000000000	15.00000000000	28.35703777640	-80.73279946090	Poor	5.00000000000	Try cleaning deadwood first before removing. Co dom w included bark	Tree is Damaged	Tree Is Dead	Removal	No	No	{AE4C2C59-5208-4610-B8B3-58DC8CCBB65E}	Hickory (Pignut)	No	Carya glabra	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	8.00000000000	6.00000000000	20.00000000000	10.00000000000	28.39916023430	-80.77080259110	Poor	4.00000000000	Remove	Tree is Damaged	Cambium layer weed whacked repeatedly	Removal	No	No	{E356A27F-155E-41C7-AE39-BE2D3B1F3306}	Holly (Dahoon)	No	Ilex cassine	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35120694720	-80.72616601960	Poor	3.00000000000	Canopy broken and mostly leafless	Tree Is Damaged	Canopy topped	No Maintenance Required	No	No	cd35ada1-bbfe-4763-97e7-f10ed59cf265	Tabebuia	No	Tabebuia spp.	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	5.00000000000	8.00000000000	10.00000000000	5.00000000000	28.35114616070	-80.72621493110	Poor	3.00000000000	Canopy broken and mostly leafless	Tree Is Damaged	Crown broke	No Maintenance Required	No	No	bf3469ee-9835-42d5-b45e-81997412c6ae	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	20.00000000000	14.00000000000	20.00000000000	10.00000000000	28.37552867380	-80.76525779480	Poor	2.00000000000	See pic	Tree is Damaged	Needs pruning of multiple dead limbs for a chance	Pruning	Yes	No	7c237f9f-a267-4710-92e8-f4454a1b5c7f	Indian Rosewood	No	Dalbergia sissoo	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	30.00000000000	12.00000000000	35.00000000000	15.00000000000	28.36061274170	-80.73415800010	Poor	2.00000000000	Unnatural form. Fine for SLO.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{AB73F2B7-444C-4EB9-9B64-0ED15E67861B}	Oak (Sand Live)	No	Quercus geminata	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	40.00000000000	18.00000000000	25.00000000000	40.00000000000	28.36486055300	-80.73437332990	Fair	7.00000000000		Tree Is Damaged	Missing mult limbs due to rot and pruning. Central leader still intact but rotting likely to fall	Removal	No	No	035599b7-6ba4-4a35-bf49-3b2cb056e780	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	60.00000000000	32.00000000000	45.00000000000	25.00000000000	28.38155051730	-80.73657843430	Fair	7.00000000000	Lg oak directly next to road. Evidence of prev pruning. Lg dead limbs overhanging road, needs additional consult	Tree Is Damaged	Multiple large dead limbs	Pruning	No	No	788c2f34-9024-4f34-aeb1-4b0ff7cb1825	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	40.00000000000	24.00000000000	45.00000000000	25.00000000000	28.37482115740	-80.76184862270	Fair	7.00000000000	Remove. Co Dom and over pruned. Trunk rot. See pictures	Tree is Damaged	Trunk Rot	Removal	No	No	042c8a89-8f42-45a7-932d-209dbeb2a45b	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	18.00000000000	50.00000000000	35.00000000000	28.37785729230	-80.74507031560	Fair	7.00000000000	Water oak, dead branch over road way	Tree is Damaged	Crown broke	Pruning	No	No	{BC25B713-2163-4046-9747-9A4FC6AC84A3}	Oak (Water)	No	Quercus nigra	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	30.00000000000	26.00000000000	40.00000000000	35.00000000000	28.39283805840	-80.76054104570	Fair	7.00000000000	Tree has sparse canopy with many bare branches, see pictures.	Tree is Damaged	Bare branches/canopy	Pruning	No	No	{03C14FE5-C859-4706-923E-676D89DB62A9}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	6.00000000000	10.00000000000	5.00000000000	28.35700282350	-80.73356992610	Fair	7.00000000000	See pic	Tree Is Damaged	Tree Is Dead	Removal	No	No	{58F800C4-0AC0-464A-80AB-BBA329198225}	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	6.00000000000	10.00000000000	5.00000000000	28.35528643810	-80.72750413570	Fair	6.00000000000	See pic	Tree is Damaged	Dying, needs H2O	Removal	No	No	060c3393-62c2-403b-bd0f-860973469609	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	15.00000000000	12.00000000000	15.00000000000	20.00000000000	28.35402286250	-80.72669429640	Fair	6.00000000000	See picture	Tree Is Damaged	Crown broken	No Maintenance Required	No	No	3b083e80-5b3e-4bd5-bd2b-7af3cfdbe027	Red Cedar	No	Juniperus virginiana	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	10.00000000000	10.00000000000	20.00000000000	20.00000000000	28.36394391950	-80.74302337130	Fair	6.00000000000	Large trunk damage	Tree Is Damaged	Trunk is Cracked and Split for Its Entirety	Removal	No	No	63aa69e1-249e-489e-8fec-7ee7362c9bda	Sycamore	No	Platanus occidentalis	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/16/2020	sbourgoin_sfc	9/16/2020	20.00000000000	10.00000000000	30.00000000000	25.00000000000	28.37128400850	-80.74462001170	Fair	6.00000000000	Tree is nearly dead, probably 40 percent of branches with leaves; needs at least pruning, possibly removal	Tree is Damaged	High Proportion of Branches Dead	Pruning	No	No	f91261d9-9f85-42e9-9f78-aa7a782adf5e	Green Ash	No	Fraxinus pennsylvanica	1.00000000000
4+ Ft ROW	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	40.00000000000	24.00000000000	40.00000000000	45.00000000000	28.39816863550	-80.74960865740	Fair	6.00000000000	Overhang	Tree is Damaged	Hit by vehicle	No Maintenance Required	No	No	4a56135e-24de-4fba-b0f3-08359e5707ef	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	20.00000000000	16.00000000000	35.00000000000	40.00000000000	28.37463553980	-80.76391794760	Fair	6.00000000000	This tree has a co-dominance stem with included bark also overhangs the road also has soil heaving. Also has bark beetles. Minor bark beetles. See pictures	Tree is Damaged	Minor bark beetles	No Maintenance Required	No	No	b5b0fef6-9771-4532-b50e-4d81cd696a64	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	10.00000000000	6.00000000000	20.00000000000	10.00000000000	28.38810714400	-80.75727310950	Fair	6.00000000000	Heavy signs of bark beetle infestation	Tree is Damaged	Pest Infestation	No Maintenance Required	No	No	d601b313-3efe-42d1-82f5-832a90f6c213	Green Ash	No	Fraxinus pennsylvanica	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	16.00000000000	15.00000000000	20.00000000000	28.39544013590	-80.75904185900	Fair	6.00000000000	Tree appears to be dying with bare branches. See picture.	Tree is Damaged	Branches are Dying Off	Pruning	No	No	{50398963-9B6C-42E0-9FE6-AF91BDD37434}	Bottlebrush (Weeping)	No	Melaleuca viminalis	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	8.00000000000	15.00000000000	15.00000000000	28.39721316040	-80.77160247610	Fair	6.00000000000	Trim back hard	Tree Is Undamaged	<Null>	Pruning	Yes	No	{06490509-BE0F-44E0-AF4B-31F9569E62B2}	Camphor Tree	No	Cinnamomum camphora	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	8.00000000000	20.00000000000	15.00000000000	28.35712084050	-80.73344344240	Fair	6.00000000000	The canopy has been broken off. Bark beetles present in the canopy. Deadwood throughout. See picture	Tree is Damaged	Canopy has been broken off	Pruning	No	No	{BACA6C9D-F7F4-44F3-A16B-E6E6525412DA}	Sugarberry	No	Celtis laevigata	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	40.00000000000	20.00000000000	50.00000000000	20.00000000000	28.36061601040	-80.73421910450	Fair	6.00000000000	Deadwood at the top of the canopy. Sparse canopy. Bark peeling. Decay in lowest point of trunk.	Tree is Damaged	Deadwood and Peeling Bark	Pruning	No	No	{8EAFBCE8-3712-4061-B595-38C4579F5B35}	Oak (Sand Live)	No	Quercus geminata	1.00000000000

Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35701602520	-80.73327437950	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{DE0375BB-75C7-43B4-BD6C-151FC5462585}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Median	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	10.00000000000	50.00000000000	10.00000000000	28.37942288280	-80.77271719380	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{BD6B964A-4EFC-4356-B547-892C2E19C82D}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	12.00000000000	25.00000000000	10.00000000000	28.35700408120	-80.73326557870	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{A04D199E-74EC-4C74-AE4B-2704DE050E64}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Median	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	8.00000000000	35.00000000000	15.00000000000	28.37942128150	-80.77273895550	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{DDEE3F2C-3FC9-448E-BBC9-9B8904813F85}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	10.00000000000	4.00000000000	5.00000000000	10.00000000000	28.35691531660	-80.73325225130	Excellent	1.00000000000	Flame of the woods. West Indian jasmine	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{9F98BA3A-5224-4E60-BBCE-24FA60C277FC}	West Indian Jasmine	No	Ixora spp.	1.00000000000
Median	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	10.00000000000	35.00000000000	15.00000000000	28.37943651240	-80.77282517130	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{EB45074E-FF16-463F-95BB-6684A4973A5D}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Median	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	30.00000000000	26.00000000000	40.00000000000	40.00000000000	28.37945168730	-80.77282395320	Excellent	1.00000000000	Codominate tree, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{109D073A-E3FA-4BCE-BB5D-FFBB153D2C44}	Oak (Live)	No	Quercus virginiana	1.00000000000
Median	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	12.00000000000	35.00000000000	15.00000000000	28.37943400150	-80.77288050930	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{EC799826-4F5D-4BA6-B3FB-51641C537DBF}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Median	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	10.00000000000	30.00000000000	15.00000000000	28.37942999280	-80.77289963980	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{173A9F19-15FE-4011-BFA8-E17BD414F7CD}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	14.00000000000	40.00000000000	30.00000000000	28.35672819020	-80.73324604930	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{4B1C0584-C865-4DAF-B09D-1A1E1E7A95E4}	Oak (Live)	No	Quercus virginiana	1.00000000000
Median	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	16.00000000000	25.00000000000	15.00000000000	28.37943172530	-80.77294326110	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{9072152E-24CD-452F-82D5-C59923F36627}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	10.00000000000	30.00000000000	20.00000000000	28.35674147570	-80.73315502130	Excellent	1.00000000000	2 live oaks nearly same tree, but not.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{0FE999D7-CB0D-4BC8-A9F2-81DE3EA2D2CC}	Oak (Live)	No	Quercus virginiana	2.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	6.00000000000	10.00000000000	15.00000000000	28.35686485750	-80.73311772230	Excellent	1.00000000000	Suckering tree. See pics	Tree is Undamaged	<Null>	Pruning	No	No	{9AB82ED9-2145-4095-A050-016236E5E750}	Hickory (Pignut)	No	Carya glabra	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	8.00000000000	20.00000000000	10.00000000000	28.35687839440	-80.73318636980	Excellent	1.00000000000	Tree form. See pic.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{719F01A8-0702-4E8A-B7D1-3C807DC4D662}	Pine (Plum)	No	Podocarpus spp.	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	10.00000000000	25.00000000000	10.00000000000	28.35692147710	-80.73317430000	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{9A9005CE-1049-4E55-8D17-A770739087D1}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	12.00000000000	35.00000000000	10.00000000000	28.35710659130	-80.73315150080	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{65F08EE1-8C57-4224-8904-0BB05A3D7415}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35726347410	-80.73310198560	Excellent	1.00000000000	Species is Zamia. Height 4 foot.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{8948B1B7-393F-4175-B97C-BA07AD3767FF}	Florida Arrowroot	No	Zamia integrifolia	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	4.00000000000	5.00000000000	10.00000000000	28.35736278000	-80.73315380040	Excellent	1.00000000000	Species is spiny oleander in shrub form, see picture. Height is 6 foot	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{93E12536-E2C0-4D9D-8869-82045ACD2D3A}	Spiny Oleander	No	Nerium oleander	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	10.00000000000	35.00000000000	15.00000000000	28.35741921440	-80.73317348340	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{CD70C465-7D16-4261-8119-7B5A8F6EB173}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	10.00000000000	25.00000000000	10.00000000000	28.35715190000	-80.73316135890	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{AF4D0F0A-621D-45E8-A061-6706322165FA}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	14.00000000000	30.00000000000	25.00000000000	28.35749751610	-80.73313546310	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{4F27AAF7-0BDE-4DD4-B54E-201F94828DFD}	Holly (American)	No	Ilex opaca	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	30.00000000000	16.00000000000	45.00000000000	35.00000000000	28.35712184680	-80.73307338150	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{FE792F4E-25D0-49E9-83AA-91B684CA810B}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	10.00000000000	14.00000000000	15.00000000000	10.00000000000	28.35709263550	-80.73310028780	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{F54C96EE-8059-480C-8404-EA656C96C9B4}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	20.00000000000	30.00000000000	25.00000000000	28.35762015940	-80.73314442110	Excellent	1.00000000000	Tree form.	Tree is Undamaged	<Null>	Pruning	No	No	{E6A67B23-D0A4-4241-843D-F6D6A5FCD22F}	Pine (Plum)	No	Podocarpus spp.	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	12.00000000000	25.00000000000	10.00000000000	28.35698577900	-80.73308128840	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{F24E3704-00C4-47AF-A330-2F09C3A9E3A3}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	10.00000000000	8.00000000000	20.00000000000	10.00000000000	28.35692491350	-80.73309550970	Excellent	1.00000000000	Tree form	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{D744BC31-5314-4D7E-8163-4E800E215479}	Pine (Plum)	No	Podocarpus spp.	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	18.00000000000	35.00000000000	45.00000000000	28.35763352310	-80.73307356200	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{CEC1A7C3-CEAC-4492-AAB8-A228D4BAC4A2}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	10.00000000000	30.00000000000	25.00000000000	28.35688577000	-80.73311721920	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{C3F7CD23-AAA1-479A-A17A-350B4AFFEEC5}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	30.00000000000	24.00000000000	40.00000000000	50.00000000000	28.35748306540	-80.73297408890	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{56528ECB-F2A8-46EE-9AED-E91E2DBBF2CD}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35731381920	-80.73306396530	Excellent	1.00000000000	Tree in shrub form needs to be hedged.	Tree is Undamaged	<Null>	Pruning	No	No	{3FB7CD21-024F-4E7C-BDA5-D2B2EB7E476F}	Pine (Plum)	No	Podocarpus spp.	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	30.00000000000	28.00000000000	40.00000000000	45.00000000000	28.35720789420	-80.73286008370	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{8E3F8C14-1D0E-4FE6-9D5E-1FB3126FCDB1}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	16.00000000000	40.00000000000	15.00000000000	28.35723697190	-80.73279049300	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{49471D2F-7DDD-43A3-A814-4C919DCA6712}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	16.00000000000	25.00000000000	15.00000000000	28.35738141340	-80.73287604670	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{5058AEEA-783C-4832-8160-459D3BE673DA}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	6.00000000000	10.00000000000	10.00000000000	28.35672399960	-80.73269074770	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{A9E63573-A93C-4D2F-AF0F-41AD014FD7E6}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	10.00000000000	8.00000000000	20.00000000000	15.00000000000	28.35738176830	-80.73276607950	Excellent	1.00000000000	Plant is tree form.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{37D2A8B4-1E8A-42A3-8779-67CA27271071}	Pine (Plum)	No	Podocarpus spp.	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	10.00000000000	10.00000000000	10.00000000000	28.35690331250	-80.73275648460	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{2411FC96-D792-4048-A4F4-105CC9A6C99E}	Palm (Chinese Fan)	No	Livistona chiensis	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	16.00000000000	20.00000000000	10.00000000000	28.35690747940	-80.73282142200	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{FC053CDC-F1F7-43E9-AE27-2DE95EC0F402}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	25.00000000000	18.00000000000	40.00000000000	40.00000000000	28.35743260580	-80.73274276730	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{5FBE7DE8-2D08-47A1-A23D-51362F5D471C}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35741773770	-80.73279887790	Excellent	1.00000000000	Tree in shrub form	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{E2711F74-9ED6-4F0B-9D0C-F491A5008722}	Pine (Plum)	No	Podocarpus spp.	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	14.00000000000	35.00000000000	30.00000000000	28.35749471530	-80.73273031040	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{8CDE6FB7-9F51-43BA-8383-FA97733E3BB3}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	30.00000000000	26.00000000000	35.00000000000	50.00000000000	28.35750380390	-80.73282615070	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{78C32591-71BC-449A-935E-794AAD4EC093}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	14.00000000000	25.00000000000	15.00000000000	28.35759237040	-80.73283035390	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{A0EE0022-08E0-4C0F-978F-69699D654288}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	10.00000000000	10.00000000000	10.00000000000	10.00000000000	28.35701543470	-80.73275787970	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{9BF3EAE3-29FE-46C5-9DD2-B50E7034A9A6}	Palm (Chinese Fan)	No	Livistona chiensis	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	12.00000000000	40.00000000000	15.00000000000	28.35760099170	-80.73277673800	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{D4EE68C4-EEE4-4511-9995-7406FC47B6F3}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	10.00000000000	8.00000000000	15.00000000000	10.00000000000	28.35706392770	-80.73285570350	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{6947DFDD-D6AC-46EA-A82A-0E612D8346B8}	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	8.00000000000	20.00000000000	10.00000000000	28.35704087760	-80.73290809050	Excellent	1.00000000000	Juniper. Tree form	Tree is Undamaged	<Null>	Pruning	No	No	{37C228CB-AD72-4CBA-AA1D-C9C4642C577F}	Arborvitae	No	Thuja occidentalis	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35974196170	-80.73437698430	Excellent	1.00000000000	98 trees in Woodland. All need to be hedged.	Tree is Undamaged	<Null>	Pruning	No	Yes	{6662E0C2-612D-4954-8F3D-D53611D18F25}	Pine (Plum)	No	Podocarpus spp.	98.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	14.00000000000	20.00000000000	15.00000000000	28.36003837180	-80.73436687730	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{B291ED4B-F611-4512-9DEA-8FCF079CDCDA}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	14.00000000000	20.00000000000	15.00000000000	28.35997789620	-80.73426830610	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{101091AF-7809-455E-8BE2-9DDEF094B5BF}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	40.00000000000	34.00000000000	40.00000000000	60.00000000000	28.35981620240	-80.73419311080	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{2219B1BF-46B2-4FF5-96BD-583C32E354B9}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	12.00000000000	30.00000000000	35.00000000000	28.35962560530	-80.73430233610	Excellent	1.00000000000	Tree is multi stem, see picture.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{637E165D-CB61-4726-87E5-5D11C45C39D3}	Prickly Ash	No	Zanthoxylum americanum	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.36065947100	-80.73442010250	Excellent	1.00000000000	30. See pic	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{D2CB0E4C-DF7E-4D00-A66C-1896A5323B08}	Pine (Plum)	No	Podocarpus spp.	2.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	12.00000000000	35.00000000000	15.00000000000	28.35962572390	-80.73427226940	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{A95C1EDB-4837-4EB7-888B-81F11C77BF72}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.36059279270	-80.73441113370	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{C8825069-6D89-4BC2-AFEC-2B4FC3059C9D}	Strangler Fig	No	Ficus spp.	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	12.00000000000	30.00000000000	15.00000000000	28.35953417340	-80.73432338810	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{BEBEAAF3-51F9-44E3-AB53-51077B17AF16}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	14.00000000000	20.00000000000	10.00000000000	28.36056228280	-80.73439227450	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{F5586DCD-5F0D-477C-BCFD-351B12EB15C6}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	10.00000000000	18.00000000000	15.00000000000	15.00000000000	28.36053244310	-80.73437140300	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{BA772185-2519-4C30-BB83-E69F78B54AF8}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	16.00000000000	20.00000000000	10.00000000000	28.36052837760	-80.73438875400	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{2D0EA47A-A109-4DBF-B4E8-496924BBEF13}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	30.00000000000	26.00000000000	30.00000000000	40.00000000000	28.35935933760	-80.73417904140	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	Yes	No	{67509F20-6E69-4733-9821-E7E679F65A32}	Chinaberry	No	Melia azedarach	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	16.00000000000	15.00000000000	20.00000000000	28.35949031940	-80.73421062080	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{329334AE-36FE-4EA9-8F72-BFFBFCE3B2B8}	Palm (Chinese Fan)	No	Livistona chiensis	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	10.00000000000	6.00000000000	10.00000000000	5.00000000000	28.35946296080	-80.73416605620	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{B07EF459-EBE3-413E-A7FF-244F077EEB61}	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35955608610	-80.73421202030	Excellent	1.00000000000	Two trees in Woodland.	Tree is Undamaged	<Null>	Pruning	No	Yes	{252F0853-AD15-4D3A-A05C-23F892A8C0F0}	Cherry Laurel	No	Prunus laurocerasus	2.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	30.00000000000	26.00000000000	40.00000000000	45.00000000000	28.35960356690	-80.73420033770	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{26AA1F83-3964-410E-83FB-5D4FA6900E78}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	10.00000000000	35.00000000000	10.00000000000	28.36010575630	-80.73437333440	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{BDB40524-8E62-4208-B9EB-CDB5211051B4}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Building	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	20.00000000000	8.00000000000	25.00000000000	15.00000000000	28.36061474000	-80.73457219720	Very Poor	7.00000000000	Completely dead	Tree is Damaged	Tree is Dead	Removal	No	No	380d956b-567b-48f5-9a70-79ea56e063ca	Holly (East Palatka)	No	Ilex x attenuata	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	20.00000000000	8.00000000000	15.00000000000	0.00000000000	28.39002635800	-80.74369412080	Very Poor	7.00000000000	Dead palm, needs removal	Tree is Damaged	Tree Is Dead	Removal	No	No	9d1bf111-5d79-49ce-8d7e-23a1a8281ce8	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	20.00000000000	6.00000000000	35.00000000000	0.00000000000	28.39044569030	-80.74287065860	Very Poor	7.00000000000	Dead, needs removal	Tree is Damaged	Tree Is Dead	Removal	No	No	63320dae-df76-49d6-94c0-317aa338cb65	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	16.00000000000	15.00000000000	10.00000000000	28.38811917220	-80.75545490770	Very Poor	7.00000000000	See pics, Tree Is Dead	Tree Is Damaged	Stump/Trunk	Removal	No	No	bde7f7c8-b406-4740-98ea-e4afe5a316a0	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	8.00000000000	15.00000000000	5.00000000000	28.38811179650	-80.75583988790	Very Poor	7.00000000000	Trunk Damage, Signs of Decay	Tree is Damaged	Trunk has decay, only 20% of canopy alive	Removal	No	No	1ec8cd33-6e1b-49b4-8b5c-08e338f08f04	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	4.00000000000	20.00000000000	15.00000000000	28.38111007130	-80.75043034640	Very Poor	7.00000000000	Dead, Neds Removal	Tree is Damaged	Dead, Needs Removal	Removal	No	No	{B33DF877-BE37-4AE2-A174-B6C36DBF6CD5}	Red Cedar	No	Juniperus virginiana	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	10.00000000000	6.00000000000	5.00000000000	5.00000000000	28.39251547890	-80.78256999220	Very Poor	7.00000000000	Poor condition, consider replacement	Tree Is Damaged	Previously taken to just stump, resprouting	No Maintenance Required	No	No	{0A2DB9BD-0037-4CD7-8F52-2BC20845E1EF}	Golden Raintree	No	Koelreuteria paniculata	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	5.00000000000	8.00000000000	10.00000000000	10.00000000000	28.35366975970	-80.73520389430	Very Poor	6.00000000000	Dead cabbage palm	Tree is Damaged	Dead, brown fronds and trunk	Removal	No	No	4ef806b9-e874-40b8-b918-a37f76dfb7a9	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	20.00000000000	10.00000000000	30.00000000000	15.00000000000	28.37441256170	-80.73508941830	Very Poor	6.00000000000	Poor Shape, Nearly Dead; Leaning into Roadway	Tree is Damaged	Rot and decay	Removal	No	No	64cce7b8-a526-414e-85b7-90ea8d68558e	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	40.00000000000	22.00000000000	45.00000000000	30.00000000000	28.39349752110	-80.74494572830	Very Poor	6.00000000000	In yard but mostly dead, overhanging road	Tree is Damaged	Tree is Dead	Removal	No	No	3c6fff81-c9e5-4fc0-a24c-a31250ed8b13	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	12.00000000000	10.00000000000	15.00000000000	28.39630519010	-80.75949179910	Very Poor	6.00000000000	Tree is Dead, Top Snapped Off, Just Trunk	Tree is Damaged	Stump/Trunk	Remove Trunk	No	No	{92A6AB4D-4442-48D9-9A42-83918A223759}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	12.00000000000	20.00000000000	10.00000000000	28.39546529150	-80.77771919830	Very Poor	6.00000000000	Two dead trees in Woodland.	Tree is Damaged	Stump/Trunk	Remove Trunks	No	Yes	{71FB3AC6-090C-432D-82B1-989025C76E55}	Palm (Queen)	No	Syagrus romanzoffiana	2.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	15.00000000000	20.00000000000	30.00000000000	10.00000000000	28.39654017710	-80.77215492750	Very Poor	5.00000000000	Dead Tree, Needs Removal	Tree Is Damaged	Stump/Trunk	Removal	No	No	{90F49D7A-131D-4681-A0D4-30C3A6650F80}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	14.00000000000	10.00000000000	0.00000000000	28.35970917560	-80.73356772260	Very Poor	5.00000000000	Dead Tree With Debris on Ground, Needs Removal	Tree Is Damaged	Tree is Dead	Removal	Yes	No	{5D5B6D97-BA02-4D4D-BB9A-204665A5946F}	Pine (Australian)	No	Casuarina equisetifolia	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	25.00000000000	12.00000000000	0.00000000000	0.00000000000	28.35465994530	-80.73038683670	Very Poor	4.00000000000	See pic; dead stump, needs removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	37cea1c0-ea25-4473-a27f-ef602c1ea2ef	Red Cedar	No	Juniperus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	16.00000000000	10.00000000000	0.00000000000	28.39199010250	-80.75872301100	Very Poor	4.00000000000	Stump That Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{BAAB84BD-2DA2-46C1-A220-4AF39FF0EE37}	N/A (Stump)	No	N/A (Stump)	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	12.00000000000	40.00000000000	5.00000000000	28.40082534120	-80.76887391530	Very Poor	4.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{B3016B6E-7653-4251-9F36-3F5C670A749D}	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	14.00000000000	35.00000000000	15.00000000000	28.40072983500	-80.76886922250	Very Poor	4.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{3753AAE0-AF6F-44AD-9FDC-63D37B8CE09D}	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	14.00000000000	20.00000000000	10.00000000000	28.39545492520	-80.77698497380	Very Poor	4.00000000000	Dead Trunk, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{A2B29C06-54B6-4511-A0AE-4AE144866251}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	15.00000000000	12.00000000000	15.00000000000	0.00000000000	28.36028379310	-80.74511496280	Very Poor	3.00000000000	Dead palm trunk. Directly under power lines, needs removal	Tree Is Damaged	Stump	Remove Stump	No	No	102a501f-485a-4869-935d-7599fd845db5	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	10.00000000000	8.00000000000	20.00000000000	20.00000000000	28.38850520070	-80.78777619640	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{950C8A8C-E95D-4C3D-9BB1-88CB78773C06}	Pine (Slash)	No	Pinus elliottii	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	8.00000000000	30.00000000000	20.00000000000	28.38802106560	-80.78773675040	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{E7B29CFB-B138-494D-BC3A-6544126508D3}	Pine (Slash)	No	Pinus elliottii	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	20.00000000000	15.00000000000	28.38729850230	-80.78772135240	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{A6F520AA-BE5B-4F33-AA30-C028F250066C}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetery	acarroll_sfc	9/29/2020	acarroll_sfc	9/29/2020	15.00000000000	8.00000000000	15.00000000000	10.00000000000	28.35750346390	-80.73363002340	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{5BEBB25C-5D3A-4F51-B4AC-916BA29AFBEB}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Median	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.38273778120	-80.77264493330	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree is Dead	Removal	No	No	{7356D8DC-9EEF-4BCD-9C37-AF34A528B318}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetery	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	8.00000000000	15.00000000000	0.00000000000	28.36806211650	-80.75455653490	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree Is Dead	Removal	No	No	{B0AA3A91-74ED-4EC5-B6B9-9C55DC00EFD4}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetery	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	30.00000000000	28.00000000000	10.00000000000	0.00000000000	28.36940032900	-80.75550067230	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{980EB6CB-8C9C-46A5-BE14-C58E1DC6B7E2}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	15.00000000000	12.00000000000	5.00000000000	5.00000000000	28.40107568520	-80.74431573080	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{29508705-86F4-4831-AB68-2CB1FC0730A6}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	20.00000000000	14.00000000000	15.00000000000	10.00000000000	28.40210622400	-80.74257587820	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{F12D774F-FACC-4548-883C-2B4B33DED582}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	12.00000000000	5.00000000000	0.00000000000	28.39095154290	-80.78079465800	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{A8EBBB7F-C43F-42C4-B97E-D8C7EF0A23AA}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	30.00000000000	18.00000000000	35.00000000000	15.00000000000	28.35545871610	-80.73228686420	Very Poor	2.00000000000	Bizmark stump	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	f5b6bc90-b19d-47b1-9d94-803c94c27919	Palm (Bismarck)	No	Bismarckia nobilis	1.00000000000
City Park	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	20.00000000000	10.00000000000	0.00000000000	0.00000000000	28.35888270100	-80.73130859620	Very Poor	2.00000000000	3 stumps and 1 BP. To be removed	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	b11484c9-65d7-4d53-9461-416912340a10	Hickory (Pignut)	No	Carya glabra	1.00000000000
2-4 Ft ROW	shendley_sfc	9/13/2020	shendley_sfc	9/13/2020	20.00000000000	8.00000000000	5.00000000000	0.00000000000	28.35087389180	-80.73356707580	Very Poor	2.00000000000	Tree is cut; stump needs removal	Tree Is Damaged	Stump/Trunk	Remove Stump	No	No	7148642b-82af-4f80-a4ad-74d5e933ea8a	Sycamore	No	Platanus occidentalis	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/16/2020	sbourgoin_sfc	9/16/2020	20.00000000000	14.00000000000	25.00000000000	15.00000000000	28.36619344110	-80.74705959530	Very Poor	2.00000000000	Completely dead needs removal	Tree is Damaged	Tree is Dead	Removal	No	No	1c15f2d9-a065-4aab-8ccf-5cd17f805c7a	Pine (Longleaf)	No	Pinus palustris	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	20.00000000000	10.00000000000	5.00000000000	0.00000000000	28.38738969540	-80.76376179260	Very Poor	2.00000000000	Stump	Tree Is Undamaged	<Null>	Remove Stump	No	No	{57F1FA2A-BD75-400B-8276-6ED829F7A80C}	Bottlebrush (Weeping)	No	Melaleuca viminalis	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	16.00000000000	0.00000000000	0.00000000000	28.39889285130	-80.76775526670	Very Poor	2.00000000000	Stump That Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{20ACB205-116A-418E-A68F-74403C577CD5}	N/A (Stump)	No	N/A (Stump)	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	35.00000000000	18.00000000000	10.00000000000	5.00000000000	28.35695927990	-80.73346942710	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{F6DC1A1A-AB89-41C0-8372-8E2460A0F823}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	55.00000000000	28.00000000000	50.00000000000	60.00000000000	28.36019909440	-80.73430334220	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{C9E5553C-5EC9-4DA4-9A4E-6D214065BBD5}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	25.00000000000	16.00000000000	40.00000000000	20.00000000000	28.35963514510	-80.73353318230	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree is dead, see picture.	Removal	Yes	No	{6EE83020-5AB6-449A-ADA6-8EA7F2292927}	Pine (Australian)	No	Casuarina equisetifolia	1.00000000000
Cemetery	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	30.00000000000	18.00000000000	0.00000000000	0.00000000000	28.36875127660	-80.75586536950	Very Poor	2.00000000000	Old stump. Rotting	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{35627E43-0723-448B-BD9B-8911F4A8D205}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetery	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	16.00000000000	10.00000000000	5.00000000000	28.36835598580	-80.75473439860	Very Poor	2.00000000000	Stump	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{15DA5336-B17B-479C-929E-A36072E8D6D0}	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	10.00000000000	4.00000000000	15.00000000000	5.00000000000	28.38348674870	-80.77803819550	Very Poor	2.00000000000		Tree is Damaged	Tree is Dead	Removal	No	No	{1BAEAF65-A73A-4AAD-B2B5-156CBE656BE0}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	12.00000000000	0.00000000000	0.00000000000	28.39103175120	-80.78077820530	Very Poor	2.00000000000	Two stumps in Woodland.	Tree is Damaged	Stump/Trunk	Remove Stump	No	Yes	{E37E5873-D334-4D04-8F44-04B030B00B88}	N/A (Stump)	No	N/A (Stump)	2.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	12.00000000000	15.00000000000	0.00000000000	28.39120392220	-80.78055795280	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{88B0584D-929C-4C3A-B4CE-733862991F2F}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	10.00000000000	20.00000000000	0.00000000000	28.39127525250	-80.78042099290	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{63356FB1-094E-4FD5-9573-2F45BA64F029}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	12.00000000000	25.00000000000	10.00000000000	28.39152758910	-80.77998370830	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{B19D23DB-8B93-431A-ACD0-7BE247CC2E33}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.39102319340	-80.77973278460	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{EC4E220A-D753-48A0-B655-12FD268FB25D}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	8.00000000000	30.00000000000	25.00000000000	28.39072632140	-80.78034228610	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{66C46A3C-08E9-491C-B001-175D6B738570}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.39078610070	-80.78101954130	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{CBF7C1CA-BA64-4423-B044-09F778651EDE}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	5.00000000000	4.00000000000	15.00000000000	5.00000000000	28.39078144680	-80.78100083840	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{8C262DC2-611C-4171-875C-EE4247717BF5}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35702616760	-80.73350831880	Very Poor	1.00000000000	Stump that has resprouted	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{B77C4B93-AF85-4AD0-9BD7-C050A6AD16C9}	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
City Park	acarroll_sfc	9/15/2020	acarroll_sfc	9/15/2020	20.00000000000	10.00000000000	25.00000000000	10.00000000000	28.35420867420	-80.74326518970	Poor	6.00000000000	See pic	Tree is Undamaged	<Null>	Removal	No	No	cdb648ac-bce2-4124-b380-995ad4b2eee9	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
City Park	sbourgoin_sfc	9/18/2020	sbourgoin_sfc	9/18/2020	5.00000000000	8.00000000000	15.00000000000	10.00000000000	28.37679872970	-80.76179704140	Poor	6.00000000000	tree not completely dead, but 50 percent of branches without leaves; seems to have a web work infestation see pics	Tree is Damaged	Large chunk of middle bark missing	Removal	No	No	e8617e60-7f0e-4fef-8965-1e60586e0c86	Oak (Live)	No	Quercus virginiana	1.00000000000
City Building	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	20.00000000000	10.00000000000	25.00000000000	10.00000000000	28.36120423840	-80.73457651270	Poor	5.00000000000	Majority of tree is dead. Recommend removal	Tree is Damaged	Tree is Dead	Removal	No	No	b7742f99-fba6-40f2-996f-ae824c895a11	Holly (East Palatka)	No	Ilex x attenuata	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	15.00000000000	6.00000000000	20.00000000000	10.00000000000	28.37505849060	-80.76122660220	Poor	5.00000000000	Severe leaf loss	Tree is Damaged	Severe leaf loss, obvious damage to tree	Removal	No	No	1b4a0557-5f26-41f9-9019-11038d4fee85	Holly (American)	No	Ilex opaca	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	14.00000000000	20.00000000000	15.00000000000	28.38814578530	-80.75573913730	Poor	5.00000000000	High percentage of deadwood in canopy, multiple limb breaks	Tree is Damaged	Recent limb breaks, copious deadwood	Pruning	No	No	bb7b3673-838d-4293-95a6-0bfced1b9db4	Box Elder	No	Acer negundo	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	20.00000000000	16.00000000000	35.00000000000	20.00000000000	28.38825967710	-80.78775262730	Poor	5.00000000000	Severe damage to trunk, wood rot	Tree is Damaged	Wood rot in trunk	Removal	No	No	{0E823A48-2112-4497-9276-C59EF128FB03}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	16.00000000000	20.00000000000	15.00000000000	28.35703777640	-80.73279946090	Poor	5.00000000000	Try cleaning deadwood first before removing. Co dom w included bark	Tree is Damaged	Tree Is Dead	Removal	No	No	{AE4C2C59-5208-4610-B8B3-58DC8CCBB65E}	Hickory (Pignut)	No	Carya glabra	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	8.00000000000	6.00000000000	20.00000000000	10.00000000000	28.39916023430	-80.77080259110	Poor	4.00000000000	Remove	Tree is Damaged	Cambium layer weed whacked repeatedly	Removal	No	No	{E356A27F-155E-41C7-AE39-BE2D3B1F3306}	Holly (Dahoon)	No	Ilex cassine	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35120694720	-80.72616601960	Poor	3.00000000000	Canopy broken and mostly leafless	Tree Is Damaged	Canopy topped	No Maintenance Required	No	No	cd35ada1-bbfe-4763-97e7-f10ed59cf265	Tabebuia	No	Tabebuia spp.	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	5.00000000000	8.00000000000	10.00000000000	10.00000000000	28.35114616070	-80.72621493110	Poor	3.00000000000	Canopy broken and mostly leafless	Tree Is Damaged	Crown broke	No Maintenance Required	No	No	bf3469ee-9835-42d5-b45e-81997412c6ae	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	20.00000000000	14.00000000000	20.00000000000	10.00000000000	28.37552867380	-80.76525779480	Poor	2.00000000000	See pic	Tree is Damaged	Needs pruning of multiple dead limbs for a chance	Pruning	Yes	No	7c237f9f-a267-4710-92e8-f4454a1b5c7f	Indian Rosewood	No	Dalbergia sissoo	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	30.00000000000	12.00000000000	35.00000000000	15.00000000000	28.36061274170	-80.73415800010	Poor	2.00000000000	Unnatural form. Fine for SLO.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{AB73F2B7-444C-4EB9-9B64-0ED15E67861B}	Oak (Sand Live)	No	Quercus geminata	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	40.00000000000	18.00000000000	25.00000000000	40.00000000000	28.36486055300	-80.73437332990	Fair	7.00000000000		Tree Is Damaged	Missing mult limbs due to rot and pruning. Central leader still intact but rotting likely to fall	Removal	No	No	035599b7-6ba4-4a35-bf49-3b2cb056e780	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	60.00000000000	32.00000000000	45.00000000000	25.00000000000	28.38155051730	-80.73657843430	Fair	7.00000000000	Lg oak directly next to road. Evidence of prev pruning. Lg dead limbs overhanging road, needs additional consult	Tree is Damaged	Multiple large dead limbs	Pruning	No	No	788c2f34-9024-4f34-aeb1-4b0ff7cb1825	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	40.00000000000	24.00000000000	45.00000000000	25.00000000000	28.37482115740	-80.76184862270	Fair	7.00000000000	Remove. Co Dom and over pruned. Trunk rot. See pictures	Tree is Damaged	Trunk Rot	Removal	No	No	042c8a89-8f42-45a7-932d-209dbeb2a45b	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	18.00000000000	50.00000000000	35.00000000000	28.37785729230	-80.74507031560	Fair	7.00000000000	Water oak, dead branch over road way	Tree is Damaged	Crown broke	Pruning	No	No	{BC25B713-2163-4046-9747-9A4FC6AC84A3}	Oak (Water)	No	Quercus nigra	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	30.00000000000	26.00000000000	40.00000000000	35.00000000000	28.39283805840	-80.76054104570	Fair	7.00000000000	Tree has sparse canopy with many bare branches, see pictures.	Tree is Damaged	Bare branches/canopy	Pruning	No	No	{03C14FE5-C859-4706-923E-676D89DB62A9}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetery	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	6.00000000000	10.00000000000	5.00000000000	28.35700282350	-80.73356992610	Fair	7.00000000000	See pic	Tree is Damaged	Tree Is Dead	Removal	No	No	{58F800C4-0AC0-464A-80AB-BBA329198225}	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	6.00000000000	10.00000000000	5.00000000000	28.35528643810	-80.72750413570	Fair	6.00000000000	See pic	Tree is Damaged	Dying, needs H2O	Removal	No	No	060c3393-62c2-403b-bd0f-860973469609	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	15.00000000000	12.00000000000	15.00000000000	20.00000000000	28.35402286250	-80.72669429640	Fair	6.00000000000	See picture	Tree Is Damaged	Crown broken	No Maintenance Required	No	No	3b083e80-5b3e-4bd5-bd2b-7af3cfdbe027	Red Cedar	No	Juniperus virginiana	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	10.00000000000	10.00000000000	20.00000000000	20.00000000000	28.36394391950	-80.74302337130	Fair	6.00000000000	Large trunk damage	Tree Is Damaged	Trunk is Cracked and Split for Its Entirety	Removal	No	No	63aa69e1-249e-489e-8fec-7ee7362c9bda	Sycamore	No	Platanus occidentalis	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/16/2020	sbourgoin_sfc	9/16/2020	20.00000000000	10.00000000000	30.00000000000	25.00000000000	28.37128400850	-80.74462001170	Fair	6.00000000000	Tree is nearly dead, probably 40 percent of branches with leaves; needs at least pruning, possibly removal	Tree is Damaged	High Proportion of Branches Dead	Pruning	No	No	f91261d9-9f85-42e9-9f78-aa7a782adf5e	Green Ash	No	Fraxinus pennsylvanica	1.00000000000
4+ Ft ROW	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	40.00000000000	24.00000000000	40.00000000000	45.00000000000	28.39816863550	-80.74960865740	Fair	6.00000000000	Overhang	Tree is Damaged	Hit by vehicle	No Maintenance Required	No	No	4a56135e-24de-4fba-b0f3-08359e5707ef	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	20.00000000000	16.00000000000	35.00000000000	40.00000000000	28.37463553980	-80.76391794760	Fair	6.00000000000	This tree has a co-dominance stem with included bark also overhangs the road also has soil heaving. Also has bark beetles. Minor bark beetles. See pictures	Tree is Damaged	Minor bark beetles	No Maintenance Required	No	No	b5b0fef6-9771-4532-b50e-4d81cd696a64	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	10.00000000000	6.00000000000	20.00000000000	10.00000000000	28.38810714400	-80.75727310950	Fair	6.00000000000	Heavy signs of bark beetle infestation	Tree is Damaged	Pest Infestation	No Maintenance Required	No	No	d601b313-3efe-42d1-82f5-832a90f6c213	Green Ash	No	Fraxinus pennsylvanica	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	16.00000000000	15.00000000000	20.00000000000	28.39544013590	-80.75904185900	Fair	6.00000000000	Tree appears to be dying with bare branches. See picture.	Tree is Damaged	Branches are Dying Off	Pruning	No	No	{50398963-9B6C-42E0-9FE6-AF91BDD37434}	Bottlebrush (Weeping)	No	Melaleuca viminalis	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	8.00000000000	15.00000000000	15.00000000000	28.39721316040	-80.77160247610	Fair	6.00000000000	Trim back hard	Tree Is Undamaged	<Null>	Pruning	Yes	No	{06490509-BE0F-44E0-AF4B-31F9569E62B2}	Camphor Tree	No	Cinnamomum camphora	1.00000000000

Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	14.00000000000	35.00000000000	30.00000000000	28.35999990130	-80.73408852620	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{A8DBE279-874D-4826-B082-1EBFDE792ADA}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	12.00000000000	30.00000000000	15.00000000000	28.35991565850	-80.73417429200	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{206F12B7-2254-4E8B-B6E7-517AB2C18B8C}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	8.00000000000	5.00000000000	10.00000000000	28.36066152470	-80.73377042110	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{DA02570F-F16C-4964-881E-3DAEE0D44A48}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	12.00000000000	20.00000000000	10.00000000000	28.36067493540	-80.73380210470	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{BBDDAF33-1B48-458F-BDD8-748952F3D450}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.36068549650	-80.73374267670	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{F2B36F60-383E-4DBB-9D3F-6464C6012FA8}	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	6.00000000000	5.00000000000	10.00000000000	28.36067627690	-80.73370487460	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{A95048D6-7ED2-428A-8FBF-945911C54075}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	12.00000000000	15.00000000000	10.00000000000	28.36063788730	-80.73370261090	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{FE35AF37-FB75-471C-888A-5394C3ADA9C5}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	10.00000000000	40.00000000000	25.00000000000	28.36063910310	-80.73373991070	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{172D1C45-DF65-4744-8C2D-A2258C4F5A5B}	Sugarberry	No	Celtis laevigata	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	6.00000000000	5.00000000000	5.00000000000	28.36066190180	-80.73372985230	Excellent	1.00000000000	Three palms growing close to each other	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{068F2BA7-7E94-4441-8285-E9F7714E4D09}	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35965877320	-80.73355824170	Excellent	1.00000000000	60 Australian pine saplings.	Tree is Undamaged	<Null>	No Maintenance Required	Yes	Yes	{535CB82D-7865-4B1C-8E25-3ABED5917043}	Pine (Australian)	No	Casuarina equisetifolia	60.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	12.00000000000	30.00000000000	10.00000000000	28.36061269980	-80.73370805920	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{1CE3DA89-A5E7-4128-B917-CF5651CE81B1}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	30.00000000000	24.00000000000	50.00000000000	30.00000000000	28.35962932860	-80.73357041210	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	{E8C224CF-6289-46B1-B318-8E04DAC91103}	Pine (Australian)	No	Casuarina equisetifolia	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	4.00000000000	20.00000000000	15.00000000000	28.36060113250	-80.73371141260	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{7E374B03-DC13-4857-AACF-4B2ACC251B94}	Sugarberry	No	Celtis laevigata	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	10.00000000000	16.00000000000	15.00000000000	15.00000000000	28.36060456950	-80.73375809980	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{064D8408-E1A3-419A-9525-BAF341E10AFB}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	10.00000000000	10.00000000000	10.00000000000	28.36058797310	-80.73373077490	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{02278004-1EBC-4A6E-A20B-5E9828749D10}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	25.00000000000	16.00000000000	50.00000000000	35.00000000000	28.35964582640	-80.73354301800	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	{F389C89A-09B8-40A1-83AF-2DD8ADFF2B0E}	Pine (Australian)	No	Casuarina equisetifolia	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	10.00000000000	6.00000000000	10.00000000000	15.00000000000	28.36052821000	-80.73377528280	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{2F3A21F1-4FC4-4215-AFAF-DC6C3A003F89}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	6.00000000000	20.00000000000	25.00000000000	28.36052594680	-80.73374435290	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	{2CF263FD-649B-4DA3-9E58-C01278B712A1}	Brazilian Pepper	No	Schinus terebinthifolia	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	16.00000000000	20.00000000000	10.00000000000	28.36050013080	-80.73380528920	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{DA975F3E-ADF2-41B3-926D-720B5BEF9CA6}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	4.00000000000	10.00000000000	15.00000000000	28.36052309710	-80.73383529660	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	{79CB6B3F-006C-401F-8BCE-E766A19BF733}	Brazilian Pepper	No	Schinus terebinthifolia	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	12.00000000000	40.00000000000	25.00000000000	28.35963877430	-80.73350091400	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	{9540B278-8417-4557-960D-49E8C69148B6}	Pine (Australian)	No	Casuarina equisetifolia	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	6.00000000000	5.00000000000	10.00000000000	28.36053638220	-80.73369280400	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{3DCA6EE7-D423-4F6B-9FB4-1E3C584FD1F0}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	12.00000000000	40.00000000000	30.00000000000	28.35968034280	-80.73351805740	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	{B12DCC3B-9544-4571-B30A-FD54F0D27D48}	Pine (Australian)	No	Casuarina equisetifolia	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.36051471550	-80.73371468160	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	{345E726A-881A-4AB1-B997-82AFFDE135BF}	Brazilian Pepper	No	Schinus terebinthifolia	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	18.00000000000	50.00000000000	35.00000000000	28.35969857970	-80.73354786080	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	{895846A1-F552-41A7-8AEE-0360456AD36E}	Pine (Australian)	No	Casuarina equisetifolia	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	12.00000000000	40.00000000000	30.00000000000	28.35968771590	-80.73356179370	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	{60AB540E-4AA3-4333-B755-CF821D96DC2F}	Pine (Australian)	No	Casuarina equisetifolia	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	6.00000000000	15.00000000000	15.00000000000	28.36034464640	-80.73376656550	Excellent	1.00000000000	Portions of juniper are dying. This is in a tree form. See picture	Tree is Damaged	Some portions dying	Pruning	No	No	{4F906FE9-EBC4-40E4-A1F4-392BB92CAB41}	Arborvitae	No	Thuja occidentalis	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	10.00000000000	8.00000000000	15.00000000000	20.00000000000	28.36033790740	-80.73369433020	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{AAEC9CE8-4BD8-43B3-997A-9A81F0B55943}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	18.00000000000	20.00000000000	15.00000000000	28.36000841260	-80.73371161920	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{A34E91A6-06C2-4074-8C18-35AF943BFA8A}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	12.00000000000	20.00000000000	15.00000000000	28.36025324200	-80.73371753100	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{FD6C58A3-E0A4-4C14-A4A8-919CF1CCD943}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	10.00000000000	20.00000000000	15.00000000000	28.36024004070	-80.73374209010	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{178AD7EF-CEF9-40C6-9E4E-EA6E0378B707}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	12.00000000000	40.00000000000	35.00000000000	28.36063860270	-80.73385516640	Excellent	1.00000000000	Four trees in Woodland.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{4D1AC6D5-C801-4B7C-A896-4A78A090E97E}	Sugarberry	No	Celtis laevigata	4.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	8.00000000000	30.00000000000	30.00000000000	28.36066507640	-80.73383996690	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{19195D79-0A7C-44C6-A89E-1F3E12009529}	Sugarberry	No	Celtis laevigata	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	14.00000000000	40.00000000000	15.00000000000	28.36067870530	-80.73389803130	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{A670E019-72C0-43A6-9BE1-151C5EA6A40E}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	10.00000000000	8.00000000000	25.00000000000	20.00000000000	28.36069911350	-80.73392872040	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{DD9A7306-32E9-4866-85D2-66EF5E8CD2E4}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/30/2020	20.00000000000	14.00000000000	30.00000000000	35.00000000000	28.36068722290	-80.73399585240	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{C3E72FF7-06BA-4E0A-A36F-B619C26BCB9E}	Oak (Sand Live)	No	Quercus geminata	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	10.00000000000	6.00000000000	5.00000000000	5.00000000000	28.36068381510	-80.73404712020	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{74DCCF96-AEEB-4DAA-8ACD-EC74C646C383}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	12.00000000000	30.00000000000	15.00000000000	28.36068377790	-80.73408822080	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{B5053844-AD57-4C93-BD02-65ED52013750}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	12.00000000000	20.00000000000	20.00000000000	28.36068030210	-80.73412376620	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	Yes	No	{6102756D-2C66-49AB-9814-6FFD3411B7A9}	Brazilian Pepper	No	Schinus terebinthifolia	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/30/2020	15.00000000000	10.00000000000	25.00000000000	20.00000000000	28.36068212890	-80.73414798030	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{4F52C71E-568E-46EF-A3F3-D336D8E18EC4}	Oak (Sand Live)	No	Quercus geminata	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	14.00000000000	30.00000000000	15.00000000000	28.36066415070	-80.73416726630	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{67C121DB-06EF-421B-B7CC-C5197EAF8678}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	10.00000000000	6.00000000000	25.00000000000	20.00000000000	28.36068341670	-80.73416941050	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{6658969B-3EB0-4249-801B-B93C23913A5B}	Sugarberry	No	Celtis laevigata	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	10.00000000000	25.00000000000	15.00000000000	28.36068368540	-80.73419103660	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	Yes	No	{DC0E7036-A320-4D13-8286-23773FB4E92E}	Chinaberry	No	Melia azedarach	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/30/2020	15.00000000000	12.00000000000	30.00000000000	25.00000000000	28.36069304010	-80.73424022650	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{96B5C68F-75A5-4757-8367-875ACF5CEA63}	Oak (Sand Live)	No	Quercus geminata	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	8.00000000000	20.00000000000	20.00000000000	28.36069375630	-80.73429732530	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	Yes	No	{8342ABB4-E7C8-4EB9-9EEC-EB52B086A360}	Brazilian Pepper	No	Schinus terebinthifolia	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/30/2020	20.00000000000	14.00000000000	35.00000000000	40.00000000000	28.36067958750	-80.73432806920	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{2B95346F-3C05-492A-ABD3-1E0090A275FF}	Oak (Sand Live)	No	Quercus geminata	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	14.00000000000	25.00000000000	35.00000000000	28.36069422510	-80.73437265260	Excellent	1.00000000000	Two trees in Woodland.	Tree is Undamaged	<Null>	Pruning	Yes	Yes	{63487DD9-A933-423F-A3AA-931368AC4996}	Brazilian Pepper	No	Schinus terebinthifolia	2.00000000000
Median	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	15.00000000000	10.00000000000	35.00000000000	30.00000000000	28.38275282670	-80.77271844240	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{BA65AFE8-FD48-46D7-9517-A24682906A8F}	Oak (Live)	No	Quercus virginiana	1.00000000000
Median	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	15.00000000000	10.00000000000	40.00000000000	35.00000000000	28.38273245840	-80.77265490820	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{11B86D72-9B20-4ABA-A2D7-0EC8AAA0F8F5}	Oak (Live)	No	Quercus virginiana	1.00000000000
Median	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	15.00000000000	12.00000000000	40.00000000000	35.00000000000	28.38275567670	-80.77267544370	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{294BEA76-FC31-4F06-B979-3625670399F0}	Oak (Sand Live)	No	Quercus geminata	1.00000000000
Cemetary	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	10.00000000000	8.00000000000	35.00000000000	25.00000000000	28.36877173300	-80.75586603780	Excellent	1.00000000000	Many stems emanating from the central location. Always prune to branch collar.	Tree is Undamaged	<Null>	Pruning	No	No	{6DB9CC6E-165E-45AE-9C52-6A71F4178C55}	Oak (Sand Live)	No	Quercus geminata	1.00000000000
Median	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	6.00000000000	35.00000000000	25.00000000000	28.38274054500	-80.77265345560	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{931D0E82-91F1-4620-B75F-D5D6CEAC8309}	Oak (Live)	No	Quercus virginiana	1.00000000000
Median	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	15.00000000000	10.00000000000	35.00000000000	35.00000000000	28.38273761370	-80.77263169030	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{B75AA1FA-3343-4C9D-AA42-FBD251317A92}	Oak (Live)	No	Quercus virginiana	1.00000000000
Median	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	15.00000000000	14.00000000000	40.00000000000	45.00000000000	28.38274971840	-80.77262653400	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{45623B25-82C0-4AA3-A308-BCFBA1AF6E3F}	Oak (Live)	No	Quercus virginiana	1.00000000000
Median	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	25.00000000000	22.00000000000	55.00000000000	40.00000000000	28.38277294780	-80.77255813090	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{7D93CDF1-4FF1-4BB1-84FC-CC8BF5EC006C}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Median	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	20.00000000000	12.00000000000	35.00000000000	15.00000000000	28.38289239980	-80.77223068240	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{620DDF68-07BE-4578-A7C6-D43C9063AD4F}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Median	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	20.00000000000	14.00000000000	30.00000000000	15.00000000000	28.38292533520	-80.77199168920	Excellent	1.00000000000	Three trees in Woodland.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{EB1535C1-1F4B-470F-A425-E48EC45F8BA4}	Palm (Cabbage)	No	Sabal palmetto	3.00000000000
Median	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	20.00000000000	14.00000000000	30.00000000000	15.00000000000	28.38293195650	-80.77187967470	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{43F88988-F0E6-4EFD-8022-2B86A3371465}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Median	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	20.00000000000	14.00000000000	30.00000000000	15.00000000000	28.38290962180	-80.77185641910	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{391D078A-C4DC-4A80-9E46-0DB9041F1307}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Cemetary	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	15.00000000000	10.00000000000	25.00000000000	20.00000000000	28.36865040050	-80.75589210690	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{F7A7F0FF-2D65-41EC-89F7-BA7C7EAA3BFE}	Oak (Sand Live)	No	Quercus geminata	1.00000000000
Median	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	20.00000000000	14.00000000000	25.00000000000	10.00000000000	28.38292922600	-80.77185147300	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{E6FE8EE4-A30E-4960-8196-521E60462448}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Median	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	8.00000000000	15.00000000000	5.00000000000	28.38293708580	-80.77172756740	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{FC123B87-10AF-4C36-964D-71032377F8FE}	Pine (Plum)	No	Podocarpus spp.	1.00000000000
Median	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	10.00000000000	15.00000000000	10.00000000000	28.38293124920	-80.77168742530	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{AC3D8BDF-7D30-409A-B872-986C09B358A6}	Pine (Plum)	No	Podocarpus spp.	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	6.00000000000	25.00000000000	20.00000000000	28.38711732510	-80.76671289300	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{2A2F57F8-88A9-4683-8C71-B6F7CEF2027D}	Oak (Sand Live)	No	Quercus geminata	1.00000000000
City Building	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	20.00000000000	8.00000000000	25.00000000000	15.00000000000	28.36061474000	-80.73457219720	Very Poor	7.00000000000	Completely dead	Tree is Damaged	Tree is Dead	Removal	No	No	380d956b-567b-48f5-9a70-79ea56e063ca	Holly (East Palatka)	No	Ilex x attenuata	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	20.00000000000	8.00000000000	15.00000000000	0.00000000000	28.39002635800	-80.74369412080	Very Poor	7.00000000000	Dead palm, needs removal	Tree is Damaged	Tree Is Dead	Removal	No	No	9d1bf111-5d79-49ce-8d7e-23a1a8281ce8	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	20.00000000000	6.00000000000	35.00000000000	0.00000000000	28.39044569030	-80.74287065860	Very Poor	7.00000000000	Dead, needs removal	Tree is Damaged	Tree Is Dead	Removal	No	No	63320dae-df76-49d6-94c0-317aa338cb65	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	16.00000000000	15.00000000000	10.00000000000	28.38811917220	-80.75545490770	Very Poor	7.00000000000	See pics, Tree Is Dead	Tree Is Damaged	Stump/Trunk	Removal	No	No	bde7f7c8-b406-4740-98ea-e4afe5a316a0	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	8.00000000000	15.00000000000	5.00000000000	28.38811179650	-80.75583988790	Very Poor	7.00000000000	Trunk Damage, Signs of Decay	Tree is Damaged	Trunk has decay, only 20% of canopy alive	Removal	No	No	1ec8cd33-6e1b-49b4-8b5c-08e338f08f04	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	4.00000000000	20.00000000000	15.00000000000	28.38111007130	-80.75043034640	Very Poor	7.00000000000	Dead, Neds Removal	Tree is Damaged	Dead, Needs Removal	Removal	No	No	{B33DF877-BE37-4AE2-A174-B6C36DBF6CD5}	Red Cedar	No	Juniperus virginiana	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	10.00000000000	6.00000000000	5.00000000000	5.00000000000	28.39251547890	-80.78256999220	Very Poor	7.00000000000	Poor condition, consider replacement	Tree Is Damaged	Previously taken to just stump, resprouting	No Maintenance Required	No	No	{0A2DB9BD-0037-4CD7-8F52-2BC20845E1EF}	Golden Raintree	No	Koelreuteria paniculata	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	5.00000000000	8.00000000000	10.00000000000	10.00000000000	28.35366975970	-80.73520389430	Very Poor	6.00000000000	Dead cabbage palm	Tree is Damaged	Dead, brown fronds and trunk	Removal	No	No	4ef806b9-e874-40b8-b918-a37f76dfb7a9	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	20.00000000000	10.00000000000	30.00000000000	15.00000000000	28.37441256170	-80.73508941830	Very Poor	6.00000000000	Poor Shape, Nearly Dead; Leaning into Roadway	Tree is Damaged	Rot and decay	Removal	No	No	64cce7b8-a526-414e-85b7-90ea8d68558e	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	40.00000000000	22.00000000000	45.00000000000	30.00000000000	28.39349752110	-80.74494572830	Very Poor	6.00000000000	In yard but mostly dead, overhanging road	Tree is Damaged	Tree is Dead	Removal	No	No	3c6fff81-c9e5-4fc0-a24c-a31250ed8b13	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	12.00000000000	10.00000000000	15.00000000000	28.39630519010	-80.75949179910	Very Poor	6.00000000000	Tree is Dead, Top Snapped Off, Just Trunk	Tree is Damaged	Stump/Trunk	Remove Trunk	No	No	{92A6AB4D-4442-48D9-9A42-83918A223759}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	12.00000000000	20.00000000000	10.00000000000	28.39546529150	-80.77771919830	Very Poor	6.00000000000	Two dead trees in Woodland.	Tree is Damaged	Stump/Trunk	Remove Trunks	No	Yes	{71FB3AC6-090C-432D-82B1-989025C76E55}	Palm (Queen)	No	Syagrus romanzoffiana	2.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	15.00000000000	20.00000000000	30.00000000000	10.00000000000	28.39654017710	-80.77215492750	Very Poor	5.00000000000	Dead Tree, Needs Removal	Tree Is Damaged	Stump/Trunk	Removal	No	No	{90F49D7A-131D-4681-A0D4-30C3A6650F80}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	14.00000000000	10.00000000000	0.00000000000	28.35970917560	-80.73356772260	Very Poor	5.00000000000	Dead Tree With Debris on Ground, Needs Removal	Tree is Damaged	Tree is Dead	Removal	Yes	No	{5D5B6D97-BA02-4D4D-BB9A-204665A5946F}	Pine (Australian)	No	Casuarina equisetifolia	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	25.00000000000	12.00000000000	0.00000000000	0.00000000000	28.35465994530	-80.73038683670	Very Poor	4.00000000000	See pic; dead stump, needs removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	37cea1c0-ea25-4473-a27f-ef602c1ea2ef	Red Cedar	No	Juniperus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	16.00000000000	10.00000000000	0.00000000000	28.39199010250	-80.75872301100	Very Poor	4.00000000000	Stump That Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{BAAB84BD-2DA2-46C1-A220-4AF39FF0EE37}	N/A (Stump)	No	N/A (Stump)	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	12.00000000000	40.00000000000	5.00000000000	28.40082534120	-80.76887391530	Very Poor	4.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{B3016B6E-7653-4251-9F36-3F5C670A749D}	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	14.00000000000	35.00000000000	15.00000000000	28.40072983500	-80.76886922250	Very Poor	4.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{3753AAE0-AF6F-44AD-9FDC-63D37B8CE09D}	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	14.00000000000	20.00000000000	10.00000000000	28.39545492520	-80.77698497380	Very Poor	4.00000000000	Dead Trunk, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{A2B29C06-54B6-4511-A0AE-4AE144866251}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	15.00000000000	12.00000000000	15.00000000000	0.00000000000	28.36028379310	-80.74511496280	Very Poor	3.00000000000	Dead palm trunk. Directly under power lines, needs removal	Tree Is Damaged	Stump	Remove Stump	No	No	102a501f-485a-4869-935d-7599fd845db5	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	10.00000000000	8.00000000000	20.00000000000	20.00000000000	28.38850520070	-80.78777619640	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{950C8A8C-E95D-4C3D-9BB1-88CB78773C06}	Pine (Slash)	No	Pinus elliottii	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	8.00000000000	30.00000000000	20.00000000000	28.38802106560	-80.78773675040	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{E7B29CFB-B138-494D-BC3A-6544126508D3}	Pine (Slash)	No	Pinus elliottii	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	20.00000000000	15.00000000000	28.38729850230	-80.78772135240	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{A6F520AA-BE5B-4F33-AA30-C028F250066C}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	acarroll_sfc	9/29/2020	acarroll_sfc	9/29/2020	15.00000000000	8.00000000000	15.00000000000	10.00000000000	28.35750346390	-80.73363002340	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{5BEBB25C-5D3A-4F51-B4AC-916BA29AFBEB}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Median	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.38273778120	-80.77264493330	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree is Dead	Removal	No	No	{7356D8DC-9EEF-4BCD-9C37-AF34A528B318}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	8.00000000000	15.00000000000	0.00000000000	28.36806211650	-80.75455653490	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree Is Dead	Removal	No	No	{B0AA3A91-74ED-4EC5-B6B9-9C55DC00EFD4}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	30.00000000000	28.00000000000	10.00000000000	0.00000000000	28.36940032900	-80.75550067230	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{980EB6CB-8C9C-46A5-BE14-C58E1DC6B7E2}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	15.00000000000	12.00000000000	5.00000000000	5.00000000000	28.40107568520	-80.74431573080	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{29508705-86F4-4831-AB68-2CB1FC0730A6}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	20.00000000000	14.00000000000	15.00000000000	10.00000000000	28.40210622400	-80.74257587820	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{F12D774F-FACC-4548-883C-2B4B33DED582}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	12.00000000000	5.00000000000	0.00000000000	28.39095154290	-80.78079465800	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{A8EBBB7F-C43F-42C4-B97E-D8C7EF0A23AA}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	30.00000000000	18.00000000000	35.00000000000	15.00000000000	28.35545871610	-80.73228686420	Very Poor	2.00000000000	Bizmark stump	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	f5b6bc90-b19d-47b1-9d94-803c94c27919	Palm (Bismarck)	No	Bismarckia nobilis	1.00000000000
City Park	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	20.00000000000	10.00000000000	0.00000000000	0.00000000000	28.35888270100	-80.73130859620	Very Poor	2.00000000000	3 stumps and 1 BP. To be removed	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	b11484c9-65d7-4d53-9461-416912340a10	Hickory (Pignut)	No	Carya glabra	1.00000000000
2-4 Ft ROW	shendley_sfc	9/13/2020	shendley_sfc	9/13/2020	20.00000000000	8.00000000000	5.00000000000	0.00000000000	28.35087389180	-80.73356707580	Very Poor	2.00000000000	Tree is cut; stump needs removal	Tree Is Damaged	Stump/Trunk	Remove Stump	No	No	7148642b-82af-4f80-a4ad-74d5e933ea8a	Sycamore	No	Platanus occidentalis	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/16/2020	sbourgoin_sfc	9/16/2020	20.00000000000	14.00000000000	25.00000000000	15.00000000000	28.36619344110	-80.74705959530	Very Poor	2.00000000000	Completely dead needs removal	Tree is Damaged	Tree is Dead	Removal	No	No	1c15f2d9-a065-4aab-8ccf-5cd17f805c7a	Pine (Longleaf)	No	Pinus palustris	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	20.00000000000	10.00000000000	5.00000000000	0.00000000000	28.38738969540	-80.76376179260	Very Poor	2.00000000000	Stump	Tree Is Undamaged	<Null>	Remove Stump	No	No	{57F1FA2A-BD75-400B-8276-6ED829F7A80C}	Bottlebrush (Weeping)	No	Melaleuca viminalis	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	16.00000000000	0.00000000000	0.00000000000	28.39889285130	-80.76775526670	Very Poor	2.00000000000	Stump That Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{20ACB205-116A-418E-A68F-74403C577CD5}	N/A (Stump)	No	N/A (Stump)	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	35.00000000000	18.00000000000	10.00000000000	5.00000000000	28.35695927990	-80.73346942710	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{F6DC1A1A-AB89-41C0-8372-8E2460A0F823}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	55.00000000000	28.00000000000	50.00000000000	60.00000000000	28.36019909440	-80.73430334220	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{C9E5553C-5EC9-4DA4-9A4E-6D214065BBD5}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	25.00000000000	16.00000000000	40.00000000000	20.00000000000	28.35963514510	-80.73353318230	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree is dead, see picture.	Removal	Yes	No	{6EE83020-5AB6-449A-ADA6-8EA7F2292927}	Pine (Australian)	No	Casuarina equisetifolia	1.00000000000
Cemetary	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	30.00000000000	18.00000000000	0.00000000000	0.00000000000	28.36875127660	-80.75586536950	Very Poor	2.00000000000	Old stump. Rotting	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{35627E43-0723-448B-BD9B-8911F4A8D205}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	16.00000000000	10.00000000000	5.00000000000	28.36835598580	-80.75473439860	Very Poor	2.00000000000	Stump	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{15DA5336-B17B-479C-929E-A36072E8D6D0}	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	10.00000000000	4.00000000000	15.00000000000	5.00000000000	28.38348674870	-80.77803819550	Very Poor	2.00000000000		Tree is Damaged	Tree is Dead	Removal	No	No	{1BAEAF65-A73A-4AAD-B2B5-156CBE656BE0}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	12.00000000000	0.00000000000	0.00000000000	28.39103175120	-80.78077820530	Very Poor	2.00000000000	Two stumps in Woodland.	Tree is Damaged	Stump/Trunk	Remove Stump	No	Yes	{E37E5873-D334-4D04-8F44-04B030B00B88}	N/A (Stump)	No	N/A (Stump)	2.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	12.00000000000	15.00000000000	0.00000000000	28.39120392220	-80.78055795280	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{88B0584D-929C-4C3A-B4CE-733862991F2F}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	10.00000000000	20.00000000000	0.00000000000	28.39127525250	-80.78042099290	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{63356FB1-094E-4FD5-9573-2F45BA64F029}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	12.00000000000	25.00000000000	10.00000000000	28.39152758910	-80.77998370830	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{B19D23DB-8B93-431A-ACD0-7BE247CC2E33}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.39102319340	-80.77973278460	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{EC4E220A-D753-48A0-B655-12FD268FB25D}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	8.00000000000	30.00000000000	25.00000000000	28.39072632140	-80.78034228610	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{66C46A3C-08E9-491C-B001-175D6B738570}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.39078610070	-80.78101954130	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{CBF7C1CA-BA64-4423-B044-09F778651EDE}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	5.00000000000	4.00000000000	15.00000000000	5.00000000000	28.39078144680	-80.78100083840	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{8C262DC2-611C-4171-875C-EE4247717BF5}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35702616760	-80.73350831880	Very Poor	1.00000000000	Stump that has resprouted	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{B77C4B93-AF85-4AD0-9BD7-C050A6AD16C9}	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
City Park	acarroll_sfc	9/15/2020	acarroll_sfc	9/15/2020	20.00000000000	10.00000000000	25.00000000000	10.00000000000	28.35420867420	-80.74326518970	Poor	6.00000000000	See pic	Tree is Undamaged	<Null>	Removal	No	No	cdb648ac-bce2-4124-b380-995ad4b2eee9	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
City Park	sbourgoin_sfc	9/18/2020	sbourgoin_sfc	9/18/2020	5.00000000000	8.00000000000	15.00000000000	10.00000000000	28.37679872970	-80.76179704140	Poor	6.00000000000	tree not completely dead, but 50 percent of branches without leaves; seems to have a web work infestation see pics	Tree is Damaged	Large chunk of middle bark missing	Removal	No	No	e8617e60-7f0e-4fef-8965-1e60586e0c86	Oak (Live)	No	Quercus virginiana	1.00000000000
City Building	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	20.00000000000	10.00000000000	25.00000000000	10.00000000000	28.36120423840	-80.73457651270	Poor	5.00000000000	Majority of tree is dead. Recommend removal	Tree is Damaged	Tree is Dead	Removal	No	No	b7742f99-fba6-40f2-996f-ae824c895a11	Holly (East Palatka)	No	Ilex x attenuata	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	15.00000000000	6.00000000000	20.00000000000	10.00000000000	28.37505849060	-80.76122660220	Poor	5.00000000000	Severe leaf loss	Tree is Damaged	Severe leaf loss, obvious damage to tree	Removal	No	No	1b4a0557-5f26-41f9-9019-11038d4fee85	Holly (American)	No	Ilex opaca	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	14.00000000000	20.00000000000	15.00000000000	28.38814578530	-80.75573913730	Poor	5.00000000000	High percentage of deadwood in canopy, multiple limb breaks	Tree is Damaged	Recent limb breaks, copious deadwood	Pruning	No	No	bb7b3673-838d-4293-95a6-0bfced1b9db4	Box Elder	No	Acer negundo	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	20.00000000000	16.00000000000	35.00000000000	20.00000000000	28.38825967710	-80.78775262730	Poor	5.00000000000	Severe damage to trunk, wood rot	Tree is Damaged	Wood rot in trunk	Removal	No	No	{0E823A48-2112-4497-9276-C59EF128FB03}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	16.00000000000	20.00000000000	15.00000000000	28.35703777640	-80.73279946090	Poor	5.00000000000	Try cleaning deadwood first before removing. Co dom w included bark	Tree is Damaged	Tree Is Dead	Removal	No	No	{AE4C2C59-5208-4610-B8B3-58DC8CCBB65E}	Hickory (Pignut)	No	Carya glabra	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	8.00000000000	6.00000000000	20.00000000000	10.00000000000	28.39916023430	-80.77080259110	Poor	4.00000000000	Remove	Tree is Damaged	Cambium layer weed whacked repeatedly	Removal	No	No	{E356A27F-155E-41C7-AE39-BE2D3B1F3306}	Holly (Dahoon)	No	Ilex cassine	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35120694720	-80.72616601960	Poor	3.00000000000	Canopy broken and mostly leafless	Tree Is Damaged	Canopy topped	No Maintenance Required	No	No	cd35ada1-bbfe-4763-97e7-f10ed59cf265	Tabebuia	No	Tabebuia spp.	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	5.00000000000	8.00000000000	10.00000000000	10.00000000000	28.35114616070	-80.72621493110	Poor	3.00000000000	Canopy broken and mostly leafless	Tree Is Damaged	Crown broke	No Maintenance Required	No	No	bf3469ee-9835-42d5-b45e-81997412c6ae	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	20.00000000000	14.00000000000	20.00000000000	10.00000000000	28.37552867380	-80.76525779480	Poor	2.00000000000	See pic	Tree is Damaged	Needs pruning of multiple dead limbs for a chance	Pruning	Yes	No	7c237f9f-a267-4710-92e8-f4454a1b5c7f	Indian Rosewood	No	Dalbergia sissoo	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	30.00000000000	12.00000000000	35.00000000000	15.00000000000	28.36061274170	-80.73415800010	Poor	2.00000000000	Unnatural form. Fine for SLO.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{AB73F2B7-444C-4EB9-9B64-0ED15E67861B}	Oak (Sand Live)	No	Quercus geminata	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	40.00000000000	18.00000000000	25.00000000000	40.00000000000	28.36486055300	-80.73437332990	Fair	7.00000000000		Tree Is Damaged	Missing mult limbs due to rot and pruning. Central leader still intact but rotting likely to fall	Removal	No	No	035599b7-6ba4-4a35-bf49-3b2cb056e780	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	60.00000000000	32.00000000000	45.00000000000	25.00000000000	28.38155051730	-80.73657843430	Fair	7.00000000000	Lg oak directly next to road. Evidence of prev pruning. Lg dead limbs overhanging road, needs additional consult	Tree is Damaged	Multiple large dead limbs	Pruning	No	No	788c2f34-9024-4f34-aeb1-4b0ff7cb1825	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	40.00000000000	24.00000000000	45.00000000000	25.00000000000	28.37482115740	-80.76184862270	Fair	7.00000000000	Remove. Co Dom and over pruned. Trunk rot. See pictures	Tree is Damaged	Trunk Rot	Removal	No	No	042c8a89-8f42-45a7-932d-209dbeb2a45b	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	18.00000000000	50.00000000000	35.00000000000	28.37785729230	-80.74507031560	Fair	7.00000000000	Water oak, dead branch over road way	Tree is Damaged	Crown broke	Pruning	No	No	{BC25B713-2163-4046-9747-9A4FC6AC84A3}	Oak (Water)	No	Quercus nigra	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	30.00000000000	26.00000000000	40.00000000000	35.00000000000	28.39283805840	-80.76054104570	Fair	7.00000000000	Tree has sparse canopy with many bare branches, see pictures.	Tree is Damaged	Bare branches/canopy	Pruning	No	No	{03C14FE5-C859-4706-923E-676D89DB62A9}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	6.00000000000	10.00000000000	5.00000000000	28.35700282350	-80.73356992610	Fair	7.00000000000	See pic	Tree is Damaged	Tree Is Dead	Removal	No	No	{58F800C4-0AC0-464A-80AB-BBA329198225}	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	6.00000000000	10.00000000000	5.00000000000	28.35528643810	-80.72750413570	Fair	6.00000000000	See pic	Tree is Damaged	Dying, needs H2O	Removal	No	No	060c3393-62c2-403b-bd0f-860973469609	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	15.00000000000	12.00000000000	15.00000000000	20.00000000000	28.35402286250	-80.72669429640	Fair	6.00000000000	See picture	Tree Is Damaged	Crown broken	No Maintenance Required	No	No	3b083e80-5b3e-4bd5-bd2b-7af3cfdbe027	Red Cedar	No	Juniperus virginiana	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	10.00000000000	10.00000000000	20.00000000000	20.00000000000	28.36394391950	-80.74302337130	Fair	6.00000000000	Large trunk damage	Tree Is Damaged	Trunk is Cracked and Split for Its Entirety	Removal	No	No	63aa69e1-249e-489e-8fec-7ee7362c9bda	Sycamore	No	Platanus occidentalis	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/16/2020	sbourgoin_sfc	9/16/2020	20.00000000000	10.00000000000	30.00000000000	25.00000000000	28.37128400850	-80.74462001170	Fair	6.00000000000	Tree is nearly dead, probably 40 percent of branches with leaves; needs at least pruning, possibly removal	Tree is Damaged	High Proportion of Branches Dead	Pruning	No	No	f91261d9-9f85-42e9-9f78-aa7a782adf5e	Green Ash	No	Fraxinus pennsylvanica	1.00000000000
4+ Ft ROW	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	40.00000000000	24.00000000000	40.00000000000	45.00000000000	28.39816863550	-80.74960865740	Fair	6.00000000000	Overhang	Tree is Damaged	Hit by vehicle	No Maintenance Required	No	No	4a56135e-24de-4fba-b0f3-08359e5707ef	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	20.00000000000	16.00000000000	35.00000000000	40.00000000000	28.37463553980	-80.76391794760	Fair	6.00000000000	This tree has a co-dominance stem with included bark also overhangs the road also has soil heaving. Also has bark beetles. Minor bark beetles. See pictures	Tree is Damaged	Minor bark beetles	No Maintenance Required	No	No	b5b0fef6-9771-4532-b50e-4d81cd696a64	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	10.00000000000	6.00000000000	20.00000000000	10.00000000000	28.38810714400	-80.75727310950	Fair	6.00000000000	Heavy signs of bark beetle infestation	Tree is Damaged	Pest Infestation	No Maintenance Required	No	No	d601b313-3efe-42d1-82f5-832a90f6c213	Green Ash	No	Fraxinus pennsylvanica	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	16.00000000000	15.00000000000	20.00000000000	28.39544013590	-80.75904185900	Fair	6.00000000000	Tree appears to be dying with bare branches. See picture.	Tree is Damaged	Branches are Dying Off	Pruning	No	No	{50398963-9B6C-42E0-9FE6-AF91BDD37434}	Bottlebrush (Weeping)	No	Melaleuca viminalis	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	8.00000000000	15.00000000000	15.00000000000	28.39721316040	-80.77160247610	Fair	6.00000000000	Trim back hard	Tree Is Undamaged	<Null>	Pruning	Yes	No	{06490509-BE0F-44E0-AF4B-31F9569E62B2}	Camphor Tree	No	Cinnamomum camphora	1.00000000000

Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	8.00000000000	10.00000000000	10.00000000000	28.36778197870	-80.75484079600	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{23535DEB-499F-4B55-A1F5-BED36E5A3D20}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Cemetary	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	20.00000000000	12.00000000000	35.00000000000	30.00000000000	28.36847785860	-80.75458964320	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{0BF04B50-5C12-4BDD-8778-E67F2BFD4003}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.36777562830	-80.75485631260	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{3296989E-3611-4A92-8B61-FC9C197D4FFC}	Oak (Sand Live)	No	Quercus geminata	1.00000000000
Cemetary	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	30.00000000000	24.00000000000	40.00000000000	50.00000000000	28.36844118780	-80.75458092590	Excellent	1.00000000000	Co dom	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{580622AA-F2E6-40F3-BBE1-AB71F8D1C2A1}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	5.00000000000	4.00000000000	5.00000000000	10.00000000000	28.36777514300	-80.75484002700	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	Yes	No	{AE594FE7-906E-4D47-B830-3B293F808DA1}	Brazilian Pepper	No	Schinus terebinthifolia	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.36777512320	-80.75463423650	Excellent	1.00000000000	5 ChapmanΓÇÖs growing under canopy	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{7D5AB1FF-88A4-425A-A87D-910D05BB134D}	Oak (Chapman's)	No	Quercus chapmanii	2.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	15.00000000000	14.00000000000	20.00000000000	15.00000000000	28.36777511290	-80.75482972240	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{A3FC8FFA-646C-41AD-9820-A2A690C2039C}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	15.00000000000	8.00000000000	35.00000000000	25.00000000000	28.36777578320	-80.75466037290	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{7996E520-DD62-463B-B504-431AA3FBF66A}	Oak (Chapman's)	No	Quercus chapmanii	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	4.00000000000	10.00000000000	15.00000000000	28.36778406000	-80.75483061180	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	Yes	No	{7422FBCB-3DDC-4E31-A682-94D014C59BE6}	Brazilian Pepper	No	Schinus terebinthifolia	1.00000000000
Cemetary	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	35.00000000000	18.00000000000	55.00000000000	25.00000000000	28.36841394700	-80.75444094870	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{5C97DD69-6CBC-4F3F-B963-290B44270DF2}	Pine (Sand)	No	Pinus clausa	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.36777912130	-80.75482142200	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{2A1DBB4A-AB72-46AE-B09C-D4371DD28A6D}	Hickory (Pignut)	No	Carya glabra	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	5.00000000000	4.00000000000	15.00000000000	10.00000000000	28.36777900980	-80.75480075270	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{F8D94BFE-D357-4EAD-88C2-0B8C96CD1EE7}	Oak (Sand Live)	No	Quercus geminata	1.00000000000
Cemetary	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	8.00000000000	6.00000000000	15.00000000000	10.00000000000	28.36845250370	-80.75443985900	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{4C363C3A-2C27-4DF7-B634-7906E648C784}	Oak (Sand Live)	No	Quercus geminata	1.00000000000
Cemetary	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	6.00000000000	4.00000000000	15.00000000000	10.00000000000	28.36840133160	-80.75431840500	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{1E53BAD0-0DE2-4FA6-B8A6-D30A7B199E88}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.36774967970	-80.75471199100	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	{ABE162BB-828D-478F-8F81-4FA61D73978C}	Brazilian Pepper	No	Schinus terebinthifolia	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.36777780760	-80.75477079570	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	Yes	No	{8C601940-1F22-47FF-80B2-29F0D9FF0710}	Brazilian Pepper	No	Schinus terebinthifolia	1.00000000000
Cemetary	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	40.00000000000	20.00000000000	55.00000000000	25.00000000000	28.36840988180	-80.75430985570	Excellent	1.00000000000	Heaving and leaning	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{3F5BBCEB-64F1-405D-8A23-8B491DE9ED48}	Pine (Sand)	No	Pinus clausa	1.00000000000
Cemetary	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	5.00000000000	6.00000000000	20.00000000000	20.00000000000	28.36839718260	-80.75433567150	Excellent	1.00000000000	Heaving but caused by fallen sand pine that has been cut and left stump	Tree is Damaged	Tree Reduced to Stump	Remove Stump	No	No	{6E427BE7-FF2C-466A-856C-0F3820CAA29D}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	15.00000000000	8.00000000000	40.00000000000	35.00000000000	28.36777967620	-80.75475356240	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{08570DF9-1E97-4985-8B93-D0091A422764}	Oak (Sand Live)	No	Quercus geminata	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.36776931270	-80.75474494030	Excellent	1.00000000000	Five Myrtle Oaks in Woodland.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{CF63E094-EDA4-45AF-A260-0D7D7CD07EE1}	Oak (Myrtle)	No	Quercus myrtifolia	5.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.36777107620	-80.75473170370	Excellent	1.00000000000	15 Chapman Oaks in Woodlands.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{54911E0C-5EDB-4365-BF53-C23636B27736}	Oak (Chapman's)	No	Quercus chapmanii	15.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	6.00000000000	30.00000000000	20.00000000000	28.36779230740	-80.75474350480	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{D5C3F7BD-D2ED-4ABA-9274-09DB6062D775}	Oak (Sand Live)	No	Quercus geminata	1.00000000000
Cemetary	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	5.00000000000	4.00000000000	15.00000000000	10.00000000000	28.36827040670	-80.75454966190	Excellent	1.00000000000	5 trees in group	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{5633707C-BC50-41B1-8962-F74FE4D955CE}	Oak (Laurel)	No	Quercus laurifolia	5.00000000000
Cemetary	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	7.00000000000	6.00000000000	25.00000000000	20.00000000000	28.36825045760	-80.75456793450	Excellent	1.00000000000	4 trees in group 4-8 dbh	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{F6EBF775-16A1-46C0-A3BA-62D0ED1EF6F2}	Oak (Live)	No	Quercus virginiana	4.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	6.00000000000	15.00000000000	10.00000000000	28.36785017250	-80.75453244570	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{E729144E-28BE-4EAB-90A4-4A864BFBFA1F}	Hickory (Pignut)	No	Carya glabra	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	15.00000000000	12.00000000000	35.00000000000	25.00000000000	28.36781850110	-80.75457272790	Excellent	1.00000000000	Three trees in Woodland.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{E7FEE864-36CA-4DBE-BD04-9AB71DCCA654}	Oak (Sand Live)	No	Quercus geminata	3.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	6.00000000000	20.00000000000	15.00000000000	28.36787165830	-80.75452389730	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{44B342B5-86B5-4DDF-ACF9-6A48D65E8C36}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	5.00000000000	4.00000000000	20.00000000000	15.00000000000	28.36823926810	-80.75458444640	Excellent	1.00000000000	2 tree	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{108BE412-3739-4B65-9522-C60DFE8F4A30}	Oak (Live)	No	Quercus virginiana	2.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.36783814360	-80.75455003830	Excellent	1.00000000000	Two saplings in Woodland.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{175694B5-FF0D-4500-B2FE-486B0E9B1E6D}	Oak (Sand Live)	No	Quercus geminata	2.00000000000
Cemetary	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	30.00000000000	18.00000000000	55.00000000000	20.00000000000	28.36822208480	-80.75450029230	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{E45FAC99-FAAE-44F7-9FD4-D00B857D1B76}	Pine (Sand)	No	Pinus clausa	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	15.00000000000	6.00000000000	25.00000000000	15.00000000000	28.36788085110	-80.75451429700	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{EBD6634D-B6D1-49F2-B00A-EFE8FFCA27EA}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	15.00000000000	8.00000000000	30.00000000000	20.00000000000	28.36786286620	-80.75448941460	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{57791C77-ACF0-4262-9D7C-4E8A1DB24C81}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	10.00000000000	8.00000000000	20.00000000000	20.00000000000	28.36814207970	-80.75451512790	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{03CB9D6D-2DCA-4FBF-910B-125ABB6E7838}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	15.00000000000	12.00000000000	40.00000000000	35.00000000000	28.36810256410	-80.75451508570	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{0D3385B6-F014-47CA-9DB1-4D3FCAA15180}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	4.00000000000	15.00000000000	10.00000000000	28.36788898390	-80.75453031310	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{24E73A8D-1D1F-4A06-8114-E0BE5DDED6DA}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	15.00000000000	6.00000000000	35.00000000000	15.00000000000	28.36790639660	-80.75452936440	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{E7C63E5C-4F8F-49F7-81D3-010023303B00}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	6.00000000000	20.00000000000	15.00000000000	28.36794399630	-80.75455320930	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{6C09873D-E17D-49E7-B90A-817A2BE1C2C5}	Oak (Sand Live)	No	Quercus geminata	1.00000000000
Cemetary	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	5.00000000000	4.00000000000	20.00000000000	20.00000000000	28.36815699930	-80.75447330240	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	{A8C161D4-BF13-413C-B5EB-8EEA9406D02E}	Brazilian Pepper	No	Schinus terebinthifolia	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	6.00000000000	30.00000000000	35.00000000000	28.36807742650	-80.75452557710	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{CA4E0023-7173-43C8-9177-6F180910229C}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	35.00000000000	18.00000000000	75.00000000000	25.00000000000	28.36796546700	-80.75453369250	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{31F4481B-163C-4EFA-8596-3E9EADA9F9E2}	Pine (Sand)	No	Pinus clausa	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	15.00000000000	8.00000000000	35.00000000000	20.00000000000	28.36795097660	-80.75452070200	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{6C81941E-971B-42DD-BDA7-E56A4746F7DD}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	4.00000000000	30.00000000000	25.00000000000	28.36807888010	-80.75454387850	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{0F56D9A9-52E7-40E5-B439-AD45753B39FA}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	8.00000000000	6.00000000000	20.00000000000	20.00000000000	28.36815171910	-80.75448042690	Excellent	1.00000000000	4-6 dbh 10 tree	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{9AEF68AC-628F-4B65-9192-178B0A794B96}	Oak (Laurel)	No	Quercus laurifolia	10.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	15.00000000000	6.00000000000	35.00000000000	20.00000000000	28.36796910140	-80.75451658320	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{E72F7A86-4D8D-470F-B95A-3E45625BF962}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	25.00000000000	8.00000000000	40.00000000000	15.00000000000	28.36795273220	-80.75450112770	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{BF2FFBDD-7A2F-42AA-A8C5-93A93E1C2B08}	Pine (Sand)	No	Pinus clausa	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	30.00000000000	10.00000000000	55.00000000000	25.00000000000	28.36794428160	-80.75448936520	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{F18EC1A2-A0BB-4CBB-9FB8-35CC831C7050}	Pine (Sand)	No	Pinus clausa	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	10.00000000000	35.00000000000	40.00000000000	28.36803969720	-80.75453389730	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{B818E694-67F2-4A8F-9871-16203B011918}	Oak (Sand Live)	No	Quercus geminata	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	15.00000000000	12.00000000000	35.00000000000	15.00000000000	28.36929871280	-80.75618170130	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{30FE2C44-00FC-4454-9A56-7518D63DE0C8}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	20.00000000000	12.00000000000	40.00000000000	15.00000000000	28.36931219840	-80.75612864410	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{DD1CAA82-922F-4BB1-B3D3-BAF84F6542C2}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Building	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	20.00000000000	8.00000000000	25.00000000000	15.00000000000	28.36061474000	-80.73457219720	Very Poor	7.00000000000	Completely dead	Tree is Damaged	Tree is Dead	Removal	No	No	380d956b-567b-48f5-9a70-79ea56e063ca	Holly (East Palatka)	No	Ilex x attenuata	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	20.00000000000	8.00000000000	15.00000000000	0.00000000000	28.39002635800	-80.74369412080	Very Poor	7.00000000000	Dead palm, needs removal	Tree is Damaged	Tree Is Dead	Removal	No	No	9d1bf111-5d79-49ce-8d7e-23a1a8281ce8	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	20.00000000000	6.00000000000	35.00000000000	0.00000000000	28.39044569030	-80.74287065860	Very Poor	7.00000000000	Dead, needs removal	Tree is Damaged	Tree Is Dead	Removal	No	No	63320dae-df76-49d6-94c0-317aa338cb65	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	16.00000000000	15.00000000000	10.00000000000	28.38811917220	-80.75545490770	Very Poor	7.00000000000	See pics, Tree Is Dead	Tree Is Damaged	Stump/Trunk	Removal	No	No	bde7f7c8-b406-4740-98ea-e4afe5a316a0	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	8.00000000000	15.00000000000	5.00000000000	28.38811179650	-80.75583988790	Very Poor	7.00000000000	Trunk Damage, Signs of Decay	Tree is Damaged	Trunk has decay, only 20% of canopy alive	Removal	No	No	1ec8cd33-6e1b-49b4-8b5c-08e338f08f04	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	4.00000000000	20.00000000000	15.00000000000	28.38111007130	-80.75043034640	Very Poor	7.00000000000	Dead, Neds Removal	Tree is Damaged	Dead, Needs Removal	Removal	No	No	{B33DF877-BE37-4AE2-A174-B6C36DBF6CD5}	Red Cedar	No	Juniperus virginiana	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	10.00000000000	6.00000000000	5.00000000000	5.00000000000	28.39251547890	-80.78256999220	Very Poor	7.00000000000	Poor condition, consider replacement	Tree Is Damaged	Previously taken to just stump, resprouting	No Maintenance Required	No	No	{0A2DB9BD-0037-4CD7-8F52-2BC20845E1EF}	Golden Raintree	No	Koelreuteria paniculata	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	5.00000000000	8.00000000000	10.00000000000	10.00000000000	28.35366975970	-80.73520389430	Very Poor	6.00000000000	Dead cabbage palm	Tree is Damaged	Dead, brown fronds and trunk	Removal	No	No	4ef806b9-e874-40b8-b918-a37f76dfb7a9	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	20.00000000000	10.00000000000	30.00000000000	15.00000000000	28.37441256170	-80.73508941830	Very Poor	6.00000000000	Poor Shape, Nearly Dead; Leaning into Roadway	Tree is Damaged	Rot and decay	Removal	No	No	64cce7b8-a526-414e-85b7-90ea8d68558e	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	40.00000000000	22.00000000000	45.00000000000	30.00000000000	28.39349752110	-80.74494572830	Very Poor	6.00000000000	In yard but mostly dead, overhanging road	Tree is Damaged	Tree is Dead	Removal	No	No	3c6fff81-c9e5-4fc0-a24c-a31250ed8b13	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	12.00000000000	10.00000000000	15.00000000000	28.39630519010	-80.75949179910	Very Poor	6.00000000000	Tree is Dead, Top Snapped Off, Just Trunk	Tree is Damaged	Stump/Trunk	Remove Trunk	No	No	{92A6AB4D-4442-48D9-9A42-83918A223759}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	12.00000000000	20.00000000000	10.00000000000	28.39546529150	-80.77771919830	Very Poor	6.00000000000	Two dead trees in Woodland.	Tree is Damaged	Stump/Trunk	Remove Trunks	No	Yes	{71FB3AC6-090C-432D-82B1-989025C76E55}	Palm (Queen)	No	Syagrus romanzoffiana	2.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	15.00000000000	20.00000000000	30.00000000000	10.00000000000	28.39654017710	-80.77215492750	Very Poor	5.00000000000	Dead Tree, Needs Removal	Tree Is Damaged	Stump/Trunk	Removal	No	No	{90F49D7A-131D-4681-A0D4-30C3A6650F80}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	14.00000000000	10.00000000000	0.00000000000	28.35970917560	-80.73356772260	Very Poor	5.00000000000	Dead Tree With Debris on Ground, Needs Removal	Tree is Damaged	Tree is Dead	Removal	Yes	No	{5D5B6D97-BA02-4D4D-BB9A-204665A5946F}	Pine (Australian)	No	Casuarina equisetifolia	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	25.00000000000	12.00000000000	0.00000000000	0.00000000000	28.35465994530	-80.73038683670	Very Poor	4.00000000000	See pic; dead stump, needs removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	37cea1c0-ea25-4473-a27f-ef602c1ea2ef	Red Cedar	No	Juniperus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	16.00000000000	10.00000000000	0.00000000000	28.39199010250	-80.75872301100	Very Poor	4.00000000000	Stump That Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{BAAB84BD-2DA2-46C1-A220-4AF39FF0EE37}	N/A (Stump)	No	N/A (Stump)	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	12.00000000000	40.00000000000	5.00000000000	28.40082534120	-80.76887391530	Very Poor	4.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{B3016B6E-7653-4251-9F36-3F5C670A749D}	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	14.00000000000	35.00000000000	15.00000000000	28.40072983500	-80.76886922250	Very Poor	4.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{3753AAE0-AF6F-44AD-9FDC-63D37B8CE09D}	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	14.00000000000	20.00000000000	10.00000000000	28.39545492520	-80.77698497380	Very Poor	4.00000000000	Dead Trunk, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{A2B29C06-54B6-4511-A0AE-4AE144866251}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	15.00000000000	12.00000000000	15.00000000000	0.00000000000	28.36028379310	-80.74511496280	Very Poor	3.00000000000	Dead palm trunk. Directly under power lines, needs removal	Tree Is Damaged	Stump	Remove Stump	No	No	102a501f-485a-4869-935d-7599fd845db5	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	10.00000000000	8.00000000000	20.00000000000	20.00000000000	28.38850520070	-80.78777619640	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{950C8A8C-E95D-4C3D-9BB1-88CB78773C06}	Pine (Slash)	No	Pinus elliottii	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	8.00000000000	30.00000000000	20.00000000000	28.38802106560	-80.78773675040	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{E7B29CFB-B138-494D-BC3A-6544126508D3}	Pine (Slash)	No	Pinus elliottii	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	20.00000000000	15.00000000000	28.38729850230	-80.78772135240	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{A6F520AA-BE5B-4F33-AA30-C028F250066C}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	acarroll_sfc	9/29/2020	acarroll_sfc	9/29/2020	15.00000000000	8.00000000000	15.00000000000	10.00000000000	28.35750346390	-80.73363002340	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{5BEBB25C-5D3A-4F51-B4AC-916BA29AFBEB}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Median	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.38273778120	-80.77264493330	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree is Dead	Removal	No	No	{7356D8DC-9EEF-4BCD-9C37-AF34A528B318}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	8.00000000000	15.00000000000	0.00000000000	28.36806211650	-80.75455653490	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree Is Dead	Removal	No	No	{B0AA3A91-74ED-4EC5-B6B9-9C55DC00EFD4}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	30.00000000000	28.00000000000	10.00000000000	0.00000000000	28.36940032900	-80.75550067230	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{980EB6CB-8C9C-46A5-BE14-C58E1DC6B7E2}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	15.00000000000	12.00000000000	5.00000000000	5.00000000000	28.40107568520	-80.74431573080	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{29508705-86F4-4831-AB68-2CB1FC0730A6}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	20.00000000000	14.00000000000	15.00000000000	10.00000000000	28.40210622400	-80.74257587820	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{F12D774F-FACC-4548-883C-2B4B33DED582}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	12.00000000000	5.00000000000	0.00000000000	28.39095154290	-80.78079465800	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{A8EBBB7F-C43F-42C4-B97E-D8C7EF0A23AA}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	30.00000000000	18.00000000000	35.00000000000	15.00000000000	28.35545871610	-80.73228686420	Very Poor	2.00000000000	Bizmark stump	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	f5b6bc90-b19d-47b1-9d94-803c94c27919	Palm (Bismarck)	No	Bismarckia nobilis	1.00000000000
City Park	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	20.00000000000	10.00000000000	0.00000000000	0.00000000000	28.35888270100	-80.73130859620	Very Poor	2.00000000000	3 stumps and 1 BP. To be removed	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	b11484c9-65d7-4d53-9461-416912340a10	Hickory (Pignut)	No	Carya glabra	1.00000000000
2-4 Ft ROW	shendley_sfc	9/13/2020	shendley_sfc	9/13/2020	20.00000000000	8.00000000000	5.00000000000	0.00000000000	28.35087389180	-80.73356707580	Very Poor	2.00000000000	Tree is cut; stump needs removal	Tree Is Damaged	Stump/Trunk	Remove Stump	No	No	7148642b-82af-4f80-a4ad-74d5e933ea8a	Sycamore	No	Platanus occidentalis	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/16/2020	sbourgoin_sfc	9/16/2020	20.00000000000	14.00000000000	25.00000000000	15.00000000000	28.36619344110	-80.74705959530	Very Poor	2.00000000000	Completely dead needs removal	Tree is Damaged	Tree is Dead	Removal	No	No	1c15f2d9-a065-4aab-8ccf-5cd17f805c7a	Pine (Longleaf)	No	Pinus palustris	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	20.00000000000	10.00000000000	5.00000000000	0.00000000000	28.38738969540	-80.76376179260	Very Poor	2.00000000000	Stump	Tree Is Undamaged	<Null>	Remove Stump	No	No	{57F1FA2A-BD75-400B-8276-6ED829F7A80C}	Bottlebrush (Weeping)	No	Melaleuca viminalis	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	16.00000000000	0.00000000000	0.00000000000	28.39889285130	-80.76775526670	Very Poor	2.00000000000	Stump That Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{20ACB205-116A-418E-A68F-74403C577CD5}	N/A (Stump)	No	N/A (Stump)	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	35.00000000000	18.00000000000	10.00000000000	5.00000000000	28.35695927990	-80.73346942710	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{F6DC1A1A-AB89-41C0-8372-8E2460A0F823}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	55.00000000000	28.00000000000	50.00000000000	60.00000000000	28.36019909440	-80.73430334220	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{C9E5553C-5EC9-4DA4-9A4E-6D214065BBD5}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	25.00000000000	16.00000000000	40.00000000000	20.00000000000	28.35963514510	-80.73353318230	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree is dead, see picture.	Removal	Yes	No	{6EE83020-5AB6-449A-ADA6-8EA7F2292927}	Pine (Australian)	No	Casuarina equisetifolia	1.00000000000
Cemetary	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	30.00000000000	18.00000000000	0.00000000000	0.00000000000	28.36875127660	-80.75586536950	Very Poor	2.00000000000	Old stump. Rotting	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{35627E43-0723-448B-BD9B-8911F4A8D205}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	16.00000000000	10.00000000000	5.00000000000	28.36835598580	-80.75473439860	Very Poor	2.00000000000	Stump	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{15DA5336-B17B-479C-929E-A36072E8D6D0}	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	10.00000000000	4.00000000000	15.00000000000	5.00000000000	28.38348674870	-80.77803819550	Very Poor	2.00000000000		Tree is Damaged	Tree is Dead	Removal	No	No	{1BAEAF65-A73A-4AAD-B2B5-156CBE656BE0}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	12.00000000000	0.00000000000	0.00000000000	28.39103175120	-80.78077820530	Very Poor	2.00000000000	Two stumps in Woodland.	Tree is Damaged	Stump/Trunk	Remove Stump	No	Yes	{E37E5873-D334-4D04-8F44-04B030B00B88}	N/A (Stump)	No	N/A (Stump)	2.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	12.00000000000	15.00000000000	0.00000000000	28.39120392220	-80.78055795280	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{88B0584D-929C-4C3A-B4CE-733862991F2F}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	10.00000000000	20.00000000000	0.00000000000	28.39127525250	-80.78042099290	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{63356FB1-094E-4FD5-9573-2F45BA64F029}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	12.00000000000	25.00000000000	10.00000000000	28.39152758910	-80.77998370830	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{B19D23DB-8B93-431A-ACD0-7BE247CC2E33}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.39102319340	-80.77973278460	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{EC4E220A-D753-48A0-B655-12FD268FB25D}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	8.00000000000	30.00000000000	25.00000000000	28.39072632140	-80.78034228610	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{66C46A3C-08E9-491C-B001-175D6B738570}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.39078610070	-80.78101954130	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{CBF7C1CA-BA64-4423-B044-09F778651EDE}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	5.00000000000	4.00000000000	15.00000000000	5.00000000000	28.39078144680	-80.78100083840	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{8C262DC2-611C-4171-875C-EE4247717BF5}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35702616760	-80.73350831880	Very Poor	1.00000000000	Stump that has resprouted	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{B77C4B93-AF85-4AD0-9BD7-C050A6AD16C9}	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
City Park	acarroll_sfc	9/15/2020	acarroll_sfc	9/15/2020	20.00000000000	10.00000000000	25.00000000000	10.00000000000	28.35420867420	-80.74326518970	Poor	6.00000000000	See pic	Tree is Undamaged	<Null>	Removal	No	No	cdb648ac-bce2-4124-b380-995ad4b2eee9	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
City Park	sbourgoin_sfc	9/18/2020	sbourgoin_sfc	9/18/2020	5.00000000000	8.00000000000	15.00000000000	10.00000000000	28.37679872970	-80.76179704140	Poor	6.00000000000	tree not completely dead, but 50 percent of branches without leaves; seems to have a web work infestation see pics	Tree is Damaged	Large chunk of middle bark missing	Removal	No	No	e8617e60-7f0e-4fef-8965-1e60586e0c86	Oak (Live)	No	Quercus virginiana	1.00000000000
City Building	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	20.00000000000	10.00000000000	25.00000000000	10.00000000000	28.36120423840	-80.73457651270	Poor	5.00000000000	Majority of tree is dead. Recommend removal	Tree is Damaged	Tree is Dead	Removal	No	No	b7742f99-fba6-40f2-996f-ae824c895a11	Holly (East Palatka)	No	Ilex x attenuata	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	15.00000000000	6.00000000000	20.00000000000	10.00000000000	28.37505849060	-80.76122660220	Poor	5.00000000000	Severe leaf loss	Tree is Damaged	Severe leaf loss, obvious damage to tree	Removal	No	No	1b4a0557-5f26-41f9-9019-11038d4fee85	Holly (American)	No	Ilex opaca	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	14.00000000000	20.00000000000	15.00000000000	28.38814578530	-80.75573913730	Poor	5.00000000000	High percentage of deadwood in canopy, multiple limb breaks	Tree is Damaged	Recent limb breaks, copious deadwood	Pruning	No	No	bb7b3673-838d-4293-95a6-0bfced1b9db4	Box Elder	No	Acer negundo	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	20.00000000000	16.00000000000	35.00000000000	20.00000000000	28.38825967710	-80.78775262730	Poor	5.00000000000	Severe damage to trunk, wood rot	Tree is Damaged	Wood rot in trunk	Removal	No	No	{0E823A48-2112-4497-9276-C59EF128FB03}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	16.00000000000	20.00000000000	15.00000000000	28.35703777640	-80.73279946090	Poor	5.00000000000	Try cleaning deadwood first before removing. Co dom w included bark	Tree is Damaged	Tree Is Dead	Removal	No	No	{AE4C2C59-5208-4610-B8B3-58DC8CCBB65E}	Hickory (Pignut)	No	Carya glabra	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	8.00000000000	6.00000000000	20.00000000000	10.00000000000	28.39916023430	-80.77080259110	Poor	4.00000000000	Remove	Tree is Damaged	Cambium layer weed whacked repeatedly	Removal	No	No	{E356A27F-155E-41C7-AE39-BE2D3B1F3306}	Holly (Dahoon)	No	Ilex cassine	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35120694720	-80.72616601960	Poor	3.00000000000	Canopy broken and mostly leafless	Tree Is Damaged	Canopy topped	No Maintenance Required	No	No	cd35ada1-bbfe-4763-97e7-f10ed59cf265	Tabebuia	No	Tabebuia spp.	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	5.00000000000	8.00000000000	10.00000000000	10.00000000000	28.35114616070	-80.72621493110	Poor	3.00000000000	Canopy broken and mostly leafless	Tree Is Damaged	Crown broke	No Maintenance Required	No	No	bf3469ee-9835-42d5-b45e-81997412c6ae	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	20.00000000000	14.00000000000	20.00000000000	10.00000000000	28.37552867380	-80.76525779480	Poor	2.00000000000	See pic	Tree is Damaged	Needs pruning of multiple dead limbs for a chance	Pruning	Yes	No	7c237f9f-a267-4710-92e8-f4454a1b5c7f	Indian Rosewood	No	Dalbergia sissoo	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	30.00000000000	12.00000000000	35.00000000000	15.00000000000	28.36061274170	-80.73415800010	Poor	2.00000000000	Unnatural form. Fine for SLO.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{AB73F2B7-444C-4EB9-9B64-0ED15E67861B}	Oak (Sand Live)	No	Quercus geminata	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	40.00000000000	18.00000000000	25.00000000000	40.00000000000	28.36486055300	-80.73437332990	Fair	7.00000000000		Tree Is Damaged	Missing mult limbs due to rot and pruning. Central leader still intact but rotting likely to fall	Removal	No	No	035599b7-6ba4-4a35-bf49-3b2cb056e780	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	60.00000000000	32.00000000000	45.00000000000	25.00000000000	28.38155051730	-80.73657843430	Fair	7.00000000000	Lg oak directly next to road. Evidence of prev pruning. Lg dead limbs overhanging road, needs additional consult	Tree is Damaged	Multiple large dead limbs	Pruning	No	No	788c2f34-9024-4f34-aeb1-4b0ff7cb1825	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	40.00000000000	24.00000000000	45.00000000000	25.00000000000	28.37482115740	-80.76184862270	Fair	7.00000000000	Remove. Co Dom and over pruned. Trunk rot. See pictures	Tree is Damaged	Trunk Rot	Removal	No	No	042c8a89-8f42-45a7-932d-209dbeb2a45b	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	18.00000000000	50.00000000000	35.00000000000	28.37785729230	-80.74507031560	Fair	7.00000000000	Water oak, dead branch over road way	Tree is Damaged	Crown broke	Pruning	No	No	{BC25B713-2163-4046-9747-9A4FC6AC84A3}	Oak (Water)	No	Quercus nigra	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	30.00000000000	26.00000000000	40.00000000000	35.00000000000	28.39283805840	-80.76054104570	Fair	7.00000000000	Tree has sparse canopy with many bare branches, see pictures.	Tree is Damaged	Bare branches/canopy	Pruning	No	No	{03C14FE5-C859-4706-923E-676D89DB62A9}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	6.00000000000	10.00000000000	5.00000000000	28.35700282350	-80.73356992610	Fair	7.00000000000	See pic	Tree is Damaged	Tree Is Dead	Removal	No	No	{58F800C4-0AC0-464A-80AB-BBA329198225}	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	6.00000000000	10.00000000000	5.00000000000	28.35528643810	-80.72750413570	Fair	6.00000000000	See pic	Tree is Damaged	Dying, needs H2O	Removal	No	No	060c3393-62c2-403b-bd0f-860973469609	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	15.00000000000	12.00000000000	15.00000000000	20.00000000000	28.35402286250	-80.72669429640	Fair	6.00000000000	See picture	Tree Is Damaged	Crown broken	No Maintenance Required	No	No	3b083e80-5b3e-4bd5-bd2b-7af3cfdbe027	Red Cedar	No	Juniperus virginiana	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	10.00000000000	10.00000000000	20.00000000000	20.00000000000	28.36394391950	-80.74302337130	Fair	6.00000000000	Large trunk damage	Tree Is Damaged	Trunk is Cracked and Split for Its Entirety	Removal	No	No	63aa69e1-249e-489e-8fec-7ee7362c9bda	Sycamore	No	Platanus occidentalis	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/16/2020	sbourgoin_sfc	9/16/2020	20.00000000000	10.00000000000	30.00000000000	25.00000000000	28.37128400850	-80.74462001170	Fair	6.00000000000	Tree is nearly dead, probably 40 percent of branches with leaves; needs at least pruning, possibly removal	Tree is Damaged	High Proportion of Branches Dead	Pruning	No	No	f91261d9-9f85-42e9-9f78-aa7a782adf5e	Green Ash	No	Fraxinus pennsylvanica	1.00000000000
4+ Ft ROW	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	40.00000000000	24.00000000000	40.00000000000	45.00000000000	28.39816863550	-80.74960865740	Fair	6.00000000000	Overhang	Tree is Damaged	Hit by vehicle	No Maintenance Required	No	No	4a56135e-24de-4fba-b0f3-08359e5707ef	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	20.00000000000	16.00000000000	35.00000000000	40.00000000000	28.37463553980	-80.76391794760	Fair	6.00000000000	This tree has a co-dominance stem with included bark also overhangs the road also has soil heaving. Also has bark beetles. Minor bark beetles. See pictures	Tree is Damaged	Minor bark beetles	No Maintenance Required	No	No	b5b0fef6-9771-4532-b50e-4d81cd696a64	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	10.00000000000	6.00000000000	20.00000000000	10.00000000000	28.38810714400	-80.75727310950	Fair	6.00000000000	Heavy signs of bark beetle infestation	Tree is Damaged	Pest Infestation	No Maintenance Required	No	No	d601b313-3efe-42d1-82f5-832a90f6c213	Green Ash	No	Fraxinus pennsylvanica	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	16.00000000000	15.00000000000	20.00000000000	28.39544013590	-80.75904185900	Fair	6.00000000000	Tree appears to be dying with bare branches. See picture.	Tree is Damaged	Branches are Dying Off	Pruning	No	No	{50398963-9B6C-42E0-9FE6-AF91BDD37434}	Bottlebrush (Weeping)	No	Melaleuca viminalis	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	8.00000000000	15.00000000000	15.00000000000	28.39721316040	-80.77160247610	Fair	6.00000000000	Trim back hard	Tree Is Undamaged	<Null>	Pruning	Yes	No	{06490509-BE0F-44E0-AF4B-31F9569E62B2}	Camphor Tree	No	Cinnamomum camphora	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	8.00000000000	20.00000000000	15.00000000000	28.35712084050	-80.73344344240	Fair	6.00000000000	The canopy has been broken off. Bark beetles present in the canopy. Deadwood throughout. See picture	Tree is Damaged	Canopy has been broken off	Pruning	No	No	{BACA6C9D-F7F4-44F3-A16B-E6E6525412DA}	Sugarberry	No	Celtis laevigata	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	40.00000000000	20.00000000000	50.00000000000	20.00000000000	28.36061601040	-80.73421910450	Fair	6.00000000000	Deadwood at the top of the canopy. Sparse canopy. Bark peeling. Decay in lowest point of trunk.	Tree is Damaged	Deadwood and Peeling Bark	Pruning	No	No	{8EAFBCE8-3712-4061-B595-38C4579F5B35}	Oak (Sand Live)	No	Quercus geminata	1.00000000000
Median	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	35.00000000000	18.00000000000	40.00000000000	20.00000000000	28.34926456580	-80.74507902570	Fair	5.00000000000	See pics. Damaged	Tree Is Damaged	Mechanical Damage and Potential Rot at Base	Pruning	No	No	6d9dc418-0830-4fa2-9284-ac99e520e57f	Maple (Red)	No	Acer rubrum	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	20.00000000000	16.00000000000	25.00000000000	25.00000000000	28.36483498630	-80.73419860670	Fair	5.00000000000		Tree Is Damaged	Mechanical damage at base see pics	No Maintenance Required	Yes	No	4ab213a9-17a8-45e9-b82b-090433acb0a2	Chinaberry	No	Melia azedarach	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	15.00000000000	10.00000000000	30.00000000000	20.00000000000	28.38431299220	-80.73913266000	Fair	5.00000000000	Overhang	Tree is Damaged	Lightning	No Maintenance Required	No	No	5bae7c63-65bc-4b4c-aba4-c7d31271810f	Sugarberry	No	Celtis laevigata	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	10.00000000000	20.00000000000	15.00000000000	28.38812960800	-80.75560444030	Fair	5.00000000000	High percentage of deadwood in canopy, multiple limb breaks	Tree is Damaged	Recent limb breaks, copious deadwood	Pruning	No	No	2ee43f2d-8efc-48d3-b90b-e8b67ccfb9bb	Box Elder	No	Acer negundo	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	30.00000000000	18.00000000000	25.00000000000	25.00000000000	28.39032768990	-80.78335793950	Fair	5.00000000000	Minor soil heaving on curb and sidewalk. The crown was broken in this tree. And the sides are now growing out to make it fall in the canopy. Minor bark beetles present. See pictures. Multiple stems extending from a central location.	Tree Is Undamaged	<Null>	Pruning	No	No	{898CAFB2-3ECE-424E-ABBE-EA0929457A2D}	Maple (Red)	No	Acer rubrum	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	30.00000000000	20.00000000000	35.00000000000	20.00000000000	28.35699553170	-80.73361485270	Fair	5.00000000000	Lots of vines on canopy. Deadwood within canopy. Lots of decaying scaffolding. Toward the back of the cemetery and not much risk of injury. There is a fence target nearby. And graves.	Tree is Damaged	Branches contain decay	Pruning	No	No	{110D2DD3-E453-460D-8C91-DC008B59B80E}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35702268850	-80.73344126310	Fair	5.00000000000	Lots of deadwood. Vines growing. See picture. Florida privet	Tree is Undamaged	<Null>	Pruning	No	No	{3DF41125-9937-4B2F-B841-F77FE19B0300}	Privet (Florida)	No	Forestiera segregata	1.00000000000

City Park	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	20.00000000000	6.00000000000	20.00000000000	10.00000000000	28.35526201540	-80.72371803320	Excellent	1.00000000000	Seven white mangroves in woodland	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{B3C8B1E9-D6D3-4192-B2ED-0722DB9173F4}	Mangrove (White)	No	Laguncularia racemosa	1.00000000000
City Park	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	20.00000000000	4.00000000000	15.00000000000	10.00000000000	28.35535477830	-80.72337915640	Excellent	1.00000000000	4 white mangrove	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{910E7B84-A681-482A-8F2E-773FE6C66661}	Mangrove (White)	No	Laguncularia racemosa	4.00000000000
City Park	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	20.00000000000	4.00000000000	15.00000000000	10.00000000000	28.35538385340	-80.72332324340	Excellent	1.00000000000	6 white mangrove	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{3379454A-0F4E-4E4F-9343-A91FA16EAF52}	Mangrove (White)	No	Laguncularia racemosa	6.00000000000
City Park	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.35538909780	-80.72322439370	Excellent	1.00000000000	2	Tree is Undamaged	<Null>	No Maintenance Required	Yes	Yes	{C3FD6E6C-2223-473F-A590-F8652C61D979}	Brazilian Pepper	No	Schinus terebinthifolia	2.00000000000
City Park	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	20.00000000000	8.00000000000	40.00000000000	15.00000000000	28.35529814360	-80.72366220920	Excellent	1.00000000000	Seven red mangrove in Woodland.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{0C43E415-F5EA-432B-976C-6112CD9CBDD6}	Mangrove (Red)	No	Rhizophora mangle	7.00000000000
City Park	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	20.00000000000	4.00000000000	20.00000000000	10.00000000000	28.35546260870	-80.72333403850	Excellent	1.00000000000	10 white mangrove	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{C3F7C594-26BB-4CBD-BBCF-6C04C78AD67F}	Mangrove (White)	No	Laguncularia racemosa	10.00000000000
City Park	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	20.00000000000	6.00000000000	20.00000000000	15.00000000000	28.35531835440	-80.72371050900	Excellent	1.00000000000	Eight white mangroves in Woodland.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{159C46DF-412C-424A-9E1E-7B364B2E9056}	Mangrove (White)	No	Laguncularia racemosa	8.00000000000
City Park	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	7.00000000000	4.00000000000	10.00000000000	15.00000000000	28.35549156680	-80.72322749560	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	{9632D2C2-C5CE-4266-81C0-510645BBD3EA}	Brazilian Pepper	No	Schinus terebinthifolia	1.00000000000
City Park	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	15.00000000000	6.00000000000	20.00000000000	25.00000000000	28.35544334500	-80.72371633540	Excellent	1.00000000000	Six red mangrove in Woodland.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{8EEF791B-1C24-4149-94A6-679E10915D89}	Mangrove (Red)	No	Rhizophora mangle	1.00000000000
City Park	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	20.00000000000	4.00000000000	20.00000000000	15.00000000000	28.35553506430	-80.72333617740	Excellent	1.00000000000	3	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{264AE0FB-2442-495B-8701-DB9F3C52B476}	Mangrove (Red)	No	Rhizophora mangle	3.00000000000
City Park	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	7.00000000000	6.00000000000	25.00000000000	10.00000000000	28.35566410760	-80.72327761890	Excellent	1.00000000000	Hercules club	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{59F26827-4EDB-4D04-8942-0916302B2489}	Hercules Club	No	Zanthoxylum clava-herculis	1.00000000000
City Park	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	3.00000000000	4.00000000000	10.00000000000	10.00000000000	28.35560954190	-80.72331131470	Excellent	1.00000000000	Hercules club	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{E70E1822-49E9-455F-818C-D5AE78F3235D}	Hercules Club	No	Zanthoxylum clava-herculis	1.00000000000
City Park	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	20.00000000000	4.00000000000	20.00000000000	10.00000000000	28.35564308820	-80.72331266670	Excellent	1.00000000000	7 white mangrove	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{C14EA486-CCEF-4079-91BA-6E7DBD96D644}	Mangrove (White)	No	Laguncularia racemosa	7.00000000000
City Park	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	8.00000000000	20.00000000000	10.00000000000	28.35542996920	-80.72367804560	Excellent	1.00000000000	12 White mangrove in Woodland.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{D39DFEA6-C279-422D-80E0-8DD5879D2398}	Mangrove (White)	No	Laguncularia racemosa	12.00000000000
City Park	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	10.00000000000	4.00000000000	10.00000000000	10.00000000000	28.35562258650	-80.72331393690	Excellent	1.00000000000	3	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{EA42CEC4-65CC-479F-ADC0-D600A970837F}	Mangrove (Red)	No	Rhizophora mangle	3.00000000000
City Building	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	20.00000000000	8.00000000000	25.00000000000	15.00000000000	28.36061474000	-80.73457219720	Very Poor	7.00000000000	Completely dead	Tree is Damaged	Tree is Dead	Removal	No	No	380d956b-567b-48f5-9a70-79ea56e063ca	Holly (East Palatka)	No	Ilex x attenuata	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	20.00000000000	8.00000000000	15.00000000000	0.00000000000	28.39002635800	-80.74369412080	Very Poor	7.00000000000	Dead palm, needs removal	Tree is Damaged	Tree Is Dead	Removal	No	No	9d1bf111-5d79-49ce-8d7e-23a1a8281ce8	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	20.00000000000	6.00000000000	35.00000000000	0.00000000000	28.39044569030	-80.74287065860	Very Poor	7.00000000000	Dead, needs removal	Tree is Damaged	Tree Is Dead	Removal	No	No	63320dae-df76-49d6-94c0-317aa338cb65	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	16.00000000000	15.00000000000	10.00000000000	28.38811917220	-80.75545490770	Very Poor	7.00000000000	See pics, Tree Is Dead	Tree Is Damaged	Stump/Trunk	Removal	No	No	bde7f7c8-b406-4740-98ea-e4afe5a316a0	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	8.00000000000	15.00000000000	5.00000000000	28.38811179650	-80.75583988790	Very Poor	7.00000000000	Trunk Damage, Signs of Decay	Tree is Damaged	Trunk has decay, only 20% of canopy alive	Removal	No	No	1ec8cd33-6e1b-49b4-8b5c-08e338f08f04	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	4.00000000000	20.00000000000	15.00000000000	28.38111007130	-80.75043034640	Very Poor	7.00000000000	Dead, Neds Removal	Tree is Damaged	Dead, Needs Removal	Removal	No	No	{B33DF877-BE37-4AE2-A174-B6C36DBF6CD5}	Red Cedar	No	Juniperus virginiana	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	10.00000000000	6.00000000000	5.00000000000	5.00000000000	28.39251547890	-80.78256999220	Very Poor	7.00000000000	Poor condition, consider replacement	Tree Is Damaged	Previously taken to just stump, resprouting	No Maintenance Required	No	No	{0A2DB9BD-0037-4CD7-8F52-2BC20845E1EF}	Golden Raintree	No	Koelreuteria paniculata	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	5.00000000000	8.00000000000	10.00000000000	10.00000000000	28.35366975970	-80.73520389430	Very Poor	6.00000000000	Dead cabbage palm	Tree is Damaged	Dead, brown fronds and trunk	Removal	No	No	4ef806b9-e874-40b8-b918-a37f76dfb7a9	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	20.00000000000	10.00000000000	30.00000000000	15.00000000000	28.37441256170	-80.73508941830	Very Poor	6.00000000000	Poor Shape, Nearly Dead; Leaning into Roadway	Tree is Damaged	Rot and decay	Removal	No	No	64cce7b8-a526-414e-85b7-90ea8d68558e	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	40.00000000000	22.00000000000	45.00000000000	30.00000000000	28.39349752110	-80.74494572830	Very Poor	6.00000000000	In yard but mostly dead, overhanging road	Tree is Damaged	Tree is Dead	Removal	No	No	3c6fff81-c9e5-4fc0-a24c-a31250ed8b13	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	12.00000000000	10.00000000000	15.00000000000	28.39630519010	-80.75949179910	Very Poor	6.00000000000	Tree is Dead, Top Snapped Off, Just Trunk	Tree is Damaged	Stump/Trunk	Remove Trunk	No	No	{92A6AB4D-4442-48D9-9A42-83918A223759}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	12.00000000000	20.00000000000	10.00000000000	28.39546529150	-80.77771919830	Very Poor	6.00000000000	Two dead trees in Woodland.	Tree is Damaged	Stump/Trunk	Remove Trunks	No	Yes	{71FB3AC6-090C-432D-82B1-989025C76E55}	Palm (Queen)	No	Syagrus romanzoffiana	2.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	15.00000000000	20.00000000000	30.00000000000	10.00000000000	28.39654017710	-80.77215492750	Very Poor	5.00000000000	Dead Tree, Needs Removal	Tree Is Damaged	Stump/Trunk	Removal	No	No	{90F49D7A-131D-4681-A0D4-30C3A6650F80}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	14.00000000000	10.00000000000	0.00000000000	28.35970917560	-80.73356772260	Very Poor	5.00000000000	Dead Tree With Debris on Ground, Needs Removal	Tree is Damaged	Tree is Dead	Removal	Yes	No	{5D5B6D97-BA02-4D4D-BB9A-204665A5946F}	Pine (Australian)	No	Casuarina equisetifolia	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	25.00000000000	12.00000000000	0.00000000000	0.00000000000	28.35465994530	-80.73038683670	Very Poor	4.00000000000	See pic; dead stump, needs removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	37cea1c0-ea25-4473-a27f-ef602c1ea2ef	Red Cedar	No	Juniperus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	16.00000000000	10.00000000000	0.00000000000	28.39199010250	-80.75872301100	Very Poor	4.00000000000	Stump That Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{BAAB84BD-2DA2-46C1-A220-4AF39FF0EE37}	N/A (Stump)	No	N/A (Stump)	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	12.00000000000	40.00000000000	5.00000000000	28.40082534120	-80.76887391530	Very Poor	4.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{B3016B6E-7653-4251-9F36-3F5C670A749D}	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	14.00000000000	35.00000000000	15.00000000000	28.40072983500	-80.76886922250	Very Poor	4.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{3753AAE0-AF6F-44AD-9FDC-63D37B8CE09D}	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	14.00000000000	20.00000000000	10.00000000000	28.39545492520	-80.77698497380	Very Poor	4.00000000000	Dead Trunk, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{A2B29C06-54B6-4511-A0AE-4AE144866251}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	15.00000000000	12.00000000000	15.00000000000	0.00000000000	28.36028379310	-80.74511496280	Very Poor	3.00000000000	Dead palm trunk. Directly under power lines, needs removal	Tree Is Damaged	Stump	Remove Stump	No	No	102a501f-485a-4869-935d-7599fd845db5	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	10.00000000000	8.00000000000	20.00000000000	20.00000000000	28.38850520070	-80.78777619640	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{950C8A8C-E95D-4C3D-9BB1-88CB78773C06}	Pine (Slash)	No	Pinus elliottii	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	8.00000000000	30.00000000000	20.00000000000	28.38802106560	-80.78773675040	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{E7B29CFB-B138-494D-BC3A-6544126508D3}	Pine (Slash)	No	Pinus elliottii	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	20.00000000000	15.00000000000	28.38729850230	-80.78772135240	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{A6F520AA-BE5B-4F33-AA30-C028F250066C}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	acarroll_sfc	9/29/2020	acarroll_sfc	9/29/2020	15.00000000000	8.00000000000	15.00000000000	10.00000000000	28.35750346390	-80.73363002340	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{5BEBB25C-5D3A-4F51-B4AC-916BA29AFBEB}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Median	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.38273778120	-80.77264493330	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree is Dead	Removal	No	No	{7356D8DC-9EEF-4BCD-9C37-AF34A528B318}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	8.00000000000	15.00000000000	0.00000000000	28.36806211650	-80.75455653490	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree Is Dead	Removal	No	No	{B0AA3A91-74ED-4EC5-B6B9-9C55DC00EFD4}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	30.00000000000	28.00000000000	10.00000000000	0.00000000000	28.36940032900	-80.75550067230	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{980EB6CB-8C9C-46A5-BE14-C58E1DC6B7E2}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	15.00000000000	12.00000000000	5.00000000000	5.00000000000	28.40107568520	-80.74431573080	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{29508705-86F4-4831-AB68-2CB1FC0730A6}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	20.00000000000	14.00000000000	15.00000000000	10.00000000000	28.40210622400	-80.74257587820	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{F12D774F-FACC-4548-883C-2B4B33DED582}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	12.00000000000	5.00000000000	0.00000000000	28.39095154290	-80.78079465800	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{A8EBBB7F-C43F-42C4-B97E-D8C7EF0A23AA}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	30.00000000000	18.00000000000	35.00000000000	15.00000000000	28.35545871610	-80.73228686420	Very Poor	2.00000000000	Bizmark stump	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	f5b6bc90-b19d-47b1-9d94-803c94c27919	Palm (Bismarck)	No	Bismarckia nobilis	1.00000000000
City Park	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	20.00000000000	10.00000000000	0.00000000000	0.00000000000	28.35888270100	-80.73130859620	Very Poor	2.00000000000	3 stumps and 1 BP. To be removed	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	b11484c9-65d7-4d53-9461-416912340a10	Hickory (Pignut)	No	Carya glabra	1.00000000000
2-4 Ft ROW	shendley_sfc	9/13/2020	shendley_sfc	9/13/2020	20.00000000000	8.00000000000	5.00000000000	0.00000000000	28.35087389180	-80.73356707580	Very Poor	2.00000000000	Tree is cut; stump needs removal	Tree Is Damaged	Stump/Trunk	Remove Stump	No	No	7148642b-82af-4f80-a4ad-74d5e933ea8a	Sycamore	No	Platanus occidentalis	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/16/2020	sbourgoin_sfc	9/16/2020	20.00000000000	14.00000000000	25.00000000000	15.00000000000	28.36619344110	-80.74705959530	Very Poor	2.00000000000	Completely dead needs removal	Tree is Damaged	Tree is Dead	Removal	No	No	1c15f2d9-a065-4aab-8ccf-5cd17f805c7a	Pine (Longleaf)	No	Pinus palustris	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	20.00000000000	10.00000000000	5.00000000000	0.00000000000	28.38738969540	-80.76376179260	Very Poor	2.00000000000	Stump	Tree Is Undamaged	<Null>	Remove Stump	No	No	{57F1FA2A-BD75-400B-8276-6ED829F7A80C}	Bottlebrush (Weeping)	No	Melaleuca viminalis	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	16.00000000000	0.00000000000	0.00000000000	28.39889285130	-80.76775526670	Very Poor	2.00000000000	Stump That Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{20ACB205-116A-418E-A68F-74403C577CD5}	N/A (Stump)	No	N/A (Stump)	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	35.00000000000	18.00000000000	10.00000000000	5.00000000000	28.35695927990	-80.73346942710	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{F6DC1A1A-AB89-41C0-8372-8E2460A0F823}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	55.00000000000	28.00000000000	50.00000000000	60.00000000000	28.36019909440	-80.73430334220	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{C9E5553C-5EC9-4DA4-9A4E-6D214065BBD5}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	25.00000000000	16.00000000000	40.00000000000	20.00000000000	28.35963514510	-80.73353318230	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree is dead, see picture.	Removal	Yes	No	{6EE83020-5AB6-449A-ADA6-8EA7F2292927}	Pine (Australian)	No	Casuarina equisetifolia	1.00000000000
Cemetary	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	30.00000000000	18.00000000000	0.00000000000	0.00000000000	28.36875127660	-80.75586536950	Very Poor	2.00000000000	Old stump. Rotting	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{35627E43-0723-448B-BD9B-8911F4A8D205}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	16.00000000000	10.00000000000	5.00000000000	28.36835598580	-80.75473439860	Very Poor	2.00000000000	Stump	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{15DA5336-B17B-479C-929E-A36072E8D6D0}	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	10.00000000000	4.00000000000	15.00000000000	5.00000000000	28.38348674870	-80.77803819550	Very Poor	2.00000000000		Tree is Damaged	Tree is Dead	Removal	No	No	{1BAEAF65-A73A-4AAD-B2B5-156CBE656BE0}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	12.00000000000	0.00000000000	0.00000000000	28.39103175120	-80.78077820530	Very Poor	2.00000000000	Two stumps in Woodland.	Tree is Damaged	Stump/Trunk	Remove Stump	No	Yes	{E37E5873-D334-4D04-8F44-04B030B00B88}	N/A (Stump)	No	N/A (Stump)	2.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	12.00000000000	15.00000000000	0.00000000000	28.39120392220	-80.78055795280	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{88B0584D-929C-4C3A-B4CE-733862991F2F}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	10.00000000000	20.00000000000	0.00000000000	28.39127525250	-80.78042099290	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{63356FB1-094E-4FD5-9573-2F45BA64F029}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	12.00000000000	25.00000000000	10.00000000000	28.39152758910	-80.77998370830	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{B19D23DB-8B93-431A-ACD0-7BE247CC2E33}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.39102319340	-80.77973278460	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{EC4E220A-D753-48A0-B655-12FD268FB25D}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	8.00000000000	30.00000000000	25.00000000000	28.39072632140	-80.78034228610	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{66C46A3C-08E9-491C-B001-175D6B738570}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.39078610070	-80.78101954130	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{CBF7C1CA-BA64-4423-B044-09F778651EDE}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	5.00000000000	4.00000000000	15.00000000000	5.00000000000	28.39078144680	-80.78100083840	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{8C262DC2-611C-4171-875C-EE4247717BF5}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35702616760	-80.73350831880	Very Poor	1.00000000000	Stump that has resprouted	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{B77C4B93-AF85-4AD0-9BD7-C050A6AD16C9}	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
City Park	acarroll_sfc	9/15/2020	acarroll_sfc	9/15/2020	20.00000000000	10.00000000000	25.00000000000	10.00000000000	28.35420867420	-80.74326518970	Poor	6.00000000000	See pic	Tree is Undamaged	<Null>	Removal	No	No	cdb648ac-bce2-4124-b380-995ad4b2eee9	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
City Park	sbourgoin_sfc	9/18/2020	sbourgoin_sfc	9/18/2020	5.00000000000	8.00000000000	15.00000000000	10.00000000000	28.37679872970	-80.76179704140	Poor	6.00000000000	tree not completely dead, but 50 percent of branches without leaves; seems to have a web work infestation see pics	Tree is Damaged	Large chunk of middle bark missing	Removal	No	No	e8617e60-7f0e-4fef-8965-1e60586e0c86	Oak (Live)	No	Quercus virginiana	1.00000000000
City Building	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	20.00000000000	10.00000000000	25.00000000000	10.00000000000	28.36120423840	-80.73457651270	Poor	5.00000000000	Majority of tree is dead. Recommend removal	Tree is Damaged	Tree is Dead	Removal	No	No	b7742f99-fba6-40f2-996f-ae824c895a11	Holly (East Palatka)	No	Ilex x attenuata	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	15.00000000000	6.00000000000	20.00000000000	10.00000000000	28.37505849060	-80.76122660220	Poor	5.00000000000	Severe leaf loss	Tree is Damaged	Severe leaf loss, obvious damage to tree	Removal	No	No	1b4a0557-5f26-41f9-9019-11038d4fee85	Holly (American)	No	Ilex opaca	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	14.00000000000	20.00000000000	15.00000000000	28.38814578530	-80.75573913730	Poor	5.00000000000	High percentage of deadwood in canopy, multiple limb breaks	Tree is Damaged	Recent limb breaks, copious deadwood	Pruning	No	No	bb7b3673-838d-4293-95a6-0bfced1b9db4	Box Elder	No	Acer negundo	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	20.00000000000	16.00000000000	35.00000000000	20.00000000000	28.38825967710	-80.78775262730	Poor	5.00000000000	Severe damage to trunk, wood rot	Tree is Damaged	Wood rot in trunk	Removal	No	No	{0E823A48-2112-4497-9276-C59EF128FB03}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	16.00000000000	20.00000000000	15.00000000000	28.35703777640	-80.73279946090	Poor	5.00000000000	Try cleaning deadwood first before removing. Co dom w included bark	Tree is Damaged	Tree Is Dead	Removal	No	No	{AE4C2C59-5208-4610-B8B3-58DC8CCBB65E}	Hickory (Pignut)	No	Carya glabra	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	8.00000000000	6.00000000000	20.00000000000	10.00000000000	28.39916023430	-80.77080259110	Poor	4.00000000000	Remove	Tree is Damaged	Cambium layer weed whacked repeatedly	Removal	No	No	{E356A27F-155E-41C7-AE39-BE2D3B1F3306}	Holly (Dahoon)	No	Ilex cassine	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35120694720	-80.72616601960	Poor	3.00000000000	Canopy broken and mostly leafless	Tree Is Damaged	Canopy topped	No Maintenance Required	No	No	cd35ada1-bbfe-4763-97e7-f10ed59cf265	Tabebuia	No	Tabebuia spp.	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	5.00000000000	8.00000000000	10.00000000000	10.00000000000	28.35114616070	-80.72621493110	Poor	3.00000000000	Canopy broken and mostly leafless	Tree Is Damaged	Crown broke	No Maintenance Required	No	No	bf3469ee-9835-42d5-b45e-81997412c6ae	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	20.00000000000	14.00000000000	20.00000000000	10.00000000000	28.37552867380	-80.76525779480	Poor	2.00000000000	See pic	Tree is Damaged	Needs pruning of multiple dead limbs for a chance	Pruning	Yes	No	7c237f9f-a267-4710-92e8-f4454a1b5c7f	Indian Rosewood	No	Dalbergia sissoo	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	30.00000000000	12.00000000000	35.00000000000	15.00000000000	28.36061274170	-80.73415800010	Poor	2.00000000000	Unnatural form. Fine for SLO.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{AB73F2B7-444C-4EB9-9B64-0ED15E67861B}	Oak (Sand Live)	No	Quercus geminata	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	40.00000000000	18.00000000000	25.00000000000	40.00000000000	28.36486055300	-80.73437332990	Fair	7.00000000000		Tree Is Damaged	Missing mult limbs due to rot and pruning. Central leader still intact but rotting likely to fall	Removal	No	No	035599b7-6ba4-4a35-bf49-3b2cb056e780	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	60.00000000000	32.00000000000	45.00000000000	25.00000000000	28.38155051730	-80.73657843430	Fair	7.00000000000	Lg oak directly next to road. Evidence of prev pruning. Lg dead limbs overhanging road, needs additional consult	Tree is Damaged	Multiple large dead limbs	Pruning	No	No	788c2f34-9024-4f34-aeb1-4b0ff7cb1825	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	40.00000000000	24.00000000000	45.00000000000	25.00000000000	28.37482115740	-80.76184862270	Fair	7.00000000000	Remove. Co Dom and over pruned. Trunk rot. See pictures	Tree is Damaged	Trunk Rot	Removal	No	No	042c8a89-8f42-45a7-932d-209dbeb2a45b	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	18.00000000000	50.00000000000	35.00000000000	28.37785729230	-80.74507031560	Fair	7.00000000000	Water oak, dead branch over road way	Tree is Damaged	Crown broke	Pruning	No	No	{BC25B713-2163-4046-9747-9A4FC6AC84A3}	Oak (Water)	No	Quercus nigra	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	30.00000000000	26.00000000000	40.00000000000	35.00000000000	28.39283805840	-80.76054104570	Fair	7.00000000000	Tree has sparse canopy with many bare branches, see pictures.	Tree is Damaged	Bare branches/canopy	Pruning	No	No	{03C14FE5-C859-4706-923E-676D89DB62A9}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	6.00000000000	10.00000000000	5.00000000000	28.35700282350	-80.73356992610	Fair	7.00000000000	See pic	Tree is Damaged	Tree Is Dead	Removal	No	No	{58F800C4-0AC0-464A-80AB-BBA329198225}	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	6.00000000000	10.00000000000	5.00000000000	28.35528643810	-80.72750413570	Fair	6.00000000000	See pic	Tree is Damaged	Dying, needs H2O	Removal	No	No	060c3393-62c2-403b-bd0f-860973469609	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	15.00000000000	12.00000000000	15.00000000000	20.00000000000	28.35402286250	-80.72669429640	Fair	6.00000000000	See picture	Tree Is Damaged	Crown broken	No Maintenance Required	No	No	3b083e80-5b3e-4bd5-bd2b-7af3cfdbe027	Red Cedar	No	Juniperus virginiana	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	10.00000000000	10.00000000000	20.00000000000	20.00000000000	28.36394391950	-80.74302337130	Fair	6.00000000000	Large trunk damage	Tree Is Damaged	Trunk is Cracked and Split for Its Entirety	Removal	No	No	63aa69e1-249e-489e-8fec-7ee7362c9bda	Sycamore	No	Platanus occidentalis	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/16/2020	sbourgoin_sfc	9/16/2020	20.00000000000	10.00000000000	30.00000000000	25.00000000000	28.37128400850	-80.74462001170	Fair	6.00000000000	Tree is nearly dead, probably 40 percent of branches with leaves; needs at least pruning, possibly removal	Tree is Damaged	High Proportion of Branches Dead	Pruning	No	No	f91261d9-9f85-42e9-9f78-aa7a782adf5e	Green Ash	No	Fraxinus pennsylvanica	1.00000000000
4+ Ft ROW	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	40.00000000000	24.00000000000	40.00000000000	45.00000000000	28.39816863550	-80.74960865740	Fair	6.00000000000	Overhang	Tree is Damaged	Hit by vehicle	No Maintenance Required	No	No	4a56135e-24de-4fba-b0f3-08359e5707ef	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	20.00000000000	16.00000000000	35.00000000000	40.00000000000	28.37463553980	-80.76391794760	Fair	6.00000000000	This tree has a co-dominance stem with included bark also overhangs the road also has soil heaving. Also has bark beetles. Minor bark beetles. See pictures	Tree is Damaged	Minor bark beetles	No Maintenance Required	No	No	b5b0fef6-9771-4532-b50e-4d81cd696a64	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	10.00000000000	6.00000000000	20.00000000000	10.00000000000	28.38810714400	-80.75727310950	Fair	6.00000000000	Heavy signs of bark beetle infestation	Tree is Damaged	Pest Infestation	No Maintenance Required	No	No	d601b313-3efe-42d1-82f5-832a90f6c213	Green Ash	No	Fraxinus pennsylvanica	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	16.00000000000	15.00000000000	20.00000000000	28.39544013590	-80.75904185900	Fair	6.00000000000	Tree appears to be dying with bare branches. See picture.	Tree is Damaged	Branches are Dying Off	Pruning	No	No	{50398963-9B6C-42E0-9FE6-AF91BDD37434}	Bottlebrush (Weeping)	No	Melaleuca viminalis	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	8.00000000000	15.00000000000	15.00000000000	28.39721316040	-80.77160247610	Fair	6.00000000000	Trim back hard	Tree Is Undamaged	<Null>	Pruning	Yes	No	{06490509-BE0F-44E0-AF4B-31F9569E62B2}	Camphor Tree	No	Cinnamomum camphora	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	8.00000000000	20.00000000000	15.00000000000	28.35712084050	-80.73344344240	Fair	6.00000000000	The canopy has been broken off. Bark beetles present in the canopy. Deadwood throughout. See picture	Tree is Damaged	Canopy has been broken off	Pruning	No	No	{BACA6C9D-F7F4-44F3-A16B-E6E6525412DA}	Sugarberry	No	Celtis laevigata	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	40.00000000000	20.00000000000	50.00000000000	20.00000000000	28.36061601040	-80.73421910450	Fair	6.00000000000	Deadwood at the top of the canopy. Sparse canopy. Bark peeling. Decay in lowest point of trunk.	Tree is Damaged	Deadwood and Peeling Bark	Pruning	No	No	{8EAFBCE8-3712-4061-B595-38C4579F5B35}	Oak (Sand Live)	No	Quercus geminata	1.00000000000
Median	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	35.00000000000	18.00000000000	40.00000000000	20.00000000000	28.34926456580	-80.74507902570	Fair	5.00000000000	See pics. Damaged	Tree Is Damaged	Mechanical Damage and Potential Rot at Base	Pruning	No	No	6d9dc418-0830-4fa2-9284-ac99e520e57f	Maple (Red)	No	Acer rubrum	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	20.00000000000	16.00000000000	25.00000000000	25.00000000000	28.36483498630	-80.73419860670	Fair	5.00000000000		Tree is Damaged	Mechanical damage at base see pics	No Maintenance Required	Yes	No	4ab213a9-17a8-45e9-b82b-090433acb0a2	Chinaberry	No	Melia azedarach	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	15.00000000000	10.00000000000	30.00000000000	20.00000000000	28.38431299220	-80.73913266000	Fair	5.00000000000	Overhang	Tree is Damaged	Lightning	No Maintenance Required	No	No	5bae7c63-65bc-4b4c-aba4-c7d31271810f	Sugarberry	No	Celtis laevigata	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	10.00000000000	20.00000000000	15.00000000000	28.38812960800	-80.75560444030	Fair	5.00000000000	High percentage of deadwood in canopy, multiple limb breaks	Tree is Damaged	Recent limb breaks, copious deadwood	Pruning	No	No	2ee43f2d-8efc-48d3-b90b-e8b67ccfb9bb	Box Elder	No	Acer negundo	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	30.00000000000	18.00000000000	25.00000000000	25.00000000000	28.39032768990	-80.78335793950	Fair	5.00000000000	Minor soil heaving on curb and sidewalk. The crown was broken in this tree. And the sides are now growing out to make it fall in the canopy. Minor bark beetles present. See pictures. Multiple stems extending from a central location.	Tree Is Undamaged	<Null>	Pruning	No	No	{898CAFB2-3ECE-424E-ABBE-EA0929457A2D}	Maple (Red)	No	Acer rubrum	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	30.00000000000	20.00000000000	35.00000000000	20.00000000000	28.35699553170	-80.73361485270	Fair	5.00000000000	Lots of vines on canopy. Deadwood within canopy. Lots of decaying scaffolding. Toward the back of the cemetery and not much risk of injury. There is a fence target nearby. And graves.	Tree is Damaged	Branches contain decay	Pruning	No	No	{110D2DD3-E453-460D-8C91-DC008B59B80E}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35702268850	-80.73344126310	Fair	5.00000000000	Lots of deadwood. Vines growing. See picture. Florida privet	Tree is Undamaged	<Null>	Pruning	No	No	{3DF41125-9937-4B2F-B841-F77FE19B0300}	Privet (Florida)	No	Forestiera segregata	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	10.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35761562420	-80.73307111860	Fair	5.00000000000	Species is red bay	Tree is Damaged	Chlorotic leaves, dead branches	No Maintenance Required	No	No	{973AD2BD-CF5F-4C63-8953-1831FFB6A0DA}	Bay	No	Persea palustris	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	12.00000000000	15.00000000000	10.00000000000	28.35950482670	-80.73428338070	Fair	5.00000000000		Tree is Damaged	Half of tree is dead, see picture.	No Maintenance Required	No	No	{A5A80953-7423-4830-B4B9-CB49F9CE4AC8}	Arborvitae	No	Thuja occidentalis	1.00000000000
2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	3.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35366966090	-80.72927017420	Fair	4.00000000000	See photo	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	2328ded0-bb32-4338-ac3d-cd2e428802ae	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
Median	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	15.00000000000	8.00000000000	15.00000000000	5.00000000000	28.34927533190	-80.74307763490	Fair	4.00000000000	2 palms. Unhealthy. See pics	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	976b9498-f2da-4078-98a6-c1ac74f54e39	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
4+ Ft ROW	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	22.00000000000	16.00000000000	25.00000000000	30.00000000000	28.35478254130	-80.72673213700	Fair	4.00000000000	Parking lot very little foliage	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	3140e591-9ff6-4f6e-8467-8c1008accedd	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	5.00000000000	6.00000000000	10.00000000000	10.00000000000	28.36371706370	-80.74298053960	Fair	4.00000000000	Small hole in trunk	Tree is Damaged	Small Hole in Trunk, May Close Up	No Maintenance Required	No	No	e37d9b02-14f7-4b57-b8a2-e98aa0f61b75	Sycamore	No	Platanus occidentalis	1.00000000000
City Building	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	25.00000000000	16.00000000000	35.00000000000	30.00000000000	28.36080468400	-80.73807965300	Fair	4.00000000000		Tree is Damaged	Either mech or lightning damage to trunk; many branches seem dead, remaining leaves are suffering	Removal	No	No	ea477734-34a4-47f6-b6f3-594844e3dbb6	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	20.00000000000	14.00000000000	10.00000000000	10.00000000000	28.37271717360	-80.74467862950	Fair	4.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	34c90256-657b-4d10-b2d4-179390fc1c84	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
City Park	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	12.00000000000	10.00000000000	20.00000000000	15.00000000000	28.38168577190	-80.76364231310	Fair	4.00000000000	Some bark loss and multiple dead branches	Tree is Damaged	Bark and branch loss	No Maintenance Required	No	No	3e2839ae-30c5-4e17-a96d-193921f8edd8	Maple (Red)	No	Acer rubrum	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	20.00000000000	20.00000000000	25.00000000000	15.00000000000	28.37414888640	-80.76223058630	Fair	4.00000000000	Some large limbs previously pruned	Tree is Undamaged	<Null>	No Maintenance Required	No	No	41806838-1739-42ca-9f71-98e778c556cd	Bottlebrush (Weeping)	No	Melaleuca viminalis	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	15.00000000000	14.00000000000	20.00000000000	25.00000000000	28.37414067260	-80.76261808180	Fair	4.00000000000	Co-dominant tree, weak attachement of trunks at base; needs removal of a trunk	Tree is Damaged	Tree has Unnatural growth and weak base attachment	Pruning	No	No	936de601-7b68-49d8-bc42-d5e8fffb5f7c	Maple (Red)	No	Acer rubrum	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	30.00000000000	24.00000000000	50.00000000000	45.00000000000	28.38520645320	-80.76522934600	Fair	4.00000000000	Tree has 3 inch deep cut in trunk of the tree, see pictures. Tree has another 3 inch hole, see picture. Tree has overhanging branches over road, see picture.	Tree is Damaged	Cut In Trunk	No Maintenance Required	No	No	fa9e59b3-f768-4517-93ce-585e20b8f6ea	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	35.00000000000	16.00000000000	30.00000000000	15.00000000000	28.38963604470	-80.78271833460	Fair	4.00000000000	This tree looks owner maintained and owner pruned. It is near green electrical box target and a waterline see pictures.	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{218B0157-AFEA-4D39-900E-009981AD5C6F}	Maple (Red)	No	Acer rubrum	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	40.00000000000	20.00000000000	25.00000000000	25.00000000000	28.39473146360	-80.78195103140	Fair	4.00000000000	See pics. Bark beetles.	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{9312E47A-59A9-41C9-9F8F-3227B9192533}	Maple (Silver)	No	Acer saccharinum	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	25.00000000000	20.00000000000	30.00000000000	25.00000000000	28.39472408110	-80.78189990470	Fair	4.00000000000	Over hang and bark beetles.	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{E319197A-63C9-45BE-ADF7-4177771F351B}	Maple (Silver)	No	Acer saccharinum	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	25.00000000000	16.00000000000	35.00000000000	45.00000000000	28.35724955860	-80.73296058630	Fair	4.00000000000		Tree is Damaged	Crown damage, broken/dead limbs	No Maintenance Required	No	No	{D25BA6E7-8490-4715-822D-1D32F903A435}	Jacaranda	No	Jacaranda mimosifolia	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	30.00000000000	20.00000000000	35.00000000000	40.00000000000	28.35952643120	-80.73343624150	Fair	4.00000000000	Bark missing from base of trunk	Tree is Damaged	Trunk Damage	No Maintenance Required	No	No	{1BA03A16-9A32-4194-835F-65A608A6ECA0}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	50.00000000000	30.00000000000	45.00000000000	30.00000000000	28.36878933130	-80.75475628880	Fair	4.00000000000	Co-dom forks. Many stems coming from a central location. Deadwood In canopy. Prune, reduce co-dominant forks	Tree Is Undamaged	<Null>	Pruning	No	No	{7C1C9E25-7AE3-423C-9355-7A3AB1516E84}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
City Park	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	10.00000000000	14.00000000000	25.00000000000	15.00000000000	28.38966730970	-80.74328153360	Fair	3.00000000000		Tree Is Damaged	Mistletoe	No Maintenance Required	No	No	1d5ee857-5f30-4e30-8acb-e0ab5d5591af	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
City Park	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	12.00000000000	10.00000000000	30.00000000000	10.00000000000	28.38724854370	-80.75966270630	Fair	3.00000000000	See pic	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	7db372bd-ad65-4bf2-a99c-c40b9744adbd	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	20.00000000000	14.00000000000	25.00000000000	15.00000000000	28.35827905770	-80.73213278520	Fair	3.00000000000	Next to water tower; tough to measure duh covered with vines	Tree is Damaged	Covered with vines, restricting sunlight and nutrients to tree	Vine Removal	No	No	09c19dff-648b-4bc3-acc3-4d259f7d5b33	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	25.00000000000	8.00000000000	30.00000000000	10.00000000000	28.40263694950	-80.74600148860	Fair	3.00000000000		Tree is Damaged	Insect	No Maintenance Required	No	No	80efa2df-be1f-4bfb-8e62-28eba8f4e3e5	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	10.00000000000	4.00000000000	10.00000000000	5.00000000000	28.37326120090	-80.75323873240	Fair	3.00000000000	See pics	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	fbbb878b-7740-4321-a348-117f795b8045	Red Cedar	No	Juniperus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	14.00000000000	25.00000000000	30.00000000000	28.37313945380	-80.75703305180	Fair	3.00000000000	Signs of previous pruning	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	7fccc4d2-66ee-4495-b220-9848e1c3dc68	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	8.00000000000	30.00000000000	15.00000000000	28.36064853210	-80.73380302640	Fair	3.00000000000	This tree has an extreme amount of deadwood. The tree is dying.	Tree is Damaged	Copious Deadwood	Removal	No	No	{564840C7-715F-4CF5-9C66-78D79D368402}	Sugarberry	No	Celtis laevigata	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	15.00000000000	6.00000000000	20.00000000000	5.00000000000	28.36780439560	-80.75477134000	Fair	3.00000000000	Tree form.	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{EB3EA535-6587-411A-88CB-557D656FFBDF}	Pine (Plum)	No	Podocarpus spp.	1.00000000000
4+ Ft ROW	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	30.00000000000	12.00000000000	15.00000000000	30.00000000000	28.40094754960	-80.74489991150	Fair	3.00000000000	Button wood	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	{04FAB51D-B7D4-40AC-99B6-5670CE7226E3}	Silver Buttonwood	No	Conocarpus erectus var. sericeus	1.00000000000
4+ Ft ROW	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.40176428220	-80.74471509120	Fair	3.00000000000	Lead tree	Tree Is Undamaged	<Null>	No Maintenance Required	Yes	No	{535573ED-CDF9-499B-91E8-7E250837CE92}	Lead Tree	No	Leucaena leucocephala	1.00000000000
4+ Ft ROW	shendley_sfc	9/15/2020	shendley_sfc	9/15/2020	10.00000000000	6.00000000000	10.00000000000	10.00000000000	28.36430683890	-80.74567686980	Fair	2.00000000000		Tree Is Undamaged	<Null>	No Maintenance Required	No	No	3fea2f21-f5db-482d-8647-a1d185db20d6	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	10.00000000000	4.00000000000	5.00000000000	10.00000000000	28.35691992690	-80.73309249220	Good	10.00000000000	Shrub form. 1 dead. Needs replace. Remove NE	Tree is Damaged	Tree Is Dead	Removal	No	Yes	{B2786299-994D-439E-A3DD-73E68708224D}	Viburnum	No	Viburnum spp.	2.00000000000
													Chinaberry is been previously pruned and has grown back. Tree needs to be removed. And										

4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	20.00000000000	6.00000000000	25.00000000000	10.00000000000	28.40248649320	-80.74025528640	Excellent	1.00000000000	Two trees in Woodland.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{F902FA07-2264-4A52-983A-E75EA186E52D}	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	10.00000000000	6.00000000000	10.00000000000	10.00000000000	28.40250413250	-80.74026725110	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{D824257E-48E2-439A-93A6-3A8A14F9D29A}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.40253197530	-80.74026294630	Excellent	1.00000000000	Two trees in Woodland.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{81A500E5-3938-4D6D-9D93-759F7A4AA59A}	Mangrove (White)	No	Laguncularia racemosa	2.00000000000
4+ Ft ROW	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	15.00000000000	6.00000000000	15.00000000000	25.00000000000	28.40177924370	-80.74479656300	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	{DCD6722F-286F-45A9-A6BB-54AB057D1599}	Brazilian Pepper	No	Schinus terebinthifolia	1.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	15.00000000000	8.00000000000	15.00000000000	20.00000000000	28.40250752630	-80.74032717950	Excellent	1.00000000000	Three white mangroves in Woodland.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{87AB2EE4-E5C0-4FAE-A400-4CB640D0C163}	Mangrove (White)	No	Laguncularia racemosa	3.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	10.00000000000	8.00000000000	10.00000000000	15.00000000000	28.40246899220	-80.74036424570	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{7C36D1CC-8BAD-468A-8CA9-B33453EF959B}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	20.00000000000	10.00000000000	30.00000000000	35.00000000000	28.40241892070	-80.74033189470	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	{EFE0FD99-2958-40C8-94C5-78C8E8D90343}	Brazilian Pepper	No	Schinus terebinthifolia	1.00000000000
4+ Ft ROW	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.40183414520	-80.74471685100	Excellent	1.00000000000	10 white mangrove	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{0E6A7E73-B465-4156-A40E-C6EBC89E3ECD}	Mangrove (White)	No	Laguncularia racemosa	10.00000000000
4+ Ft ROW	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	15.00000000000	6.00000000000	20.00000000000	25.00000000000	28.40183988670	-80.74472380840	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	{ED0B59FC-0302-48B8-8B97-EE4EE1C392C2}	Brazilian Pepper	No	Schinus terebinthifolia	1.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	15.00000000000	4.00000000000	20.00000000000	25.00000000000	28.40241023020	-80.74041727960	Excellent	1.00000000000	Three trees in woodland.	Tree is Undamaged	<Null>	No Maintenance Required	Yes	Yes	{E6D74258-0B52-439B-8E59-87142837F5F1}	Brazilian Pepper	No	Schinus terebinthifolia	3.00000000000
4+ Ft ROW	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	15.00000000000	6.00000000000	25.00000000000	15.00000000000	28.40182232710	-80.74472003640	Excellent	1.00000000000	4	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{B1B341AB-429C-4BA7-9C1D-A1FC083F7F96}	Strangler Fig	No	Ficus spp.	4.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	10.00000000000	8.00000000000	20.00000000000	15.00000000000	28.40249266530	-80.74041824170	Excellent	1.00000000000	Nine white mangroves in woodland	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{BA2A17CE-49FB-4122-BF2F-F0C61A1C285F}	Mangrove (White)	No	Laguncularia racemosa	9.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	15.00000000000	10.00000000000	20.00000000000	20.00000000000	28.40246626290	-80.74041158250	Excellent	1.00000000000	Button mangrove	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{FEFC5CC2-F7ED-41B3-8E21-13BBC79D8588}	Mangrove (White)	No	Laguncularia racemosa	1.00000000000
4+ Ft ROW	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	5.00000000000	4.00000000000	15.00000000000	10.00000000000	28.40181553700	-80.74468835280	Excellent	1.00000000000	17	Tree is Undamaged	<Null>	No Maintenance Required	Yes	Yes	{0FF5E33E-FC4C-4FE7-9A1B-E62A5E02A865}	Brazilian Pepper	No	Schinus terebinthifolia	17.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	20.00000000000	16.00000000000	25.00000000000	10.00000000000	28.40247673600	-80.74044287890	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{161BC8A2-F44A-49BB-9DE0-9B1EC43A223C}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	10.00000000000	6.00000000000	10.00000000000	15.00000000000	28.40249703340	-80.74044792290	Excellent	1.00000000000	Two white mangroves in Woodland.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{271BEA53-0665-4C3A-A63B-4BAD7DA40274}	Mangrove (White)	No	Laguncularia racemosa	2.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	5.00000000000	4.00000000000	5.00000000000	10.00000000000	28.40248592190	-80.74044402960	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	{4967B1A2-810C-4F39-8471-5C9AD04BE286}	Brazilian Pepper	No	Schinus terebinthifolia	1.00000000000
4+ Ft ROW	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.40182576360	-80.74467368430	Excellent	1.00000000000	6 white mangrove	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{700483A1-832D-482C-BAFF-8199AF257E47}	Mangrove (White)	No	Laguncularia racemosa	6.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	15.00000000000	14.00000000000	20.00000000000	15.00000000000	28.40243317320	-80.74040705230	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{F94B63CC-8813-4500-AFEB-A55535CFDAC8}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	20.00000000000	14.00000000000	25.00000000000	15.00000000000	28.40241239060	-80.74045093140	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{686C010C-0078-4B4F-A2A0-7E235D336003}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	10.00000000000	4.00000000000	15.00000000000	20.00000000000	28.40182689520	-80.74464275530	Excellent	1.00000000000	7 bp	Tree is Undamaged	<Null>	No Maintenance Required	Yes	Yes	{3A2DBB36-6A0E-4BF5-9525-DB3323A171AE}	Brazilian Pepper	No	Schinus terebinthifolia	7.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	20.00000000000	16.00000000000	25.00000000000	15.00000000000	28.40241618980	-80.74043165620	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	Yes	{C9CB507D-646F-4075-91FB-9F4C70BD52E8}	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	20.00000000000	12.00000000000	25.00000000000	10.00000000000	28.40240768500	-80.74043929910	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{28D57536-B5D3-4E42-BE1C-9A0FF5E27E46}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	20.00000000000	14.00000000000	30.00000000000	15.00000000000	28.40241934890	-80.74040308260	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{66FB10B0-FB37-4DC2-8909-FAEF408C795C}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	15.00000000000	4.00000000000	15.00000000000	15.00000000000	28.40185794960	-80.74457243060	Excellent	1.00000000000	3 white mangrove	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{6AE8D024-C71D-4E78-9AFE-66EBBCFBDA7E}	Mangrove (White)	No	Laguncularia racemosa	3.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	20.00000000000	14.00000000000	25.00000000000	10.00000000000	28.40240944790	-80.74047009870	Excellent	1.00000000000	Five trees in Woodland.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{6D42734C-6076-450E-B20A-D69679C2EBE6}	Palm (Cabbage)	No	Sabal palmetto	5.00000000000
4+ Ft ROW	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	15.00000000000	12.00000000000	20.00000000000	10.00000000000	28.40186641560	-80.74452373210	Excellent	1.00000000000	6	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{D468A2BB-2936-4E75-89B8-E315F8E7D9E1}	Palm (Cabbage)	No	Sabal palmetto	6.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	10.00000000000	6.00000000000	15.00000000000	10.00000000000	28.40248331030	-80.74050915210	Excellent	1.00000000000	Two trees in Woodland. Species is white mangrove	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{080513CC-226B-4160-8F73-ABF107AD1959}	Mangrove (White)	No	Laguncularia racemosa	2.00000000000
4+ Ft ROW	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	10.00000000000	6.00000000000	10.00000000000	20.00000000000	28.40187123500	-80.74451560140	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	{A6C7E233-2B43-4522-8D3F-2543E818B07A}	Brazilian Pepper	No	Schinus terebinthifolia	1.00000000000
4+ Ft ROW	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	15.00000000000	6.00000000000	15.00000000000	30.00000000000	28.40186813350	-80.74451828380	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	{25F2268F-8361-4132-AF16-0C880DD74EC2}	Brazilian Pepper	No	Schinus terebinthifolia	1.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	10.00000000000	6.00000000000	10.00000000000	10.00000000000	28.40246149890	-80.74059415430	Excellent	1.00000000000	Eight white mangrove in Woodland.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{0C0F384E-6093-4370-BAE1-AC19B194E4CE}	Mangrove (White)	No	Laguncularia racemosa	8.00000000000
4+ Ft ROW	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	10.00000000000	4.00000000000	15.00000000000	20.00000000000	28.40188816640	-80.74449582050	Excellent	1.00000000000	9 bp	Tree is Undamaged	<Null>	No Maintenance Required	Yes	Yes	{3A100E82-847E-4E9C-87F1-7A18C8E6C933}	Brazilian Pepper	No	Schinus terebinthifolia	9.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	15.00000000000	6.00000000000	10.00000000000	20.00000000000	28.40245199700	-80.74057635690	Excellent	1.00000000000	Button mangrove	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{A1237D56-BABC-4990-A1EE-5161B0170BEE}	Mangrove (White)	No	Laguncularia racemosa	1.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	20.00000000000	16.00000000000	30.00000000000	10.00000000000	28.40245311510	-80.74052919890	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{BE3FB9E1-8EC1-4FD0-B0CA-EC927DDB852D}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	20.00000000000	12.00000000000	25.00000000000	10.00000000000	28.40240416630	-80.74055800790	Excellent	1.00000000000	Four trees in Woodland.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{983C1C2F-32AF-4F87-85CB-001BA6A50116}	Palm (Cabbage)	No	Sabal palmetto	4.00000000000
4+ Ft ROW	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	10.00000000000	4.00000000000	15.00000000000	15.00000000000	28.40191674900	-80.74445508460	Excellent	1.00000000000	10	Tree is Undamaged	<Null>	No Maintenance Required	Yes	Yes	{FF4FC563-D63F-4E46-84CD-D7F9515F437B}	Brazilian Pepper	No	Schinus terebinthifolia	10.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	10.00000000000	4.00000000000	20.00000000000	15.00000000000	28.40238133560	-80.74053749840	Excellent	1.00000000000	For trees in Woodland.	Tree is Undamaged	<Null>	No Maintenance Required	Yes	Yes	{3F9F585C-1B5F-4738-A1AC-71DCE8B785D4}	Brazilian Pepper	No	Schinus terebinthifolia	4.00000000000
4+ Ft ROW	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	15.00000000000	6.00000000000	15.00000000000	25.00000000000	28.40193996710	-80.74445064160	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	{95937662-D899-4B34-A2AA-CCF213F8ACC6}	Brazilian Pepper	No	Schinus terebinthifolia	1.00000000000
4+ Ft ROW	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	20.00000000000	18.00000000000	20.00000000000	10.00000000000	28.40194424120	-80.74445776610	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{35A14CAC-0017-4824-ADA4-FA5F7AE7C608}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	10.00000000000	6.00000000000	20.00000000000	20.00000000000	28.40235379610	-80.74061419210	Excellent	1.00000000000	Two trees in Woodland.	Tree is Undamaged	<Null>	No Maintenance Required	Yes	Yes	{B1D8D5E6-43A3-4845-9F38-EFE88782FDD3}	Brazilian Pepper	No	Schinus terebinthifolia	2.00000000000
4+ Ft ROW	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	8.00000000000	12.00000000000	10.00000000000	10.00000000000	28.40197705690	-80.74445332390	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{3D2829D6-2522-4D89-9CB2-7977A1532E9B}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	20.00000000000	6.00000000000	15.00000000000	15.00000000000	28.40200953670	-80.74443957790	Excellent	1.00000000000	Button wood	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{4BFDA5C8-010B-4C61-AB7D-76B861586E42}	Silver Buttonwood	No	Conocarpus erectus var. sericeus	1.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	10.00000000000	6.00000000000	20.00000000000	15.00000000000	28.40236765830	-80.74068386720	Excellent	1.00000000000	Six trees in Woodland.	Tree is Undamaged	<Null>	No Maintenance Required	Yes	Yes	{3A5EF29D-FF88-4836-AEFC-6CBDF8AAD4DD}	Brazilian Pepper	No	Schinus terebinthifolia	6.00000000000
4+ Ft ROW	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	6.00000000000	4.00000000000	10.00000000000	10.00000000000	28.40201452360	-80.74441309110	Excellent	1.00000000000	6 white mangrove	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{2D582BD9-06B9-4AC6-A9A3-9ED0E29F84E3}	Mangrove (White)	No	Laguncularia racemosa	6.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	10.00000000000	6.00000000000	15.00000000000	15.00000000000	28.40242996110	-80.74071549510	Excellent	1.00000000000	Three white mangroves in woodland.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{3C2C98FF-F443-4DAB-981B-6A103C133052}	Mangrove (White)	No	Laguncularia racemosa	3.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	20.00000000000	14.00000000000	25.00000000000	15.00000000000	28.40233459700	-80.74068883940	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{7F1BF43F-3322-4CDB-B0F1-D8DAF86F461F}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	20.00000000000	18.00000000000	20.00000000000	10.00000000000	28.40199155760	-80.74441082820	Excellent	1.00000000000	4	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{DAF07964-AEBA-418E-AA3F-5C7A4F1CA5B4}	Palm (Cabbage)	No	Sabal palmetto	4.00000000000
4+ Ft ROW	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	15.00000000000	6.00000000000	25.00000000000	35.00000000000	28.40199801110	-80.74441057670	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	{BEA7CDD4-0B50-4930-A593-1795CD469784}	Brazilian Pepper	No	Schinus terebinthifolia	1.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	10.00000000000	4.00000000000	10.00000000000	10.00000000000	28.40233442550	-80.74072415400	Excellent	1.00000000000	Four trees in woodland .	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{CFBD2D54-FF15-46D2-A0C2-D9D99769F31C}	Palm (Cabbage)	No	Sabal palmetto	4.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	20.00000000000	14.00000000000	25.00000000000	15.00000000000	28.40237871140	-80.74073993920	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{AD47C6BF-6037-4225-9FEC-ABA014316994}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	20.00000000000	16.00000000000	30.00000000000	15.00000000000	28.40235091350	-80.74076568130	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{999EBE52-8955-4B9A-943F-AFE6655B9A2F}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	10.00000000000	14.00000000000	15.00000000000	10.00000000000	28.40194126620	-80.74437839010	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{C2350FDC-DD60-43A1-9215-9F648950E2EF}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.40231904450	-80.74077584660	Excellent	1.00000000000	Five small Brazilian peppers in Woodland.	Tree is Undamaged	<Null>	No Maintenance Required	Yes	Yes	{C83A6301-0D25-40D4-902E-CBCD2AAC8155}	Brazilian Pepper	No	Schinus terebinthifolia	5.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	20.00000000000	14.00000000000	25.00000000000	10.00000000000	28.40235393990	-80.74078672790	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{993C104F-0171-44EF-BDBA-59016395EE42}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	10.00000000000	6.00000000000	10.00000000000	10.00000000000	28.40233540290	-80.74078246090	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{FF57ACCD-BA1F-4644-8572-B6E20E37124C}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	20.00000000000	12.00000000000	25.00000000000	35.00000000000	28.40238049010	-80.74077835740	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	{38BC4866-7408-4C2E-A4E4-A9D8FA77D124}	Brazilian Pepper	No	Schinus terebinthifolia	1.00000000000
4+ Ft ROW	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	20.00000000000	8.00000000000	25.00000000000	35.00000000000	28.40196184340	-80.74428828450	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	{86FB36E0-B6E5-4C1C-A914-5CA031EED946}	Brazilian Pepper	No	Schinus terebinthifolia	1.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.40242104390	-80.74077607840	Excellent	1.00000000000	Species is white mangrove.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{06C7AC79-E26D-4EB4-88D3-9186103FD00F}	Mangrove (White)	No	Laguncularia racemosa	1.00000000000
4+ Ft ROW	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	15.00000000000	12.00000000000	25.00000000000	10.00000000000	28.40200220220	-80.74428602170	Excellent	1.00000000000	2	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{45BC462D-6AA5-4DE8-A1DC-3FE5E5B6344C}	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	15.00000000000	4.00000000000	15.00000000000	10.00000000000	28.40237156890	-80.74086365870	Excellent	1.00000000000	Two trees in Woodland. Species is white mangrove.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{9C5F2DB1-5DBD-4CDB-8EDA-E615F0122F28}	Mangrove (White)	No	Laguncularia racemosa	2.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	20.00000000000	8.00000000000	25.00000000000	30.00000000000	28.40234578750	-80.74087083990	Excellent	1.00000000000	Two trees in Woodland.	Tree is Undamaged	<Null>	No Maintenance Required	Yes	Yes	{997F66D5-6DE1-4C31-8F05-2729F012BC89}	Brazilian Pepper	No	Schinus terebinthifolia	2.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	20.00000000000	16.00000000000	25.00000000000	15.00000000000	28.40233208810	-80.74084121430	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{71FF5471-0D13-443E-911C-1CB0FF22874B}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	8.00000000000	4.00000000000	10.00000000000	15.00000000000	28.40235502240	-80.74093330690	Excellent	1.00000000000	Species as white Mangrove	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{6E38F439-A1B3-46E8-BC1D-FDEF9D174A49}	Mangrove (White)	No	Laguncularia racemosa	1.00000000000
4+ Ft ROW	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	10.00000000000	6.00000000000	20.00000000000	20.00000000000	28.40199423950	-80.74429448740	Excellent	1.00000000000	13	Tree is Undamaged	<Null>	No Maintenance Required	Yes	Yes	{A20596F6-CF80-436A-9652-E1F8BF5E3D30}	Brazilian Pepper	No	Schinus terebinthifolia	13.00000000000
4+ Ft ROW	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.40203753230	-80.74429054740	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{21615D96-270A-461A-B8AE-B07C68E581BF}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	15.00000000000	8.00000000000	25.00000000000	30.00000000000	28.40232328470	-80.74088090460	Excellent	1.00000000000	Species is button mangroves.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{8EDE1B8A-B892-45EA-8928-48B6BCDE682A}	Mangrove (White)	No	Laguncularia racemosa	2.00000000000
4+ Ft ROW	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	8.00000000000	4.00000000000	10.00000000000	35.00000000000	28.40206175540	-80.74429985120	Excellent	1.00000000000	4 white mangrove	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{6C20E06B-4466-4B2B-BC20-122F4A3DA0FF}	Mangrove (White)	No	Laguncularia racemosa	4.00000000000
4+ Ft ROW	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	10.00000000000	4.00000000000	15.00000000000	20.00000000000	28.40204436340	-80.74428727840	Excellent	1.00000000000	9	Tree is Undamaged	<Null>	No Maintenance Required	Yes	Yes	{60F97958-DA4D-4E24-85FB-F68B6FE7C971}	Brazilian Pepper	No	Schinus terebinthifolia	9.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	20.00000000000	10.00000000000	30.00000000000	40.00000000000	28.40230059930	-80.74099854890	Excellent	1.00000000000	TwO Brazilian pepper trees in woodland	Tree is Undamaged	<Null>	No Maintenance Required	Yes	Yes	{AC2B7BF5-87CB-4209-8381-2AC7556247C2}	Brazilian Pepper	No	Schinus terebinthifolia	2.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	10.00000000000	8.00000000000	15.00000000000	10.00000000000	28.40232274420	-80.74102407720	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{379A6653-556E-4208-872E-1324DCD2EE17}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	20.00000000000	10.00000000000	20.00000000000	10.00000000000	28.40199813750	-80.74425349910	Excellent	1.00000000000	4	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{9ED315AA-665D-4D69-BD78-38634FD1B56B}	Palm (Cabbage)	No	Sabal palmetto	4.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	25.00000000000	14.00000000000	25.00000000000	45.00000000000	28.40229571750	-80.74111554810	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	{E9BBA218-F561-48F5-8B50-5472B3582E70}	Brazilian Pepper	No	Schinus terebinthifolia	1.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	10.00000000000	6.00000000000	10.00000000000	10.00000000000	28.40233675810	-80.74108170410	Excellent	1.00000000000	Five trees in Woodland. Species white mangrove.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{BB1B10F4-2A4D-4D54-84C0-F90FB16DE51C}	Mangrove (White)	No	Laguncularia racemosa	5.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	10.00000000000	4.00000000000	15.00000000000	20.00000000000	28.40228778800	-80.74115787230	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	{8DCCBF3A-6BD8-49B8-83FA-A73A038B05B4}	Brazilian Pepper	No	Schinus terebinthifolia	1.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	20.00000000000	6.00000000000	20.00000000000	20.00000000000	28.40230865520	-80.74125792840	Excellent	1.00000000000	Three trees in Woodland. Species white mangroves.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{91D8D30B-EDAB-4091-B695-49E1DC91808E}	Mangrove (White)	No	Laguncularia racemosa	3.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	20.00000000000	4.00000000000	15.00000000000	30.00000000000	28.40228233570	-80.74122883020	Excellent	1.00000000000	Species is button mangrove.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{60F02834-65CA-4CB3-9629-4AD22DC076D0}	Mangrove (White)	No	Laguncularia racemosa	1.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	20.00000000000	16.00000000000	25.00000000000	15.00000000000	28.40228064160	-80.74128249460	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{249F5617-4423-463E-AB8A-B28B031095C5}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	15.00000000000	10.00000000000	10.00000000000	15.00000000000	28.40224876310	-80.74140184570	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{47BCF9D9-90B8-48CF-A871-95E7C470C447}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	15.00000000000	6.00000000000	10.00000000000	15.00000000000	28.40228871880	-80.74140904300	Excellent	1.00000000000	Two trees in Woodland. Species white mangrove.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{7DF68F33-8A52-4F07-AE5C-15D95B862E68}	Mangrove (White)	No	Laguncularia racemosa	2.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	10.00000000000	6.00000000000	10.00000000000	10.00000000000	28.40224691650	-80.74144058380	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{5C0B2E50-8ADD-4A24-B106-1660FD6ACC76}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	10.00000000000	4.00000000000	20.00000000000	20.00000000000	28.40204842890	-80.74418443300	Excellent	1.00000000000	8	Tree is Undamaged	<Null>	No Maintenance Required	Yes	Yes	{00D6460A-7838-44D6-BBF9-017E274ECFC0}	Brazilian Pepper	No	Schinus terebinthifolia	8.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	15.00000000000	6.00000000000	15.00000000000	10.00000000000	28.40228356600	-80.74145854470	Excellent	1.00000000000	Species is a white main road.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{BF308993-A0BE-4470-83CF-278B704CDEE6}	Mangrove (White)	No	Laguncularia racemosa	1.00000000000
4+ Ft ROW	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	10.00000000000	12.00000000000	15.00000000000	10.00000000000	28.40200610020	-80.74418904230	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{43C53C28-910F-42AD-BD22-BEF1D801FE9C}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	20.00000000000	14.00000000000	25.00000000000	10.00000000000	28.40202081030	-80.74418946180	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{9EA68F41-7FA3-4926-966C-EE18CFBC6BE8}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	10.00000000000	4.00000000000	20.00000000000	20.00000000000	28.40202244440	-80.74416725000	Excellent	1.00000000000	7	Tree is Undamaged	<Null>	No Maintenance Required	Yes	Yes	{913B75D9-E76B-466E-938C-0AB43709FC8E}	Brazilian Pepper	No	Schinus terebinthifolia	7.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	15.00000000000	6.00000000000	25.00000000000	25.00000000000	28.40223400720	-80.74149025160	Excellent	1.00000000000	Three trees in Woodland.	Tree is Undamaged	<Null>	No Maintenance Required	Yes	Yes	{72D8B029-9534-455F-B8E1-5CFA6642D0D4}	Brazilian Pepper	No	Schinus terebinthifolia	3.00000000000
4+ Ft ROW	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	20.00000000000	4.00000000000	20.00000000000	20.00000000000	28.40204809310	-80.74417378800	Excellent	1.00000000000	2	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{7E614BBF-FFB1-4EC1-930D-832134AF576F}	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.40225805020	-80.74150868950	Excellent	1.00000000000	Eight trees in woodland.	Tree is Undamaged	<Null>	No Maintenance Required	Yes	Yes	{74114313-A8D6-4B55-AF6A-01694128CD71}	Mangrove (Black)	No	Avicennia germinans	8.00000000000
4+ Ft ROW	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	10.00000000000	4.00000000000	10.00000000000	10.00000000000	28.40204888960	-80.74416314290	Excellent	1.00000000000	4 white mangrove	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{00502E1E-2A85-49E3-BDFE-B5DA9BB13ADD}	Mangrove (White)	No	Laguncularia racemosa	4.00000000000
4+ Ft ROW	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	20.00000000000	12.00000000000	25.00000000000	10.00000000000	28.40207990290	-80.74414394770	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{4E1D4F66-D3E2-49F3-BC0D-C5344201CD58}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	15.00000000000	4.00000000000	10.00000000000	10.00000000000	28.40204478220	-80.74411729380	Excellent	1.00000000000	Blown over button wood	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{EBECD552-4CF0-4E99-B1D5-E9B65EB3CBB1}	Silver Buttonwood	No	Conocarpus erectus var. sericeus	1.00000000000
4+ Ft ROW	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	10.00000000000	4.00000000000	10.00000000000	15.00000000000	28.40207001210	-80.74408887920	Excellent	1.00000000000	4 white mangrove	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{E1054E7A-B2D9-4BE1-9A29-19DC06030F3C}	Mangrove (White)	No	Laguncularia racemosa	4.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	10.00000000000	4.00000000000	15.00000000000	10.00000000000	28.40228707450	-80.74153136930	Excellent	1.00000000000	12 white mangroves in Woodland.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{915475CF-BDA8-4522-81C2-CBEB5EAE29CF}	Mangrove (White)	No	Laguncularia racemosa	12.00000000000
4+ Ft ROW	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	10.00000000000	16.00000000000	15.00000000000	10.00000000000	28.40205664290	-80.74407211480	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{6C99A7A7-2833-4885-B97E-898024F76476}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	10.00000000000	6.00000000000	20.00000000000	25.00000000000	28.40205027240	-80.74405174730	Excellent	1.00000000000	14	Tree is Undamaged	<Null>	No Maintenance Required	Yes	Yes	{3D04BBED-AF78-4D83-BA8C-C2014FD282A0}	Brazilian Pepper	No	Schinus terebinthifolia	14.00000000000
4+ Ft ROW	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	15.00000000000	14.00000000000	20.00000000000	15.00000000000	28.40196293310	-80.74403146250	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{0DD9A875-F272-421E-80AC-450325FE7AB3}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	15.00000000000	8.00000000000	15.00000000000	20.00000000000	28.40223224270	-80.74180055760	Excellent	1.00000000000	Three trees in Woodland. Species white mangrove.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{8FBB5353-5BF3-48E8-9F21-3E5F98631E07}	Mangrove (White)	No	Laguncularia racemosa	3.00000000000
4+ Ft ROW	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	10.00000000000	12.00000000000	15.00000000000	10.00000000000	28.40201066830	-80.74399961180	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{414A12B4-097C-405B-9C60-76567A8D1DB0}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	20.00000000000	12.00000000000	30.00000000000	10.00000000000	28.40198087030	-80.74400681990	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{112D372B-DD50-4B6C-AB4C-D5CAD43F6D6C}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	20.00000000000	12.00000000000	15.00000000000	20.00000000000	28.40217923870	-80.74178653760	Excellent	1.00000000000	Two trees in Woodland.	Tree is Undamaged	<Null>	No Maintenance Required	Yes	Yes	{3030CFE9-858A-4974-9CBF-A0312F537994}	Brazilian Pepper	No	Schinus terebinthifolia	2.00000000000
4+ Ft ROW	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	10.00000000000	4.00000000000	15.00000000000	5.00000000000	28.40203895700	-80.74397320850	Excellent	1.00000000000	9 white mangrove	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{310F1346-4A82-4EF2-B8C5-C758B72903F1}	Mangrove (White)	No	Laguncularia racemosa	9.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	20.00000000000	6.00000000000	15.00000000000	20.00000000000	28.40222503780	-80.74206678500	Excellent	1.00000000000	Seven trees in Woodland.	Tree is Undamaged	<Null>	No Maintenance Required	Yes	Yes	{650385C0-C9D4-45F6-AD37-82D0B56C56B7}	Mangrove (Black)	No	Avicennia germinans	7.00000000000
4+ Ft ROW	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	20.00000000000	6.00000000000	20.00000000000	35.00000000000	28.40199981350	-80.74394160850	Excellent	1.00000000000	12	Tree is Undamaged	<Null>	No Maintenance Required	Yes	Yes	{660E2205-E28C-465B-96CD-9398BD9E4E42}	Brazilian Pepper	No	Schinus terebinthifolia	12.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	15.00000000000	8.00000000000	20.00000000000	25.00000000000	28.40219026890	-80.74210513320	Excellent	1.00000000000	Species is Button mangrove	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{BEAC636B-135F-425D-9C92-E5927BF1410B}	Mangrove (White)	No	Laguncularia racemosa	1.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	20.00000000000	8.00000000000	25.00000000000	35.00000000000	28.40217971200	-80.74204491730	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	{90B76AB5-AC0C-4FD3-A937-5E1CBB51D504}	Brazilian Pepper	No	Schinus terebinthifolia	1.00000000000
4+ Ft ROW	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	15.00000000000	14.00000000000	20.00000000000	10.00000000000	28.40196251430	-80.74386097480	Excellent	1.00000000000	7	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{CB57404D-F320-40EC-9D1E-27BEFE6D1846}	Palm (Cabbage)	No	Sabal palmetto	7.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	20.00000000000	10.00000000000	25.00000000000	35.00000000000	28.40213487770	-80.74221257710	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	{7477079E-2B74-465E-85BD-0DF2E76F97E7}	Brazilian Pepper	No	Schinus terebinthifolia	1.00000000000
4+ Ft ROW	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	15.00000000000	6.00000000000	20.00000000000	25.00000000000	28.40197336830	-80.74380615690	Excellent	1.00000000000	15	Tree is Undamaged	<Null>	No Maintenance Required	Yes	Yes	{F8E4BCAB-03FE-41C0-9B00-E3EF8D4F9680}	Brazilian Pepper	No	Schinus terebinthifolia	15.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	15.00000000000	8.00000000000	20.00000000000	15.00000000000	28.40218678810	-80.74218864230	Excellent	1.00000000000	Species is white Mangrove	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{15B5C4FA-1CE3-4303-9F3B-37C32B79C056}	Mangrove (White)	No	Laguncularia racemosa	1.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	20.00000000000	6.00000000000	15.00000000000	30.00000000000	28.40218591180	-80.74227024890	Excellent	1.00000000000	Species is white mangrove.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{8CD40F46-4800-4ED8-BEC0-9A18EAB12755}	Mangrove (White)	No	Laguncularia racemosa	1.00000000000
4+ Ft ROW	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	10.00000000000	4.00000000000	10.00000000000	10.00000000000	28.40202315720	-80.74372988190	Excellent	1.00000000000	7 white mangrove	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{7932AD47-FA99-4EA5-83A6-387AB27E981C}	Mangrove (White)	No	Laguncularia racemosa	7.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	20.00000000000	12.00000000000	25.00000000000	10.00000000000	28.40213830870	-80.74226623160	Excellent	1.00000000000	Three trees in Woodland. All three trees need pruning.	Tree is Undamaged	<Null>	Pruning	No	No	{92D06090-9EBB-4EFC-9B7D-637F3099F549}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	15.00000000000	12.00000000000	20.00000000000	10.00000000000	28.40193334530	-80.74370515570	Excellent	1.00000000000	2	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{F95ACC33-D630-43F8-9E2B-1566B1A671AE}	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	10.00000000000	6.00000000000	10.00000000000	10.00000000000	28.40212808370	-80.74223452650	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{5178B5FF-9A48-4A79-B1D4-B4851BA2EB00}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Building	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	20.00000000000	8.00000000000	25.00000000000	15.00000000000	28.36061474000	-80.73457219720	Very Poor	7.00000000000	Completely dead	Tree is Damaged	Tree is Dead	Removal	No	No	380d956b-567b-48f5-9a70-79ea56e063ca	Holly (East Palatka)	No	Ilex x attenuata	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	20.00000000000	8.00000000000	15.00000000000	0.00000000000	28.39002635800	-80.74369412080	Very Poor	7.00000000000	Dead palm, needs removal	Tree is Damaged	Tree Is Dead	Removal	No	No	9d1bf111-5d79-49ce-8d7e-23a1a8281ce8	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	20.00000000000	6.00000000000	35.00000000000	0.00000000000	28.39044569030	-80.74287065860	Very Poor	7.00000000000	Dead, needs removal	Tree is Damaged	Tree Is Dead	Removal	No	No	63320dae-df76-49d6-94c0-317aa338cb65	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	16.00000000000	15.00000000000	10.00000000000	28.38811917220	-80.75545490770	Very Poor	7.00000000000	See pics, Tree Is Dead	Tree Is Damaged	Stump/Trunk	Removal	No	No	bde7f7c8-b406-4740-98ea-e4afe5a316a0	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	8.00000000000	15.00000000000	5.00000000000	28.38811179650	-80.75583988790	Very Poor	7.00000000000	Trunk Damage, Signs of Decay	Tree is Damaged	Trunk has decay, only 20% of canopy alive	Removal	No	No	1ec8cd33-6e1b-49b4-8b5c-08e338f08f04	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	4.00000000000	20.00000000000	15.00000000000	28.38111007130	-80.75043034640	Very Poor	7.00000000000	Dead, Neds Removal	Tree is Damaged	Dead, Needs Removal	Removal	No	No	{B33DF877-BE37-4AE2-A174-B6C36DBF6CD5}	Red Cedar	No	Juniperus virginiana	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	10.00000000000	6.00000000000	5.00000000000	5.00000000000	28.39251547890	-80.78256999220	Very Poor	7.00000000000	Poor condition, consider replacement	Tree Is Damaged	Previously taken to just stump, resprouting	No Maintenance Required	No	No	{0A2DB9BD-0037-4CD7-8F52-2BC20845E1EF}	Golden Raintree	No	Koelreuteria paniculata	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	5.00000000000	8.00000000000	10.00000000000	10.00000000000	28.35366975970	-80.73520389430	Very Poor	6.00000000000	Dead cabbage palm	Tree is Damaged	Dead, brown fronds and trunk	Removal	No	No	4ef806b9-e874-40b8-b918-a37f76dfb7a9	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	20.00000000000	10.00000000000	30.00000000000	15.00000000000	28.37441256170	-80.73508941830	Very Poor	6.00000000000	Poor Shape, Nearly Dead; Leaning into Roadway	Tree is Damaged	Rot and decay	Removal	No	No	64cce7b8-a526-414e-85b7-90ea8d68558e	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	40.00000000000	22.00000000000	45.00000000000	30.00000000000	28.39349752110	-80.74494572830	Very Poor	6.00000000000	In yard but mostly dead, overhanging road	Tree is Damaged	Tree is Dead	Removal	No	No	3c6fff81-c9e5-4fc0-a24c-a31250ed8b13	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	12.00000000000	10.00000000000	15.00000000000	28.39630519010	-80.75949179910	Very Poor	6.00000000000	Tree is Dead, Top Snapped Off, Just Trunk	Tree is Damaged	Stump/Trunk	Remove Trunk	No	No	{92A6AB4D-4442-48D9-9A42-83918A223759}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	12.00000000000	20.00000000000	10.00000000000	28.39546529150	-80.77771919830	Very Poor	6.00000000000	Two dead trees in Woodland.	Tree is Damaged	Stump/Trunk	Remove Trunks	No	Yes	{71FB3AC6-090C-432D-82B1-989025C76E55}	Palm (Queen)	No	Syagrus romanzoffiana	2.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	15.00000000000	20.00000000000	30.00000000000	10.00000000000	28.39654017710	-80.77215492750	Very Poor	5.00000000000	Dead Tree, Needs Removal	Tree Is Damaged	Stump/Trunk	Removal	No	No	{90F49D7A-131D-4681-A0D4-30C3A6650F80}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	14.00000000000	10.00000000000	0.00000000000	28.35970917560	-80.73356772260	Very Poor	5.00000000000	Dead Tree With Debris on Ground, Needs Removal	Tree is Damaged	Tree is Dead	Removal	Yes	No	{5D5B6D97-BA02-4D4D-BB9A-204665A5946F}	Pine (Australian)	No	Casuarina equisetifolia	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	25.00000000000	12.00000000000	0.00000000000	0.00000000000	28.35465994530	-80.73038683670	Very Poor	4.00000000000	See pic; dead stump, needs removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	37cea1c0-ea25-4473-a27f-ef602c1ea2ef	Red Cedar	No	Juniperus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	16.00000000000	10.00000000000	0.00000000000	28.39199010250	-80.75872301100	Very Poor	4.00000000000	Stump That Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{BAAB84BD-2DA2-46C1-A220-4AF39FF0EE37}	N/A (Stump)	No	N/A (Stump)	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	12.00000000000	40.00000000000	5.00000000000	28.40082534120	-80.76887391530	Very Poor	4.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{B3016B6E-7653-4251-9F36-3F5C670A749D}	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	14.00000000000	35.00000000000	15.00000000000	28.40072983500	-80.76886922250	Very Poor	4.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{3753AAE0-AF6F-44AD-9FDC-63D37B8CE09D}	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	14.00000000000	20.00000000000	10.00000000000	28.39545492520	-80.77698497380	Very Poor	4.00000000000	Dead Trunk, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{A2B29C06-54B6-4511-A0AE-4AE144866251}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	15.00000000000	12.00000000000	15.00000000000	0.00000000000	28.36028379310	-80.74511496280	Very Poor	3.00000000000	Dead palm trunk. Directly under power lines, needs removal	Tree Is Damaged	Stump	Remove Stump	No	No	102a501f-485a-4869-935d-7599fd845db5	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	10.00000000000	8.00000000000	20.00000000000	20.00000000000	28.38850520070	-80.78777619640	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{950C8A8C-E95D-4C3D-9BB1-88CB78773C06}	Pine (Slash)	No	Pinus elliottii	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	8.00000000000	30.00000000000	20.00000000000	28.38802106560	-80.78773675040	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{E7B29CFB-B138-494D-BC3A-6544126508D3}	Pine (Slash)	No	Pinus elliottii	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	20.00000000000	15.00000000000	28.38729850230	-80.78772135240	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{A6F520AA-BE5B-4F33-AA30-C028F250066C}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	acarroll_sfc	9/29/2020	acarroll_sfc	9/29/2020	15.00000000000	8.00000000000	15.00000000000	10.00000000000	28.35750346390	-80.73363002340	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{5BEBB25C-5D3A-4F51-B4AC-916BA29AFBEB}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Median	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.38273778120	-80.77264493330	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree is Dead	Removal	No	No	{7356D8DC-9EEF-4BCD-9C37-AF34A528B318}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	8.00000000000	15.00000000000	0.00000000000	28.36806211650	-80.75455653490	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree Is Dead	Removal	No	No	{B0AA3A91-74ED-4EC5-B6B9-9C55DC00EFD4}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	30.00000000000	28.00000000000	10.00000000000	0.00000000000	28.36940032900	-80.75550067230	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{980EB6CB-8C9C-46A5-BE14-C58E1DC6B7E2}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	15.00000000000	12.00000000000	5.00000000000	5.00000000000	28.40107568520	-80.74431573080	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{29508705-86F4-4831-AB68-2CB1FC0730A6}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	20.00000000000	14.00000000000	15.00000000000	10.00000000000	28.40210622400	-80.74257587820	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{F12D774F-FACC-4548-883C-2B4B33DED582}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	12.00000000000	5.00000000000	0.00000000000	28.39095154290	-80.78079465800	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{A8EBBB7F-C43F-42C4-B97E-D8C7EF0A23AA}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	30.00000000000	18.00000000000	35.00000000000	15.00000000000	28.35545871610	-80.73228686420	Very Poor	2.00000000000	Bizmark stump	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	f5b6bc90-b19d-47b1-9d94-803c94c27919	Palm (Bismarck)	No	Bismarckia nobilis	1.00000000000
City Park	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	20.00000000000	10.00000000000	0.00000000000	0.00000000000	28.35888270100	-80.73130859620	Very Poor	2.00000000000	3 stumps and 1 BP. To be removed	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	b11484c9-65d7-4d53-9461-416912340a10	Hickory (Pignut)	No	Carya glabra	1.00000000000

City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	10.00000000000	6.00000000000	10.00000000000	10.00000000000	28.38720608420	-80.75976837150	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{A5112D4F-B7C5-4FD9-BB9C-4DF22E138AFF}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	30.00000000000	24.00000000000	40.00000000000	30.00000000000	28.38734161460	-80.75973035120	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{B459BCD1-024B-4639-8784-E01747BE9759}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	10.00000000000	8.00000000000	10.00000000000	25.00000000000	28.38721793400	-80.75976142480	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{280E47DA-4E81-4061-BAA1-4FFBC62542FB}	Oak (Sand Live)	No	Quercus geminata	1.00000000000
City Building	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	25.00000000000	22.00000000000	40.00000000000	45.00000000000	28.38823635170	-80.75923640270	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{630983EC-5551-41F6-B0FE-7465B90150BF}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Building	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	30.00000000000	26.00000000000	35.00000000000	40.00000000000	28.38829017040	-80.75949010760	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{7328EF20-6BAC-4A8F-A72D-E9211CC264D7}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Building	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	30.00000000000	22.00000000000	40.00000000000	40.00000000000	28.38790849330	-80.75963466810	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{81561F46-1CE9-4875-90F3-94630B8DB539}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Building	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	30.00000000000	24.00000000000	35.00000000000	40.00000000000	28.38784244070	-80.75957350810	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{F5F643C9-8901-4ECB-BD39-E30D08D2B9F9}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Building	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	15.00000000000	10.00000000000	30.00000000000	35.00000000000	28.38806326470	-80.75928761650	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{683EF19F-1EE0-4A58-A45E-C08C0ADEEE07}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Building	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	20.00000000000	12.00000000000	25.00000000000	25.00000000000	28.38799728170	-80.75949378260	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	Yes	Yes	{C8007484-A42C-4C57-924A-D7029394C8CF}	Chinese Tallow	No	Triadica sebifera	2.00000000000
City Building	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.39507527160	-80.77206046330	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{C3F7DBBB-5553-4783-B27E-8B45989D0E68}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Building	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.39517839690	-80.77203912470	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{8EA2D4DF-E9B4-4CCD-A083-9CF38D2F6E50}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Building	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.39500859360	-80.77211410710	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{240ADAE6-74EE-43B3-A625-06E0D9A0BD6F}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Building	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.39506167550	-80.77226445370	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{CFC30391-4B8B-4DEC-8F3C-FFAD8FEE9603}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Building	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.39494233520	-80.77205090790	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{E5A683E4-1EC9-413F-BEDD-4A265784D56C}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Building	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	10.00000000000	4.00000000000	15.00000000000	15.00000000000	28.39489388720	-80.77202777360	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{2F66ACAC-14F2-4FB1-A125-F1D3B72A2E16}	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
City Building	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.39489912100	-80.77222994400	Excellent	1.00000000000	Has black on leaves	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{C8509597-8357-48BE-A126-A3807C6A6DDC}	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
City Building	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.39494540530	-80.77216590850	Excellent	1.00000000000	Has black on leaves	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{10E6E847-131B-4382-A02F-518A6EDDE63E}	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
4+ Ft ROW	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	30.00000000000	20.00000000000	40.00000000000	35.00000000000	28.39527116680	-80.77295026170	Excellent	1.00000000000	14 tree in row	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{C4CBE50C-610A-436F-9E36-B17DC4C653C1}	Oak (Live)	No	Quercus virginiana	14.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	25.00000000000	22.00000000000	45.00000000000	35.00000000000	28.39592842390	-80.77207982560	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{361ACF3A-91E0-40CC-868B-032102646836}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	30.00000000000	26.00000000000	40.00000000000	30.00000000000	28.39598443630	-80.77190786200	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{851E756B-C56F-4F80-8CAD-84E02EBE22EC}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	10.00000000000	4.00000000000	20.00000000000	5.00000000000	28.38342040880	-80.77832147470	Excellent	1.00000000000	10 live Oaks in Woodland. Deviate ranging from 2 to 4 inches. Height ranging from 10 to 25 feet.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{0BF467E8-56A3-4B46-A66B-9258184235D8}	Oak (Live)	No	Quercus virginiana	10.00000000000
City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.38324432100	-80.77837744510	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{B223DB56-D64E-4A7B-A000-85A0FFC88CE7}	Bay	No	Persea palustris	1.00000000000
City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.38322939570	-80.77836576610	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{D502F4E4-F2B6-4267-88AB-6AC6B261B95C}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	30.00000000000	20.00000000000	50.00000000000	40.00000000000	28.38342789630	-80.77836403060	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{DAA925FC-B6CB-40E7-837F-E083771F636C}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	5.00000000000	4.00000000000	15.00000000000	5.00000000000	28.38323243130	-80.77830625640	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{116734FB-978E-46EA-AE8E-ED6E5DFCA4A2}	Pine (Sand)	No	Pinus clausa	1.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	10.00000000000	6.00000000000	30.00000000000	15.00000000000	28.38343617260	-80.77830847340	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{FE1E48B3-A279-44FD-954E-1AF1E13CD8A4}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.38324343660	-80.77830383270	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{0E9BFD5E-33D8-4DDD-98EA-D7201854DD4B}	Oak (Sand Live)	No	Quercus geminata	1.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	25.00000000000	20.00000000000	50.00000000000	40.00000000000	28.38345988310	-80.77833762640	Excellent	1.00000000000	Two trees in Woodland.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{FAC73134-8087-40FF-AC75-A6937F2D2732}	Pine (Slash)	No	Pinus elliottii	2.00000000000
City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.38320125450	-80.77826842920	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{31C923D4-C31B-464F-BAA5-9C9F7C700804}	Oak (Live)	No	Quercus virginiana	3.00000000000
City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	8.00000000000	6.00000000000	25.00000000000	10.00000000000	28.38316375350	-80.77832563030	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{8A311D78-3313-40C6-98E7-6C45ABFFF9B7}	Pine (Sand)	No	Pinus clausa	1.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	5.00000000000	4.00000000000	15.00000000000	10.00000000000	28.38347689330	-80.77828724530	Excellent	1.00000000000	Four trees in Woodland.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{F2DE6902-DD81-40F7-939F-9BCA0D13804F}	Oak (Live)	No	Quercus virginiana	4.00000000000
City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.38312885260	-80.77825772940	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{7BA1537B-9E3B-499F-A0F4-EFE4E68C08A9}	Bay	No	Persea palustris	1.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	5.00000000000	4.00000000000	15.00000000000	10.00000000000	28.38349948630	-80.77825879660	Excellent	1.00000000000	Five trees in Woodland.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{077F13DC-019C-4CCC-952F-B79CB797E00C}	Oak (Live)	No	Quercus virginiana	5.00000000000
City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	20.00000000000	12.00000000000	25.00000000000	30.00000000000	28.38314001760	-80.77825932930	Excellent	1.00000000000	Co dom	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{95A9028B-FD4F-4807-8119-4BD8507B990F}	Oak (Sand Live)	No	Quercus geminata	1.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.38352639210	-80.77821688750	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{BB4E52FE-5D43-41C8-8938-D03335984CB1}	Oak (Sand Live)	No	Quercus geminata	1.00000000000
City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	20.00000000000	12.00000000000	50.00000000000	20.00000000000	28.38316421340	-80.77824842550	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{37B88E2E-5554-436D-B22B-36D114A1E1E8}	Pine (Sand)	No	Pinus clausa	1.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	20.00000000000	14.00000000000	50.00000000000	35.00000000000	28.38356035870	-80.77816778280	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{4B32743E-B3B5-4DD6-AEEB-D37A92A0D250}	Pine (Longleaf)	No	Pinus palustris	1.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	20.00000000000	14.00000000000	50.00000000000	35.00000000000	28.38352857190	-80.77803516730	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{50A3C136-0EE6-4273-84EC-080175C44892}	Pine (Longleaf)	No	Pinus palustris	1.00000000000
City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.38319003500	-80.77818470530	Excellent	1.00000000000	3 tree	Tree is Undamaged	<Null>	No Maintenance Required	Yes	Yes	{4B5D084E-2735-43F6-8FAE-CA07996B3E08}	Brazilian Pepper	No	Schinus terebinthifolia	3.00000000000
City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	10.00000000000	4.00000000000	15.00000000000	15.00000000000	28.38317304380	-80.77812300360	Excellent	1.00000000000	2	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{53209DFC-792E-4411-BF51-8B6D53B7F989}	Oak (Sand Live)	No	Quercus geminata	2.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	15.00000000000	10.00000000000	40.00000000000	35.00000000000	28.38345718580	-80.77801774800	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{989CD11D-95BD-4AA0-9449-3DDD2CDB283A}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	15.00000000000	6.00000000000	20.00000000000	20.00000000000	28.38315789000	-80.77808604060	Excellent	1.00000000000	Co dom	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{E4855087-F9EC-4B4B-B3F8-E8C59D29312A}	Bay	No	Persea palustris	1.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	5.00000000000	4.00000000000	15.00000000000	10.00000000000	28.38341938690	-80.77801047260	Excellent	1.00000000000	Four trees in Woodland.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{8C1131F0-6BE4-47B8-B4A7-CAA50CF0F79B}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	6.00000000000	4.00000000000	15.00000000000	25.00000000000	28.38312549210	-80.77807059860	Excellent	1.00000000000	Co dom	Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	{D22232D7-BC2C-4518-B501-83C85CBA42BA}	Brazilian Pepper	No	Schinus terebinthifolia	1.00000000000
City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	7.00000000000	4.00000000000	10.00000000000	10.00000000000	28.38314512470	-80.77793346540	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{BC0BBF65-798E-4C66-96C7-44378B500FD2}	Holly (East Palatka)	No	Ilex x attenuata	1.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.38344142670	-80.77800068000	Excellent	1.00000000000	Species is Rusty Leona	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{73A094EF-3441-44CF-B659-57E4B1495C08}	Rusty Lyonia	No	Lyonia ferruginea	2.00000000000
City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	30.00000000000	18.00000000000	50.00000000000	30.00000000000	28.38325916020	-80.77787123190	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{55D498E1-2CBA-4939-BC90-FBE42DFC7698}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	7.00000000000	6.00000000000	15.00000000000	20.00000000000	28.38308860360	-80.77784356110	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{BEA98C69-E341-4E05-A316-5754B432FD0D}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	5.00000000000	4.00000000000	15.00000000000	10.00000000000	28.38342810020	-80.77798924360	Excellent	1.00000000000	Species is winged sumac.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{6F4CFB41-1943-4776-BC8C-81A004012E31}	Winged Sumac	No	Rhus copallinum	1.00000000000
City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	10.00000000000	4.00000000000	10.00000000000	10.00000000000	28.38307262870	-80.77777262650	Excellent	1.00000000000	Rust liona	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{49519933-5E8E-4E78-BBF0-F2164121BF43}	Rusty Lyonia	No	Lyonia ferruginea	1.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	10.00000000000	4.00000000000	15.00000000000	15.00000000000	28.38342588650	-80.77796699500	Excellent	1.00000000000	Species is inkberry Holly	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{7B8DCDC4-9423-4A6A-955A-440FE72D2AB0}	Pine (Longleaf)	No	Pinus palustris	1.00000000000
City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	7.00000000000	8.00000000000	20.00000000000	20.00000000000	28.38310717870	-80.77767165590	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{E989F30B-2F39-4A1F-98CB-CE5436E6D98F}	Oak (Chapman's)	No	Quercus chapmanii	1.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	10.00000000000	8.00000000000	5.00000000000	10.00000000000	28.38345496650	-80.77795980850	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{249365EB-5AE6-4C4B-B817-B7FFCD09AEFD}	Palm (Bismarck)	No	Bismarckia nobilis	1.00000000000
City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	3.00000000000	4.00000000000	10.00000000000	5.00000000000	28.38315801730	-80.77763687760	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	{355A7DC0-E0FC-4DE9-9D13-F4739B2E2466}	Brazilian Pepper	No	Schinus terebinthifolia	1.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	10.00000000000	4.00000000000	15.00000000000	10.00000000000	28.38346380550	-80.77794590620	Excellent	1.00000000000	Species is a winged sumac.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{CE9E8A38-5C54-4163-8CBD-716B873FFC02}	Winged Sumac	No	Rhus copallinum	1.00000000000
City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	25.00000000000	18.00000000000	40.00000000000	45.00000000000	28.38318464500	-80.77758898570	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{34719553-A742-4E6A-8F6C-27F302E68681}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.38317581700	-80.77754093750	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{386FEBEF-8CA5-497F-891F-C21149433CF6}	Pine (Sand)	No	Pinus clausa	1.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	10.00000000000	4.00000000000	10.00000000000	10.00000000000	28.38347834360	-80.77792281950	Excellent	1.00000000000	For trees in Woodland. Species is winged sumac.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{F1733AEF-3B31-4A3D-AA1D-D77B9025E530}	Winged Sumac	No	Rhus copallinum	4.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	10.00000000000	6.00000000000	20.00000000000	25.00000000000	28.38350651470	-80.77789282110	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{E8D1E7AA-B7FD-493F-8883-798CA3F3944E}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.38351934880	-80.77783768520	Excellent	1.00000000000	For trees in Woodland. Species is winged sumac.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{FB9989F4-8FD7-4965-BCA6-F5B7369F03AB}	Winged Sumac	No	Rhus copallinum	4.00000000000
City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.38317534120	-80.77751934200	Excellent	1.00000000000	2 shrubs	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{B21F612D-97D8-4A8C-91A8-E3A9978E764E}	Oak (Chapman's)	No	Quercus chapmanii	2.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	10.00000000000	4.00000000000	20.00000000000	15.00000000000	28.38352996680	-80.77775972580	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{0F6EF819-A04A-442F-B586-A430193CDC39}	Oak (Sand Live)	No	Quercus geminata	1.00000000000
City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	5.00000000000	4.00000000000	20.00000000000	10.00000000000	28.38315639160	-80.77757313950	Excellent	1.00000000000	3	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{A99220A6-0E60-44D3-9EF9-AADCE6C7CB46}	Pine (Sand)	No	Pinus clausa	3.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	15.00000000000	10.00000000000	50.00000000000	30.00000000000	28.38354303010	-80.77756091970	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{5F22242F-6A00-44AA-B655-3675A3C46BFD}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	30.00000000000	16.00000000000	40.00000000000	30.00000000000	28.38315918540	-80.77746365550	Excellent	1.00000000000	Co dom	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{42F7DEEC-D224-4D24-B4EF-00E1BB292C88}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	10.00000000000	4.00000000000	15.00000000000	20.00000000000	28.38357755700	-80.77747871480	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	Yes	No	{B6D721FB-E4AB-486B-9A0E-14CAB0BDF281}	Brazilian Pepper	No	Schinus terebinthifolia	1.00000000000
City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	10.00000000000	10.00000000000	40.00000000000	20.00000000000	28.38323548280	-80.77740388610	Excellent	1.00000000000	2	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{2EDE4D1B-3920-4E24-853B-FBABB0AA9F91}	Pine (Slash)	No	Pinus elliottii	2.00000000000
City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	5.00000000000	4.00000000000	30.00000000000	10.00000000000	28.38321954900	-80.77743707340	Excellent	1.00000000000	5	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{ED798BAF-1D89-41BC-9BE2-F2BE1B40E7BF}	Pine (Slash)	No	Pinus elliottii	5.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	10.00000000000	8.00000000000	25.00000000000	35.00000000000	28.38347741650	-80.77739999010	Excellent	1.00000000000	Species is red Bay.	Tree is Undamaged	<Null>	Pruning	No	No	{E0C5552E-74A4-4F14-910D-10FB5999B11F}	Bay	No	Persea palustris	1.00000000000
City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	15.00000000000	6.00000000000	35.00000000000	15.00000000000	28.38316161480	-80.77732684210	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{8ACB3A31-2CB4-4C5A-8B21-9D02EC77B0BC}	Pine (Sand)	No	Pinus clausa	1.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	5.00000000000	6.00000000000	5.00000000000	10.00000000000	28.38344102680	-80.77741165380	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{9D77F121-5332-461B-B115-D1B0DDFC1C81}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	5.00000000000	4.00000000000	10.00000000000	10.00000000000	28.38320883210	-80.77734271350	Excellent	1.00000000000	2	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{7DC9BD57-DC0F-472A-AD67-FFB5E289109D}	Oak (Live)	No	Quercus virginiana	2.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	20.00000000000	14.00000000000	15.00000000000	30.00000000000	28.38345153100	-80.77734835220	Excellent	1.00000000000	Two trees in Woodland.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{532E3611-2198-4798-926B-9A78817ECEDE}	Oak (Sand Live)	No	Quercus geminata	1.00000000000
City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	5.00000000000	4.00000000000	40.00000000000	10.00000000000	28.38320012590	-80.77731533640	Excellent	1.00000000000	6 trees from 4 to 8 dbh	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{7C929EE7-8204-41EA-BB5A-239E312CFE74}	Pine (Slash)	No	Pinus elliottii	6.00000000000
City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	5.30000000000	4.00000000000	30.00000000000	10.00000000000	28.38326784580	-80.77733911750	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{7F7E5CF7-A4D1-4BF4-B9E9-D3A431A3D21A}	Pine (Sand)	No	Pinus clausa	1.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	45.00000000000	14.00000000000	40.00000000000	30.00000000000	28.38347346090	-80.77736889040	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{637A1D7A-A937-4C7B-BB2E-9076EB8B122B}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	5.00000000000	4.00000000000	35.00000000000	10.00000000000	28.38328109090	-80.77734599680	Excellent	1.00000000000	2	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{47585B30-18A1-4E1E-8B6C-207D82F6B427}	Pine (Slash)	No	Pinus elliottii	2.00000000000
City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	25.00000000000	16.00000000000	60.00000000000	25.00000000000	28.38329786720	-80.77731136950	Excellent	1.00000000000	3	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{EDC93820-B28E-42E4-B4C5-40C36B7F86C2}	Pine (Sand)	No	Pinus clausa	3.00000000000
City Building	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	20.00000000000	8.00000000000	25.00000000000	15.00000000000	28.36061474000	-80.73457219720	Very Poor	7.00000000000	Completely dead	Tree is Damaged	Tree is Dead	Removal	No	No	380d956b-567b-48f5-9a70-79ea56e063ca	Holly (East Palatka)	No	Ilex x attenuata	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	20.00000000000	8.00000000000	15.00000000000	0.00000000000	28.39002635800	-80.74369412080	Very Poor	7.00000000000	Dead palm, needs removal	Tree is Damaged	Tree Is Dead	Removal	No	No	9d1bf111-5d79-49ce-8d7e-23a1a8281ce8	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	20.00000000000	6.00000000000	35.00000000000	0.00000000000	28.39044569030	-80.74287065860	Very Poor	7.00000000000	Dead, needs removal	Tree is Damaged	Tree Is Dead	Removal	No	No	63320dae-df76-49d6-94c0-317aa338cb65	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	16.00000000000	15.00000000000	10.00000000000	28.38811917220	-80.75545490770	Very Poor	7.00000000000	See pics, Tree Is Dead	Tree Is Damaged	Stump/Trunk	Removal	No	No	bde7f7c8-b406-4740-98ea-e4afe5a316a0	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	8.00000000000	15.00000000000	5.00000000000	28.38811179650	-80.75583988790	Very Poor	7.00000000000	Trunk Damage, Signs of Decay	Tree is Damaged	Trunk has decay, only 20% of canopy alive	Removal	No	No	1ec8cd33-6e1b-49b4-8b5c-08e338f08f04	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	4.00000000000	20.00000000000	15.00000000000	28.38111007130	-80.75043034640	Very Poor	7.00000000000	Dead, Neds Removal	Tree is Damaged	Dead, Needs Removal	Removal	No	No	{B33DF877-BE37-4AE2-A174-B6C36DBF6CD5}	Red Cedar	No	Juniperus virginiana	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	10.00000000000	6.00000000000	5.00000000000	5.00000000000	28.39251547890	-80.78256999220	Very Poor	7.00000000000	Poor condition, consider replacement	Tree Is Damaged	Previously taken to just stump, resprouting	No Maintenance Required	No	No	{0A2DB9BD-0037-4CD7-8F52-2BC20845E1EF}	Golden Raintree	No	Koelreuteria paniculata	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	5.00000000000	8.00000000000	10.00000000000	10.00000000000	28.35366975970	-80.73520389430	Very Poor	6.00000000000	Dead cabbage palm	Tree is Damaged	Dead, brown fronds and trunk	Removal	No	No	4ef806b9-e874-40b8-b918-a37f76dfb7a9	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	20.00000000000	10.00000000000	30.00000000000	15.00000000000	28.37441256170	-80.73508941830	Very Poor	6.00000000000	Poor Shape, Nearly Dead; Leaning into Roadway	Tree is Damaged	Rot and decay	Removal	No	No	64cce7b8-a526-414e-85b7-90ea8d68558e	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	40.00000000000	22.00000000000	45.00000000000	30.00000000000	28.39349752110	-80.74494572830	Very Poor	6.00000000000	In yard but mostly dead, overhanging road	Tree is Damaged	Tree is Dead	Removal	No	No	3c6fff81-c9e5-4fc0-a24c-a31250ed8b13	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	12.00000000000	10.00000000000	15.00000000000	28.39630519010	-80.75949179910	Very Poor	6.00000000000	Tree is Dead, Top Snapped Off, Just Trunk	Tree is Damaged	Stump/Trunk	Remove Trunk	No	No	{92A6AB4D-4442-48D9-9A42-83918A223759}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	12.00000000000	20.00000000000	10.00000000000	28.39546529150	-80.77771919830	Very Poor	6.00000000000	Two dead trees in Woodland.	Tree is Damaged	Stump/Trunk	Remove Trunks	No	Yes	{71FB3AC6-090C-432D-82B1-989025C76E55}	Palm (Queen)	No	Syagrus romanzoffiana	2.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	15.00000000000	20.00000000000	30.00000000000	10.00000000000	28.39654017710	-80.77215492750	Very Poor	5.00000000000	Dead Tree, Needs Removal	Tree Is Damaged	Stump/Trunk	Removal	No	No	{90F49D7A-131D-4681-A0D4-30C3A6650F80}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	14.00000000000	10.00000000000	0.00000000000	28.35970917560	-80.73356772260	Very Poor	5.00000000000	Dead Tree With Debris on Ground, Needs Removal	Tree is Damaged	Tree is Dead	Removal	Yes	No	{5D5B6D97-BA02-4D4D-BB9A-204665A5946F}	Pine (Australian)	No	Casuarina equisetifolia	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	25.00000000000	12.00000000000	0.00000000000	0.00000000000	28.35465994530	-80.73038683670	Very Poor	4.00000000000	See pic; dead stump, needs removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	37cea1c0-ea25-4473-a27f-ef602c1ea2ef	Red Cedar	No	Juniperus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	16.00000000000	10.00000000000	0.00000000000	28.39199010250	-80.75872301100	Very Poor	4.00000000000	Stump That Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{BAAB84BD-2DA2-46C1-A220-4AF39FF0EE37}	N/A (Stump)	No	N/A (Stump)	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	12.00000000000	40.00000000000	5.00000000000	28.40082534120	-80.76887391530	Very Poor	4.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{B3016B6E-7653-4251-9F36-3F5C670A749D}	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	14.00000000000	35.00000000000	15.00000000000	28.40072983500	-80.76886922250	Very Poor	4.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{3753AAE0-AF6F-44AD-9FDC-63D37B8CE09D}	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	14.00000000000	20.00000000000	10.00000000000	28.39545492520	-80.77698497380	Very Poor	4.00000000000	Dead Trunk, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{A2B29C06-54B6-4511-A0AE-4AE144866251}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	15.00000000000	12.00000000000	15.00000000000	0.00000000000	28.36028379310	-80.74511496280	Very Poor	3.00000000000	Dead palm trunk. Directly under power lines, needs removal	Tree Is Damaged	Stump	Remove Stump	No	No	102a501f-485a-4869-935d-7599fd845db5	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	10.00000000000	8.00000000000	20.00000000000	20.00000000000	28.38850520070	-80.78777619640	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{950C8A8C-E95D-4C3D-9BB1-88CB78773C06}	Pine (Slash)	No	Pinus elliottii	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	8.00000000000	30.00000000000	20.00000000000	28.38802106560	-80.78773675040	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{E7B29CFB-B138-494D-BC3A-6544126508D3}	Pine (Slash)	No	Pinus elliottii	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	20.00000000000	15.00000000000	28.38729850230	-80.78772135240	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{A6F520AA-BE5B-4F33-AA30-C028F250066C}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	acarroll_sfc	9/29/2020	acarroll_sfc	9/29/2020	15.00000000000	8.00000000000	15.00000000000	10.00000000000	28.35750346390	-80.73363002340	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{5BEBB25C-5D3A-4F51-B4AC-916BA29AFBEB}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Median	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.38273778120	-80.77264493330	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree is Dead	Removal	No	No	{7356D8DC-9EEF-4BCD-9C37-AF34A528B318}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	8.00000000000	15.00000000000	0.00000000000	28.36806211650	-80.75455653490	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree Is Dead	Removal	No	No	{B0AA3A91-74ED-4EC5-B6B9-9C55DC00EFD4}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	30.00000000000	28.00000000000	10.00000000000	0.00000000000	28.36940032900	-80.75550067230	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{980EB6CB-8C9C-46A5-BE14-C58E1DC6B7E2}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	15.00000000000	12.00000000000	5.00000000000	5.00000000000	28.40107568520	-80.74431573080	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{29508705-86F4-4831-AB68-2CB1FC0730A6}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	20.00000000000	14.00000000000	15.00000000000	10.00000000000	28.40210622400	-80.74257587820	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{F12D774F-FACC-4548-883C-2B4B33DED582}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	12.00000000000	5.00000000000	0.00000000000	28.39095154290	-80.78079465800	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{A8EBBB7F-C43F-42C4-B97E-D8C7EF0A23AA}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	30.00000000000	18.00000000000	35.00000000000	15.00000000000	28.35545871610	-80.73228686420	Very Poor	2.00000000000	Bizmark stump	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	f5b6bc90-b19d-47b1-9d94-803c94c27919	Palm (Bismarck)	No	Bismarckia nobilis	1.00000000000
City Park	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	20.00000000000	10.00000000000	0.00000000000	0.00000000000	28.35888270100	-80.73130859620	Very Poor	2.00000000000	3 stumps and 1 BP. To be removed	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	b11484c9-65d7-4d53-9461-416912340a10	Hickory (Pignut)	No	Carya glabra	1.00000000000
2-4 Ft ROW	shendley_sfc	9/13/2020	shendley_sfc	9/13/2020	20.00000000000	8.00000000000	5.00000000000	0.00000000000	28.35087389180	-80.73356707580	Very Poor	2.00000000000	Tree is cut; stump needs removal	Tree Is Damaged	Stump/Trunk	Remove Stump	No	No	7148642b-82af-4f80-a4ad-74d5e933ea8a	Sycamore	No	Platanus occidentalis	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/16/2020	sbourgoin_sfc	9/16/2020	20.00000000000	14.00000000000	25.00000000000	15.00000000000	28.36619344110	-80.74705959530	Very Poor	2.00000000000	Completely dead needs removal	Tree is Damaged	Tree is Dead	Removal	No	No	1c15f2d9-a065-4aab-8ccf-5cd17f805c7a	Pine (Longleaf)	No	Pinus palustris	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	20.00000000000	10.00000000000	5.00000000000	0.00000000000	28.38738969540	-80.76376179260	Very Poor	2.00000000000	Stump	Tree Is Undamaged	<Null>	Remove Stump	No	No	{57F1FA2A-BD75-400B-8276-6ED829F7A80C}	Bottlebrush (Weeping)	No	Melaleuca viminalis	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	16.00000000000	0.00000000000	0.00000000000	28.39889285130	-80.76775526670	Very Poor	2.00000000000	Stump That Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{20ACB205-116A-418E-A68F-74403C577CD5}	N/A (Stump)	No	N/A (Stump)	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	35.00000000000	18.00000000000	10.00000000000	5.00000000000	28.35695927990	-80.73346942710	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{F6DC1A1A-AB89-41C0-8372-8E2460A0F823}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	55.00000000000	28.00000000000	50.00000000000	60.00000000000	28.36019909440	-80.73430334220	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{C9E5553C-5EC9-4DA4-9A4E-6D214065BBD5}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	25.00000000000	16.00000000000	40.00000000000	20.00000000000	28.35963514510	-80.73353318230	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree is dead, see picture.	Removal	Yes	No	{6EE83020-5AB6-449A-ADA6-8EA7F2292927}	Pine (Australian)	No	Casuarina equisetifolia	1.00000000000
Cemetary	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	30.00000000000	18.00000000000	0.00000000000	0.00000000000	28.36875127660	-80.75586536950	Very Poor	2.00000000000	Old stump. Rotting	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{35627E43-0723-448B-BD9B-8911F4A8D205}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	16.00000000000	10.00000000000	5.00000000000	28.36835598580	-80.75473439860	Very Poor	2.00000000000	Stump	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{15DA5336-B17B-479C-929E-A36072E8D6D0}	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	10.00000000000	4.00000000000	15.00000000000	5.00000000000	28.38348674870	-80.77803819550	Very Poor	2.00000000000		Tree is Damaged	Tree is Dead	Removal	No	No	{1BAEAF65-A73A-4AAD-B2B5-156CBE656BE0}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	12.00000000000	0.00000000000	0.00000000000	28.39103175120	-80.78077820530	Very Poor	2.00000000000	Two stumps in Woodland.	Tree is Damaged	Stump/Trunk	Remove Stump	No	Yes	{E37E5873-D334-4D04-8F44-04B030B00B88}	N/A (Stump)	No	N/A (Stump)	2.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	12.00000000000	15.00000000000	0.00000000000	28.39120392220	-80.78055795280	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{88B0584D-929C-4C3A-B4CE-733862991F2F}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	10.00000000000	20.00000000000	0.00000000000	28.39127525250	-80.78042099290	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{63356FB1-094E-4FD5-9573-2F45BA64F029}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	12.00000000000	25.00000000000	10.00000000000	28.39152758910	-80.77998370830	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{B19D23DB-8B93-431A-ACD0-7BE247CC2E33}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.39102319340	-80.77973278460	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{EC4E220A-D753-48A0-B655-12FD268FB25D}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	8.00000000000	30.00000000000	25.00000000000	28.39072632140	-80.78034228610	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{66C46A3C-08E9-491C-B001-175D6B738570}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.39078610070	-80.78101954130	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{CBF7C1CA-BA64-4423-B044-09F778651EDE}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	5.00000000000	4.00000000000	15.00000000000	5.00000000000	28.39078144680	-80.78100083840	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{8C262DC2-611C-4171-875C-EE4247717BF5}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35702616760	-80.73350831880	Very Poor	1.00000000000	Stump that has resprouted	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{B77C4B93-AF85-4AD0-9BD7-C050A6AD16C9}	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
City Park	acarroll_sfc	9/15/2020	acarroll_sfc	9/15/2020	20.00000000000	10.00000000000	25.00000000000	10.00000000000	28.35420867420	-80.74326518970	Poor	6.00000000000	See pic	Tree is Undamaged	<Null>	Removal	No	No	cdb648ac-bce2-4124-b380-995ad4b2eee9	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
City Park	sbourgoin_sfc	9/18/2020	sbourgoin_sfc	9/18/2020	5.00000000000	8.00000000000	15.00000000000	10.00000000000	28.37679872970	-80.76179704140	Poor	6.00000000000	tree not completely dead, but 50 percent of branches without leaves; seems to have a web work infestation see pics	Tree is Damaged	Large chunk of middle bark missing	Removal	No	No	e8617e60-7f0e-4fef-8965-1e60586e0c86	Oak (Live)	No	Quercus virginiana	1.00000000000
City Building	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	20.00000000000	10.00000000000	25.00000000000	10.00000000000	28.36120423840	-80.73457651270	Poor	5.00000000000	Majority of tree is dead. Recommend removal	Tree is Damaged	Tree is Dead	Removal	No	No	b7742f99-fba6-40f2-996f-ae824c895a11	Holly (East Palatka)	No	Ilex x attenuata	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	15.00000000000	6.00000000000	20.00000000000	10.00000000000	28.37505849060	-80.76122660220	Poor	5.00000000000	Severe leaf loss	Tree is Damaged	Severe leaf loss, obvious damage to tree	Removal	No	No	1b4a0557-5f26-41f9-9019-11038d4fee85	Holly (American)	No	Ilex opaca	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	14.00000000000	20.00000000000	15.00000000000	28.38814578530	-80.75573913730	Poor	5.00000000000	High percentage of deadwood in canopy, multiple limb breaks	Tree is Damaged	Recent limb breaks, copious deadwood	Pruning	No	No	bb7b3673-838d-4293-95a6-0bfced1b9db4	Box Elder	No	Acer negundo	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	20.00000000000	16.00000000000	35.00000000000	20.00000000000	28.38825967710	-80.78775262730	Poor	5.00000000000	Severe damage to trunk, wood rot	Tree is Damaged	Wood rot in trunk	Removal	No	No	{0E823A48-2112-4497-9276-C59EF128FB03}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	16.00000000000	20.00000000000	15.00000000000	28.35703777640	-80.73279946090	Poor	5.00000000000	Try cleaning deadwood first before removing. Co dom w included bark	Tree is Damaged	Tree Is Dead	Removal	No	No	{AE4C2C59-5208-4610-B8B3-58DC8CCBB65E}	Hickory (Pignut)	No	Carya glabra	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	8.00000000000	6.00000000000	20.00000000000	10.00000000000	28.39916023430	-80.77080259110	Poor	4.00000000000	Remove	Tree is Damaged	Cambium layer weed whacked repeatedly	Removal	No	No	{E356A27F-155E-41C7-AE39-BE2D3B1F3306}	Holly (Dahoon)	No	Ilex cassine	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35120694720	-80.72616601960	Poor	3.00000000000	Canopy broken and mostly leafless	Tree Is Damaged	Canopy topped	No Maintenance Required	No	No	cd35ada1-bbfe-4763-97e7-f10ed59cf265	Tabebuia	No	Tabebuia spp.	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	5.00000000000	8.00000000000	10.00000000000	10.00000000000	28.35114616070	-80.72621493110	Poor	3.00000000000	Canopy broken and mostly leafless	Tree Is Damaged	Crown broke	No Maintenance Required	No	No	bf3469ee-9835-42d5-b45e-81997412c6ae	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	20.00000000000	14.00000000000	20.00000000000	10.00000000000	28.37552867380	-80.76525779480	Poor	2.00000000000	See pic	Tree is Damaged	Needs pruning of multiple dead limbs for a chance	Pruning	Yes	No	7c237f9f-a267-4710-92e8-f4454a1b5c7f	Indian Rosewood	No	Dalbergia sissoo	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	30.00000000000	12.00000000000	35.00000000000	15.00000000000	28.36061274170	-80.73415800010	Poor	2.00000000000	Unnatural form. Fine for SLO.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{AB73F2B7-444C-4EB9-9B64-0ED15E67861B}	Oak (Sand Live)	No	Quercus geminata	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	40.00000000000	18.00000000000	25.00000000000	40.00000000000	28.36486055300	-80.73437332990	Fair	7.00000000000		Tree Is Damaged	Missing mult limbs due to rot and pruning. Central leader still intact but rotting likely to fall	Removal	No	No	035599b7-6ba4-4a35-bf49-3b2cb056e780	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	60.00000000000	32.00000000000	45.00000000000	25.00000000000	28.38155051730	-80.73657843430	Fair	7.00000000000	Lg oak directly next to road. Evidence of prev pruning. Lg dead limbs overhanging road, needs additional consult	Tree is Damaged	Multiple large dead limbs	Pruning	No	No	788c2f34-9024-4f34-aeb1-4b0ff7cb1825	Oak (Live)	No	Quercus virginiana	1.00000000000

City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	5.00000000000	4.00000000000	20.00000000000	10.00000000000	28.38318676230	-80.77774833790	Excellent	1.00000000000	6 winged sumac	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{A092D38E-DB44-4D16-9AEC-AE89B7A26F5F}	Winged Sumac	No	Rhus copallinum	6.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	20.00000000000	14.00000000000	45.00000000000	35.00000000000	28.38335335280	-80.77770026720	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{56EE4F27-2B81-47A6-B39B-0B90080D01EE}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	5.00000000000	4.00000000000	10.00000000000	15.00000000000	28.38336494060	-80.77771702980	Excellent	1.00000000000	Species Rusty Leona.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{FD05A778-0AAE-4781-BB2F-14213C4F92B2}	Rusty Lyonia	No	Lyonia ferruginea	1.00000000000
City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	20.00000000000	14.00000000000	40.00000000000	40.00000000000	28.38318442450	-80.77779983290	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{B86055F8-07E1-4F15-9881-9BD91581BAAC}	Oak (Sand Live)	No	Quercus geminata	1.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	10.00000000000	4.00000000000	15.00000000000	15.00000000000	28.38338000730	-80.77774176310	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	Yes	No	{A40E7B31-3ACB-488F-842A-7EA4892E84B1}	Brazilian Pepper	No	Schinus terebinthifolia	1.00000000000
City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	10.00000000000	6.00000000000	20.00000000000	30.00000000000	28.38320155800	-80.77791041190	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	{92572A94-D8AA-44D1-9E7D-E239E3921DD5}	Brazilian Pepper	No	Schinus terebinthifolia	1.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	5.00000000000	4.00000000000	15.00000000000	5.00000000000	28.38339053050	-80.77778675790	Excellent	1.00000000000	Six trees in Woodland.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{894FCAE3-0F42-4F63-8A95-5041D5D80A3F}	Oak (Live)	No	Quercus virginiana	6.00000000000
City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	25.00000000000	12.00000000000	30.00000000000	30.00000000000	28.38336329120	-80.77782313250	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{7A8E288F-DD50-4C3C-B8A5-D55598F4FBC9}	Oak (Sand Live)	No	Quercus geminata	1.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	10.00000000000	4.00000000000	10.00000000000	15.00000000000	28.38337861950	-80.77784054010	Excellent	1.00000000000	Two trees in Woodland.	Tree is Undamaged	<Null>	Pruning	Yes	Yes	{6F67BF31-B175-4648-931F-D6762C99AA61}	Brazilian Pepper	No	Schinus terebinthifolia	2.00000000000
City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	20.00000000000	10.00000000000	20.00000000000	15.00000000000	28.35423551710	-80.74441304800	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{711CEEE1-0C23-493D-BCF7-1709B798E782}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	15.00000000000	10.00000000000	30.00000000000	15.00000000000	28.35414536910	-80.74439616590	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{B61338BB-34EF-4111-85BF-0B073C14AAA8}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	20.00000000000	12.00000000000	30.00000000000	15.00000000000	28.35408893850	-80.74454778810	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{BC2A1FC5-FA11-4411-BDFE-6DF262E128AE}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	5.00000000000	8.00000000000	10.00000000000	5.00000000000	28.35398818840	-80.74454669840	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{B87A6FEA-0D3E-48F8-A1C4-08AFAD955483}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	40.00000000000	26.00000000000	40.00000000000	50.00000000000	28.35402851250	-80.74447873820	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{35902E00-E72A-406A-9B98-A0487A8D3304}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	35.00000000000	30.00000000000	40.00000000000	45.00000000000	28.35391166130	-80.74452255890	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{B33F0B4C-EA7C-469D-9827-53CC333F7E66}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	10.00000000000	8.00000000000	15.00000000000	10.00000000000	28.35379666220	-80.74451853530	Excellent	1.00000000000	Three trees in Woodland.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{39A9A4C9-C6FD-4FBF-A222-11A14B308444}	Palm (Cabbage)	No	Sabal palmetto	3.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	25.00000000000	20.00000000000	40.00000000000	50.00000000000	28.35369163650	-80.74453555030	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{4AFBE622-FBFE-4441-9773-7D2DC0D9466D}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	50.00000000000	32.00000000000	45.00000000000	50.00000000000	28.35491713040	-80.74393990530	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{A020BC0F-F38D-491D-98AD-C75BC192CFD3}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	10.00000000000	6.00000000000	10.00000000000	15.00000000000	28.35355283220	-80.74455642180	Excellent	1.00000000000	Two trees in Woodland.	Tree is Undamaged	<Null>	No Maintenance Required	Yes	Yes	{3B1D2B7C-0F27-4421-B665-60F6CD06D3B7}	Brazilian Pepper	No	Schinus terebinthifolia	2.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	25.00000000000	20.00000000000	40.00000000000	45.00000000000	28.35350497170	-80.74455575070	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{008139BD-4232-4208-8929-A37A65410243}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	30.00000000000	24.00000000000	40.00000000000	50.00000000000	28.35322044820	-80.74468365910	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{EBC19DA5-93E2-451F-8AC8-57497BB68C00}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	25.00000000000	20.00000000000	45.00000000000	40.00000000000	28.35321751450	-80.74480620190	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{02BEAF92-0672-4552-A95B-C66307F86C53}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	15.00000000000	14.00000000000	20.00000000000	15.00000000000	28.35314437200	-80.74485889980	Excellent	1.00000000000	2	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{509769EF-1AE7-40A0-B1E5-40E6A5116971}	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	15.00000000000	10.00000000000	40.00000000000	15.00000000000	28.35318679130	-80.74486222360	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{6B0DCB85-6AA0-4BD0-88EE-1A75346CDCA0}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	20.00000000000	18.00000000000	40.00000000000	45.00000000000	28.35319027290	-80.74509495910	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{9ED65EA0-E38A-4E2E-ACF0-A62892C03003}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	40.00000000000	22.00000000000	40.00000000000	40.00000000000	28.35317128710	-80.74497006810	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{358593FA-F9B6-47B5-B92C-C514E0E53620}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	40.00000000000	28.00000000000	40.00000000000	55.00000000000	28.35312077640	-80.74526435080	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{4DC57C1B-9920-4BDE-8D22-41C5CCFDDBC2}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	35.00000000000	30.00000000000	50.00000000000	55.00000000000	28.35317392830	-80.74539469550	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{BC630E19-1C22-4518-9F4B-E6299671626A}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	30.00000000000	26.00000000000	50.00000000000	45.00000000000	28.35318633360	-80.74567205300	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{3EE4E2CC-29D4-4D1E-A4B0-06F25F6C1A6D}	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	30.00000000000	28.00000000000	50.00000000000	55.00000000000	28.35321956760	-80.74576249360	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{ADD0D73D-B518-45D3-9C90-D0CBC14C2A36}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	20.00000000000	10.00000000000	20.00000000000	10.00000000000	28.35327362700	-80.74553667240	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{F8F71B13-97D5-40A8-82BB-333F463F26E1}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	30.00000000000	10.00000000000	30.00000000000	10.00000000000	28.35331486050	-80.74511522690	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{59856083-D0BC-4612-B9EE-4B3279AB1627}	Palm (Cabbage)	No	Sabal palmetto	3.00000000000
City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	35.00000000000	26.00000000000	50.00000000000	55.00000000000	28.35317832770	-80.74598480950	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{7C92E3F7-7810-423F-B21F-8A05AB67F496}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	30.00000000000	10.00000000000	30.00000000000	10.00000000000	28.35328435080	-80.74476021810	Excellent	1.00000000000	3	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{23E98812-FCE1-4EE5-8F59-39D6CC6F87BB}	Palm (Cabbage)	No	Sabal palmetto	3.00000000000
City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	20.00000000000	14.00000000000	20.00000000000	15.00000000000	28.35328064780	-80.74479795810	Excellent	1.00000000000	2	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{6D18BEEC-F94B-4AB5-959D-12BAA5CAA73E}	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	30.00000000000	26.00000000000	50.00000000000	55.00000000000	28.35333365260	-80.74562446920	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{8B189FD3-63D1-4E26-9B2D-B02B089C9514}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	shendley_sfc	10/1/2020	shendley_sfc	10/1/2020	40.00000000000	36.00000000000	60.00000000000	55.00000000000	28.35344411210	-80.74556396860	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{ACDC2903-654D-4F43-B4A0-31E2E7FD0F27}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Building	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	20.00000000000	8.00000000000	25.00000000000	15.00000000000	28.36061474000	-80.73457219720	Very Poor	7.00000000000	Completely dead	Tree is Damaged	Tree is Dead	Removal	No	No	380d956b-567b-48f5-9a70-79ea56e063ca	Holly (East Palatka)	No	Ilex x attenuata	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	20.00000000000	8.00000000000	15.00000000000	0.00000000000	28.39002635800	-80.74369412080	Very Poor	7.00000000000	Dead palm, needs removal	Tree is Damaged	Tree Is Dead	Removal	No	No	9d1bf111-5d79-49ce-8d7e-23a1a8281ce8	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	20.00000000000	6.00000000000	35.00000000000	0.00000000000	28.39044569030	-80.74287065860	Very Poor	7.00000000000	Dead, needs removal	Tree is Damaged	Tree Is Dead	Removal	No	No	63320dae-df76-49d6-94c0-317aa338cb65	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	16.00000000000	15.00000000000	10.00000000000	28.38811917220	-80.75545490770	Very Poor	7.00000000000	See pics, Tree Is Dead	Tree Is Damaged	Stump/Trunk	Removal	No	No	bde7f7c8-b406-4740-98ea-e4afe5a316a0	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	8.00000000000	15.00000000000	5.00000000000	28.38811179650	-80.75583988790	Very Poor	7.00000000000	Trunk Damage, Signs of Decay	Tree is Damaged	Trunk has decay, only 20% of canopy alive	Removal	No	No	1ec8cd33-6e1b-49b4-8b5c-08e338f08f04	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	4.00000000000	20.00000000000	15.00000000000	28.38111007130	-80.75043034640	Very Poor	7.00000000000	Dead, Neds Removal	Tree is Damaged	Dead, Needs Removal	Removal	No	No	{B33DF877-BE37-4AE2-A174-B6C36DBF6CD5}	Red Cedar	No	Juniperus virginiana	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	10.00000000000	6.00000000000	5.00000000000	5.00000000000	28.39251547890	-80.78256999220	Very Poor	7.00000000000	Poor condition, consider replacement	Tree Is Damaged	Previously taken to just stump, resprouting	No Maintenance Required	No	No	{0A2DB9BD-0037-4CD7-8F52-2BC20845E1EF}	Golden Raintree	No	Koelreuteria paniculata	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	5.00000000000	8.00000000000	10.00000000000	10.00000000000	28.35366975970	-80.73520389430	Very Poor	6.00000000000	Dead cabbage palm	Tree is Damaged	Dead, brown fronds and trunk	Removal	No	No	4ef806b9-e874-40b8-b918-a37f76dfb7a9	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	20.00000000000	10.00000000000	30.00000000000	15.00000000000	28.37441256170	-80.73508941830	Very Poor	6.00000000000	Poor Shape, Nearly Dead; Leaning into Roadway	Tree is Damaged	Rot and decay	Removal	No	No	64cce7b8-a526-414e-85b7-90ea8d68558e	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	40.00000000000	22.00000000000	45.00000000000	30.00000000000	28.39349752110	-80.74494572830	Very Poor	6.00000000000	In yard but mostly dead, overhanging road	Tree is Damaged	Tree is Dead	Removal	No	No	3c6fff81-c9e5-4fc0-a24c-a31250ed8b13	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	12.00000000000	10.00000000000	15.00000000000	28.39630519010	-80.75949179910	Very Poor	6.00000000000	Tree is Dead, Top Snapped Off, Just Trunk	Tree is Damaged	Stump/Trunk	Remove Trunk	No	No	{92A6AB4D-4442-48D9-9A42-83918A223759}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	12.00000000000	20.00000000000	10.00000000000	28.39546529150	-80.77771919830	Very Poor	6.00000000000	Two dead trees in Woodland.	Tree is Damaged	Stump/Trunk	Remove Trunks	No	Yes	{71FB3AC6-090C-432D-82B1-989025C76E55}	Palm (Queen)	No	Syagrus romanzoffiana	2.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	15.00000000000	20.00000000000	30.00000000000	10.00000000000	28.39654017710	-80.77215492750	Very Poor	5.00000000000	Dead Tree, Needs Removal	Tree Is Damaged	Stump/Trunk	Removal	No	No	{90F49D7A-131D-4681-A0D4-30C3A6650F80}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	14.00000000000	10.00000000000	0.00000000000	28.35970917560	-80.73356772260	Very Poor	5.00000000000	Dead Tree With Debris on Ground, Needs Removal	Tree is Damaged	Tree is Dead	Removal	Yes	No	{5D5B6D97-BA02-4D4D-BB9A-204665A5946F}	Pine (Australian)	No	Casuarina equisetifolia	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	25.00000000000	12.00000000000	0.00000000000	0.00000000000	28.35465994530	-80.73038683670	Very Poor	4.00000000000	See pic; dead stump, needs removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	37cea1c0-ea25-4473-a27f-ef602c1ea2ef	Red Cedar	No	Juniperus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	16.00000000000	10.00000000000	0.00000000000	28.39199010250	-80.75872301100	Very Poor	4.00000000000	Stump That Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{BAAB84BD-2DA2-46C1-A220-4AF39FF0EE37}	N/A (Stump)	No	N/A (Stump)	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	12.00000000000	40.00000000000	5.00000000000	28.40082534120	-80.76887391530	Very Poor	4.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{B3016B6E-7653-4251-9F36-3F5C670A749D}	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	14.00000000000	35.00000000000	15.00000000000	28.40072983500	-80.76886922250	Very Poor	4.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{3753AAE0-AF6F-44AD-9FDC-63D37B8CE09D}	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	14.00000000000	20.00000000000	10.00000000000	28.39545492520	-80.77698497380	Very Poor	4.00000000000	Dead Trunk, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{A2B29C06-54B6-4511-A0AE-4AE144866251}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	15.00000000000	12.00000000000	15.00000000000	0.00000000000	28.36028379310	-80.74511496280	Very Poor	3.00000000000	Dead palm trunk. Directly under power lines, needs removal	Tree Is Damaged	Stump	Remove Stump	No	No	102a501f-485a-4869-935d-7599fd845db5	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	10.00000000000	8.00000000000	20.00000000000	20.00000000000	28.38850520070	-80.78777619640	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{950C8A8C-E95D-4C3D-9BB1-88CB78773C06}	Pine (Slash)	No	Pinus elliottii	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	8.00000000000	30.00000000000	20.00000000000	28.38802106560	-80.78773675040	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{E7B29CFB-B138-494D-BC3A-6544126508D3}	Pine (Slash)	No	Pinus elliottii	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	20.00000000000	15.00000000000	28.38729850230	-80.78772135240	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{A6F520AA-BE5B-4F33-AA30-C028F250066C}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	acarroll_sfc	9/29/2020	acarroll_sfc	9/29/2020	15.00000000000	8.00000000000	15.00000000000	10.00000000000	28.35750346390	-80.73363002340	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{5BEBB25C-5D3A-4F51-B4AC-916BA29AFBEB}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Median	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.38273778120	-80.77264493330	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree is Dead	Removal	No	No	{7356D8DC-9EEF-4BCD-9C37-AF34A528B318}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	8.00000000000	15.00000000000	0.00000000000	28.36806211650	-80.75455653490	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree Is Dead	Removal	No	No	{B0AA3A91-74ED-4EC5-B6B9-9C55DC00EFD4}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	30.00000000000	28.00000000000	10.00000000000	0.00000000000	28.36940032900	-80.75550067230	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{980EB6CB-8C9C-46A5-BE14-C58E1DC6B7E2}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	15.00000000000	12.00000000000	5.00000000000	5.00000000000	28.40107568520	-80.74431573080	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{29508705-86F4-4831-AB68-2CB1FC0730A6}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	20.00000000000	14.00000000000	15.00000000000	10.00000000000	28.40210622400	-80.74257587820	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{F12D774F-FACC-4548-883C-2B4B33DED582}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	12.00000000000	5.00000000000	0.00000000000	28.39095154290	-80.78079465800	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{A8EBBB7F-C43F-42C4-B97E-D8C7EF0A23AA}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	30.00000000000	18.00000000000	35.00000000000	15.00000000000	28.35545871610	-80.73228686420	Very Poor	2.00000000000	Bizmark stump	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	f5b6bc90-b19d-47b1-9d94-803c94c27919	Palm (Bismarck)	No	Bismarckia nobilis	1.00000000000
City Park	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	20.00000000000	10.00000000000	0.00000000000	0.00000000000	28.35888270100	-80.73130859620	Very Poor	2.00000000000	3 stumps and 1 BP. To be removed	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	b11484c9-65d7-4d53-9461-416912340a10	Hickory (Pignut)	No	Carya glabra	1.00000000000
2-4 Ft ROW	shendley_sfc	9/13/2020	shendley_sfc	9/13/2020	20.00000000000	8.00000000000	5.00000000000	0.00000000000	28.35087389180	-80.73356707580	Very Poor	2.00000000000	Tree is cut; stump needs removal	Tree Is Damaged	Stump/Trunk	Remove Stump	No	No	7148642b-82af-4f80-a4ad-74d5e933ea8a	Sycamore	No	Platanus occidentalis	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/16/2020	sbourgoin_sfc	9/16/2020	20.00000000000	14.00000000000	25.00000000000	15.00000000000	28.36619344110	-80.74705959530	Very Poor	2.00000000000	Completely dead needs removal	Tree is Damaged	Tree is Dead	Removal	No	No	1c15f2d9-a065-4aab-8ccf-5cd17f805c7a	Pine (Longleaf)	No	Pinus palustris	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	20.00000000000	10.00000000000	5.00000000000	0.00000000000	28.38738969540	-80.76376179260	Very Poor	2.00000000000	Stump	Tree Is Undamaged	<Null>	Remove Stump	No	No	{57F1FA2A-BD75-400B-8276-6ED829F7A80C}	Bottlebrush (Weeping)	No	Melaleuca viminalis	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	16.00000000000	0.00000000000	0.00000000000	28.39889285130	-80.76775526670	Very Poor	2.00000000000	Stump That Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{20ACB205-116A-418E-A68F-74403C577CD5}	N/A (Stump)	No	N/A (Stump)	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	35.00000000000	18.00000000000	10.00000000000	5.00000000000	28.35695927990	-80.73346942710	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{F6DC1A1A-AB89-41C0-8372-8E2460A0F823}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	55.00000000000	28.00000000000	50.00000000000	60.00000000000	28.36019909440	-80.73430334220	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{C9E5553C-5EC9-4DA4-9A4E-6D214065BBD5}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	25.00000000000	16.00000000000	40.00000000000	20.00000000000	28.35963514510	-80.73353318230	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree is dead, see picture.	Removal	Yes	No	{6EE83020-5AB6-449A-ADA6-8EA7F2292927}	Pine (Australian)	No	Casuarina equisetifolia	1.00000000000
Cemetary	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	30.00000000000	18.00000000000	0.00000000000	0.00000000000	28.36875127660	-80.75586536950	Very Poor	2.00000000000	Old stump. Rotting	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{35627E43-0723-448B-BD9B-8911F4A8D205}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	16.00000000000	10.00000000000	5.00000000000	28.36835598580	-80.75473439860	Very Poor	2.00000000000	Stump	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{15DA5336-B17B-479C-929E-A36072E8D6D0}	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	10.00000000000	4.00000000000	15.00000000000	5.00000000000	28.38348674870	-80.77803819550	Very Poor	2.00000000000		Tree is Damaged	Tree is Dead	Removal	No	No	{1BAEAF65-A73A-4AAD-B2B5-156CBE656BE0}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	12.00000000000	0.00000000000	0.00000000000	28.39103175120	-80.78077820530	Very Poor	2.00000000000	Two stumps in Woodland.	Tree is Damaged	Stump/Trunk	Remove Stump	No	Yes	{E37E5873-D334-4D04-8F44-04B030B00B88}	N/A (Stump)	No	N/A (Stump)	2.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	12.00000000000	15.00000000000	0.00000000000	28.39120392220	-80.78055795280	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{88B0584D-929C-4C3A-B4CE-733862991F2F}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	10.00000000000	20.00000000000	0.00000000000	28.39127525250	-80.78042099290	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{63356FB1-094E-4FD5-9573-2F45BA64F029}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	12.00000000000	25.00000000000	10.00000000000	28.39152758910	-80.77998370830	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{B19D23DB-8B93-431A-ACD0-7BE247CC2E33}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.39102319340	-80.77973278460	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{EC4E220A-D753-48A0-B655-12FD268FB25D}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	8.00000000000	30.00000000000	25.00000000000	28.39072632140	-80.78034228610	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{66C46A3C-08E9-491C-B001-175D6B738570}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.39078610070	-80.78101954130	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{CBF7C1CA-BA64-4423-B044-09F778651EDE}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	5.00000000000	4.00000000000	15.00000000000	5.00000000000	28.39078144680	-80.78100083840	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{8C262DC2-611C-4171-875C-EE4247717BF5}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35702616760	-80.73350831880	Very Poor	1.00000000000	Stump that has resprouted	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{B77C4B93-AF85-4AD0-9BD7-C050A6AD16C9}	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
City Park	acarroll_sfc	9/15/2020	acarroll_sfc	9/15/2020	20.00000000000	10.00000000000	25.00000000000	10.00000000000	28.35420867420	-80.74326518970	Poor	6.00000000000	See pic	Tree is Undamaged	<Null>	Removal	No	No	cdb648ac-bce2-4124-b380-995ad4b2eee9	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
City Park	sbourgoin_sfc	9/18/2020	sbourgoin_sfc	9/18/2020	5.00000000000	8.00000000000	15.00000000000	10.00000000000	28.37679872970	-80.76179704140	Poor	6.00000000000	tree not completely dead, but 50 percent of branches without leaves; seems to have a web work infestation see pics	Tree is Damaged	Large chunk of middle bark missing	Removal	No	No	e8617e60-7f0e-4fef-8965-1e60586e0c86	Oak (Live)	No	Quercus virginiana	1.00000000000
City Building	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	20.00000000000	10.00000000000	25.00000000000	10.00000000000	28.36120423840	-80.73457651270	Poor	5.00000000000	Majority of tree is dead. Recommend removal	Tree is Damaged	Tree is Dead	Removal	No	No	b7742f99-fba6-40f2-996f-ae824c895a11	Holly (East Palatka)	No	Ilex x attenuata	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	15.00000000000	6.00000000000	20.00000000000	10.00000000000	28.37505849060	-80.76122660220	Poor	5.00000000000	Severe leaf loss	Tree is Damaged	Severe leaf loss, obvious damage to tree	Removal	No	No	1b4a0557-5f26-41f9-9019-11038d4fee85	Holly (American)	No	Ilex opaca	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	14.00000000000	20.00000000000	15.00000000000	28.38814578530	-80.75573913730	Poor	5.00000000000	High percentage of deadwood in canopy, multiple limb breaks	Tree is Damaged	Recent limb breaks, copious deadwood	Pruning	No	No	bb7b3673-838d-4293-95a6-0bfced1b9db4	Box Elder	No	Acer negundo	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	20.00000000000	16.00000000000	35.00000000000	20.00000000000	28.38825967710	-80.78775262730	Poor	5.00000000000	Severe damage to trunk, wood rot	Tree is Damaged	Wood rot in trunk	Removal	No	No	{0E823A48-2112-4497-9276-C59EF128FB03}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	16.00000000000	20.00000000000	15.00000000000	28.35703777640	-80.73279946090	Poor	5.00000000000	Try cleaning deadwood first before removing. Co dom w included bark	Tree is Damaged	Tree Is Dead	Removal	No	No	{AE4C2C59-5208-4610-B8B3-58DC8CCBB65E}	Hickory (Pignut)	No	Carya glabra	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	8.00000000000	6.00000000000	20.00000000000	10.00000000000	28.39916023430	-80.77080259110	Poor	4.00000000000	Remove	Tree is Damaged	Cambium layer weed whacked repeatedly	Removal	No	No	{E356A27F-155E-41C7-AE39-BE2D3B1F3306}	Holly (Dahoon)	No	Ilex cassine	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35120694720	-80.72616601960	Poor	3.00000000000	Canopy broken and mostly leafless	Tree Is Damaged	Canopy topped	No Maintenance Required	No	No	cd35ada1-bbfe-4763-97e7-f10ed59cf265	Tabebuia	No	Tabebuia spp.	1.00000000000
2-4 Ft ROW	cgwaltney_sfc	9/11/2020	cgwaltney_sfc	9/11/2020	5.00000000000	8.00000000000	10.00000000000	10.00000000000	28.35114616070	-80.72621493110	Poor	3.00000000000	Canopy broken and mostly leafless	Tree Is Damaged	Crown broke	No Maintenance Required	No	No	bf3469ee-9835-42d5-b45e-81997412c6ae	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	20.00000000000	14.00000000000	20.00000000000	10.00000000000	28.37552867380	-80.76525779480	Poor	2.00000000000	See pic	Tree is Damaged	Needs pruning of multiple dead limbs for a chance	Pruning	Yes	No	7c237f9f-a267-4710-92e8-f4454a1b5c7f	Indian Rosewood	No	Dalbergia sissoo	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	30.00000000000	12.00000000000	35.00000000000	15.00000000000	28.36061274170	-80.73415800010	Poor	2.00000000000	Unnatural form. Fine for SLO.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{AB73F2B7-444C-4EB9-9B64-0ED15E67861B}	Oak (Sand Live)	No	Quercus geminata	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	40.00000000000	18.00000000000	25.00000000000	40.00000000000	28.36486055300	-80.73437332990	Fair	7.00000000000		Tree Is Damaged	Missing mult limbs due to rot and pruning. Central leader still intact but rotting likely to fall	Removal	No	No	035599b7-6ba4-4a35-bf49-3b2cb056e780	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	60.00000000000	32.00000000000	45.00000000000	25.00000000000	28.38155051730	-80.73657843430	Fair	7.00000000000	Lg oak directly next to road. Evidence of prev pruning. Lg dead limbs overhanging road, needs additional consult	Tree is Damaged	Multiple large dead limbs	Pruning	No	No	788c2f34-9024-4f34-aeb1-4b0ff7cb1825	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	40.00000000000	24.00000000000	45.00000000000	25.00000000000	28.37482115740	-80.76184862270	Fair	7.00000000000	Remove. Co Dom and over pruned. Trunk rot. See pictures	Tree is Damaged	Trunk Rot	Removal	No	No	042c8a89-8f42-45a7-932d-209dbeb2a45b	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	18.00000000000	50.00000000000	35.00000000000	28.37785729230	-80.74507031560	Fair	7.00000000000	Water oak, dead branch over road way	Tree is Damaged	Crown broke	Pruning	No	No	{BC25B713-2163-4046-9747-9A4FC6AC84A3}	Oak (Water)	No	Quercus nigra	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	30.00000000000	26.00000000000	40.00000000000	35.00000000000	28.39283805840	-80.76054104570	Fair	7.00000000000	Tree has sparse canopy with many bare branches, see pictures.	Tree is Damaged	Bare branches/canopy	Pruning	No	No	{03C14FE5-C859-4706-923E-676D89DB62A9}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	6.00000000000	10.00000000000	5.00000000000	28.35700282350	-80.73356992610	Fair	7.00000000000	See pic	Tree is Damaged	Tree Is Dead	Removal	No	No	{58F800C4-0AC0-464A-80AB-BBA329198225}	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	5.00000000000	6.00000000000	10.00000000000	5.00000000000	28.35528643810	-80.72750413570	Fair	6.00000000000	See pic	Tree is Damaged	Dying, needs H2O	Removal	No	No	060c3393-62c2-403b-bd0f-860973469609	Elm (Drake)	No	Ulmus parvifolia	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/11/2020	sbourgoin_sfc	9/11/2020	15.00000000000	12.00000000000	15.00000000000	20.00000000000	28.35402286250	-80.72669429640	Fair	6.00000000000	See picture	Tree is Damaged	Crown broken	No Maintenance Required	No	No	3b083e80-5b3e-4bd5-bd2b-7af3cfdbe027	Red Cedar	No	Juniperus virginiana	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	10.00000000000	10.00000000000	20.00000000000	20.00000000000	28.36394391950	-80.74302337130	Fair	6.00000000000	Large trunk damage	Tree Is Damaged	Trunk is Cracked and Split for Its Entirety	Removal	No	No	63aa69e1-249e-489e-8fec-7ee7362c9bda	Sycamore	No	Platanus occidentalis	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/16/2020	sbourgoin_sfc	9/16/2020	20.00000000000	10.00000000000	30.00000000000	25.00000000000	28.37128400850	-80.74462001170	Fair	6.00000000000	Tree is nearly dead, probably 40 percent of branches with leaves; needs at least pruning, possibly removal	Tree is Damaged	High Proportion of Branches Dead	Pruning	No	No	f91261d9-9f85-42e9-9f78-aa7a782adf5e	Green Ash	No	Fraxinus pennsylvanica	1.00000000000
4+ Ft ROW	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	40.00000000000	24.00000000000	40.00000000000	45.00000000000	28.39816863550	-80.74960865740	Fair	6.00000000000	Overhang	Tree is Damaged	Hit by vehicle	No Maintenance Required	No	No	4a56135e-24de-4fba-b0f3-08359e5707ef	Oak (Live)	No	Quercus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	20.00000000000	16.00000000000	35.00000000000	40.00000000000	28.37463553980	-80.76391794760	Fair	6.00000000000	This tree has a co-dominance stem with included bark also overhangs the road also has soil heaving. Also has bark beetles. Minor bark beetles. See pictures	Tree is Damaged	Minor bark beetles	No Maintenance Required	No	No	b5b0fef6-9771-4532-b50e-4d81cd696a64	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	10.00000000000	6.00000000000	20.00000000000	10.00000000000	28.38810714400	-80.75727310950	Fair	6.00000000000	Heavy signs of bark beetle infestation	Tree is Damaged	Pest Infestation	No Maintenance Required	No	No	d601b313-3efe-42d1-82f5-832a90f6c213	Green Ash	No	Fraxinus pennsylvanica	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	20.00000000000	16.00000000000	15.00000000000	20.00000000000	28.39544013590	-80.75904185900	Fair	6.00000000000	Tree appears to be dying with bare branches. See picture.	Tree is Damaged	Branches are Dying Off	Pruning	No	No	{50398963-9B6C-42E0-9FE6-AF91BDD37434}	Bottlebrush (Weeping)	No	Melaleuca viminalis	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	8.00000000000	15.00000000000	15.00000000000	28.39721316040	-80.77160247610	Fair	6.00000000000	Trim back hard	Tree Is Undamaged	<Null>	Pruning	Yes	No	{06490509-BE0F-44E0-AF4B-31F9569E62B2}	Camphor Tree	No	Cinnamomum camphora	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	8.00000000000	20.00000000000	15.00000000000	28.35712084050	-80.73344344240	Fair	6.00000000000	The canopy has been broken off. Bark beetles present in the canopy. Deadwood throughout. See picture	Tree is Damaged	Canopy has been broken off	Pruning	No	No	{BACA6C9D-F7F4-44F3-A16B-E6E6525412DA}	Sugarberry	No	Celtis laevigata	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	40.00000000000	20.00000000000	50.00000000000	20.00000000000	28.36061601040	-80.73421910450	Fair	6.00000000000	Deadwood at the top of the canopy. Sparse canopy. Bark peeling. Decay in lowest point of trunk.	Tree is Damaged	Deadwood and Peeling Bark	Pruning	No	No	{8EAFBCE8-3712-4061-B595-38C4579F5B35}	Oak (Sand Live)	No	Quercus geminata	1.00000000000
Median	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	35.00000000000	18.00000000000	40.00000000000	20.00000000000	28.34926456580	-80.74507902570	Fair	5.00000000000	See pics. Damaged	Tree Is Damaged	Mechanical Damage and Potential Rot at Base	Pruning	No	No	6d9dc418-0830-4fa2-9284-ac99e520e57f	Maple (Red)	No	Acer rubrum	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	20.00000000000	16.00000000000	25.00000000000	25.00000000000	28.36483498630	-80.73419860670	Fair	5.00000000000		Tree Is Damaged	Mechanical damage at base see pics	No Maintenance Required	Yes	No	4ab213a9-17a8-45e9-b82b-090433acb0a2	Chinaberry	No	Melia azedarach	1.00000000000
4+ Ft ROW	shendley_sfc	9/17/2020	shendley_sfc	9/17/2020	15.00000000000	10.00000000000	30.00000000000	20.00000000000	28.38431299220	-80.73913266000	Fair	5.00000000000	Overhang	Tree is Damaged	Lightning	No Maintenance Required	No	No	5bae7c63-65bc-4b4c-aba4-c7d31271810f	Sugarberry	No	Celtis laevigata	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	10.00000000000	20.00000000000	15.00000000000	28.38812960800	-80.75560444030	Fair	5.00000000000	High percentage of deadwood in canopy, multiple limb breaks	Tree is Damaged	Recent limb breaks, copious deadwood	Pruning	No	No	2ee43f2d-8efc-48d3-b90b-e8b67ccfb9bb	Box Elder	No	Acer negundo	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	30.00000000000	18.00000000000	25.00000000000	25.00000000000	28.39032768990	-80.78335793950	Fair	5.00000000000	Minor soil heaving on curb and sidewalk. The crown was broken in this tree. And the sides are now growing out to make it fall in the canopy. Minor bark beetles present. See pictures. Multiple stems extending from a central location.	Tree Is Undamaged	<Null>	Pruning	No	No	{898CAFB2-3ECE-424E-ABBE-EA0929457A2D}	Maple (Red)	No	Acer rubrum	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	30.00000000000	20.00000000000	35.00000000000	20.00000000000	28.35699553170	-80.73361485270	Fair	5.00000000000	Lots of vines on canopy. Deadwood within canopy. Lots of decaying scaffolding. Toward the back of the cemetery and not much risk of injury. There is a fence target nearby. And graves.	Tree is Damaged	Branches contain decay	Pruning	No	No	{110D2DD3-E453-460D-8C91-DC008B59B80E}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35702268850	-80.73344126310	Fair	5.00000000000	Lots of deadwood. Vines growing. See picture. Florida privet	Tree is Undamaged	<Null>	Pruning	No	No	{3DF41125-9937-4B2F-B841-F77FE19B0300}	Privet (Florida)	No	Forestiera segregata	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	10.00000000000	4.00000000000	10.00000000000	5.00000000000	28.35761562420	-80.73307111860	Fair	5.00000000000	Species is red bay	Tree is Damaged	Chlorotic leaves, dead branches	No Maintenance Required	No	No	{973AD2BD-CF5F-4C63-8953-1831FFB6A0DA}	Bay	No	Persea palustris	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	15.00000000000	12.00000000000	15.00000000000	10.00000000000	28.35950482670	-80.73428338070	Fair	5.00000000000		Tree is Damaged	Half of tree is dead, see picture.	No Maintenance Required	No	No	{A5A80953-7423-4830-B4B9-CB49F9CE4AC8}	Arborvitae	No	Thuja occidentalis	1.00000000000
2-4 Ft ROW	aharvey_sfc	9/11/2020	aharvey_sfc	9/11/2020	3.00000000000	4.00000000000	5.00000000000	5.00000000000	28.35366966090	-80.72927017420	Fair	4.00000000000	See photo	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	2328ded0-bb32-4338-ac3d-cd2e428802ae	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
Median	sbourgoin_sfc	9/13/2020	sbourgoin_sfc	9/13/2020	15.00000000000	8.00000000000	15.00000000000	5.00000000000	28.34927533190	-80.74307763490	Fair	4.00000000000	2 palms. Unhealthy. See pics	Tree Is Undamaged	<Null>	No Maintenance Required	No	Yes	976b9498-f2da-4078-98a6-c1ac74f54e39	Palm (Cabbage)	No	Sabal palmetto	2.00000000000
4+ Ft ROW	shendley_sfc	9/14/2020	shendley_sfc	9/14/2020	22.00000000000	16.00000000000	25.00000000000	30.00000000000	28.35478254130	-80.72673213700	Fair	4.00000000000	Parking lot very little foliage	Tree Is Undamaged	<Null>	No Maintenance Required	No	No	3140e591-9ff6-4f6e-8467-8c1008accedd	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	5.00000000000	6.00000000000	10.00000000000	10.00000000000	28.36371706370	-80.74298053960	Fair	4.00000000000	Small hole in trunk	Tree Is Damaged	Small Hole in Trunk, May Close Up	No Maintenance Required	No	No	e37d9b02-14f7-4b57-b8a2-e98aa0f61b75	Sycamore	No	Platanus occidentalis	1.00000000000
City Building	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	25.00000000000	16.00000000000	35.00000000000	30.00000000000	28.36080468400	-80.73807965300	Fair	4.00000000000		Tree is Damaged	Either mech or lightning damage to trunk; many branches seem dead, remaining leaves are suffering	Removal	No	No	ea477734-34a4-47f6-b6f3-594844e3dbb6	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	20.00000000000	14.00000000000	10.00000000000	10.00000000000	28.37271717360	-80.74467862950	Fair	4.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	34c90256-657b-4d10-b2d4-179390fc1c84	Cherry Laurel	No	Prunus laurocerasus	1.00000000000
City Park	shendley_sfc	9/18/2020	shendley_sfc	9/18/2020	12.00000000000	10.00000000000	20.00000000000	15.00000000000	28.38168577190	-80.76364231310	Fair	4.00000000000	Some bark loss and multiple dead branches	Tree is Damaged	Bark and branch loss	No Maintenance Required	No	No	3e2839ae-30c5-4e17-a96d-193921f8edd8	Maple (Red)	No	Acer rubrum	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	20.00000000000	20.00000000000	25.00000000000	15.00000000000	28.37414888640	-80.76223058630	Fair	4.00000000000	Some large limbs previously pruned	Tree is Undamaged	<Null>	No Maintenance Required	No	No	41806838-1739-42ca-9f71-98e778c556cd	Bottlebrush (Weeping)	No	Melaleuca viminalis	1.00000000000
2-4 Ft ROW	shendley_sfc	9/19/2020	shendley_sfc	9/19/2020	15.00000000000	14.00000000000	20.00000000000	25.00000000000	28.37414067260	-80.76261808180	Fair	4.00000000000	Co-dominant tree, weak attachement of trunks at base; needs removal of a trunk	Tree is Damaged	Tree has Unnatural growth and weak base attachment	Pruning	No	No	936de601-7b68-49d8-bc42-d5e8fffb5f7c	Maple (Red)	No	Acer rubrum	1.00000000000
													Tree has 3 inch deep cut in trunk of the tree, see pictures. Tree has another 3 inch hole, see										

City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	12.00000000000	30.00000000000	15.00000000000	28.39141250590	-80.77997121990	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{EC844D89-3722-4D7E-B0FA-7B5D9A3C9D5C}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	12.00000000000	40.00000000000	15.00000000000	28.39136925540	-80.77995294730	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{77E46757-7074-4DDF-A48E-A794EDF3FC9B}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	14.00000000000	35.00000000000	15.00000000000	28.39136858450	-80.77990399720	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{2CDB309D-A750-4C90-8BAB-65226F36FA63}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	16.00000000000	20.00000000000	15.00000000000	28.39137181200	-80.77986074600	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{A8F08356-C61D-4CB4-BE3A-E57EC82EB98E}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	12.00000000000	35.00000000000	15.00000000000	28.39139331110	-80.77988203610	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{83B6EB08-76DB-4EB2-9D03-42C84A20A503}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	8.00000000000	35.00000000000	20.00000000000	28.39143371190	-80.77985144220	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{4B70CA2C-F457-4524-B18E-D0CED29CD5FA}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	12.00000000000	40.00000000000	20.00000000000	28.39145871830	-80.77988846180	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{40CE06EA-56BE-40B6-BC84-E8DEF727420F}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	12.00000000000	25.00000000000	15.00000000000	28.39146736540	-80.77989771080	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{0F70AD4C-F5B1-4F63-89D7-8F679011CA51}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	5.00000000000	4.00000000000	30.00000000000	15.00000000000	28.39150692840	-80.77987425490	Excellent	1.00000000000	Two trees in Woodland.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{145BE468-14F6-4C72-8F96-529B27F934C3}	Maple (Red)	No	Acer rubrum	2.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	14.00000000000	20.00000000000	10.00000000000	28.39153429530	-80.77984414970	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{FB56B1EC-9D40-4A75-9414-786551F40A17}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	14.00000000000	25.00000000000	15.00000000000	28.39157012750	-80.77988211960	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{381A159F-1855-4492-9537-4AB0978BB1DA}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	12.00000000000	30.00000000000	20.00000000000	28.39155143610	-80.77981565150	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{52CF6DC2-7485-4E5E-8418-550C9129FCC6}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	12.00000000000	25.00000000000	10.00000000000	28.39165218380	-80.77968860910	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{D7A688A7-C783-4781-B335-6C937705F04C}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	16.00000000000	30.00000000000	15.00000000000	28.39151434580	-80.77979092540	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{D087C617-0750-46E5-9724-016B3FCCD1C0}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	10.00000000000	30.00000000000	15.00000000000	28.39149091840	-80.77978379990	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{3B2C18D7-A0D4-4C34-9359-8516D419ED3D}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	30.00000000000	18.00000000000	60.00000000000	40.00000000000	28.39146824570	-80.77975823570	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{3743BBD4-4A23-47CC-BDFA-DA37C428C37F}	Maple (Red)	No	Acer rubrum	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	10.00000000000	25.00000000000	15.00000000000	28.39149749820	-80.77975194930	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{507FCDA0-219B-45CD-A93C-C2B65443DBA9}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	16.00000000000	35.00000000000	15.00000000000	28.39151572880	-80.77980333020	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{D6A4F011-AA24-474D-922B-F3FA085249C7}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	8.00000000000	10.00000000000	15.00000000000	28.39147220260	-80.77981890610	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{3091FDF8-55BE-4A8D-A316-67FBD601BDDB}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	12.00000000000	40.00000000000	15.00000000000	28.39138107390	-80.77988916060	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{1C976F83-D3FC-41BA-8E68-1F3E56A81387}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	8.00000000000	10.00000000000	15.00000000000	28.39141778650	-80.77985479470	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{1BA79AFE-ACB0-46D0-87FE-E660E54148BB}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	14.00000000000	40.00000000000	35.00000000000	28.39140207040	-80.77987030140	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{5B685284-9CD3-4405-B8B2-4E56CE152E5F}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	25.00000000000	20.00000000000	35.00000000000	45.00000000000	28.39135617970	-80.77983476230	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{793B1BB4-DDE9-4DFF-915F-338B732A27A4}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	10.00000000000	30.00000000000	15.00000000000	28.39139669270	-80.77984426280	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{88B6C739-A71C-4379-A470-4C61DB437FB2}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	14.00000000000	30.00000000000	15.00000000000	28.39138899150	-80.77981818300	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{F0910434-FD2F-4332-B8B4-B87000388671}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	8.00000000000	35.00000000000	15.00000000000	28.39142694720	-80.77982992480	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{A5A93140-DFCA-460E-8B40-9E50BE213552}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	18.00000000000	55.00000000000	40.00000000000	28.39142623050	-80.77979890150	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{60EB29B2-D213-4AA3-8767-8E1590FB36EC}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	10.00000000000	35.00000000000	15.00000000000	28.39143790350	-80.77979679230	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{1EE80A24-3CAB-46E7-98BB-3985E42E5EC0}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	16.00000000000	40.00000000000	15.00000000000	28.39143798720	-80.77974884740	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{B462360A-64A8-4BE0-9671-6D9451186F46}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	14.00000000000	35.00000000000	20.00000000000	28.39143035960	-80.77979042230	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{FA5CA175-9B8D-4987-BC09-D74D913867D6}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	16.00000000000	30.00000000000	15.00000000000	28.39141179310	-80.77974884740	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{D1AEC333-CDC5-4F7D-83A9-D12285127223}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	14.00000000000	35.00000000000	15.00000000000	28.39136502280	-80.77978312980	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{DD425029-3EF7-4623-BE36-6F8041D09180}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	16.00000000000	30.00000000000	15.00000000000	28.39139255720	-80.77979075740	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{6A8C645D-73DD-4459-BDE4-63E8E891F4F0}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	10.00000000000	35.00000000000	15.00000000000	28.39139557450	-80.77978396790	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{929F1247-9811-4547-8471-0F25027484B1}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	8.00000000000	35.00000000000	15.00000000000	28.39138195420	-80.77978941620	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{BF72C210-DC4C-42F0-8557-168B5C2DA53C}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	14.00000000000	25.00000000000	15.00000000000	28.39138775320	-80.77977923110	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{E9D2517C-EF30-4EB6-90FB-67F09731DED0}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	16.00000000000	50.00000000000	30.00000000000	28.39135793960	-80.77980173750	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{FF675FA4-FB2F-470D-924E-FAC47F8138EA}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	16.00000000000	50.00000000000	35.00000000000	28.39131351560	-80.77971096180	Excellent	1.00000000000	Three trees in Woodland.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{F660A26C-9FF4-48C2-85C0-533A1B48CA44}	Pine (Slash)	No	Pinus elliottii	3.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	12.00000000000	35.00000000000	35.00000000000	28.39128002960	-80.77973300560	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{3C0BD42A-FA0B-4985-8410-E0B84425E60B}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	8.00000000000	25.00000000000	30.00000000000	28.39129608150	-80.77968330090	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{4AE5B63C-F33E-42AE-B106-E482F06B35BC}	Arborvitae	No	Thuja occidentalis	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	25.00000000000	20.00000000000	50.00000000000	40.00000000000	28.39129566190	-80.77965161730	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{8871867D-327D-46CC-9ED0-9138A3229802}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	16.00000000000	45.00000000000	35.00000000000	28.39123460030	-80.77968036790	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{11409A20-C347-45C7-A387-7521291AECF6}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	14.00000000000	45.00000000000	35.00000000000	28.39122311700	-80.77971833790	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{5748E96E-9C92-4A4D-BC46-24C0AB669EBE}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	12.00000000000	50.00000000000	25.00000000000	28.39121959630	-80.77976527670	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{20C237E7-AF85-4D77-8961-9D4CBCCD0CD7}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	14.00000000000	45.00000000000	30.00000000000	28.39114520690	-80.77981305360	Excellent	1.00000000000	For trees in Woodland.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{9C4C479A-9CA3-46BE-AC46-BE3F6FB99D1A}	Pine (Slash)	No	Pinus elliottii	4.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	5.00000000000	4.00000000000	15.00000000000	5.00000000000	28.39117021800	-80.77976261770	Excellent	1.00000000000	Three trees in Woodland.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{38EF50DF-A277-46C6-BFC5-A5EBEA3C1DCF}	Strangler Fig	No	Ficus spp.	3.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	12.00000000000	50.00000000000	25.00000000000	28.39117181990	-80.77984649700	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{7434BF90-AC02-40AE-B228-3C4974762808}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	16.00000000000	25.00000000000	15.00000000000	28.39114353070	-80.77974960200	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{384BBDF7-F8B6-4D1D-B6FF-16708B4BF5F4}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	6.00000000000	25.00000000000	15.00000000000	28.39110711120	-80.77977659190	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{5DD0BF55-9913-4DF2-B3BB-C9DD4DEAE6EF}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	16.00000000000	50.00000000000	25.00000000000	28.39110300420	-80.77977801660	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{830A19FA-19E7-4E7D-BBE7-0077E77A6E02}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	16.00000000000	45.00000000000	35.00000000000	28.39106725560	-80.77978547710	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{92C1B015-8965-4459-BDB3-0572FC131334}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	8.00000000000	45.00000000000	25.00000000000	28.39107563720	-80.77976904780	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{B0320F56-6571-4E01-823F-6BAB79EA9DC5}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	6.00000000000	35.00000000000	20.00000000000	28.39103071040	-80.77979385840	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{0E1E925B-E9B9-423C-8E16-5DCCADBF82FD}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	18.00000000000	45.00000000000	30.00000000000	28.39100339320	-80.77976531800	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{3C14D10F-6FCA-4738-A50F-311FAF2CE915}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	12.00000000000	45.00000000000	30.00000000000	28.39101113550	-80.77982055360	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{662F470B-F07D-4C3A-BE3A-B62C5E6A451A}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	14.00000000000	35.00000000000	15.00000000000	28.39131946790	-80.78001091920	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{0091B691-D04B-4000-864C-18B9E8DEE49A}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	14.00000000000	30.00000000000	15.00000000000	28.39117395360	-80.77991568790	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{949DABCA-9BF5-479B-A492-3884A416119D}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	8.00000000000	15.00000000000	0.00000000000	28.39111674460	-80.77984491500	Excellent	1.00000000000		Tree is Damaged	Top of tree broken.	Removal	No	No	{FF5196DF-7814-4756-8E9F-B00D934BF375}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	16.00000000000	45.00000000000	40.00000000000	28.39104251630	-80.77976144720	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{E20F447B-EA23-48B0-87F0-081396276A80}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	4.00000000000	10.00000000000	15.00000000000	28.39096651770	-80.77974207500	Excellent	1.00000000000	□	Tree is Undamaged	<Null>	No Maintenance Required	Yes	No	{D8F2AEB6-646E-4422-A272-FBB043524E4B}	Brazilian Pepper	No	Schinus terebinthifolia	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	16.00000000000	40.00000000000	45.00000000000	28.39100379700	-80.77970970240	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{FDEF2A65-8E45-45AC-9784-675713C1DD6D}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	6.00000000000	40.00000000000	20.00000000000	28.39105042050	-80.77973626650	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{231B99EB-C8C7-4A74-AEC5-571B51AFF3FC}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	10.00000000000	40.00000000000	30.00000000000	28.39109351460	-80.77972464950	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{3971DB97-BC61-4F66-84A9-10D6639F7F46}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	4.00000000000	30.00000000000	15.00000000000	28.39113141830	-80.77971587470	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{3643B6C3-23D3-44B5-A74A-FED26EBD72EA}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	30.00000000000	26.00000000000	55.00000000000	45.00000000000	28.39107272350	-80.78031599160	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{D3EB190D-6F0D-4AE0-BCDA-9E93955F7A01}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	6.00000000000	25.00000000000	20.00000000000	28.39116182780	-80.78037058310	Excellent	1.00000000000	Species is Chinese Elm.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{815DCD39-12E5-4DCA-BEFC-AD0DB47C2A3D}	Chinese Elm	No	Ulmus parvifolia	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	18.00000000000	45.00000000000	40.00000000000	28.39121612470	-80.78022640350	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{A77444F7-93EE-40C0-A22F-32D27D2F2954}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	30.00000000000	22.00000000000	45.00000000000	50.00000000000	28.39122958610	-80.78014217110	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{17BFE6DD-8C3E-4DCA-85B3-E00172D25D8D}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	30.00000000000	26.00000000000	45.00000000000	50.00000000000	28.39117727040	-80.78007103360	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{8C414DBC-BBF0-4220-8A40-1A5AE441A4C3}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	30.00000000000	26.00000000000	50.00000000000	60.00000000000	28.39099650760	-80.78003799350	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{13EAB938-0E8B-479F-AD63-0ABD9E5CC20B}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	25.00000000000	18.00000000000	35.00000000000	45.00000000000	28.39079869920	-80.78000927350	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{4D2D96F3-EC98-4A18-A011-1FDB7EE86371}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	4.00000000000	40.00000000000	30.00000000000	28.39077007480	-80.78016190800	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{307BB12B-D4DF-4B05-B621-4CC6D9C2B03F}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	16.00000000000	30.00000000000	30.00000000000	28.39078004960	-80.78018856280	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{88A530D9-E964-45C4-BF16-908182370280}	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	14.00000000000	40.00000000000	30.00000000000	28.39067510790	-80.78028948050	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{7A406E3F-42A7-49EC-9421-EAEBC2F46323}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	16.00000000000	40.00000000000	45.00000000000	28.39063608980	-80.78033248010	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{F8969CDB-170F-4A19-A665-7891F497522E}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	12.00000000000	30.00000000000	35.00000000000	28.39075037730	-80.78035779290	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{2F7593BE-B926-4581-B7E7-BD052ED3917C}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	14.00000000000	35.00000000000	35.00000000000	28.39080781970	-80.78038345500	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{5DA109E6-6960-41FC-B067-72E2CEFF17E5}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	8.00000000000	30.00000000000	25.00000000000	28.39083537010	-80.78041403550	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{E86DA72E-DE06-47B3-8F2E-2694F0CA24E2}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	16.00000000000	40.00000000000	40.00000000000	28.38987088370	-80.78143330980	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{69D57E66-40E2-4923-A351-0DACB83B528F}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	5.00000000000	4.00000000000	10.00000000000	5.00000000000	28.38988950030	-80.78145376090	Excellent	1.00000000000	Four trees in Woodland	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{EBE32923-293B-4E23-8690-474D1DE32F8F}	Saw Palmetto	No	Serenoa repens	4.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	16.00000000000	45.00000000000	35.00000000000	28.38989747730	-80.78142492140	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{4D0429D7-E637-4D47-8EAF-7991590C73E6}	Pine (Slash)	No	Pinus elliottii	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	8.00000000000	40.00000000000	30.00000000000	28.38990562670	-80.78150031520	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{09D91A75-3594-4AB8-81C3-BD4FBE6F0AF3}	Maple (Red)	No	Acer rubrum	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	6.00000000000	30.00000000000	25.00000000000	28.38992215370	-80.78152916370	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{1DB675C3-A1AE-4DB6-95B0-AA457E30F745}	Maple (Red)	No	Acer rubrum	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	4.00000000000	25.00000000000	15.00000000000	28.38993834410	-80.78155612930	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{F2099CC4-A0E9-4FED-B410-7FE118E643B3}	Maple (Red)	No	Acer rubrum	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	8.00000000000	35.00000000000	25.00000000000	28.38996768080	-80.78158239060	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{B1533C4E-04ED-4EE4-BEB5-C4F531B44C97}	Maple (Red)	No	Acer rubrum	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	12.00000000000	25.00000000000	30.00000000000	28.39000531140	-80.78160073690	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{4B9D1A35-151F-4DCF-9DB7-E316511AD02F}	Maple (Red)	No	Acer rubrum	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	8.00000000000	25.00000000000	35.00000000000	28.39002340550	-80.78161911110	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{29C638A7-0293-4D14-A28A-4F320C0EC682}	Maple (Red)	No	Acer rubrum	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	8.00000000000	40.00000000000	35.00000000000	28.39004012150	-80.78162892430	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{87AC038D-55F9-4BD8-A537-5F2A15F9C6F1}	Maple (Red)	No	Acer rubrum	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	6.00000000000	30.00000000000	20.00000000000	28.39006364320	-80.78163870060	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{8166C954-4F70-4710-A389-2E2F8B803AFF}	Maple (Red)	No	Acer rubrum	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	6.00000000000	25.00000000000	30.00000000000	28.39009663090	-80.78164969600	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{1D559B9A-9935-48F3-8252-1521BE596BB5}	Maple (Red)	No	Acer rubrum	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	6.00000000000	25.00000000000	30.00000000000	28.39011473610	-80.78167827770	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{DC11AD27-13A7-4138-9F71-15C70A72804F}	Maple (Red)	No	Acer rubrum	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	16.00000000000	40.00000000000	45.00000000000	28.39024158400	-80.78166086570	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{9E2B1B1F-0F74-4A72-A46C-8FA1ED4F8CA1}	Maple (Red)	No	Acer rubrum	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	4.00000000000	5.00000000000	5.00000000000	28.39028617910	-80.78153190080	Excellent	1.00000000000	Seven trees in Woodland.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{87E5CC8B-5919-4544-8F37-B2D4281B9A04}	Saw Palmetto	No	Serenoa repens	7.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	4.00000000000	10.00000000000	15.00000000000	28.39027321070	-80.78155861130	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	Yes	No	{62E1EF72-FB57-4869-A023-507A9D049E37}	Brazilian Pepper	No	Schinus terebinthifolia	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.39031591870	-80.78145641540	Excellent	1.00000000000	Nine trees in Woodland.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{8C426E15-0D21-4506-B74B-56E01554FFCC}	Saw Palmetto	No	Serenoa repens	9.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	12.00000000000	35.00000000000	30.00000000000	28.39036780500	-80.78160348850	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	Yes	No	{0EE38A53-8B4F-4416-8224-C5C3079FDB0A}	Chinese Tallow	No	Triadica sebifera	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	14.00000000000	35.00000000000	40.00000000000	28.39042792580	-80.78135054530	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{82D335AB-15EC-442B-B501-0EC3808469AC}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	18.00000000000	35.00000000000	50.00000000000	28.39046773970	-80.78128340710	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{09C20084-D3F3-433A-A828-8EA8571D1AF9}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	8.00000000000	25.00000000000	15.00000000000	28.39045831420	-80.78122971380	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{C2A8C194-1B4D-4587-9153-2CDED00B9424}	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.00000000000	4.00000000000	25.00000000000	15.00000000000	28.39052582640	-80.78121962040	Excellent	1.00000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{8A034CE8-1378-4DA7-8D55-3B6CAD554E88}	Oak (Sand Live)	No	Quercus geminata	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	18.00000000000	40.00000000000	45.00000000000	28.39049649930	-80.78118728910	Excellent	1.00000000000		Tree is Undamaged	<Null>	Pruning	No	No	{B77A541C-6EAB-477F-AD18-D0185529D2B1}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	5.00000000000	4.00000000000	5.00000000000	5.00000000000	28.39054257060	-80.78119161270	Excellent	1.00000000000	Six trees in Woodland. Two of the trees are 10 foot in height with 5 foot spread.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{8AEE1DF7-06B1-4092-9248-E6D12C41FEBC}	Saw Palmetto	No	Serenoa repens	6.00000000000
City Building	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	20.00000000000	8.00000000000	25.00000000000	15.00000000000	28.36061474000	-80.73457219720	Very Poor	7.00000000000	Completely dead	Tree is Damaged	Tree is Dead	Removal	No	No	380d956b-567b-48f5-9a70-79ea56e063ca	Holly (East Palatka)	No	Ilex x attenuata	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	20.00000000000	8.00000000000	15.00000000000	0.00000000000	28.39002635800	-80.74369412080	Very Poor	7.00000000000	Dead palm, needs removal	Tree is Damaged	Tree Is Dead	Removal	No	No	9d1bf111-5d79-49ce-8d7e-23a1a8281ce8	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	20.00000000000	6.00000000000	35.00000000000	0.00000000000	28.39044569030	-80.74287065860	Very Poor	7.00000000000	Dead, needs removal	Tree is Damaged	Tree Is Dead	Removal	No	No	63320dae-df76-49d6-94c0-317aa338cb65	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	20.00000000000	16.00000000000	15.00000000000	10.00000000000	28.38811917220	-80.75545490770	Very Poor	7.00000000000	See pics, Tree Is Dead	Tree Is Damaged	Stump/Trunk	Removal	No	No	bde7f7c8-b406-4740-98ea-e4afe5a316a0	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.00000000000	8.00000000000	15.00000000000	5.00000000000	28.38811179650	-80.75583988790	Very Poor	7.00000000000	Trunk Damage, Signs of Decay	Tree is Damaged	Trunk has decay, only 20% of canopy alive	Removal	No	No	1ec8cd33-6e1b-49b4-8b5c-08e338f08f04	Box Elder	No	Acer negundo	1.00000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	4.00000000000	20.00000000000	15.00000000000	28.38111007130	-80.75043034640	Very Poor	7.00000000000	Dead, Neds Removal	Tree is Damaged	Dead, Needs Removal	Removal	No	No	{B33DF877-BE37-4AE2-A174-B6C36DBF6CD5}	Red Cedar	No	Juniperus virginiana	1.00000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	10.00000000000	6.00000000000	5.00000000000	5.00000000000	28.39251547890	-80.78256999220	Very Poor	7.00000000000	Poor condition, consider replacement	Tree Is Damaged	Previously taken to just stump, resprouting	No Maintenance Required	No	No	{0A2DB9BD-0037-4CD7-8F52-2BC20845E1EF}	Golden Raintree	No	Koelreuteria paniculata	1.00000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	5.00000000000	8.00000000000	10.00000000000	10.00000000000	28.35366975970	-80.73520389430	Very Poor	6.00000000000	Dead cabbage palm	Tree is Damaged	Dead, brown fronds and trunk	Removal	No	No	4ef806b9-e874-40b8-b918-a37f76dfb7a9	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	20.00000000000	10.00000000000	30.00000000000	15.00000000000	28.37441256170	-80.73508941830	Very Poor	6.00000000000	Poor Shape, Nearly Dead; Leaning into Roadway	Tree is Damaged	Rot and decay	Removal	No	No	64cce7b8-a526-414e-85b7-90ea8d68558e	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	40.00000000000	22.00000000000	45.00000000000	30.00000000000	28.39349752110	-80.74494572830	Very Poor	6.00000000000	In yard but mostly dead, overhanging road	Tree is Damaged	Tree is Dead	Removal	No	No	3c6fff81-c9e5-4fc0-a24c-a31250ed8b13	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.00000000000	12.00000000000	10.00000000000	15.00000000000	28.39630519010	-80.75949179910	Very Poor	6.00000000000	Tree is Dead, Top Snapped Off, Just Trunk	Tree is Damaged	Stump/Trunk	Remove Trunk	No	No	{92A6AB4D-4442-48D9-9A42-83918A223759}	Palm (Queen)	No	Syagrus romanzoffiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	12.00000000000	20.00000000000	10.00000000000	28.39546529150	-80.77771919830	Very Poor	6.00000000000	Two dead trees in Woodland.	Tree is Damaged	Stump/Trunk	Remove Trunks	No	Yes	{71FB3AC6-090C-432D-82B1-989025C76E55}	Palm (Queen)	No	Syagrus romanzoffiana	2.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	15.00000000000	20.00000000000	30.00000000000	10.00000000000	28.39654017710	-80.77215492750	Very Poor	5.00000000000	Dead Tree, Needs Removal	Tree Is Damaged	Stump/Trunk	Removal	No	No	{90F49D7A-131D-4681-A0D4-30C3A6650F80}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.00000000000	14.00000000000	10.00000000000	0.00000000000	28.35970917560	-80.73356772260	Very Poor	5.00000000000	Dead Tree With Debris on Ground, Needs Removal	Tree is Damaged	Tree is Dead	Removal	Yes	No	{5D5B6D97-BA02-4D4D-BB9A-204665A5946F}	Pine (Australian)	No	Casuarina equisetifolia	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	25.00000000000	12.00000000000	0.00000000000	0.00000000000	28.35465994530	-80.73038683670	Very Poor	4.00000000000	See pic; dead stump, needs removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	37cea1c0-ea25-4473-a27f-ef602c1ea2ef	Red Cedar	No	Juniperus virginiana	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	16.00000000000	10.00000000000	0.00000000000	28.39199010250	-80.75872301100	Very Poor	4.00000000000	Stump That Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{BAAB84BD-2DA2-46C1-A220-4AF39FF0EE37}	N/A (Stump)	No	N/A (Stump)	1.00000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	12.00000000000	40.00000000000	5.00000000000	28.40082534120	-80.76887391530	Very Poor	4.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{B3016B6E-7653-4251-9F36-3F5C670A749D}	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	14.00000000000	35.00000000000	15.00000000000	28.40072983500	-80.76886922250	Very Poor	4.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{3753AAE0-AF6F-44AD-9FDC-63D37B8CE09D}	Palm (Washingtonia)	No	Washingtonia robusta	1.00000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.00000000000	14.00000000000	20.00000000000	10.00000000000	28.39545492520	-80.77698497380	Very Poor	4.00000000000	Dead Trunk, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{A2B29C06-54B6-4511-A0AE-4AE144866251}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	15.00000000000	12.00000000000	15.00000000000	0.00000000000	28.36028379310	-80.74511496280	Very Poor	3.00000000000	Dead palm trunk. Directly under power lines, needs removal	Tree Is Damaged	Stump	Remove Stump	No	No	102a501f-485a-4869-935d-7599fd845db5	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	10.00000000000	8.00000000000	20.00000000000	20.00000000000	28.38850520070	-80.78777619640	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{950C8A8C-E95D-4C3D-9BB1-88CB78773C06}	Pine (Slash)	No	Pinus elliottii	1.00000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	8.00000000000	30.00000000000	20.00000000000	28.38802106560	-80.78773675040	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{E7B29CFB-B138-494D-BC3A-6544126508D3}	Pine (Slash)	No	Pinus elliottii	1.00000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.00000000000	12.00000000000	20.00000000000	15.00000000000	28.38729850230	-80.78772135240	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{A6F520AA-BE5B-4F33-AA30-C028F250066C}	Pine (Slash)	No	Pinus elliottii	1.00000000000
Cemetary	acarroll_sfc	9/29/2020	acarroll_sfc	9/29/2020	15.00000000000	8.00000000000	15.00000000000	10.00000000000	28.35750346390	-80.73363002340	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{5BEBB25C-5D3A-4F51-B4AC-916BA29AFBEB}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Median	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	6.00000000000	15.00000000000	0.00000000000	28.38273778120	-80.77264493330	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree is Dead	Removal	No	No	{7356D8DC-9EEF-4BCD-9C37-AF34A528B318}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	8.00000000000	15.00000000000	0.00000000000	28.36806211650	-80.75455653490	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree Is Dead	Removal	No	No	{B0AA3A91-74ED-4EC5-B6B9-9C55DC00EFD4}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	30.00000000000	28.00000000000	10.00000000000	0.00000000000	28.36940032900	-80.75550067230	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{980EB6CB-8C9C-46A5-BE14-C58E1DC6B7E2}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	15.00000000000	12.00000000000	5.00000000000	5.00000000000	28.40107568520	-80.74431573080	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{29508705-86F4-4831-AB68-2CB1FC0730A6}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
4+ Ft ROW	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	20.00000000000	14.00000000000	15.00000000000	10.00000000000	28.40210622400	-80.74257587820	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{F12D774F-FACC-4548-883C-2B4B33DED582}	Palm (Cabbage)	No	Sabal palmetto	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.00000000000	12.00000000000	5.00000000000	0.00000000000	28.39095154290	-80.78079465800	Very Poor	3.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{A8EBBB7F-C43F-42C4-B97E-D8C7EF0A23AA}	Oak (Live)	No	Quercus virginiana	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	30.00000000000	18.00000000000	35.00000000000	15.00000000000	28.35545871610	-80.73228686420	Very Poor	2.00000000000	Bizmark stump	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	f5b6bc90-b19d-47b1-9d94-803c94c27919	Palm (Bismarck)	No	Bismarckia nobilis	1.00000000000
City Park	sbourgoin_sfc	9/12/2020	sbourgoin_sfc	9/12/2020	20.00000000000	10.00000000000	0.00000000000	0.00000000000	28.35888270100	-80.73130859620	Very Poor	2.00000000000	3 stumps and 1 BP. To be removed	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	b11484c9-65d7-4d53-9461-416912340a10	Hickory (Pignut)	No	Carya glabra	1.00000000000
2-4 Ft ROW	shendley_sfc	9/13/2020	shendley_sfc	9/13/2020	20.00000000000	8.00000000000	5.00000000000	0.00000000000	28.35087389180	-80.73356707580	Very Poor	2.00000000000	Tree is cut; stump needs removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	7148642b-82af-4f80-a4ad-74d5e933ea8a	Sycamore	No	Platanus occidentalis	1.00000000000
4+ Ft ROW	sbourgoin_sfc	9/16/2020	sbourgoin_sfc	9/16/2020	20.00000000000	14.00000000000	25.00000000000	15.00000000000	28.36619344110	-80.74705959530	Very Poor	2.00000000000	Completely dead needs removal	Tree is Damaged	Tree is Dead	Removal	No	No	1c15f2d9-a065-4aab-8ccf-5cd17f805c7a	Pine (Longleaf)	No	Pinus palustris	1.00000000000
4+ Ft ROW	shendley_sfc	9/22/2020	shendley_sfc	9/22/2020	20.00000000000	10.00000000000	5.00000000000	0.00000000000	28.38738969540	-80.76376179260	Very Poor	2.00000000000	Stump	Tree Is Undamaged	<Null>	Remove Stump	No	No	{57F1FA2A-BD75-400B-8276-6ED829F7A80C}	Bottlebrush (Weeping)	No	Melaleuca viminalis	1.00000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	20.00000000000	16.00000000000	0.00000000000	0.00000000000	28.39889285130	-80.76775526670	Very Poor	2.00000000000	Stump That Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{20ACB205-116A-418E-A68F-74403C577CD5}	N/A (Stump)	No	N/A (Stump)	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	35.00000000000	18.00000000000	10.00000000000	5.00000000000	28.35695927990	-80.73346942710	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{F6DC1A1A-AB89-41C0-8372-8E2460A0F823}	Oak (Laurel)	No	Quercus laurifolia	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	55.00000000000	28.00000000000	50.00000000000	60.00000000000	28.36019909440	-80.74430334220	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{C9E5553C-5EC9-4DA4-9A4E-6D214065BBD5}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	25.00000000000	16.00000000000	40.00000000000	20.00000000000	28.35963514510	-80.73353318230	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree is dead, see picture.	Removal	Yes	No	{6EE83020-5AB6-449A-ADA6-8EA7F2292927}	Pine (Australian)	No	Casuarina equisetifolia	1.00000000000
Cemetary	shendley_sfc	9/30/2020	shendley_sfc	9/30/2020	30.00000000000	18.00000000000	0.00000000000	0.00000000000	28.36875127660	-80.75586536950	Very Poor	2.00000000000	Old stump. Rotting	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{35627E43-0723-448B-BD9B-8911F4A8D205}	Oak (Live)	No	Quercus virginiana	1.00000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.00000000000	16.00000000000	10.00000000000	5.00000000000	28.36835598580	-80.75473439860	Very Poor	2.00000000000	Stump	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{15DA5336-B17B-479C-929E-A36072E8D6D0}	Crepe Myrtle	No	Lagerstroemia spp.	1.00000000000
City Park	sbourgoin_sfc	10/1/2020	sbourgoin_sfc	10/1/2020	10.00000000000	4.00000000000	15.00000000000	5.00000000000	28.38348674870	-80.77803819550	Very Poor	2.00000000000		Tree is Damaged	Tree is Dead	Removal	No	No	{1BAEAF65-A73A-4AAD-B2B5-156CBE656BE0}	Oak (Live)	No	Quercus virginiana	1.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	12.00000000000	0.00000000000	0.00000000000	28.39103175120	-80.77807820530	Very Poor	2.00000000000	Two stumps in Woodland.	Tree is Damaged	Stump/Trunk	Remove Stump	No	Yes	{E37E5873-D334-4D04-8F44-04B030B00B88}	N/A (Stump)	No	N/A (Stump)	2.00000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.00000000000	12.00000000000	15.00000000000	0.00000000000	28.39120392220	-80.78055795280	Very Poor	2.00000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{88B0584D-929C-4C3A-B4CE-733862991F2F}	Pine (Slash)	No	Pinus elliottii	1.00000000000

2-4 Ft ROW	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.0000000000	14.0000000000	35.0000000000	20.0000000000	28.3907654794	0	-80.7810033250	Excellent	1.0000000000	Fork 20 foot up.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{7BEFE52C-3716-4A42-9C2B-3ACEE904EF96}	Pine (Slash)	No	Pinus elliottii	1.0000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.0000000000	8.0000000000	35.0000000000	20.0000000000	28.3907725894	0	-80.7809843990	Excellent	1.0000000000		Tree is Undamaged	<Null>	Pruning	No	No	{879D08E0-5821-45A2-B941-1A3F3056E197}	Pine (Slash)	No	Pinus elliottii	1.0000000000
2-4 Ft ROW	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.0000000000	10.0000000000	25.0000000000	30.0000000000	28.3907602640	0	-80.7810335250	Excellent	1.0000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{9469F5A5-5837-4CF1-BB2F-CEADB5A23FFC}	Pine (Slash)	No	Pinus elliottii	1.0000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.0000000000	6.0000000000	10.0000000000	10.0000000000	28.3906345930	0	-80.7810655610	Excellent	1.0000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{02ABE06D-BC13-4D69-8333-2084F4DF305C}	Crepe Myrtle	No	Lagerstroemia spp.	1.0000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	25.0000000000	20.0000000000	40.0000000000	40.0000000000	28.3906142554	0	-80.7810885274	Excellent	1.0000000000		Tree is Undamaged	<Null>	Pruning	No	No	{C19A36CF-392D-4DDC-8E09-DE65B28363EA}	Oak (Live)	No	Quercus virginiana	1.0000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.0000000000	12.0000000000	40.0000000000	40.0000000000	28.3905540120	0	-80.7811387320	Excellent	1.0000000000		Tree is Undamaged	<Null>	Pruning	No	No	{3AEF176B-6239-454D-BF97-A05DF4BCCACC}	Oak (Live)	No	Quercus virginiana	1.0000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	25.0000000000	20.0000000000	45.0000000000	45.0000000000	28.3905340880	0	-80.7810931070	Excellent	1.0000000000		Tree is Undamaged	<Null>	Pruning	No	No	{C6330D54-9DDC-43C4-B708-22AD2E8A33BC}	Oak (Live)	No	Quercus virginiana	1.0000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.0000000000	10.0000000000	25.0000000000	20.0000000000	28.3904623350	0	-80.7810421530	Excellent	1.0000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{89CD6381-38FE-40E0-AA57-FE6D74611FB0}	Magnolia (Southern)	No	Magnolia grandiflora	1.0000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	25.0000000000	20.0000000000	35.0000000000	40.0000000000	28.3904019629	0	-80.7809474770	Excellent	1.0000000000		Tree is Undamaged	<Null>	Pruning	No	No	{C97856A5-F8AB-4456-9A22-80053832C5A2}	Oak (Live)	No	Quercus virginiana	1.0000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	25.0000000000	20.0000000000	40.0000000000	40.0000000000	28.3906092254	0	-80.7809394906	Excellent	1.0000000000		Tree is Undamaged	<Null>	Pruning	No	No	{9B9564B0-74BC-4A08-B603-BE1548A43404}	Oak (Live)	No	Quercus virginiana	1.0000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.0000000000	12.0000000000	40.0000000000	25.0000000000	28.3906065487	0	-80.7808939360	Excellent	1.0000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{2CCA36A6-9878-442F-9EC8-D2431166613E}	Pine (Slash)	No	Pinus elliottii	1.0000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.0000000000	6.0000000000	35.0000000000	25.0000000000	28.3906025970	0	-80.7808406700	Excellent	1.0000000000	Two trees in Woodland.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{4262FCD1-2EB0-4A90-BD01-349625AB4F20}	Pine (Slash)	No	Pinus elliottii	2.0000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.0000000000	14.0000000000	45.0000000000	40.0000000000	28.3905652390	0	-80.7808814520	Excellent	1.0000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{2E09E0E1-E1B1-45C0-91A4-B57FA87B6178}	Oak (Live)	No	Quercus virginiana	1.0000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	10.0000000000	6.0000000000	40.0000000000	20.0000000000	28.3905730950	0	-80.7808333850	Excellent	1.0000000000	Two trees in Woodland.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{FED160A7-832E-494D-8F0F-9E8F04CA25B5}	Pine (Slash)	No	Pinus elliottii	2.0000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	5.0000000000	4.0000000000	10.0000000000	5.0000000000	28.3905907575	0	-80.7808666750	Excellent	1.0000000000	Five trees in Woodland.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{28B506C4-9F8F-4462-B197-670B5EE79010}	Saw Palmetto	No	Serenoa repens	1.0000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	20.0000000000	16.0000000000	40.0000000000	35.0000000000	28.3905202107	0	-80.7808269281	Excellent	1.0000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{45DC9FC7-0F90-4C70-9190-9E2A550298C3}	Oak (Live)	No	Quercus virginiana	1.0000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	5.0000000000	4.0000000000	10.0000000000	5.0000000000	28.3905423720	0	-80.7808569830	Excellent	1.0000000000	Five saw palmettos in Woodland.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{F8A99CC2-0741-48BA-9821-0D63E76AF4D0}	Saw Palmetto	No	Serenoa repens	5.0000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	25.0000000000	20.0000000000	35.0000000000	45.0000000000	28.3904574280	0	-80.7808209780	Excellent	1.0000000000		Tree is Undamaged	<Null>	Pruning	No	No	{E7730D31-3E18-482B-B24C-66E84D71ECBF}	Oak (Live)	No	Quercus virginiana	1.0000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	5.0000000000	6.0000000000	5.0000000000	5.0000000000	28.3904361470	0	-80.7807407510	Excellent	1.0000000000	Six trees in Woodland. Six	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{EC4D8EDC-58CC-4C3E-9DA6-EE8F922789CD}	Saw Palmetto	No	Serenoa repens	6.0000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	15.0000000000	8.0000000000	25.0000000000	15.0000000000	28.3903683740	0	-80.7806754668	Excellent	1.0000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{6BF38ECC-6619-4E8A-BAD4-4483CE1992AE}	Crepe Myrtle	No	Lagerstroemia spp.	2.0000000000
City Park	sbourgoin_sfc	10/2/2020	sbourgoin_sfc	10/2/2020	5.0000000000	6.0000000000	10.0000000000	5.0000000000	28.3903833360	0	-80.7807353270	Excellent	1.0000000000	For trees in Woodland.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{7DCDC709-6243-462D-B582-CA6DEDBDA357}	Saw Palmetto	No	Serenoa repens	4.0000000000
City Park	shendley_sfc	10/2/2020	shendley_sfc	10/2/2020	10.0000000000	4.0000000000	15.0000000000	5.0000000000	28.3903393590	0	-80.7807743630	Excellent	1.0000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{7D8D817E-9613-4A49-83F7-00E88B07B03D}	Magnolia (Southern)	No	Magnolia grandiflora	1.0000000000
City Park	shendley_sfc	10/2/2020	shendley_sfc	10/2/2020	30.0000000000	26.0000000000	35.0000000000	25.0000000000	28.3903415970	0	-80.7807396050	Excellent	1.0000000000		Tree is Undamaged	<Null>	Pruning	No	No	{D178ACE9-5F2F-4ADE-A28A-0AD86E7BA153}	Pine (Slash)	No	Pinus elliottii	1.0000000000
City Park	shendley_sfc	10/2/2020	shendley_sfc	10/2/2020	20.0000000000	14.0000000000	35.0000000000	30.0000000000	28.3902986230	0	-80.7807607390	Excellent	1.0000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{F2788C78-7573-4D2E-9534-838560300DB7}	Pine (Slash)	No	Pinus elliottii	1.0000000000
City Park	shendley_sfc	10/2/2020	shendley_sfc	10/2/2020	10.0000000000	4.0000000000	15.0000000000	10.0000000000	28.3903039590	0	-80.7807893720	Excellent	1.0000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{12E0A920-50A1-44B2-B505-E34BA0E01A30}	Oak (Live)	No	Quercus virginiana	1.0000000000
City Park	shendley_sfc	10/2/2020	shendley_sfc	10/2/2020	10.0000000000	6.0000000000	10.0000000000	10.0000000000	28.3902646470	0	-80.7808323594	Excellent	1.0000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{384C455F-2B0B-4473-B5B2-E13F12EC483B}	Saw Palmetto	No	Serenoa repens	7.0000000000
City Park	shendley_sfc	10/2/2020	shendley_sfc	10/2/2020	10.0000000000	6.0000000000	10.0000000000	10.0000000000	28.3902836790	0	-80.7808638363	Excellent	1.0000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{9648D0E1-78AB-4837-A293-F42C9E91E077}	Saw Palmetto	No	Serenoa repens	2.0000000000
City Park	shendley_sfc	10/2/2020	shendley_sfc	10/2/2020	10.0000000000	4.0000000000	25.0000000000	25.0000000000	28.3903092360	0	-80.7808791650	Excellent	1.0000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{CBCE4F9D-AD4D-4DF3-872A-2F8712943 1DB}	Brazilian Pepper	No	Schinus terebinthifolia	1.0000000000
City Park	shendley_sfc	10/2/2020	shendley_sfc	10/2/2020	10.0000000000	4.0000000000	15.0000000000	5.0000000000	28.3902518990	0	-80.7808655530	Excellent	1.0000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{BCC14570-49EA-48E8-AA09-358609F583FD0}	Oak (Live)	No	Quercus virginiana	1.0000000000
City Park	shendley_sfc	10/2/2020	shendley_sfc	10/2/2020	6.0000000000	6.0000000000	25.0000000000	15.0000000000	28.3902192150	0	-80.7808490105	Excellent	1.0000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{AC512F70-1887-4883-B982-F6B1111C3583}	Oak (Live)	No	Quercus virginiana	1.0000000000
City Park	shendley_sfc	10/2/2020	shendley_sfc	10/2/2020	10.0000000000	6.0000000000	25.0000000000	20.0000000000	28.3902023492 0		-80.7808720810	Excellent	1.0000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{16ABE318-78E2-4A11-9D46-6911F8269E27}	Oak (Laurel)	No	Quercus laurifolia	1.0000000000
City Park	shendley_sfc	10/2/2020	shendley_sfc	10/2/2020	5.0000000000	4.0000000000	15.0000000000	5.0000000000	28.3901879243 0		-80.7808969931	Excellent	1.0000000000	Three trees in woodland	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{C60B000D-1313-4F70-B4D6-F630B8AAADF9}	Oak (Live)	No	Quercus virginiana	1.0000000000
City Park	shendley_sfc	10/2/2020	shendley_sfc	10/2/2020	10.0000000000	4.0000000000	25.0000000000	15.0000000000	28.3901701 2000		-80.7809184557 0	Excellent	1.0000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{22204329-4C06-8270-8E82-0223EF5FF0E4}	Oak (Live)	No	Quercus virginiana	1.0000000000
City Park	shendley_sfc	10/2/2020	shendley_sfc	10/2/2020	20.0000000000	14.0000000000	40.0000000000	30.0000000000	28.3901488942 0		-80.7809359818 0	Excellent	1.0000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{3BA897964-3130-4DAD-A6F6-A97AB95EEC5A}	Pine (Slash)	No	Pinus elliottii	1.0000000000
City Park	shendley_sfc	10/2/2020	shendley_sfc	10/2/2020	10.0000000000	4.0000000000	20.0000000000	10.0000000000	28.3901643990	0	-80.7809511921 0	Excellent	1.0000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{102D4595-655E-41C0-B8BF-274E74971C44}	Oak (Live)	No	Quercus virginiana	1.0000000000
City Park	shendley_sfc	10/2/2020	shendley_sfc	10/2/2020	25.0000000000	20.0000000000	35.0000000000	30.0000000000	28.3901896036 0		-80.7808559527 0	Excellent	1.0000000000		Tree is Undamaged	<Null>	Pruning	No	No	{4AD60FAC-5D28-4C1C-B84C-9666B41B452C}	Pine (Slash)	No	Pinus elliottii	1.0000000000
City Park	shendley_sfc	10/2/2020	shendley_sfc	10/2/2020	10.0000000000	8.0000000000	25.0000000000	15.0000000000	28.3901509 1730		-80.7809131160	Excellent	1.0000000000		Tree is Undamaged	<Null>	Pruning	No	No	{2B9D6645-C241-431F-A0A2-C0501916668Z}	Pine (Slash)	No	Pinus elliottii	1.0000000000
City Park	shendley_sfc	10/2/2020	shendley_sfc	10/2/2020	20.0000000000	16.0000000000	30.0000000000	15.0000000000	28.3901643990	0	-80.7809511921 0	Excellent	1.0000000000		Tree is Undamaged	<Null>	Pruning	No	No	{5BCCB57E-1772-4985-8AFD-A68AF581613A}	Palm (Cabbage)	No	Sabal palmetto	1.0000000000
City Park	shendley_sfc	10/2/2020	shendley_sfc	10/2/2020	25.0000000000	22.0000000000	40.0000000000	35.0000000000	28.3901375624 0		-80.7809709510	Excellent	1.0000000000		Tree is Undamaged	<Null>	Pruning	No	No	{7E150B65-0662-4B9B-9B4C-9820D5B00997A}	Pine (Slash)	No	Pinus elliottii	1.0000000000
City Park	shendley_sfc	10/2/2020	shendley_sfc	10/2/2020	6.0000000000	6.0000000000	15.0000000000	10.0000000000	28.3901564081 0		-80.7809870286 0	Excellent	1.0000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{1407C97B-D8ED-4508-B1C7-5741507 1CCEB}	Oak (Live)	No	Quercus virginiana	1.0000000000
City Park	shendley_sfc	10/2/2020	shendley_sfc	10/2/2020	10.0000000000	6.0000000000	20.0000000000	25.0000000000	28.3901345088 0		-80.7810173818 0	Excellent	1.0000000000	Three trees in woodland.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{C1942192-4E63-4C8F-88E8-B8F86EF8994D}	Brazilian Pepper	No	Schinus terebinthifolia	3.0000000000
City Park	shendley_sfc	10/2/2020	shendley_sfc	10/2/2020	15.0000000000	6.0000000000	20.0000000000	30.0000000000	28.3900738840	0	-80.7810950790	Excellent	1.0000000000	Two trees in woodland.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{7F471DD4-B8BF-4779-8BE6-FE7032037917}	Brazilian Pepper	No	Schinus terebinthifolia	2.0000000000
City Park	shendley_sfc	10/2/2020	shendley_sfc	10/2/2020	10.0000000000	4.0000000000	15.0000000000	5.0000000000	28.3900842 7890		-80.7810770730	Excellent	1.0000000000 0		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{9F50A125-2F57-4AA6-B07B-65F490F447EB}	Oak (Live)	No	Quercus virginiana	1.0000000000
City Park	shendley_sfc	10/2/2020	shendley_sfc	10/2/2020	10.0000000000	4.0000000000	15.0000000000	5.0000000000	28.3900585 6180		-80.7811140 1980	Excellent	1.0000000000	Two trees in woodland.	Tree is Undamaged	<Null>	No Maintenance Required	No	No	{6CED0 F94-47D6-4BEB-3336983B3345}	Oak (Live)	No	Quercus virginiana	1.0000000000
City Park	shendley_sfc	10/2/2020	shendley_sfc	10/2/2020	10.0000000000	4.0000000000	10.0000000000	5.0000000000	28.3900459561 0		-80.7811350150	Excellent	1.0000000000	Two trees in woodland. DBH 2 in.	Tree is Undamaged	<Null>	No Maintenance Required	No	Yes	{4DE5FE58-05ED-4D17-ABFA-332192AC9F13}	Oak (Live)	No	Quercus virginiana	1.0000000000
City Park	shendley_sfc	10/2/2020	shendley_sfc	10/2/2020	10.0000000000	6.0000000000	10.0000000000	5.0000000000	28.3900725078 0		-80.7811147310	Excellent	1.0000000000		Tree is Undamaged	<Null>	No Maintenance Required	No	No	{FB6A460E-FE1C-408C-A007-538B7FDA391B}	Saw Palmetto	No	Serenoa repens	1.0000000000
City Building	sbourgoin_sfc	9/15/2020	sbourgoin_sfc	9/15/2020	8.0000000000	6.0000000000	25.0000000000	20.0000000000	28.3606147 4000		-80.7345729720	Very Poor	7.0000000000	Completely dead	Tree is Dead	Tree is Dead	Removal	No	No	38D8F56B-567b-4B79-9a70-79ea56e063ca	Holly (East Palatka)	No	Ilex x attenuata	1.0000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	20.0000000000	8.0000000000	15.0000000000	0.0000000000	28.3900263580	0	-80.7436941 2080	Very Poor	7.0000000000	Dead palm, needs removal	Tree is Damaged	Tree is Dead	Removal	No	No	9d1bf111-5d79-49ce-8d7e-23a1a8281ce8	Palm (Cabbage)	No	Sabal palmetto	1.0000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	20.0000000000	6.0000000000	35.0000000000	0.0000000000	28.3904456903 0		-80.7428706586 0	Very Poor	7.0000000000	Dead, needs removal	Tree is Damaged	Tree is Dead	Removal	No	No	63320dae-df76-49d6-94c0-317aa338cb65	Palm (Washingtonia)	No	Washingtonia robusta	1.0000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	16.0000000000	15.0000000000	30.0000000000	0.0000000000	28.3881191720	0	-80.7554549077 0	Very Poor	7.0000000000	See pics, Tree is Dead	Tree is Damaged	Stump/Trunk	Removal	No	No	bde7f7c8-8e26-4740-98ea-e4afe6a316a0	Box Elder	No	Acer negundo	1.0000000000
4+ Ft ROW	shendley_sfc	9/21/2020	shendley_sfc	9/21/2020	15.0000000000	8.0000000000	15.0000000000	5.0000000000	28.3881117965 0		-80.7558388790	Very Poor	7.0000000000	Trunk has decay, only 20% of canopy alive	Tree is Damaged	Tree is Dead	Removal	No	No	1ec8cd33-6e1b-49b4-8b5c-08e338f08ff04	Box Elder	No	Acer negundo	1.0000000000
4+ Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.0000000000	4.0000000000	20.0000000000	15.0000000000	28.3811100 7130		-80.7504303 6460	Very Poor	7.0000000000	Dead, Needs Removal	Tree is Damaged	Dead, Needs Removal	Removal	No	No	{833DF877-BE37-4AE2-A174-B6C36DBF6CD5}	Red Cedar	No	Juniperus virginiana	1.0000000000
2-4 Ft ROW	acarroll_sfc	9/27/2020	acarroll_sfc	9/27/2020	10.0000000000	6.0000000000	5.0000000000	5.0000000000	28.3925154790	0	-80.7825699220	Very Poor	7.0000000000	Poor condition, consider replacement	Tree is Damaged	Previously taken to just stump, resprouting	No Maintenance Required	No	No	{0A2DB98D-0037-4CD7-BF52-28C2084 5E1EF}	Golden Raintree	No	Koelreuteria paniculata	1.0000000000
City Park	acarroll_sfc	9/14/2020	acarroll_sfc	9/14/2020	5.0000000000	8.0000000000	10.0000000000	10.0000000000	28.3536697970	0	-80.7352038940	Very Poor	7.0000000000	Dead cabbage palm	Tree is Damaged	Dead, brown fronds and trunk	Removal	No	No	4ef80b80-e744-420b-8118-a37f76dfb7a9	Palm (Cabbage)	No	Sabal palmetto	1.0000000000
4+ Ft ROW	shendley_sfc	9/16/2020	shendley_sfc	9/16/2020	20.0000000000	10.0000000000	30.0000000000	15.0000000000	28.3744125617 0		-80.7350941830	Very Poor	6.0000000000	Poor Shape, Nearly Dead; Leaning into Roadway	Tree is Damaged	Rot and decay	Removal	No	No	64cce7b8-a526-414e-85b7-90ea8d6855Be	Palm (Cabbage)	No	Sabal palmetto	1.0000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	40.0000000000	22.0000000000	45.0000000000	30.0000000000	28.3934975210	0	-80.7449457283 0	Very Poor	6.0000000000	In yard but mostly dead, overhanging road	Tree is Dead	Tree is Dead	Removal	No	No	3c6ff781-c9e5-4fc0-a24c-a31250ed8b13	Oak (Laurel)	No	Quercus laurifolia	1.0000000000
2-4 Ft ROW	shendley_sfc	9/23/2020	shendley_sfc	9/23/2020	15.0000000000	12.0000000000	10.0000000000	15.0000000000	28.3963051 9010		-80.7594917 9910	Very Poor	6.0000000000	Tree is Dead, Top Broken Off, Just Trunk	Tree is Damaged	Stump/Trunk	Trunk Removal	No	No	{02A6A845-4442-4809-9AA2-83918A223759}	Sygnus romanzoffiana	No	Sygnus romanzoffiana	1.0000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.0000000000	12.0000000000	20.0000000000	10.0000000000	28.3954629 2150		-80.7777191 9830	Very Poor	6.0000000000	Two dead trees in Woodland.	Tree is Damaged	Stump/Trunk	Removal Trunks	No	Yes	{71FB3AC6-090C-432D-B2B1-98902 5C76E55}	Palm (Queen)	No	Sygnus romanzoffiana	2.0000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	15.0000000000	20.0000000000	30.0000000000	10.0000000000	28.3965401 7710		-80.7721549 2750	Very Poor	5.0000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{90F49D7A-131D-4681-A0D4-30C3A6650F80}	Pine (Slash)	No	Pinus elliottii	1.0000000000
Cemetary	shendley_sfc	9/29/2020	shendley_sfc	9/29/2020	20.0000000000	14.0000000000	10.0000000000	0.0000000000	28.3597091 7560		-80.7315677 2260	Very Poor	5.0000000000	Dead Tree With Debris on Ground, Needs Removal	Tree is Damaged	Tree is Dead	Removal	No	No	{5D5B6D97-BA02-4D4D-B89A-204665A5946F}	Pine (Australian)	No	Casuarina equisetifolia	1.0000000000
4+ Ft ROW	sbourgoin_sfc	9/17/2020	sbourgoin_sfc	9/17/2020	12.0000000000	8.0000000000	20.0000000000	0.0000000000	28.3745994530	0	-80.7303886367 0	Very Poor	4.0000000000	See pic; dead stump, needs removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	37cea1c0-ea25-4473-a27f-f602c1ea2ef	Red Cedar	No	Juniperus virginiana	1.0000000000
2-4 Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	16.0000000000	10.0000000000	0.0000000000	0.0000000000	28.3919901 0250		-80.7587230 1100	Very Poor	4.0000000000	Stump That Needs Removal	Tree is Damaged	Stump/Trunk	Remove Stump	No	No	{BAA884B0-2DA2-46C1-A220-4AF39FF0EE37}	N/A (Stump)	No	N/A (Stump)	
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	12.0000000000	40.0000000000	5.0000000000	28.4008253 4120		-80.7688739 1530	Very Poor	4.0000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{B3016B6E-7653-4251-9F36-3F5C670A749D}	Palm (Washingtonia)	No	Washingtonia robusta	1.0000000000
4+ Ft ROW	shendley_sfc	9/24/2020	shendley_sfc	9/24/2020	14.0000000000	20.0000000000	15.0000000000	28.4007298 3500		-80.7688692 2250	Very Poor	4.0000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{3753AA8D-AF6F-4A4D-9FDC-63D378BCE090}	Palm (Washingtonia)	No	Washingtonia robusta	1.0000000000
2-4 Ft ROW	shendley_sfc	9/25/2020	shendley_sfc	9/25/2020	20.0000000000	14.0000000000	20.0000000000	10.0000000000	28.3954549 2520		-80.7769849 7380	Very Poor	4.0000000000	Dead Trunk, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{A2B29C06-54B6-4511-A0AE-4AE144866251}	Palm (Cabbage)	No	Sabal palmetto	1.0000000000
2-4 Ft ROW	sbourgoin_sfc	9/14/2020	sbourgoin_sfc	9/14/2020	15.0000000000	12.0000000000	15.0000000000	0.0000000000	28.3602837 9310		-80.7451149 6280	Very Poor	3.0000000000	Dead palm trunk. Directly under power lines, needs removal	Tree is Damaged	Stump	Remove Stump	No	No	102a501f-485a-4869-935d-7599fd845db5	Palm (Cabbage)	No	Sabal palmetto	1.0000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	10.0000000000	8.0000000000	20.0000000000	10.0000000000	28.3885052 0070		-80.7877761 9640	Very Poor	3.0000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{950C8A8C-E95D-4C3D-98B1-88CB78773C06}	Pine (Slash)	No	Pinus elliottii	1.0000000000
2-4 Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.0000000000	8.0000000000	30.0000000000	20.0000000000	28.3880210 6560		-80.7877367 5040	Very Poor	3.0000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{E7B29CFB-B138-494D-BC3A-654412650BD3}	Pine (Slash)	No	Pinus elliottii	1.0000000000
4+ Ft ROW	shendley_sfc	9/28/2020	shendley_sfc	9/28/2020	15.0000000000	12.0000000000	20.0000000000	15.0000000000	28.3872985 0230		-80.7877213 5240	Very Poor	3.0000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{A6F520AA-BE5B-4F33-AA30-C02BF250066C}	Pine (Slash)	No	Pinus elliottii	1.0000000000
Cemetary	acarroll_sfc	9/29/2020	acarroll_sfc	9/29/2020	15.0000000000	8.0000000000	15.0000000000	10.0000000000	28.3575034 6390		-80.7336300 2340	Very Poor	3.0000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{5BEB825C-5D3A-4F51-B44C-916BA29AFBEB}	Oak (Laurel)	No	Quercus laurifolia	1.0000000000
Median	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.0000000000	8.0000000000	15.0000000000	0.0000000000	28.3827377 8120		-80.7726449 3330	Very Poor	3.0000000000	Dead Tree, Needs Removal	Tree is Damaged	Stump/Trunk	Removal	No	No	{7356D8DC-9EEF-4B6A-9C37-AF34A528B318}	Palm (Cabbage)	No	Sabal palmetto	1.0000000000
Cemetary	sbourgoin_sfc	9/30/2020	sbourgoin_sfc	9/30/2020	10.0000000000	8.0000000000	15.0000000000	0.0000000000	28.3680621 1650		-80.7545563 4990	Very Poor	3.0000000000	Dead Tree, Needs Removal	Tree is Damaged	Tree is Dead	Removal	No	No	80AA3A91-74ED-4EC5-B6B9-9C55DC00EFD4}	Oak (Laurel)	No	Quercus laurifolia	1.0000000000

Legislation Details (With Text)

File #:	21-737	**Version:** 1	**Name:**	Special Event Road Closures
Type:	Informational Item		**Status:**	Council Busines
File created:	11/4/2021		**In control:**	City Council
On agenda:	12/14/2021		**Final action:**	
Title:	Approve the requested 2022 street closures in association with the proposed Special Events. (Asst. to the CM/PIO)			
Sponsors:				
Indexes:				
Code sections:				
Attachments:				

Date	Ver.	Action By	Action	Result

CITY COUNCIL AGENDA ITEM

Memo Date: November 4, 2021
Agenda Date: December 14, 2021
Prepared By: Gail A. Bantugan, Leisure Services Manager
Through: Samantha Senger, Asst to the City Manager/Public Information Officer
Requested Action:
Approve the requested 2022 street closures in association with the proposed Special Events.

BACKGROUND:

During any given calendar year, the number of street closures approved by the City Council within the Central Business District (CBD) zoning district shall not exceed twenty-four (24) days. Any street closure lasting in excess of four (4) hours shall be counted as one full day, while any street closure of four (4) hours or less shall be counted as one half day per the Special Events Ordinance No. 04-2018.

Events:

1.Run for Responders 5K, Saturday, January 8, 2022 (3:00 pm - 10:00 pm)

Church St:	between Riverside Dr. and east terminus of Church St.
Delannoy Ave.	between Church St. and Harrison St.
Riverside Dr:	between Church St. and Oak St.
Derby St.	at Riverside Drive, Delannoy and Brevard Ave.
Oak St:	between Riverside Dr. and Brevard Ave.
Brevard Ave:	between Oak St. and Harrison St.
Harrison St:	between Brevard Ave. and Riveredge Blvd.

The race route will open immediately after all the participants have all crossed the finish line.

Harrison Street will reopen at Delannoy and Riveredge at 10pm.
Total Closure - One Day

2. Martin Luther King Jr. Peace March and Service, Monday, January 17, 2022 (2:00-4:00pm).
Provost Park on Varr Ave. to SR 520 going east to Riveredge Blvd. into Riverfront Park. This event does not require a street closure. However, the Peace March does include the streets of Cocoa including the SR520. The organizers are required to have the proper DOT permitting in place to hold the march.
Total Closure - Half Day

3. Space Coast Triathlon, Sunday, January 30, 2022 (2:00am-12:00pm)
A rolling street closure will be utilized for the Cocoa Triathlon. The number of participants and their safety requires a street closure request. This event will not require temporary traffic control devices (TTCD) to block roads throughout the course route. The streets in which the TTCD will be utilized are:
Harrison St. between Delannoy Ave and Riveredge Blvd.
Riveredge Blvd. between King St. (HWY 520) to Lee Wenner Park.
The Transition Area for each segment will be located in Riverfront Park/Harrison Field.
Swim segment: Will commence in Lee Wenner Park with a Spring Distance of .25miles, into the Indian River. The turnaround point will be designated at the floating bouy.
The Bicycling Segment: Sprint Distance equal to one lap, will begin in Riverfront Park and move down towards Lee Wenner Park. The participants will then proceed under the 520 bridge and continue North on Indian River Drive with the turnaround at Indian Trail and back to the transition area in Riverfront Park.
The Run Segment: Sprint Distance equal to one lap, will transition in Riverfront Park then proceed south towards the turnaround point at Barton Avenue and commence north back to the finish in Riverfront Park.
Total Closure - One Day

4. Cocoa Village Mardi Gras, Saturday, February 27, 2022 (3:00 pm -12:00 am (2-28)
This is gated event. Foot traffic will stop at 3pm and gates will close at 4:30p.
Delannoy Ave: between Derby St. and SR 520
Brevard Ave: between Church St. and SR 520
Harrison Street: between Riveredge Blvd. and Brevard Ave.
Oleander Street: between Brevard Ave. and Municipal Parking Lot
Total Closure - One Day

5. HCVA Spring Craft Fair, Saturday and Sunday, March 5-6, 2022 (2:00 am Saturday March 5nd - 6:00 pm Sunday, March 6rd)
Brevard Ave: between SR 520 and Factory St.
Oleander St: between Brevard Ave. and Municipal Parking Lot
Harrison St: between Riveredge Blvd. and Brevard Ave.
Church St: between Brevard Ave. and Delannoy Ave.
Delannoy Ave: between Church St. and Harrison St.
Total Closure - Two Days

6. Village Idiot 5K Village and Street Party, Friday, April 1, 2022 (3:00 pm - 12:00 am)
Church St: between Riverside Dr. and east terminus of Church St.
Riverside Dr: between Church St. and Oak St.

Oak St: between Riverside Dr. and Brevard Ave.
Brevard Ave: between Oak St. and Harrison St.
Harrison St: between Brevard Ave. and Riveredge Blvd.
Total Closure - One Day

7. HCVA Car Show and Crosswinds Duck Race, Saturday, April 2, 2022 (6:00 am - 5:00 pm)
Brevard Ave: between SR 520 and Factory St.
Orange Ave: between Brevard Pl. and Brevard Ave.
Harrison St: between Riveredge Blvd. and Brevard Ave.
Oleander St: between Brevard Ave. and Municipal Parking Lot
Total Closure - One Day

8. HCVMS Summer Craft Fair, Saturday and Sunday, May 14-15, 2022 (2:00 am May 14 - 6:00 pm May 15)
Brevard Ave: between SR 520 and Factory St.
Oleander St: between Brevard Ave. and Municipal Parking Lot
Harrison St: between Riveredge Blvd. and Brevard Ave.
Church St: between Brevard Ave. and Delannoy Ave.
Delannoy Ave: between Church St. and SR 520
Total Closure - Two Days

9. City of Cocoa July 4th Celebration, Monday, July 4, 2022 (6:00am-11:00pm)
Lee Wenner Park closure begins at 2:00am 7/3/2022
Harrison St.: between Delannoy and Riveredge Blvd
Total Closure - One Day

10. Walk to End Alzheimer's, Saturday, September 24, 2022 (6:00 am - 2:00 pm)
Riverfront Park to Church Street continuing to Riverside Drive

Riverside Drive:	Between Church St. and Derby St.
Delannoy Avenue:	Between Derby St. Harrison St.
Harrison Street:	Between Delannoy and Brevard Ave.
Brevard Avenue:	Between Harrison St. and Rosa L. Jones Blvd
Rosa L. Jones Blvd:	To John Garren Ln
John Garren Lane:	Between Rosa L. Jones and Orange Street
Orange Street:	Between John Garren Ln and Florida Ave.
Florida Avenue:	Between Orange Street and Stone St.
Stone Street:	Between Florida Ave and Brevard Ct.
Brevard Court:	Between Florida Ave and Orange St.
Orange Street:	Between Brevard Ct and Brevard Ave.
Church Street:	Between Brevard Ave and Delannoy St.
Delannoy Avenue:	Between Church Street and Harrison St.
Harrison Street:	Between Delannoy and Riversedge leading back into riverfront Park along the river.

Total Closure - One Day

11. Running Zone Foundation Race Series Red Carpet Run 5K, 10K, Half Marathon, Sunday, October 2, 2022 (3:00am-1:00pm).
All 3 races will begin on Brevard Avenue in the Central Business District of Cocoa VIllage heading North, continuing to run along Indian River Drive north bound until their respective turnaround and then back south to SR. 520 turning left (east) onto the new path on the north side of SR. 520, cross

underneath SR. 520 to Lee Wenner Park and then to Rivers Edge Blvd. to the finish. All 3 races start together at 6:30 am with a three hour course limit for the longest distance event (15K). The turnaround location for the 5K is nearest the address of 1041 Indian River Road, 10K is north of Twin Lakes Drive, 15K nearest the intersection of Carleton Drive.
Total Closure - One Day

12. HCVA Fall Art and Craft Fair, Saturday and Sunday, October 15-16, 2022 (2:00 am October 15 - 6:00 pm October 16)
Brevard Ave: between SR 520 and Factory St.
Oleander St: between Brevard Ave. and Municipal Parking Lot
Harrison St: between Riveredge Blvd. and Brevard Ave.
Church St: between Brevard Ave. and Delannoy Ave.
Delannoy Ave: between Church St. and SR 520
Total Closure - Two Days

13. Space Coast Free Wheelers Waterway Century Ride- Sunday, October 23, 2022 - (5:00 am-8:30 am)
The corner of Delannoy Ave. and Harrison St. from 7:00 am-8:30 am for the beginning of their bike racing event for charity. This is an annual event that has occurred the last weekend in October each year. As soon as the race begins and bikes are cleared out, the street will be opened back up. Actual time should be no longer than 30 minutes.
Total Closure - Half Day

14. City of Cocoa Fall Festival in the Village, Saturday, October 29, 2022 (7:00 am - 8:00 pm)
Harrison St: between Riveredge Blvd. and Brevard Ave.
Delannoy St: between Church St. and SR 520
Church St: between Brevard Ave. and Delannoy Ave.
Brevard Ave: between SR 520 and Church St.
Total Closure - One Day

15. Game on Events Riverfront Triathlon, Saturday, November 5, 2022 (2:00 am - 11:00 am)
Harrison St.: between Riveredge and Brevard.
Riverside Dr: between Church St. and Oak St.
Rockledge will also be supporting this event.
Total Closure - One Day

16. Village Idiot Street Party, Friday, November 11, 2022 (3:00 pm - 12:00 am)
Harrison St: between Delannoy Ave. and Riveredge Blvd.
Total Closure - One Day

17. HCVMS Annual Central Florida Car Show Saturday, November 20, 2021 (6:00 am - 4:00 pm)
Brevard Ave: between SR 520 and Factory St.
Orange Ave: between Brevard Pl. and Brevard Ave.
Harrison St: between Riveredge Blvd. and Brevard Ave.
Oleander St: between Brevard Ave. and Municipal Parking Lot
Total Closure - One Day

18. Running Zone Foundation and Space Coast Runners Annual Space Coast Marathon and Half Marathon, Sunday, November 27, 2022 (2:00am-1:00pm).

Space Coast Marathon Course 26.2 Miles

The Race begins on Brevard Avenue heading south. Turn right on Orange St. Turn right on Florida Ave. Turn right on RT.520 (east bound) Turn left on Brevard Ave heading north and cross over Rt.520 (west bound). Continue northbound on Indian River Drive with a turn-around just south of Indian Trail. Head south on Indian River Drive. Turn right on Peachtree St. Turn left on Florida Ave. Turn left on Rosa L. Jones Blvd. Heading right onto Oak St. Turn right onto Rockledge Drive to the turnaround just south of Stonebridge Drive. Turn around heading north on Rockledge Drive. Turn right on Church St. utilizing the Porcher House Loop Alleyway behind St. Mark's Episcopal Church and Academy. Turn right onto Delannoy Ave. Right onto Harrison St. Remaining in the west bound lane of Harrison St. into Lee Wenner Park to the Finish Line.

Space Coast Half- Marathon Course 13.1 Miles (two courses)

North Course
Heading South on Brevard Ave. Turn Right onto Orange St. Turn right onto Florida Ave. Turn Right onto RT 520 (east-bound). Turn Left on Brevard Ave Crossing RT 520 (west bound). Course runs along Riverside Drive until just south of Indian Trail. The course then turns around heading south until RT 520 (west-bound) and turns left to the new connector crossing under Rt 520 into Lee Wenner Park to the Finish Line.

South Course
Heading South on Brevard Ave. Turning left on Church Street. Turn right on Rockledge Drive continuing on Rockledge Drive to 200 meters south of Stonebridge Dr. (just north of Oakledge Drive. Turn around heading north back to Church St. Turning right onto Church Street using the Porcher House Loop Alleyway behind St. Mark's Episcopal Church and Academy. Turn right onto Delannoy Ave. Turn right onto Harrison St. Staying in the west-bound lane of Harrison Street into Lee Wenner Park to the Finish Line.

Total Closure - One Day

19. HCVA Holiday Craft Fair, Saturday and Sunday, December 3-4, 2022 (2:00 am December 3-6:00 pm December 4).

Brevard Ave:	between SR 520 and Factory St.
Oleander St:	between Brevard Ave. and Municipal Parking Lot
Harrison St:	between Riveredge Blvd. and Brevard Ave.
Church St:	between Brevard Ave. and Delannoy Ave.
Delannoy Ave:	between Church St. and SR 520

Total Closure days- Two Days

20. Cocoa Rockledge Holiday Parade and Tree Lighting, Saturday, December, 10, 2022 (12:00 pm - 9:00 pm)

Brevard Ave:	beginning at the southerly city limit to Maryland Ave.
Maryland Ave:	between Brevard Ave. and Delannoy Ave.
Delannoy Ave:	between Maryland Ave. and SR 520
Harrison St:	between Delannoy Ave. and Riveredge Blvd.

Total Closure - One Day

21. Annual HCVMS Hot Cocoa Holiday's Bicycle Parade, Friday, December 16, 2022 2:00pm-8:00pm.

Harrison St.	beginning in Lee Wenner Park to Brevard Ave.
Brevard Ave.	between Oleander and Orange St.
Orange St.	between Brevard Pl. and Brevard Ave.
Brevard Ave.	at the intersection of Church Street and Brevard (on Brevard Ave.)
Delannoy Ave.	at Church St. (on Delannoy Ave.)

Total Closure - One Day.

The total number of street closure days if approved is 24

STRATEGIC PLAN CONNECTION:

The Approval of the road closures will help to enhance the image of Cocoa as an inviting destination for visitors as well as re-enforce a sense of community and increased event participation for its citizens

BUDGETARY IMPACT:

The City receives $50.00 for each group that requests a street closure. The MLK event will have the permit fees waived. The event is held on a federal holiday per the special events ordinance section 2-404

PREVIOUS ACTION:

The 2021 Road Closure requests were approved this time last year.

RECOMMENDED MOTION:

Request Council approval of all 2022 Road Closures listed in this request.

Legislation Details (With Text)

File #:	21-756	**Version:**	1	**Name:**	
Type:	Appointment			**Status:**	Council Busines
File created:	11/15/2021			**In control:**	City Council
On agenda:	12/14/2021			**Final action:**	
Title:	City Council Liaison Appointments and Appointment of the Space Coast League of Cities & Florida League of Cities Voting Delegates & Alternates for 2022. (Administrative Services Director)				
Sponsors:					
Indexes:					
Code sections:					
Attachments:	Journal 12-08-2020.pdf 2022 Appointment of League Voting Delegate Director Form.pdf				

Date	Ver.	Action By	Action	Result

CITY COUNCIL AGENDA ITEM

Memo Date: November 15, 2021
Agenda Date: December 14, 2021
Prepared By: Carie Shealy, City Clerk
Through: Tammy Gemmati, Administrative Services Director
Requested Action:
City Council Liaison Appointments and Appointment of the Space Coast League of Cities & Florida League of Cities Voting Delegates & Alternates for 2022.

BACKGROUND:

City Council liaison appointments are established through Article XIII of the Rules of Procedure for Cocoa City Council meetings and are made by the City Council annually. Council liaisons provide reports on various board and committee activities.

Liaison appointments for 2021 were made at the December 8, 2020 City Council meeting and were as follows:

Affordable Housing Committee	Blake
Board of Adjustment	Dyal
Code Enforcement Board	Dyal
Diamond Square CRA	Goins
Housing Authority	Blake
Planning & Zoning Board	Hearn
Police Community Relations Advisory Board	Goins
Sustainability Advisory Board	Koss
Utilities Advisory Board	Koss

Space Coast TPO	Primary-Koss Alternate-Goins
Space Coast League of Cities	Primary-Blake Alternate-Goins
Florida League of Cities	Primary-Blake Alternate-Koss

STRATEGIC PLAN CONNECTION:

NA

BUDGETARY IMPACT:

NA

PREVIOUS ACTION:

City Council liaison appointments have been made annually and are adjusted as necessary throughout the year.

At the Regular City Council meeting held on December 8, 2020, liaison appointments were made for the 2021 calendar year.

RECOMMENDED MOTION:
City Council Liaison Appointments and Appointment of the Space Coast League of Cities & Florida League of Cities Voting Delegates & Alternates for 2022.

VII. Public Hearings:

1. Pass on 2nd Reading: Ordinance 17-2020, a Comprehensive Plan Text Amendment consistent with Florida Statute Chapter 163 for a City initiated request to change the Future Land Use Element related to allowable uses in the Commercial Future Land Use designation and establishing residential densities in the Commercial and Neighborhood Commercial Future Land Use designations. (20-812). (Community Services Director)

    - **Ordinance No. 17-2020 approved on Second and Final Reading.**

VIII. Council Business:

1. Consider applicants and interest to fill four vacancies for regular members of the Planning and Zoning Board through November 2023 among the reappointment of Michael Dobrin, Sherry Ervin, or Al Washington, or the Appointment of Alternate Aleck Greenwood, Kaitlyn Aliano, Susan Mock, Michelle Pacheco, or Sharri Scott, or a combination of current and new members. (20-768). (Administrative Services Director)

    - **Approved. Dobrin, Ervin, and Washington were reappointed and Susan Mock was appointed. Correspondence to be handled by the City Clerk's office.**

2. City Council Liaison Appointments and Appointment of the Space Coast League of Cities & Florida League of Cities Voting Delegates and Alternates for 2021. (20-816). (Administrative Services Director)

    City Council Liaison Appointments for Calendar Year 2021 are as follows:

• **Affordable Housing Committee**	**Blake**
• **Board of Adjustment**	**Dyal**
• **Code Enforcement Board**	**Dyal**
• **Diamond Square RDA**	**Goins**
• **Housing Authority**	**Blake**
• **Planning & Zoning Board**	**Hearn**
• **Police Advisory Board**	**Goins**
• **Sustainability Advisory Committee**	**Koss**
• **Utilities Advisory Board**	**Koss**
• **Space Coast TPO**	**Koss-Primary** **Goins-Alternate**
• **Space Coast League of Cities**	**Blake-Primary** **Goins-Alternate**

- **Florida League of Cities** **Blake-Primary Koss-Alternate**

3. Approve the current Code Enforcement Lien for the property located at 1202 Princeton Rd., be reduced to $2,500.00 as recommended by the Code Enforcement Board. (20-818). (Chief of Police)

    - **Approved. Lien reduced to $2,500.**

4. Consider whether to allow City of Cocoa Emergency Ordinance No. 13-2020 Requiring Face Coverings to remain in effect or terminate the Ordinance. (20-821). (Assistant City Manager)

    - **Approved to continue and to amend the ordinance with the wording "or face shield".**

5. Consider Mayor Blake's request to reappoint Ms. Chenita Joiner as a member of the Cocoa Housing Authority through December, 2024. (20-827). (Administrative Services Director)

    - **Approved. Correspondence to be handled by the City Clerk's office.**

6. Approval of the Special Event Street Closure on January 2, 2021 for the Run for Responders 5k at Riverfront Park. (21-2). (Assistant to the City Manager/Public Information Officer)

    - **Approved.**

7. Adopt Resolution 2020-252 establishing a $100 Application Fee for non-residential applications seeking a stormwater assessment credit; Advising the City Council regarding the administrative City of Cocoa Stormwater Utility Assessment Adjustment and Mitigation Credits Policy adopted by the City Manager pursuant to Ordinance 1-2019 and Resolution 2019-071. (20-606). (Public Works Director)

    - **Approved. Resolution to be executed and distributed as necessary.**

IX. City Business:

1. Approval of the lease agreement with The Lamar Companies for the lease of the outdoor billboards along US1 in Rockledge on City of Cocoa owned property. (20-803). (Assistant to the City Manager/Public Information Officer)

SPACE COAST LEAGUE OF CITIES, INC.

A Florida Not-for Profit Corporation

CAPE CANAVERAL	*INDIALANTIC*	*MELBOURNE BEACH*	*ROCKLEDGE*
COCOA	*INDIAN HARBOUR BEACH*	*MELBOURNE VILLAGE*	*SATELLITE BEACH*
COCOA BEACH	*MALABAR*	*PALM BAY*	*TITUSVILLE*
GRANT-VALKARIA	*MELBOURNE*	*PALM SHORES*	*WEST MELBOURNE*

"CITIES OF BREVARD WORKING TOGETHER"

2022 Appointment of League Voting Delegate/Director

The Bylaws of the Space Coast League of Cities require the following:

- Every December, the governing body of each member municipality must appoint a Voting Delegate/Director and Alternate to the League.

  Eligibility: Only the member municipality's elected officials, manager, attorney, clerk, and department heads are eligible to be a Voting Delegate/Director and Alternate. Any Voting Delegate/Director or Alternate who ceases to hold such a position ceases at the same time to be a Voting Delegate/Director or Alternate.

  Functions: The person appointed as Voting Delegate serves as both the member municipality's Voting Delegate at membership meetings and its representative to the Board of Directors. The Voting Delegate and the Director is the same person. The sole function of the Alternate for the Voting Delegate/Director is to vote in the absence of the Voting Delegate/Director.

- Following the appointment, the names of the Voting Delegate/Director and the Alternate must be promptly certified in writing to the Executive Director.

- Because the number of votes allocated to member municipalities for membership meetings is based upon population, each member municipality must also certify its current population figures when it certifies its Voting Delegation/Director and Alternate.

Accordingly, please provide and certify the information requested below and return this form promptly to the League Executive Director at the email address: **execsec@scloc.org**.

Municipality: Click here to enter text. **Current Population**: Click here to enter text.

Voting Delegate/Director: Click here to enter text.

Email address: Click here to enter text. **Telephone Number**: Click here to enter text.

Alternate Voting Delegate/Director: Click here to enter text.

Email address: Click here to enter text. **Telephone Number**: Click here to enter text.

I hereby certify that the above named persons were duly appointed by our governing body and the foregoing information is correct: Municipality Clerk's signature: Click here to enter text. **Date:** Click here to enter text.

FORTINET

URL Blocked by FortiClient

cocoa.legistar.com/gateway.aspx

is in the category Unknown

Your FortiClient administrator has blocked this category

FortiClient has been configured to block unrated urls.
This url was categorized as unrated because the FortiGuard url rating service is inaccessible.

Housing Authority of the City Of Cocoa - Terms of Office Fall Under The Housing Authority Program Requirements		**Meets Second Tuesday Every Month**		**Expirations in December**
MEMBER	**ADDRESS**	**PHONE**	**APPOINTED**	**EXPIRES**
Clinton Warner III ~~Buzzell, Scott L. (resident member)~~	403 D Street, Cocoa, FL 32922	321-749-6030 (C) 321-452-6411 (W)	08/14/2018	December 31, 2021
Cole, Thomas	3219 Bayfield Cocoa FL 32922	321-652-9676 (work) 321-288-9486 (cell) Thomas.cole@emmajewelcharter.com	02/10/15 Reappointed 12/10/2013 ***initial term 1/1/14-12/31/14 (one year)***	December 31, 2022
Jackson, Marian T.	1209 Heritage Acres Boulevard Rockledge FL 32955	321-633-9427 (home) 321-837-7081 (work) 321-537-6999 (cell) marijack77@gmail.com	12/11/19 reappointed 12/08/15 reappointed 12/10/2013 ***initial term 1/1/14-12/31/15 (two year)***	December 31, 2023
Joiner, Chenita	2202 Mercer Drive Cocoa FL 32926	321-639-6413 (home) 321-633-2007 (work) 321-591-4501 (Cell) Jkeds01@earthlink.net	12/08/20 Reappointed 12/13/16 Reappointed 12/10/2013 ***initial term 1/1/14-12/31/16 (three year)***	December 31, 2024
Robinson, Joe C. (Chairman)	5510 Bent Oak Drive Titusville FL 32780	321-383-4424 (home) 321-383-3026 (work) 321-361-2325 (cell) nbcsc@cfl.rr.com	1/09/18 Reappointed 12/10/2013 ***initial term 1/1/14-12/31/17 (four year)***	December 31, 2021
LIAISON		Mayor Blake: 474-1758	Updated 12/20	
Contact Info:	828 Stone St. Cocoa, FL 32922	636-8535 (office) 632-4729 (fax)	Chief Exec. Officer Debra Krueger, Records Asst. Debra Krueger dkrueger@haccfl.com	

Legislation Details (With Text)

File #:	21-763	**Version:**	1	**Name:**	
Type:	Appointment			**Status:**	Council Busines
File created:	11/16/2021			**In control:**	City Council
On agenda:	12/14/2021			**Final action:**	
Title:	Consider the appointment of 1st Alternate member Aleck Greenwood or (1) one of the following applicants as a Regular member to the Planning and Zoning Board: Renee Cooper, Craig Curtis, or Veronica Lopez-Velez. (Administrative Services Director)				
Sponsors:					
Indexes:					
Code sections:					
Attachments:	Planning Roster.pdf Renee Cooper Application.pdf Craig Curtis Application.pdf Veronica Lopez-Velez Application.pdf				

Date	Ver.	Action By	Action	Result

CITY COUNCIL AGENDA ITEM

Memo Date: November 16, 2021
Agenda Date: December 14, 2021
Prepared By: Monica Arsenault, Assistant City Clerk
Through: Tammy Gemmati, Administrative Services Director
Requested Action:
Consider the appointment of 1st Alternate member Aleck Greenwood or (1) one of the following applicants as a Regular member to the Planning and Zoning Board: Renee Cooper, Craig Curtis, or Veronica Lopez-Velez.

BACKGROUND:

The Planning and Zoning Board currently has one (1) Regular member vacancy. To date, the following applicants have submitted applications for board membership. All of them meet the qualifications for serving on a City board.

In addition to the new applications that the City Clerk's office received, the 1st Alternate member, Aleck Greenwood, would also like to be considered for the Regular member seat. Mr. Greenwood was appointed to the Planning and Zoning Board in April, 2016 and served through November, 2018. He was appointed to the Board again in January 2019 as an Alternate member. He also served as a member on the City Council from 1995-1998 and served a second term from 1998-2001. Additionally, he served on various other boards and committees over the years. **If he is selected to fill the Regular member seat, one of the following applicants can be selected by Council to fulfill the 1st Alternate member vacancy:**

Renee Cooper: The Assistant City Clerk spoke with Ms. Cooper who expressed an interest in serving on the Planning & Zoning Board. She mentioned that she took up an interest in development after her husband became the Clerk of Planning and Zoning in Fairfax, Virginia. He is now the Director of Planning and Zoning in Rockledge. She also grew up in the City of Cocoa and would like to serve her community now that she has the free time to do so.

Craig Curtis: The Assistant City Clerk spoke with Mr. Curtis who expressed an interest in serving on this board as he would like to be more involved in his community. He is currently the HOA President for Fern Meadows.

Veronica Lopez-Velez: The Assistant City Clerk spoke with Ms. Velez who is interested in serving on this board as she would like to be more involved and has a desire to make the City a better place.

Please note that it is at the discretion of the City Council to decide who they would ultimately like to select to fill the Regular member seat. A current board roster is also attached.

STRATEGIC PLAN CONNECTION:

N/A

BUDGETARY IMPACT:

N/A

PREVIOUS ACTION:

City Council appoints and reappoints to City Boards as vacancies arise and expirations occur.

RECOMMENDED MOTION:

Consider the appointment of 1st Alternate member Aleck Greenwood or (1) one of the following applicants as a Regular member to the Planning and Zoning Board: Renee Cooper, Craig Curtis, or Veronica Lopez-Velez.

powered by Legistar™

Planning & Zoning Board	**Meets Second Wednesday Every Month @ 6pm**		**Expirations in November**	
MEMBER	**ADDRESS**	**PHONE**	**APPOINTED**	**EXPIRES**
Susan Mock	2121 Muskingum Ave. Cocoa, FL 32926 susanmock@att.net	321-632-6446 (hm)	12/2020 (replaced Larry Koss)	2023
Al Washington ***Vice Chairman (as of 2/2014)***	3018 Sandgate Court, Cocoa FL 32922-4434 al26wash@yahoo.com	636-1099 (H) 432-7567 (C)	12/20 Reappointed 11/17 Reappointed 10/14 Reappointed 10/11 Reappointed 11/08 Reappointed 08/07 Appointed	2023
~~Trina Gilliam~~ ~~(Replaced Jack L. Moore)~~ ~~(Non-resident)~~ **VACANCY**	~~813 Temple St.~~ ~~Cocoa, FL 32922~~ ~~Trinagilliam71@gmail.com~~	~~978-432-9221~~ ~~321-221-7540 x 113 (work)~~	~~01/19 Appointed~~	~~2022~~
Marilyn Green (Replaced Jake Williams, Jr.)	104 Riverside Dr. #204 Cocoa, FL 32922 Mlgreen20@gmail.com	617-5554 (hm) 603-502-4632 (cell)	10/21 Reappointed 02/18 Appointed	2024
Michael Dobrin- ***Chairman (as of 2/2014)***	100 Riverside Drive #406, 32922-7864 MIKE-CONNIE@oleanderpointe.com	637-0884	11/20 Reappointed 11/17 Reappointed 10/14 Reappointed 10/11 Reappointed 11/08 Reappointed 4/06 Appointed to fill unexpired term	2023
Jeri Blanco	PO Box 236402 Cocoa, FL 32923 Jeri.blanco@gmail.com	321-514-3531	01/2019 Appointed	2022
Russell Sengel	[redacted] rsengel@cfl.rr.com 321-863-3704 rsengel@cocoafl.org	[redacted]	11/19 Reappointed 11/16 Reappointed 10/13 Reappointed 03/13 appointed to fill term not renewed by S. Holmes and not accepted by Mr. Harvey	2022
Justin Simpson	2515 Stanford Dr. Cocoa, FL 32926 Justin.darrell.simpson88@gmail.com	907-347-1003	05/2021 Appointed	2024
Todd Anderson (non-resident)	6570 Pleasant Ave., Cocoa, FL 32927 toddpanderson@yahoo.com	403-7595 (cell~~)~~	02/2020 Appointed 11/16 Reappointed 1/28/14 appointed (to fill vacancy	2022

			left by Stephenson)	
Aleck Greenwood -1st Alternate	PO Box 1077 Cocoa, FL 32923 Agreenwood2@cfl.rr.com	321-917-3770	01/2019 Appointed	No expiration
Jesse Heredia – 2nd Alternate	3717 W Malory Ct. Cocoa, FL 32926 jheredia@davinci-consulting.biz	863-409-4848	05/2021 Appointed	No expiration
Debbie Joyce (Non-Voting Member)	3231 Nottingham Ln., Cocoa, FL 32926 Debbie32926@brighthouse.com Debbie3231nl@outlook.com	321-338-2047	03/2020 Appointed	No expiration
LIAISON	Councilman Hearn	474-1189	Updated 12/20	
Counsel: Anthony Garganese/Kristin Eick	PO Box 2873, Orlando, FL 32802-2873	866-425-9566 407-472-0178 (Kristin Eick)		
RECORDING SECRETARY	Monica Arsenault	433-8488		

BOA | P+Z

Carie Shealy

From: noreply@civicplus.com
Sent: Saturday, October 9, 2021 4:05 PM
To: Carie Shealy
Subject: Online Form Submittal: NEW--Application for Board/Committee Membership

EXTERNAL MESSAGE - USE CAUTION WITH LINKS AND ATTACHMENTS!

NEW--Application for Board/Committee Membership

City of Cocoa Application for Board/Committee Membership
City Code requires prospective and existing board members to fill out an application, consent to a standard criminal background check, be duly registered to vote in Brevard County, and be a resident or an owner of real property in the City of Cocoa. City Code also prohibits a person from serving on a City Board or Committee if that person has been convicted of a felony, unless their civil rights have been restored.*

(Please Print)

First Name	Renee
Last Name	Cooper
Application Date	10/9/2021
Address1	1324 Tarton Way
City	Cocoa
State	FL
Zip	32926
District	District 4
Home Phone Number	5713281181
Work Phone Number	*Field not completed.*
Cell Phone Number	5713281181
Other Phone Number	3213014709
Place of Business	ReJoCo Designs
Title/Position Held	Business Owner

Date of Birth*	[redacted]
E-mail Address	Rmcoope1@gmail.com

**The information being requested is necessary in order to conduct a background check. Information will be used for those purposes only.*

(Section Break)

Various City Boards/Committees Available	Board of Adjustment, Code Enforcement/Drug Related Public Nuisance Board, Planning & Zoning Board, Police Community Relations Advisory Board, Redevelopment Agency (Cocoa), Redevelopment Agency (Diamond Square), Sustainability Advisory Board

(Section Break)

Eligibility

Have you been a City of Cocoa resident for at least 6 months?	Yes
Do you own property or a business in Cocoa?	No
Are you registered to vote in Brevard County, Florida?	Yes
Have you ever been convicted or found guilty, regardless of adjudication, of a felony in any jurisdiction? Any plea of no contest shall be considered a conviction for purposes of this question.	No
If yes, have your civil rights been restored?	*Field not completed.*
Do you consent to a standard criminal background check?	Yes

(Section Break)

Miscellaneous Information

Race	Caucasian
Gender	Female
Disability	*Field not completed.*
	Field not completed.
	(Section Break)

Applicant Certification

By filling this application with the City of Cocoa, I do hereby acknowledge the following: 1. This application, when completed and filed with the Office of the City Clerk, is a public record under Chapter 119, Florida Statutes, and is open to public inspection. 2. I am responsible for keeping the information on this form current and provide any changes or updates to the Office of the City Clerk. 3. I consent to filing a Statement of Financial Interests (Form 1) required if required for the board in which I am appointed to. 4. If appointed to a board/committee, I acknowledge that this is my obligation and duty to comply with the following: Code of Ethics for Public Offices (Florida Statutes, Chapter 112, Part III) Florida Sunshine Law (Florida Statutes, Chapter 286) http://www.flsenate.gov/Statutes.

Signature	Renee Cooper
Date:	10/9/2021
City Board and Committee Information as well as Meeting Information	Boards and Committees

All meetings are subject to change in dates and/or may be canceled with the approval of the City Manager (with the exception of the regular Council meetings), dependent upon whether there are items or cases to be considered. Other meetings of boards not listed above are held on an infrequent basis to which there is no standard or specified monthly date. (Please refer to the preceding "Description of Boards and Committees".) The three pension boards generally meet quarterly, and meetings may be held more often, depending on necessity. The Drug Related Public Nuisance Board holds meetings coinciding with the Code Enforcement Board; however, it meets infrequently on an as needed basis. THIS INFORMATION IS PUBLISHED BY THE CITY CLERK'S OFFICE IN AN EFFORT TO BETTER INFORM CITIZENS ABOUT THEIR CITY GOVERNMENT.

Email not displaying correctly? View it in your browser.

Do you currently serve on any other City of Cocoa board?	No
Are you related to a City of Cocoa Councilmember by blood, adoption, or marriage?	No
Potential Conflict of Interest: Have you ever been engaged in the management of any business enterprise that has a financial interest with the City of Cocoa? Please provide details, such as the name of the enterprise, the nature of the business, and the positions you hold or have held.	No
If yes, please provide details.	*Field not completed.*

(Section Break)

Interests and Experience

Additional Information May be Attached	*Field not completed.*
Briefly state your interest in serving on a City board or committee. Please include information relating to prior service on any governmental board or committee, and any specialized skills or training you feel will help you to qualify for membership on the desired City board or committee.	I have been interested in the Planning & Zoning Board and possibly the Board of Adjustment, really any Board that helps the community, since my husband started working as the Clerk of Planning and Zoning in Fairfax County, Virginia. He is now the Director of Planning and Zoning for the City of Rockledge and talking to him about all the development that is coming is very exciting. Being a part of that in the city of Cocoa, where I grew up would be very satisfying and now that I am a stay at home grandma, I have the time to spend doing things like this.

(Section Break)

State Reporting Requirements

Section 760.80, Florida Statutes, requires that the City annually submit a report to the Secretary of State disclosing race, gender, and physical disabilities of board and committee members. Please check the appropriate boxes:

Brevard County Property Appraiser

Titusville • Viera • Melbourne • Palm Bay

Phone: (321) 264-6700
https://www.bcpao.us

PROPERTY DETAILS

Account	2460902
Owners	AMERICAN HOMES 4 RENT PROPERTIES; SEVEN LLC
Mailing Address	23975 PARK SORRENTO, STE 300 ATTN: PROPERTY TAX DEPARTMENT CALABASAS CA 91302
Site Address	1324 TARTON WAY COCOA FL 32926
Parcel ID	24-35-22-25-*-145
Property Use	0110 - SINGLE FAMILY RESIDENCE
Exemptions	NONE
Taxing District	13D0 - COCOA
Total Acres	0.14
Subdivision	ADAMSON CREEK PHASE ONE-A
Site Code	0142 - NBHD LAKE/RETEN FRTG
Plat Book/Page	0057/0049
Land Description	ADAMSON CREEK PHASE ONE-A LOT 145



VALUE SUMMARY

Category	2021	2020	2019
Market Value	$167,070	$158,110	$150,110
Agricultural Land Value	$0	$0	$0
Assessed Value Non-School	$167,070	$158,110	$150,110
Assessed Value School	$167,070	$158,110	$150,110
Homestead Exemption	$0	$0	$0
Additional Homestead	$0	$0	$0
Other Exemptions	$0	$0	$0
Taxable Value Non-School	$167,070	$158,110	$150,110
Taxable Value School	$167,070	$158,110	$150,110

SALES/TRANSFERS

Date	Price	Type	Instrument
02/27/2015	$130,000	WD	7312/0306
12/30/2011	$112,900	WD	6515/0920
06/24/2010	$70,000	WD	6192/1683

BUILDINGS

PROPERTY DATA CARD #1

Building Use: 0110 - SINGLE FAMILY RESIDENCE

Materials		Details	
Exterior Wall:	STUCCO	Year Built	2010
Frame:	MASNRYCONC	Story Height	8
Roof:	ASPH/ASB SHNGL	Floors	1
Roof Structure:	HIP/GABLE	Residential Units	1
		Commercial Units	0

Sub-Areas		Extra Features
Base Area (1st)	1,307	No Data Found
Garage	373	
Open Porch	30	
Screen Porch	200	
Total Base Area	1,307	

BECA - Brevard Electronic Court Application

Logged in as: Public

Log Out

Name Search - No Current Record(s) found for: RENEE% COOPER

Close

P+Z

Carie Shealy

From: noreply@civicplus.com
Sent: Saturday, October 9, 2021 6:22 PM
To: Carie Shealy
Subject: Online Form Submittal: NEW--Application for Board/Committee Membership

EXTERNAL MESSAGE - USE CAUTION WITH LINKS AND ATTACHMENTS!

NEW--Application for Board/Committee Membership

City of Cocoa Application for Board/Committee Membership
City Code requires prospective and existing board members to fill out an application, consent to a standard criminal background check, be duly registered to vote in Brevard County, and be a resident or an owner of real property in the City of Cocoa. City Code also prohibits a person from serving on a City Board or Committee if that person has been convicted of a felony, unless their civil rights have been restored.*

(Please Print)

First Name	Craig
Last Name	Curtis
Application Date	10/9/2021
Address1	772 Cressa Circle
City	Cocoa
State	FL
Zip	32926
District	District 3
Home Phone Number	7345455246
Work Phone Number	*Field not completed.*
Cell Phone Number	7345455246
Other Phone Number	*Field not completed.*
Place of Business	Satcom Direct
Title/Position Held	Schedule and Dispatch Manager

Date of Birth*	[redacted]
E-mail Address	shallowrun@gmail.com

**The information being requested is necessary in order to conduct a background check. Information will be used for those purposes only.*

(Section Break)

Various City Boards/Committees Available	Planning & Zoning Board

(Section Break)

Eligibility

Have you been a City of Cocoa resident for at least 6 months?	Yes
Do you own property or a business in Cocoa?	Yes
Are you registered to vote in Brevard County, Florida?	Yes
Have you ever been convicted or found guilty, regardless of adjudication, of a felony in any jurisdiction? Any plea of no contest shall be considered a conviction for purposes of this question.	No
If yes, have your civil rights been restored?	*Field not completed.*
Do you consent to a standard criminal background check?	Yes

(Section Break)

Miscellaneous Information

Do you currently serve on any other City of Cocoa board?	No

Are you related to a City of Cocoa Councilmember by blood, adoption, or marriage?	Yes
Potential Conflict of Interest: Have you ever been engaged in the management of any business enterprise that has a financial interest with the City of Cocoa? Please provide details, such as the name of the enterprise, the nature of the business, and the positions you hold or have held.	No
If yes, please provide details.	*Field not completed.*

(Section Break)

Interests and Experience

Additional Information May be Attached	*Field not completed.*
Briefly state your interest in serving on a City board or committee. Please include information relating to prior service on any governmental board or committee, and any specialized skills or training you feel will help you to qualify for membership on the desired City board or committee.	To be more involved with my community. Currently the HOA President for Fern Meadows.

(Section Break)

State Reporting Requirements

Section 760.80, Florida Statutes, requires that the City annually submit a report to the Secretary of State disclosing race, gender, and physical disabilities of board and committee members. Please check the appropriate boxes:

Race	Caucasian
Gender	Male

Disability	*Field not completed.*
	Field not completed.

(Section Break)

Applicant Certification

By filling this application with the City of Cocoa, I do hereby acknowledge the following: 1. This application, when completed and filed with the Office of the City Clerk, is a public record under Chapter 119, Florida Statutes, and is open to public inspection. 2. I am responsible for keeping the information on this form current and provide any changes or updates to the Office of the City Clerk. 3. I consent to filing a Statement of Financial Interests (Form 1) required if required for the board in which I am appointed to. 4. If appointed to a board/committee, I acknowledge that this is my obligation and duty to comply with the following: Code of Ethics for Public Offices (Florida Statutes, Chapter 112, Part III) Florida Sunshine Law (Florida Statutes, Chapter 286) http://www.flsenate.gov/Statutes.

Signature	Craig Curtis
Date:	10/9/2021
City Board and Committee Information as well as Meeting Information	Boards and Committees

All meetings are subject to change in dates and/or may be canceled with the approval of the City Manager (with the exception of the regular Council meetings), dependent upon whether there are items or cases to be considered. Other meetings of boards not listed above are held on an infrequent basis to which there is no standard or specified monthly date. (Please refer to the preceding "Description of Boards and Committees".) The three pension boards generally meet quarterly, and meetings may be held more often, depending on necessity. The Drug Related Public Nuisance Board holds meetings coinciding with the Code Enforcement Board; however, it meets infrequently on an as needed basis. THIS INFORMATION IS PUBLISHED BY THE CITY CLERK'S OFFICE IN AN EFFORT TO BETTER INFORM CITIZENS ABOUT THEIR CITY GOVERNMENT.

Email not displaying correctly? View it in your browser.

Brevard County Property Appraiser

Titusville • Viera • Melbourne • Palm Bay

Phone: (321) 264-6700
https://www.bcpao.us

PROPERTY DETAILS

Account	2458834
Owners	CURTIS, CRAIG E; CURTIS, KIMBERLY S
Mailing Address	772 CRESSA CIR COCOA FL 32926
Site Address	772 CRESSA CIR COCOA FL 32926
Parcel ID	24-35-27-51-C-1
Property Use	0110 - SINGLE FAMILY RESIDENCE
Exemptions	HEX1 - HOMESTEAD FIRST HEX2 - HOMESTEAD ADDITIONAL
Taxing District	13D0 - COCOA
Total Acres	0.15
Subdivision	FERN MEADOWS PHASE TWO
Site Code	0001 - NO OTHER CODE APPL.
Plat Book/Page	0053/0005
Land Description	FERN MEADOWS PHASE TWO LOT 1 BLK C



VALUE SUMMARY

Category	2021	2020	2019
Market Value	$207,820	$201,630	$192,700
Agricultural Land Value	$0	$0	$0
Assessed Value Non-School	$167,440	$165,130	$161,420
Assessed Value School	$167,440	$165,130	$161,420
Homestead Exemption	$25,000	$25,000	$25,000
Additional Homestead	$25,000	$25,000	$25,000
Other Exemptions	$0	$0	$0
Taxable Value Non-School	$117,440	$115,130	$111,420
Taxable Value School	$142,440	$140,130	$136,420

SALES/TRANSFERS

Date	Price	Type	Instrument
04/07/2015	$171,000	WD	7342/1992
07/28/2006	$267,800	WD	5680/1024
04/28/2006	$597,000	WD	5642/2391

BUILDINGS

PROPERTY DATA CARD #1

Building Use: 0110 - SINGLE FAMILY RESIDENCE

Materials		Details	
Exterior Wall:	STUCCO	Year Built	2006
Frame:	MASNRYCONC	Story Height	9
Roof:	ASPH/ASB SHNGL	Floors	1
Roof Structure:	HIP/GABLE	Residential Units	1
		Commercial Units	0

Sub-Areas		Extra Features	
Base Area (1st)	1,966	Paving - Stone	516
Garage	399	All Screen - 1 Story	880
Open Porch	22	Pool - Residential	1
Total Base Area	1,966		
Total Sub Area	2,387		

Generated on 11/3/2021 11:33:28 AM

BECA - Brevard Electronic Court Application

Logged in as: Public

Log Out

Name Search - No Current Record(s) found for: CRAIG% CURTIS

Close

P+Z

Carie Shealy

From: noreply@civicplus.com
Sent: Wednesday, October 13, 2021 5:01 PM
To: Carie Shealy
Subject: Online Form Submittal: NEW--Application for Board/Committee Membership

EXTERNAL MESSAGE - USE CAUTION WITH LINKS AND ATTACHMENTS!

NEW--Application for Board/Committee Membership

City of Cocoa Application for Board/Committee Membership
City Code requires prospective and existing board members to fill out an application, consent to a standard criminal background check, be duly registered to vote in Brevard County, and be a resident or an owner of real property in the City of Cocoa. City Code also prohibits a person from serving on a City Board or Committee if that person has been convicted of a felony, unless their civil rights have been restored.*

(Please Print)

First Name	Veronica
Last Name	Lopez-Velez
Application Date	10/13/2021
Address1	571 CRESSA CIR
City	COCOA
State	FL
Zip	32926
District	District 3
Home Phone Number	4074988510
Work Phone Number	*Field not completed.*
Cell Phone Number	4074988510
Other Phone Number	*Field not completed.*
Place of Business	Homemaker
Title/Position Held	*Field not completed.*

Date of Birth*	[redacted]
E-mail Address	ronilope011@gmail.com

**The information being requested is necessary in order to conduct a background check. Information will be used for those purposes only.*

(Section Break)

Various City Boards/Committees Available	Affordable Housing Advisory Committee, Housing Authority, Planning & Zoning Board, Redevelopment Agency (Cocoa)

(Section Break)

Eligibility

Have you been a City of Cocoa resident for at least 6 months?	Yes
Do you own property or a business in Cocoa?	Yes
Are you registered to vote in Brevard County, Florida?	Yes
Have you ever been convicted or found guilty, regardless of adjudication, of a felony in any jurisdiction? Any plea of no contest shall be considered a conviction for purposes of this question.	No
If yes, have your civil rights been restored?	*Field not completed.*
Do you consent to a standard criminal background check?	Yes

(Section Break)

Miscellaneous Information

Do you currently serve on any other City of Cocoa board?	No

Are you related to a City of Cocoa Councilmember by blood, adoption, or marriage?	No
Potential Conflict of Interest: Have you ever been engaged in the management of any business enterprise that has a financial interest with the City of Cocoa? Please provide details, such as the name of the enterprise, the nature of the business, and the positions you hold or have held.	No
If yes, please provide details.	*Field not completed.*

(Section Break)

Interests and Experience

Additional Information May be Attached	*Field not completed.*
Briefly state your interest in serving on a City board or committee. Please include information relating to prior service on any governmental board or committee, and any specialized skills or training you feel will help you to qualify for membership on the desired City board or committee.	I feel the calling to get involved in the community in which I live and want to help make this city a place people will want to live in.

(Section Break)

State Reporting Requirements

Section 760.80, Florida Statutes, requires that the City annually submit a report to the Secretary of State disclosing race, gender, and physical disabilities of board and committee members. Please check the appropriate boxes:

Race	African-American
Gender	Female

Disability	*Field not completed.*
	Field not completed.
	(Section Break)

Applicant Certification

By filling this application with the City of Cocoa, I do hereby acknowledge the following: 1. This application, when completed and filed with the Office of the City Clerk, is a public record under Chapter 119, Florida Statutes, and is open to public inspection. 2. I am responsible for keeping the information on this form current and provide any changes or updates to the Office of the City Clerk. 3. I consent to filing a Statement of Financial Interests (Form 1) required if required for the board in which I am appointed to. 4. If appointed to a board/committee, I acknowledge that this is my obligation and duty to comply with the following: Code of Ethics for Public Offices (Florida Statutes, Chapter 112, Part III) Florida Sunshine Law (Florida Statutes, Chapter 286) http://www.flsenate.gov/Statutes.

Signature	Veronica Lopez-Velez
Date:	10/13/2021
City Board and Committee Information as well as Meeting Information	Boards and Committees

All meetings are subject to change in dates and/or may be canceled with the approval of the City Manager (with the exception of the regular Council meetings), dependent upon whether there are items or cases to be considered. Other meetings of boards not listed above are held on an infrequent basis to which there is no standard or specified monthly date. (Please refer to the preceding "Description of Boards and Committees".) The three pension boards generally meet quarterly, and meetings may be held more often, depending on necessity. The Drug Related Public Nuisance Board holds meetings coinciding with the Code Enforcement Board; however, it meets infrequently on an as needed basis. THIS INFORMATION IS PUBLISHED BY THE CITY CLERK'S OFFICE IN AN EFFORT TO BETTER INFORM CITIZENS ABOUT THEIR CITY GOVERNMENT.

Email not displaying correctly? View it in your browser.


Brevard County Property Appraiser

Titusville • Viera • Melbourne • Palm Bay

PROPERTY DETAILS

Phone: (321) 264-6700
https://www.bcpao.us

Account	2456911
Owners	LOPEZ, EDWIN
Mailing Address	571 CRESSA CIR COCOA FL 32926
Site Address	571 CRESSA CIR COCOA FL 32926
Parcel ID	24-35-27-50-B-12
Property Use	0110 - SINGLE FAMILY RESIDENCE
Exemptions	HEX1 - HOMESTEAD FIRST HEX2 - HOMESTEAD ADDITIONAL
Taxing District	13D0 - COCOA
Total Acres	0.15
Subdivision	FERN MEADOWS
Site Code	0001 - NO OTHER CODE APPL.
Plat Book/Page	0050/0053
Land Description	FERN MEADOWS LOT 12 BLOCK B



VALUE SUMMARY

Category	2021	2020	2019
Market Value	$193,910	$187,680	$177,150
Agricultural Land Value	$0	$0	$0
Assessed Value Non-School	$124,240	$122,530	$119,780
Assessed Value School	$124,240	$122,530	$119,780
Homestead Exemption	$25,000	$25,000	$25,000
Additional Homestead	$25,000	$25,000	$25,000
Other Exemptions	$0	$0	$0
Taxable Value Non-School	$74,240	$72,530	$69,780
Taxable Value School	$99,240	$97,530	$94,780

SALES/TRANSFERS

Date	Price	Type	Instrument
05/20/2011	--	QC	6511/0964
07/06/2006	$256,500	WD	5672/3061
10/08/2004	$197,100	WD	5371/6892
04/20/2004	$82,700	WD	5270/2265

BUILDINGS

PROPERTY DATA CARD #1

Building Use: 0110 - SINGLE FAMILY RESIDENCE

Materials		Details	
Exterior Wall:	STUCCO	Year Built	2004
Frame:	MASNRYCONC	Story Height	8
Roof:	ASPH/ASB SHNGL	Floors	1
Roof Structure:	HIP/GABLE	Residential Units	1
		Commercial Units	0

Sub-Areas		Extra Features
Base Area (1st)	1,957	No Data Found
Garage	408	
Open Porch	23	
Screen Porch	280	
Total Base Area	1,957	
Total Sub Area	2,668	

Generated on 11/3/2021 11:32:29 AM

BECA - Brevard Electronic Court Application

Logged in as: Public

Log Out

Name Search - No Current Record(s) found for: VERONICA% LOPEZ-VELEZ

Close

Legislation Details (With Text)

File #:	21-764	**Version:**	1	**Name:**	
Type:	Resolution			**Status:**	Council Busines
File created:	11/16/2021			**In control:**	City Council
On agenda:	12/14/2021			**Final action:**	
Title:	Council direction on the current Outdoor Dining Resolution 2021-13, that is set to expire on December 31,2021. (Interim Community Services Director)				
Sponsors:					
Indexes:					
Code sections:					
Attachments:	Resolution 2021-13.pdf				

Date	Ver.	Action By	Action	Result

CITY COUNCIL AGENDA ITEM

Memo Date: November 17, 2021
Agenda Date: December 14, 2021
Prepared By: Charlene Neuterman, Interim Community Services Director
Through: Stockton Whitten, City Manager
Requested Action:
Council direction on the current Outdoor Dining Resolution 2021-13, that is set to expire on December 31,2021.

BACKGROUND:

At the September 14, 2021 Council meeting, Council members approved extending the expiration date of the expanded outdoor dining options for local restaurants currently approved for the temporary provision to December 31, 2021.

During the pandemic, the City allowed for outdoor dining in an effort to support the local restaurant industry. A variety of different establishments took advantage of this opportunity.

Currently, the following establishments have applied for and were approved for the temporary expanded outdoor seating areas:

- Beef O' Brady's - private area only utilized; no public or private parking areas used
- Ossorio Bakery & Café - public sidewalk area only
- Jerk Flavas Jamaican Restaurant - private area only and no public or private parking areas used
- Village Idiot Pub - approved 4 public parking spaces but currently utilizing only 3
- Pub Americana - approved 3 public parking spaces
- Dog and Bone - approved limited use of the gazebo in Myrt Tharpe Square - no public

or private parking areas used

Staff is requesting Council direction regarding Resolution 2021-13 that is set to expire on December 31, 2021 with the following options:

1. Approve an extension until March 31, 2022.
2. Allow the temporary provision to expire on December 31, 2021.

STRATEGIC PLAN CONNECTION:

N/A

BUDGETARY IMPACT:

Budgeted N/A

PREVIOUS ACTION:

September 14, 2021 - Agenda 21-587: Council approved the extension of Resolution 2021-13 through December 31, 2021.

RECOMMENDED MOTION:

Council direction on the current Outdoor Dining Resolution 2021-13, that is set to expire on December 31,2021.

powered by Legistar™

RESOLUTION NO. 2021-013

A RESOLUTION OF THE CITY COUNCIL OF THE CITY OF COCOA, FLORIDA, AMENDING RESOLUTION 2020-146, AS AMENDED BY RESOLUTION NO. 2020-218, WHICH ESTABLISHED A LIMITED PERMIT FOR NEW, TEMPORARY, OUTDOOR SEATING AREAS FOR RESTAURANTS IN THE CITY DUE TO CORONAVIRUS TO MODIFY THE EXPIRATION DATE UNTIL JUNE 30, 2021; PROVIDING FOR THE REPEAL OF PRIOR INCONSISTENT RESOLUTIONS; AND PROVIDING AN EFFECTIVE DATE.

WHEREAS, Coronavirus Disease 2019 (COVID-19) is a severe, acute respiratory illness that appears to occur through respiratory transmission and presents symptoms similar to those of influenza; and

WHEREAS, on March 9, 2020, Governor Ron DeSantis issued Executive Order 20-52, declaring that appropriate measures to control the spread of COVID-19 in the State of Florida were necessary and, therefore, directed that a Public Health Emergency be declared in the State of Florida; and

WHEREAS, on September 25, 2020, Governor Ron DeSantis issued Executive Order 20-244, which superseded and eliminated any and all restrictions of previous Executive Orders 20-112, 20-123, 20-139, 20-192, 20-214, and 20-223, which established Phases I and II of the path to re-opening Florida, except as modified in Executive Order 20-244; and

WHEREAS, specifically, Executive Order 20-244, provides that restaurants, including any establishment with a food service license, may not be limited by a COVID-19 emergency order by any local government to less than fifty percent (50%) of their indoor capacity and, further, that if a restaurant is limited to less than one hundred percent (100%) of its indoor capacity, such COVID-19 emergency order must quantify the economic impact of each limitation or requirement on those restaurants and explain why each limitation or requirement is necessary for public health; and

WHEREAS, the City of Cocoa has not adopted any local emergency order limiting the indoor capacity of restaurants in the City and, consequently, Executive Order 20-244 has had the practical effect of eliminating all limitations on indoor capacity of restaurants in the City; and

WHEREAS, previously, the City desired to establish a quick and efficient process for restaurants to obtain a limited permit authorizing temporary outdoor seating capacity as a result of the capacity restrictions on indoor dining as provided in the superseded Executive Orders and adopted Resolution 2020-146 to accomplish this objective; and

WHEREAS, Resolution 2020-146 provided that all limited permits authorizing new, temporary outdoor seating areas would expire upon the rescission or expiration (with no extension) of Governor Ron DeSantis's Executive Order 20-112 or upon the rescission or expiration (with no extension) of any subsequent executive order by Governor Ron DeSantis which maintained limited indoor seating capacity to seventy-five percent (75%) or less; and

WHEREAS, the City of Cocoa recognizes that the Centers for Disease Control and Prevention's (CDC) Guidance on "Considerations for Restaurants and Bars," updated September 6, 2020, still provides that outdoor seating at restaurants reduces the risk of spread of COVID-19 and recommends prioritizing outdoor seating as much as possible; and

WHEREAS, the City Council desires to amend Resolution 2020-146, as amended by 2020-218, to retroactively extend limited permits which may have been issued for temporary outdoor seating, to provide for a second extension and new expiration of December 31, 2021; and

WHEREAS, the City Council has determined this Resolution is in the best interests of the City of Cocoa.

NOW, THEREFORE, BE IT RESOLVED BY THE CITY COUNCIL OF THE CITY OF COCOA, as follows:

SECTION 1. Recitals. The foregoing recitals are hereby fully incorporated herein by this reference and are deemed a material part of this Resolution.

SECTION 2. Amendment of Resolution 2020-146, as Amended by Resolution 2020-218. Section 2 G. of City of Cocoa Resolution 2020-146, as amended by Resolution 2020-218, is hereby amended as follows (underlined type indicates additions and ~~strikeout~~ type indicates deletions, while asterisks (* * *) indicate a deletion from this Resolution of text existing in the Resolution 2020-146, as amended by Resolution 2020-218. It is intended that the text in the Resolution 2020-146, as amended by Resolution 2020-218, denoted by the asterisks and set forth in this Resolution shall remain unchanged from the language existing prior to adoption of this Resolution):

RESOLUTION 2020-146, as amended by Resolution 2020-218

(* * *)

SECTION 2. Limited Permit to Authorize New, Temporary Outdoor Seating Areas.

(* * *)

G. *Retroactive Extension and Expiration.* All limited permits authorizing new, temporary outdoor seating areas shall expire on December 31 ~~September 30, 2021~~June 30, 2021 ~~February 28~~, 2021 or upon adoption of a subsequent resolution of the City Council terminating such permits and the limited temporary outdoor seating program, whichever is sooner. All limited permits authorizing new, temporary outdoor seating areas previously issued pursuant to Resolution 2020-146, as amended by Resolution 2020-218, shall be automatically and retroactively extended upon the adoption of this Resolution. However, nothing herein is intended to supersede the City Manager's authority to revoke individual limited permits pursuant to Section H herein.

(* * *)

SECTION 3. Repeal of Prior Inconsistent Resolution. All prior resolutions or parts of resolutions inconsistent with this resolution are hereby repealed to the extent of the conflict.

SECTION 4. Conflicts and Severability. Should any section or provision of this resolution, or any portion thereof, any paragraph, sentence or word be declared by a Court of competent jurisdiction to be invalid, such decision shall not affect the validity of the remainder hereto as a whole or part thereof to be declared invalid.

SECTION 5. Effective date. This resolution shall become effective immediately upon its adoption by the City Council of the City of Cocoa, Florida.

ADOPTED by the City Council of the City of Cocoa, Florida, in a regular meeting assembled on the 14th day of September 2021.

_____
Michael C. Blake, Mayor

ATTEST:

_____
Carie Shealy, MMC, City Clerk

Legislation Details (With Text)

File #:	21-781	**Version:**	2	**Name:**	
Type:	Report			**Status:**	Council Busines
File created:	11/22/2021			**In control:**	City Council
On agenda:	12/14/2021			**Final action:**	
Title:	Approve the current Code Enforcement Lien for the property located at 215 Riverside Dr. be reduced to $2,227.39. (Chief of Police)				
Sponsors:					
Indexes:					
Code sections:					
Attachments:	215 Riverside Dr Application.pdf Staff Report for Lien Reduction 215 rivertdocx.pdf Cost Affidavit Form -215 Riverside Dr.pdf				

Date	Ver.	Action By	Action	Result

CITY COUNCIL AGENDA ITEM

Memo Date: November 22, 2021
Agenda Date: December 14, 2021
Prepared By: Darla Crowl, (Code Enforcement Coordinator)
Through: Evander Collier IV, (Chief of Police)
Requested Action:
Approve the current Code Enforcement Lien for the property located at 215 Riverside Dr. be reduced to $2,227.39

BACKGROUND:

CASE # 18-620

The Code Enforcement Board held a public hearing on **4/18/2019**, at which time the Board found the owner, **Parkside Properties Llc** in violation of the following:

Permit Required App A Art. XV Sec 2 (a)
Handrails/ Guardrails Ch 6 Sec. 6-1003 (l)
Protective Treatment, Ch 6 Sec. 6-1003 (b)

The Code Enforcement Board provided the owner time to correct said violation. Therefore, consistent with the Code Enforcement Board's Order a lien was started against the property effective **05/19/2021.** The lien ran at **$75.00** per day from **5/19/2021** until compliance was achieved on **9/2/2021**. The total fine is **$62,860.00** Code records show onsite inspections were conducted and contact was made. The current owner **Parkside Properties Llc** , is requesting that the lien be reduced to **staff costs**.

Staff utilized the following factors in making its recommendation to reduce the lien:

- Whether the current applicant owned the property at the time the violation(s) occurred; **YES**
- The number of violations related to the subject liens; **Three**
- Number of Inspections performed: **26**
- The length of time the property was in violation before correction
- Previous Code Violations: **No**
- Property Taxes: **2020 are paid, Tax Bills 2021 is Due**
- Other Liens: **Records show no outstanding liens on the property. No Water Liens**
- Property Inspection: **11/15/21 and was incompliance before prior to the Code Board Meeting**

The current market value of the subject property; the current market value is **$610,000.00** according the Brevard County Property Appraiser.

Total Amount of Liens: **$62,860.00**

Staff submits their cost sheet for Case **# 18-620** in the amount of **$2,227.39**

Staff's recommendation is based on the gravity of the violations, the amount of time it took the property to come into compliance, and the total amount of the fines. **Reduction to the total amount of 2,227.39 (staff costs)**

Council reduces the amount owed, payment of the reduced amount is required within thirty (30) days of the Council's decision or the lien amount reverts back to the original amount owed, and a subsequent lien reduction request cannot be made for a one-year period of time.

STRATEGIC PLAN CONNECTION:

Crime, Image and Community Development

BUDGETARY IMPACT:

None

PREVIOUS ACTION:

The Code Enforcement Board, at its regular meeting November 18, 2021, recommended that the lien be reduced to $2,227.39

RECOMMENDED MOTION:

Approve the current Code Enforcement Lien for the property located at 215 Riverside Dr. be reduced to $2,227.39.

Application # CE - 18 - 62D

LIEN REDUCTION APPLICATION

Cocoa Police Department
Code Enforcement Division
1226 W King Street
Cocoa, Florida 32922
Phone; (321) 433-8508

This application must be completed entirely. The property must be in compliance per the City Code Section 6-707(d), if the property does not meet the guidelines of the City Code the Lien Reduction Application will not be scheduled for a hearing before the Code Enforcement Board.

This form is divided into steps which will help you prepare your request, provide the necessary information, and prepare for the Code Enforcement Board and City Council hearing.

For Office Use Only - Date Received
RECEIVED
NOV - 3 2021
BY:
Stamp Only When Application is Fully Complete

Please TYPE or PRINT this application neatly.

1. **Date:** 9/22/21

2. **Applicant Information:** ** NOTE: Applicant is the main contact, who must attend the meeting.*

Company (if applicable): Parkside Properties (Florida) LLC

Name: William Simpson c/o Jay Thalkbar, Esq. Jay@CFGlawoffice.com 321 639 1320 x 115

Mailing Address: P.O. Box 10750

City: Portland State: ME Zip Code: 04104

Phone #: 207-874-0700 Fax #: 207-874-6550

Mobile #: 207-450-0370 E-mail: classactspropertymanagement@yahoo.com

3. **Property Owner Information:** ** Check here if same as Applicant →* ☒
** If more than one owner, attach additional sheet with names and addresses.*

Company (if applicable): _____

Name: _____

Mailing Address: _____

City: _____ State: _____ Zip Code: _____

Phone #: _____ Fax #: _____

Mobile #: _____ E-mail: _____

4. **Information for property on which lien occurs:**

Street Address and Location: 215 Riverside Dr. - Cocoa

Parcel ID:

24-36-33-81-8□□□□.□-

□□□□.□□

Tax Account Number:

2426376

Existing Use(s) on Property: 12 Apartments

Proposed Use(s) on Property: 12 Apartments

(If residential – (circle one) **owner occupied** or **rental**), if rental does property owner anticipate accepting any state or federal rental subsidies?

Nature of Violation(s): Unpermitted Work

Date Fine or Lien Imposed: 11/10/18 Amount of Fine: $62,860.00 per day

Have the violation(s) on the subject property been corrected: (Yes) / No (Circle one)

Date upon which the subject property was brought into compliance: 9/2/21

5. **Please provide the following information:**

Code enforcement case number: 18-00000620

Were you the property owner at the time the lien was imposed? (Yes) / No (Circle one) If so, how many days did it take from the board order to the date compliance was achieved? _____

If you were not the property at the time the violation occurred, were you aware of the lien when you purchased the property? Yes / (No) / NA (Circle one) If the property was not in compliance at the time you purchased the property how many days from the time of purchase did it take for you to come into compliance? _____

Did you receive the Notice of Violation issued by the Code Enforcement Division: Yes / (No) (Circle one)

Did you receive the Finding of Facts issued by the Code Enforcement Board: Yes / (No) (Circle one)

The factual basis upon which the application for reduction of the lien should be granted:

The owner resides in Portland, Maine and didn't receive the notices at his address in Portland. All the issues have been addressed. This property was built in 1920, and had many issues to correct. However, the owner has corrected all these matters.

The reasons, if any, compliance was not obtained prior to the order of penalty or fine being recorded:
Was working with the Fire Marshal Nick Gary and Building Code Officer Steve Angeline to address the issues as quickly as possible (especially during covid). Was under the impression that all parties were working together to resolve all these issues.

Amount you are requesting that the lien be reduced to: Actual Cost
Please provide any other information deemed pertinent to this request, including but not limited to the circumstances that exist which would warrant the reduction or forgiveness of the penalty or fine. Include documentation of any financial investment made to physically improve the property:
See attached Capital Expend. Trees. This doesn't include what was spent for all the inspection fees even though work was in progress and was not ready or finalized for inspections.

Are there any other properties within the jurisdictional limits of the City of Cocoa owned by the applicant and/or owners of the subject property on which code violations have been alleged, of which the case is still active, or a Finding of Facts has been entered by the Code Enforcement Board, if so please provide the address, the nature of violation and the status of such:
NONE.

6. **Please submit the following items in order complete the application:**

   a. ☐ **Notarized application.**

   b. ☐ **Reimbursement to City for recording costs at time of application.** Pursuant to Section 6-707(c), Code of the City of Cocoa, at the time of application, payment to the city in the amount necessary to reimburse the City for its costs associated with processing and recording the order imposing a penalty or fine and the requested satisfaction or release of lien. Please make checks payable to the 'City of Cocoa' and submit payment ONLY to the Community Services Department. Please note that these costs are non-refundable without regard for the final disposition of the application for satisfaction or release of lien. **The application fee is $20.00 and will need to be paid at the time the application is submitted.**

   c. ☐ **Letter of authorization.** If the applicant is not the property owner, a notarized letter of authorization or agent affidavit is required, unless the applicant is the Attorney of the owner. Each property owner must complete a separate authorization form or other suitable documentation to allow the agent to act upon his/her behalf.

   d. ☐ **Corporate documents.** If the applicant/owner is representing a company, articles of incorporation which show the applicant/owner is authorized to represent the company is required. A data record printout from the Florida Department of State, Division of Corporations website may also be provided (http://www.sunbiz.org/corpweb/inquiry/search.html).

   e. ☐ **Additional information (optional).** Submit any information that may be helpful in understanding the request. This may include photos, sketches, elevations, or letters from adjoining property owners.

7. **Application Filing Procedure.** This application, together with all required exhibits and attachments, shall be completed and filed with the Code Enforcement Division by the third Friday of each month at 5:00 pm in order to be scheduled for public hearing for the following month.

8. **Procedure per City Code.** Section 6-707 states the City Lien Reduction rules and procedures for applying for a reduction. It is the applicant's responsibility to read and understand the rules and procedures that are located on page 6 of the Lien Reduction Application

9. **Board Action.** An Inspection of the property must be performed to be scheduled at the Code Board. Following a presentation by staff and testimony offered by the applicant, the Code Enforcement Board will formulate a recommendation to City Council.

10. **City Council Action.** An Inspection of the property must be performed to be scheduled before council. Following the Code Enforcement Board making a recommendation to the City Council, staff will schedule the item for the next available City Council regular meeting.

11. **Inspections.** I agree to allow Code Enforcement to inspect my property and give consent to walk the property before proceeding with this reduction ☒ YES ☐ NO

Signature below will also show that consent to inspect was given by the property owner or representitive.

12. Signatures and Notarization.

STATE OF Maine COUNTY OF Cumberland. I, William P. Simpson being first duly sworn, depose and say that:

☒ I am the applicant, or if corporation, I am the officer of the corporation authorized to act on this request.

☐ I am the legal representative of the applicant of this application and a notarized Letter of Authorization form or agent affidavit accompanies this application giving written, unless the applicant is the Attorney representing the owner.

I hereby certify that I have read, completed and understand this Application and understand that if my application and all associated attachments are not complete and accurate in all respects, the application will not be scheduled for a public hearing. I further understand that this application must be complete and accurate prior to the advertising of a public hearing.

William P. Simpson
(APPLICANT SIGNATURE)

Christopher Abbott
(Print, Type, or Stamp Commissioned Name of Notary Public)

Personally Known ☐ OR Produced Identification ☐

Type of I.D. Produced _____

Maine Cumberland

(NOTARY PUBLIC SIGNATURE) Christopher Abbott

STATE OF ~~FLORIDA~~, COUNTY OF ~~BREVARD~~

Sworn and subscribed to before me this 30 day of September, 20 21

My Commission Expires
December 29, 2022

Public Hearing Process Information.

It is the responsibility of the Applicant to read the Lien Reduction Application to its entirety. Please keep this sheet from your application for your records. At any time through this process you have any questions or concerns, please contact the Code Enforcement Division at 321-433-8508.

1. **Public hearing date and location.** All regularly scheduled hearings are held on the third Thursday of each month at 6:00pm in the Cocoa City Hall Council Chambers located at 65 Stone Street, Cocoa, Florida unless otherwise notified.

2. **Presence required at the public hearings.** The applicant or his/her representative must be present to answer any questions concerning the request. If there are extenuating circumstances why the applicant or his/her representative cannot attend, he or she must notify the City in writing prior to the public hearing.

3. **Preparing for public hearing.** It is the applicant's responsibility to research and know all laws that may be applicable and may affect the outcome of any decision on the applicant's request.

4. **Format of public hearing.** The public hearing before the Code Enforcement Board is quasi-judicial in nature. *State and local law strictly prohibits applicants and/or interested parties from participating in ex-parte communications with Board members in person, by phone, e-mail, or in writing before the application is considered at a public hearing.* Applicants are encouraged to review and copy the quasi-judicial rules and procedures used by the Code Enforcement Board before the public hearing date. A copy may be obtained from the City Clerk's Office.

5. **Exhibits at public hearing.** If photographs, documents, maps or other materials are provided to the Board as evidence at the public hearing, the applicant must provide a copy to the Recording Secretary, City Staff, and the Code Enforcement Board for examination. One copy of any exhibits and/or evidence shall be provided, by law those instruments automatically become part of the public records and cannot be returned to the applicant.

6. **Witnesses at public hearing.** For the purposes of making a decision on the application, the Board shall only consider testimony of qualified witnesses. A witness is determined by the Board and is generally based on:

   a. The witness has personal knowledge of the fact in which the witness will testify; and/or

   b. In the case of testimony consisting of opinions or inferences, the testimony is qualified as the following:

      1. Layman witness: Testimony of a witness other than an expert witness is qualified only if:

         - The witness can readily, and with equal accuracy and adequacy, communicate what he or she perceived to the Board without testifying in the form of opinions or inferences.

         - The opinions and inferences do not require any special knowledge, skill experience or training.

      2. Expert witness. Testimony of an expert witness is qualified only if:

         - The subject matter is proper for expert testimony because scientific, technical, or other specialized skill will help the Board understand the evidence being presented, or helps establish a fact in issue.

         - The witness is adequately qualified to express an opinion on the matter.

Sec. 6-707. - Satisfaction or release of code enforcement lien. (NOTE: this is not the code section in its entirety)

(b) ***Application.*** The application shall be executed under oath and sworn to in the presence of a notary public.

(c) ***Reimbursement to city for recording costs at time of application.*** The violator shall submit, at the time of application, payment to the city in the amount necessary to reimburse the city for its costs associated with recording the order imposing a penalty or fine and the requested satisfaction or release of lien. These costs are non-refundable, without regard for the final disposition of the application for satisfaction or release of lien.

(d) ***Processing of application by Code Enforcement Manager or Chief of Police.*** Upon receipt of the application for satisfaction or release of lien and payment provided above, the community development director shall confirm through the code enforcement department that the violation which resulted in the order imposing penalty or fine has been brought into compliance. If the violation has been brought into compliance and there is no current code violation upon the property in question, the community development director shall place the application upon the agenda of the next meeting of the code enforcement board.

(e) ***Code enforcement board hearing.*** At the hearing before the code enforcement board, the board shall review and consider the application for satisfaction or release of lien, provide the violator with an opportunity to address the board regarding the application for satisfaction or release of lien, and to take the testimony of other interested parties, including but not limited to city staff.

Review and recommendation. Upon review of the application and any testimony presented, the code enforcement board shall recommend to the city council approval, approval with conditions, or denial of the application for satisfaction or release of lien.

The code enforcement board, in determining its recommendation, shall consider the following factors:

(1) The gravity of the violation;

(2) The time in which it took the violator to come into compliance;

(3) The accrued amount of the code enforcement fine or lien;

(4) Any previous or subsequent code violations;

(5) Any financial hardship; and

(6) Any other mitigating circumstance which may warrant the reduction or satisfaction of the penalty or fine.

(f) ***Presentation to city council.*** After a recommendation has been rendered by the code enforcement board, the community development director shall place the application for satisfaction or release of lien upon the agenda of the next regularly scheduled city council meeting. The city council may take action solely based upon the sworn application and recommendation of the code enforcement board; or it may, in its discretion, provide the violator with an opportunity to address the council in regard to the application for satisfaction or release of lien.

City Council action. The city council may approve, approve with conditions, or deny the application to satisfy or release of lien. If the city council approves the application to satisfy or release the lien and the approval is conditioned upon the violator paying a reduced penalty, fine, or any other condition, the satisfaction or release of lien shall not be prepared or recorded until the condition(s) placed by the council have been satisfied.

(g) ***Compliance with city council conditions.*** The violator shall have thirty (30) days in which to comply with the conditions imposed by the city council. Failure of the violator to comply will result in the automatic denial of the application for satisfaction or release of lien.

(h) ***Effect of denial on application for subsequent lien reduction or forgiveness.*** If the application is denied or if the application is automatically denied due to the failure of the violator to comply with the conditions imposed by the city council, the violator shall thereafter be barred from applying for a subsequent reduction or forgiveness of the lien for a period of one (1) year from the date of denial. During the one-year period, the lien may only be satisfied and released upon full payment of the fine or penalty imposed in accordance with this chapter.

(Ord. No. 16-06, § 2, 5-9-06)

	A	B	C
1	215 Riverside Drive		
2	Cocoa, Florida		
3			
4	**Capital Expenses**	Work performed from May 2018 thru July 2021	
5			
6	PRC Roofing	Main House	$31,537
7	One Tree Service	6 trees removed close to building	$5,000
8	Massey Pest	Balloon Main&Carriage House for termites	$8,600
9	TLC Engineering	Engineer/design rear egress	$5,200
10	Skyline Builders	Replace 3 story rear egress	$30,485
11	Craftman Electric	Electrical Upgrades	$1,918
12	Skyline Builders	Replace frt windows w/hurricane	$21,513
13	The Handyman	Carpentry services 5/18-5/20 hallways, exterior, remodel units 2.3.4.5.6.7.8.9.10.12	$150,625
14	Tropical Door	New 16' garage door and opener	$2,900
15	Caslin Painting	Paint ext of Main and Carriage Houses	$16,975
16	Superior Sheds	Storage shed for property	$3,664
17	Skyline Builders	Carriage House Roof	$12,010
18	Sunny Concrete	Replace walkway, repair front steps	$4,000
19	Skyline Builders	New exterior door, windows, and interior repairs unit 11	$5,642
20			$300,069

City of Cocoa

LOCAL BUSINESS TAX RECEIPT

65 Stone Street

Cocoa, Florida 32922

(321) 433 - 8501

Receipt Number 22-00008283

10/21-09/22

PARKSIDE PROPERTIES (FL) LLC
PO BOX 10250
PORTLAND ME 04104

BASE FEE	ADDITIONAL CHARGE	LATE PENALTY	TOTAL PAID
74.00	0.00	0.00	74.00

NAICS Code: 531
Classification: Real Estate
Local Business Tax Receipt Number: 22-00008283
Date Issued: November 03, 2021
Expiration Date: September 30, 2022

Location Address:
215 RIVERSIDE DR
COCOA FL 32922

A penalty will be imposed on any persons failing to post this receipt conspicuously in the place of business or for not renewing by September 30th. This receipt is transferable only under conditions stated in Chapter 12, Cocoa City Code.

This Local Business Tax Receipt does not constitute an endorsement approval or disapproval of the holder's skill or competence or for the compliance or non-compliance of the holder with other laws, regulations or standards.

Please Note: If payment was made by check or credit card and returned to the City of Cocoa for "non-sufficient funds" or payment is refused by your credit card company then your Local Business Tax Receipt is not valid.

Customer Service Feedback Survey: Please take a moment to complete a brief customer service survey regarding your experience with the City of Cocoa Community Development Department.

The online Customer Service Feedback Survey can be found at:

www.cocoafl.org/communityservicescustomersurvey

For any questions concerning this Local Business Tax Receipt, please contact a Permit/License Technician at (321) 433-8501 or 8502.

CITY OF COCOA
CODE ENFORCEMENT
STAFF REPORT
11/16/2021

LIEN REDUCTION REQUEST FOR
215 Riverside Dr

CASE # 18-620

The Code Enforcement Board held a public hearing on **4/18/2019**, at which time the Board found the owner, **Parkside Properties Llc** in violation of the following:

Permit Required App A Art. XV Sec 2 (a)
Handrails/ Guardrails Ch 6 Sec. 6-1003 (l)
Protective Treatment, Ch 6 Sec. 6-1003 (b)

The Code Enforcement Board provided the owner time to correct said violation. Therefore, consistent with the Code Enforcement Board's Order a lien was started against the property effective **05/19/2021.** The lien ran at **$75.00** per day from **5/19/2021** until compliance was achieved on **9/2/2021**. The total fine is **$62,860.00** Code records show onsite inspections were conducted and contact was made. The current owner **Parkside Properties Llc** , is requesting that the lien be reduced to **staff costs**.

Staff utilized the following factors in making its recommendation to reduce the lien:

- Whether the current applicant owned the property at the time the violation(s) occurred; **YES**
- The number of violations related to the subject liens; **Three**
- Number of Inspections performed: **26**
- The length of time the property was in violation before correction
- Previous Code Violations: **No**
- Property Taxes: **2020 are paid, Tax Bills 2021 is Due**
- Other Liens: **Records show no outstanding liens on the property. No Water Liens**
- Property Inspection: **11/15/21 and was incompliance before prior to the Code Board Meeting**

The current market value of the subject property; the current market value is **$610,000.00** according the Brevard County Property Appraiser.

Total Amount of Liens: **$62,860.00**

Staff submits their cost sheet for Case # **18-620** in the amount of **$2,227.39**

Staff's recommendation is based on the gravity of the violations, the amount of time it took the property to come into compliance, and the total amount of the fines. **Reduction to the total amount of 2,227.39 (staff costs)**

Council reduces the amount owed, payment of the reduced amount is required within thirty (30) days of the Council's decision or the lien amount reverts back to the original amount owed, and a subsequent lien reduction request cannot be made for a one-year period of time.

Cocoa Police Department
Code Enforcement Division
Affidavit for Cost Reimbursement of Code Enforcement Case

Case#: CE-18-620 **Date: 11/8/21**

Paradise Properties Inc.

Site Address: 215 Riverside Dr

Cocoa Code Enforcement has incurred actual costs, as defined in F.S.S 162.09 for cost by the City in Prosecuting this case.

A. Salaries of Code Enforcement staff. (Hourly rate: Officer-$25.16, Coordinator-$26.16, Manager-$38.64, Chief-$59.81 & City Attorney-$150.00)

	Officer/Manager	# of Inspections	Hours	Rate	Total
1	Code Officer	26	0.5	$25.16	$327.08
2	Code Manager	4	0.5	$38.64	$77.28
3					
				Total A1	$404.36

	Officer/Manager	Office Duties	Hours	Rate	Total
1	Code Officer	17	0.5	25.16	$427.72
2	Code Manager	6	0.5	38.64	$231.84
3					
				Total A2	$659.56

	Supporting Staff	Duty	Hours	Rate	Total
1	Code Coordinator	Case Duties	16	$26.16	$418.56
2	City Attorney	Case Duties	2	$150.00	$300.00
3	Chief	Board Hearings	2	$59.81	$119.62
4					
5					
				Total A3	$838.18

B. Expenditures - Actual expenses incurred during the process of the Code Case.

	Item	Quantity	Amount	Total
1	Documents per Sheet	472	$0.35	$165.20
2	Large Envelope	40	$0.64	$25.60
3	Standard Envelope	12	$0.10	$1.20
4	Color Photo Prints	152	$0.45	$68.40
5	Standard Mail	7	$0.55	$3.85
6	Certified Mail	4	$5.26	$21.04
7	Recording Fees	4	$10.00	$40.00
8				
9				
			Total B	$325.29

C. Total Amount of Cost (A1+A2+A3+B): **$2,227.39**

Legislation Details (With Text)

File #:	21-783	**Version:** 1	**Name:**		
Type:	Resolution		**Status:**	Council Busines	
File created:	11/23/2021		**In control:**	City Council	
On agenda:	12/14/2021		**Final action:**		
Title:	Council approval for a Resolution to join with the State of Florida and other Local Governmental Units as a Participant in the Florida Memorandum of Understanding and Formal Agreements Implementing a Unified Plan for the Allocation and Use of Prospective Settlement Dollars from Opioid Related Litigation. (Chief of Police)				
Sponsors:					
Indexes:					
Code sections:					
Attachments:	Resolution No 2021-XX authorizing city join MOU and agreements for opioid settlement funds - Exhibit A to Reso 2021-XX MOU re opioid settlement funds.pdf 18 Year Payout- City_County & Abatement Funds (1).pdf				

Date	Ver.	Action By	Action	Result

CITY COUNCIL AGENDA ITEM

Memo Date: November 23, 2021
Agenda Date: December 14, 2021
Prepared By: Susan L. Lambert, CAP, OM
Through: Evander Collier IV, Chief of Police
Requested Action:
Council approval for a Resolution to join with the State of Florida and other Local Governmental Units as a Participant in the Florida Memorandum of Understanding and Formal Agreements Implementing a Unified Plan for the Allocation and Use of Prospective Settlement Dollars from Opioid Related Litigation.

BACKGROUND:

The United States, and indeed, Florida has been in an opioid crisis for some time now. Attorney General Ashley Moody has been leading ongoing opioid litigation with the Pharmaceutical companies for approximately two years now and has been in negotiations with the defendants in the litigations and these have included counsel representing cities and counties throughout the state.

After lengthy negotiations, a compromise has been reached in the form of a memorandum of understanding. The City Attorney has reviewed these documents and believes that if the City desires to obtain its proportionate share of the settlement fund, it should participate in the AGO settlement or the City will receive nothing, especially in light of the fact that it is not practical for the City to bring its own independent action against any of the pharmaceutical companies involved in the Opioid crisis. Participation in this agreement ensures that we may be eligible for funds up to $381,344.12 over up

to an eighteen year period. These funds must be spent on specific core strategies, i.e. Narcan, training for first responders, drug take back disposals, training on Fentanyl or other drugs. If any funds are received by the City, the Police Department will develop a plan and budget for spending the funds in the next fiscal year. Depending upon the timing, the budget will either be included in the fiscal year's budget or a budget amendment will be prepared to accept the revenue and provide budget for the eligible expenses as provided in the MOU.

STRATEGIC PLAN CONNECTION:

Operational

BUDGETARY IMPACT:

Budgeted	No
If not budgeted, is amendment/transfer attached?	No

Cocoa is allotted the following amounts:
Payment 1: $16,905.11
Payment 2: $23,456.61
Payment 3: $21,389.61
Payment 4: $29,124.30
Payment 5: $30,503.64
Payment 6: $18,916.37
Payment 7: $18,916.37
Payment 8: $21,804.58
Payment 9: $22,492.25
Payment 10: $22,492.25
Payment 11: $19,417.88
Payment 12: $19,417.88
Payment 13: $19,417.88
Payment 14: $19,417.88
Payment 15: $19,417.88
Payment 16: $19,417.88
Payment 17: $19,417.88
Payment 18: $19,417.88

The Police Department will bring the Budget Adjustment/Resolution back to City Council once the revenue is received and assign the expense budget (uses) at that time. Project number PD22OS has been established for these funds.

PREVIOUS ACTION:

None.

RECOMMENDED MOTION:

Council approval for a Resolution to Join with the State of Florida and other Local Governmental Units as a Participant in the Florida Memorandum of Understanding and Formal Agreements

Implementing a Unified Plan for the Allocation and Use of Prospective Settlement Dollars from Opioid Related Litigation.

powered by Legistar™

PROPOSAL
MEMORANDUM OF UNDERSTANDING

Whereas, the people of the State of Florida and its communities have been harmed by misfeasance, nonfeasance and malfeasance committed by certain entities within the Pharmaceutical Supply Chain;

Whereas, the State of Florida, through its Attorney General, and certain Local Governments, through their elected representatives and counsel, are separately engaged in litigation seeking to hold Pharmaceutical Supply Chain Participants accountable for the damage caused by their misfeasance, nonfeasance and malfeasance;

Whereas, the State of Florida and its Local Governments share a common desire to abate and alleviate the impacts of that misfeasance, nonfeasance and malfeasance throughout the State of Florida;

Whereas, it is the intent of the State of Florida and its Local Governments to use the proceeds from Settlements with Pharmaceutical Supply Chain Participants to increase the amount of funding presently spent on opioid and substance abuse education, treatment and other related programs and services, such as those identified in Exhibits A and B, and to ensure that the funds are expended in compliance with evolving evidence-based "best practices";

Whereas, the State of Florida and its Local Governments, subject to the completion of formal documents that will effectuate the Parties' agreements, enter into this Memorandum of Understanding ("MOU") relating to the allocation and use of the proceeds of Settlements described herein; and

Whereas, this MOU is a preliminary non-binding agreement between the Parties, is not legally enforceable, and only provides a basis to draft formal documents which will effectuate the Parties' agreements.

A. Definitions

As used in this MOU:

1. "Approved Purpose(s)" shall mean forward-looking strategies, programming and services used to expand the availability of treatment for individuals impacted by substance use disorders, to: (a) develop, promote, and provide evidence-based substance use prevention strategies; (b) provide substance use avoidance and awareness education; (c) decrease the oversupply of licit and illicit opioids; and (d) support recovery from addiction. Approved Purposes shall include, but are not limited to, the opioid abatement strategies listed on Exhibits A and B which are incorporated herein by reference.

2. "Local Governments" shall mean all counties, cities, towns and villages located within the geographic boundaries of the State.

3. "Managing Entities" shall mean the corporations selected by and under contract with the Florida Department of Children and Families or its successor ("DCF") to manage the

daily operational delivery of behavioral health services through a coordinated system of care. The singular "Managing Entity" shall refer to a singular of the Managing Entities.

4. "County" shall mean a political subdivision of the state established pursuant to s. 1, Art. VIII of the State Constitution.

5. "Municipalities" shall mean cities, towns, or villages of a County within the State with a Population greater than 10,000 individuals and shall also include cities, towns or villages within the State with a Population equal to or less than 10,000 individuals which filed a Complaint in this litigation against Pharmaceutical Supply Chain Participants. The singular "Municipality" shall refer to a singular of the Municipalities.

6. ''Negotiating Committee" shall mean a three-member group comprised by representatives of the following: (1) the State; and (2) two representatives of Local Governments of which one representative will be from a Municipality and one shall be from a County (collectively, "Members") within the State. The State shall be represented by the Attorney General or her designee.

7. "Negotiation Class Metrics" shall mean those county and city settlement allocations which come from the official website of the Negotiation Class of counties and cities certified on September 11, 2019 by the U.S. District for the Northern District of Ohio in *In re National Prescription Opiate Litigation*, MDL No. 2804 (N.D. Ohio). The website is located at https://allocationmap.iclaimsonline.com.

8. "Opioid Funds" shall mean monetary amounts obtained through a Settlement as defined in this MOU.

9. "Opioid Related" shall have the same meaning and breadth as in the agreed Opioid Abatement Strategies attached hereto as Exhibits A or B.

10. "Parties" shall mean the State and Local Governments. The singular word "Party" shall mean either the State or Local Governments.

11. "PEC" shall mean the Plaintiffs' Executive Committee of the National Prescription Opiate Multidistrict Litigation pending in the United States District Court for the Northern District of Ohio.

12. "Pharmaceutical Supply Chain" shall mean the process and channels through which Controlled Substances are manufactured, marketed, promoted, distributed or dispensed.

13. "Pharmaceutical Supply Chain Participant" shall mean any entity that engages in, or has engaged in the manufacture, marketing, promotion, distribution or dispensing of an opioid analgesic.

14. "Population" shall refer to published U.S. Census Bureau population estimates as of July 1, 2019, released March 2020, and shall remain unchanged during the term of this MOU. These estimates can currently be found at https://www.census.gov

15. "Qualified County" shall mean a charter or non-chartered county within the State that: has a Population of at least 300,000 individuals and (a) has an opioid taskforce of which it is a member or operates in connection with its municipalities or others on a local or regional basis; (b) has an abatement plan that has been either adopted or is being utilized to respond to the opioid epidemic; (c) is currently either providing or is contracting with others to provide substance abuse prevention, recovery, and treatment services to its citizens; and (d) has or enters into an agreement with a majority of Municipalities (Majority is more than 50% of the Municipalities' total population) related to the expenditure of Opioid Funds. The Opioid Funds to be paid to a Qualified County will only include Opioid Funds for Municipalities whose claims are released by the Municipality or Opioid Funds for Municipalities whose claims are otherwise barred.

16. "SAMHSA" shall mean the U.S. Department of Health & Human Services, Substance Abuse and Mental Health Services Administration.

17. "Settlement" shall mean the negotiated resolution of legal or equitable claims against a Pharmaceutical Supply Chain Participant when that resolution has been jointly entered into by the State and Local Governments or a settlement class as described in (B)(1) below.

18. "State" shall mean the State of Florida.

B. Terms

1. **Only Abatement -** Other than funds used for the Administrative Costs and Expense Fund as hereinafter described in paragraph 6 and paragraph 9, respectively), all Opioid Funds shall be utilized for Approved Purposes. To accomplish this purpose, the State will either file a new action with Local Governments as Parties or add Local Governments to its existing action, sever settling defendants, and seek entry of a consent order or other order binding both the State, Local Governments, and Pharmaceutical Supply Chain Participant(s) ("Order"). The Order may be part of a class action settlement or similar device. The Order shall provide for continuing jurisdiction of a state court to address non-performance by any party under the Order. Any Local Government that objects to or refuses to be included under the Order or entry of documents necessary to effectuate a Settlement shall not be entitled to any Opioid Funds and its portion of Opioid Funds shall be distributed to, and for the benefit of, the other Local Governments.

2. **Avoid Claw Back and Recoupment** - Both the State and Local Governments wish to maximize any Settlement and Opioid Funds. In addition to committing to only using funds for the Expense Funds, Administrative Costs and Approved Purposes, both Parties will agree to utilize a percentage of funds for the core strategies highlighted in Exhibit A. Exhibit A contains the programs and strategies prioritized by the U.S. Department of Justice and/or the U.S. Department of Health & Human Services ("Core Strategies"). The State is trying to obtain the United States' agreement to limit or reduce the United States' ability to recover or recoup monies from the State and Local Government in exchange for prioritization of funds to certain projects. If no agreement is reached with the United States, then there will be no requirement that a percentage be utilized for Core Strategies.

3. **Distribution Scheme** - All Opioid Funds will initially go to the State, and then be distributed according to the following distribution scheme. The Opioid Funds will be divided into three funds after deducting costs of the Expense Fund detailed in paragraph 9 below:

(a) City/County Fund- The city/county fund will receive 15% of all Opioid Funds to directly benefit all Counties and Municipalities. The amounts to be distributed to each County and Municipality shall be determined by the Negotiation Class Metrics or other metrics agreed upon, in writing, by a County and a Municipality. For Local Governments that are not within the definition of County or Municipality, those Local Governments may receive that government's share of the City/County Fund under the Negotiation Class Metrics, if that government executes a release as part of a Settlement. Any Local Government that is not within the definition of County or Municipality and that does not execute a release as part of a Settlement shall have its share of the City/County Fund go to the County in which it is located.

(b) Regional Fund- The regional fund will be subdivided into two parts.

(i) The State will annually calculate the share of each County within the State of the regional fund utilizing the sliding scale in section 4 of the allocation contained in the Negotiation Class Metrics or other metrics that the Parties agree upon.

(ii) For Qualified Counties, the Qualified County's share will be paid to the Qualified County and expended on Approved Purposes, including the Core Strategies identified in Exhibit A, if applicable.

(iii) For all other Counties, the regional share for each County will be paid to the Managing Entities providing service for that County. The Managing Entities will be required to expend the monies on Approved Purposes, including the Core Strategies. The Managing Entities shall endeavor to the greatest extent possible to expend these monies on counties within the State that are non-Qualified Counties and to ensure that there are services in every County.

(c) State Fund - The remainder of Opioid Funds after deducting the costs of the Expense Fund detailed in paragraph 9, the City/County Fund and the Regional Fund will be expended by the State on Approved Purposes, including the provisions related to Core Strategies, if applicable.

(d) To the extent that Opioid Funds are not appropriated and expended in a year by the State, the State shall identify the investments where settlement funds will be deposited. Any gains, profits, or interest accrued from the deposit of the Opioid Funds to the extent that any funds are not appropriated and expended within a calendar year, shall be the sole property of the Party that was entitled to the initial deposit.

4. Regional Fund Sliding Scale- The Regional Fund shall be calculated by utilizing the following sliding scale of the Opioid Funds available in any year:

A. Years 1-6: 40%

B. Years 7-9: 35%

C. Years 10-12: 34%

D. Years 13-15: 33%

E. Years 16-18: 30%

5. Opioid Abatement Taskforce or Council - The State will create an Opioid Abatement Taskforce or Council (sometimes hereinafter "Taskforce" or "Council") to advise the Governor, the Legislature, Florida's Department of Children and Families ("DCF"), and Local Governments on the priorities that should be addressed as part of the opioid epidemic and to review how monies have been spent and the results that have been achieved with Opioid Funds.

(a) Size - The Taskforce or Council shall have ten Members equally balanced between the State and the Local Governments.

(b) Appointments Local Governments - Two Municipality representatives will be appointed by or through Florida League of Cities. Two county representatives, one from a Qualified County and one from a county within the State that is not a Qualified County, will be appointed by or through the Florida Association of Counties. The final representative will alternate every two years between being a county representative (appointed by or through Florida Association of Counties) or a Municipality representative (appointed by or through the Florida League of Cities). One Municipality representative must be from a city of less than 50,000 people. One county representative must be from a county less than 200,000 people and the other county representative must be from a county whose population exceeds 200,000 people.

(c) Appointments State -

(i) The Governor shall appoint two Members.

(ii) The Speaker of the House shall appoint one Member.

(iii) The Senate President shall appoint one Member.

(iv) The Attorney General or her designee shall be a Member.

(d) Chair - The Attorney General or designee shall be the chair of the Taskforce or Council.

(e) Term - Members will be appointed to serve a two-year term.

(f) Support - DCF shall support the Taskforce or Council and the Taskforce or Council shall be administratively housed in DCF.

(g) Meetings - The Taskforce or Council shall meet quarterly in person or virtually using communications media technology as defined in section 120.54(5)(b)(2), Florida Statutes.

(h) Reporting - The Taskforce or Council shall provide and publish a report annually no later than November 30th or the first business day after November 30th, if November 30th falls on a weekend or is otherwise not a business day. The report shall contain information on how monies were spent the previous fiscal year by the State, each of the Qualified Counties, each of the Managing Entities, and each of the Local Governments. It shall also contain recommendations to the Governor, the Legislature, and Local Governments for priorities among the Approved Purposes for how monies should be spent the coming fiscal year to respond to the opioid epidemic.

(i) Accountability - Prior to July 1st of each year, the State and each of the Local Governments shall provide information to DCF about how they intend to expend Opioid Funds in the upcoming fiscal year. The State and each of the Local Government shall report its expenditures to DCF no later than August 31st for the previous fiscal year. The Taskforce or Council will set other data sets that need to be reported to DCF to demonstrate the effectiveness of Approved Purposes. All programs and expenditures shall be audited annually in a similar fashion to SAMHSA programs. Local Governments shall respond and provide documents to any reasonable requests from the State for data or information about programs receiving Opioid Funds.

(j) Conflict of Interest - All Members shall adhere to the rules, regulations and laws of Florida including, but not limited to, Florida Statute §112.311, concerning the disclosure of conflicts of interest and recusal from discussions or votes on conflicted matters.

6. **Administrative Costs**- The State may take no more than a 5% administrative fee from the State Fund ("Administrative Costs") and any Regional Fund that it administers for counties that are not Qualified Counties. Each Qualified County may take no more than a 5% administrative fee from its share of the Regional Funds.

7. **Negotiation of Non-Multistate Settlements** - If the State begins negotiations with a Pharmaceutical Supply Chain Participant that is separate and apart from a multi-state negotiation, the State shall include Local Governments that are a part of the Negotiating Committee in such negotiations. No Settlement shall be recommended or accepted without the affirmative votes of both the State and Local Government representatives of the Negotiating Committee.

8. **Negotiation of Multistate or Local Government Settlements** - To the extent practicable and allowed by other parties to a negotiation, both Parties agree to communicate with

members of the Negotiation Committee regarding the terms of any other Pharmaceutical Supply Chain Participant Settlement.

9. **Expense Fund** - The Parties agree that in any negotiation every effort shall be made to cause Pharmaceutical Supply Chain Participants to pay costs of litigation, including attorneys' fees, in addition to any agreed to Opioid Funds in the Settlement. To the extent that a fund sufficient to pay the entirety of all contingency fee contracts for Local Governments in the State of Florida is not created as part of a Settlement by a Pharmaceutical Supply Chain Participant, the Parties agree that an additional expense fund for attorneys who represent Local Governments (herein "Expense Fund") shall be created out of the City/County fund for the purpose of paying the hard costs of a litigating Local Government and then paying attorneys' fees.

(a) The Source of Funds for the Expense Fund- Money for the Expense Fund shall be sourced exclusively from the City/County Fund.

(b) The Amount of the Expense Fund- The State recognizes the value litigating Local Governments bring to the State of Florida in connection with the Settlement because their participation increases the amount Incentive Payments due from each Pharmaceutical Supply Chain Participant. In recognition of that value, the amount of funds that shall be deposited into the Expense fund shall be contingent upon on the percentage of litigating Local Government participation in the Settlement, according to the following table:

Litigating Local Government Participation in the Settlement (by percentage of the population)	Amount that shall be paid into the Expense Fund from (and as a percentage of) the City/County fund
96 to 100%	10%
91 to 95%	7.5%
86 to 90%	5%
85%	2.5%
Less than 85%	0%

If fewer than 85% percent of the litigating Local Governments (by population) participate, then the Expense Fund shall not be funded, and this Section of the MOU shall be null and void.

(c) The Timing of Payments into the Expense Fund- Although the amount of the Expense Fund shall be calculated based on the entirety of payments due to the City/County fund over a ten to eighteen year period, the Expense Fund shall be funded entirely from payments made by Pharmaceutical Supply Chain Participants during the first two years of the Settlement. Accordingly, to offset the amounts being paid from the City/County to the Expense Fund in the first two years, Counties or Municipalities may borrow from the Regional Fund during the first two years and pay the borrowed amounts back to the Regional Fund during years three, four, and five.

For the avoidance of doubt, the following provides an illustrative example regarding the calculation of payments and amounts that may be borrowed under the terms of this MOU, consistent with the provisions of this Section:

Opioid Funds due to State of Florida and Local Governments (over 10 to 18 years):	$1,000
Litigating Local Government Participation:	100%
City/County Fund (over 10 to 18 years):	$150
Expense Fund (paid over 2 years):	$15
Amount Paid to Expense Fund in 1st year:	$7.5
Amount Paid to Expense Fund in 2nd year	$7.5
Amount that may be borrowed from Regional Fund in 1st year:	$7.5
Amount that may be borrowed from Regional Fund in 2nd year:	$7.5
Amount that must be paid back to Regional Fund in 3rd year:	$5
Amount that must be paid back to Regional Fund in 4th year:	$5
Amount that must be paid back to Regional Fund in 5th year:	$5

(d) Creation of and Jurisdiction over the Expense Fund- The Expense Fund shall be established, consistent with the provisions of this Section of the MOU, by order of the Circuit Court of the Sixth Judicial Circuit in and for Pasco County, West Pasco Division New Port Richey, Florida, in the matter of *The State of Florida, Office of the Attorney General, Department of Legal Affairs v. Purdue Pharma L.P., et al.*, Case No. 2018-CA-001438 (the "Court"). The Court shall have jurisdiction over the Expense Fund, including authority to allocate and disburse amounts from the Expense Fund and to resolve any disputes concerning the Expense Fund.

(e) Allocation of Payments to Counsel from the Expense Fund- As part of the order establishing the Expense Fund, counsel for the litigating Local Governments shall seek to have the Court appoint a third-neutral to serve as a special master for purposes of allocating the Expense Fund. Within 30 days of entry of the order appointing a special master for the Expense Fund, any counsel who intend to seek an award from the Expense Fund shall provide the copies of their contingency fee contracts to the special master. The special master shall then build a mathematical model, which shall be based on each litigating Local Government's share under the Negotiation Class Metrics and the rate set forth in their contingency contracts, to calculate a proposed award for each litigating Local Government who timely provided a copy of its contingency contract.

10. **Dispute resolution-** Any one or more of the Local Governments or the State may object to an allocation or expenditure of Opioid Funds solely on the basis that the allocation or expenditure at issue (a) is inconsistent with the Approved Purposes; (b) is inconsistent with the distribution scheme as provided in paragraph 3, or (c) violates the limitations set forth herein with respect to administrative costs or the Expense Fund. There shall be no other basis for bringing an objection to the approval of an allocation or expenditure of Opioid Funds.

Schedule A

Core Strategies

States and Qualifying Block Grantees shall choose from among the abatement strategies listed in Schedule B. However, priority shall be given to the following core abatement strategies ("**Core Strategies**")[, such that a minimum of __% of the [aggregate] state-level abatement distributions shall be spent on [one or more of] them annually].[1]

A. Naloxone or other FDA-approved drug to reverse opioid overdoses

1. Expand training for first responders, schools, community support groups and families; and

2. Increase distribution to individuals who are uninsured or whose insurance does not cover the needed service.

B. Medication-Assisted Treatment ("MAT") Distribution and other opioid-related treatment

1. Increase distribution of MAT to non-Medicaid eligible or uninsured individuals;

2. Provide education to school-based and youth-focused programs that discourage or prevent misuse;

3. Provide MAT education and awareness training to healthcare providers, EMTs, law enforcement, and other first responders; and

4. Treatment and Recovery Support Services such as residential and inpatient treatment, intensive outpatient treatment, outpatient therapy or counseling, and recovery housing that allow or integrate medication with other support services.

C. Pregnant & Postpartum Women

1. Expand Screening, Brief Intervention, and Referral to Treatment ("SBIRT") services to non-Medicaid eligible or uninsured pregnant women;

2. Expand comprehensive evidence-based treatment and recovery services, including MAT, for women with co-occurring Opioid Use Disorder ("OUD") and other Substance Use Disorder ("SUD")/Mental Health disorders for uninsured individuals for up to 12 months postpartum; and

3. Provide comprehensive wrap-around services to individuals with Opioid Use Disorder (OUD) including housing, transportation, job placement/training, and childcare.

D. Expanding Treatment for Neonatal Abstinence Syndrome

1. Expand comprehensive evidence-based and recovery support for NAS babies;

2. Expand services for better continuum of care with infant-need dyad; and

3. Expand long-term treatment and services for medical monitoring of NAS babies and their families.

[1] As used in this Schedule A, words like "expand," "fund," "provide" or the like shall not indicate a preference for new or existing programs. Priorities will be established through the mechanisms described in the Term Sheet.

E. Expansion of Warm Hand-off Programs and Recovery Services

1. Expand services such as navigators and on-call teams to begin MAT in hospital emergency departments;

2. Expand warm hand-off services to transition to recovery services;

3. Broaden scope of recovery services to include co-occurring SUD or mental health conditions. ;

4. Provide comprehensive wrap-around services to individuals in recovery including housing, transportation, job placement/training, and childcare; and

5. Hire additional social workers or other behavioral health workers to facilitate expansions above.

F. Treatment for Incarcerated Population

1. Provide evidence-based treatment and recovery support including MAT for persons with OUD and co-occurring SUD/MH disorders within and transitioning out of the criminal justice system; and

2. Increase funding for jails to provide treatment to inmates with OUD.

G. Prevention Programs

1. Funding for media campaigns to prevent opioid use (similar to the FDA's "Real Cost" campaign to prevent youth from misusing tobacco);

2. Funding for evidence-based prevention programs in schools.;

3. Funding for medical provider education and outreach regarding best prescribing practices for opioids consistent with the 2016 CDC guidelines, including providers at hospitals (academic detailing);

4. Funding for community drug disposal programs; and

5. Funding and training for first responders to participate in pre-arrest diversion programs, post-overdose response teams, or similar strategies that connect at-risk individuals to behavioral health services and supports.

H. Expanding Syringe Service Programs

1. Provide comprehensive syringe services programs with more wrap-around services including linkage to OUD treatment, access to sterile syringes, and linkage to care and treatment of infectious diseases.

I. Evidence-based data collection and research analyzing the effectiveness of the abatement strategies within the State.

Schedule B

Approved Uses

PART ONE: TREATMENT

A. TREAT OPIOID USE DISORDER (OUD)

Support treatment of Opioid Use Disorder (OUD) and any co-occurring Substance Use Disorder or Mental Health (SUD/MH) conditions through evidence-based or evidence-informed programs or strategies that may include, but are not limited to, the following:[2]

1. Expand availability of treatment for OUD and any co-occurring SUD/MH conditions, including all forms of Medication-Assisted Treatment (MAT) approved by the U.S. Food and Drug Administration.

2. Support and reimburse evidence-based services that adhere to the American Society of Addiction Medicine (ASAM) continuum of care for OUD and any co-occurring SUD/MH conditions

3. Expand telehealth to increase access to treatment for OUD and any co-occurring SUD/MH conditions, including MAT, as well as counseling, psychiatric support, and other treatment and recovery support services.

4. Improve oversight of Opioid Treatment Programs (OTPs) to assure evidence-based or evidence-informed practices such as adequate methadone dosing and low threshold approaches to treatment.

5. Support mobile intervention, treatment, and recovery services, offered by qualified professionals and service providers, such as peer recovery coaches, for persons with OUD and any co-occurring SUD/MH conditions and for persons who have experienced an opioid overdose.

6. Treatment of trauma for individuals with OUD (e.g., violence, sexual assault, human trafficking, or adverse childhood experiences) and family members (e.g., surviving family members after an overdose or overdose fatality), and training of health care personnel to identify and address such trauma.

7. Support evidence-based withdrawal management services for people with OUD and any co-occurring mental health conditions.

8. Training on MAT for health care providers, first responders, students, or other supporting professionals, such as peer recovery coaches or recovery outreach specialists, including telementoring to assist community-based providers in rural or underserved areas.

9. Support workforce development for addiction professionals who work with persons with OUD and any co-occurring SUD/MH conditions.

10. Fellowships for addiction medicine specialists for direct patient care, instructors, and clinical research for treatments.

11. Scholarships and supports for behavioral health practitioners or workers involved in addressing OUD and any co-occurring SUD or mental health conditions, including but not limited to training,

[2] As used in this Schedule B, words like "expand," "fund," "provide" or the like shall not indicate a preference for new or existing programs. Priorities will be established through the mechanisms described in the Term Sheet.

scholarships, fellowships, loan repayment programs, or other incentives for providers to work in rural or underserved areas.

12. [Intentionally Blank – to be cleaned up later for numbering]

13. Provide funding and training for clinicians to obtain a waiver under the federal Drug Addiction Treatment Act of 2000 (DATA 2000) to prescribe MAT for OUD, and provide technical assistance and professional support to clinicians who have obtained a DATA 2000 waiver.

14. Dissemination of web-based training curricula, such as the American Academy of Addiction Psychiatry's Provider Clinical Support Service-Opioids web-based training curriculum and motivational interviewing.

15. Development and dissemination of new curricula, such as the American Academy of Addiction Psychiatry's Provider Clinical Support Service for Medication-Assisted Treatment.

B. SUPPORT PEOPLE IN TREATMENT AND RECOVERY

Support people in treatment for or recovery from OUD and any co-occurring SUD/MH conditions through evidence-based or evidence-informed programs or strategies that may include, but are not limited to, the following:

1. Provide comprehensive wrap-around services to individuals with OUD and any co-occurring SUD/MH conditions, including housing, transportation, education, job placement, job training, or childcare.

2. Provide the full continuum of care of treatment and recovery services for OUD and any co-occurring SUD/MH conditions, including supportive housing, peer support services and counseling, community navigators, case management, and connections to community-based services.

3. Provide counseling, peer-support, recovery case management and residential treatment with access to medications for those who need it to persons with OUD and any co-occurring SUD/MH conditions.

4. Provide access to housing for people with OUD and any co-occurring SUD/MH conditions, including supportive housing, recovery housing, housing assistance programs, training for housing providers, or recovery housing programs that allow or integrate FDA-approved medication with other support services.

5. Provide community support services, including social and legal services, to assist in deinstitutionalizing persons with OUD and any co-occurring SUD/MH conditions.

6. Support or expand peer-recovery centers, which may include support groups, social events, computer access, or other services for persons with OUD and any co-occurring SUD/MH conditions.

7. Provide or support transportation to treatment or recovery programs or services for persons with OUD and any co-occurring SUD/MH conditions.

8. Provide employment training or educational services for persons in treatment for or recovery from OUD and any co-occurring SUD/MH conditions.

9. Identify successful recovery programs such as physician, pilot, and college recovery programs, and provide support and technical assistance to increase the number and capacity of high-quality programs to help those in recovery.

10. Engage non-profits, faith-based communities, and community coalitions to support people in treatment and recovery and to support family members in their efforts to support the person with OUD in the family.

11. Training and development of procedures for government staff to appropriately interact and provide social and other services to individuals with or in recovery from OUD, including reducing stigma.

12. Support stigma reduction efforts regarding treatment and support for persons with OUD, including reducing the stigma on effective treatment.

13. Create or support culturally appropriate services and programs for persons with OUD and any co-occurring SUD/MH conditions, including new Americans.

14. Create and/or support recovery high schools.

15. Hire or train behavioral health workers to provide or expand any of the services or supports listed above.

C. CONNECT PEOPLE WHO NEED HELP TO THE HELP THEY NEED (CONNECTIONS TO CARE)

Provide connections to care for people who have – or at risk of developing – OUD and any co-occurring SUD/MH conditions through evidence-based or evidence-informed programs or strategies that may include, but are not limited to, the following:

1. Ensure that health care providers are screening for OUD and other risk factors and know how to appropriately counsel and treat (or refer if necessary) a patient for OUD treatment.

2. Fund Screening, Brief Intervention and Referral to Treatment (SBIRT) programs to reduce the transition from use to disorders, including SBIRT services to pregnant women who are uninsured or not eligible for Medicaid.

3. Provide training and long-term implementation of SBIRT in key systems (health, schools, colleges, criminal justice, and probation), with a focus on youth and young adults when transition from misuse to opioid disorder is common.

4. Purchase automated versions of SBIRT and support ongoing costs of the technology.

5. Expand services such as navigators and on-call teams to begin MAT in hospital emergency departments.

6. Training for emergency room personnel treating opioid overdose patients on post-discharge planning, including community referrals for MAT, recovery case management or support services.

7. Support hospital programs that transition persons with OUD and any co-occurring SUD/MH conditions, or persons who have experienced an opioid overdose, into clinically-appropriate follow-up care through a bridge clinic or similar approach.

8. Support crisis stabilization centers that serve as an alternative to hospital emergency departments for persons with OUD and any co-occurring SUD/MH conditions or persons that have experienced an opioid overdose.

9. Support the work of Emergency Medical Systems, including peer support specialists, to connect individuals to treatment or other appropriate services following an opioid overdose or other opioid-related adverse event.

10. Provide funding for peer support specialists or recovery coaches in emergency departments, detox facilities, recovery centers, recovery housing, or similar settings; offer services, supports, or connections to care to persons with OUD and any co-occurring SUD/MH conditions or to persons who have experienced an opioid overdose.

11. Expand warm hand-off services to transition to recovery services.

12. Create or support school-based contacts that parents can engage with to seek immediate treatment services for their child; and support prevention, intervention, treatment, and recovery programs focused on young people.

13. Develop and support best practices on addressing OUD in the workplace.

14. Support assistance programs for health care providers with OUD.

15. Engage non-profits and the faith community as a system to support outreach for treatment.

16. Support centralized call centers that provide information and connections to appropriate services and supports for persons with OUD and any co-occurring SUD/MH conditions.

D. ADDRESS THE NEEDS OF CRIMINAL-JUSTICE-INVOLVED PERSONS

Address the needs of persons with OUD and any co-occurring SUD/MH conditions who are involved in, are at risk of becoming involved in, or are transitioning out of the criminal justice system through evidence-based or evidence-informed programs or strategies that may include, but are not limited to, the following:

1. Support pre-arrest or pre-arraignment diversion and deflection strategies for persons with OUD and any co-occurring SUD/MH conditions, including established strategies such as:

a. Self-referral strategies such as the Angel Programs or the Police Assisted Addiction Recovery Initiative (PAARI);

b. Active outreach strategies such as the Drug Abuse Response Team (DART) model;

c. “Naloxone Plus” strategies, which work to ensure that individuals who have received naloxone to reverse the effects of an overdose are then linked to treatment programs or other appropriate services;

d. Officer prevention strategies, such as the Law Enforcement Assisted Diversion (LEAD) model;

e. Officer intervention strategies such as the Leon County, Florida Adult Civil Citation Network or the Chicago Westside Narcotics Diversion to Treatment Initiative; or

f. Co-responder and/or alternative responder models to address OUD-related 911 calls with greater SUD expertise

2. Support pre-trial services that connect individuals with OUD and any co-occurring SUD/MH conditions to evidence-informed treatment, including MAT, and related services.

3. Support treatment and recovery courts that provide evidence-based options for persons with OUD and any co-occurring SUD/MH conditions

4. Provide evidence-informed treatment, including MAT, recovery support, harm reduction, or other appropriate services to individuals with OUD and any co-occurring SUD/MH conditions who are incarcerated in jail or prison.

5. Provide evidence-informed treatment, including MAT, recovery support, harm reduction, or other appropriate services to individuals with OUD and any co-occurring SUD/MH conditions who are leaving jail or prison have recently left jail or prison, are on probation or parole, are under community corrections supervision, or are in re-entry programs or facilities.

6. Support critical time interventions (CTI), particularly for individuals living with dual-diagnosis OUD/serious mental illness, and services for individuals who face immediate risks and service needs and risks upon release from correctional settings.

7. Provide training on best practices for addressing the needs of criminal-justice-involved persons with OUD and any co-occurring SUD/MH conditions to law enforcement, correctional, or judicial personnel or to providers of treatment, recovery, harm reduction, case management, or other services offered in connection with any of the strategies described in this section.

E. ADDRESS THE NEEDS OF PREGNANT OR PARENTING WOMEN AND THEIR FAMILIES, INCLUDING BABIES WITH NEONATAL ABSTINENCE SYNDROME

Address the needs of pregnant or parenting women with OUD and any co-occurring SUD/MH conditions, and the needs of their families, including babies with neonatal abstinence syndrome (NAS), through evidence-based or evidence-informed programs or strategies that may include, but are not limited to, the following:

1. Support evidence-based or evidence-informed treatment, including MAT, recovery services and supports, and prevention services for pregnant women – or women who could become pregnant – who have OUD and any co-occurring SUD/MH conditions, and other measures to educate and provide support to families affected by Neonatal Abstinence Syndrome.

2. Expand comprehensive evidence-based treatment and recovery services, including MAT, for uninsured women with OUD and any co-occurring SUD/MH conditions for up to 12 months postpartum.

3. Training for obstetricians or other healthcare personnel that work with pregnant women and their families regarding treatment of OUD and any co-occurring SUD/MH conditions.

4. Expand comprehensive evidence-based treatment and recovery support for NAS babies; expand services for better continuum of care with infant-need dyad; expand long-term treatment and services for medical monitoring of NAS babies and their families.

5. Provide training to health care providers who work with pregnant or parenting women on best practices for compliance with federal requirements that children born with Neonatal Abstinence Syndrome get referred to appropriate services and receive a plan of safe care.

6. Child and family supports for parenting women with OUD and any co-occurring SUD/MH conditions.

7. Enhanced family supports and child care services for parents with OUD and any co-occurring SUD/MH conditions.

8. Provide enhanced support for children and family members suffering trauma as a result of addiction in the family; and offer trauma-informed behavioral health treatment for adverse childhood events.

9. Offer home-based wrap-around services to persons with OUD and any co-occurring SUD/MH conditions, including but not limited to parent skills training.

10. Support for Children's Services – Fund additional positions and services, including supportive housing and other residential services, relating to children being removed from the home and/or placed in foster care due to custodial opioid use.

PART TWO: PREVENTION

F. PREVENT OVER-PRESCRIBING AND ENSURE APPROPRIATE PRESCRIBING AND DISPENSING OF OPIOIDS

Support efforts to prevent over-prescribing and ensure appropriate prescribing and dispensing of opioids through evidence-based or evidence-informed programs or strategies that may include, but are not limited to, the following:

1. Fund medical provider education and outreach regarding best prescribing practices for opioids consistent with Guidelines for Prescribing Opioids for Chronic Pain from the U.S. Centers for Disease Control and Prevention, including providers at hospitals (academic detailing).

2. Training for health care providers regarding safe and responsible opioid prescribing, dosing, and tapering patients off opioids.

3. Continuing Medical Education (CME) on appropriate prescribing of opioids.

4. Support for non-opioid pain treatment alternatives, including training providers to offer or refer to multi-modal, evidence-informed treatment of pain.

5. Support enhancements or improvements to Prescription Drug Monitoring Programs (PDMPs), including but not limited to improvements that:

a. Increase the number of prescribers using PDMPs;

b. Improve point-of-care decision-making by increasing the quantity, quality, or format of data available to prescribers using PDMPs, by improving the interface that prescribers use to access PDMP data, or both; or

c. Enable states to use PDMP data in support of surveillance or intervention strategies, including MAT referrals and follow-up for individuals identified within PDMP data as likely to experience OUD in a manner that complies with all relevant privacy and security laws and rules.

6. Ensuring PDMPs incorporate available overdose/naloxone deployment data, including the United States Department of Transportation's Emergency Medical Technician overdose database in a manner that complies with all relevant privacy and security laws and rules.

7. Increase electronic prescribing to prevent diversion or forgery.

8. Educate Dispensers on appropriate opioid dispensing.

G. PREVENT MISUSE OF OPIOIDS

Support efforts to discourage or prevent misuse of opioids through evidence-based or evidence-informed programs or strategies that may include, but are not limited to, the following:

1. Fund media campaigns to prevent opioid misuse.

2. Corrective advertising or affirmative public education campaigns based on evidence.

3. Public education relating to drug disposal.

4. Drug take-back disposal or destruction programs.

5. Fund community anti-drug coalitions that engage in drug prevention efforts.

6. Support community coalitions in implementing evidence-informed prevention, such as reduced social access and physical access, stigma reduction – including staffing, educational campaigns, support for people in treatment or recovery, or training of coalitions in evidence-informed implementation, including the Strategic Prevention Framework developed by the U.S. Substance Abuse and Mental Health Services Administration (SAMHSA).

7. Engage non-profits and faith-based communities as systems to support prevention.

8. Fund evidence-based prevention programs in schools or evidence-informed school and community education programs and campaigns for students, families, school employees, school athletic programs, parent-teacher and student associations, and others.

9. School-based or youth-focused programs or strategies that have demonstrated effectiveness in preventing drug misuse and seem likely to be effective in preventing the uptake and use of opioids.

10. Create of support community-based education or intervention services for families, youth, and adolescents at risk for OUD and any co-occurring SUD/MH conditions.

11. Support evidence-informed programs or curricula to address mental health needs of young people who may be at risk of misusing opioids or other drugs, including emotional modulation and resilience skills.

12. Support greater access to mental health services and supports for young people, including services and supports provided by school nurses, behavioral health workers or other school staff, to address

mental health needs in young people that (when not properly addressed) increase the risk of opioid or other drug misuse.

H. PREVENT OVERDOSE DEATHS AND OTHER HARMS (HARM REDUCTION)

Support efforts to prevent or reduce overdose deaths or other opioid-related harms through evidence-based or evidence-informed programs or strategies that may include, but are not limited to, the following:

1. Increase availability and distribution of naloxone and other drugs that treat overdoses for first responders, overdose patients, individuals with OUD and their friends and family members, individuals at high risk of overdose, schools, community navigators and outreach workers, persons being released from jail or prison, or other members of the general public.

2. Public health entities provide free naloxone to anyone in the community

3. Training and education regarding naloxone and other drugs that treat overdoses for first responders, overdose patients, patients taking opioids, families, schools, community support groups, and other members of the general public.

4. Enable school nurses and other school staff to respond to opioid overdoses, and provide them with naloxone, training, and support.

5. Expand, improve, or develop data tracking software and applications for overdoses/naloxone revivals.

6. Public education relating to emergency responses to overdoses.

7. Public education relating to immunity and Good Samaritan laws.

8. Educate first responders regarding the existence and operation of immunity and Good Samaritan laws.

9. Syringe service programs and other evidence-informed programs to reduce harms associated with intravenous drug use, including supplies, staffing, space, peer support services, referrals to treatment, fentanyl checking, connections to care, and the full range of harm reduction and treatment services provided by these programs.

10. Expand access to testing and treatment for infectious diseases such as HIV and Hepatitis C resulting from intravenous opioid use.

11. Support mobile units that offer or provide referrals to harm reduction services, treatment, recovery supports, health care, or other appropriate services to persons that use opioids or persons with OUD and any co-occurring SUD/MH conditions.

12. Provide training in harm reduction strategies to health care providers, students, peer recovery coaches, recovery outreach specialists, or other professionals that provide care to persons who use opioids or persons with OUD and any co-occurring SUD/MH conditions.

13. Support screening for fentanyl in routine clinical toxicology testing.

PART THREE: OTHER STRATEGIES

I. FIRST RESPONDERS

In addition to items in sections C, D, and H relating to first responders, support the following:

1. Educate law enforcement or other first responders regarding appropriate practices and precautions when dealing with fentanyl or other drugs.

2. Provision of wellness and support services for first responders and others who experience secondary trauma associated with opioid-related emergency events.

J. LEADERSHIP, PLANNING AND COORDINATION

Support efforts to provide leadership, planning, coordination, facilitation, training and technical assistance to abate the opioid epidemic through activities, programs, or strategies that may include, but are not limited to, the following:

1. Statewide, regional, local, or community regional planning to identify root causes of addiction and overdose, goals for reducing harms related to the opioid epidemic, and areas and populations with the greatest needs for treatment intervention services; to support training and technical assistance; or to support other strategies to abate the opioid epidemic described in this opioid abatement strategy list.

2. A dashboard to share reports, recommendations, or plans to spend opioid settlement funds; to show how opioid settlement funds have been spent; to report program or strategy outcomes; or to track, share, or visualize key opioid-related or health-related indicators and supports as identified through collaborative statewide, regional, local, or community processes.

3. Invest in infrastructure or staffing at government or not-for-profit agencies to support collaborative, cross-system coordination with the purpose of preventing overprescribing, opioid misuse, or opioid overdoses, treating those with OUD and any co-occurring SUD/MH conditions, supporting them in treatment or recovery, connecting them to care, or implementing other strategies to abate the opioid epidemic described in this opioid abatement strategy list.

4. Provide resources to staff government oversight and management of opioid abatement programs.

K. TRAINING

In addition to the training referred to throughout this document, support training to abate the opioid epidemic through activities, programs, or strategies that may include, but are not limited to, the following:

1. Provide funding for staff training or networking programs and services to improve the capability of government, community, and not-for-profit entities to abate the opioid crisis.

2. Support infrastructure and staffing for collaborative cross-system coordination to prevent opioid misuse, prevent overdoses, and treat those with OUD and any co-occurring SUD/MH conditions, or implement other strategies to abate the opioid epidemic described in this opioid abatement strategy list (e.g., health care, primary care, pharmacies, PDMPs, etc.).

L. RESEARCH

Support opioid abatement research that may include, but is not limited to, the following:

1. Monitoring, surveillance, data collection, and evaluation of programs and strategies described in this opioid abatement strategy list.

2. Research non-opioid treatment of chronic pain.

3. Research on improved service delivery for modalities such as SBIRT that demonstrate promising but mixed results in populations vulnerable to opioid use disorders.

4. Research on novel harm reduction and prevention efforts such as the provision of fentanyl test strips.

5. Research on innovative supply-side enforcement efforts such as improved detection of mail-based delivery of synthetic opioids.

6. Expanded research on swift/certain/fair models to reduce and deter opioid misuse within criminal justice populations that build upon promising approaches used to address other substances (e.g. Hawaii HOPE and Dakota 24/7).

7. Epidemiological surveillance of OUD-related behaviors in critical populations including individuals entering the criminal justice system, including but not limited to approaches modeled on the Arrestee Drug Abuse Monitoring (ADAM) system.

8. Qualitative and quantitative research regarding public health risks and harm reduction opportunities within illicit drug markets, including surveys of market participants who sell or distribute illicit opioids.

9. Geospatial analysis of access barriers to MAT and their association with treatment engagement and treatment outcomes.

18 Year Payout- City/County & Abatement Funds

	Click Arrow to See County Information	Allocated Subdivisions	Overall Total %	Allocated % by entity	Total Payments	Abatement Fund Payment 1	City/County Fund Payment 1
34	Brevard	Cocoa		0.14925%	$381,344.12		$16,905.11

Abatement Fund Payment 2	City/County Fund Payment 2	Abatement Fund Payment 3	City/County Fund Payment 3	Abatement Fund Payment 4	City/County Fund Payment 4	Abatement Fund Payment 5
	$23,456.61		$21,389.61		$29,124.30	

City/County Fund Payment 5	Abatement Fund Payment 6	City/County Fund Payment 6	Abatement Fund Payment 7	City/County Fund Payment 7	Abatement Fund Payment 8	City/County Fund Payment 8
$30,503.64		$18,916.37		$18,916.37		$21,804.58

Abatement Fund Payment 9	City/County Fund Payment 9	Abatement Fund Payment 10	City/County Fund Payment 10	Abatement Fund Payment 11-18	City/County Fund Payment 11-18
	$22,492.25		$22,492.25		$19,417.88

Legislation Details (With Text)

File #:	21-805	**Version:**	1	**Name:**	
Type:	Informational Item			**Status:**	Council Busines
File created:	12/9/2021			**In control:**	City Council
On agenda:	12/14/2021			**Final action:**	
Title:	Staff is seeking direction regarding the finalization of the Operations and Maintenance Lease and Agreement between the City of Cocoa and the Brevard Museum and Sciences Center, Inc as a result of the ongoing negotiations related to this agreement. (Public Works Director)				
Sponsors:					
Indexes:					
Code sections:					
Attachments:					

Date	Ver.	Action By	Action	Result

CITY COUNCIL AGENDA ITEM

Memo Date: December 9, 2021
Agenda Date: December 14, 2021
Prepared By: Bryant Smith III, P.E., CFM Public Works Director/City Engineer
Through: Bryant Smith III, P.E., CFM Public Works Director/City Engineer

Requested Action:
Staff is seeking direction regarding the finalization of the Operations and Maintenance Lease and Agreement between the City of Cocoa and the Brevard Museum and Sciences Center, Inc as a result of the ongoing negotiations related to this agreement.

BACKGROUND:

At the September 28, 2021, City Council Meeting, the City council unanimously approved for the City to enter into an Operations and Maintenance Lease and Agreement with the Brevard Museum and Sciences Center, Inc (BMSC). The lease term was defined as one year with a $70,000 contribution from the City. This lease was provided to the BMSC on October 1, 2021 and included the substantial change to the lease term, from 70-years to 1-year, as directed by City Council. As part of negotiations, the BMSC has agreed to receive the $70,000 contribution, less the cost of the museum attendant from October 1 through the execution of this agreement. While the lease is near finalization, after ongoing negotiations the BMSC would like to discuss the following items related to this agreement.

1. Length of the lease and renewals
2. Ownership and inventory of the City-owned artifacts

powered by Legistar™

STRATEGIC PLAN CONNECTION:

N/A

BUDGETARY IMPACT:

N/A

PREVIOUS ACTION:

September 28, 2021, City Council voted (5-0) to enter into an Operation and Maintenance Lease and Agreement with Brevard Museum and Sciences Center, Inc for one year and provide $70,000 to help cover various costs associated with the operation and maintenance of the museum.

RECOMMENDED MOTION:

Staff is seeking direction regarding the finalization of the Operations and Maintenance Lease and Agreement between the City of Cocoa and the Brevard Museum and Sciences Center, Inc as a result of the ongoing negotiations related to this agreement.

Legislation Details (With Text)

File #:	21-738	**Version:**	1	**Name:**	
Type:	Resolution			**Status:**	City Business
File created:	11/4/2021			**In control:**	City Council
On agenda:	12/14/2021			**Final action:**	
Title:	Approve a Resolution Amending the Utility Handbook's Policies and Procedures. (Finance Director)				
Sponsors:					
Indexes:					
Code sections:					
Attachments:	Resolution 2021-XXX.pdf 1000.5 - City of Cocoa Utilities Handbook ADA draft.pdf 1001B.FY22.2 - Schedule B - Miscellaneous Rates, Fees & Charges - Copy.pdf 1001B.FY23.2 - Schedule B - Miscellaneous Rates, Fees, & Charges - Copy.pdf 1001B.FY24.2 - Schedule B - Miscellaneous Rates, Fees, & Charges - Copy.pdf 1001B.FY25.2 - Schedule B - Miscellaneous Rates, Fees, & Charges - Copy.pdf				

Date	Ver.	Action By	Action	Result

CITY COUNCIL AGENDA ITEM

Memo Date: November 4, 2021
Agenda Date: December 14, 2021
Prepared By: Jessica Dovale, Utility Support Service Manager
Through: Rebecca Bowman, MBA, CGFO, CGFM, Finance Director
Requested Action:
Approve a Resolution Amending the Utility Handbook's Policies and Procedures.

BACKGROUND:

Staff has also reviewed the Utility Handbook and updated a specific policy in the Utility Handbook, for clarification purposes. Below are the highlighted procedural changes within the attached document:

- Document each revision of the Utility Handbook by date.
- Implement higher At-Risk Deposit, paid in advance, for any applicant with prior debt, who has been involuntarily discontinued from service, who has filed bankruptcy in the past 12 months, who applies for a temporary connection, who has had their meter removed/plugged/lock due to tampering, or who is attempting to activate service after a previous account has been sent to collections and/or write offs shall pay the higher at-risk deposit.
- Schedule B Miscellaneous Rates, Fees and Charges for FY22, FY23, FY24, and FY25: the At-Risk Deposit is two times the amount of the regular deposit for water and sewer.
- Schedule B Miscellaneous Rates, Fees, and Charges for FY22, FY23, FY24, and FY25: the South Mainland 129-B Connection Fee has been updated to $1,125, at the request of the

Viera Company, per the Agreement with the Viera Company Amendment #5 that was approved on October 26, 2021, by City Council agenda #21-696.

STRATEGIC PLAN CONNECTION:

BUDGETARY IMPACT:

PREVIOUS ACTION:

In Fiscal Year 2020 a full rate study began and concluded March of 2021. Through Resolution 2021-016 the Utility Handbook and rate schedules were updated.

In Fiscal Year 2021 through Resolution 2021-086 the Utility Handbook and rate schedules were updated.

RECOMMENDED MOTION:

Approve a Resolution Amending the Utility Handbook's Policies and Procedures.

RESOLUTION NO. 2021-120

A RESOLUTION OF THE CITY COUNCIL OF THE CITY OF COCOA, FLORIDA, AMENDING THE CITY OF COCOA UTILITY HANDBOOK TO REVISE POLICIES AND PROCEDURES RELATED TO THE CITY'S UTILITIES SYSTEM; PROVIDING FOR THE REPEAL OF PRIOR INCONSISTENT RESOLUTIONS; AND PROVIDING AN EFFECTIVE DATE.

WHEREAS, on November 10, 1994, the City Council of the City of Cocoa adopted a Utility Handbook for the purpose of adopting administrative and operating procedures and rates, fees, and charges for the City's utility system; and

WHEREAS, the policies and procedures contained in the Utility Handbook need to be updated periodically to reflect current practice or to clarify the policies and procedures by rewriting the text; and

WHEREAS, the City Council deems it to be in the best interests of the public health, safety and welfare and betterment of the City's water facilities and customers to revise the Utility Handbook.

NOW, THEREFORE, BE IT RESOLVED BY THE CITY COUNCIL OF THE CITY OF COCOA, as follows:

SECTION 1. The Utility Handbook is hereby amended as set forth in **Exhibit A** which is attached hereto and incorporated herein by this reference. (Underline type are additions and ~~Strikeout~~ type are deletions from the previous version of the Utilities Handbook).

The rate schedules attached to the Handbook were adopted by Resolution 2021-016 and are subject to automatic annual increases as stated in the Resolution, and such only the deposit amounts are not being amended by this Resolution.

SECTION 2. All prior resolutions or prior resolutions inconsistent with this resolution are hereby repealed to the extent of the conflict.

SECTION 3. This resolution shall become effective December 14, 2021, adopted by the City Council of the City of Cocoa, Florida.

ADOPTED by the City Council of the City of Cocoa, Florida, in a regular meeting assembled on the 14th day of December, 2021.

_____
Michael C. Blake, Mayor

ATTEST:

_____

Carie Shealy, MMC, City Clerk

Utilities Handbook

Adopted by the City of Cocoa Council

Updated as of December 14, 2021

Policy #1000 Rev. 5

City of Cocoa

65 Stone St.

Cocoa, FL 32922

Phone 321-433-8400 | Fax 321-433-8408

customerservice@cocoafl.org

Table of Contents

Utilities Handbook 1
Introduction 10
Section 1 – City of Cocoa Municipal Utilities 11
- A. Establishment 11
- B. Authority 11
- C. Office and Service Hours 11
- D. Scope & Intent 11
- E. Application of Policies 12
- F. Customer Request for Policies 12
- G. Utility Bill Messages and Inserts 12

Section 2 – Extension of Utility Systems 13
- A. Utility Service 13

Requirements 13
Costs 13
Policy Exceptions 13
Conformance with Technical Provisions 13
- B. Utility Extension Policy & Procedure 14

Utility Extension Policy 14
Utility Extension Procedure 14
Initial Submittal - 14
Final Submittal 14
FDEP Permit 14
FDOT Permit 14
Requirement Letter – 14

Payment of Charges 15
Preconstruction Meeting 15
Material Inspection 15
Wet Taps 15
Open Ditch Inspection 15
Pressure Test and Chlorination 15
Bacteriological Testing 15
FDEP Clearance – 15
Final Inspection 15
Acceptance of Utility Extension 16
As-Built Drawings 16
Bill of Sale; Maintenance Bond/Security 16
Easement 16
Non-Accepted Systems 16
Private Utility Systems 16
- C. Fire Protection System Requirements 16

Section 3 – Rights and Responsibilities 18
- A. Right of Way and Access 18
- B. Relocation or Adjustment of Utilities 18
- C. Limits of Liability & Continuity of Service 18
- D. Account Holder Responsibility for Piping and Leakage 19

Section 4 – Requirements and Regulations 20
- A. Potable Water Service Policy 20

Section 5 – Establishing Service 23
- A. New Connection to the Water/Sewer Distribution Systems 23
- B. New Connection to the Reclaimed Water Distribution System 23
- C. Contracting Utility Service to Existing Connections 23
- D. Utility Application Processing 23

Property owners 24
Non-Property Owners 24

Master Metered Multi-Unit Residential and Commercial Properties 24
Private fire protection “fireline” systems 24
- E. Time and Place of Application 25
- F. Application of Deposit and Exemption Criteria 25
- G. Service to Commercial Accounts 26
- H. At-Risk Deposits 26
- I. Service for Temporary Connections and Disconnections 26
- J. Prior Utility Debts 26
- K. Reasons for Denial of Service 27
- L. Privacy 27

Section 6 – Application of Rates, Fees, and Charges 28
- A. Establishment of Rates, Fees, and Charges 28
- B. Determination of Utility Rates 28
- C. Discounts and Exemptions 28
- D. Existing Franchise Agreements 28
- E. Utility Connection & Installation Fees & Charges 29

Water Service Impact Fee 29
South Mainland Connection Charge 29
Sewer Service Impact Fee 29
Reclaimed Water Service Connection Fee 29
Water Service Line Installation Charge 29
Backflow Prevention Assembly Installation Charge 29
Spray Truck Meter Installation Charge 29
Temporary Jumper Meter Installation Charge 29
Temporary Construction Meter Installation Charge 29
Fire Hydrant Maintenance Charge 29
- F. Utility Field Service Fees & Charges 29

Plan Review and Construction Inspection Charge 29
Hydrant Residual Flow Test Charge 29

Fire Line Painting Charge 29
Meter Station Painting Charge 30
Meter Installation/Replacement Charge 30
Meter Relocation/Adjustment Charge 30
Meter Calibration Testing Charge 30
Service Call Fee 30
After Hours Reconnection Fee 30
Meter Access Fee 30
Meter Access Vehicle Tow Charge 30
Data Log Report 30
- G. Utility Service Rates & Charges 31
Water Service and Consumption Charges 31
Sewer Service and Consumption Charges 31
Public Fire Protection Fee 31
Private Fire Protection Fee 31
Reclaimed Water Service 31
Solid Waste Collection Service 31
Solid Waste Collection Franchise Fee 32
Backflow Prevention Assembly Testing & Maintenance Charge 32
Grease Trap 32
Public Service Tax 32
- H. Utility Administrative Fees & Charges 32
Service Initiation Fee 32
Deposits 32
Convenience Fee 32
Late Fee 32
Late Fee Exemption 32
City of Cocoa Garbage Discount 32
Returned Payment Fee 32

Collections Processing Fee 32
Utility Lien Recording Fee 33
Utility Lien Search Fee 33
Utility Billing Service Charge 33
High Consumption Credit Application Processing Fee 33
Delinquency Processing and Application of Fee - 33
- I. Utility Tampering and Theft of Service Fees & Charges 34

Lock Fee 35
Tampering Fee 35
Meter Removal Charge 35
Illegal Connection Fee 35
Section 7 – Utility Billing for Service 36
- A. Monthly Utility Bill 36
- B. Failure to Receive Utility Bill 36
- C. Billing Cycle 36
- D. Meter Reading 36
- E. Estimated Billing 37
- F. Calculating Consumption 37
- G. Deposits 37

Billed Deposits 37
Refunds of Deposits 38
Transfer of Deposits 38
Future Deposits 38
- H. Payment Options and Application of Payments 38

Payment by Mail 39
Payment by Phone 39
Payment in Person 39
Payment Online through City of Cocoa's Bill-Pay Portal 39
Payment Online through Your Bank's Bill-Pay 39

Payment Drop-Box 39
Automated Clearing House (ACH) Debit from Bank 39
Auto-Pay from Credit/Debit Card or E-Check 39
Partial Payments 40
Returned Payments 40
Refusal to accept methods of payment 40
- I. Cash Only Accounts 40
- J. Account Holder Contact Information 40
- K. Transfer of Existing Account Holder to New Contracted Location 41
- L. Unauthorized Consumption on Inactive Location 41
- M. Regional Utility Billing 41

Section 8 – Discontinuing Utility Service 42
- A. Termination of Service 42

Requesting Discontinuance of Service 42
Disconnection Scheduling 42
Closing of a Utility Account 42
Final Bill 42
Credit Balance 42
- B. Revert to Property Owner 42
- C. Customer's Rights Prior to Discontinuance of Service 42

Disputed Bills 42
Extensions & Payment Plan Agreements 43
Misapplied payments 43
Exceptions 43
- D. Involuntary Discontinuance of Service 44
- E. Reconnections 44

Section 9 – Utility Operational Policies 45
- A. Meter Calibration Testing 45
- B. Water Quality Complaints 45

- C. Damage to Plants and Shrubs 45
- D. Damage to City Equipment 45
- E. Account Holder Name Change 45
- F. Deceased Account Holder and Estate Account 46

Property titled with joint ownership: 46

Property titled with one owner: 46

Rental property with tenant: 46

- G. Utility Billing Adjustments 46

Overcharge or Undercharge Error 46

Swimming Pools 47

Excessive Use 47

Stuck Meter 49

- H. Utility Debt Collection 49

Utility Collections 49

Utility Liens 50

- I. Internal Audits and Evaluations 50

Section 7 - Appendix 51

City of Cocoa Utilities Technical Provisions and Standards Detail 51

Bacteriological Testing Procedures by Private Laboratories 51

Reclaimed Water Application 51

Application for Utility Services 51

Letter of Authorization 51

Utility Customer Public Records Exemption Request 51

Residential Discount & Exemption Application 51

Automatic Debits (ACH) Agreement 51

Relinquishing Deposits Authorization 51

Account Holder Contact Update 51

Property Owner Request to Terminate Utility Service 51

Excessive Water Consumption Checklist 51

High Consumption Water-Sewer Credit Application 51
Consent to Verify Meter Calibration 51
Utility Water Customer Contact Complaint 51
City of Cocoa Code of Ordinances 51
Schedule A – Utility Rates, Fees, and Charges 51
Schedule B – Miscellaneous Rates, Fees, and Charges 51
Schedule C – Solid Waste Rates, Fees, and Charges 51
Florida Statute Chapter 119 51
Florida Statute Chapter 119.071 51
Florida Statute Chapter 153.67 51
Florida Statute Chapter 153.83 51
Florida Statute Chapter 159.18 51
Florida Statute Chapter 180.135 51
Florida Statute Chapter 812.14 51

Introduction

The policies and procedures contained in this document are intended to define the relationship between the account holder of utility services including water (potable and reclaimed), wastewater, and solid waste collection and the City of Cocoa. These policies are, by notification of and availability to all customers, made part of the contract for service entered into by the account holder. By contracting for service, the account holder acknowledges the applicability of these policies and procedures listed in this document as well as those either expressly written or not written in the City of Cocoa Utility Service Policies and Procedures Handbook and the City of Cocoa Utilities Technical Provisions and Standard Details and agrees to abide by them.

The policies and procedures included in this handbook were adopted by the Cocoa City Council at their regular meeting held on August 14, 2019. They were revised and adopted again by the Cocoa City Council on the following dates:

Revision 2: August 26, 2019

Revision 3: March 9, 2021

Revision 4: September 14, 2021

Revision 5: December 14, 2021

Section 1 – City of Cocoa Municipal Utilities

A. Establishment

The City of Cocoa (City) owns and operates water and wastewater utilities in accordance with applicable State and Federal regulatory requirements and under permits issued by the State of Florida. These policies, as amended periodically, are adopted by the Cocoa City Council to govern the relationship between the City and its utility customers. Operational authority of the Utilities Department (Department) rests with the City Manager while the City Council retains governing authority of the utilities. The terms Department and City may be used interchangeably in this document.

B. Authority

The enactment of standard utility policies requires the approval of the City Council. As fee schedules, rates and other specific policies are updated, it will be the responsibility of the City Manager or their designees to ensure this policy and procedures manual is revised in accordance with City Council action. The City Manager is authorized as the hearing or grievance officer for customers.

Prior to an item appearing before the City Council, all grievances should be heard by and submitted through the appeal process to the Deputy Finance Director/Finance Director and/or Utilities Director for review and recommendation to the City Manager for possible resolution and final authority.

C. Office and Service Hours

City Hall is located at 65 Stone St. and is open from 8 a.m. to 4:30 p.m. Monday through Friday except for municipal holidays. Service work for unusual conditions may be arranged at other times upon customer request and may require an additional fee.

A 24-hour drop box is available for customer's convenience on the south side of City Hall. Payment made at the drop box after 8:00 a.m. are posted the next business day.

Emergency restoration work is performed 24 hours a day, seven days a week. Customer may call the City at 321-433-8400 for emergency service. Reconnection due to disconnection of service for nonpayment is not considered an emergency. Dispatch for reconnection of services that were disconnected due to nonpayment, or similar instances, will result in additional fees being assessed to the account holder.

D. Scope & Intent

The intent of these policies is to provide the customer, and the employees of the City a helpful guide which uniform procedures for providing utility service. This policy is not meant to be all–inclusive but offers direction and guidance. The City desires to treat its citizens and rate payers in a fair and nondiscriminatory manner, while recognizing that each customer has distinct needs and requirements.

These policies and procedures have been established as guidelines for the day-to-day operations of the City of Cocoa Public Utilities. These are intended to be used and referred to by the City Council and any employees or agents of the City for determining actions and procedures to be followed with respect to city utilities.

These policies and procedures may be periodically revised through recommendation by the City Manager and with approval of the City Council. City of Cocoa utility services are regulated by the City of Cocoa Code of Ordinances, general utility law, and Florida State Statutes. Policies adopted and amended by the City Council are available on file with the City Clerk.

Employees of the City have been empowered and trained to use these policies to deliver high quality service to customers. Employees are expected to deal with each situation with empathy and understanding, listening carefully to the needs and requirements of individual customer. Ultimately, the City Manager is the final authority on these policies. However, every customer has the right to appeal any decision before the City Council. See section *Customer Rights Prior to Discontinuance of Services* for details.

These policies are not meant as a substitute for personal initiative on the part of the employees but are meant to serve as a guide for reasonable response to customer needs while meeting the requirements of good business practices on the part of the City.

E. Application of Policies

These policies apply to every customer and/or applicant for utility service and may be revised, amended, supplemented, or otherwise changed periodically by action of the City Council.

F. Customer Request for Policies

Customers may obtain a full copy of the City of Cocoa Utility Service Policies and Procedures Handbook from City Hall, City Clerk's Office, in accordance with public records dissemination Florida Statute Chapter 119, or on the City's website. Customer may also request a verbal explanation of policies and are encouraged to seek answers to any questions by contacting City Hall, Utility Customer Service.

G. Utility Bill Messages and Inserts

Utility bill messages and inserts shall be reserved for utility rate or water quality related information. On occasion the City Manager or his/her designee may approve unrelated messages or inserts on a case by case basis. Messages will be scheduled in order of priority and request. Any water or sewer utility increase of rates, charges, or fees shall provide notice of the proposed increase to each customer of the utility through the utility billing process, per Florida Statute Chapter 180.136.

Section 2 – Extension of Utility Systems

A. Utility Service

Requirements - A customer desiring service that requires a main extension shall follow the Utility Extension Procedure contained in this Article. The water meter must be set along the frontage of the property being served. This includes flag lots and ingress/egress easements. Existence of a private utility easement across adjacent properties does not eliminate the requirement for a water main extension across the frontage of the property. The water meter must remain with the property for which it is originally set. It must not be relocated or transferred to another property.

Water main extensions must be completed in accordance with the Utility Extension Policy and accepted by the Utilities Department and cleared by the Florida Department of Environmental Protection (FDEP) prior to furnishing utility service. Main extensions may be required to eliminate service line crossings at major roads or to eliminate services connected to water transmission mains. Water mains and reclaimed water mains must extend across the entire frontage of all properties to be serviced and across all vehicle entrance ways of new subdivisions. Off-site interconnections or tie-ins may be required, as deemed necessary by the Engineering Division, to ensure system integrity and eliminate dead-end systems and are the sole expense of the requesting party.

Sewer mains must be extended, at the greatest depth possible, up to the nearest lot line or across all entrance drives or streets. In areas where no gravity sewer exists, the customer may be required to install a sewage pump station that meets the City's specifications. Construction costs due to pumping capacity and manhole/wet well depths greater than customer requirements may be offset by the City. Location, depth, and capacity of the pump station must be approved by the Utilities Department. If a pump station is to be publicly owned, the pump station sites are to be deeded to the City and should be 50 feet by 50 feet in size unless otherwise approved by the Engineering Division. Privately operated sewage pump stations may be permitted if operation and maintenance are provided by the owner.

Costs - Main extensions are at the expense of those desiring service. The customer shall engage private engineering and construction contractor services at his/her own expense. All plans and specifications are subject to the City's approval. The City reserves the right to over-size or to require minimum sizes for any main extension or utility installation.

Policy Exceptions - Special cases that do not conform to normal conditions to which these policies apply may be appealed to the City Manager. The City Manager, or a designee, may grant exceptions to the policies to provide relief in cases where extenuating circumstances justify such action. Exceptions are granted only on a case-by-case basis and are not to be considered a change of policy or as setting a precedent.

Conformance with Technical Provisions - All utility system installations and extensions must be constructed in conformance with the latest revision of the *Technical Provisions* and Standard Detail Drawings in effect at the time plans were approved by the City. If over six months has elapsed since the plans were approved by the City, all installations must conform to the revision of the *Technical Provisions* and Standard Detail Drawings in effect as of the date of the pre-construction conference. The materials and installation as described in the *Technical Provisions* and Standard Detail Drawings take precedence over the engineer's plans unless approved in writing by the Engineering Division. The *Technical Provisions*, Standard Detail Drawings, and a schedule of rates, fees, and charges are available at the Engineering Division located at 351 Shearer Boulevard, Cocoa, Florida.

The constructed facilities are subject to inspections by City representatives for compliance with the City's *Technical Provisions*, Standard Detail Drawings, plans, and specifications. Ample notice and opportunity for inspection of new facilities, pipe, fittings, connections, and thrust blocks must be provided by the contractor. All required testing must be performed by the contractor in the presence of a City representative.

B. Utility Extension Policy & Procedure

Utility Extension Policy - The City will accept for operation and maintenance utility extensions constructed for the purpose of providing service to areas within the franchise boundaries of the City's utilities systems. Utility extensions include water distribution systems, firelines, waste water collection systems, and reclaimed water distribution systems. The City is not obligated to accept any extension or render service until the requirements contained in this section have been met.

The City does not allow City owned and maintained utilities to be installed on private commercial properties with the exception of water meters, fire line detector check valves, and sewer force main check valves.

A Utility contractor is required for all main extensions and the main extension up to the point of service for the fire line system. A fire line contractor is required for the installation from the point of service for the fire line system and the Double Check Detector Assembly (DCDA).

Utility Extension Procedure - Prior to any utility extension in the City's service area, the City must review the plans. A Plan Review Charge is collected in accordance with the Schedule of Rates, Fees, and Charges (Schedules A & B). A check made payable to the City of Cocoa must be submitted with the plans for review.

Initial Submittal - The City will perform a preliminary review of plans. Send one set of plans that have been prepared, signed, and sealed by an engineer registered in accordance with Florida Statutes to the Engineering Supervisor. The set must include water and or waste water and or reclaimed plans showing the location of the mains, distance off proposed pavement, size and type of mains, size and type of services, fire hydrant with hydrant tees, gate valve locations, restrained pipe lengths, proposed length of pipe, locations of other utilities; manholes, laterals, slope, water and sewer calculations, fire flow calculations, per the Florida Fire Prevention Code, Hydraulic Analysis Report, *Technical Provisions;* and Standard Detail Drawings.

The City will send a letter to the engineer of record requesting revisions to the plans, if necessary, or advising that the plans are acceptable and instructing the engineer of record to submit the (revised) plans for final review.

Final Submittal – Send three sets of plans and FDEP permit applications that have been prepared, signed (all with original signature), and sealed by an engineer registered in accordance with Florida Statutes to the Engineering Supervisor.

If the mains will be installed within Florida Department of Transportation (FDOT) right-of-way, a FDOT permit application must also be submitted. FDOT permit application requirement can be obtained from the Engineering Division.

The City will review the final set of plans and, once acceptable, the Engineering Division will approve the plans. The final set of plans and the permit applications will be sent to the Utilities Director for approval. Upon approval the Engineering Secretary will advise the engineer of record to pick up the approved plans and submit them to FDEP.

FDEP Permit – FDEP requires that the City's Technical Provisions and Standard Detail Drawings are included with the plans. The engineer of record is responsible for submitting the approved set of plans and permit application to FDEP.

FDOT Permit - FDOT requires a permit for work within FDOT right-of-way that requires open cutting or crossing of pavement or sidewalks. The permit application is prepared by the engineer of record and submitted to the Engineering Division. The owner/developer shall sign the City's Construction Agreement and the owner/developer shall have the City's Hold Harmless and Indemnification Agreement signed by all contractors and subcontractors that will provide preparation, installation, and clean-up of the utility work within the FDOT right-of-way. The agreements must be approved by the City Manager. Then the permit application will be signed by the Utilities Director or designee and forwarded to FDOT.

Requirement Letter – The City will send a requirement letter to the engineer of record once the City has received the FDEP permit. The requirement letter outlines all the items necessary for acceptance of the utility extension and lists the fees and charges due including impact fees, meter charges, and backflow prevention assembly charge.

Payment of Charges – Prior to preconstruction for the new utility system, payment of the following charges is required: Jumper Meter Installation Charge, all Painting Charges, and Fire Protection Service Charge.

Connection Charges must be paid with the meter installation charge.

The Meter Installation Charge can be paid before or after utility system acceptance. However, the meter will not be installed until the utility system has been accepted for service by the Utilities Department. The customer should allow two weeks after the utility system is accepted for meter installation.

Preconstruction Meeting – A preconstruction meeting is required prior to installation of a utility extension. The utility contractor and his/her field Superintendent is required to attend this meeting and provide proof of registration as a State-certified underground utility contractor. The meeting is held in the Utilities Administration Building at 351 Shearer Blvd., Cocoa. The utility contractor is responsible for arranging the meeting time with the Inspection Supervisor. It is recommended that the engineer of record and the project owner attend this meeting. The preconstruction meeting will cover the schedule for payment of fees and charges, materials and installation, the contractor's installation schedule, inspection, testing, and acceptance of the utility system.

Material Inspection – An inspection of all material is required before it is installed. The utility contractor is responsible for scheduling this inspection with an Engineering Inspector.

Wet Taps – All wet taps will be performed by a private tapping contractor that must be on the City's list of approved tapping contractors.

Open Ditch Inspection – After the utility extension has been installed, an open ditch inspection is required prior to backfilling the trench. The utility contractor is responsible for scheduling this inspection with an Engineering Inspector. The Inspector will check pipe installation and conformance with plans and specifications.

Pressure Test and Chlorination – After the utility extension has been installed and backfilled, all mains shall be swabbed. Foam swabs shall be flushed through the new mains. The swabbing shall be done by the contractor under the direct supervision of the Engineering Inspector . After swabbing, a pressure test is required. The water system is tested at 150 psi for two hours to test for leakage and structural soundness. The first hour is to be witnessed by the utility contractor; the last hour is to be witnessed by the City's Engineering Inspector and the utility contractor. The utility contractor is responsible for scheduling this test with an Engineering Inspector.

After the pressure test is successfully completed, the water line and appurtenances must be chlorinated. Disinfection will conform to the applicable provisions of American Water Works Association Specification C-651. The chlorine solution must remain in the pipe for at least 24 hours before flushing. No flushing is allowed between bacteriological sampling. All Chlorinated water is required to be de-chlorinated prior to discharge.

Bacteriological Testing – A bacteriological test will be performed by a private laboratory in accordance with the City's Bacteriological Testing Procedures by Private Laboratories.

FDEP Clearance – Clearance from FDEP is required before the temporary jumper can be removed. The engineer of record shall submit to the City a completed FDEP form "Certification of Construction Completion and Request for a Letter of Clearance to Place a Public Drinking Water Facility into Service" (Clearance Form) and, if a general permit was obtained from FDEP, as-built drawings that have been signed (original signature) and sealed by the engineer of record.

The City will attach a copy of the FDEP permit, pressure test sketch showing the sample points, bacteriological test results, and a copy of the as-built drawings, if required, to the Clearance Form. The Clearance Form is then approved by the Utilities Director and mailed to FDEP. Submittal of the Clearance Form by the engineer of record to the City is time sensitive since the bacteriological test results cannot be older than 60 days by the time they are received by FDEP.

Final Inspection – After all tests of the utility extension have been successfully completed, a final inspection must be scheduled. The final inspection consists of checking for items such as; concrete valve pads, blue reflectors at the fire hydrants, meter boxes installed to grade, curb stops properly installed in the meter boxes, service line locations marked on the curb, all valves are open, and proper paint used on items that require painting. The utility contractor

is responsible for scheduling this inspection with an Engineering Inspector. It is recommended but not required that the utility contractor be present for the final inspection. The City will send a letter to the utility contractor if any discrepancies are found.

Acceptance of Utility Extension – After the utility extension has been properly installed and successfully tested in accordance with the Utility Extension Policy, and after all required documents described below have been received by the City, the City will send a letter of acceptance to the owner.

As-Built Drawings – The City requires three sets of as-built drawings ("as-builts") signed (all with original signature) and sealed. The as-builts can be certified by a Florida-registered surveyor or the engineer of record as to the accuracy of the information supplied. The engineer of record must certify that the utility extension has been installed in accordance with the approved plans and specifications. The information provided on the as-built drawings must conform to the City's latest *Technical Provisions* and Standard Detail Drawings.

Bill of Sale; Maintenance Bond/Security – The Bill of Sale conveys ownership of the utility extension to the City so the City can operate and maintain the system. The City's Bill of Sale form must be completed by the owner of the project and submitted to the City. In addition, the City reserves the right to require a maintenance bond or some other security covering the utility extension for a period of up to two (2) years depending on the specifications of a particular extension. The bond or other form of security must be in a form deemed acceptable to the City.

Easement – If the utility extension is installed on private property, a Water Line and Ingress/Egress Easement is required. The Water Line Easement is to be a 15-feet-wide surveyed easement centered over the utility extension. The Ingress/Egress Easement is usually for the entire property and allows the City to enter the property to operate and maintain the water line. The City's Easement form must be completed by the owner of the project and submitted to the City. The City sends the Easement to the Brevard County Clerk of Court for recording.

Non-Accepted Systems – The City is not obligated to repair or to provide field locations on any system that has not been accepted for operation and maintenance. No connections will be made to and no meters will be installed on any system until after the system is accepted and all applicable charges have been paid to the City.

Private Utility Systems – All utilities located on private commercial properties will be owned, operated, and maintained by the property owner. The City does not allow City owned and maintained utilities to be installed on private commercial properties with the exception of water meters, fire line detector check valves, and sewer force main check valves.

City inspectors have the right to inspect any portion of the private system for excessive leakage or non-approved connections. Any deficiencies noted must be corrected within ten days of written notice by the City.

C. Fire Protection System Requirements

The City provides water service for fire protection. On public, commercial, and multifamily residential fire protection systems, the City requires a double check detector assembly (DCDA), the size of which has been determined by a private fire protection system Engineer. The City is responsible for operating and maintaining its water system up to and including the DCDA piping leg and in-ground 90-degree or 45-degree fitting on the customer's side of the DCDA. The City has determined the point of service for the fire line system to be the gate valve installed at the fitting upstream of the DCDA. A fire line contractor is required for the installation of the DCDA.

The fire protection system design must include a safety factor of five psi. Materials for and installation of the DCDA shall be in accordance with Section 2.2 Utility Extension Policy & Procedure and the City's current *Technical Provisions* and Standard Detail Drawings.

The City charges a Fire Protection Service Charge in accordance with the Schedule of Fees, Rates, and Charges. The customer must pay the first year's Fire Protection Service Charge prior to the preconstruction meeting for the utility extension.

For new systems, the Contractor will test the DCDA and provide the backflow certification to the City's Engineering Division. If the test fails, the customer's contractor must have the DCDA repaired by a licensed backflow technician and re-test the DCDA.

The City charges a Fire Line Painting Charge in accordance with Schedule of Fees, Rates, and Charges. The customer must pay the Fire Line Painting Charge prior to the preconstruction meeting for the utility extension. After acceptance, the City will paint the fire line.

For existing fire protection systems, the Water Field Operations is responsible for operating, maintaining, repairs, and testing of the existing DCDA. Customers requiring repair, maintenance, operation, or testing of the existing DCDA shall contact Water Field Operations located at 351 Shearer Boulevard, Cocoa, Florida.

Private fire line contractors are prohibited from operating, maintaining, repairing, and testing DCDA owned, operated, and maintained by the City of Cocoa except as authorized by Water Field Operations. The City will not be responsible for any cost incurred by the customer for unauthorized work on the DCDA.

Section 3 – Rights and Responsibilities

A. Right of Way and Access

As a condition of service, the account holder grants to the Utilities Department all rights and privileges necessary for the rendering of service. Utilities Department employees and contracted representatives must have access at all times to the City's facilities located on the customer's premises. Access is limited to the installation, operation, maintenance, inspection, and/or removal of utility appurtenances. Failure to provide access to Utilities Department personnel is grounds for involuntary discontinuance of service. Any advance notice to the customer or occupant of work performed on the customer's premise will be at the discretion of the City. The Utilities Department is not liable for trespass during performance of these activities. Vehicles or large movable objects that block access to the utilities right-of way may be towed at the customer's expense.

B. Relocation or Adjustment of Utilities

Standard residential 3/4" and 1" meter relocations or adjustments with no concrete or asphalt open cuts, no site restoration work, and less than ten feet in length will be performed by the City at a cost as provided in the Schedule of Fees, Rates & Charges.

Residential 3/4" and 1" meter relocation or adjustments that require a permit, concrete or asphalt open cuts, site restoration work, or are longer than ten feet will require a cost summary estimate from the Engineering Division and the account holder will be required to pay that cost prior to the work being performed by the City.

The City will not relocate or adjust a 3/4" and 1" residential meters within subdivisions currently being developed or within one year of acceptance by the City. The owner must contact the developer who shall have its utility contractor relocate the meter under the direct supervision of the Utilities Department.

When relocation or adjustment of the City's facilities is necessary for a multifamily or commercial building due to a change in the customer's operation or construction or due to a request, such relocation or adjustment will be designed by an engineer and constructed by a utility contractor provided by and paid for by the customer.

In the event that relocation of a customer's point of service is required by the City, a new on-site service line may be installed by a licensed plumber at no cost to the customer. The customer will provide the necessary access to the property for such and installation and will assume responsibility for same upon relocation.

The relocation work or connection of the customer's facilities will be warrantied for any defects in the construction for a period of one year. The City; however, will not be responsible for cost associated with damage caused by natural disasters, breaks, acts of God, misuse of the facilities, or any other cause beyond the control of the Utilities Department.

C. Limits of Liability & Continuity of Service

The Utilities Department will use reasonable diligence to provide dependable service but **DOES NOT GUARANTEE** continuous and uninterrupted service.

The City is not liable for want of supply or for any occurrence, act, omission caused directly or indirectly by mechanical failure of equipment and/or facilities; repairs; or adjustments to its system; riots, strikes, civil unrest, insurrections; accident; litigation; interference by Federal, State, or municipal governments; act of God; acts of the public enemy; or any other cause beyond the control of the Utilities Department. The City reserves to itself full discretion in reducing the amount of water available, in servicing some customers to the exclusion of others, or, if necessary, in discontinuing water, reclaimed water, or waste water services.

All reasonable efforts are made to assure continuity of services to customers. Although the City uses its good faith effort to see that utilities are delivered safely, the City is not responsible for any damage caused by interruption of utility services. The customer understands that instances may occur where service is interrupted beyond the control of the City and that no compensation will be rendered for such loss of service.

D. Account Holder Responsibility for Piping and Leakage

The account holder shall be defined as the person contracting service until or unless the contracted service is voluntarily or involuntarily discontinued. In the absence of any active contract for service, the property owner shall be the account holder. See section *Revert to Property Owner* for details.

The City is only responsible for correcting leaks on the main water system and up to and including the water meter.

The City is not responsible or liable for the account holder's utility system beyond the following points of service:

- Water: the meter and/or backflow prevention assembly
- Reclaimed Water: the meter and/or curb stop
- Waste water: the City's sewer cleanout or the property line
- Fire Protection/Suppression Systems: the meter, backflow prevention assembly, and the bottom fitting in the ground downstream of the double detector check valve.

The City does not assume any responsibility for, or liability arising because of, the condition of water and/or sewer piping, plumbing or any apparatus on the premises of the account holder and/or property owner. Water pulled across any of the points of service listed above immediately becomes metered water. Metered water that is knowingly or unknowingly either used, lost, leaked, or stolen is considered consumption and is the property and responsibility of the account holder.

The City does not assume any responsibility for, or liability arising because of, any loss or damage to any person or property whatsoever resulting directly or indirectly from the use or misuse or presence of metered water on the account holder's premises.

The account holder is responsible for leakage in the piping on his/her property on his/her side of the water meter at the point of connection to the meter and/or backflow prevention assembly, if applicable, and will be charged for water and/or sewer based on water use as indicated on the meter.

The account holder is responsible for monitoring and safeguarding any intentional or unintentional consumption of water, regardless of any conditions or circumstances known or unknown to the account holder and/or property owner to include if the meter is on or off, that may contribute to water loss, leak, or theft of water.

The City is not responsible for investigating, informing, or prosecuting due to water leaks, loss, or thefts on the customer's side of the water meter. As a courtesy the City makes a reasonable effort to inform the customer of excessive or active water usage, if noticed, during routine meter reads or maintenance. It is the customers responsibility to regularly monitor their water meter usage/flow rate indicator for symptoms of water loss.

When a customer requests the water meter to be turned on it is the responsibility of the customer to make sure all valves, faucets, hoses, and any other appliances that demand water are turned off prior to the City representative turning the meter on. If the City representative notices the meter flow rate indicates active water use when turning on the water meter, the meter will be immediately turned back off and a reasonable attempt to leave a notice that the meter was turned off will be made. In the event the City does not detect any active water flow, the City is not responsible for any water loss or damage.

For details regarding system operations for the City of Cocoa, please refer to the City of Cocoa Utility Service Policies and Procedures Handbook, the City of Cocoa Utilities Technical Provisions and Standard Details and/or City of Cocoa Code of Ordinances.

Section 4 – Requirements and Regulations

A. Potable Water Service Policy

Properties within the City's franchise area are eligible for connection to the potable water system on a first-come first-served capacity-available basis. As deemed necessary by the Utilities Director, some projects may require off-site improvements or hydraulic studies to assess the impact of the proposed service on existing customers. All costs for studies or off-site improvements will be paid by the customer.

B. Resale of Water

Water service obtained from the City is to be used by the customer only, for the purpose specified in the application for service, and cannot be resold. Water service is furnished directly to the customer through the City's individual meter. It is for the customer's sole use and is not to be re-metered by the customer for the purpose of selling water service at a profit to lessees, tenants or others. Re-metering for the purpose of equitable distribution of water and sewer service costs is allowed so long as the charges reflect the amount charged by the City.

C. Sub-serving by Customer

The customer will not build or extend water lines across or under a street, alley, lane, court, avenue, across property lines or in any other way in order to furnish service through one meter to more than one property. Serving more than one property is not allowed even though such adjacent property is owned by the customer. An exception to this policy may be requested in writing from the Utilities Director. Written consent for the exception will be given only when such adjacent properties are operated as one integral unit under the same name for carrying on parts of the same business. When and if such consent is given, the customer must obtain any necessary State, county, or municipal permits. All construction must be in accordance with applicable codes, installed by duly licensed professionals, and subject to applicable inspection procedures. Service is furnished only to the property immediately adjacent to the meter. If the customer subdivides a property that has a single water service (meter), the existing water service will be used to serve the property immediately adjacent to the meter. The remaining subdivided properties must be provided with individual service lines and meters at the owner's expense. A water main extension may be required in order to provide service to the customer's subdivided property. If a main extension is required in order to provide service to a property, refer to section *Utility Extension Policy & Procedure*.

D. Customer Facility Requirements

All on-site service lines and plumbing are to be installed in accordance with these requirements and regulations and in compliance with the latest guidelines of local codes and inspection authorities. All installations must be inspected and approved by an authorized inspector as required by law. The Utilities Department may deny service to any new or altered installation or it may disconnect service to any existing installation that, in the opinion of the Utilities Department, constitutes a hazard to the public, to other customers, or to its employees.

E. Backflow Prevention and Cross-Connection Control

Backflow prevention assemblies are to be installed to provide protection to the water system and to comply with local and State regulatory authorities and the City's Cross-Connection Control and Backflow Prevention Program.

The potable water supply must be protected from the possibility of contamination. Non-potable sources of water or harmful substances must be prevented from entering the potable water system. The Utilities Department promotes the avoidance, prevention, and elimination of cross-connections. It provides for a continuing program of cross-connection education, prevention, detection, and control. This program is intended to prevent water that has passed from the public distribution system into the private plumbing and fire protection systems from re-entering the public system. The City charges an annual Cross Connection Control Program Administration Charge, in accordance with the Schedule of Rates, Fees, and Charges, to administer this ongoing program required by federal and state regulations.

The most current edition of the following codes, rules, and standards are adopted as a part of Cocoa's Cross-Connection Control Program:

- Florida Administrative Code (FAC) 62-550.200(22) defining cross-connections; FAC 62-555.360 prohibiting cross-connections and providing a routine Utilities Department program for the detection and prevention of cross-connections; FAC 62-610 establishing rules for reclaimed water systems serving potable water customers.
- Florida Building Code Plumbing Volume, Section 608.8, requiring identification of potable and non-potable water distribution systems either by color marking or metal tags.
- American Water Works Association (AWWA) manual M14 providing recommendations for organizational background for a cross-connection control program.
- The Foundation for Cross-Connection Control and Hydraulic Research (University of Southern California) manual *Cross Connection Control* for the approval of backflow prevention assemblies.
- The Code of Ordinances of the City of Cocoa, Chapter 22, setting forth rules for alternative water service and providing for discontinuance of water service to properties not in compliance with the rules.

The Water Field Operations Division is responsible for the education and training of personnel for the testing, installation, and maintenance of all backflow prevention assemblies (including fireline backflow devices). This division records material and equipment installation and inspection data. Surveys are performed at the premises of existing and new customers to detect actual or potential cross-connections.

The customer is liable for the initial installation cost of a backflow prevention assembly, which cost must be paid in advance of installation.

The City maintains backflow prevention assemblies that meet the City's requirements and charges an annual Backflow Assembly Testing & Maintenance Charge in accordance with Exhibit A Rates, Fees, and Charges.

F. Curb Stops

The City is responsible for the use and maintenance of the water service lines up to and including the backflow prevention assembly. The curb stop is a mechanism used by the City to regulate the flow of water to the meter and is City property. It is the City’s option to grant permission to the customer to turn the curb stop on or off for emergency repairs or after-hour turn-on when water is running. The curb stop is not designed to be used as a faucet and frequent use may damage the device. A damaged curb stop will be repaired or replaced at the discretion of the City. The customer may be charged the actual cost of repair or replacement at the discretion of the City.

It is recommended that a customer have a shut off valve installed downstream of the meter and backflow preventer, at the customer’s expense. A house valve is also recommended. A house valve is an in-line connection and handle on the water service line from the meter to the house. It is usually located on the exterior of the house near an outside faucet or hose bib but can be located internally near a water heater or clothes washer hookup. By turning the handle, the customer can shut off the water supply to the house in an emergency or to make repairs.

G. Individual Meters

Individual meters are required for all new residential service connections with the following exceptions:

- High-rise (three stories or greater) condominiums
- Short-term rental units and travel trailer parks
- Special cases as approved in writing by the Utilities Director

H. Sizing of Meters

Water meters will be sized according to the guidelines stated in the American Water Works Association manual M22, Sizing Water Lines and Meters. The engineer of record shall complete the calculation for sizing the meter. The engineer shall provide the calculations to the Utilities Department for approval. If deemed necessary by the Utilities Department, the owner shall provide to the Utilities Department access to the property to evaluate the water usage requirements. The minimum size meter, as calculated, will be installed. No over-sizing of meters will be permitted.

I. Upsizing of Water Meters

If requested by a commercial or multifamily residential customer and justified according to section *Sizing of Meters*, the customer may replace an existing meter with a larger meter. All calculations must be completed by a licensed engineer or architect. The calculations for upsizing must be submitted to the Engineering Division for review and approval. Installation of upsized service piping shall be in accordance with Section *Relocation or Adjustment of Utilities*. The customer shall be required to bring the service up to current standard requirements at the customer's expense. Current standard requirements may include, but are not limited to, installation of a backflow prevention assembly and conversion of below-ground to above-ground installation in accordance with the *Technical Provisions*. Meters will not be upsized for billing purposes. Additional fees and charges may apply.

J. Separation of Meters

A commercial or multifamily residential customer who desires to install individual 3/4" meters in lieu of an existing master meter 1" or larger may be allowed to do so in accordance with section *Relocation or Adjustment of Utilities*.

A commercial or multifamily customer who desires to install meters for the purpose of establishing a separate billing of non-irrigation flows may do so as long as the flows do not enter the waste water collection system. Installation of the service shall be in accordance with section *Relocation or Adjustment of Utilities*. In either case, the customer is responsible for reconnection of individual plumbing to the new meters. Payment of impact fees will not be required unless the use of the property has changed and will result in increased water demands. Other charges may apply.

K. Temporary Irrigation Meters

At the sole discretion of the Utilities Director, temporary irrigation meters may be installed and utilized. The temporary irrigation meters may be in the form of temporary construction meters as described in this Handbook. Each temporary irrigation meter request will be evaluated on a case-by-case basis and each approval of temp meter shall include a specified time period. Permanent irrigation meters will not be permitted.

L. Temporary Construction Meters

Temporary construction meters are subject to the following requirements:

- Temporary construction meters will have a specified time period of 90 days. Extensions of time maybe granted if requested in writing with proper justification.
- Temporary construction meters will be located, at the discretion of the Utilities Department, on the nearest acceptable fire hydrant or 2" blow-off and secured by a chain and lock.
- Temporary construction meters will be installed for construction purposes only. Meters permanently mounted on spray trucks for tank filling purposes are exempt from these restrictions. Meters mounted on water trucks are subject to these restrictions.
- Temporary construction meters will not be utilized for irrigation purposes or for domestic supply purposes.
- Temporary construction meters will be removed or relocated only by Utilities Department personnel.
- Repairs necessitated by abuse of a temporary construction meter will be charged against the customer's deposit.

M. Temporary Jumper Meters

A temporary jumper meter shall be installed at a tie-in valve of all new water main extensions. All swabbing, flushing, and testing operations will be accomplished through the jumper meter. The jumper meter is to be used only for the swabbing, flushing, and testing of the new water main extension. It shall not be used as a construction meter for the project. If any utility contractor or subcontractor connects to the new system, whether it has a jumper meter or not, the connection will be disconnected and the utility contractor will be billed for an illegal connection. This may lead to a delay in the acceptance of the water system for service, thereby delaying the permanent meter installation.

The jumper meter installation shall be in accordance with the City's Standard Detail Drawings. It shall consist of 2" galvanized pipe and fittings, a 3" meter supplied by the City (paid for by the developer or contractor), and a 2" double check valve supplied by the contractor. The contractor shall install the jumper meter assembly. All tie-in valves shall be locked by the contractor with the chains and locks supplied by the City. After installation of the jumper meter

assembly, the contractor shall have the 2" backflow prevention assembly tested by a State-licensed backflow testing company to assure that it is functioning properly. A copy of the testing report must be supplied to the City.

Section 5 – Establishing Service

A. New Connection to the Water/Sewer Distribution Systems

Properties within the City's franchise area are eligible for connection to the potable water system on a first-come first-served capacity-availability basis. The City of Cocoa Engineering Department plans, designs, and obtains permits for the drinking water transmission and distribution, waste water collection, and reclaimed water distribution systems. As deemed necessary by the Utilities Director, some projects may require off-site improvements or hydraulic studies to assess the impact of the proposed service on existing customers. All costs for studies or off-site improvements will be paid by the customer. The general requirements are described in the City's Technical Provisions and Standards Details.

A new customer connecting to water and/or sewer system (new construction) may apply for the desired service obtaining a cost summary from the Engineering Department. Once the cost quote is available, the customer shall pay for the new connection by contacting the Customer Service Division. Upon payment, work orders are entered for Engineering to install the new connection.

B. New Connection to the Reclaimed Water Distribution System

Any utility account holder within the City of Cocoa limits and in good standing may request the City to install and operate a City approved irrigation/reclaimed water meter at any property owned by such account holder, provided that the City has reclaim mains available to serve the account.

Prior to the installation of a new in-ground irrigation system to be connected to the City's reclaimed water system, or connection of an existing system to the City's system, the account holder shall request the City to install and operate a city-approved reclaimed water meter. The account holder is responsible for connecting their system to the account holder side of the meter and for allowing inspection of all connections by City staff prior to the turn on of the meter. All irrigation/reclaimed water meters, meter boxes, pipes and other equipment furnished or used by the City in installing any such irrigation meter shall be and remain the property of the City. Prior to installation of any such reclaimed water meter, the account holder shall pay to the City all charges as specified in the Schedule of Rates, Fees, and Charges (A&B) established and modified periodically by the City Council.

A new customer connecting to the reclaimed water system may apply for the desired service, if available, as outlined in the Reclaimed Water Application and through contacting the Water Reclamation Facility at 321-433-8749.

C. Contracting Utility Service to Existing Connections

Anyone may apply for water and/or sewer service to a property within the appropriate service area provided they are the owner, owner's agent, or a prospective tenant of the property to be served.

The Customer Service Division (hereafter referred to as City) must treat all applicants in an equal and non-discriminatory manner, without regard to race, sex, age, ethnicity, national origin, disability, mental illness or ability, sexual orientation, gender, gender identity/expression, sex characteristics, religious, creed, political opinions, or marital status.

A new Application for Utility Services must be submitted for every water/sewer connection, including transferring service to a new location, regardless of prior connections to an existing address or account holder history PRIOR to receiving utility service. A Service Initiation Fee, in accordance with the current schedule of rates, fees, and charges, will be due for the processing of any new application. See section *Connection & Installation Fees & Charges* for details.

D. Utility Application Processing

Persons wishing to establish water/sewer service will be required to complete an Application for Utility Services. If not applying in person, the Application for Utility Services form must be notarized. **All** persons requesting utility services must provide the following information:

- Full name
- Mailing Address
- Service Address
- Home, Cell & Work Phone Numbers
- Email Address (if available)
- One valid form of government issued identification with photo – Valid driver's license, passport, alien registration card, or state issued photo ID
- A second form of identification such as anything that has the applicant's name embossed and/or printed on it, excluding debit/credit cards, such as social security card, insurance card, voter's registration, passport, vehicle registration, etc.
- Names of adult persons living in household (if applicable)

Property Owner as Account Holder:

- Proof of Property Ownership if different than Brevard County Property Appraiser's website.
- If property owner is unavailable, provide a copy of the Power of Attorney.

Non-Property Owner as Account Holder:

- Notarized, Valid Rental Agreement between the prospective tenant and property owner. The property owner's signature must be notarized; however, if prospective tenant and property owner both appear in person and provide government photo identification, neither signature needs to be notarized.
- If an agreement is not available or has expired, a notarized Letter of Authorization found in the appendix and completed by the property owner or authorized agent.
    - If authorized agent is submitting the application, provide Power of Attorney, Property Management Agreement, etc.
- If property owner is deceased please provide death certificate and documentation verifying survivorship (i.e. Last Will and Testament, Trust, Probate, etc.).

Property owners shall provide a closing statement or deed to verify ownership. Property owners may have utilities connected at more than one location as long as all accounts remain current. Any property owner's prior debt for utility services at any location and/or a property owner's outstanding account balance at the service location applied for, may prevent a property owner, their agent, and/or a tenant from establishing new service until account(s) are paid in full. See section *Prior Utility Debts* for details.

Non-Property Owners shall provide the City with a notarized copy of a valid lease/rental, or a copy of a valid lease/rental agreement that contains an electronic signature with certificate of authenticity, or a notarized Letter of Authorization and may be limited to one service location at any given time. The non-property owner's utility account will be set up in the name or names specified in the lease/rental/occupancy agreement. A property management agreement shall be required for agents acting on behalf of the property owner. In the event that any person named in the lease has an outstanding utility debt with the City, that debt shall be paid in full prior to service connection. See section *Prior Utility Debt* for details. If any notarized lease/rental/Letter of Authorization for occupancy agreement and/or property management agreement cannot be provided, an Application for Utility Services may be denied.

Master Metered Multi-Unit Residential and Commercial Properties collectively serviced by a single master meter shall have the account held in the name of the property owner.

Private fire protection "fireline" systems shall have the account held in the name of the property owner and shall remain active at all times. Any unauthorized connection or use of a private fire protection system will be considered theft of service and a penalty shall be billed to the customer of record. It is the customer's responsibility to ensure no connection or use of the fireline occurs for anything other than it's intended purpose of fire prevention. See section *Utility Tampering and Theft of Service Fees & Charges* for details.

E. Time and Place of Application

Persons requesting utility services at existing connections can complete an Application for Utility Services and submit all required documentation to City Hall in person between 8:00 a.m. and 4:30 p.m. Monday through Friday, by mail (65 Stone St. Cocoa, FL 32922), e-mail (customerservice@cocoafl.org), online (https://www.cocoafl.org/FormCenter/Customer-Service-8/New-Account-Request-for-Service-58) https://www.cocoafl.org/DocumentCenter/View/12345/Request-for-Service-Application-ADA-Fillable, or via facsimile (321-433-8408). However, in the event service is requested electronically and in order to verify identity, the Application for Utility Services must be notarized, and legible copies of a valid government issued identification document (driver's license, passport, state identification card, military identification card, etc.) must be submitted. If the copies are illegible or the application is not notarized, the paperwork shall be returned to the applicant, delaying the connection process. If applications and subsequent documentation are sent electronically by e-mail or fax or by mail, it is the responsibility of the customer to follow-up and ensure Customer Service has received the documents.

The City offers next business day service. No service will be connected until all application procedures have been completed and any fees/balances, if applicable, are paid in full. Completed applications received before 12 pm on the day of requested service may be processed for connection, if same day turn on service is available and, the applicant pays the Same Day Initiation Fee. See *Service Initiation Fee* for details. The City will strive to meet each customer's needs for connection of service. Normal connection will be made in a timely manner during regular business hours. The City reserves the right to inspect the meter prior to connection to determine if utility service can be received at the premise in a safe manner.

F. Application of Deposit and Exemption Criteria

The City requires water and sewer deposits for any applicant wishing to establish service at any location, except as specified below, and shall be billed on the account holder's first bill. Any applicant with prior debt, has been involuntarily discontinued from service, has filed bankruptcy in the past 12 months, applies for a temporary connection, or has had their meter removed shall pay the deposit prior to the connection or re-connection of service.

Residential accounts contracted by the property owner shall be exempt from deposit if the contracting owner meets the following criteria:

- Has been or is in the Military and can provide a copy of their Military ID card or a DD 214 form; or,
- Has been an account holder of any utility in the United States within 120 days of application for service and can provide a letter of reference from the utility showing that he/she has no outstanding debt; or,
- Is transferring service from an existing account with good credit to a new property owned by the applicant within the City's distribution network; or,
- Completes an Automatic Debit (ACH) Agreement and maintains successful, automatic bank draft for 12 consecutive months.

Residential accounts contracted by the non-property owner shall be exempt from deposit if the contracting account holder meets the following criteria:

- Completes an Automatic Debit (ACH) Agreement and maintains successful and continuous, automatic bank draft for the life of the account.

Residential accounts shall have their deposits refunded to the account after twelve (12) consecutive months of good credit. Good credit is defined as not having been disconnected for non-payment, or not having had two or more returned payments within 12 consecutive months, or not having two or more delinquency notices within 12 consecutive months, or not having any account be sent thorough debt collection (i.e. collections, lien, etc.). A customer having multiple active accounts will be subject to deposits billed on all of the accounts if good credit is not maintained on any one of the accounts or combination of accounts (as in the case of two returned payments).

Commercial account and multi-unit residential dwelling account deposits will remain on the account until services are requested for disconnection and/or involuntarily terminated by the City.

Governmental accounts shall be exempt from deposit.

See section *Deposits* for details.

G. Service to Commercial Accounts

Non-residential accounts established for service will require a signature by a duly authorized representative of a business entity. For a business not operated by a recognized legal entity, the account will be listed in the name of a responsible person (owner, manager, etc.). That person accepts the personal responsibility for payment of the account and must notify the City of any changes in ownership. For a business operated by a recognized legal entity, the account will be listed in the name of a responsible person "DBA" (doing business as) the name of the company. Commercial property applicants require the same information as residential property applicants and are subject to all utility policies and procedures as described in this document.

H. At-Risk Deposits

Any applicant with prior debt, who has been involuntarily discontinued from service, who has filed bankruptcy in the past 12 months, who applies for a temporary connection, who has had their meter removed/plugged/locked due to tampering, or who is attempting to activate service after an account has been sent to collections shall pay the at-risk deposit prior to the connection or re-connection of service.

A collection/write-off on a utility account is when a utility account holder is indebted to the City after all deposits and payments are applied during the finalization process.

Service initiation fee and at-risk deposits shall be paid in advance of connection. The applicant may be exempt from the at-risk deposit only if they complete an Automatic Debit (ACH) Agreement and maintain successful and continuous, automatic bank draft for the life of the account. See *Application of Deposit and Exemption Criteria* and *Billed Deposits* for details.

I. Service for Temporary Connections and Disconnections

Prospective buyers can request a temporary connection for inspection of the home during the closing process. Inspection connections are temporary and shall not extend beyond 10 business days. If the prospective buyer closes on the property and wishes to keep the connection permanent, the buyer must contact Customer Service to transition the account to permanent status. Inspection connections may not be authorized if any prior debt exists. Water deposits and any administrative fees shall be paid in advance prior to the connection.

J. Prior Utility Debts

Any prior debt and outstanding account balances must be paid in full before service can be connected.

The City shall refuse to furnish new service to:

- any applicant or any member of the household who is indebted to the City of Cocoa for service previously furnished at any location connected to City infrastructure where they were the contracting party; or
- an applicant the City reasonably believes directly benefited from utility service provided to a former contracting occupant who is indebted to the City of Cocoa at the same service location applied for; or
- an applicant where the current property owner has an outstanding account balance at the same service location applied for; or,
- an applicant where the current property owner has a prior debt at any location connected to the City infrastructure that is owned by the same property owner; or
- an applicant where the service location applied for has a lien on the property even if the lien has not been perfected per FL Statute 159.17.~~; or~~

In the instance that debt to the City is not discovered prior to approval of application, the previous balance will be transferred to the account holder's current account where it will become part of the balance due for services. Account holders will be expected to pay the previous balance in full along with their subsequent monthly bill in order to avoid having services interrupted for nonpayment. If the previous balance is of significant amount, an account holder may apply for extension or payment plan in accordance with this policy. Failure of staff to discover a previously owed debt does not relinquish the debt owed to the City by the delinquent account holder.

K. Reasons for Denial of Service

Applications for utility service may be denied for any one of the following reasons:

- An incomplete Application for Utility Services.
- Valid, legible support documentation such as a notarized lease/rental/letter of authorization, property deed, etc. is in question or cannot be provided.
- Questionable Identification – inability to provide legible, verifiable or valid identification
- A prior debt for an applicant or service location exists see section *Prior Utility Debts* for details.
- An applicant with prior debt has not paid the required deposit see section *Deposits* for details.
- An applicant or occupant who benefitted from the utility service at any location who is indebted to the City. Refer to Florida Statute section 180.1351a

L. Privacy

Our application/agreement requests that the potential account holder voluntarily provide their social security number. We request this number to verify identify, protect sensitive account information, and collect delinquent balances. There is no statutory or other authority requiring any account holder to provide a social security number. However, if available, when account holder billing data is requested, the last four digits of the social security number or Tax ID Number may be used to verify identity prior to any information being given out by staff. In the absence of a social security number, Staff members may request other verifying information to protect account holders against fraud.

Account holder billing data is considered public information. Florida law allows certain persons to request that eligible personal information contained in the City's utility customer information system be exempt from public records disclosure. Please refer to Florida Statute section 119.071 or other applicable statute for scope of protection. Requests can be made by the account holder completing a Utility Customer Public Records Exemption Request and returning it to the Customer Service Division. The City will ensure that account holder information, including billing data, is adequately safeguarded against unauthorized use.

In accordance with the Telephone Consumer Protection Act (TCPA), the account holder agrees by contracting service, that the City of Cocoa may contact him/her as described in section *Utility Debt Collection*.

All incoming and outgoing calls to Customer Service may be recorded and/or monitored for quality assurance.

Delinquency Notices can be requested, by the property owner, to be sent to the property owner of any rental property.

Section 6 – Application of Rates, Fees, and Charges

A. Establishment of Rates, Fees, and Charges

Rates and fees for all utility services are established and adopted by the Cocoa City Council. The City Council reviews rates and fees each year during the budget process. The Council examines current and future needs (including adequate reserves) of the systems in order to establish rates that are adequate to meet these needs. Rates, fees, and charges are generally set in a fee schedule adopted with the annual budget; however, any fees, charges, or rates are subject to change throughout the fiscal year and upon City Council approval.

The City of Cocoa is also a contracted regional utility billing agent for services on behalf of several surrounding municipalities and sewer entities such as Brevard County, City of Cocoa Beach, City of Cape Canaveral, City of Rockledge, Colony Park, and Sun Lake. The rates and fees for these services are established and adopted by their respective municipality and/or the Public Service Commission and are subsequently provided to the City of Cocoa for billing on the regional utility bill. For more information on these services and their rates or fees please contact the respective service provider. See section *Regional Utility Billing* for more details.

B. Determination of Utility Rates

Utility rates for specific locations are based on a number of factors including residency, connection/meter size, number of establishments connected to a single service connection, etc. Water charges are billed according to the number of gallons metered, rounded to the nearest thousand, within a billing cycle. Sewer charges are based on the total number of gallons recorded on the water meter within a billing cycle and may include a cap. Both water and sewer charges include a monthly base fee for service availability and administration and commodity charges for actual consumption. See section *Calculating Consumption* for details.

Solid waste charges are based on the number and/or size of containers delivered to a location. All inside the City properties receiving utility services are required to have solid waste services and will be charged the solid waste fee, as set forth in the current Schedule of Rates, Fees, and Charges (Schedule A & B) except where solid waste services are provided independently.

C. Discounts and Exemptions

Senior citizens (over 62), disabled citizens, and Military active duty or certain veterans may be eligible for a discount on residential City of Cocoa garbage service and/or exemption from City of Cocoa late fee penalties on residential accounts. Eligibility criteria can be found on the Residential Discount & Exemption Application in the appendix of this manual. Discounts on residential garbage cannot be stacked if the applicant meets more than one of the eligibility criteria. A completed application and any supporting documentation must be provided to the Customer Service Division for consideration of discount.

An account processed for delinquency two (2) or more times in twelve (12) consecutive months will forfeit any discount or exemption and will have to re-apply after twelve (12) consecutive months of good credit.

Discounts and exemptions will not transfer, follow, or be applied to any service established at a new location upon termination of service at existing location. The account holder must re-apply for the discount and/or exemption with each initiation of new service at any location.

Any customer with a metered cooling tower that is also served by the Cocoa Sewer system is eligible for a discount on sewer consumption for the amount of water metered by the cooling tower each month.

The City of Cocoa occasionally goes out for debt and the bond holders provide covenants that City must abide by as a condition of receiving the bond money. No free water will be provided for any reason as written in the master bond covenants. See also Florida Statute Chapter 153.83 for additional information.

D. Existing Franchise Agreements

To the extent that any water rate, fee, or charge adopted by resolution or ordinance of the Cocoa City Council is in conflict with a rate, fee, or charge set forth in an existing water franchise agreement between the City of Cocoa and

any other government entity, the rate, fee, or charge set forth in the conflicting franchise agreement shall apply to customers which are subject to said agreement.

E. Utility Connection & Installation Fees & Charges

Water Service Impact Fee **–** The water impact fee is charged per equivalent residential connection (ERC). If a single-family residence (SFR) has a physical connection to a live reclaimed water distribution system that serves the entire property at the time the impact fee is due for the property requiring service, the water impact fee is reduced per ERC.

The Engineering Division or designee may utilize the following methods to formulate an estimate:

1. Flow submitted on Brevard County's Concurrency Evaluation form or FDEP construction permit application as calculated and certified by a registered engineer or architect.
2. Flow calculated from data contained in Florida Administrative Code 64E-6.008, Table I "For System Design".
3. Metered flow data documented by the most recent 12-month flow history of four similar establishments.

South Mainland Connection Charge – Additional fee in conjunction to the water service impact fee for any connection located in 129A or 129B in the south mainland.

Sewer Service Impact Fee **–** The sewer impact fee is charged per equivalent residential connection (ERC).

Reclaimed Water Service Connection Fee **–** The reclaimed water impact fee is charged to connect to the reclaimed water distribution network.

Water Service Line Installation Charge – The charge for the installation of a service line.

Backflow Prevention Assembly Installation Charge – Reduced pressure and double-check valves are two common backflow prevention devices. Larger meters and other installations are estimated on a case-by-case basis. Impact fees and special connection charges for this category are in addition to all other applicable costs listed.

Spray Truck Meter Installation Charge – Any customer requiring the installation of a meter on a spray truck shall pay a non-refundable charge and a refundable deposit for installation of the meter. The account holder is responsible for providing the current reading to the Customer Service Division monthly for billing. The truck and meter must be made available at least once every six months, from the date of installation, for an actual reading by the Field Service Division.

Temporary Jumper Meter Installation Charge – All new water main extensions require a 3" temporary jumper meter for swabbing, flushing, and testing of the new water main. The developer or contractor shall pay a refundable deposit and a non-refundable installation/relocation fee each time to install or relocate the temporary jumper meter.

Temporary Construction Meter Installation Charge – Any customer requiring the installation of a 2" temporary meter for construction purposes on a fire hydrant or water truck shall pay a refundable deposit and a non-refundable installation/relocation charge each time to install or relocate the temporary construction meter.

Fire Hydrant Maintenance Charge **–** The City recovers the cost of flowing, turning, and painting (finish coat) each newly installed or relocated fire hydrant. The City will flow the hydrant to obtain the initial flow data, turn it to face the direction specified by the fire department of the jurisdiction in which it is installed, and apply the final coat of paint as described in the City's Technical Provisions document. This charge covers the City's labor, materials, and equipment.

F. Utility Field Service Fees & Charges

Plan Review and Construction Inspection Charge – Charges to review plans and inspect construction. Individual property owners building a single-family residence are exempt from this charge.

Hydrant Residual Flow Test Charge – The City charges a hydrant residual flow test charge for any customer requiring such a test. The City will flow the designated hydrant and will provide the customer with the flow and residual pressure information. This charge covers the City's labor, materials, and equipment.

Fire Line Painting Charge – The City charges a fire line painting charge to apply the finish coat for all newly installed and relocated fire lines. The City and/or its contractor will apply the final coat of paint as described in the Technical Provisions. This charge covers the City's labor, materials, and equipment.

Meter Station Painting Charge – The City charges a meter station painting charge to apply the finish coat for all newly installed and relocated meter stations. The City and/or its contractor will apply the final coat of paint as described in the Technical Provisions. This charge covers the City's labor, materials, and equipment.

Meter Installation/Replacement Charge – The charge for the installation of a new or replacement meter, upon customer request, on an existing service line.

Meter Relocation/Adjustment Charge – The charge for the standard relocation or adjustment of an existing meter. The meter must remain in the frontage of the property it was originally set with.

Meter Calibration Testing Charge – Any customer of the City's water service shall be charged to conduct an accuracy test on the account holder's meter. This fee must be paid in advance of the testing; however, if the meter is found to be functioning outside the established, weighted accuracy limits of 98.5% to 101.5%, either over registering or under registering consumption, the fee will be refunded to the account.

Service Call Fee **-** A service call fee shall be applied to the next bill for services requested by the customer and performed by City staff that is not deemed necessary by the City. Such services include, but are not limited to, re-reading of meters, locating a meter, checking a meter for a possible leak at the meter connection point, checking a meter for active flow-rate, low pressure, temporary meter turn-off, etc. In the event a customer requests a re-read of the meter and City staff determines the meter was initially misread, the account holder will be issued a corrected bill with the corrected reading and this service call fee will be waived. Under no circumstances shall the City reimburse account holders for reading their own meter, turning on or off their meter, etc.

After Hours Reconnection Fee: - After normal business hours reconnections are prohibited for any customer and they must be scheduled through the Utility Customer Service office during normal business hours. If a customer requests for services to be reconnected at any location outside of normal business hours through the emergency after-hours call center, an after-hours reconnection fee will be billed, in addition to any other fees that may apply.

Meter Access Fee **-** The account holder is responsible for keeping the meter box serving the property in a manner that is unobstructed by shrubs, grass, weeds, mulch, dirt, or other similar materials. Similarly, vehicles may not be parked over the meter box or fences may not be installed around the meter box preventing access. The meter box and meter must be accessible by the City of Cocoa at all times. If a failure to retrieve a reading or access the meter is due to the account holder (or their agent) a meter access fee may apply.

Meter Access Vehicle Tow Charge **-** The account holder is responsible for keeping the meter box serving the property in a manner that is unobstructed from any vehicles that prevent the City from access. If the City needs to tow a vehicle from the top of the meter box to gain access, the account holder will be assessed this charge.

Data Log Report: - The account holder may request a special read report, called a data log, from those digital meters that support this technology. The log will report the daily and hourly consumption for the past 96 days from the date the data is captured. The account holder is provided one free report per calendar year per location when the account experiences excessive consumption. If the consumption does not meet the excessive consumption criteria or when two or more additional report requests are made in the same calendar year, this fee is applicable. See section *Utility Billing Adjustments* for details.

G. Utility Service Rates & Charges

Water Service and Consumption Charges **–** The monthly base fee for water service is assessed by meter size and is also known as readiness to serve charge, designed to collect revenues to cover some operating and maintenance expenses. This fee is billed to all active accounts and does not include the monthly consumption commodity charges. The water commodity charges are based upon metered water consumption. Water used during construction will be billed at the lowest tier rate structure. Inside Rate refers to consumption rates for meters located inside the city limits of Cocoa; whereas, the Outside Rate refers to consumption rates for meters located outside the city limits of Cocoa. See section *Calculating Consumption* for details. Additional information can be found in the City of Cocoa's Code of Ordinances Chapter 22 – Water and Sewers.

Sewer Service and Consumption Charges **–** The monthly base fee for sewer service is assessed by meter size and is also known as readiness to serve charge designed to collect revenues to cover some operating and maintenance expenses. This fee is billed to all active accounts and does not include the monthly consumption commodity charges. The sewer commodity charges are based upon metered water consumption. Inside Rate refers to Inside the city limits of Cocoa; whereas, the Outside Rate refers to outside the city limits of Cocoa. See section *Calculating Consumption* for details. Additional information can be found in the City of Cocoa's Code of Ordinances Chapter 22 – Water and Sewers.

Public Fire Protection Fee **–** The City charges monthly for public fire protection often called a "hydrant charge" to cover the installation and maintenance of fire hydrants.

Incorporated areas – an "inside city' charge per hydrant, per month, is billed to the respective municipality where the hydrant is located.

Unincorporated areas – an "outside city" charge is assessed to every active water meter/account.

Additional information can be found in the City of Cocoa's Code of Ordinances Chapter 22 – Water and Sewers.

Private Fire Protection Fee – The City charges monthly for metered and unmetered fire sprinkler connections (fire line) to the potable water system and are based upon the connection size and takes into account the amount of water system capacity required for fire suppression. The charge includes annual testing of fire line backflow prevention assembly. All private fireline accounts shall be billed to and remain active in the name of the property owner. It is the responsibility of the property owner to contact the City of Cocoa upon any changes in property ownership so that the billing may be reflective of the same. Additional information can be found in the City of Cocoa's Code of Ordinances Chapter 22 – Water and Sewers.

Reclaimed Water Service – Reclaimed water is wastewater that has been treated and transformed into a product that is clean, clear, and odorless. It is not suitable for drinking; however, it is for irrigation and is a major component of the city's water conservation program where available. The monthly base fee for reclaimed water service is assessed by meter size and is also known as the readiness to serve charge designated to collect revenues to cover some operating and maintenance expenses. The reclaimed water commodity charges are based upon metered reclaimed water consumption. Additional information can be found in the City of Cocoa's Code of Ordinances Chapter 22 – Water and Sewers.

Solid Waste Collection Service – The City charges monthly for residential and commercial collection and disposal of bulk trash, refuse, vegetative waste, recyclable materials, white goods, and construction and demolition debris from residents, business, and other entities within the municipal boundaries of the City of Cocoa. All active, residential water accounts must have solid waste, recycling, and green waste collection billed on the account. All active, multi-family master metered accounts are considered commercial service. All commercial water accounts must have solid waste services billed; however, recycling and green waste services are elective by the customer. Senior citizens (over 62) and disabled citizens may be eligible for discounted garbage service. Eligibility criteria can be found on the Residential Garbage Discount Application in the appendix of this manual. A completed application and any supporting documentation must be provided to the Customer Service Division for consideration of discount. Additional information can be found in the City of Cocoa's Code of Ordinances Chapter 9 – Health and Sanitation.

Solid Waste Collection Franchise Fee – The City has granted a Contractor the exclusive right, privilege, or franchise to collect and transport for disposal solid waste within the service area. This franchise fee is considered a payment to the City, for an amount permitted by law, in exchange for the rights and privileges granted under the agreement and is passed along to the customer and remitted directly to the City. Additional information can be found in the City of Cocoa's Code of Ordinances Chapter 9 – Health and Sanitation.

Backflow Prevention Assembly Testing & Maintenance Charge – Billed monthly on all non-residential accounts for the testing and maintenance of backflows.

Grease Trap – The City charges monthly for a device that separates and retains waterborne greases and grease complexes prior to the wastewater exiting the trap and entering the sanitary sewer collection and treatment system. These devices also serve to collect solids, generated by and from food preparation activities, prior to the water exiting the trap and entering the sanitary sewer collection and treatment system. Additional information can be found in the City of Cocoa's Code of Ordinances Chapter 22 – Water and Sewers.

Public Service Tax – This tax is levied on City of Cocoa water service accounts on the total water charge for service including fixed and consumption based charges. Additional information can be found in the City of Cocoa's Code of Ordinances Chapter 19 – Taxation. In addition, other municipalities may enact a public service tax on Cocoa water service.

H. Utility Administrative Fees & Charges

Service Initiation Fee **-** A service initiation fee, as set forth in the current Schedule of Rates, Fees, and Charges (Schedule B), will be charged for the processing of every Application for Utility Services to include generating the account, turning on the meter, turning off the meter during termination, etc. This fee does not apply in certain instances where transfer of ownership of an account takes place (i.e. estate accounts, deceased account holder, name change).

The standard service initiation fee will be the default fee for every application processed as this fee offers next available business day service. The same-day service initiation fee will be available upon request and only if the City is capable of offering same-day service for an additional fee. Each application processed shall include only one service initiation fee.

Deposits **–** The City requires water and sewer deposits for any applicant wishing to establish service at any location, except as specified. See section *Application of Deposit and Exemption Criteria*. In some cases, the City may require an increased at-risk deposit after certain conditions occur that increase the potential for risk of loss. See section *Deposits* for details

Convenience Fee **-** Due to processing charges by the City's third-party payment processor a convenience fee will apply when paying utility bills online, over the phone, and in person when paying by credit/debit card or e-check.

Late Fee **-** A late fee, as set forth in the current schedule of rates, fees, and charges, will be applied to any utility account whose current bill is not paid in full by the due date. This includes accounts where only a partial payment has been received during the month. This fee may also be applied to any account whose payment arrangement has defaulted or is delinquent. The late fee will be applied to applicable accounts at the close of business on the due date. Payments received after this time, whether in person, by mail, or in the drop-box will still be deemed past due.

Late Fee Exemption **–** An exemption of imposed late fees for eligible customers, as set forth in the current schedule of rates, fees, and charges, will be applied to any qualifying residential account upon application. See section *Discounts and Exemptions* for details.

City of Cocoa Garbage Discount **-** A discount on garbage service for eligible customers inside the City of Cocoa, as set forth in the current Schedule of Rates, Fees, and Charges (Schedule B), will be applied to any qualifying residential account upon application. See section *Discounts and Exemptions* for details.

Returned Payment Fee **-** A returned payment fee shall be applied to the next bill for the processing of any returned payment. See section *Payment Options and Application of Payments* for details.

Collections Processing Fee **-** This fee is billed to the account holder to recover the actual amount paid by the City to a third-party vendor for account debt collection efforts. See section *Utility Debt Collection* for details.

Utility Lien Recording Fee **-** This fee is billed to the property owner for the preparation of filing a utility lien or the release of a utility lien, and to recover the amount paid by the City to Brevard County to record legal documents. See section *Utility Debt Collection* for details.

Utility Lien Search Fee **-** This fee is billed to the requestor for the search of a utility lien and payable to the City of Cocoa's lien search vendor, Orange Lien Data. See section *Utility Debt Collection* for details.

Utility Billing Service Charge – This fee is billed and collected for certain utility services on behalf of other entities in accordance with interlocal agreements. The fee is determined by the cost of billing other municipality and agency service(s) on the regional utility bill and adjusted annually by the consumer price index – all urban consumers. This fee is collected by the City and remitted back to the entity that billed it to offset their contractual billing fees paid to the City.

High Consumption Credit Application Processing Fee – This fee is billed and collected for processing a High Consumption Water Credit Application if an adjustment is granted. If an adjustment does not meet the eligibility requirements, the fee is not charged. See section *Utility Billing Adjustments* for details.

Delinquency Processing and Application of Fee -

A delinquency processing fee for non-payment, as set forth in the current Schedule of Rates, Fees, and Charges (Schedule B), shall be applied to all accounts with delinquent balances as of 4:30 p.m. on the delinquency processing date, **regardless if the service is physically disconnected,** and the account shall be subject to interruption of services per Florida Statute 159.18. This includes accounts where only a partial payment has been received during the month or a payment was returned. See section *Payment Options and Application of Payments* for details. This fee may also be applied, immediately, to any account whose approved payment arrangement has defaulted. See section *Customer's Rights Prior to Discontinuance of Service* for details. The delinquency processing fee covers both administrative and field service costs to prepare, process and collect the delinquent account and shall be billed on the next utility bill.

Delinquency Processing: Reasonable efforts shall be made by the City to inform the occupants of delinquency processing and subsequent service interruption as a courtesy. Such efforts may include delinquency notices, phone call, e-mail, text message, or interruption of service for non-payment door hanger. These efforts are considered a courtesy to the customer. Failure to receive any notification will not avoid the necessity of payment and will not delay or avoid interruption of service.

Delinquency Notices are automatically generated for each delinquent bill as a courtesy reminder to all account holders with outstanding balances not paid within forty-five (45) days of the date of the original bill, including weekends, holidays, and City closures. Delinquency Notices are mailed to account holders and can be viewed or downloaded online by registering the utility account through the online bill pay portal at https://cocoafl.firstbilling.com Delinquency Notices can also be sent to property owners of rental properties if a request is made to Customer Service. Delinquency Notices carry a delinquency processing date that is seven (7) days from the date the notice was issued including weekends, holidays, and City closures. **Full payment of the delinquent balance must be received by the City and be applied to the utility account by 4:30 p.m. on the delinquency processing date provided on the Delinquency Notice to avoid interruption of service and any penalty or processing fees.** It is not recommended to utilize the drop box for delivery of your payment on the delinquency processing date, as all payments placed in the drop box after 8:00 a.m. shall be received and applied to the account the following business day. See section *Payment Options and Application of Payments* for details.

Absent a payment of the full delinquent balance or absent an approved payment arrangement, at 4:30 p.m. on the delinquency processing date the account shall proceed with automated delinquency processing through the following, regardless if service is physically disconnected:

- The account holder shall forfeit any rights prior to the discontinuance of service. See section *Customer's Rights Prior to Discontinuance of Service* for details.

- The delinquency processing fee and any applicable deposits shall be billed on the next utility bill. See section *Future Deposits* for details.
- A work order to interrupt service shall automatically generate on any date/time after the delinquency processing date at the City's sole discretion and dispatched to the field for completion.
- The outstanding account balance (current charges plus previous charges) must be paid in full before service shall be restored per Florida Statute Chapter 159.18 and City of Cocoa Ordinance Code.

Payment for only the delinquent balance received or processed after 4:30 p.m. on the delinquency processing date will not avoid an interruption of service, nor will it constitute the necessity of reconnection of service. The outstanding account balance (current charges plus previous charges) must be paid in full before service shall be restored per Florida Statute Chapter 159.18 and City of Cocoa Ordinance Code. Service reconnection may not be guaranteed the same day and must be scheduled by contacting Utility Customer Service during normal business hours once full payment of outstanding account balance is made. Service reconnection outside normal business hours is prohibited. See section *After Hours Reconnection Fee* for details.

Regular billing will follow a Delinquency Notice but will not cancel or extend this delinquency processing date. Failure to make immediate payment on the account may result in subsequent Delinquency Notices generated as additional bills become delinquent. Any subsequent late notice provided with new delinquency processing dates will not supersede or replace the date on the oldest unpaid Delinquency Notice and additional delinquency processing fees may continue to accrue until or unless the full delinquency amount on the account is paid, regardless if the service is physically disconnected.

The City reserves the right to immediately disconnect, remove, and/or terminate the utility service without notification to the account holder upon any returned payment originally presented to the City to prevent or restore services from delinquency processing. See sections *Payment Options and Application of Payments and Involuntary Discontinuance of Service* for details.

All accounts in a delinquent status and remaining disconnected from service for two (2) consecutive billing cycles will be processed for involuntary discontinuance of service and terminated. See section *Involuntary Discontinuance of Service* for details.

For non-property owner accounts in a delinquent status where service has been self-restored and is unauthorized, a tampering fee and a lock fee, as set forth in the current Schedule of Rates, Fees, and Charges (Schedule B), will be applied and the account will immediately be processed for involuntary discontinuance of service. See sections *Tampering and Theft of Service* and *Involuntary Discontinuance of Service* for details.

For property owner accounts in a delinquent status where service has been self-restored and there is unauthorized consumption, a tampering fee and a lock fee, as set forth in the current Schedule of Rates, Fees, and Charges (Schedule B), will be applied to the account. See section *Tampering and Theft of Service* for details.

Any account holder who does not already have a deposit on account and whose service is processed for nonpayment or involuntarily terminated will be required to pay a deposit and maintain good credit, regardless if they were previously exempted. See section *Deposits* for details.

I. Utility Tampering and Theft of Service Fees & Charges

In accordance with the City of Cocoa Code of Ordinances and Florida Statute Chapter 812.14, it shall be unlawful to willfully alter or tamper with a utility meter, pipe, hydrant, meter seal, fireline, bypass meter, or knowingly allow damage to a meter or other property belonging to the City of Cocoa in such a manner as to cause loss or damage or to prevent any meter installed from registering the quantity of water which would otherwise pass through. Any person may not, knowingly or unknowingly, use water passing through any meter connected with or belonging to the City of Cocoa, after the meter has been altered or tampered with, or cause the City of Cocoa, without its consent, to supply any unauthorized water service to any person, firm, or corporation without reporting the service for payment. The City of Cocoa reserves the right to prosecute all cases of tampering, utility theft and fraud to the fullest extent of the law.

If tampering or an illegal connection occurs when an account is active, services will be involuntarily discontinued immediately until such fee, including any outstanding balance on the account, is paid in full. See section *Involuntary Discontinuance of Service* for details.

If tampering or an illegal connection occurs when an account is not active, including immediately following involuntary discontinuance of service, the owner of the property shall be fined a penalty and held liable for such tampering and/or illegal connection. In addition to penalty, the property owner will be charged for the amount of any losses or damages sustained for each incident. See sections *Revert to Property Owner* and *Unauthorized Consumption on Inactive Location* for details.

If tampering or an illegal connection occurs to an unmetered hydrant, fireline, bypass meter, or City side service connection, the person and/or the representing company, at the City's discretion, will be charged an illegal connection.

Lock Fee **–** The City, at its discretion, may choose to immediately place a lock on any meter where service is disconnected to protect its water asset from unauthorized use. The locks intended use is to reduce the City's risk of water theft and subsequent loss of revenue from unauthorized use of service by any person. The lock is not intended to remove the property owner's responsibility to protect their water and sewer piping/utility system and any subsequent theft of metered water. See section *Account Holder Responsibility for Piping* for details.

Tampering Fee - When there is evidence of meter, fireline, line, lock, apparatus, etc. tampering, unauthorized self-restored services, or any unauthorized use of service, a penalty, as set forth in the current Schedule of Rates, Fees, and Charges (Schedule B), will be applied to the person responsible for service at that particular location. If the account holder is a non-property owner, the account will immediately be processed for involuntary discontinuance of service and any subsequent tampering and theft of service due to unauthorized use of service will be billed to the property owner. See section *Involuntary Discontinuance of Service* for details.

Meter Removal Charge **–** When there is evidence of two (2) or more successive tampering or, theft of service incidents causing unauthorized water usage, a meter removal fee will be billed to the property owner's account where the meter was removed as set forth in the current Schedule of Rates, Fees, and Charges (Schedule B).

Illegal Connection Fee – Whenever there is evidence of a non-metered connection to the utility, through bypassing the meter or in the absence of a meter, a penalty, as set forth in the current Schedule of Rates, Fees, and Charges (Schedule B), will be applied to the applicable account where the illegal connection was removed.

Section 7 – Utility Billing for Service

A. Monthly Utility Bill

Account holders will receive a monthly utility bill for services rendered. The bill can be presented on paper and mailed through the United States Post Office, or it can be presented electronic through e-billing, but not both. To subscribe for e-billing the account holder can visit https://cocoafl.firstbilling.com

Copies of current and historical bills and delinquency notices can be obtained by registering the account at https://cocoafl.firstbilling.com.

B. Failure to Receive Utility Bill

Once a paper utility bill has been placed in the mail or dropped off at the US Post Office or, an e-bill is sent to the various internet service providers, the City is no longer responsible for that utility bill. It is the responsibility of the account holder to ensure that all information on the account, including telephone numbers, mailing address and e-mail address is accurate and current Payment for that utility bill is due to the City even if the account holder does not receive it in the mail or through e-billing e-mail. All account holders who receive utility service with the City, regardless of receiving a bill, are required to remit payment for services received. Failure to receive a utility bill does not exclude any account from penalty or disconnection.

C. Billing Cycle

Account holders are billed on a cyclical basis twelve times per year at approximately monthly intervals. The length of a billing cycle shall often vary month to month depending on variables that influence the ability to read the meter on the same day each month. The service period dates are determined by the date the meter was read the previous month to the date the meter is read the current month.

The initial and final utility bill for a new account holder will be prorated based on the number of days the account is active in the billing cycle and will include charges for all consumption billed at the applicable rate.

Bills are due 20 (twenty) days from the date of issuance. Failure to receive a bill will not avoid the necessity of payment. The bill is past due if payment is not received and posted to the account by the close of business on the due date. Due dates are not adjustable. Should the bill not be paid in time a late fee shall be assessed and billed on the next billing cycle.

The bill is considered past-due if payment is not received and applied to the account on the forty-fifth (45th) day from the billing date of issuance. A courtesy delinquency notice may be mailed, providing the account holder seven (7) additional days to remit immediate payment, for a total of fifty-two (52) days including weekends, holidays, and City closures. Delinquent accounts shall be scheduled for interruption of service as early as the fifty-second (52nd) day and subject to penalties if full payment is not received and posted to the account by the close of business. on the 52nd day from the billing date of the oldest, delinquent bill.

The account balance must be paid in full before service is reconnected. No second notice will be mailed for disconnection due to nonpayment.

The City may attempt a call using an automated notification system to a phone number provided by the account holder alerting the customer as to the planned date of disconnection. It is the responsibility of the account holder to ensure that all information on the account, including telephone numbers and e-mail address, is accurate and current.

D. Meter Reading

Every meter is read once a month unless conditions prevent an actual reading from being obtained and require the bill to be estimated. The bill shall reflect if it has been estimated. Some meters are read by visually inspecting them while others are read through radio frequency. All locations containing a meter will be read on a monthly basis regardless of the status of an account. Staff conducting meter readings will note any meter where readings are questionable or meters that appear to have stopped working. The account holder should maintain the area of the meter box serving the property in a manner that keeps it unobstructed by shrubs, grass, weeds, mulch, dirt, or other similar materials. Similarly, vehicles may not be parked over the water meter. The City of Cocoa will take all measures

necessary to ensure reading of the meter including towing of vehicles. If a failure to retrieve a reading is due to account holder (or their agent) obstruction or due to damage caused by an account holder (or agent), notice will be given to the account holder. If the account holder or agent fails to comply with the notice, a meter access fee will be applied to the account and any costs incurred shall be invoiced and applied to the account holder's account. Meters may not be read the same day each month. The actual date the meter was read for a particular account are shown at the top of each monthly utility bill under the service period.

E. Estimated Billing

The City continually strives to read every meter in the utility system every month. Occasionally, conditions exist that make it difficult to read a meter such as inclement weather, meter maintenance, condensation, flooded meter box, meter accessibility, etc. The City will make a reasonable attempt to secure an exact reading; however, it may be necessary for the City to estimate the water and sewer consumption for the month, using the account holder's monthly average. Any account that has been estimated will reflect such on the utility bill under the current reading column with the designation "**EST**" and the estimated read. Account holders with estimated bills are encouraged to obtain and send a correct reading to Customer Service at 321-433-8400 or customerservice@cocoafl.org. Once an exact reading is obtained, either by the account holder or City staff, on the next monthly utility bill the consumption will be corrected to reflect actual consumption from the previous reading and include any billing adjustments, if necessary.

F. Calculating Consumption

The monthly base fees for water and sewer are assessed by meter size and are also known as readiness to serve charges, designed to collect revenues to cover some operating and maintenance expenses. These fees are billed to all active accounts and do not include the monthly consumption commodity charges.

The water commodity charges are based upon metered water consumption. The previous meter reading is subtracted from the current meter reading to determine the actual water consumption within the billing cycle. These charges are billed to the account holder rounding down to the thousands position within the meter reading and are billed on a per thousand-gallon basis. Sewer charges are billed equal to the amount of metered water use and may include a cap. The City has a tiered conservation rate structure designed to compel the water customer to implement cost effective water conservation measures and practices. A large portion of the charges, using tiers 2, 3, and 4, are based on the quantity of water the customer consumes, while balance is achieved in the City recovering its fixed costs when billed at the lowest, first tier.

If a meter is removed and a new meter is installed between billing cycles, the combined consumption recorded on both the old and new meters will be billed on the next regular billing cycle.

G. Deposits

Billed Deposits – The City requires water and sewer deposits for any applicant wishing to establish service at any location, except as specified. See sections *Application of Deposit and Exemption Criteria* and *Deposits* for details. The deposit may be collected at the time of service request or may be billed on the account holder's first bill. Any applicant with prior debt, who has been involuntarily discontinued from service, who has filed bankruptcy in the past 12 months, who applies for a temporary connection, who has had their meter removed, or who is attempting to activate service after an account has been sent to collections shall pay the deposit prior to the connection or re-connection of service.

Calculated commercial deposits will be reviewed and updated regularly. The calculation of a deposit may include 6-month historical consumption at same location, or account holder's previous location. If historical data is not available, the deposit may be re-calculated and billed after it becomes available.

Cancellation of automatic debit for utility bill payment, for any reason, may result in deposits being billed to the account.

Interest on any deposit held on an active billed account is credited to customer accounts annually. The interest rate is annually calculated by the bank's earned interest percentage and updated, if applicable, at the beginning of each fiscal year.

Refunds of Deposits **-** Residential accounts shall have their deposits refunded to the account after twelve (12) consecutive months of good credit, or until services are requested for disconnection, or involuntarily terminated by the City, or until the account holder completes an Automatic Debit (ACH) Agreement and maintains twelve (12) successful and continuous, automatic bank draft. Good credit is defined as not having been disconnected for non-payment, or not having had two or more returned payments within 12 consecutive months, or not having had two or more delinquency notices within 12 consecutive months, or not having any account be sent thorough debt collection (i.e. collections, lien, etc.).

Commercial accounts and multi-unit residential dwelling accounts, utility deposits will remain on the account until services are requested for disconnection and/or involuntarily terminated by the City.

When services are requested for disconnection or are terminated by the City, any deposit on account will be applied to any balance due, including the final bill, prior to deposits being refunded. Account refund checks will be issued for refunds $1.00 or more to the same name as the account holder and mailed to the last known address unless another address is provided. Any refunds less than $1.00 will not be issued.

Transfer of Deposits **-** Residential deposits held in the same name of the account's contracting party are transferrable from one service location to another service location as long as there is no outstanding debt. Fourteen (14) days shall be provided to the contacting party where service will be connected at both locations upon which the deposit will be transferred to the new service location and the previous service location will be terminated.

Commercial deposits included in the sale of the property are transferrable from the current account holder to the new account holder upon receipt of a notarized letter, or notarized Relinquishing Deposits Authorization from the original depositor, or a copy of the recorded property bill of sale showing inclusion of the deposit in the terms and conditions.

Future Deposits **-** Any account holder who does not already have a deposit on the account and whose service is processed for nonpayment, has two or more returned payments within 12 consecutive months, has two or more delinquency notices issued within 12 consecutive months, or whose automatic debit is prematurely cancelled will be required to pay a deposit and maintain good credit as defined in the above paragraphs, regardless if they were previously exempt. A customer having multiple active accounts will be subject to deposits billed on all of the accounts if good credit is not maintained on any one of the accounts or combination of accounts (as in the case of two returned payments). Alternatively, the account holder can avoid paying these deposits by completing an Automatic Debit (ACH) Agreement and maintain successful and continuous, automatic bank draft for twelve (12) consecutive months.

H. Payment Options and Application of Payments

The City of Cocoa accepts cash, checks (personal, certified, and e-check), money orders, electronic bank payments, and VISA, Mastercard, Discover, or AMEX credit card payments. Unpaid accounts are subject to delinquency processing and late fees until payment is received by the City and posted to the utility account. Any person can voluntarily make a payment on any account for which they are not the account holder of. Any payment presented to the City by any person for any outstanding receivable, service or fee on an account shall not be voluntarily returned by the City. No cash change will be given for checks written for an amount greater than the account balance; any overpayment will be credited to the account holder's account. Payments will be processed and deposited when received. The account holder may request a refund on any credit balance if credit balance is due to scrivener error; however, if the account holder routinely and continuously overpays on the account the credit balance will not be refunded until the account is terminated or the credit balance is exhausted. Accounts with engineering pre-paid services or deposits, resulting in idle credit balances due to customer requirements not being fulfilled, will be refunded after three (3) years of inactivity and/or as deemed by the Utility Director and/or designee. A refund could take up to 3 weeks to process once any payments have cleared our bank. Due to processing charges, individual credit card transactions cannot exceed $5,000 per transaction; however, a customer can make multiple transaction payments

in a day. A Convenience Fee will apply when paying a utility bill online, over the phone, and in person when paying by credit/debit card or e-check. See section *Utility Administrative Fees & Charges* for more details.

Payment by Mail: Check and money order payments can be mailed to City of Cocoa | P.O. Box 1270 | Cocoa, FL 32923-1270. A lockbox provider processes the City's payments each business day as they are received. Please remit payment with the payment stub in the envelope provided in the monthly utility bill. Please do not mail payments to Cocoa City Hall directly as mailed payments will be forwarded to the lockbox provider for processing, resulting in an additional delay in payment being applied to the account. The only payments processed at City Hall are those made through the drop-box or in person.

Payment by Phone***:*** An automated, Interactive Voice Response (IVR) system is available 24 hours a day, 7 days a week to accept utility payments by calling 321-433-8400. If a customer prefers to speak to a live agent, they can call the online bill pay provider, First Billing, at 1-855-270-3592 during business hours and a payment agent will take the payment over the phone. A convenience fee will apply when paying by credit/debit card or e-check.

Payment in Person***:*** Utility Customers may come into Cocoa City Hall located at 65 Stone Street in Cocoa during regular business hours Monday through Friday from 8 a.m. to 4:30 p.m. (excluding City closures). A convenience feel will apply if paying by credit/debit card.

Payment Online through City of Cocoa's Bill-Pay Portal***:*** An online utility billing portal is available for convenient and quick access to utility billing information and payments through the online bill pay service provider, First Billing, by credit/debit or e-check. Comprehensive, current account information, billing history, and payment history is also available online, to include downloading copies of utility bills, making a credit/debit card or e-check payment, and setting up auto-pay. Customers can access the online payment portal at https://cocoafl.firstbilling.com. A convenience fee will apply when paying by credit/debit card or e-check.

Payment Online through Your Bank's Bill-Pay***:*** Most financial institutions offer online bill-pay to send payments for you; however, several financial institutions do not send the payment electronically. Rather, some financial institutions print a paper check and remit the payment through the mail *after* the funds are deducted from the bank account, resulting in a delay of payment processing. To avoid adding further delay or a late penalty, please ensure the bank's bill-pay profile includes the correct utility account number and the mailing address for the City's lockbox payment processing center at City of Cocoa | P.O. Box 1270 | Cocoa, FL 32923-1270. If utility service is transferred to a new location, please update the bill-pay profile with the new account number. Schedule bill-pay to allow enough time for the bank to prepare and send the payment as well as the City's lockbox provider to process it before the due date. Payments are applied to utility accounts when they are received, not when they are withdrawn from your bank account.

Payment Drop-Box***:*** A drop-box, available 24 hours a day, is located on the south side entrance of Cocoa City Hall for check and money order payments only. No cash payments shall be placed in the drop-box. Any payments placed in the drop-box after 8:00 a.m. will be posted the next business day, thus, penalties may be applied in accordance with this policy.

Automated Clearing House (ACH) Debit from Bank***:*** Account holders can have their bill drafted directly from their bank account each billing cycle. Bank drafts for utility billing are processed on the 14th day after the billing date. A completed Automatic Debit (ACH) Agreement form along with a voided check is required to sign up for this service. If an account holder wishes to be removed from the bank draft process, the account holder must complete the Automatic Debit (ACH) Agreement form. If the current bank draft has already processed, the cancellation will not be effective until the next billing cycle. An account holder having multiple accounts activated at different service locations under the same customer identification number and also enroll in automatic bank draft will have the automatic bank draft applied to all accounts under the same customer identification. **It is the account holder's responsibility to inform staff that they do not wish to have it applied to all accounts under a single customer identification.**

Auto-Pay from Credit/Debit Card or E-Check***:*** Account holders can have their bill drafted directly from their debit/credit card each billing cycle. To enroll please visit the online bill pay portal at https://cocoafl.firstbilling.com. A convenience fee will apply when paying by credit/debit card or e-check. Returned debits will be handled in the same manner as returned checks. When new or replaced debit/credit cards are issued by the card issuer, often the card's

expiration date, account numbers, and security code may change resulting in declined payments by the card issuer if not updated in our bill pay portal. Please remember to update auto-pay with a new card or checking account information. **It is the account holder's responsibility to update any automated payment information.**

Partial Payments*:* In the event an account holder does not pay the total amount due on an account, City staff will post the partial payment made to the appropriate account. The account balance due must be paid in full to avoid disconnection of service. **At no point will staff return or refuse a payment to an account, unless the refusal of payment method is otherwise described in this policy.** Partial payment of balances due on an account holder's account shall be applied to the oldest account receivable first.

Returned Payments*:* If a customer's payment is returned to the City as unpaid due to insufficient funds, closed account, incorrect account number, bank error, chargeback, or for any other reason, the City will send a letter advising the account holder of the returned payment. The customer has ten (10) days from the date of the letter to substitute the payment with cash or a money order. All penalty fees and delinquency processing procedures will apply including bank errors. Returned credit card transactions, e-checks, checks, and bank drafts will all be handled in the same manner. A returned payment fee will be applied to the next bill and it is the customer's responsibility to recover the returned payment fee from his/her banking institution. If a returned payment paid the balances of multiple utility accounts of the same customer of record, a single returned payment fee will be assessed to the customer at the value of the returned payment. However, each utility account will be subject to any penalty fees should a return payment ~~put~~ place the account in default, late, and/or delinquent status. See section *Returned Payment Fee* for details.

For any payment that is presented to the City to prevent or restore services from delinquency processing, to pay large past due balances in order to transfer service, or to prevent or restore a meter removal and are subsequently returned for any reason, the City reserves the right to immediately disconnect, lock, remove, and/or terminate the utility service without notification to the account holder. Any account that has had the meter removed/locked shall be required to pay cash or money order to restore service. See section *Involuntary Discontinuance of Service* for details.

Refusal to accept methods of payment*:* All checks must be made payable to the City of Cocoa. Third-party checks are not an acceptable form of payment to the City. A check that is incorrectly filled out does not reflect payment and may be returned to the customer. The City of Cocoa reserves the right to verify funds on any check presented for payment on account before or after accepting such payment. If a customer's banking institution denies the City the ability to verify funds, checks presented for payment may be denied.

The City reserves the right to refuse personal checks and/or credit cards from customers who have had two (2) or more returned payments applied to an account within a twelve (12) month period, thus required the account cash only payments for one (1) year from the date of the last payment return.

Any currency payment suspected of being counterfeit and initially accepted by the City will be noted on the payee's account as a possible counterfeit bill. If that bill is returned by the depositing bank as counterfeit, a returned payment in the amount of the counterfeit currency will post to the noted account.

It is the account holder's responsibility to make arrangements to ensure that a satisfactory payment will reach the City before the due date. All penalty fees and delinquency processing procedures will apply if a satisfactory payment is not received by the City.

I. Cash Only Accounts

Accounts will convert to cash only upon two returned payments within twelve (12) consecutive months, any tampering/self-restoration of service absent payment after delinquency processing, and when any meter is removed. This status shall remain in effect for 12 consecutive months.

J. Account Holder Contact Information

It is the responsibility of the property owner, account holder, or authorized designee to advise the City to whom and to what address bills are to be sent (e.g. new owner or renter). Only an account holder or authorized party can request changes to billing information and statuses. Changes can be requested by phone or sent electronically by

e-mail or fax by completing an Account Holder Contact Update form. There is no charge for such changes. **Failure to receive a bill sent by mail or e-mail will not excuse late payment or non-payment of bills.**

K. Transfer of Existing Account Holder to New Contracted Location

If an existing City of Cocoa account holder moves from one location serviced by the City to another location serviced by the City, consumption charges will be billed based upon actual final meter readings at the old location and initial meter readings at the new location. Account holders may transfer service from one location to another as long as there are no account balances that are past due. The remaining amount owed and any fees from a previous service may be transferred to the new account.

If the account holder has an account that is past due, the account holder will have to pay that amount before the account can be transferred. The deposit from the previous account may be transferred and an additional deposit may be required in conjunction with the regulations of this policy.

Utility account holders requesting to transfer their service from one City of Cocoa location to another must follow the application for utility services process, including payment of a service initiation fee. The account holder may also be required to update the deposit at this time. The account holder is still responsible for any outstanding balances at the previous address. Failure to pay such balances will result in involuntary disconnection at the new address.

L. Unauthorized Consumption on Inactive Location

When utility services are provided to a location or property that does not have approved service contracted or established, whether inactive service or voluntarily/involuntary terminated service (i.e. vacant, abandoned property, construction lots, involuntarily terminated for delinquency, rental, squatters, etc.), a utility account shall be activated in the name of the property owner as reflected in the records of the Brevard County Property Appraiser for any unauthorized consumption and utility services, per Florida Statute Chapter 180.135. A. The City of Cocoa shall be responsible to look no further than the property appraiser's office for property owner information. The account shall be billed the higher same day service initiation fee to recover the administrative expense of processing the account and any work orders or communication sent to the property owner. See section *Revert to Property Owner* for details.

Rental Property: Property owners with rental property shall be responsible for paying any rates, fees, and charges accrued for any unauthorized service supplied, metered or unmetered, to the property effective the date tenant utility services are discontinued, either voluntarily or involuntarily, in the tenant's name and/or until a prospective tenant contracts service. Any prior debt and outstanding account balances must be paid in full before service can be connected. See section *Prior Utility Debts* for details.

M. Regional Utility Billing

The City of Cocoa is the contracted billing agent for many other services of several surrounding municipalities. Utility services for Brevard County; the Cities of Rockledge, Cape Canaveral, Titusville and Cocoa Beach; the residential entities Sun Lake and Colony Park are also billed on the Cocoa regional utility bill. The service description on the utility bill clarifies which municipality or entity the service is being provided by and billed for. Payments for these services are collected by the City of Cocoa through the payment of the utility bill. The revenue collected for the services that are contracted for billing, is then reconciled and remitted to the respective municipality or entity each month. For more information on these services and their rates or fees please contact the respective service provider.

Section 8 – Discontinuing Utility Service

A. Termination of Service

Requesting Discontinuance of Service*:* Any account holder requesting discontinuance of service will inform City staff of the location of disconnection, date service is to be disconnected, and the forwarding mailing address for the final bill. Due to privacy issues, the account holder, authorized party, or property owner must be the one to request the termination of service. Property Owners requesting to terminate utility service at any rental dwelling shall be required to complete a Property Owner Request to Terminate Utility Service form prior to the termination of service. Failure to request termination of service or an account at a property, regardless if an account has been established at another property, does not release the responsibility of the account holder of any balance due.

In the event that the account holder has become incapacitated or deceased, legal documentation must be provided that the person requesting termination of service is an authorized representative of the account holder. See section *Estate Account and Deceased Account Holder* for details.

Disconnection Scheduling*:* Under normal conditions, disconnection from the City's utility system will be fulfilled the next available business day. During periods of a high volume of requests work will be scheduled at the next availability.

Closing of a Utility Account*:* Within 15 days after termination of utility service, the account will be closed. All charges, fees and credits (including deposits, refunds, and adjustments) are then applied against the amounts owed the City.

Final Bill*:* An account holder's final bill will be mailed in a timely manner to encourage collection and customer understanding. The final bill will include all consumption used up to the time of service disconnection and any other charges or amounts due. Any balance owed to the City will remain due until paid. All legal means of collection for a delinquent account in arrears will be taken.

Credit Balance*:* A credit refund will be applied to a closed account with a credit balance after final billing. Any credit refund shall first be transferred to another account the account holder is financially responsible for that contains outstanding balances, or a new account where service was recently transferred to. After application of either of the aforementioned, a check for the remaining credit will be issued to the account holder and sent to the last known address on record if the credit balance is greater than $1.00. If the credit balance is less than or equal to a $1.00 the amount will be written off and no refund will be provided. Refund checks will only be issued in the name of the account holder.

B. Revert to Property Owner

Upon any discontinuance of service, voluntarily or involuntarily, by any tenant or occupant other than the property owner, the utility billing reverts back to the property owner as the account holder. The account will remain inactive until or unless the property owner or prospective tenant contracts for service, or until there is unauthorized consumption at the location. See *sections Unauthorized Consumption on Inactive Location* and *Tampering and Theft of Service Fees and Charges* for details.

C. Customer's Rights Prior to Discontinuance of Service

Disputed Bills*:* If an account holder believes the City has made an error in calculating a utility bill, or otherwise disputes the obligation to pay the bill, the account holder or the account holder’s authorized representative may discuss the matter with a Customer Service Representative. Any dispute of a utility bill must be expressed to the City prior to the due date. When disputing a bill, the customer shall:

- First contact the Customer Service office for clarification.
- If the customer, after contacting a Customer Service Representative, still disputes the bill, the customer has the right to appeal to the Senior Customer Service Representative.
- If the customer, after contacting the Senior Customer Service Representative, still disputes the bill, the customer has the right to appeal to the Customer Service Supervisor.

- If the customer, after contacting the Customer Service Supervisor, still disputes the bill, the customer has the right to file a written appeal to the Utility Customer Service Manager. This appeal should include the reason for the dispute and any evidence proving the inaccuracy of the bill.
- If the customer, after contacting the Utility Customer Service Manager, still disputes the bill, the customer has the right to file a written appeal to the Deputy Finance Director. This appeal should include the reason for the dispute and any evidence proving the inaccuracy of the bill.
- If the customer, after contacting the Deputy Finance Director, still disputes the bill, the customer has the right to file a written appeal to the Finance Director. The Finance Director may defer to the Utilities Director for guidance involving technical specifications regarding the utility system, if necessary. This appeal should include the reason for the dispute and any evidence proving the inaccuracy of the bill.
- If the customer, after contacting the Finance Director, still disputes the bill, the customer has the right to file a written appeal to the City Manager. This appeal should include the reason for the dispute and any evidence proving the inaccuracy of the bill. The City Manager and/or the Assistant City Manager will review the appeal and send a written reply within a reasonable amount of time to the address shown in the utility billing system, noting the decision regarding the appeal and any substantiation for the decision and direction on any further course of action that the customer may take.
- The account of any disapproved appeal shall be assessed penalty, if due, at the time the appeal process is closed.

Extensions & Payment Plan Agreements*:* After an account holder has established six months' worth of history with the City (including billing and payment of such), the account holder will be allowed one extension and one payment plan per 12-month period. A payment plan or extension may be granted on a new account without established history at the discretion of management.

In order to receive an extension, the account holder must come into the Customer Service Division in person, provide identification, and sign a Utility Bill Extension Agreement form. A payment extension may be granted for up to a two-week period; however, due to unforeseen and unusual circumstances, management may grant more than one payment extension per year and/or for a longer term.

In order to receive a payment plan, the account holder must come into Customer Service Division in person, provide identification, and sign a Utility Bill Payment Plan Agreement payment plan may be granted for up to a six-month period; however, due to unforeseen and unusual circumstances, management may grant more than one payment plan per year and/or for a longer term. The extended amount shall be paid along with the current amount billed and due each month. If the payment plan and schedule agreement is not adhered to, the account holder will be charged a delinquency fee and placed on a list to have services disconnected immediately and without notice to the account holder. The account holder's account shall be documented with any payment plan which may be granted.

Extensions or payment plan agreements are not automatic; they are a privilege and will be granted only with proof of extreme hardship and after review of account and payment history. No extensions or payment plans will be approved on or after the date of service disconnection for nonpayment; exceptions may be considered by management but are not guaranteed.

Misapplied payments: On rare occasion, financial institutions may process a check or electronic payment incorrectly leaving a discrepancy between the customer's utility account and bank statement. If a customer believes the payment amount applied to the account balance is incorrect, the customer must provide the City with a copy of the front and back of the cancelled check, credit card statement, or a cash receipt showing the amount the customer believes to be correct. A payment extension may be granted if time is needed to produce the document and a billing adjustment will be made upon verification.

Exceptions*:* Under special circumstances, the City may choose not to interrupt service or reconnect service as part of the delinquency processing, if the City has prior written notice from a medical facility, when the services are provided to a critically ill person or a person on life support equipment and the services are needed to preserve life. Consideration will be provided on a case-by-case basis and only if the account holder provides written notice from a medical facility, executes and fulfills a written payment plan, and is not processed for delinquency again.

D. Involuntary Discontinuance of Service

The City may discontinue utility service for any one of the following reasons:

- Failure of the account holder to pay balances due for utility service as required in these policies.
- Any account in a delinquent status and remains disconnected from service for two (2) consecutive billing cycles.
- Upon discovery of tampering including non-authorized meter connection, by-passing the meter, or altering its function. The account holder is held responsible for any meter tampering. In the absence of an account holder, the owner of the property for which services are provided shall be assessed all charges and penalties.
- Failure of the account holder to permit municipal employees and it's contractors access to their meters at all reasonable hours. Locked gates, loose dogs, parking cars over meters, etc., are considered to be a denial of access and is grounds for discontinuance of service.
- Use of service for unlawful reasons.
- Discovery of a condition which is determined to be hazardous or unsafe.
- Violation of any of the City's other utility service policies and procedures, ordinances, or state or federal law.

The City may notify the Health Department, Code Enforcement, and other municipal offices of the termination of service.

E. Reconnections

When it becomes necessary for the City to discontinue services for any of the reasons listed in this policy, service will be restored after payment of (1) all past due and current bills due to the City, (2) any deposit as required, (3) any material and labor cost incurred by the City, according to the Schedule of Rates, Fees, and Charges (Schedule B), (4) all fees and charges required by this policy, and (5) any discovery of prior debt.

Section 9 – Utility Operational Policies

A. Meter Calibration Testing

Account holders may request that the City test their water meter for accuracy at the rate set forth in the Schedule of Rates, Fees, and Charges (Schedule B). This request must come from the account holder in a written form by submitting a completed Consent to Verify Meter Calibration form and submitting payment of the applicable meter testing fee. As soon as reasonably practical after receiving the request for meter testing, the Water Field Operations shall test the water meter for accuracy. The accuracy limits for testing are 98.5% to 101.5% as recommended by the American Water Works Association.

Should testing reveal that the meter is over-registering consumption (indicating more flow than is actually passing through it) greater than one hundred one and one-half percent (101.5%), then the account holder shall not be responsible for that portion of the bill equivalent to the percentage of error of the meter and the amount shall be adjusted from the account holder's bill for the preceding 12 months of billing, if applicable. The percentage of error is calculated by subtracting the 101.5% accuracy limit from the weighted meter test results. The meter shall be removed from service and replaced at no additional cost to the account holder and the meter testing fee refunded to the account.

Should testing reveal that the meter is under-registering (indicating less flow than is actually passing through it) less than ninety-eight and one-half percent (98.5%), then the account holder shall not be responsible for any unrecorded flow indicated by the percentage of error of the meter. The percentage of error is calculated by subtracting the weighted meter test results from the lower 98.5% accuracy limit. The meter may be removed from service and replaced at no additional cost to the account holder and the meter testing fee shall be refunded to the account. Note: the removal of the meter from service is at the discretion of the City of Cocoa as unregistered water consumption is a loss of revenue to the City of Cocoa and subsequently affects all rate payers.

If a meter test reveals accuracy equal to or within the defined accuracy limits of 98.5% to 101.5%, then the meter shall be placed back in service on the same account and the meter testing fee shall not be refunded to the account holder.

B. Water Quality Complaints

Concerns of the quality of water can be submitted either by phone or in writing by completing the Utility Water Customer Contact Complaint form and submitting it to the Customer Service Division by e-mail or fax. The complaint will be forwarded to the Water Quality Lab for review and response.

C. Damage to Plants and Shrubs

The City is not responsible for damage to plants and shrubs which may be dug up or cut/trimmed in the course of accessing the meter, work on the underground piping system or other apparatus located beyond an account holder's property line or within a utility easement. A reasonable effort will be made to minimize or repair any resulting damage. The account holder is responsible for ensuring that the water meter is not obstructed by plantings, mulch, grass, or any other means. If the City must, in the opinion of the Utilities Director, relocate a meter due to obstruction, the owner of the property will be charged for labor and materials to complete any necessary work.

D. Damage to City Equipment

Any damage caused by the account holder, property owner, or their agent(s) to the City's equipment or property serving an account holder shall be the responsibility of the account holder. The City shall make necessary repairs and charge the account holder for materials and labor for said repairs. Such damage includes, but is not limited to, damage from mowing, vehicles, landscaping, remodeling, during any phase of construction, or excavation.

E. Account Holder Name Change

A name can be changed on an existing account in the event of divorce, marriage, or legal name change. The account holder must present supporting documentation and a valid form of government issued identification with photo. Ex. Valid driver's license, passport, alien registration card, or state issued photo ID (identification will be scanned into

the City's records system for attachment to the applicant's account for identification purposes). In the unfortunate case of death see section *Deceased Account Holder and Estate Account* for details.

Existing accounts shall not be transferred into the name of another person that has not contracted service on the exception that the current account holder is deceased. See section *Deceased Account Holder and Estate Account* for details.

F. Deceased Account Holder and Estate Account

Property titled with joint ownership: Upon death of an account holder who is the property owner, a surviving co-owner of the property, as filed with the Brevard County Property Appraiser's Office, must request to transfer the service into their name.

If the City of Cocoa receives notice or determines that an account holder is deceased, notification of account transfer to the surviving co-owner of the property will be mailed to the service address on record.

Property titled with one owner: Upon death of an account holder, the sole property owner, a surviving family member may request to transfer the account into the ownership of an estate for the decedent, if probate has been filed. The City may request legal documentation from the executor or the person responsible for administering an estate. The account will then be established in the estate's name. It is the responsibility of the executor or other person administering the estate to notify the City of any changes in account status. As a courtesy, the City of Cocoa may allow an account to remain in the name of the estate for a period up to six (6) months from the date of transfer. It is the responsibility of the executor or administer of the estate to either disconnect the account or service must be contracted by an authorized person prior to this date.

If the City of Cocoa receives notice or determines that an account holder (property owner) is deceased, notification of account closure will be mailed to the address on record. The letter will set forth a date, a minimum of two (2) weeks from the date of notification or a maximum of six (6) months from the date of death, whichever is greater in time, in which an Application for Utility Service must be completed and received in accordance with this policy in order to continue services at the location of the deceased account holder.

The estate account shall automatically terminate after six (6) months, or the surviving family member may elect to pre-pay a deposit in the amount equivalent of four (4) months of average bills to maintain an active account in the name of the estate as well as contract service as a responsible person for the account. In either case of an estate account being established, if an Application for Utility Service has not been processed to transfer ownership of the account by the advertised time, services may be disconnected without further notice.

Rental property with tenant: If the City of Cocoa receives notice or determines that an account holder (tenant) of a rental property is deceased, notification of account termination will be sent to the service address. The letter will set forth a date, a minimum of two (2) weeks from the date of notification in which an Application for Utility Service must be completed by and received in accordance with this policy in order to continue service at the location of the deceased tenant account holder. Once the account is terminated, any unauthorized consumption will be billed to the property owner. See section *Unauthorized Consumption on Inactive Location*.

G. Utility Billing Adjustments

At any time a billing adjustment is requested, the balance of the account must be paid in accordance with this policy in order to avoid penalty. If an adjustment request is approved, the adjustment will be made to the account and may show as a credit on the next regular monthly bill.

Overcharge or Undercharge Error***:*** If the City has overcharged or undercharged an active account holder for service, the City will correct this error subject to the following procedures:

1. If the City has overcharged an active account holder for a service, the City will credit the account holder's account, without interest, the excess amount on the next monthly bill. When the overcharge is more than $1,000 a reasonable attempt to notify the account holder will be made in addition to the monthly bill. Account holders may request a refund if the account balance was previously paid in full. Credit to an account holder's account is subject to the following limitations:

a. If the account holder should not have been billed the service and the time period over which the overcharge occurred can be determined, the City will credit or refund the excess amount charged the account for that entire interval, provided that such time period shall not exceed the statute of limitations as set forth in the Florida State Statutes.
b. If the account holder should have been billed the service and the inaccurate rate was applied, the City shall refund the excess amount charged not to exceed the preceding 12 billing cycles.
c. If the exact amount of excess charge cannot be determined, the City should take into consideration all information and account history in order to determine the amount due as accurately as possible, not to exceed the preceding 12 billing cycles.
d. If an overcharged account holder owes a past due balance to the City, the City may deduct that past due amount from any refund or credit due the account holder.

2. If the City has overcharged an account holder for services and it is discovered after the account has been terminated and/or made inactive, the account holder forfeits any right to a refund upon the termination and/or inactivation of the account.
3. If the City has undercharged an account holder for service during any of the previous 12 billing cycles, the City will collect the additional amount due to the City by placing the charges on the next monthly bill. When the undercharge is more than $1,000 a reasonable attempt to notify the account holder will be made in addition to the monthly bill. A payment plan or other payment options may be extended to an account holder. If an account holder does not contact the City in order to make payment arrangement for such amount by the bill due date, the account may be disconnected for nonpayment in accordance with this policy.
4. If the City has final billed a terminated or inactive account in error, the City has the right to correct the error and issue an additional bill to the terminated or inactive account.
5. If an undercharge has occurred because of tampering or bypassing a meter or because of other fraudulent or willfully misleading action of the customer, the City shall collect the entire undercharged amount in a lump sum and seek such other rights and remedies as are permitted by law.

Swimming Pools*:* Swimming pools may be filled once a year without the account holder having to pay a sewer usage charge on the water used to fill the pool. In order for an adjustment to be granted, the account holder (or the account holder's representative) must submit a High Consumption Credit Application request for the adjustment within 30 days of the date of the bill for which an adjustment is requested. Sewer consumption will then be calculated to the account holder's previous 6-month average and an adjustment will be made to the bill which includes the dates of usage. All water used to fill a pool will be metered and billed to the account holder.

Excessive Use**:** Excessive use is defined as metered water and/or sewer flow at least 50% greater than the account holder's average monthly consumption amount. Average monthly consumption is based on the six (6) month average prior to the month showing excessive use.

There are a variety of circumstances which may cause an account holder to have a water bill more than their average range for monthly water consumption. These can include, but are not limited to, plumbing leak, faulty toilet, faulty hot water tank, hose bib left on, excessive irrigation, water theft, etc. Often circumstances are intermittent or isolated occurrences where symptoms of water loss may start and stop within the billing cycle, making it very difficult for the account holder to identify the source or cause. The City of Cocoa briefly visits and reads each meter only once a month, often after this unexplained water loss has occurred. At the customer's request, City staff can identify if water is actively flowing through a meter and/or if a leak at the meter connection is actively occurring; however, City staff cannot identify where or how water is/was being used or lost. An Excessive Water Consumption Checklist is included in the appendix of these policies and procedures to aid an account holder in identifying the cause of excessive use. It is the account holder's responsibility to regularly monitor their consumption, identify the source/cause of water loss, and correct the problem causing the excessive consumption as soon as it is discovered. Any billing adjustment is a courtesy to assist the account holder with an extraordinarily high bill. The City is not responsible for the account holder's piping or plumbing beyond the meter/meter connection. See section *Account Holder Responsibility for Piping* for details.

Utility account holders may apply for an adjustment when verified excessive use has occurred. A High Consumption Water-Sewer Credit Application form should be completed by the account holder and submitted to Customer Service

for review. The customer must provide information describing the situation or circumstances that resulted in the loss of water. This should include the cause of the water loss if known, when the problem was discovered, and what action was taken to stop the loss of water. Any documentation verifying the cause of the excessive use should be attached to the form (e.g. plumber's invoice, receipts for purchase of repair equipment, photos of repairs). Water used during construction or remodeling of a property is excluded from an adjustment if water loss is unknown or unexplained. If an adjustment is granted, a High Consumption Application Processing fee will be applied to the account. If the request does not meet the eligibility requirements and the adjustment request is denied, no fee will be applied. See section *Utility Administrative Fees & Charges* for details.

At any time a billing adjustment is requested, the balance of the account must be paid or be on an approved and current payment plan in accordance with this policy in order to avoid penalty and/or disruption of service. If an adjustment request is approved, the adjustment will be applied to the account and may show as a credit on the next regular monthly bill.

City staff shall first verify the meter reading to ensure accuracy of the bill. Upon verification of the meter reading and verification that the consumption amount is 50% greater than the account holder's average monthly consumption, the adjustment request may be considered and is subject to the following eligibility criteria:

1. In the event excessive use occurs within the first six (6) billing cycles of a new account, the account holder's average monthly consumption shall be calculated using one of the following methods:
    a. based off of the active number of billing cycles, excluding the first, if available.
    b. based on a daily average usage, if available, multiplied by 30 days with the daily average being determined after repairs have been made
    c. based on the previous account holder's monthly average usage, if available.
    d. If none of the above are available, it shall be determined after the account holder establishes a monthly average, after repairs have been made.
2. The calculated water credit must be equal to or exceed $50.00 for the billing period in question and shall be calculated as follows:
    a. *Potable water*:
        i. Charges for consumption used at/below the monthly average shall be calculated according to the current rate structure for the period.
        ii. Charges for consumption used over the monthly average shall be re-calculated at the Wholesale Tier 1 rate equal to the expense that the City incurs for treatment and delivery of water service for the period.
        iii. Bill **minus** base rate **minus** calculated monthly average consumption **minus** re-calculated consumption over monthly average = credit.
    b. *Reclaimed water*:
        i. (Billed gallons minus base rate gallons)/base rate gallons = consumption factor.
        ii. Consumption factor multiplied by base rate = adjusted billing
        iii. Bill minus adjusted billing minus base rate = credit
        iv. Bill minus credit = new adjusted bill amount. Note: Account holders served by a reclaimed water utility other than the City of Cocoa must contact the governing reclaimed water utility body to determine their policy on adjustment.
3. The following items do not qualify for a water credit:
    a. Pool fills, including those necessitated by pool repairs/resurfacing.
    b. Landscape/beautification.
    c. Any meter that has been tampered with including non-authorized meter connection, by-passing the meter, or altering its function, does not qualify.
    d. Unexplained water loss during the construction phase or remodeling.
4. Sewer consumption may be adjusted to the account holder's previous 6-month average if the excess water did not go through the sewer system. Note: Account holders served by a sewer utility other than the City of Cocoa must contact the governing sewer utility body to determine their policy on adjustments.
5. A billing adjustment shall be allowed for no more than two consecutive months of excessive usage, on an account. All commercial accounts will be limited to a maximum of two (2) excessive use billing adjustments

within five (5) consecutive years since the first adjustment. All residential and government accounts will not be limited to a maximum; however, each instance shall be reviewed by City staff to determine the validity of the request. Excessive, repetitive leaks or plumbing that isn't corrected will not be eligible for excessive use adjustments.

6. In the event the City of Cocoa declares a state of emergency due to a natural disaster event, such as a hurricane, the eligibility criteria for a high consumption water credit shall be amended for the billing cycle that includes the date(s) of the event and one additional billing cycle post event for a maximum of two billing cycles. All other conditions and eligibility criteria shall remain in effect with the exceptions as follows:
    a. The calculated credit does not have to exceed $50.00.
    b. An approved high consumption adjustment will not count towards the lifetime maximum for any account holder, regardless of account type.
    c. The High Consumption Credit Processing Fee shall be waived.

Any deviation from current City policies and/or procedures by City staff that causes an unnecessary, prolonged, or excessive water leak, resulting in high metered consumption, may be considered for an additional adjustment authorized by City management reviewed on a case by case basis. The adjustment will only be applicable to the amount of water lost within the timeframe the City deviated from policy/procedure.

Stuck Meter*:* Often the symptom of a stuck meter is a few months of no water consumption recorded on an active account. In the event the City believes a meter may be malfunctioning or stuck and under registering water consumption a maintenance crew may be sent to test and/or evaluate the meter and the customer contacted for a status on occupancy. If the meter is determined by City staff to be stuck it will be replaced and the account holder will be billed their average monthly consumption charges for any or all the 12 preceding months they were previously billed zero or no consumption. The City makes every reasonable attempt to detect a stuck meter as soon as possible; however, it can be difficult for the City to determine if the zero or no consumption is due to vacancy or meter malfunction. A commercial property may have a compound meter installed. A compound meter is comprised of two separate meters, the larger meter (TGAL) measures the high flow while the smaller meter (CGAL) registers the low flow. Each meter registers or records only the water that passed through each of them individually; however, for purposes of bill calculation the consumption recorded from each meter is added together and amounts to the total consumption each month. At times one of the meter registers on a compound meter may stop recording consumption while the other is still working and measuring the portion of the consumption that passed through the functioning register. For example, if the low flow meter register stops registering consumption any low flow water passing through the meter will be unregistered while any high flow water passing through the high flow meter is recorded. This scenario will cause the consumption to be billed from only one of the registers, and at time may appear to be a reduction in the customer's average consumption. Alternatively, when the stuck meter is repaired the register will begin again recording consumption that may appear to be high consumption when it's really normal consumption within the customer's average prior to one of the compound meters becoming stuck. Therefore, the City depends on the customer to inform the Customer Service Division if he/she is billed zero or a reduced amount of consumption on an active account when they believe they should be billed otherwise for water use.

H. Utility Debt Collection

The City is authorized to collect delinquent utility fees as promulgated in the City of Cocoa Code of Ordinances Section 22-18.

Utility Collections*:* In the event an account holder has an outstanding balance on another account, the outstanding balance will be transferred to the current account. All delinquency procedures and service charges will apply. Per City of Cocoa Ordinance Section 22-18, the City shall be entitled to recover all costs, including but not limited to, reasonable attorney's fees and/or collection service charges, incurred in collecting delinquent utility fees and charges.

Any fee or charge due to the City which is not paid may be recovered by referring the account to a third-party collection agency and/or bringing an action at law. In addition to any other remedies or penalties provided in this section, failure of any user of the City's utility system to pay said charges promptly when due shall subject such user

to discontinuance of such service. The City Manager or the City Manager's designee is hereby empowered and directed to enforce this provision as to any and all delinquent users.

In accordance with the Telephone Consumer Protection Act (TCPA), the account holder agrees, in order for the City to service a utility account or to collect any amounts you may owe, the City may contact the customer by telephone at any telephone number associated with your account, including wireless telephone numbers, which could result in charges. We may also contact the customer by sending text messages or emails, using any email address provided to the City. Methods of contact may include using pre-recorded or artificial voice messages and/or the use of an automatic dialing device, as applicable. By contracting service, the account holder agrees that the City of Cocoa may contact him/her as described above.

Utility Liens*:* All past due and outstanding utilities rates, fees, and charges assessed shall be a lien upon the property with which such rates, fees, and charges are associated, in accordance with Florida Statute Chapter 153.67 and 159.17. The owner of every building, premise, lot, or house shall be obligated to pay the fee for all services provided to his/her premises, which obligation may be enforced by the City by action of law or suit to enforce the lien in the same manner as the foreclosure of mortgages. In the event of such action, the City shall be entitled to recover all court costs and reasonable attorney fees for such collection. In the case that a tenant in possession of any premises or building shall pay said charges, it shall relieve the land owner from such obligation and lien; but the City shall not be required to seek payment from any person whatsoever other than the owner for the payment of such charges.

Utility lien search requests may be submitted online through the City's municipal lien search vendor, Orange Lien Data, at https://order.orangelien.com/index/login.html. Lien search fees shall be payable, at the time of request, to Orange Lien for each request.

I. Internal Audits and Evaluations

Processes, policies, and procedures shall be reviewed internally and this document updated to address any additional changes in current practices that may be found.

Section 7 - Appendix

City of Cocoa Utilities Technical Provisions and Standards Detail

Bacteriological Testing Procedures by Private Laboratories

Reclaimed Water Application

Application for Utility Services

Letter of Authorization

Utility Customer Public Records Exemption Request

Residential Discount & Exemption Application

Automatic Debits (ACH) Agreement

Relinquishing Deposits Authorization

Account Holder Contact Update

Property Owner Request to Terminate Utility Service

Excessive Water Consumption Checklist

High Consumption Water-Sewer Credit Application

Consent to Verify Meter Calibration

Utility Water Customer Contact Complaint

City of Cocoa Code of Ordinances

Schedule A – Utility Rates, Fees, and Charges

Schedule B – Miscellaneous Rates, Fees, and Charges

Schedule C – Solid Waste Rates, Fees, and Charges

Florida Statute Chapter 119

Florida Statute Chapter 119.071

Florida Statute Chapter 153.67

Florida Statute Chapter 153.83

Florida Statute Chapter 159.18

Florida Statute Chapter 180.135

Florida Statute Chapter 812.14

Utility Impact & Connection Fees

Water Service Impact Fee

Meter Size	ERC	Reclaimed Water Not Available	Reclaimed Water Available
5/8 x 3/4 inch (SFR only)	1.00	$1,750	$1,300
5/8 x 3/4 inch (not SFR)	1.00	$1,750	$1,750
1 inch	2.50	$4,375	$4,375
1.5 inch	6.00	$10,500	$10,500
2 inch	9.50	$16,625	$16,625
3 inch	21.75	$38,062.50	$38,062.50
4 inch	37.50	$65,625	$65,625
6 inch	80.00	$140,000	$140,000
8 inch	140.00	$245,000	$245,000
10 inch	210.00	$367,500	$367,500
Unit Description	ERC/unit	Reclaimed Water Not Available	Reclaimed Water Available
Single Family Residence	1.00	$1,750	$1,300
Apartment or Condo: 1 Bath	0.80	$1,400	$1,400
Apartment or Condo: 2 or more Bath	1.00	$1,750	$1,750
Hotel/Motel	0.60	$1,050	$1,050

South Mainland Water Connection Fee

129A	$887.98 per ERC
129B	$1,125 per ERC

Sewer Service Impact Fee

Sewer Impact Fee	$1,406 per ERC
Sewer Force Main Fee	$1,450 per ERC

Reclaimed Water Service Connection Fee

Meter Size	Connection Charge
5/8 x 3/4 inch	$301
1 inch	$425
1.5 inch	$700
2 inch	$1,000

Utility Field Service & Installation Fees & Charges

Water Service Line Installation Charge	
Short Service	
3/4" short service line only	$610
1" short service line only	$650
Long Service	
3/4" long service line only	$890
1" long service line only	$950
Open Cut	estimated by Engineering Division

Meter Installation/Replacement Charges	
Meter Size	
5/8 x 3/4 inch	$320
1 inch	$390
1.5 inch	$610
2.0 inch	$720

Meter Relocation/Adjustment Charges	
Meter Size	
5/8 x 3/4 inch	$310
1 inch	$350
> 1 inch	requires estimate from Engineering

Other Installation Charges	Installation/ Relocation Charge	Refundable Deposit
Spray Truck Meter Installation Charge	$330	$750
Temporary 3" Jumper Meter Installation Charge	$70	$750
Temporary 2" Construction Meter Installation Charge (all water used will be billed at the tier 1 rate)	$70	$750
Fire Hydrant Maintenance Charge	$90	N/A

Miscellaneous Field Service Fees & Charges	
Plan Review and Construction Inspection Charge	$580
Hydrant Residual Flow Test Charge	$120
Fire Line Painting Charge	$230
Meter Station Painting Charge	$230
Meter Calibration Testing Charge (5/8 x 3/4 inch to 2 inch)	$65
Meter Calibration Testing Charge (3 inch and larger)	$120
Service Call Fee (during regular business hours)	$32
After Hours Reconnection Fee	$76
Meter Access Fee	$31
Meter Access Tow Charge	$75
Data Log Report (only available on digital/smart meters)	$35

Utility Field Service & Installation Fees & Charges
(continued)

Backflow Prevention Assembly Installation Charge

Reduced Pressure		Double Check		Dual Check	
Meter Size	Charge	Meter Size	Charge	Meter Size	Charge
5/8 x ¾ inch	$405	5/8 x ¾ inch residential	$200	5/8 x ¾ inch	$40
1 inch	$440	5/8 x ¾ inch non-residential	$280	1 inch	$50
1.5 inch	$740	1 inch	$380		
2 inch	$880	1.5 inch	$590		
		2 inch	$760		
Note: Larger meters and other installations are estimated on a case by case basis					

Backflow Prevention Assembly Testing & Maintenance Charge
(Non-residential accounts/billed monthly)

Meter Size	Monthly Charge
5/8 x 3/4 inch to 2 inch	$5.42
3 inch to 10 inch	$14.60

Other Utility Rates & Monthly Service Charges

Grease Trap	$8.34
Public Service Tax	10% of water charges

Utility Administrative Fees & Charges

Administrative Fees & Charges	
Service Initiation Fee (next business day)	$45
Service Initiation Fee (same day, if available & unauthorized consumption owner meter bills)	$90
Convenience Fee	$2.99 per transaction if transaction < = $300 2.65% per transaction if transaction > $300 Per transaction limit = $5,000
Late Fee	$5 or 1.5% per month (whichever is greater) 18% per annum
Returned Payment Fee	$25 if payment value < = $50 $30 if payment value > $50 and <= $300 $40 or 5% (whichever is greater) if payment value < $300
Collection Fee	33% of account balance
Utility Lien Processing & Recording Fee	$50
Utility Lien Search Fee	$45 rushed service with account history
Billing Service Charge	$1.14/month for the 1st service; $0.49/month for each additional service
High Consumption Credit Application Processing Fee	$5
Delinquency Processing Fee	$50
City of Cocoa Garbage Discount	$2

Tampering and Theft of Service Fees & Charges	
Lock Fee	$60
Tampering Fee	$150 first instance, $300 second instance, $500 third instance (same customer/same location)
Meter Removal Charge	$300 each instance
Illegal Connection Fee	Estimated usage (minimum 100,000 gallons) on size of meter intended for service line plus incidental costs

Utility Deposits

Water			Sewer	
Meter Size	Residential	Commercial	Residential	Commercial and Multi-Family Master Meter
5/8 x 3/4 inch	$60	6 month average x 2.5	$100	6 month average x 2.5
1 inch	$70		$100	
1.5 inch	$120		$100	
2 inch	$170		$100	
3 inch	$220		$100	
4 inch	$270		$100	
6 inch	$320		$100	
8 inch	$370		$100	
At Risk Deposits: Two times (2x) the listed deposit amount for water and/or sewer.				

Utility Impact & Connection Fees

Water Service Impact Fee			
Meter Size	ERC	Reclaimed Water Not Available	Reclaimed Water Available
5/8 x 3/4 inch (SFR only)	1.00	$1,750	$1,300
5/8 x 3/4 inch (not SFR)	1.00	$1,750	$1,750
1 inch	2.50	$4,375	$4,375
1.5 inch	6.00	$10,500	$10,500
2 inch	9.50	$16,625	$16,625
3 inch	21.75	$38,062.50	$38,062.50
4 inch	37.50	$65,625	$65,625
6 inch	80.00	$140,000	$140,000
8 inch	140.00	$245,000	$245,000
10 inch	210.00	$367,500	$367,500
Unit Description	ERC/unit	Reclaimed Water Not Available	Reclaimed Water Available
Single Family Residence	1.00	$1,750	$1,300
Apartment or Condo: 1 Bath	0.80	$1,400	$1,400
Apartment or Condo: 2 or more Bath	1.00	$1,750	$1,750
Hotel/Motel	0.60	$1,050	$1,050

South Mainland Water Connection Fee	
129A	$887.98 per ERC
129B	$1,125 per ERC

Sewer Service Impact Fee	
Sewer Impact Fee	$1,562 per ERC
Sewer Force Main Fee	$1,450 per ERC

Reclaimed Water Service Connection Fee	
Meter Size	Connection Charge
5/8 x 3/4 inch	$301
1 inch	$425
1.5 inch	$700
2 inch	$1,000

Utility Field Service & Installation Fees & Charges

Water Service Line Installation Charge

Short Service	
3/4" short service line only	$720
1" short service line only	$780
Long Service	
3/4" long service line only	$1,090
1" long service line only	$1,190
Open Cut	estimated by Engineering Division

Meter Installation/Replacement Charges

Meter Size	
5/8 x 3/4 inch	$380
1 inch	$460
1.5 inch	$660
2.0 inch	$790

Meter Relocation/Adjustment Charges

Meter Size	
5/8 x 3/4 inch	$360
1 inch	$380
> 1 inch	requires estimate from Engineering

Other Installation Charges

	Installation/ Relocation Charge	Refundable Deposit
Spray Truck Meter Installation Charge	$340	$750
Temporary 3" Jumper Meter Installation Charge	$90	$750
Temporary 2" Construction Meter Installation Charge (all water used will be billed at the tier 1 rate)	$90	$750
Fire Hydrant Maintenance Charge	$90	N/A

Miscellaneous Field Service Fees & Charges

Plan Review and Construction Inspection Charge	$660
Hydrant Residual Flow Test Charge	$140
Fire Line Painting Charge	$230
Meter Station Painting Charge	$230
Meter Calibration Testing Charge (5/8 x 3/4 inch to 2 inch)	$70
Meter Calibration Testing Charge (3 inch and larger)	$140
Service Call Fee (during regular business hours)	$34
After Hours Reconnection Fee	$77
Meter Access Fee	$32
Meter Access Tow Charge	$75
Data Log Report (only available on digital/smart meters)	$40

Utility Field Service & Installation Fees & Charges
(continued)

Backflow Prevention Assembly Installation Charge

Reduced Pressure		Double Check		Dual Check	
Meter Size	Charge	Meter Size	Charge	Meter Size	Charge
5/8 x ¾ inch	$410	5/8 x ¾ inch residential	$240	5/8 x ¾ inch	$80
1 inch	$450	5/8 x ¾ inch non-residential	$280	1 inch	$100
1.5 inch	$790	1 inch	$390		
2 inch	$960	1.5 inch	$590		
		2 inch	$780		
Note: Larger meters and other installations are estimated on a case by case basis					

Backflow Prevention Assembly Testing & Maintenance Charge
(Non-residential accounts/billed monthly)

Meter Size	Monthly Charge
5/8 x 3/4 inch to 2 inch	$5.42
3 inch to 10 inch	$14.60

Other Utility Rates & Monthly Service Charges

Grease Trap	$8.34
Public Service Tax	10% of water charges

Utility Administrative Fees & Charges

Administrative Fees & Charges	
Service Initiation Fee (next business day)	$45
Service Initiation Fee (same day, if available & unauthorized consumption owner meter bills)	$90
Credit Screening Fee	Actual cost or $5 minimum
Convenience Fee	$2.99 per transaction if transaction < = $300 2.65% per transaction if transaction > $300 Per transaction limit = $5,000
Late Fee	$5 or 1.5% per month (whichever is greater) 18% per annum
Returned Payment Fee	$25 if payment value < = $50 $30 if payment value > $50 and <= $300 $40 or 5% (whichever is greater) if payment value < $300
Collection Fee	33% of account balance
Utility Lien Processing & Recording Fee	$50
Utility Lien Search Fee	$45 rushed service with account history
Billing Service Charge	$1.14/month for the 1st service; $0.49/month for each additional service
High Consumption Credit Application Processing Fee	$10
Delinquency Processing Fee	$60
City of Cocoa Garbage Discount	$1

Tampering and Theft of Service Fees & Charges	
Lock Fee	$70
Tampering Fee	$150 first instance, $300 second instance, $500 third instance (same customer/same location)
Meter Removal Charge	$300 each instance
Illegal Connection Fee	Estimated usage (minimum 100,000 gallons) on size of meter intended for service line plus incidental costs

Utility Deposits

Water			Sewer	
Meter Size	Residential	Commercial	Residential	Commercial and Multi-Family Master Meter
5/8 x 3/4 inch	$60	6 month average x 2.5	$100	6 month average x 2.5
1 inch	$70		$100	
1.5 inch	$120		$100	
2 inch	$170		$100	
3 inch	$220		$100	
4 inch	$270		$100	
6 inch	$320		$100	
8 inch	$370		$100	
At Risk Deposits: Two times (2x) the listed deposit amount for water and/or sewer.				

Utility Impact & Connection Fees

Water Service Impact Fee			
Meter Size	ERC	Reclaimed Water Not Available	Reclaimed Water Available
5/8 x 3/4 inch (SFR only)	1.00	$1,750	$1,300
5/8 x 3/4 inch (not SFR)	1.00	$1,750	$1,750
1 inch	2.50	$4,375	$4,375
1.5 inch	6.00	$10,500	$10,500
2 inch	9.50	$16,625	$16,625
3 inch	21.75	$38,062.50	$38,062.50
4 inch	37.50	$65,625	$65,625
6 inch	80.00	$140,000	$140,000
8 inch	140.00	$245,000	$245,000
10 inch	210.00	$367,500	$367,500
Unit Description	ERC/unit	Reclaimed Water Not Available	Reclaimed Water Available
Single Family Residence	1.00	$1,750	$1,300
Apartment or Condo: 1 Bath	0.80	$1,400	$1,400
Apartment or Condo: 2 or more Bath	1.00	$1,750	$1,750
Hotel/Motel	0.60	$1,050	$1,050

South Mainland Water Connection Fee	
129A	$887.98 per ERC
129B	$1,125 per ERC

Sewer Service Impact Fee	
Sewer Impact Fee	$1,719 per ERC
Sewer Force Main Fee	$1,450 per ERC

Reclaimed Water Service Connection Fee	
Meter Size	Connection Charge
5/8 x 3/4 inch	$301
1 inch	$425
1.5 inch	$700
2 inch	$1,000

Utility Field Service & Installation Fees & Charges

Water Service Line Installation Charge

Short Service	
3/4" short service line only	$840
1" short service line only	$915
Long Service	
3/4" long service line only	$1,300
1" long service line only	$1,440
Open Cut	estimated by Engineering Division

Meter Installation/Replacement Charges

Meter Size	
5/8 x 3/4 inch	$450
1 inch	$530
1.5 inch	$710
2.0 inch	$850

Meter Relocation/Adjustment Charges

Meter Size	
5/8 x 3/4 inch	$400
1 inch	$400
> 1 inch	requires estimate from Engineering

Other Installation Charges

	Installation/ Relocation Charge	Refundable Deposit
Spray Truck Meter Installation Charge	$350	$750
Temporary 3" Jumper Meter Installation Charge	$100	$750
Temporary 2" Construction Meter Installation Charge (all water used will be billed at the tier 1 rate)	$100	$750
Fire Hydrant Maintenance Charge	$90	N/A

Miscellaneous Field Service Fees & Charges

Plan Review and Construction Inspection Charge	$750
Hydrant Residual Flow Test Charge	$150
Fire Line Painting Charge	$230
Meter Station Painting Charge	$230
Meter Calibration Testing Charge (5/8 x 3/4 inch to 2 inch)	$75
Meter Calibration Testing Charge (3 inch and larger)	$160
Service Call Fee (during regular business hours)	$36
After Hours Reconnection Fee	$78
Meter Access Fee	$33
Meter Access Tow Charge	$75
Data Log Report (only available on digital/smart meters)	$45

Utility Field Service & Installation Fees & Charges
(continued)

Backflow Prevention Assembly Installation Charge

Reduced Pressure		Double Check		Dual Check	
Meter Size	Charge	Meter Size	Charge	Meter Size	Charge
5/8 x ¾ inch	$415	5/8 x ¾ inch residential	$260	5/8 x ¾ inch	$125
1 inch	$470	5/8 x ¾ inch non-residential	$280	1 inch	$135
1.5 inch	$830	1 inch	$400		
2 inch	$1,030	1.5 inch	$590		
		2 inch	$800		
Note: Larger meters and other installations are estimated on a case by case basis					

Backflow Prevention Assembly Testing & Maintenance Charge
(Non-residential accounts/billed monthly)

Meter Size	Monthly Charge
5/8 x 3/4 inch to 2 inch	$5.42
3 inch to 10 inch	$14.60

Other Utility Rates & Monthly Service Charges

Grease Trap	$8.34
Public Service Tax	10% of water charges

Utility Administrative Fees & Charges

Administrative Fees & Charges	
Service Initiation Fee (next business day)	$45
Service Initiation Fee (same day, if available & unauthorized consumption owner meter bills)	$90
Credit Screening Fee	Actual cost or $5 minimum
Convenience Fee	$2.99 per transaction if transaction < = $300 2.65% per transaction if transaction > $300 Per transaction limit = $5,000
Late Fee	$5 or 1.5% per month (whichever is greater) 18% per annum
Returned Payment Fee	$25 if payment value < = $50 $30 if payment value > $50 and <= $300 $40 or 5% (whichever is greater) if payment value < $300
Collection Fee	33% of account balance
Utility Lien Processing & Recording Fee	$50
Utility Lien Search Fee	$45 rushed service with account history
Billing Service Charge	$1.14/month for the 1st service; $0.49/month for each additional service
High Consumption Credit Application Processing Fee	$15
Delinquency Processing Fee	$70
City of Cocoa Garbage Discount	$1

Tampering and Theft of Service Fees & Charges	
Lock Fee	$80
Tampering Fee	$150 first instance, $300 second instance, $500 third instance (same customer/same location)
Meter Removal Charge	$300 each instance
Illegal Connection Fee	Estimated usage (minimum 100,000 gallons) on size of meter intended for service line plus incidental costs

Utility Deposits

Water			Sewer	
Meter Size	Residential	Commercial	Residential	Commercial and Multi-Family Master Meter
5/8 x 3/4 inch	$60	6 month average x 2.5	$100	6 month average x 2.5
1 inch	$70		$100	
1.5 inch	$120		$100	
2 inch	$170		$100	
3 inch	$220		$100	
4 inch	$270		$100	
6 inch	$320		$100	
8 inch	$370		$100	
At Risk Deposits: Two times (2x) the listed deposit amount for water and/or sewer.				

Utility Impact & Connection Fees

Water Service Impact Fee

Meter Size	ERC	Reclaimed Water Not Available	Reclaimed Water Available
5/8 x 3/4 inch (SFR only)	1.00	$1,750	$1,300
5/8 x 3/4 inch (not SFR)	1.00	$1,750	$1,750
1 inch	2.50	$4,375	$4,375
1.5 inch	6.00	$10,500	$10,500
2 inch	9.50	$16,625	$16,625
3 inch	21.75	$38,062.50	$38,062.50
4 inch	37.50	$65,625	$65,625
6 inch	80.00	$140,000	$140,000
8 inch	140.00	$245,000	$245,000
10 inch	210.00	$367,500	$367,500
Unit Description	ERC/unit	Reclaimed Water Not Available	Reclaimed Water Available
Single Family Residence	1.00	$1,750	$1,300
Apartment or Condo: 1 Bath	0.80	$1,400	$1,400
Apartment or Condo: 2 or more Bath	1.00	$1,750	$1,750
Hotel/Motel	0.60	$1,050	$1,050

South Mainland Water Connection Fee

129A	$887.98 per ERC
129B	$1,125per ERC

Sewer Service Impact Fee

Sewer Impact Fee	$1,875 per ERC
Sewer Force Main Fee	$1,450 per ERC

Reclaimed Water Service Connection Fee

Meter Size	Connection Charge
5/8 x 3/4 inch	$301
1 inch	$425
1.5 inch	$700
2 inch	$1,000

Utility Field Service & Installation Fees & Charges

Water Service Line Installation Charge

Short Service	
3/4" short service line only	$840
1" short service line only	$915
Long Service	
3/4" long service line only	$1,300
1" long service line only	$1,440
Open Cut	estimated by Engineering Division

Meter Installation/Replacement Charges

Meter Size	
5/8 x 3/4 inch	$450
1 inch	$530
1.5 inch	$710
2.0 inch	$850

Meter Relocation/Adjustment Charges

Meter Size	
5/8 x 3/4 inch	$400
1 inch	$400
> 1 inch	requires estimate from Engineering

Other Installation Charges

	Installation/ Relocation Charge	Refundable Deposit
Spray Truck Meter Installation Charge	$350	$750
Temporary 3" Jumper Meter Installation Charge	$100	$750
Temporary 2" Construction Meter Installation Charge (all water used will be billed at the tier 1 rate)	$100	$750
Fire Hydrant Maintenance Charge	$90	N/A

Miscellaneous Field Service Fees & Charges

Plan Review and Construction Inspection Charge	$750
Hydrant Residual Flow Test Charge	$150
Fire Line Painting Charge	$230
Meter Station Painting Charge	$230
Meter Calibration Testing Charge (5/8 x 3/4 inch to 2 inch)	$75
Meter Calibration Testing Charge (3 inch and larger)	$160
Service Call Fee (during regular business hours)	$36
After Hours Reconnection Fee	$78
Meter Access Fee	$33
Meter Access Tow Charge	$75
Data Log Report (only available on digital/smart meters)	$45

Utility Field Service & Installation Fees & Charges
(continued)

Backflow Prevention Assembly Installation Charge					
Reduced Pressure		Double Check		Dual Check	
Meter Size	Charge	Meter Size	Charge	Meter Size	Charge
5/8 x ¾ inch	$415	5/8 x ¾ inch residential	$260	5/8 x ¾ inch	$125
1 inch	$470	5/8 x ¾ inch non-residential	$280	1 inch	$135
1.5 inch	$830	1 inch	$400		
2 inch	$1,030	1.5 inch	$590		
		2 inch	$800		
Note: Larger meters and other installations are estimated on a case by case basis					

Backflow Prevention Assembly Testing & Maintenance Charge (Non-residential accounts/billed monthly)	
Meter Size	Monthly Charge
5/8 x 3/4 inch to 2 inch	$5.42
3 inch to 10 inch	$14.60

Other Utility Rates & Monthly Service Charges	
Grease Trap	$8.34
Public Service Tax	10% of water charges

Utility Administrative Fees & Charges

Administrative Fees & Charges	
Service Initiation Fee (next business day)	$45
Service Initiation Fee (same day, if available & unauthorized consumption owner meter bills)	$90
Credit Screening Fee	Actual cost or $5 minimum
Convenience Fee	$2.99 per transaction if transaction < = $300 2.65% per transaction if transaction > $300 Per transaction limit = $5,000
Late Fee	$5 or 1.5% per month (whichever is greater) 18% per annum
Returned Payment Fee	$25 if payment value < = $50 $30 if payment value > $50 and <= $300 $40 or 5% (whichever is greater) if payment value < $300
Collection Fee	33% of account balance
Utility Lien Processing & Recording Fee	$50
Utility Lien Search Fee	$45 rushed service with account history
Billing Service Charge	$1.14/month for the 1st service; $0.49/month for each additional service
High Consumption Credit Application Processing Fee	$15
Delinquency Processing Fee	$70
City of Cocoa Garbage Discount	$1

Tampering and Theft of Service Fees & Charges	
Lock Fee	$80
Tampering Fee	$150 first instance, $300 second instance, $500 third instance (same customer/same location)
Meter Removal Charge	$300 each instance
Illegal Connection Fee	Estimated usage (minimum 100,000 gallons) on size of meter intended for service line plus incidental costs

Utility Deposits

Water			Sewer	
Meter Size	Residential	Commercial	Residential	Commercial and Multi-Family Master Meter
5/8 x 3/4 inch	$60	6 month average x 2.5	$100	6 month average x 2.5
1 inch	$70		$100	
1.5 inch	$120		$100	
2 inch	$170		$100	
3 inch	$220		$100	
4 inch	$270		$100	
6 inch	$320		$100	
8 inch	$370		$100	
At Risk Deposits: Two times (2x) the listed deposit amount for water and/or sewer.				

Legislation Details (With Text)

File #:	21-791	**Version:**	1	**Name:**	
Type:	Resolution			**Status:**	City Business
File created:	11/30/2021			**In control:**	City Council
On agenda:	12/14/2021			**Final action:**	
Title:	Approve a Resolution Amending the FY22 Budget, BAF# 22-031-A, Budget Roll from FY21 to FY22 for the American Rescue Plan Fund. (Finance Director)				
Sponsors:					
Indexes:					
Code sections:					
Attachments:	Budget Resolution FY 2022- ADA Compliant.docx BAF 22-031-A-FN-ARPA Budget (12-14-21)-FY22 Agenda 21-791.pdf				

Date	Ver.	Action By	Action	Result

CITY COUNCIL AGENDA ITEM

Memo Date: November 30, 2021
Agenda Date: December 14, 2021
Prepared By: Lora Howell, Deputy Finance Director
Through: Rebecca Bowman, Finance Director
Requested Action:
Approve a Resolution Amending the FY22 Budget, BAF# 22-031-A, Budget Roll from FY21 to FY22 for the American Rescue Plan Fund.

BACKGROUND:

In Fiscal Year 2021 the City of Cocoa was awarded the Federal Grant “American Rescue Plan Fund” (ARPA Year 1), in the Amount of $1,940,989.50. The grant allowed for spending in specific categories. The City Council chose to spend the grant proceeds by, aiding small businesses, assistance to households, and other necessary equipment. All of the budgeted funds were not spent in FY21 therefore it is necessary to re-budget the funds in FY22.

The balance of the funds will roll into the FY22 Budget by way of BAF#22-031-A. Staff will bring before City Council (ARPA Year 2) funding, for acceptance of the revenue and project assignment, upon notification of payment for the other half of the ARPA funding. The total ARPA funding to be received by the City directly from the Federal Government is $3,881,979.

STRATEGIC PLAN CONNECTION:

BUDGETARY IMPACT:

Budgeted	No
If not budgeted, is amendment/transfer attached?	Yes

BAF#22-031-A

Revenue:

Amount Requested	$1,375,903
Account Number	130-0000-331.90-02
Account Name	Intergovernmental Revenue

Projects:

Grants and Aids 130-1510-536.83-02 $90,541 ARPA21
IT Related operating 130-1600-513.56-15 $90,000 AR4LAP
IT Related Operating 130-1600-513.56-15 $40,000 AR3DIG
Machinery and Equipment 130-3560-519.64-00 $936,005 AR1REP
Grants and Aids 130-3230-559.83-01 $10,603 AR1SAV
Contingency 130-1600-513.39-00 $208,754

PREVIOUS ACTION:

Enter text here

RECOMMENDED MOTION:

Approve a Resolution Amending the FY22 Budget, BAF# 22-031-A, Budget Roll from FY21 to FY22 for the American Rescue Plan Fund

City of Cocoa Budget Adjustment Form FY 2022 - 22-031-A

SELECT ADJUSTMENT TYPE: BUDGET AMENDMENT | REQUESTING DEPARTMENT #: 1500 | DATE PREPARED: 12/02/21

'REVENUE' ACCOUNT(S)

ADJUSTMENT AMOUNT	ACCOUNT NUMBER	PROJECT NUMBER	ACCOUNT NAME	ORIGINAL BUDGET	AMENDED BUDGET	ADJUSTED BUDGET	UNENCUMBERED BALANCE
$ 1,375,903	130-0000-331.90-02		Intergovernmental Revenue	$ 0	$ 0	$ 1,375,903	$ 0
$ 0				$ 0	$ 0	$ 0	$ 0
$ 0				$ 0	$ 0	$ 0	$ 0
$ 0				$ 0	$ 0	$ 0	$ 0
$ 0				$ 0	$ 0	$ 0	$ 0
$ 0				$ 0	$ 0	$ 0	$ 0
$ 1,375,903	TOTAL						

'EXPENSE' ACCOUNT(S)

ADJUSTMENT AMOUNT	ACCOUNT NUMBER	PROJECT NUMBER	ACCOUNT NAME	ORIGINAL BUDGET	AMENDED BUDGET	ADJUSTED BUDGET	UNENCUMBERED BALANCE
$ 90,541	130-1510-536.83-02	ARPA21	Grants and Aids	$ 0	$ 0	$ 90,541	$ 0
$ 90,000	130-1600-513.56-15	AR4LAP	IT Related Operating	$ 0	$ 0	$ 90,000	$ 0
$ 40,000	130-1600-513.56-15	AR3DIG	IT Related Operating	$ 0	$ 0	$ 40,000	$ 0
$ 936,005	130-3560-519.64-00	AR1REP	Machinery & Equipment	$ 0	$ 0	$ 936,005	$ 0
$ 10,603	130-3230-559.83-01	AR1SAV	Grants and Aids	$ 0	$ 0	$ 10,603	$ 0
$ 208,754	130-1600-513.39-00		Contingency	$ 0	$ 0	$ 208,754	$ 0
$ 1,375,903	TOTAL						

REASON/JUSTIFICATION FOR ADJUSTMENT:

The City received American Rescue Plan money in FY21. This BAF is to provide the remaining revenue and unspent funds,from FY21 to FY22. Agenda 21-791

Council/Board APPROVAL REQUIRED? *YES* (●) *NO* ( ) *DATE APPROVED:* 12/14/21 *RESOLUTION #:*

City Council approval is needed for all transfers greater than $50,000 and transfers between Departments / Funds. All CRA adjustments are required to go their respective boards.

12/2/21 Lora Howell Digitally signed by Lora Howell Date: 2021.12.02 11:25:32 -05'00'	12/9/21 Colleen Campbell Digitally signed by Colleen Campbell Date: 2021.12.09 09:40:54 -05'00'	Rebecca Bowman Digitally signed by Rebecca Bowman Date: 2021.12.09 12:07:45 -05'00'
Date Requestor's Signature	Date Finance Approval Signature	Date Finance Director's Signature
	12/2/21 Lora Howell Digitally signed by Lora Howell Date: 2021.12.02 11:25:14 -05'00'	
Date Department Director's Signature	Date Deputy Fin. Director's Signature	Date City Manager's Signature

FINANCE USE ONLY:

Date Entered: _____ Entered By: _____ Group #: _____

Approved 07/13

Revised eform 9/23/21 - IT

Legislation Details (With Text)

File #:	21-750	**Version:**	1	**Name:**	
Type:	Informational Item			**Status:**	Agenda Ready
File created:	11/10/2021			**In control:**	City Council
On agenda:	12/14/2021			**Final action:**	
Title:	In accordance with City Code, Section 2-74, at the beginning of each month during the fiscal year, the City Manager shall submit to City Council data showing the relation between the estimated and actual income and expenses to date. (Finance Director)				
Sponsors:					
Indexes:					
Code sections:					
Attachments:	Budget By Classification Report October 2021.pdf				

Date	Ver.	Action By	Action	Result

CITY COUNCIL AGENDA ITEM

Memo Date: November 10, 2021
Agenda Date: December 14, 2021
Prepared By: Lora Howell, Deputy Finance Director
Through: Rebecca Bowman, MBA, CGFO ,CGFM Finance Director
Requested Action:
In accordance with City Code, Section 2-74, at the beginning of each month during the fiscal year, the City Manager shall submit to City Council data showing the relation between the estimated and actual income and expenses to date.

BACKGROUND:

The following reports for the period ending October 2021 (FY22) provide information for the three major funds: General Fund, Water/Sewer Fund, and the Storm Water Fund. This October 2021 (FY22) report is unaudited and preliminary. Some line items reflect an over budget balance at this time due to the timing of the rollover of purchase orders from FY21 and the re-appropriation of their related budgets.

Each of the major funds will have the following reports:

1. Budget by Account Classification Report
   Summary of the annual budget, revenues collected and expenditures by fund. The detailed back-up documentation is found in the Revenue Report and the Detailed Budget Report Summary by Object

2. Revenue Report
   Detail by account number of actual revenues collected vs. budget for the three major funds:

General Fund, Water & Sewer, and Storm Water. This report shows the current period, the year to date totals, the annual budget and the unrealized balance.

- Estimated - represents either the current period or year to date prorated budget
- Actual - represents actual revenue received either in the current period or year to date
- % Rev - the percentage of actual revenue received vs. budget
- Annual Estimate - annual budget
- Unrealized Balance - annual estimate (budget less actual year to date received

3. Detail Budget Report Summary by Object
   Summary of expenditures by account description vs. budget for the three major funds: General Fund, Water & Sewer, and Storm Water. This report shows the current period, the year to date totals, encumbrances, the annual budget and the unencumbered balance.
   - Budget - represents either the current period or year to date prorated budget
   - Actual - represents actual cash expenditures either in the current period or year to date
   - % Exp. - the percentage of actual expenditures vs. budget
   - Encumbrance - encumbered amount
   - Annual Budget - annual budget
   - Unencumbered Balance - annual budget less actual year to date actual expenditures plus encumbrances
   - % Budgeted - the percentage of year to date actual expenditures plus encumbrances vs. budget

STRATEGIC PLAN CONNECTION:

Monthly reporting provides staff with an opportunity to monitor expenditure and revenue progression each month, to evaluate anomalies, and to determine corrective action (if necessary) for fiscal responsibility.

BUDGETARY IMPACT:

None

PREVIOUS ACTION:

None

RECOMMENDED MOTION:

Informational Item only.



FY 2022 Budget by Classification Report - Summary Listing

10/31/2021

Target for October 2021 is 8%

FUND 001 - GENERAL FUND

	Amended Budget	YTD Encumbrances	YTD Actual Transactions	Budget - YTD	% Used/Rec'd
REVENUE					
TAXES	$ 11,201,437		$ 141,887	$ 11,059,550	1%
OTHER PERMITS AND FEES	$ 4,659,809		$ 159,195	$ 4,500,614	3%
INTERGOVERNMENTAL	$ 2,641,263		$ 85,757	$ 2,555,506	3%
CHARGES FOR SERVICES	$ 13,614,745		$ 1,107,868	$ 12,506,877	8%
FINES AND FORFEITURES	$ 14,000		$ 5,735	$ 8,265	41%
MISCELLANEOUS	$ 666,258		$ 140,672	$ 525,586	21%
OTHER SOURCES (NON-REVENUE)	$ 11,575,815		$ -	$ 11,575,815	0%
REVENUE TOTALS	**$ 44,373,327**		**$ 1,641,115**	**$ 42,732,212**	**4%**
EXPENSE					
SALARIES AND BENEFITS	$ 26,449,930		$ 1,052,249	$ 25,397,681	4%
OPERATING EXPENDITURES	$ 12,374,867	$ 4,026,825	$ 593,762	$ 7,754,280	37%
CAPITAL OUTLAY	$ 2,621,946	$ 841,251	$ 191,733	$ 1,588,962	39%
GRANTS, AIDS AND OTHER	$ 2,926,584	$ -	$ 20,000	$ 2,906,584	1%
EXPENSE TOTALS	**$ 44,373,327**	**$ 4,868,076**	**$ 1,857,744**	**$ 37,647,507**	**15%**
REVENUE TOTALS	**$ 44,373,327**	**$ -**	**$ 1,641,115**	**$ 42,732,212**	**4%**
EXPENSE TOTALS	**$ 44,373,327**	**$ 4,868,076**	**$ 1,857,744**	**$ 37,647,507**	**15%**
	$ -	**$ (4,868,076)**	**$ (216,629)**	**$ 5,084,705**	

*Unaudited

CITY OF COCOA, FLORIDA

FUND 001 GENERAL FUND

ACCOUNT	ACCOUNT DESCRIPTION	********** CURRENT ESTIMATED	ACTUAL	%REV	******** YEAR-TO-DATE ESTIMATED	ACTUAL	%REV	ANNUAL ESTIMATE	UNREALIZED BALANCE
310	TAXES								
311	AD VALOREM								
10 00	CURRENT TAXES	0	.00		0	.00		7,649,355	7,649,355.00
20 00	DELINQUENT TAXES	0	.00		0	.00		15,000	15,000.00
25 00	PENALTIES RE: TAXES	0	.00		0	.00		5,000	5,000.00
30 00	TAX CERTIFICATES	0	.00		0	.00		200,000	200,000.00
311 **	AD VALOREM	0	.00		0	.00		7,869,355	7,869,355.00
312	SALES USE AND FUEL TAXES								
41 00	LOCAL OPTION GAS TAX 6 CT	50,000	34,697.14	69	50,000	34,697.14	69	600,000	565,302.86
312 **	SALES USE AND FUEL TAXES	50,000	34,697.14	69	50,000	34,697.14	69	600,000	565,302.86
314	UTILITY SERVICE TAX								
10 00	ELECTRICITY	125,000	.00		125,000	.00		1,500,000	1,500,000.00
30 00	WATER-COCOA	30,423	33,657.37	111	30,423	33,657.37	111	365,082	331,424.63
40 00	GAS	4,166	.00		4,166	.00		50,000	50,000.00
80 00	PROPANE	1,666	.00		1,666	.00		20,000	20,000.00
314 **	UTILITY SERVICE TAX	161,255	33,657.37	21	161,255	33,657.37	21	1,935,082	1,901,424.63
315	COMMUNICATION SERVICE TAX								
00 00	COMMUNICATION SERVICE TAX	54,166	56,308.00	104	54,166	56,308.00	104	650,000	593,692.00
315 **	COMMUNICATION SERVICE TAX	54,166	56,308.00	104	54,166	56,308.00	104	650,000	593,692.00
316	LOCAL BUSINESS TAX								
00 00	LOCAL BUSINESS TAX	94,231	17,224.43	18	94,231	17,224.43	18	147,000	129,775.57
316 **	LOCAL BUSINESS TAX	94,231	17,224.43	18	94,231	17,224.43	18	147,000	129,775.57
310 ***	TAXES	359,652	141,886.94	40	359,652	141,886.94	40	11,201,437	11,059,550.06
320	OTHER PERMITS & FEES								
322	BUILDING PERMITS								
322 **	BUILDING PERMITS	0	.00		0	.00		0	.00
323	FRANCHISE FEES								
10 00	ELECTRICITY	100,000	.00		100,000	.00		1,200,000	1,200,000.00
40 00	GAS	6,250	.00		6,250	.00		75,000	75,000.00
70 00	SOLID WASTE	23,116	23,009.85	100	23,116	23,009.85	100	277,402	254,392.15
323 **	FRANCHISE FEES	129,366	23,009.85	18	129,366	23,009.85	18	1,552,402	1,529,392.15
325	SPECIAL ASSESSMENT								
22 01	FIRE ASSESSMENT	0	135,589.87		0	135,589.87		2,901,407	2,765,817.13
22 02	F ASSMNT DELINQ TAXES	0	.00		0	.00		2,000	2,000.00

CITY OF COCOA, FLORIDA

FUND 001 GENERAL FUND

ACCOUNT	ACCOUNT DESCRIPTION	CURRENT ESTIMATED	CURRENT ACTUAL	CURRENT %REV	YEAR-TO-DATE ESTIMATED	YEAR-TO-DATE ACTUAL	YEAR-TO-DATE %REV	ANNUAL ESTIMATE	UNREALIZED BALANCE
320	OTHER PERMITS & FEES								
325	SPECIAL ASSESSMENT								
22 03	F ASSMNT PENALTIES	0	.00		0	.00		2,000	2,000.00
22 04	F ASSMNT TAX CERTS	0	.00		0	.00		150,000	150,000.00
22 *	FIRE PROTECTION	0	135,589.87		0	135,589.87		3,055,407	2,919,817.13
325 **	SPECIAL ASSESSMENT	0	135,589.87		0	135,589.87		3,055,407	2,919,817.13
329	OTHER PERMITS & FEES								
25 00	PLANNING AND ZONING	3,500	195.00	6	3,500	195.00	6	42,000	41,805.00
35 00	FIRE INSPECTIONS	833	400.00	48	833	400.00	48	10,000	9,600.00
329 **	OTHER PERMITS & FEES	4,333	595.00	14	4,333	595.00	14	52,000	51,405.00
320 ***	OTHER PERMITS & FEES	133,699	159,194.72	119	133,699	159,194.72	119	4,659,809	4,500,614.28
330	INTERGOVERNMENTAL REVENUE								
331	FEDERAL GRANTS								
20 01	RES OFFCR - CTY CONTRACT	0	.00		0	.00		186,000	186,000.00
20 15	VICTIMS OF CRIME ACT GRNT	13,289	.00		13,289	.00		118,921	118,921.00
20 *	PUBLIC SAFETY	13,289	.00		13,289	.00		304,921	304,921.00
39 *	OTHER PHYSCAL ENVIRONMENT	0	.00		0	.00		0	.00
50 01	FEMA DISASTER RELIEF	0	23,220.00		0	23,220.00		0	23,220.00-
70 02	AFRICAN AM CIVIL RIGHTS	2,500	.00		2,500	.00		30,000	30,000.00
331 **	FEDERAL GRANTS	15,789	23,220.00	147	15,789	23,220.00	147	334,921	311,701.00
333	PAYMENT IN LIEU OF TAXES								
90 00	HOUSING AUTHORITY	0	.00		0	.00		26,000	26,000.00
333 **	PAYMENT IN LIEU OF TAXES	0	.00		0	.00		26,000	26,000.00
334	STATE GRANT								
50 01	STATE DISASTER REIMBURSE	0	1,290.00		0	1,290.00		0	1,290.00-
50 *	ECONOMIC ENVIRONMENT	0	1,290.00		0	1,290.00		0	1,290.00-
334 **	STATE GRANT	0	1,290.00		0	1,290.00		0	1,290.00-
335	STATE SHARED REVENUES								
12 00	STATE REVENUE SHARING	46,083	47,796.68	104	46,083	47,796.68	104	553,000	505,203.32
12 20	8TH CNT MUNICIPAL GAS TAX	11,666	12,859.01	110	11,666	12,859.01	110	140,000	127,140.99

CITY OF COCOA, FLORIDA

FUND 001 GENERAL FUND

ACCOUNT		ACCOUNT DESCRIPTION	CURRENT ESTIMATED	CURRENT ACTUAL	CURRENT %REV	YEAR-TO-DATE ESTIMATED	YEAR-TO-DATE ACTUAL	YEAR-TO-DATE %REV	ANNUAL ESTIMATE	UNREALIZED BALANCE
330		INTERGOVERNMENTAL REVENUE								
335		STATE SHARED REVENUES								
12	*	STATE REVENUE SHARING	57,749	60,655.69	105	57,749	60,655.69	105	693,000	632,344.31
14	00	MOBILE HOME LICENSES	2,000	591.34	30	2,000	591.34	30	24,000	23,408.66
15	00	ALCOHOLIC BEVERAGE	416	.00		416	.00		5,000	5,000.00
18	00	LOCAL GOVERNMENT 1/2 CENT	101,666	.00		101,666	.00		1,220,000	1,220,000.00
21	00	FIREFIGHTER SUPPLEMENTAL	0	.00		0	.00		15,000	15,000.00
29	21	POL PEN STATE CONTR	0	.00		0	.00		185,915	185,915.00
29	22	FIRE PEN STATE CONTR	0	.00		0	.00		112,427	112,427.00
29	*	OTHER PUBLIC SAFETY	0	.00		0	.00		298,342	298,342.00
41	00	FUEL TAX REFUNDS	2,083	.00		2,083	.00		25,000	25,000.00
335	**	STATE SHARED REVENUES	163,914	61,247.03	37	163,914	61,247.03	37	2,280,342	2,219,094.97
337		GRANTS FROM LOCAL UNITS								
30	*	PHYSICAL ENVIRONMENT	0	.00		0	.00		0	.00
60	*	HUMAN SERVICES	0	.00		0	.00		0	.00
337	**	GRANTS FROM LOCAL UNITS	0	.00		0	.00		0	.00
330	***	INTERGOVERNMENTAL REVENUE	179,703	85,757.03	48	179,703	85,757.03	48	2,641,263	2,555,505.97
340		CHARGES FOR SERVICES								
341		GENERAL GOVERNMENT								
30	00	ADMINISTRATIVE FEES	580,580	580,580.00	100	580,580	580,580.00	100	6,966,971	6,386,391.00
31	00	ADMIN FEES STORMWATER	15,758	15,758.00	100	15,758	15,758.00	100	189,096	173,338.00
40	00	CERTIFY/COPY/SEARCH	9,166	24.55		9,166	24.55		110,000	109,975.45
90	12	PASSPORT EXECUTION FEES	166	.00		166	.00		2,000	2,000.00
341	**	GENERAL GOVERNMENT	605,670	596,362.55	99	605,670	596,362.55	99	7,268,067	6,671,704.45
342		PUBLIC SAFETY								
10	00	POLICE SERVICES	1,250	.00		1,250	.00		15,000	15,000.00
90	00	OTHER PUBLIC SAFETY	83	.00		83	.00		1,000	1,000.00
90	01	FALSE ALARM FEES	708	.00		708	.00		8,500	8,500.00
90	*	OTHER PUBLIC SAFETY	791	.00		791	.00		9,500	9,500.00
342	**	PUBLIC SAFETY	2,041	.00		2,041	.00		24,500	24,500.00

CITY OF COCOA, FLORIDA

FUND 001 GENERAL FUND

ACCOUNT	ACCOUNT DESCRIPTION	CURRENT ESTIMATED	CURRENT ACTUAL	CURRENT %REV	YEAR-TO-DATE ESTIMATED	YEAR-TO-DATE ACTUAL	YEAR-TO-DATE %REV	ANNUAL ESTIMATE	UNREALIZED BALANCE
340	CHARGES FOR SERVICES								
342	PUBLIC SAFETY								
343	PHYSICAL ENVIRONMENT								
37 10	BREVARD COUNTY	42,916	42,834.16	100	42,916	42,834.16	100	515,000	472,165.84
37 11	ROCKLEDGE	25,000	24,548.14	98	25,000	24,548.14	98	300,000	275,451.86
37 12	SUN LAKE	333	315.78	95	333	315.78	95	4,000	3,684.22
37 13	CLNY PK-M.I.UTIL CO.	166	161.88	98	166	161.88	98	2,000	1,838.12
37 16	COCOA BEACH	9,833	9,438.92	96	9,833	9,438.92	96	118,000	108,561.08
37 17	CAPE CANAVERAL	8,083	7,809.25	97	8,083	7,809.25	97	97,000	89,190.75
37 18	TITUSVILLE	366	354.54	97	366	354.54	97	4,400	4,045.46
37 *	WATER BILLING SERVICES	86,697	85,462.67	99	86,697	85,462.67	99	1,040,400	954,937.33
39 01	SERVICE CHARGES	41,666	45,601.30	109	41,666	45,601.30	109	500,000	454,398.70
39 03	ADMIN CHARGES	33,416	50,340.00	151	33,416	50,340.00	151	401,000	350,660.00
39 04	PENALTIES	65,804	53,719.21	82	65,804	53,719.21	82	789,650	735,930.79
39 05	NSF CHECKS	2,250	2,688.00	120	2,250	2,688.00	120	27,000	24,312.00
39 *	WATER OTHER INCOME	143,136	152,348.51	106	143,136	152,348.51	106	1,717,650	1,565,301.49
41 10	SOLID WASTE	197,804	195,055.47	99	197,804	195,055.47	99	2,373,648	2,178,592.53
41 20	RECYCLING REVENUE	31,424	31,147.57	99	31,424	31,147.57	99	377,088	345,940.43
41 30	GREEN WASTE	35,025	34,664.36	99	35,025	34,664.36	99	420,300	385,635.64
41 *	GARBAGE COLLECTION	264,253	260,867.40	99	264,253	260,867.40	99	3,171,036	2,910,168.60
45 *	GARBAGE-OTHER REVENUE	0	.00		0	.00		0	.00
90 01	FDOT MEDIAN MAINT	0	.00		0	.00		62,530	62,530.00
90 03	FDOT MNT SIGNAL/HWY LIGHT	0	.00		0	.00		234,262	234,262.00
90 *	OTHER PHYSICAL ENVIRON	0	.00		0	.00		296,792	296,792.00
343 **	PHYSICAL ENVIRONMENT	494,086	498,678.58	101	494,086	498,678.58	101	6,225,878	5,727,199.42
347	CULTURE/RECREATION								
20 10	GAZEBO-PAVILLION RENTAL	0	209.00		0	209.00		0	209.00-
39 10	PORCHER HOUSE - REVENUES	2,500	3,913.74	157	2,500	3,913.74	157	30,000	26,086.26
39 11	TENANT MAINTENANCE FEES	108	195.12	181	108	195.12	181	1,300	1,104.88
39 20	COCOA CIVIC CENTER	2,083	2,964.12	142	2,083	2,964.12	142	25,000	22,035.88
39 30	RIVERFRONT PARK	1,666	1,326.94	80	1,666	1,326.94	80	20,000	18,673.06
39 *	OTHER CULTURAL SERVICES	6,357	8,399.92	132	6,357	8,399.92	132	76,300	67,900.08
40 05	SPECIAL EVENT PERMITS	1,250	3,650.00	292	1,250	3,650.00	292	15,000	11,350.00
50 10	EVENT FEES	416	373.23	90	416	373.23	90	5,000	4,626.77
50 50	MISC FURNISHINGS	0	195.00		0	195.00		0	195.00-

CITY OF COCOA, FLORIDA

FUND 001 GENERAL FUND

ACCOUNT			ACCOUNT DESCRIPTION	********** CURRENT ESTIMATED	ACTUAL	%REV	******** YEAR-TO-DATE ESTIMATED	ACTUAL	%REV	ANNUAL ESTIMATE	UNREALIZED BALANCE
340			CHARGES FOR SERVICES								
347			CULTURE/RECREATION								
	50	*	SPECIAL REC FACILITIES	416	568.23	137	416	568.23	137	5,000	4,431.77
347		**	CULTURE/RECREATION	8,023	12,827.15	160	8,023	12,827.15	160	96,300	83,472.85
340		***	CHARGES FOR SERVICES	1,109,820	1,107,868.28	100	1,109,820	1,107,868.28	100	13,614,745	12,506,876.72
350			FINES AND FORFEITURES								
351			JUDGMENTS AND FINES								
	90	00	OTHER	1,166	5,735.41	492	1,166	5,735.41	492	14,000	8,264.59
351		**	JUDGMENTS AND FINES	1,166	5,735.41	492	1,166	5,735.41	492	14,000	8,264.59
350		***	FINES AND FORFEITURES	1,166	5,735.41	492	1,166	5,735.41	492	14,000	8,264.59
360			MISCELLANEOUS REVENUES								
361			INTEREST & OTHER EARNINGS								
	10	00	INTEREST	5,000	9,536.20	191	5,000	9,536.20	191	60,000	50,463.80
	10	02	INVESTMENT INTEREST	11,666	.00		11,666	.00		140,000	140,000.00
	10	10	SBA	66	41.14	62	66	41.14	62	800	758.86
	10	11	INTEREST/CBOS	208	93.71	45	208	93.71	45	2,500	2,406.29
	10	*	INTEREST	16,940	9,671.05	57	16,940	9,671.05	57	203,300	193,628.95
	40	*	GAIN/(LOSS) SALE INVEST	0	.00		0	.00		0	.00
361		**	INTEREST & OTHER EARNINGS	16,940	9,671.05	57	16,940	9,671.05	57	203,300	193,628.95
362			RENT AND ROYALTIES								
	00	00	RENT AND ROYALTIES	46,022	41,921.02	91	46,022	41,921.02	91	156,583	114,661.98
362		**	RENT AND ROYALTIES	46,022	41,921.02	91	46,022	41,921.02	91	156,583	114,661.98
364			DISPOSITION FIXED ASSETS								
	10	00	GAIN/(LOSS)	0	15,000.00		0	15,000.00		0	15,000.00-
364		**	DISPOSITION FIXED ASSETS	0	15,000.00		0	15,000.00		0	15,000.00-
365			SALE SURPLUS MTRLS &SCRAP								
365		**	SALE SURPLUS MTRLS &SCRAP	0	.00		0	.00		0	.00
366			CONTRIBUTIONS & DONATIONS								
	00	00	CONTRIBUTIONS & DONATIONS	0	60,000.00		0	60,000.00		65,300	5,300.00

CITY OF COCOA, FLORIDA

FUND 001 GENERAL FUND

ACCOUNT		ACCOUNT DESCRIPTION	CURRENT ESTIMATED	CURRENT ACTUAL	CURRENT %REV	YEAR-TO-DATE ESTIMATED	YEAR-TO-DATE ACTUAL	YEAR-TO-DATE %REV	ANNUAL ESTIMATE	UNREALIZED BALANCE
360		MISCELLANEOUS REVENUES								
366		CONTRIBUTIONS & DONATIONS								
10	*	DONATIONS-PRIVATE SOURCES	0	.00		0	.00		0	.00
366	**	CONTRIBUTIONS & DONATIONS	0	60,000.00		0	60,000.00		65,300	5,300.00
368		PENSION CONTRIBUTIONS								
368	**	PENSION CONTRIBUTIONS	0	.00		0	.00		0	.00
369		OTHER MISC REVENUES								
90	00	OTHER MISC REVENUES	4,166	2,918.12	70	4,166	2,918.12	70	50,000	47,081.88
90	02	POLICE SECURITY SERVICES	3,008	4,060.00	135	3,008	4,060.00	135	36,100	32,040.00
90	03	CODE ENF ABATE/DEMO REV	7,631	7,090.00	93	7,631	7,090.00	93	91,575	84,485.00
90	04	MISC. POLICE REVENUES	125	12.00	10	125	12.00	10	1,500	1,488.00
90	05	INVESTIGATIVE COSTS REIM	4,533	.00		4,533	.00		54,400	54,400.00
90	09	PROPERTY REGISTRATION	625	.00		625	.00		7,500	7,500.00
90	*	OTHER MISC REVENUES	20,088	14,080.12	70	20,088	14,080.12	70	241,075	226,994.88
369	**	OTHER MISC REVENUES	20,088	14,080.12	70	20,088	14,080.12	70	241,075	226,994.88
360	***	MISCELLANEOUS REVENUES	83,050	140,672.19	169	83,050	140,672.19	169	666,258	525,585.81
380		OTHER SOURCES(NON-REV)								
381		INTERFUND TRANSFER								
91	10	TRF FROM COCOA CRA (110)	116,865	.00		116,865	.00		1,402,380	1,402,380.00
91	*	TRANSFER FROM	116,865	.00		116,865	.00		1,402,380	1,402,380.00
381	**	INTERFUND TRANSFER	116,865	.00		116,865	.00		1,402,380	1,402,380.00
382		CONTRIBUTIONS ENTERPRISE								
40	00	CONTRIBUTIONS	603,112	.00		603,112	.00		7,237,355	7,237,355.00
40	01	6% PILOFF	130,242	.00		130,242	.00		1,562,914	1,562,914.00
40	*	CONTRIBUTIONS	733,354	.00		733,354	.00		8,800,269	8,800,269.00
382	**	CONTRIBUTIONS ENTERPRISE	733,354	.00		733,354	.00		8,800,269	8,800,269.00
383		INSTLMT PURCH/CAP LEASE								
383	**	INSTLMT PURCH/CAP LEASE	0	.00		0	.00		0	.00

CITY OF COCOA, FLORIDA

FUND 001 GENERAL FUND

ACCOUNT		ACCOUNT DESCRIPTION	********** CURRENT ESTIMATED	ACTUAL	%REV	******** YEAR-TO-DATE ESTIMATED	ACTUAL	%REV	ANNUAL ESTIMATE	UNREALIZED BALANCE
380		OTHER SOURCES(NON-REV)								
383		INSTLMT PURCH/CAP LEASE								
384		DEBT PROCEEDS								
384	**	DEBT PROCEEDS	0	.00		0	.00		0	.00
389		NON OPERATING SOURCES								
99 11		RESTR. CASH CARRY FORWARD	300	.00		300	.00		3,600	3,600.00
99 50		FUND BAL-APPROP. RESERVES	31,946	.00		31,946	.00		1,369,566	1,369,566.00
99	*	BALANCE FORWARD	32,246	.00		32,246	.00		1,373,166	1,373,166.00
389	**	NON OPERATING SOURCES	32,246	.00		32,246	.00		1,373,166	1,373,166.00
380	***	OTHER SOURCES(NON-REV)	882,465	.00		882,465	.00		11,575,815	11,575,815.00
FUND TOTAL		GENERAL FUND	2,749,555	1,641,114.57	60	2,749,555	1,641,114.57	60	44,373,327	42,732,212.43

REPORT SELECTIONS

Fiscal year . . . . . : 2022
Fund . . . . . : 001
All Departments
All Divisions
Suppress accounts with zero balances . . . . : Y

FUND 001 GENERAL FUND

ELE OBJ	ACCOUNT DESCRIPTION	******MONTH-TO-DATE****** BUDGET	ACTUAL	%EXP	**********YEAR-TO-DATE******* BUDGET	ACTUAL	%EXP	ENCUMBR.	ANNUAL BUDGET	UNENCUMB. BALANCE	% BDGT
11-00	EXECUTIVE SALARIES	87540	29442.68	34	87540	29442.68	34	.00	1050527	1021084.32	3
11 **	EXECUTIVE SALARIES	87540	29442.68	34	87540	29442.68	34	.00	1050527	1021084.32	3
12-00	REGULAR SALARIES & WAGES	1135576	502470.65	44	1135576	502470.65	44	.00	13627037	13124566.35	4
12-06	SALARIES/CONTRACTUAL	2083	.00	0	2083	.00	0	.00	25000	25000.00	0
12-07	EMS 1ST RESPONDER	0	.00	0	0	.00	0	.00	0	.00	0
12-09	SALARIES & WAGES CONTRA	0	.00	0	0	.00	0	.00	0	.00	0
12-10	SALARY ADJUSTMENTS	0	.00	0	0	.00	0	.00	0	.00	0
12-12	ACCRUAL PAYOUTS	5768	1618.33	28	5768	1618.33	28	.00	69218	67599.67	2
12-13	COPS CHRP	0	.00	0	0	.00	0	.00	0	.00	0
12 **	REGULAR SALARIES & WAGES	1143427	504088.98	44	1143427	504088.98	44	.00	13721255	13217166.02	4
13-00	OTHER SALARIES & WAGES	62090	35907.24	58	62090	35907.24	58	.00	745135	709227.76	5
13 **	OTHER SALARIES & WAGES	62090	35907.24	58	62090	35907.24	58	.00	745135	709227.76	5
14-00	OVERTIME	37839	22491.42	59	37839	22491.42	59	.00	454171	431679.58	5
14-01	COMP TIME	0	.00	0	0	.00	0	.00	0	.00	0
14-20	JAG COVID 2020-VD-BX-1270	0	.00	0	0	.00	0	.00	0	.00	0
14 **	OVERTIME	37839	22491.42	59	37839	22491.42	59	.00	454171	431679.58	5
15-00	SPECIAL PAY	30707	17581.04	57	30707	17581.04	57	.00	368502	350920.96	5
15 **	SPECIAL PAY	30707	17581.04	57	30707	17581.04	57	.00	368502	350920.96	5
20-00	CLOTHING/SHOE ALLOWANCE	1996	777.21	39	1996	777.21	39	.00	23965	23187.79	3
20 **	CLOTHING/SHOE ALLOWANCE	1996	777.21	39	1996	777.21	39	.00	23965	23187.79	3
21-00	FICA TAXES	99276	45803.69	46	99276	45803.69	46	.00	1191443	1145639.31	4
21 **	FICA TAXES	99276	45803.69	46	99276	45803.69	46	.00	1191443	1145639.31	4
22-00	RETIREMENT CONTRIBUTIONS	84161	38964.42	46	84161	38964.42	46	.00	1010044	971079.58	4
22-01	FIREFIGHTERS	184289	90546.24	49	184289	90546.24	49	.00	2211478	2120931.76	4
22-02	STATE CONTRIBUTIONS	46242	.00	0	46242	.00	0	.00	298342	298342.00	0

FUND 001 GENERAL FUND

ELE OBJ	ACCOUNT DESCRIPTION	******MONTH-TO-DATE****** BUDGET	ACTUAL	%EXP	**********YEAR-TO-DATE******* BUDGET	ACTUAL	%EXP	ENCUMBR.	ANNUAL BUDGET	UNENCUMB. BALANCE	% BDGT
22-03	NON FRS RETIREMENT CONT	1968	1329.65	68	1968	1329.65	68	.00	23618	22288.35	6
22 **	RETIREMENT CONTRIBUTIONS	316660	130840.31	41	316660	130840.31	41	.00	3543482	3412641.69	4
23-00	INSURANCES	5890	11277.05	192	5890	11277.05	192	.00	70775	59497.95	16
23-02	MEDICARE PART B	32096	40949.70	128	32096	40949.70	128	.00	385160	344210.30	11
23-03	CONTRA CIGNA SAVINGS	0	.00	0	0	.00	0	.00	0	.00	0
23-04	MEDICAL	277587	126622.35	46	277587	126622.35	46	.00	3331151	3204528.65	4
23-05	HEALTH GF RETIREES 50%	3687	4096.20	111	3687	4096.20	111	.00	44241	40144.80	9
23-06	HEALTH GF RETIREES 100%	25396	22933.82	90	25396	22933.82	90	.00	304761	281827.18	8
23-07	DENTAL INSURANCE	14449	7264.72	50	14449	7264.72	50	.00	173467	166202.28	4
23-08	VISION INSURANCE	2791	1391.44	50	2791	1391.44	50	.00	33594	32202.56	4
23-09	LONG TERM DISABILITY	4019	1900.13	47	4019	1900.13	47	.00	48321	46420.87	4
23-10	FSA HEALTH	0	.00	0	0	.00	0	.00	0	.00	0
23-11	FSA CHILDCARE	0	.00	0	0	.00	0	.00	0	.00	0
23 **	INSURANCES	365915	216435.41	59	365915	216435.41	59	.00	4391470	4175034.59	5
24-00	WORKER'S COMPENSATION	58362	39594.95	68	58362	39594.95	68	.00	700495	660900.05	6
24 **	WORKER'S COMPENSATION	58362	39594.95	68	58362	39594.95	68	.00	700495	660900.05	6
25-00	UNEMPLOYMENT COMPENSATION	833	.00	0	833	.00	0	.00	10000	10000.00	0
25 **	UNEMPLOYMENT COMPENSATION	833	.00	0	833	.00	0	.00	10000	10000.00	0
27-00	BENEFIT OFFSET	20790	9285.93	45	20790	9285.93	45	.00	249485	240199.07	4
27 **	BENEFIT OFFSET	20790	9285.93	45	20790	9285.93	45	.00	249485	240199.07	4
31-00	PROFESSIONAL SERVICES	25949	8526.47	33	25949	8526.47	33	259214.78	349223	81481.75	77
31-01	LEGAL EXPENSES	33337	.00	0	33337	.00	0	407891.52	487473	79581.48	84
31-02	MEDICAL SERVICES	4013	.00	0	4013	.00	0	7260.00	48160	40900.00	15
31-03	ENGINEERING SERVICES	0	.00	0	0	.00	0	.00	0	.00	0
31-05	EMS 1ST RESPONDER	0	.00	0	0	.00	0	.00	13905	13905.00	0

FUND 001 GENERAL FUND

ELE OBJ	ACCOUNT DESCRIPTION	******MONTH-TO-DATE****** BUDGET	ACTUAL	%EXP	**********YEAR-TO-DATE******* BUDGET	ACTUAL	%EXP	ENCUMBR.	ANNUAL BUDGET	UNENCUMB. BALANCE	% BDGT
31-06	EDA-04-69-07348 GRANT	0	.00	0	0	.00	0	.00	0	.00	0
31-11	USDA MANAGE FOREST GRANT	0	.00	0	0	.00	0	.00	0	.00	0
31-13	FIND BV-C0-20-146 BT RAMP	0	.00	0	0	.00	0	9276.40	0	9276.40-	0
31-14	FIND BV-CO-20-147 DREDGIN	0	.00	0	0	.00	0	8236.30	0	8236.30-	0
31-15	AFRICAN AM CIVIL RIGHTS	2500	.00	0	2500	.00	0	.00	30000	30000.00	0
31-16	HISTORICAL PRESERVATN	0	.00	0	0	.00	0	.00	0	.00	0
31-33	EMPLOYEE HEALTH CENTER	17321	6116.67	35	17321	6116.67	35	211441.72	207853	9705.39-	105
31 **	PROFESSIONAL SERVICES	83120	14643.14	18	83120	14643.14	18	903320.72	1136614	218650.14	81
32-00	ACCOUNTING & AUDITING	6166	.00	0	6166	.00	0	74000.00	74000	.00	100
32 **	ACCOUNTING & AUDITING	6166	.00	0	6166	.00	0	74000.00	74000	.00	100
34-00	CONTRACT SERVICES	87831	72799.07	83	87831	72799.07	83	491885.73	1069490	504805.20	53
34-02	FDEP-RESILIENCY4190120	0	.00	0	0	.00	0	.00	0	.00	0
34-03	CUSTOMER SERVICE CONTRACT	231642	.00	0	231642	.00	0	.00	2779713	2779713.00	0
34-07	JANITORIAL CONTRACT SVS	0	.00	0	0	.00	0	.00	0	.00	0
34-09	MOWING CONTRACTS	35034	12146.65	35	35034	12146.65	35	387187.85	450000	50665.50	89
34-10	COST OF GENERAL FUND SVCS	0	.00	0	0	.00	0	.00	0	.00	0
34 **	CONTRACT SERVICES	354507	84945.72	24	354507	84945.72	24	879073.58	4299203	3335183.70	22
39-00	CONTINGENCY	18328	.00	0	18328	.00	0	.00	219946	219946.00	0
39-01	EMS RESTRICTED	0	.00	0	0	.00	0	.00	0	.00	0
39-10	RESERVE CONTINGENCY	0	.00	0	0	.00	0	.00	0	.00	0
39-15	WAGE AND SALARY	0	.00	0	0	.00	0	.00	0	.00	0
39-20	FUEL, OIL & LUBRICANTS	0	.00	0	0	.00	0	.00	0	.00	0
39 **	CONTINGENCY	18328	.00	0	18328	.00	0	.00	219946	219946.00	0
40-00	TRAVEL & PER DIEM	9102	80.42	1	9102	80.42	1	.00	106946	106865.58	0
40-01	CAR ALLOWANCE	0	.00	0	0	.00	0	.00	0	.00	0

FUND 001 GENERAL FUND

ELE OBJ	ACCOUNT DESCRIPTION	******MONTH-TO-DATE****** BUDGET	ACTUAL	%EXP	**********YEAR-TO-DATE******* BUDGET	ACTUAL	%EXP	ENCUMBR.	ANNUAL BUDGET	UNENCUMB. BALANCE	% BDGT
40 **	TRAVEL & PER DIEM	9102	80.42	1	9102	80.42	1	.00	106946	106865.58	0
41-00	COMMUNICATION	14147	9700.80	69	14147	9700.80	69	110141.15	177991	58149.05	67
41 **	COMMUNICATION	14147	9700.80	69	14147	9700.80	69	110141.15	177991	58149.05	67
42-00	POSTAGE & FREIGHT	37199	1587.33	4	37199	1587.33	4	384977.17	452346	65781.50	86
42 **	POSTAGE & FREIGHT	37199	1587.33	4	37199	1587.33	4	384977.17	452346	65781.50	86
43-00	ELECTRIC/WATER/SEWER	68678	6663.73	10	68678	6663.73	10	695837.90	818996	116494.37	86
43 **	ELECTRIC/WATER/SEWER	68678	6663.73	10	68678	6663.73	10	695837.90	818996	116494.37	86
44-00	RENTALS AND LEASES	11844	5527.50	47	11844	5527.50	47	126352.60	142149	10268.90	93
44 **	RENTALS AND LEASES	11844	5527.50	47	11844	5527.50	47	126352.60	142149	10268.90	93
45-00	INSURANCE	43588	141817.88	325	43588	141817.88	325	.00	522872	381054.12	27
45 **	INSURANCE	43588	141817.88	325	43588	141817.88	325	.00	522872	381054.12	27
46-00	REPAIRS & MAINTENANCE	141367	13780.58	10	141367	13780.58	10	78239.08	768237	676217.34	12
46-02	REPAIR/MAINT BUILDING	21109	1897.98	9	21109	1897.98	9	35599.49	253600	216102.53	15
46-03	REPAIR/MAINT-VEHICLES	13398	538.85	4	13398	538.85	4	75.00-	336698	336234.15	0
46-05	HYDRANT FEES	20016	20062.85	100	20016	20062.85	100	.00	240198	220135.15	8
46-15	INSURED VEHICLE ACCIDENT	0	.00	0	0	.00	0	.00	0	.00	0
46 **	REPAIRS & MAINTENANCE	195890	36280.26	19	195890	36280.26	19	113763.57	1598733	1448689.17	9
47-00	PRINTING & BINDING	12591	3926.86	31	12591	3926.86	31	134262.89	172317	34127.25	80
47 **	PRINTING & BINDING	12591	3926.86	31	12591	3926.86	31	134262.89	172317	34127.25	80
48-00	PROMOTIONAL ACTIVITIES	7680	525.00	7	7680	525.00	7	2350.00	62850	59975.00	5
48-11	BUSINESS ASSIST. PROGRAM	0	.00	0	0	.00	0	.00	0	.00	0
48 **	PROMOTIONAL ACTIVITIES	7680	525.00	7	7680	525.00	7	2350.00	62850	59975.00	5
49-00	OTHER CHARGES & OBLIG.	13143	10358.59	79	13143	10358.59	79	50295.90	229133	168478.51	27
49-02	ADVERTISING	130	.00	0	130	.00	0	.00	2300	2300.00	0
49-05	BROWNFIELDS REDEV PROG	0	.00	0	0	.00	0	.00	0	.00	0

FUND 001 GENERAL FUND

ELE OBJ	ACCOUNT DESCRIPTION	******MONTH-TO-DATE****** BUDGET	ACTUAL	%EXP	**********YEAR-TO-DATE******* BUDGET	ACTUAL	%EXP	ENCUMBR.	ANNUAL BUDGET	UNENCUMB. BALANCE	% BDGT
49-06	BROWNFIELD PROG CITY COST	416	.00	0	416	.00	0	2000.00	5000	3000.00	40
49-07	BAD DEBT EXPENSE	0	5431.26-	0	0	5431.26-	0	.00	0	5431.26	0
49-08	CASH OVER/SHORT	0	.00	0	0	.00	0	.00	0	.00	0
49-15	OBSOLETE INVENTORY	0	.00	0	0	.00	0	.00	0	.00	0
49-17	DAMAGED INVENTORY	0	.00	0	0	.00	0	.00	0	.00	0
49-21	PD INVESTIGATIVE FUNDS	1666	.00	0	1666	.00	0	5115.00	15000	9885.00	34
49 **	OTHER CHARGES & OBLIG.	15355	4927.33	32	15355	4927.33	32	57410.90	251433	189094.77	25
51-00	OFFICE SUPPLIES	3740	1167.90	31	3740	1167.90	31	.00	43560	42392.10	3
51 **	OFFICE SUPPLIES	3740	1167.90	31	3740	1167.90	31	.00	43560	42392.10	3
52-00	OPERATING SUPPLIES	64669	39231.32	61	64669	39231.32	61	82530.29	783913	662151.39	16
52-02	UNIFORMS	7126	.00	0	7126	.00	0	52922.25	78474	25551.75	67
52-05	EMS 1st RESP-CONSUM SUPP	3863	107.41	3	3863	107.41	3	23329.59	46357	22920.00	51
52-07	JANITORIAL SUPPLIES	3505	1822.89	52	3505	1822.89	52	.00	43026	41203.11	4
52-10	HEATING FUEL	285	.00	0	285	.00	0	3427.00	3427	.00	100
52-11	JAG GRANT	0	.00	0	0	.00	0	.00	0	.00	0
52-12	BULLETPROOF VEST GRANT	1415	.00	0	1415	.00	0	354.59	0	354.59-	0
52-13	VOCA GRANT	0	.00	0	0	.00	0	.00	0	.00	0
52-14	JAG 2020-DJ-BX-0410	0	.00	0	0	.00	0	1650.00	0	1650.00-	0
52-22	BULLET PROOF V 2020	0	.00	0	0	.00	0	32613.00	12705	19908.00-	257
52-23	BULLET PROOF VEST 2021	0	.00	0	0	.00	0	.00	0	.00	0
52-30	FUEL, OIL, & LUBRICANTS	24808	.00	0	24808	.00	0	.00	332460	332460.00	0
52-33	EMPLOYEE HEALTH CENTER	8379	274.46	3	8379	274.46	3	120329.96	100548	20056.42-	120
52 **	OPERATING SUPPLIES	114050	41436.08	36	114050	41436.08	36	317156.68	1400910	1042317.24	26
53-00	ROAD MATERIALS/SUPPLIES	3181	.00	0	3181	.00	0	.00	38175	38175.00	0
53 **	ROAD MATERIALS/SUPPLIES	3181	.00	0	3181	.00	0	.00	38175	38175.00	0

FUND 001 GENERAL FUND

ELE OBJ	ACCOUNT DESCRIPTION	******MONTH-TO-DATE******* BUDGET	ACTUAL	%EXP	**********YEAR-TO-DATE******* BUDGET	ACTUAL	%EXP	ENCUMBR.	ANNUAL BUDGET	UNENCUMB. BALANCE	% BDGT
54-00	MEMBERSHIP/PUBLICATIONS	9381	26213.00	279	9381	26213.00	279	1443.73	59789	32132.27	46
54 **	MEMBERSHIP/PUBLICATIONS	9381	26213.00	279	9381	26213.00	279	1443.73	59789	32132.27	46
55-00	TRAINING	14920	14091.82	94	14920	14091.82	94	6290.00	183856	163474.18	11
55-01	EDA PROGRAM	833	.00	0	833	.00	0	.00	10000	10000.00	0
55-22	JAG 21-GG-01363	0	.00	0	0	.00	0	.00	0	.00	0
55 **	TRAINING	15753	14091.82	90	15753	14091.82	90	6290.00	193856	173474.18	11
56-15	IT-RELATED OPERATING EXP	72328	200226.97	277	72328	200226.97	277	220443.79	602181	181510.24	70
56-16	EMS DATA COLLECTION-BEMO	0	.00	0	0	.00	0	.00	0	.00	0
56 **	TECHNOLOGY SYSTEMS	72328	200226.97	277	72328	200226.97	277	220443.79	602181	181510.24	70
58-97	LABOR	0	.00	0	0	.00	0	.00	0	.00	0
58-98	EQUIPMENT	0	.00	0	0	.00	0	.00	0	.00	0
58-99	OTHER CHARGES	0	.00	0	0	.00	0	.00	0	.00	0
58 **	WORK ORDER CHARGES	0	.00	0	0	.00	0	.00	0	.00	0
59-00	DEPRECIATION EXPENSE	0	.00	0	0	.00	0	.00	0	.00	0
59 **	DEPRECIATION EXPENSE	0	.00	0	0	.00	0	.00	0	.00	0
61-00	LAND	0	.00	0	0	.00	0	.00	0	.00	0
61 **	LAND	0	.00	0	0	.00	0	.00	0	.00	0
62-00	BUILDINGS	0	47310.05	0	0	47310.05	0	80360.15	25000	102670.20-	511
62-33	EMPLOYEE HEALTH CENTER	0	.00	0	0	.00	0	.00	0	.00	0
62 **	BUILDINGS	0	47310.05	0	0	47310.05	0	80360.15	25000	102670.20-	511
63-00	INFRASTRUCTURE	9787	.00	0	9787	.00	0	668356.96	895000	226643.04	75
63-04	FDOT LAP 2020-SIDEWALKS	0	.00	0	0	.00	0	.00	0	.00	0
63-07	IMPROVE OTHER THAN BLDG	0	.00	0	0	.00	0	.00	0	.00	0
63 **	INFRASTRUCTURE	9787	.00	0	9787	.00	0	668356.96	895000	226643.04	75
64-00	MACHINERY AND EQUIPMENT	123195	128003.00	104	123195	128003.00	104	70103.06	1701946	1503839.94	12

FUND 001 GENERAL FUND

ELE OBJ	ACCOUNT DESCRIPTION	******MONTH-TO-DATE******* BUDGET	ACTUAL	%EXP	**********YEAR-TO-DATE******* BUDGET	ACTUAL	%EXP	ENCUMBR.	ANNUAL BUDGET	UNENCUMB. BALANCE	% BDGT
64-01	BC EMS GRANT 2020 AWARD	0	.00	0	0	.00	0	.00	0	.00	0
64-15	IT HARDWARE	0	16419.80	0	0	16419.80	0	22430.81	0	38850.61-	0
64-16	FIREHOUSE SUBS-EXTRAC EQ	0	.00	0	0	.00	0	.00	0	.00	0
64-33	EMPLOYEE HEALTH CENTER	0	.00	0	0	.00	0	.00	0	.00	0
64 **	MACHINERY AND EQUIPMENT	123195	144422.80	117	123195	144422.80	117	92533.87	1701946	1464989.33	14
68-10	SFTWR & OTHER INTANGIBLES	0	.00	0	0	.00	0	.00	0	.00	0
68 **	INTANGIBLE ASSETS	0	.00	0	0	.00	0	.00	0	.00	0
71-00	DEBT SERVICE - PRINCIPAL	0	.00	0	0	.00	0	.00	0	.00	0
71 **	DEBT SERVICE - PRINCIPAL	0	.00	0	0	.00	0	.00	0	.00	0
72-00	DEBT SERVICE - INTEREST	0	.00	0	0	.00	0	.00	0	.00	0
72 **	DEBT SERVICE - INTEREST	0	.00	0	0	.00	0	.00	0	.00	0
73-00	OTHER DEBT SVC COSTS	0	.00	0	0	.00	0	.00	0	.00	0
73 **	OTHER DEBT SVC COSTS	0	.00	0	0	.00	0	.00	0	.00	0
81-00	AIDS TO GOVT AGENCY	943299	.00	0	943299	.00	0	.00	1139796	1139796.00	0
81 **	AIDS TO GOVT AGENCY	943299	.00	0	943299	.00	0	.00	1139796	1139796.00	0
82-01	ECON DEV INCENTIVE CONTR	1666	20000.00	1201	1666	20000.00	1201	.00	20000	.00	100
82 **	AID PRIVATE ORGANIZATION	1666	20000.00	1201	1666	20000.00	1201	.00	20000	.00	100
83-00	OTHER GRANTS & AIDS	208	.00	0	208	.00	0	.00	2500	2500.00	0
83-01	MISC GRANTS/DONATIONS	1266	.00	0	1266	.00	0	.00	15200	15200.00	0
83-10	CARES CRF #107-2020	0	.00	0	0	.00	0	.00	0	.00	0
83 **	OTHER GRANTS & AIDS	1474	.00	0	1474	.00	0	.00	17700	17700.00	0
91-03	CDBG (103)	0	.00	0	0	.00	0	.00	0	.00	0
91-04	BC HOME (104)	0	.00	0	0	.00	0	.00	0	.00	0
91-07	BUILDING PERMITS	0	.00	0	0	.00	0	.00	0	.00	0
91-08	SEC 108 LOAN GUARANTEE	0	.00	0	0	.00	0	.00	0	.00	0

FUND 001 GENERAL FUND

ELE OBJ	ACCOUNT DESCRIPTION	******MONTH-TO-DATE****** BUDGET	ACTUAL	%EXP	**********YEAR-TO-DATE******* BUDGET	ACTUAL	%EXP	ENCUMBR.	ANNUAL BUDGET	UNENCUMB. BALANCE	% BDGT
91-10	CRA (110)	0	.00	0	0	.00	0	.00	0	.00	0
91-11	DIAMOND SQUARE (111)	0	.00	0	0	.00	0	.00	0	.00	0
91-12	US 1 CORRIDOR (112)	0	.00	0	0	.00	0	.00	0	.00	0
91-20	TRANSFER TO DEBT SVC 201	145757	.00	0	145757	.00	0	.00	1749088	1749088.00	0
91-21	WATER SEWER 421	0	.00	0	0	.00	0	.00	0	.00	0
91-23	TO STORMWATER 423	0	.00	0	0	.00	0	.00	0	.00	0
91-25	TO RESTRICTED ASSET 425	0	.00	0	0	.00	0	.00	0	.00	0
91-26	WS CPTL PROJ 2018B 426	0	.00	0	0	.00	0	.00	0	.00	0
91-30	GF CAPITAL PROJECTS 301	0	.00	0	0	.00	0	.00	0	.00	0
91-32	CP 302 RVRFRNT/LEEWNR PK	0	.00	0	0	.00	0	.00	0	.00	0
91-33	CP 303 FISKE BV CMPLT STR	0	.00	0	0	.00	0	.00	0	.00	0
91-52	SELF INSURANCE FUND 520	0	.00	0	0	.00	0	.00	0	.00	0
91-53	HEALTH INSURANCE FUND 530	0	.00	0	0	.00	0	.00	0	.00	0
91 **	INTERFUND TRANSFER	145757	.00	0	145757	.00	0	.00	1749088	1749088.00	0
FUND 001	TOTAL *********										
	GENERAL FUND	4547241	1857743.45	41	4547241	1857743.45	41	4868075.66	44373327	37647507.89	15
GRAND	TOTAL *********										
		4547241	1857743.45	41	4547241	1857743.45	41	4868075.66	44373327	37647507.89	15



FY 2022 Budget by Classification Report - Summary Listing

10/31/2021

Target for October 2021 is 8%

FUND 421 - WATER/SEWER FUND

	Amended Budget	YTD Encumbrances	YTD Actual Transactions	Budget - YTD Transactions	% Used/Rec'd
REVENUE					
CHARGES FOR SERVICES	$ 69,083,674		$ 5,541,857	$ 63,541,817	8%
INTERGOVERNMENTAL/GRANTS	$ -		$ -	$ -	0%
MISCELLANEOUS	$ 191,992		$ 11,099	$ 180,893	6%
OTHER SOURCES (*NON-REVENUE)	$ 4,032,857		$ -	$ 4,032,857	0%
REVENUE TOTALS	**$ 73,308,523**	**-**	**$ 5,552,957**	**$ 67,755,566**	**8%**
EXPENSE					
SALARIES AND BENEFITS	$ 19,738,253	$ -	$ 862,762	$ 18,875,491	4%
OPERATING EXPENDITURES	$ 27,348,918	$ 8,754,471	$ 1,299,174	$ 17,295,273	37%
CAPITAL OUTLAY	$ 3,899,296	$ 1,422,841	$ 67,769	$ 2,408,686	38%
GRANTS, AIDS AND OTHER	$ 22,322,056	$ -	$ 1,500	$ 22,320,556	0%
EXPENSE TOTALS	**$ 73,308,523**	**$ 10,177,312**	**$ 2,231,205**	**$ 60,900,006**	17%
REVENUE TOTALS	**$ 73,308,523**	**$ -**	**$ 5,552,957**	**$ 67,755,566**	**8%**
EXPENSE TOTALS	**$ 73,308,523**	**$ 10,177,312**	**$ 2,231,205**	**$ 60,900,006**	**17%**
**	**$ -**	**$ (10,177,312)**	**$ 3,321,752**	**$ 6,855,560**	

*Unaudited

CITY OF COCOA, FLORIDA

FUND 421 WATER/SEWER FUND

ACCOUNT		ACCOUNT DESCRIPTION	CURRENT ESTIMATED	CURRENT ACTUAL	CURRENT %REV	YEAR-TO-DATE ESTIMATED	YEAR-TO-DATE ACTUAL	YEAR-TO-DATE %REV	ANNUAL ESTIMATE	UNREALIZED BALANCE
320		OTHER PERMITS & FEES								
324		IMPACT FEES								
03	*	IMPACT FEES - RETAIL BLDG	0	.00		0	.00		0	.00
324	**	IMPACT FEES	0	.00		0	.00		0	.00
320	***	OTHER PERMITS & FEES	0	.00		0	.00		0	.00
330		INTERGOVERNMENTAL REVENUE								
331		FEDERAL GRANTS								
331	**	FEDERAL GRANTS	0	.00		0	.00		0	.00
334		STATE GRANT								
334	**	STATE GRANT	0	.00		0	.00		0	.00
337		GRANTS FROM LOCAL UNITS								
337	**	GRANTS FROM LOCAL UNITS	0	.00		0	.00		0	.00
330	***	INTERGOVERNMENTAL REVENUE	0	.00		0	.00		0	.00
340		CHARGES FOR SERVICES								
343		PHYSICAL ENVIRONMENT								
31	00	WATER SALES	4,832,138	4,569,655.27	95	4,832,138	4,569,655.27	95	57,985,663	53,416,007.73
33	00	WATER CONNECTION FEE	44,592	73,597.00	165	44,592	73,597.00	165	535,105	461,508.00
36	00	WATER HYDRANT FEES	314,823	314,853.35	100	314,823	314,853.35	100	3,777,881	3,463,027.65
39	06	HYDRANT RESID FLOW TEST	133	840.00	632	133	840.00	632	1,600	760.00
39	07	BACKFLOW DEVICE TEST	12,083	18,309.42	152	12,083	18,309.42	152	145,000	126,690.58
39	08	JUMPER METERS	58	140.00	241	58	140.00	241	700	560.00
39	09	PLAN REVIEW/CONST INSPECT	1,000	4,640.00	464	1,000	4,640.00	464	12,000	7,360.00
39	10	BACKFLOW PRV/RLCT TEMP	41	215.42	525	41	215.42	525	500	284.58
39	*	WATER OTHER INCOME	13,315	24,144.84	181	13,315	24,144.84	181	159,800	135,655.16
51	00	SEWER SALES	518,281	527,699.31	102	518,281	527,699.31	102	6,219,374	5,691,674.69
51	*	SEWER SALES	518,281	527,699.31	102	518,281	527,699.31	102	6,219,374	5,691,674.69
59	01	GREASE TRAP PERMITS	516	692.78	134	516	692.78	134	6,200	5,507.22
60	00	REUSE WATER SALES	32,720	31,066.60	95	32,720	31,066.60	95	392,651	361,584.40
60	01	REUSE WATER INSTALLATION	583	148.27	25	583	148.27	25	7,000	6,851.73
60	*	REUSE WATER SALES	33,303	31,214.87	94	33,303	31,214.87	94	399,651	368,436.13
343	**	PHYSICAL ENVIRONMENT	5,756,968	5,541,857.42	96	5,756,968	5,541,857.42	96	69,083,674	63,541,816.58

CITY OF COCOA, FLORIDA

FUND 421 WATER/SEWER FUND

ACCOUNT		ACCOUNT DESCRIPTION	CURRENT ESTIMATED	CURRENT ACTUAL	CURRENT %REV	YEAR-TO-DATE ESTIMATED	YEAR-TO-DATE ACTUAL	YEAR-TO-DATE %REV	ANNUAL ESTIMATE	UNREALIZED BALANCE
340		CHARGES FOR SERVICES								
343		PHYSICAL ENVIRONMENT								
340	***	CHARGES FOR SERVICES	5,756,968	5,541,857.42	96	5,756,968	5,541,857.42	96	69,083,674	63,541,816.58
360		MISCELLANEOUS REVENUES								
361		INTEREST & OTHER EARNINGS								
10	00	INTEREST	0	9,985.88		0	9,985.88		0	9,985.88-
10	02	INVESTMENT INTEREST	10,747	23.28		10,747	23.28		128,964	128,940.72
10	*	INTEREST	10,747	10,009.16	93	10,747	10,009.16	93	128,964	118,954.84
40	*	GAIN/(LOSS) SALE INVEST	0	.00		0	.00		0	.00
361	**	INTEREST & OTHER EARNINGS	10,747	10,009.16	93	10,747	10,009.16	93	128,964	118,954.84
362		RENT AND ROYALTIES								
00	00	RENT AND ROYALTIES	108	.00		108	.00		1,300	1,300.00
362	**	RENT AND ROYALTIES	108	.00		108	.00		1,300	1,300.00
364		DISPOSITION FIXED ASSETS								
10	00	GAIN/(LOSS)	829	.00		829	.00		9,950	9,950.00
364	**	DISPOSITION FIXED ASSETS	829	.00		829	.00		9,950	9,950.00
365		SALE SURPLUS MTRLS &SCRAP								
00	00	SALE SURPLUS MTRLS &SCRAP	250	.00		250	.00		3,000	3,000.00
365	**	SALE SURPLUS MTRLS &SCRAP	250	.00		250	.00		3,000	3,000.00
369		OTHER MISC REVENUES								
90	00	OTHER MISC REVENUES	4,064	1,090.00	27	4,064	1,090.00	27	48,778	47,688.00
90	*	OTHER MISC REVENUES	4,064	1,090.00	27	4,064	1,090.00	27	48,778	47,688.00
369	**	OTHER MISC REVENUES	4,064	1,090.00	27	4,064	1,090.00	27	48,778	47,688.00
360	***	MISCELLANEOUS REVENUES	15,998	11,099.16	69	15,998	11,099.16	69	191,992	180,892.84
380		OTHER SOURCES(NON-REV)								
381		INTERFUND TRANSFER								
91	*	TRANSFER FROM	0	.00		0	.00		0	.00
381	**	INTERFUND TRANSFER	0	.00		0	.00		0	.00

CITY OF COCOA, FLORIDA

FUND 421 WATER/SEWER FUND

ACCOUNT		ACCOUNT DESCRIPTION	CURRENT ESTIMATED	CURRENT ACTUAL	CURRENT %REV	YEAR-TO-DATE ESTIMATED	YEAR-TO-DATE ACTUAL	YEAR-TO-DATE %REV	ANNUAL ESTIMATE	UNREALIZED BALANCE
380		OTHER SOURCES(NON-REV)								
381		INTERFUND TRANSFER								
383		INSTLMT PURCH/CAP LEASE								
383	**	INSTLMT PURCH/CAP LEASE	0	.00		0	.00		0	.00
389		NON OPERATING SOURCES								
83	*	CONTRIBUTION VIERA	0	.00		0	.00		0	.00
99	50	FUND BAL-APPROP. RESERVES	336,071	.00		336,071	.00		4,032,857	4,032,857.00
99	*	BALANCE FORWARD	336,071	.00		336,071	.00		4,032,857	4,032,857.00
389	**	NON OPERATING SOURCES	336,071	.00		336,071	.00		4,032,857	4,032,857.00
380	***	OTHER SOURCES(NON-REV)	336,071	.00		336,071	.00		4,032,857	4,032,857.00
FUND TOTAL		WATER/SEWER FUND	6,109,037	5,552,956.58	91	6,109,037	5,552,956.58	91	73,308,523	67,755,566.42

REPORT SELECTIONS

Fiscal year . . . . . : 2022
Fund . . . . . : 421
All Departments
All Divisions
Suppress accounts with zero balances . . . . : Y

FUND 421 WATER/SEWER FUND

ELE OBJ	ACCOUNT DESCRIPTION	******MONTH-TO-DATE****** BUDGET	ACTUAL	%EXP	**********YEAR-TO-DATE******* BUDGET	ACTUAL	%EXP	ENCUMBR.	ANNUAL BUDGET	UNENCUMB. BALANCE	% BDGT
11-00	EXECUTIVE SALARIES	13479	6202.40	46	13479	6202.40	46	.00	161758	155555.60	4
11 **	EXECUTIVE SALARIES	13479	6202.40	46	13479	6202.40	46	.00	161758	155555.60	4
12-00	REGULAR SALARIES & WAGES	988765	374057.16	38	988765	374057.16	38	.00	11865226	11491168.84	3
12-10	SALARY ADJUSTMENTS	0	.00	0	0	.00	0	.00	0	.00	0
12-12	ACCRUAL PAYOUTS	0	.00	0	0	.00	0	.00	0	.00	0
12 **	REGULAR SALARIES & WAGES	988765	374057.16	38	988765	374057.16	38	.00	11865226	11491168.84	3
13-00	OTHER SALARIES & WAGES	49754	18529.97	37	49754	18529.97	37	.00	597082	578552.03	3
13 **	OTHER SALARIES & WAGES	49754	18529.97	37	49754	18529.97	37	.00	597082	578552.03	3
14-00	OVERTIME	54339	32755.09	60	54339	32755.09	60	.00	652102	619346.91	5
14-01	COMP TIME	0	.00	0	0	.00	0	.00	0	.00	0
14 **	OVERTIME	54339	32755.09	60	54339	32755.09	60	.00	652102	619346.91	5
15-00	SPECIAL PAY	1433	175.00	12	1433	175.00	12	.00	17200	17025.00	1
15 **	SPECIAL PAY	1433	175.00	12	1433	175.00	12	.00	17200	17025.00	1
20-00	CLOTHING/SHOE ALLOWANCE	1804	12.00	1	1804	12.00	1	.00	21665	21653.00	0
20 **	CLOTHING/SHOE ALLOWANCE	1804	12.00	1	1804	12.00	1	.00	21665	21653.00	0
21-00	FICA TAXES	70083	32703.51	47	70083	32703.51	47	.00	841032	808328.49	4
21 **	FICA TAXES	70083	32703.51	47	70083	32703.51	47	.00	841032	808328.49	4
22-00	RETIREMENT CONTRIBUTIONS	118770	239479.79	202	118770	239479.79	202	.00	1425261	1185781.21	17
22-01	POLICE/FIRE	0	.00	0	0	.00	0	.00	0	.00	0
22-03	NON FRS RETIREMENT CONT	0	596.63	0	0	596.63	0	.00	0	596.63-	0
22 **	RETIREMENT CONTRIBUTIONS	118770	240076.42	202	118770	240076.42	202	.00	1425261	1185184.58	17
23-00	INSURANCES	4340	3861.88	89	4340	3861.88	89	.00	52100	48238.12	7
23-02	RETIREES OTHER INSURANCES	11968	17740.80	148	11968	17740.80	148	.00	143620	125879.20	12
23-03	CONTRA CIGNA SAVINGS	0	.00	0	0	.00	0	.00	0	.00	0
23-04	MEDICAL	245581	88654.39	36	245581	88654.39	36	.00	2947000	2858345.61	3

FUND 421 WATER/SEWER FUND

ELE OBJ	ACCOUNT DESCRIPTION	******MONTH-TO-DATE******* BUDGET	ACTUAL	%EXP	**********YEAR-TO-DATE******* BUDGET	ACTUAL	%EXP	ENCUMBR.	ANNUAL BUDGET	UNENCUMB. BALANCE	% BDGT
23-05	HEALTH RETIREES 50%	818	819.24	100	818	819.24	100	.00	9832	9012.76	8
23-06	HEALTH RETIREES 100%	5734	4915.44	86	5734	4915.44	86	.00	68817	63901.56	7
23-07	DENTAL INSURANCE	11828	4518.89	38	11828	4518.89	38	.00	141961	137442.11	3
23-08	VISION INSURANCE	2300	851.30	37	2300	851.30	37	.00	27632	26780.70	3
23-09	LONG TERM DISABILITY	3024	1381.22	46	3024	1381.22	46	.00	36300	34918.78	4
23-10	FSA HEALTH	0	.00	0	0	.00	0	.00	0	.00	0
23-11	FSA CHILDCARE	0	.00	0	0	.00	0	.00	0	.00	0
23-99	OPEB HEALTH EXPENSE	0	.00	0	0	.00	0	.00	0	.00	0
23 **	INSURANCES	285593	122743.16	43	285593	122743.16	43	.00	3427262	3304518.84	4
24-00	WORKER'S COMPENSATION	45585	29421.67	65	45585	29421.67	65	.00	547065	517643.33	5
24 **	WORKER'S COMPENSATION	45585	29421.67	65	45585	29421.67	65	.00	547065	517643.33	5
25-00	UNEMPLOYMENT COMPENSATION	416	.00	0	416	.00	0	.00	5000	5000.00	0
25 **	UNEMPLOYMENT COMPENSATION	416	.00	0	416	.00	0	.00	5000	5000.00	0
26-00	OPEB HEALTH EXPENSE	0	.00	0	0	.00	0	.00	0	.00	0
26 **	OPEB HEALTH EXPENSE	0	.00	0	0	.00	0	.00	0	.00	0
27-00	BENEFIT OFFSET	14800	6085.80	41	14800	6085.80	41	.00	177600	171514.20	3
27 **	BENEFIT OFFSET	14800	6085.80	41	14800	6085.80	41	.00	177600	171514.20	3
31-00	PROFESSIONAL SERVICES	36585	4344.03	12	36585	4344.03	12	219441.60	439035	215249.37	51
31-01	LEGAL EXPENSES	35416	.00	0	35416	.00	0	61072.19	425000	363927.81	14
31-02	MEDICAL SERVICES	0	.00	0	0	.00	0	.00	0	.00	0
31-03	ENGINEERING SERVICES	89505	.00	0	89505	.00	0	1072038.14	1241000	168961.86	86
31-33	EMPLOYEE HEALTH CENTER	12459	4399.71	35	12459	4399.71	35	152090.51	149509	6981.22-	105
31 **	PROFESSIONAL SERVICES	173965	8743.74	5	173965	8743.74	5	1504642.44	2254544	741157.82	67
32-00	ACCOUNTING & AUDITING	0	.00	0	0	.00	0	.00	0	.00	0
32 **	ACCOUNTING & AUDITING	0	.00	0	0	.00	0	.00	0	.00	0

FUND 421 WATER/SEWER FUND

ELE OBJ	ACCOUNT DESCRIPTION	******MONTH-TO-DATE****** BUDGET	ACTUAL	%EXP	**********YEAR-TO-DATE******* BUDGET	ACTUAL	%EXP	ENCUMBR.	ANNUAL BUDGET	UNENCUMB. BALANCE	% BDGT
34-00	CONTRACT SERVICES	121672	1626.57	1	121672	1626.57	1	207426.28	1411542	1202489.15	15
34-09	MOWING CONTRACTS	0	.00	0	0	.00	0	.00	0	.00	0
34-10	COST OF GENERAL FUND SVCS	580580	580580.00	100	580580	580580.00	100	.00	6966971	6386391.00	8
34 **	CONTRACT SERVICES	702252	582206.57	83	702252	582206.57	83	207426.28	8378513	7588880.15	9
39-00	CONTINGENCY	25592	.00	0	25592	.00	0	.00	307119	307119.00	0
39-02	BOND RESERVE	0	.00	0	0	.00	0	.00	0	.00	0
39-15	WAGE AND SALARY	0	.00	0	0	.00	0	.00	0	.00	0
39 **	CONTINGENCY	25592	.00	0	25592	.00	0	.00	307119	307119.00	0
40-00	TRAVEL AND PER DIEM	1450	.00	0	1450	.00	0	.00	17438	17438.00	0
40-01	CAR ALLOWANCE	0	.00	0	0	.00	0	.00	0	.00	0
40 **	TRAVEL AND PER DIEM	1450	.00	0	1450	.00	0	.00	17438	17438.00	0
41-00	COMMUNICATION	12083	4440.67	37	12083	4440.67	37	15515.17	184465	164509.16	11
41 **	COMMUNICATION	12083	4440.67	37	12083	4440.67	37	15515.17	184465	164509.16	11
42-00	FREIGHT & POSTAGE SERVICE	1476	55.34	4	1476	55.34	4	.00	17740	17684.66	0
42 **	FREIGHT & POSTAGE SERVICE	1476	55.34	4	1476	55.34	4	.00	17740	17684.66	0
43-00	ELECTRIC/WATER/SEWER	184746	1099.81	1	184746	1099.81	1	1969561.89	2092180	121518.30	94
43 **	ELECTRIC/WATER/SEWER	184746	1099.81	1	184746	1099.81	1	1969561.89	2092180	121518.30	94
44-00	RENTAL AND LEASES	3239	.00	0	3239	.00	0	3285.00	38900	35615.00	8
44 **	RENTAL AND LEASES	3239	.00	0	3239	.00	0	3285.00	38900	35615.00	8
45-00	INSURANCE	131189	150531.09	115	131189	150531.09	115	.00	537742	387210.91	28
45 **	INSURANCE	131189	150531.09	115	131189	150531.09	115	.00	537742	387210.91	28
46-00	REPAIRS & MAINTENANCE	599823	181222.36	30	599823	181222.36	30	748586.17	6877261	5947452.47	14
46-02	REPAIR/MAINT BUILDING	17469	1006.47	6	17469	1006.47	6	3543.50	140740	136190.03	3
46-03	REPAIR/MAINT-VEHICLES	18957	413.52	2	18957	413.52	2	.00	234437	234023.48	0
46-15	INSURED VEHICLE ACCIDENT	0	.00	0	0	.00	0	.00	0	.00	0

FUND 421 WATER/SEWER FUND

ELE OBJ	ACCOUNT DESCRIPTION	******MONTH-TO-DATE******* BUDGET	ACTUAL	%EXP	**********YEAR-TO-DATE******* BUDGET	ACTUAL	%EXP	ENCUMBR.	ANNUAL BUDGET	UNENCUMB. BALANCE	% BDGT
46 **	REPAIRS & MAINTENANCE	636249	182642.35	29	636249	182642.35	29	752129.67	7252438	6317665.98	13
47-00	PRINTING & BINDING	615	.00	0	615	.00	0	120.00	7420	7300.00	2
47 **	PRINTING & BINDING	615	.00	0	615	.00	0	120.00	7420	7300.00	2
48-00	PROMOTIONAL ACTIVITIES	1666	.00	0	1666	.00	0	.00	20000	20000.00	0
48 **	PROMOTIONAL ACTIVITIES	1666	.00	0	1666	.00	0	.00	20000	20000.00	0
49-00	OTHER CHARGES & OBLIG.	2574	18276.41	710	2574	18276.41	710	.00	41955	23678.59	44
49-02	ADVERTISING	0	.00	0	0	.00	0	.00	0	.00	0
49-07	BAD DEBT EXPENSE	0	7666.71-	0	0	7666.71-	0	.00	0	7666.71	0
49-08	CASH OVER & UNDER	0	7.55	0	0	7.55	0	.00	0	7.55-	0
49-09	DOCUMENT RECORDING CHGS	250	330.00-	132-	250	330.00-	132-	.00	3000	3330.00	11-
49-15	OBSOLETE INVENTORY	0	.00	0	0	.00	0	.00	0	.00	0
49-17	DAMAGED INVENTORY	0	.00	0	0	.00	0	.00	0	.00	0
49 **	OTHER CHARGES & OBLIG.	2824	10287.25	364	2824	10287.25	364	.00	44955	34667.75	23
51-00	OFFICE SUPPLIES	1805	160.56	9	1805	160.56	9	.00	21702	21541.44	1
51 **	OFFICE SUPPLIES	1805	160.56	9	1805	160.56	9	.00	21702	21541.44	1
52-00	OPERATING SUPPLIES	44548	34449.23	77	44548	34449.23	77	166546.84	692717	491720.93	29
52-07	JANITORIAL SUPPLIES	769	336.76	44	769	336.76	44	.00	9240	8903.24	4
52-09	CHEMICALS	374023	272114.46	73	374023	272114.46	73	3750263.86	4488258	465879.68	90
52-30	FUEL OIL & LUBRICANTS	33488	5872.07	18	33488	5872.07	18	139318.16	407491	262300.77	36
52-33	EMPLOYEE HEALTH CENTER	6027	197.42	3	6027	197.42	3	86553.11	72324	14426.53-	120
52 **	OPERATING SUPPLIES	458855	312969.94	68	458855	312969.94	68	4142681.97	5670030	1214378.09	79
53-00	ROAD MATERIALS/SUPPLIES	1943	.00	0	1943	.00	0	20000.00	30000	10000.00	67
53 **	ROAD MATERIALS/SUPPLIES	1943	.00	0	1943	.00	0	20000.00	30000	10000.00	67
54-00	MEMBERSHIP/PUBLICATIONS	3284	31159.00	949	3284	31159.00	949	.00	39445	8286.00	79
54 **	MEMBERSHIP/PUBLICATIONS	3284	31159.00	949	3284	31159.00	949	.00	39445	8286.00	79

FUND 421 WATER/SEWER FUND

ELE OBJ	ACCOUNT DESCRIPTION	******MONTH-TO-DATE****** BUDGET	ACTUAL	%EXP	**********YEAR-TO-DATE******* BUDGET	ACTUAL	%EXP	ENCUMBR.	ANNUAL BUDGET	UNENCUMB. BALANCE	% BDGT
55-00	TRAINING	6381	.00	0	6381	.00	0	12430.00	76594	64164.00	16
55-01	EDA PROGRAM	0	.00	0	0	.00	0	.00	0	.00	0
55 **	TRAINING	6381	.00	0	6381	.00	0	12430.00	76594	64164.00	16
56-00	TECHNOLOGY SYSTEMS	0	.00	0	0	.00	0	.00	0	.00	0
56-15	IT-RELATED OPERATING EXP	46829	14877.88	32	46829	14877.88	32	126678.78	357693	216136.34	40
56 **	TECHNOLOGY SYSTEMS	46829	14877.88	32	46829	14877.88	32	126678.78	357693	216136.34	40
59-00	DEPRECIATION EXPENSE	0	.00	0	0	.00	0	.00	0	.00	0
59 **	DEPRECIATION EXPENSE	0	.00	0	0	.00	0	.00	0	.00	0
61-00	LAND	0	.00	0	0	.00	0	.00	0	.00	0
61 **	LAND	0	.00	0	0	.00	0	.00	0	.00	0
62-00	BUILDINGS	0	.00	0	0	.00	0	.00	0	.00	0
62 **	BUILDINGS	0	.00	0	0	.00	0	.00	0	.00	0
63-00	INFRASTRUCTURE	27295	3338.00	12	27295	3338.00	12	1100628.29	2326936	1222969.71	47
63-06	FDEM H0477 LS#1	0	.00	0	0	.00	0	.00	0	.00	0
63-07	IMPROVE OTHER THAN BLDG	0	.00	0	0	.00	0	.00	0	.00	0
63 **	INFRASTRUCTURE	27295	3338.00	12	27295	3338.00	12	1100628.29	2326936	1222969.71	47
64-00	MACHINERY & EQUIPMENT	77385	64431.00	83	77385	64431.00	83	200816.00	1247410	982163.00	21
64-15	IT HARDWARE	27079	.00	0	27079	.00	0	121396.61	324950	203553.39	37
64 **	MACHINERY & EQUIPMENT	104464	64431.00	62	104464	64431.00	62	322212.61	1572360	1185716.39	25
65-00	CONSTRUCTION IN PROGRESS	0	.00	0	0	.00	0	.00	0	.00	0
65 **	CONSTRUCTION IN PROGRESS	0	.00	0	0	.00	0	.00	0	.00	0
68-10	SFTWR & OTHER INTANGIBLES	0	.00	0	0	.00	0	.00	0	.00	0
68 **	INTANGIBLE ASSETS	0	.00	0	0	.00	0	.00	0	.00	0
69-99	PROPRIETARY FUNDS ONLY	0	.00	0	0	.00	0	.00	0	.00	0
69 **	CONTRA FIXED ASSET	0	.00	0	0	.00	0	.00	0	.00	0

FUND 421 WATER/SEWER FUND

ELE OBJ	ACCOUNT DESCRIPTION	******MONTH-TO-DATE****** BUDGET	ACTUAL	%EXP	**********YEAR-TO-DATE****** BUDGET	ACTUAL	%EXP	ENCUMBR.	ANNUAL BUDGET	UNENCUMB. BALANCE	% BDGT
71-20	SERIES 2020	0	.00	0	0	.00	0	.00	0	.00	0
71 **	DEBT SERVICE - PRINCIPAL	0	.00	0	0	.00	0	.00	0	.00	0
72-20	W/S SERIES 2020	0	.00	0	0	.00	0	.00	0	.00	0
72 **	DEBT SERVICE - INTEREST	0	.00	0	0	.00	0	.00	0	.00	0
73-00	OTHER DEBT SERVICE COST	0	1500.00	0	0	1500.00	0	.00	0	1500.00-	0
73 **	OTHER DEBT SERVICE COST	0	1500.00	0	0	1500.00	0	.00	0	1500.00-	0
82-00	AID TO PRIVATE ORGANIZAT	100	.00	0	100	.00	0	.00	1200	1200.00	0
82-01	ECON DEV INCENTIVE CONTR	0	.00	0	0	.00	0	.00	0	.00	0
82 **	AID TO PRIVATE ORGANIZAT	100	.00	0	100	.00	0	.00	1200	1200.00	0
91-01	TRANSFER TO GEN FUND 001	603112	.00	0	603112	.00	0	.00	7237355	7237355.00	0
91-23	TO STORMWATER 423	0	.00	0	0	.00	0	.00	0	.00	0
91-24	RENEWAL & REPLACE 424	6218281	.00	0	6218281	.00	0	.00	6218281	6218281.00	0
91-25	TO RESTRICTED ASSET 425	608525	.00	0	608525	.00	0	.00	7302306	7302306.00	0
91-26	WS CPTL PROJ 2018B 426	0	.00	0	0	.00	0	.00	0	.00	0
91-27	TO TCR/SJR PROJECT 427	0	.00	0	0	.00	0	.00	0	.00	0
91-30	GF CAPITAL PROJECTS 301	0	.00	0	0	.00	0	.00	0	.00	0
91-42	IMPACT FEES FUND 424	0	.00	0	0	.00	0	.00	0	.00	0
91-52	SELF INSURANCE FUND 520	0	.00	0	0	.00	0	.00	0	.00	0
91-53	HEALTH INSURANCE FUND 530	0	.00	0	0	.00	0	.00	0	.00	0
91 **	INTERFUND TRANSFER	7429918	.00	0	7429918	.00	0	.00	20757942	20757942.00	0
95-01	6% ILO FRANCHISE FEE	130242	.00	0	130242	.00	0	.00	1562914	1562914.00	0
95 **	NONOPERATING	130242	.00	0	130242	.00	0	.00	1562914	1562914.00	0
FUND 421	TOTAL *********										
	WATER/SEWER FUND	11733283	2231205.38	19	11733283	2231205.38	19	10177312.10	73308523	60900005.52	17
GRAND	TOTAL *********										

FUND 421 WATER/SEWER FUND

ELE OBJ	ACCOUNT DESCRIPTION	******MONTH-TO-DATE******* BUDGET	ACTUAL	%EXP	**********YEAR-TO-DATE******* BUDGET	ACTUAL	%EXP	ENCUMBR.	ANNUAL BUDGET	UNENCUMB. BALANCE	% BDGT
		11733283	2231205.38	19	11733283	2231205.38	19	10177312.10	73308523	60900005.52	17

FY 2022 Budget by Classification Report - Summary Listing

10/31/2021

Target for October 2021 is 8%

FUND 423 - STORMWATER FUND

	Amended Budget	YTD Encumbrances	YTD Actual Transactions	Budget - YTD Transactions	% Used/Rec'd
REVENUE					
*STORMWATER ASSESSMENT	$ 1,830,148		$ -	$ 1,830,148	0%
CHARGES FOR SERVICES	$ -		$ 14	$ (14)	100%
INTERGOVERNMENTAL/GRANT	$ -		$ -	$ -	0%
MISCELLANEOUS	$ 400		$ 701	$ (301)	100%
OTHER SOURCES (NON-REVENUE)	$ -		$ -	$ -	0%
REVENUE TOTALS	**$ 1,830,548**	**$ -**	**$ 715**	**$ 1,829,833**	**0%**
EXPENSE					
SALARIES AND BENEFITS	$ 647,688	$ -	$ 25,181	$ 622,507	4%
OPERATING EXPENDITURES	$ 640,240	$ 73,695	$ 19,312	$ 547,233	15%
CAPITAL OUTLAY	$ 542,620	$ 191,134	$ -	$ 351,486	35%
OTHER SOURCES (NON-REVENUE)	$ -	$ -	$ -	$ -	
EXPENSE TOTALS	**$ 1,830,548**	**$ 264,829**	**$ 44,493**	**$ 1,521,226**	**17%**
REVENUE TOTALS	**$ 1,830,548**	**$ -**	**$ 715**	**$ 1,829,833**	**0%**
EXPENSE TOTALS	**$ 1,830,548**	**$ 264,829**	**$ 44,493**	**$ 1,521,226**	**17%**
	$ -	**$ (264,829)**	**$ (43,778)**	**$ 308,607**	

*Stormwater Assessment Revenues come in November-March

CITY OF COCOA, FLORIDA

FUND 423 STORMWATER UTILITY

ACCOUNT	ACCOUNT DESCRIPTION	CURRENT ESTIMATED	CURRENT ACTUAL	CURRENT %REV	YEAR-TO-DATE ESTIMATED	YEAR-TO-DATE ACTUAL	YEAR-TO-DATE %REV	ANNUAL ESTIMATE	UNREALIZED BALANCE
320	OTHER PERMITS & FEES								
325	SPECIAL ASSESSMENT								
23 01	CHARGES FOR PUBLIC SVCS	144,179	.00		144,179	.00		1,730,148	1,730,148.00
23 04	TAX CERTIFICATES	8,333	.00		8,333	.00		100,000	100,000.00
23 *	STORMWATER	152,512	.00		152,512	.00		1,830,148	1,830,148.00
325 **	SPECIAL ASSESSMENT	152,512	.00		152,512	.00		1,830,148	1,830,148.00
320 ***	OTHER PERMITS & FEES	152,512	.00		152,512	.00		1,830,148	1,830,148.00
330	INTERGOVERNMENTAL REVENUE								
331	FEDERAL GRANTS								
331 **	FEDERAL GRANTS	0	.00		0	.00		0	.00
338	SHARED REVENUE LOCAL UNIT								
10 *	SHARED REV - BREVARD CTY	0	.00		0	.00		0	.00
338 **	SHARED REVENUE LOCAL UNIT	0	.00		0	.00		0	.00
330 ***	INTERGOVERNMENTAL REVENUE	0	.00		0	.00		0	.00
340	CHARGES FOR SERVICES								
343	PHYSICAL ENVIRONMENT								
91 00	STORMWATER FEES	0	14.28		0	14.28		0	14.28-
91 *	STORMWATER FEES	0	14.28		0	14.28		0	14.28-
343 **	PHYSICAL ENVIRONMENT	0	14.28		0	14.28		0	14.28-
340 ***	CHARGES FOR SERVICES	0	14.28		0	14.28		0	14.28-
360	MISCELLANEOUS REVENUES								
361	INTEREST & OTHER EARNINGS								
10 00	INTEREST	0	700.53		0	700.53		0	700.53-
10 10	SBA	0	.32		0	.32		0	.32-
10 *	INTEREST	0	700.85		0	700.85		0	700.85-
40 *	GAIN/(LOSS) SALE INVEST	0	.00		0	.00		0	.00
361 **	INTEREST & OTHER EARNINGS	0	700.85		0	700.85		0	700.85-

CITY OF COCOA, FLORIDA

FUND 423 STORMWATER UTILITY

ACCOUNT		ACCOUNT DESCRIPTION	********** CURRENT ********** ESTIMATED	ACTUAL	%REV	******** YEAR-TO-DATE ******** ESTIMATED	ACTUAL	%REV	ANNUAL ESTIMATE	UNREALIZED BALANCE
360		MISCELLANEOUS REVENUES								
361		INTEREST & OTHER EARNINGS								
364		DISPOSITION FIXED ASSETS								
364	**	DISPOSITION FIXED ASSETS	0	.00		0	.00		0	.00
369		OTHER MISC REVENUES								
90	00	OTHER MISC REVENUES	33	.00		33	.00		400	400.00
369	**	OTHER MISC REVENUES	33	.00		33	.00		400	400.00
360	***	MISCELLANEOUS REVENUES	33	700.85	2124	33	700.85	2124	400	300.85-
380		OTHER SOURCES(NON-REV)								
381		INTERFUND TRANSFER								
91	*	TRANSFER FROM	0	.00		0	.00		0	.00
381	**	INTERFUND TRANSFER	0	.00		0	.00		0	.00
389		NON OPERATING SOURCES								
99	*	BALANCE FORWARD	0	.00		0	.00		0	.00
389	**	NON OPERATING SOURCES	0	.00		0	.00		0	.00
380	***	OTHER SOURCES(NON-REV)	0	.00		0	.00		0	.00
FUND TOTAL		STORMWATER UTILITY	152,545	715.13	1	152,545	715.13	1	1,830,548	1,829,832.87

REPORT SELECTIONS

Fiscal year . . . . . : 2022
Fund . . . . . : 423
All Departments
All Divisions
Suppress accounts with zero balances . . . . : Y

FUND 423 STORMWATER UTILITY

ELE OBJ	ACCOUNT DESCRIPTION	******MONTH-TO-DATE****** BUDGET	ACTUAL	%EXP	**********YEAR-TO-DATE******* BUDGET	ACTUAL	%EXP	ENCUMBR.	ANNUAL BUDGET	UNENCUMB. BALANCE	% BDGT
12-00	REGULAR SALARIES & WAGES	35209	14832.48	42	35209	14832.48	42	.00	422519	407686.52	4
12-10	SALARY ADJUSTMENTS	0	.00	0	0	.00	0	.00	0	.00	0
12-12	ACCRUAL PAYOUTS	0	.00	0	0	.00	0	.00	0	.00	0
12 **	REGULAR SALARIES & WAGES	35209	14832.48	42	35209	14832.48	42	.00	422519	407686.52	4
13-00	OTHER SALARIES & WAGES	0	.00	0	0	.00	0	.00	0	.00	0
13 **	OTHER SALARIES & WAGES	0	.00	0	0	.00	0	.00	0	.00	0
14-00	OVERTIME	506	148.18	29	506	148.18	29	.00	6075	5926.82	2
14-01	COMP TIME	0	.00	0	0	.00	0	.00	0	.00	0
14 **	OVERTIME	506	148.18	29	506	148.18	29	.00	6075	5926.82	2
15-00	SPECIAL PAY	0	.00	0	0	.00	0	.00	0	.00	0
15 **	SPECIAL PAY	0	.00	0	0	.00	0	.00	0	.00	0
20-00	CLOTHING/SHOE ALLOWANCE	60	.00	0	60	.00	0	.00	720	720.00	0
20 **	CLOTHING/SHOE ALLOWANCE	60	.00	0	60	.00	0	.00	720	720.00	0
21-00	FICA TAXES	2328	1126.08	48	2328	1126.08	48	.00	27937	26810.92	4
21 **	FICA TAXES	2328	1126.08	48	2328	1126.08	48	.00	27937	26810.92	4
22-00	RETIREMENT CONTRIBUTIONS	3235	1620.92	50	3235	1620.92	50	.00	38830	37209.08	4
22-01	POLICE/FIRE	0	.00	0	0	.00	0	.00	0	.00	0
22 **	RETIREMENT CONTRIBUTIONS	3235	1620.92	50	3235	1620.92	50	.00	38830	37209.08	4
23-00	INSURANCES	108	112.98	105	108	112.98	105	.00	1300	1187.02	9
23-03	CONTRA CIGNA SAVINGS	0	.00	0	0	.00	0	.00	0	.00	0
23-04	MEDICAL	7666	4008.37	52	7666	4008.37	52	.00	92000	87991.63	4
23-07	DENTAL INSURANCE	275	143.01	52	275	143.01	52	.00	3300	3156.99	4
23-08	VISION INSURANCE	58	26.99	47	58	26.99	47	.00	700	673.01	4
23-09	LONG TERM DISABILITY	108	59.07	55	108	59.07	55	.00	1300	1240.93	5
23-10	FSA HEALTH	0	.00	0	0	.00	0	.00	0	.00	0

FUND 423 STORMWATER UTILITY

ELE OBJ	ACCOUNT DESCRIPTION	******MONTH-TO-DATE******* BUDGET	ACTUAL	%EXP	**********YEAR-TO-DATE******* BUDGET	ACTUAL	%EXP	ENCUMBR.	ANNUAL BUDGET	UNENCUMB. BALANCE	% BDGT
23-11	FSA CHILDCARE	0	.00	0	0	.00	0	.00	0	.00	0
23-99	OPEB HEALTH EXPENSE	0	.00	0	0	.00	0	.00	0	.00	0
23 **	INSURANCES	8215	4350.42	53	8215	4350.42	53	.00	98600	94249.58	4
24-00	WORKER'S COMPENSATION	4017	2882.46	72	4017	2882.46	72	.00	48207	45324.54	6
24 **	WORKER'S COMPENSATION	4017	2882.46	72	4017	2882.46	72	.00	48207	45324.54	6
26-00	OPEB HEALTH EXPENSE	0	.00	0	0	.00	0	.00	0	.00	0
26 **	OPEB HEALTH EXPENSE	0	.00	0	0	.00	0	.00	0	.00	0
27-00	BENEFIT OFFSET	400	220.54	55	400	220.54	55	.00	4800	4579.46	5
27 **	BENEFIT OFFSET	400	220.54	55	400	220.54	55	.00	4800	4579.46	5
31-00	PROFESSIONAL SERVICES	8295	162.50	2	8295	162.50	2	22348.61	99550	77038.89	23
31-01	LEGAL EXPENSES	41	.00	0	41	.00	0	.00	500	500.00	0
31-33	EMPLOYEE HEALTH CENTER	607	214.62	35	607	214.62	35	7420.10	7294	340.72-	105
31 **	PROFESSIONAL SERVICES	8943	377.12	4	8943	377.12	4	29768.71	107344	77198.17	28
34-00	CONTRACT SERVICES	1480	.00	0	1480	.00	0	.00	47000	47000.00	0
34-10	COST OF GENERAL FUND SVCS	15758	15758.00	100	15758	15758.00	100	.00	189096	173338.00	8
34 **	CONTRACT SERVICES	17238	15758.00	91	17238	15758.00	91	.00	236096	220338.00	7
39-00	CONTINGENCY	7143	.00	0	7143	.00	0	.00	69955	69955.00	0
39 **	CONTINGENCY	7143	.00	0	7143	.00	0	.00	69955	69955.00	0
40-00	TRAVEL & PER DIEM	237	.00	0	237	.00	0	.00	2850	2850.00	0
40 **	TRAVEL & PER DIEM	237	.00	0	237	.00	0	.00	2850	2850.00	0
41-00	COMMUNICATION	173	.00	0	173	.00	0	692.00	2076	1384.00	33
41 **	COMMUNICATION	173	.00	0	173	.00	0	692.00	2076	1384.00	33
42-00	POSTAGE & FREIGHT	41	.00	0	41	.00	0	.00	500	500.00	0
42 **	POSTAGE & FREIGHT	41	.00	0	41	.00	0	.00	500	500.00	0
43-00	ELECTRIC/WATER/SEWER	1250	197.78	16	1250	197.78	16	10000.00	15000	4802.22	68

FUND 423 STORMWATER UTILITY

ELE OBJ	ACCOUNT DESCRIPTION	******MONTH-TO-DATE******* BUDGET	ACTUAL	%EXP	**********YEAR-TO-DATE******* BUDGET	ACTUAL	%EXP	ENCUMBR.	ANNUAL BUDGET	UNENCUMB. BALANCE	% BDGT
43 **	ELECTRIC/WATER/SEWER	1250	197.78	16	1250	197.78	16	10000.00	15000	4802.22	68
44-00	RENTALS AND LEASES	208	.00	0	208	.00	0	19750.00	2500	17250.00-	790
44 **	RENTALS AND LEASES	208	.00	0	208	.00	0	19750.00	2500	17250.00-	790
45-00	INSURANCE	871	3167.77	364	871	3167.77	364	.00	12228	9060.23	26
45 **	INSURANCE	871	3167.77	364	871	3167.77	364	.00	12228	9060.23	26
46-00	REPAIRS & MAINTENANCE	2159	.00	0	2159	.00	0	5621.05	105900	100278.95	5
46-02	REPAIR/MAINT BUILDING	0	.00	0	0	.00	0	.00	0	.00	0
46-03	REPAIR/MAINT-VEHICLES	3498	.00	0	3498	.00	0	.00	41977	41977.00	0
46-15	INSURED VEHICLE ACCIDENT	0	.00	0	0	.00	0	.00	0	.00	0
46 **	REPAIRS & MAINTENANCE	5657	.00	0	5657	.00	0	5621.05	147877	142255.95	4
47-00	PRINTING & BINDING	41	.00	0	41	.00	0	.00	500	500.00	0
47 **	PRINTING & BINDING	41	.00	0	41	.00	0	.00	500	500.00	0
49-00	OTHER CHARGES & OBLIG.	22	.00	0	22	.00	0	.00	267	267.00	0
49-07	BAD DEBT EXPENSE	0	233.19-	0	0	233.19-	0	.00	0	233.19	0
49-15	OBSOLETE INVENTORY	0	.00	0	0	.00	0	.00	0	.00	0
49 **	OTHER CHARGES & OBLIG.	22	233.19-	1060-	22	233.19-	1060-	.00	267	500.19	87-
51-00	OFFICE SUPPLIES	41	.00	0	41	.00	0	.00	500	500.00	0
51 **	OFFICE SUPPLIES	41	.00	0	41	.00	0	.00	500	500.00	0
52-00	OPERATING SUPPLIES	963	34.90	4	963	34.90	4	2721.10	11564	8808.00	24
52-07	JANITORIAL SUPPLIES	0	.00	0	0	.00	0	.00	0	.00	0
52-30	FUEL OIL & LUBRICANTS	479	.00	0	479	.00	0	.00	19145	19145.00	0
52-33	EMPLOYEE HEALTH CENTER	294	9.64	3	294	9.64	3	4222.25	3528	703.89-	120
52 **	OPERATING SUPPLIES	1736	44.54	3	1736	44.54	3	6943.35	34237	27249.11	20
53-00	ROAD MATERIALS/SUPPLIES	0	.00	0	0	.00	0	.00	0	.00	0
53 **	ROAD MATERIALS/SUPPLIES	0	.00	0	0	.00	0	.00	0	.00	0

FUND 423 STORMWATER UTILITY

ELE OBJ	ACCOUNT DESCRIPTION	******MONTH-TO-DATE******* BUDGET	ACTUAL	%EXP	**********YEAR-TO-DATE******* BUDGET	ACTUAL	%EXP	ENCUMBR.	ANNUAL BUDGET	UNENCUMB. BALANCE	% BDGT
54-00	MEMBERSHIP/PUBLICATIONS	62	.00	0	62	.00	0	.00	750	750.00	0
54 **	MEMBERSHIP/PUBLICATIONS	62	.00	0	62	.00	0	.00	750	750.00	0
55-00	TRAINING	400	.00	0	400	.00	0	.00	4800	4800.00	0
55 **	TRAINING	400	.00	0	400	.00	0	.00	4800	4800.00	0
56-15	IT-RELATED OPERATING EXP	0	.00	0	0	.00	0	920.00	2760	1840.00	33
56 **	TECHNOLOGY SYSTEMS	0	.00	0	0	.00	0	920.00	2760	1840.00	33
59-00	DEPRECIATION	0	.00	0	0	.00	0	.00	0	.00	0
59 **	DEPRECIATION	0	.00	0	0	.00	0	.00	0	.00	0
61-00	LAND	0	.00	0	0	.00	0	.00	0	.00	0
61 **	LAND	0	.00	0	0	.00	0	.00	0	.00	0
63-00	INFRASTRUCTURE	39583	.00	0	39583	.00	0	61952.25	475000	413047.75	13
63-07	IMPROVE OTHER THAN BLDG	0	.00	0	0	.00	0	.00	0	.00	0
63 **	INFRASTRUCTURE	39583	.00	0	39583	.00	0	61952.25	475000	413047.75	13
64-00	MACHINERY & EQUIPMENT	3911	.00	0	3911	.00	0	129181.97	67620	61561.97-	191
64-15	IT HARDWARE	0	.00	0	0	.00	0	.00	0	.00	0
64 **	MACHINERY & EQUIPMENT	3911	.00	0	3911	.00	0	129181.97	67620	61561.97-	191
65-00	CONSTRUCTION IN PROGRESS	0	.00	0	0	.00	0	.00	0	.00	0
65 **	CONSTRUCTION IN PROGRESS	0	.00	0	0	.00	0	.00	0	.00	0
69-99	PROPRIETARY FUND	0	.00	0	0	.00	0	.00	0	.00	0
69 **	CONTRA FIXED ASSET	0	.00	0	0	.00	0	.00	0	.00	0
72-00	DEBT SERVICE - INTEREST	0	.00	0	0	.00	0	.00	0	.00	0
72 **	DEBT SERVICE - INTEREST	0	.00	0	0	.00	0	.00	0	.00	0
91-01	TRANSFER TO GEN FUND 001	0	.00	0	0	.00	0	.00	0	.00	0
91-21	WATER SEWER 421	0	.00	0	0	.00	0	.00	0	.00	0
91-26	WS CPTL PROJ 2018B 426	0	.00	0	0	.00	0	.00	0	.00	0

FUND 423 STORMWATER UTILITY

ELE OBJ	ACCOUNT DESCRIPTION	******MONTH-TO-DATE******* BUDGET	ACTUAL	%EXP	**********YEAR-TO-DATE******* BUDGET	ACTUAL	%EXP	ENCUMBR.	ANNUAL BUDGET	UNENCUMB. BALANCE	% BDGT
91-30	GF CAPITAL PROJECTS 301	0	.00	0	0	.00	0	.00	0	.00	0
91 **	INTERFUND TRANSFER	0	.00	0	0	.00	0	.00	0	.00	0
FUND 423	TOTAL *********										
	STORMWATER UTILITY	141527	44493.10	31	141527	44493.10	31	264829.33	1830548	1521225.57	17
GRAND	TOTAL *********										
		141527	44493.10	31	141527	44493.10	31	264829.33	1830548	1521225.57	17

Legislation Details (With Text)

File #:	21-751	**Version:**	1	**Name:**	
Type:	Informational Item			**Status:**	Agenda Ready
File created:	11/10/2021			**In control:**	City Council
On agenda:	12/14/2021			**Final action:**	
Title:	In accordance with the Financial Operations Manual (FOM) the City Manager shall submit to City Council in the form of an agenda item any approved change orders to construction contracts that the City Council has authorized the City Manager, by resolution, to approve in excess of the City Manager's spending authority. (Finance Director)				
Sponsors:					
Indexes:					
Code sections:					
Attachments:	Change Order Authorizations 10-31-2021.pdf				

Date	Ver.	Action By	Action	Result

CITY COUNCIL AGENDA ITEM

Memo Date: November 10, 2021
Agenda Date: December 14,2021
Prepared By: Lora Howell, Deputy Finance Director
Through: Rebecca Bowman, MBA, CGFO, CGFM, Finance Director
Requested Action:
In accordance with the Financial Operations Manual (FOM) the City Manager shall submit to City Council in the form of an agenda item any approved change orders to construction contracts that the City Council has authorized the City Manager, by resolution, to approve in excess of the City Manager's spending authority.

BACKGROUND:

The attached spreadsheets reference construction projects with a previously authorized "contingency" as of October 31, 2021. The report provides the project number, project description, construction contract cost of project, contingency amount authorized, date of City Council approval, resolution number for authorization of contingency, requisition numbers, and expenditure by fiscal year.

The second line of each project in the third column under "Construction contract not to exceed $" references the contingency amount that the City Council or City Manager, if within his purchasing authority, has approved. The last line of each project provides the remaining balance as of the report date.

STRATEGIC PLAN CONNECTION:

N/A

BUDGETARY IMPACT:

None

PREVIOUS ACTION:

None

RECOMMENDED MOTION:

Informational Item Only.

FY2022 Change Orders - CM authorized to execute

applied to contingency | as of: 10/31/2021

Project #	Project Description + Details	Construction contract not to exceed $	Date Approved	Resolution #	Requisition #	Requisition $ by Account #	All Fiscal Years Cumulative	FY21 Cum.	FY22 Cum.	FY2022 Expenditures	FY2021 Expenditures
WS18MI	PINEDA										
Op. Rev.		12,874,552.40	11/30/2021								
Project Manager: City of Melbourne		1,096,915.40	contingency and other costs authorized								
account #	426-4055-536.63-00	11,777,637.00	exp authorized before contingency				Cumulative	FY21 cum	FY22 cum		
	421-4055-536.63-00										
	City of Melbourne WIRE			FY2022	WIRE	11,777,637.00	$ 11,777,637.00		$ 11,777,637.00	$ 11,777,637.00	
		1,096,915									
PW08SP	Paving										
Op. Rev.		300,000.00	10/26/2021	2021-104							
Project Manager:		7,443.40	contingency and other costs authorized								
account #	001-3510-541.63-00	292,556.60	exp authorized before contingency				Cumulative	FY21 cum	FY22 cum		
	VA Paving PO# 78906			FY2022	43800	292,556.60	$ 292,556.60		$ 292,556.60		
		7,443				-					
WS16MM	Marlin Manor										
Op. Rev.		3,528,617.74	10/26/2021	2021-102							
Project Manager:		320,783.43	contingency and other costs authorized								
account #	424-4055-536.63-00	3,207,834.31	exp authorized before contingency				Cumulative	FY21 cum	FY22 cum		
	Atlantic Development PO#			FY2022			$ -				
		320,783									
WS21OU	Ozone										
Op. Rev.		1,187,074.00	8/24/2021	2021-079							
Project Manager:		108,000.00	contingency and other costs authorized								
account #	424-4020-536.63-00	1,079,074.00	exp authorized before contingency				Cumulative	FY21 cum	FY22 cum		
	Vortex Services PO#78445			FY2021	43248	1,079,074.00	$ 1,079,074.00		$ 1,079,074.00		
		108,000									
FL21FL	Fuel Tanks										
Op. Rev.		572,848.94	7/27/2021	2021-062							
Project Manager: Tony Jones		27,373.00	contingency and other costs authorized				Cumulative	FY21 cum	FY22 cum		
account #	421-4010-536.63-00	545,475.94	exp authorized before contingency								
	423-3570-538.63-00 and 001-3540-519.63-00			FY2021	43106	65,280.62	$ 65,280.62		$ 65,280.62		
				FY2021	43104	480,195.29	$ 480,195.29		$ 480,195.29		$ 80,721.58
	JRS Enterprises East Coast PO #78317 and 78325										
		27,373									
Op. Rev.		251,900.00	4/27/2021 and 7/27/21 (Additional Contingency)	2021-035 & 2021-065							
Project Manager:		53,950.00	contingency and other costs authorized								
account #	424-4020-536.63-00	197,950.00	exp authorized before contingency				Cumulative	FY21 cum	FY22 cum		
	Vortex Services PO#78016			FY2021	42724	197,950.00	$ 251,900.00		$ 251,900.00	$ 91,475.00	$ 106,475.00
				CO#1	43114	53,950.00					
		-									
WS21FM											
Op. Rev.		256,410.00	12/8/2020	2020-250							
Project Manager:		23,310.00	contingency and other costs authorized								
account #	421-4055-536.63-00	233,100.00	exp authorized before contingency				Cumulative	FY21 cum	FY22 cum		
	Danus Utility Contractor PO# 77555			FY2021	42151	233,100.00	$ 233,100.00		$ 233,100.00	$ 55,944.00	
		23,310									
WS1404											
Op. Rev.		2,616,301.00	11/10/2020	2020-229							
Project Manager:		237,845.00	contingency and other costs authorized								
account #	426-4055-536.63-00	2,378,456.00	exp authorized before contingency				Cumulative	FY21 cum	FY22 cum		
	Integrated Fire and Security Solutions Contractor PO# 77691			FY2021	42305	2,378,456.00	$ 2,378,456.00		$ 2,378,456.00	$ 514,500.05	$ 882,812.20
		237,845									

Project #	Project Description + Details	Construction contract not to exceed $	Date Approved	Resolution #	Requisition #	Requisition $ by Account #	All Fiscal Years Cumulative	FY21 Cum.	FY22 Cum.	FY2022 Expenditures	FY2021 Expenditures
WS1001	Industrial Park Pump Station										
Op. Rev.		4,889,500.00	11/25/14, VIII.8	2014-138							
Project Manager Utilities		444,500.00	10% contingency authorized			63-00					
account #421-4055-536.63-00		4,445,000.00	exp authorized before contingency				Cumulative	FY21 cum	FY22 cum		
	Brandes Design-Build. PO #67318/69608/71924		FY15 PO Issue	FY 2015	26451	4,445,000.00	4,445,000.00				
	Bid No. B-15-01-COC		*CO #1 for electric actuated butterfly valves*	FY 2015	27931	41,985.41	4,486,985.41				
			CO#2 for necessary modifications to electrical design	FY 2015	28332	14,574.50	4,501,559.91				
	Quentin Hampton P.O. #67460/69493		*PO **65207** FY15 Year-End PO Liquidation*			(1,542,102.38)	2,959,457.53				
			*FY16 PO Issue PO# **67318***	FY2016	29192	**1,542,102.38**	4,501,559.91				
	Mead & Hunt (formerly QLH) PO #70943/71880		*TO 2015-67 P.O. **67455** TO CH2M for Scada Programing*		29315	21,434.07	4,522,993.98				
			*PO# **67460** to QLH for SDC*		29381	53,001.11	4,575,995.09				
	CH2M Hill PO #67455/		*CO # 1 PO **67460** Additional Services Industrial Park*		29593	23,033.00	4,599,028.09				
			*CO#1 PO **67318***		29647	**53,686.38**	4,652,714.47				
	RM Packard $ Assoc. Inc. 73686		*CO#2 install electronic indicators PO **67318***		30007	**8,917.65**	4,661,632.12				
			*CO#2 additional inspection services PO# **67460***		30758	18,000.00	4,679,632.12				
			PO 67318 FY16 Year-End PO Liquidation			(806,347.80)	3,873,284.32				
			PO 67460 FY16 Year-End PO Liquidation			(26,064.34)	3,847,219.98				
			PO 67455 FY16 Year-End PO Liquidation			(12,619.15)	3,834,600.83				
			PO#69493 Quentin Hampton (reissue PO#67460)	FY 2017	31910	26,064.34	3,860,665.17				
			PO#69608 Brandes Design-Build (reissue PO#67318)		31980	806,347.80	4,667,012.97				
			PO#69493 QLH liquidated balance; reissue to Mead and Hunt		33725	(11,284.39)	4,655,728.58				
			PO#70943 Mead & Hunt (reissue PO#69493)		33736	11,284.39	4,667,012.97				
							4,667,012.97				
			PO#69608 Brandes Design-Build (reissue PO#67318)		31980	(420,315.30)	4,246,697.67				
			PO#70943 Mead & Hunt (reissue PO#69493)		33736	(9,984.39)	4,236,713.28				
			PO#71924 Brandes Design-Build (reissue PO#69608)	FY2018	34892	420,315.30	4,657,028.58				
					34893	9,984.39	$ 4,667,012.97				
			PO#73686	FY2019		1,000.00					
		209.868	^contingency balance-->								
WS1222	BNR Process Improvements										
DER restricted + Op.Rev		3,356,475.06	08/13/13 VIII.7	2013-083							
account #421-4120-536.63-00 + 64-00		603,099.13	contingency authorized								
		2,753,375.93	constr' exp authorized before contingency								
				2018-083							
		86,000	7/28/15 VIII. 3. for **Maxwell Contracting**	2015-037							
$5k reimburse check for overpmt of retainage in error - NOT a change order		10,000	contingency authorized for emergency task order								
		76,000	Emergency Task Order authorized ($76k before task order contingency)			63-00 64-00	Cumulative	FY21 cum	FY22 cum		
	Brandes Design-Build. Inc. FY2013 PO# 62086										
	Bid No. B-13-11-COC										
	Brandes Design-Build. Inc. FY2014 PO# 62605			FY2013	22658	1,250,550.00 1,528,450.00	2,779,000.00				
	Brandes Design-Build, Inc. FY2015 PO# 64940		FY13 Year-End PO Liquidation			(1,200,550.00) (1,528,450.00)					
			FY14 PO Reissue	FY2014	23304	1,200,550.00 1,528,450.00	2,779,000.00				
	Brandes Design-Build. Inc. FY2016 PO# 67346		CO #1 Modification to drain lines in BNR tanks		24840	22,776.29	2,801,776.29				
	CDM Smith FY2016 PO# 67329 + 67528 + 67529		FY14 Year-End PO Liquidation			(728,344.56)	2,073,431.73				
	JoBear Contracting FY2016 PO# 68561		FY15 PO Reissue	FY2015	26276	728,344.56	2,801,776.29				
			CO #2 Exploratory excavation		26423	11,040.00	2,812,816.29				
					26917	10,200.00	2,823,016.29				
	Brandes FY2017 PO# 69615 / FY2018 PO#71959		CO #3 Cable Tray		27079	5,978.14	2,828,994.43				
			CO #4 to Remove Sludge		27209	10,000.00	2,838,994.43				
	CDM Smith FY17 PO# 69522/69955/69956; FY18 PO#71534		*FY15 Year End PO Liquidation*			(79,836.05)	2,759,158.38				
			FY16 PO Issue	FY2016	29212	79,836.05	2,838,994.43				
					29249	32,800.00	2,871,794.43				
			CO#1		29329	(5,000.00)	2,866,794.43				
			CO#2		29212	4,151.50	2,870,945.93				
			CO#3		29905	5,327.32	2,876,273.25				
			CO#4		30046	(5,327.32)	2,870,945.93				
			Jobear P.O. 68561		30751	100,378.50	2,971,324.43				
			FY16 Liquidated		30751	(83,785.50)	2,887,538.93				
	SISCO FY2016 PO# 68047		SISCO PO#68047 EVALUATE/REPAIR 4 ELECTRIC VALVE ACTUATORS		30111	5,085.16	2,892,624.09				
			FY16 Year End PO Liquidation			(34,482.06)	2,858,142.03				
			FY17PO#69615 Brandes	FY2017	31932	33,812.06	2,891,954.09				
			PO# 69522 CDM Smith		31954	670.00	2,892,624.09				
			PO# 69522 CDM Smith		32776	13,250.00	2,905,874.09				
						(33,812.06)	2,872,062.03				
						(13.25)	2,872,048.78				
			PO#71534: Reissue PO#69522 CDM Smith	FY2018	34520	13.25	2,872,062.03				
			CO#1 PO#69522 CDM Smith		34650	36,340.00	2,908,402.03				
			CO#2 CDM SMITH		34520	86,975.40					
			PO#71959: Reissue PO#69615 Brandes Design-Build		34988	33,812.06	$ 2,942,214.09				
			CO#1		36547	11,430.00	$ 2,953,644.09				
	Maxwell Contracting, Inc. FY2015 PO#066365		Task Order 2015-12 to Maxwell Contracting, Inc.		27986	76,000.00	$ 76,000.00				
	Emergency - compromise of existing expansion joint					this portion is complete; project is incomplete					
		341,480	^contingency balance--> for Brandes Design-Build								
		10,000	^contingency balance--> for Maxwell Contracting								

Legislation Details (With Text)

File #:	21-786	**Version:**	1	**Name:**	
Type:	Informational Item			**Status:**	Agenda Ready
File created:	11/23/2021			**In control:**	City Council
On agenda:	12/14/2021			**Final action:**	
Title:	Informational Item: Report the results of the five (5) Year Consolidated Plan surveys received and calculated. Results will be used for the development of priorities to address the needs and goals within the City of Cocoa, for the FY 2022-2027 5 Year Consolidated Plan. (Interim Community Services Director)				
Sponsors:					
Indexes:					
Code sections:					
Attachments:	Survey Results for 5 Year Consolidated Plan.csv Public Comment- 24 CFR Part 91.105.csv				

Date	Ver.	Action By	Action	Result

CITY COUNCIL AGENDA ITEM

Memo Date: November 23, 2021
Agenda Date: December 14, 2021
Prepared By: Ibis S. Berardi, Housing Program Manager
Through: Charlene Neuterman, Interim Community Services Director
Requested Action:
Informational Item: Report the results of the five (5) Year Consolidated Plan surveys received and calculated. Results will be used for the development of priorities to address the needs and goals within the City of Cocoa, for the FY 2022-2027 5 Year Consolidated Plan.

BACKGROUND:

The City of Cocoa receives approximately $175,249 in Community Development Block Grant (CDBG) Citizen Participation and $81,562.93 in HOME Investment Partnership Program each year. CDBG funds must meet the national objective of benefitting low- and moderate-income citizens, aiding in the elimination of slum and blight, or meeting an urgent need (i.e. national disaster). HOME funds are expended on facilitating affordable housing.
The Consolidated Plan requirements for citizen participation and consultation are set forth in Subpart B of 24 CFR Part 91. All Priority Community Development Needs must be eligible within the Community Development Block Grant (CDBG) and the HOME Investment Partnership Program. Priority of Needs will be categorized by low, medium and high levels.

Housing staff participated in events to actively encourage citizen participation through community surveys. These surveys were made available to stakeholders during group meetings. Additionally,

the community surveys were announced and presented in online format on the City's website. They were sent via email to the Cocoa Housing Authority Board, the Innovative Housing Group and the Elevate Brevard group. Community Surveys were emailed to CDBG subrecipients and the two Community Housing Development Corporations (CHDO) with properties located in Cocoa.

Newspaper Advertisements were placed in the Florida Today and Ebony News, to announce the two public meetings held to increase survey submissions.

Two community meetings were held to discuss the Consolidated Plan requirements and request citizen participation.

When:	November 3, 2021	November 4, 2021
Where:	Endeavour Elementary School 905 Pineda Street Cocoa, FL 32922	Dr. Joe Lee Smith Community Center 415 Stone Street Cocoa, FL 32922
Time:	5:30 pm - 6:30pm	5:30 pm - 6:30pm

STRATEGIC PLAN CONNECTION:

Identify strategies and resources needed to address issues and deficiencies within the City.

BUDGETARY IMPACT:

N/A

PREVIOUS ACTION:

None.

RECOMMENDED MOTION:

Report the results of the five (5) Year Consolidated Plan surveys received and calculated. Results will be used for the development of priorities to address the needs and goals within the City of Cocoa, for the FY 2022-2027 5 Year Consolidated Plan.